


# Analytical reference materials, standards and high purity solvents 2011/2012



*Excellence through measurement*

**For further information, or if you require substances or materials not currently listed please contact one of our local sales offices.**

## **Brazil**

Tel: +55 12 3302 5880  
Email: bz@lgcstandards.com

## **Bulgaria**

Tel: +359 (0)2 971 4955  
Email: bg@lgcstandards.com

Territories served:  
Bulgaria, Macedonia (FYRM)

## **China**

Tel: +86 10 8532 4820  
Email: infochina@lgcstandards.com

Territories served:  
China, Hong Kong, Macau, Taiwan

## **Czech Republic**

Tel: +420 543 529 205  
Email: cz@lgcstandards.com

Territories served:  
Czech Republic, Slovakia

## **Finland**

Tel: +358 (0)2 233 9355  
Email: fi@lgcstandards.com

## **France**

Tel: +33 (0)3 88 04 82 82  
Email: fr@lgcstandards.com

Territories served:  
Algeria, Belgium, France, Ivory Coast, Jordan, Lebanon, Libya, Madagascar, Morocco, Senegal, Syria, Tanzania, Tunisia

## **Germany**

Tel: +49 (0)281 9887 0  
Email: de@lgcstandards.com

Territories served:  
Austria, Cyprus, Germany, Greece, Israel, Japan, Korea, Singapore, Switzerland, Thailand, Vietnam

## **Hungary**

Tel: +36 (06) 26 314 891  
Email: hu@lgcstandards.com

Territories served:  
Croatia, Hungary, Slovenia

## **India**

Tel: +91 (0)80 6701 2000  
Email: in@lgcpromochem.com

Territories served:  
Bangladesh, India, Nepal, Pakistan

## **Ireland**

Tel: +44 (0)28 7930 0078  
Email: ire@lgcstandards.com

## **Italy**

Tel: +39 02 2412 6830  
Email: it@lgcstandards.com

## **Netherlands**

Tel: +31 (0)643 775 422  
Email: nl@lgcstandards.com

## **Poland**

Tel: +48 (0)22 751 31 40  
Email: pl@lgcstandards.com

Territories served:  
Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Lithuania, Poland, Slovakia, Tajikistan, Turkmenistan, Ukraine, Uzbekistan

## **Romania**

Tel: +40 364 116 890  
Email: ro@lgcstandards.com

Territories served:  
Moldova, Romania, Serbia

## **Russia**

Tel: +7 (812)935 1180  
Email: ru@lgcstandards.com

## **Spain**

Tel: +34 (0)93 308 4181  
Email: es@lgcstandards.com

Territories served:  
Andorra, Latin America, Portugal, Spain

## **Sweden**

Tel: +46 (0)33 20 90 60  
Email: se@lgcstandards.com

Territories served:  
Denmark, Estonia, Iceland, Latvia, Norway, Sweden

## **Turkey**

Tel: +90 216 360 0870  
Email: tur@lgcstandards.com

## **Middle East**

Tel: +971 555 570 664  
Email: uae@lgcstandards.com

Territories served:  
Egypt, Sudan, UAE, Yemen

## **United Kingdom**

Tel: +44 (0)20 8943 8480  
Email: uksales@lgcstandards.com

Territories served:  
Australia, Brunei, Channel Islands, Ireland, Kenya, Kuwait, Malta, New Zealand, Philippines, Saudi Arabia, South Africa, United Kingdom

## **USA + Canada**

Tel: +44 (0)20 8943 8480  
Email: lgcusa@lgcstandards.com

# Introduction





**Standards**

*Excellence through measurement*


# Global quality management solutions for the laboratory

## **LGC Standards provides products and services to improve measurement and quality control within your laboratory:**

- Reference materials for a wide range of sectors including food, environmental, pharmaceutical, clinical and industrial
- Biological standards and reagents
- Production of pharmaceutical impurities
- High purity solvents
- Proficiency testing schemes
- Analytical quality training courses.

## **Why choose LGC Standards?**

- **Widest range of reference materials from a single source**  
giving laboratories access to over 100,000 products, from over 90 suppliers worldwide
- **Access to 30 proficiency testing schemes**  
offering rapid turnaround of results and expert advice
- **Expert technical support**  
on product usage and selecting the appropriate material for your needs
- **Network of international offices**  
offering customer service in your local language and time zone
- **Access to knowledge**  
on import requirements, licensing, shipping regulations and controlled substances management.



[www.lgcstandards.com](http://www.lgcstandards.com)

Brazil • Bulgaria • China • Czech Republic • Finland • France • Germany • Hungary • Ireland • India • Italy • Netherlands  
Poland • Romania • Russia • Spain • Sweden • Turkey • UAE • United Kingdom • USA

# Content

## Introduction

<b>Introduction</b>	<b>11</b>
About LGC Standards and LGC	11
This catalogue	11
Producers of reference materials	12
The use of reference materials	14
About proficiency testing (PT)	15
Relevant literature	16
Relevant training courses	16
General ordering information	16
<b>ERM® Application Notes</b>	<b>17</b>
ERM® Application Note 1	17
Comparison of a measurement result with the certified value	17
ERM® Application Note 3	19
Using reference materials to establish metrological traceability	19
ERM® Application Note 6	22
Use of ERM® certificates and materials	22

## Matrix reference materials

### Environmental matrix reference materials

<b>Waters</b>	<b>27</b>
Drinking water	27
Rainwater	27
Fresh water	28
Sea water	32
Spiked/fortified water	32
Miscellaneous	35
<b>Sediments</b>	<b>40</b>
Freshwater sediments	40
Marine sediments	55
WEPAL sediment reference materials	60
<b>Soils</b>	<b>61</b>
<b>Sewage sludges</b>	<b>111</b>
<b>Plants</b>	<b>115</b>
Trees and bushes	115
Grasses and crops	117
Aquatic plants	117
Miscellaneous	118
WEPAL plant reference materials	120
<b>Ash, particulate and dust</b>	<b>124</b>
Ash and particulate	124
Dust and Fumes	128

### Occupational hygiene reference materials

<b>Filter media</b>	<b>132</b>
<b>Respirable materials (solid form)</b>	<b>134</b>

### Food matrix reference materials

<b>Milk and milk products</b>	<b>135</b>
MUVA reference materials	139
<b>Meat and meat products</b>	<b>143</b>
<b>Fish and fish products</b>	<b>148</b>
Shellfish	148
Fish	152

<b>Cereals and genetically modified crops</b>	<b>161</b>
Wheat	161
Corn	162
Rye	163
Rice	163
Rapeseed	164
Genetically modified crops	164
<b>Vegetable matter</b>	<b>171</b>
Fruit and vegetables	171
Vegetable oils	177
<b>Food Authenticity</b>	<b>179</b>
<b>Food and drink products</b>	<b>180</b>
Processed food	180
Drinks	184
Alcoholic beverage	184
Food supplements	186
Food allergens	188
<b>Animal food products</b>	<b>189</b>
<b>Purified genomic DNA (gDNA)</b>	<b>191</b>
<b>Certified materials for microbiological properties</b>	<b>192</b>
<b>DR CALUX® TEQ reference materials</b>	<b>194</b>
<b>Industrial reference materials</b>	
<b>Fertilizers</b>	<b>201</b>
<b>Rocks, ceramic materials and minerals</b>	<b>202</b>
<b>Clays</b>	<b>216</b>
<b>Petrochemical standards</b>	<b>218</b>
<b>Conostan® Oil Analysis Standards</b>	<b>218</b>
Single element standards in oil	218
Multi-element standards in oil	220
Sulfur in mineral oil	222
Sulfur in residual oil	222
Sulfur in Isooctane	223
Chlorine in oil	223
Blank and base oils	223
Stabilizer	224
Sulfur in diesel fuel	224
PremiSolv™ ICP solvent	224
PartiStan™ particle standards- Compliant with ISO 11171:1999	225
CONOSTAN D-Series® Element (metallo-organic) Standards: D-3, D-12, D-19 (JOAP)	225
<b>Oils and liquid fuels</b>	<b>227</b>
<b>Multi-test verification materials (MTVMs)</b>	<b>233</b>
<b>Biodiesel standards</b>	<b>234</b>
<b>CONOSTAN® Biodiesel standards</b>	<b>236</b>
Metals in Biodiesel	236
Sulfur in Biodiesel	236
<b>Biodiesel fuel calibration standards (ASTM D6584, EN 14105:2003)</b>	<b>237</b>
ASTM D 6584 standard solutions	237
Individual standards for biodiesel testing	237
Internal standards	238
Derivatizing agent	238
EN 14105:2003 standard solutions	238
<b>ASTM Methods for petrochemical analysis</b>	<b>238</b>
ASTM Method D2887	238
ASTM Method D3710	239
ASTM Method E1387	239
ASTM Method D4815	239
ASTM Method D-5453	239
ASTM D3120, D3246 & D3961 sulfur by oxidative microcoulometry	241
ASTM Method D4629	242
ASTM D5808 organic chlorine in hydrocarbons	243
<b>Viscosity oil standards</b>	<b>243</b>

<b>Solid fuels</b>	<b>246</b>
<b>Cement</b>	<b>251</b>
<b>Glass and ceramics</b>	<b>253</b>
<b>Plastics</b>	<b>258</b>
<b>Paint and industrial sludges</b>	<b>262</b>
<b>Standards for the semiconductor industry</b>	<b>264</b>
<b>High tech ceramics</b>	<b>264</b>
<b>Miscellaneous</b>	<b>265</b>
<b>Miscellaneous matrix reference materials</b>	<b>266</b>
<b>Customized standards and CERTAN®</b>	
<b>CERTAN® - The ampoule in the bottle</b>	<b>271</b>
<b>Food specific standards</b>	
<b>Natural products and food constituents</b>	<b>283</b>
<b>Phytochemical from ChromaDex</b>	<b>283</b>
Sugars	283
Carotenoids	287
Amino acids	287
Vitamins	291
Tea related polyphenols	293
Stevia related compounds	293
Caffeine related compounds	294
<b>Lipid standards</b>	<b>294</b>
<b>Amino acids</b>	<b>300</b>
<b>Food additives</b>	<b>300</b>
Colour standards	300
Preservatives	301
Antioxidants	302
Sweeteners	303
<b>Mycotoxins</b>	<b>303</b>
<b>Ergot alkaloids</b>	<b>309</b>
<b>Shellfish toxins</b>	<b>310</b>
Diarrhetic shellfish poisons (DSP) and other lipophilic toxins	310
Paralytic shellfish poisons (PSP)	311
Amnesic shellfish poisons (ASP)	311
<b>Miscellaneous food related standards</b>	<b>312</b>
<b>Tobacco related standards</b>	<b>312</b>
<b>Contaminant Standards</b>	
<b>Pesticides</b>	<b>315</b>
<b>Campechlor (Toxaphene) congeners</b>	<b>369</b>
<b>Polychloro-n-alkanes</b>	<b>378</b>
<b>Polychlorinated biphenyls (PCBs)</b>	<b>381</b>
<b>PCB metabolites - Chlorohydroxybiphenyls</b>	<b>405</b>
<b>Polychlorinated terphenyls (PCTs)</b>	<b>405</b>
<b>Polychlorinated naphthalenes</b>	<b>406</b>
<b>Polychlorinated benzenes</b>	<b>407</b>
<b>Flame retardants (technical)</b>	<b>409</b>
<b>Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans</b>	<b>410</b>



<b>Perfluorinated compounds</b>	<b>416</b>
Labelled perfluorocarboxylic acids	416
Native perfluorocarboxylic acids	416
<b>Hydrocarbons</b>	<b>417</b>
<b>n-Alkane mixtures</b>	<b>417</b>
<b>BTEX mixtures</b>	<b>418</b>
<b>Polycyclic aromatic compounds</b>	<b>421</b>
<b>Standards for the analysis of the mineral oil content</b>	<b>434</b>
<b>Hydrocarbon fuel standards</b>	<b>435</b>
<b>Weathered hydrocarbon fuel standards</b>	<b>436</b>
<b>Veterinary medicines and pharmaceuticals</b>	<b>437</b>
NMIA-reference materials	437
Full listing of veterinary medicine and pharmaceutical standards	438
<b>Miscellaneous organic compounds</b>	<b>448</b>
<b>Volatile analyte mixtures</b>	<b>448</b>
USP 467 residual solvents mixture	455
<b>Semi-volatile analyte mixtures</b>	<b>457</b>
<b>Explosives and their degradation products</b>	<b>461</b>
<b>Neat reference materials kits</b>	<b>465</b>
<b>ULTRAKits®</b>	<b>466</b>
<b>Miscellaneous individual analytes</b>	<b>471</b>
<b>ULTRA QuECh™ Standards</b>	<b>500</b>
EN 15662 & Mini-Multiresidue Method	500
AOAC 2007.1	500
<b>Standards for the Italian Environmental Regulation DM 471</b>	<b>501</b>
<b>Organotin compounds</b>	<b>502</b>
<b>Aldehydes / Ketones-DNPH standards</b>	<b>503</b>
<b>Cyanobacterial toxins</b>	<b>506</b>
<b>Test mixtures for GC and LC</b>	<b>506</b>
<b>Standards for the determination of AOX (EN ISO 9562)</b>	<b>507</b>
<b>Standards for the determination of EOX and POX (DIN 38414-S 17)</b>	<b>508</b>
<b>Standards for TOC and TIC</b>	<b>508</b>
<b>Derivatisation reagents</b>	<b>508</b>
<b>Standards for Spectroscopy</b>	<b>509</b>
<b>Single element standards for ICP</b>	<b>510</b>
<b>ULTRA Scientific's EnviroConcentrate™ kits for ICP</b>	<b>522</b>
<b>ULTRAGrade® single element standards for atomic absorption spectroscopy</b>	<b>523</b>
<b>ULTRA Scientific's EnviroConcentrates™ for atomic absorption spectroscopy</b>	<b>527</b>
<b>ULTRAGrade® multi-element standards</b>	<b>530</b>
ICP Standards	530
ICP, graphite furnace AA & ion chromatography standards	531
ICP-MS Standards	531
<b>MEINHARD glassware for ICP and ICP-MS</b>	<b>533</b>



<b>Multielement standards and standards for EPA methods</b>	<b>533</b>
EPA Method 200.7	533
EPA Method 200.8	535
EPA Method 6010C	536
<b>Matrix modifiers for graphite furnace AA</b>	<b>537</b>
<b>High purity acids</b>	<b>538</b>
<b>Ion chromatography standards</b>	<b>539</b>
<b>Wet chemistry standards</b>	<b>542</b>
<b>Stable isotope labelled standards from CIL</b>	
<b>Environmental contaminant standards from CIL</b>	<b>545</b>
<b>Dioxin and furan individual standards</b>	<b>550</b>
<sup>13</sup> C <sub>12</sub> Labelled chlorodioxin standards	551
<sup>13</sup> C <sub>6</sub> and <sup>37</sup> Cl <sub>4</sub> Labelled chlorodioxin standards	551
Unlabelled chlorodioxin standards	551
Further unlabelled dioxin standards	552
<sup>13</sup> C <sub>12</sub> Labelled chlorofuran standards	552
Unlabelled chlorofuran standards	553
Further unlabelled chlorofuran standards	553
Comprehensive unlabelled chlorodioxin/chlorofuran standards for elution profiling	554
<sup>13</sup> C <sub>12</sub> Labelled bromodioxin standards	557
Unlabelled bromodioxin standards	557
<sup>13</sup> C <sub>12</sub> Labelled bromofuran standards	557
Unlabelled bromofuran standards	558
<sup>13</sup> C <sub>12</sub> Labelled mixed bromo/chlorodioxin standards	558
Unlabelled mixed bromo/chlorodioxin standards	558
Unlabelled mixed bromo/chlorofuran standards	558
<b>Dioxin &amp; furan method standards, standard mixtures &amp; reference materials</b>	<b>559</b>
U.S. EPA Method 1613 standard mixtures	560
U.S. EPA Method 23 standard mixtures	562
U.S. EPA Method 8290 standard mixtures	563
U.S. EPA Method 8280 standard methods	564
JIS Methods K0311 and K0312 dioxin/furan standard mixtures	566
European Air Method EN-1948 standard mixtures	568
<b>Performance evaluation standards</b>	<b>569</b>
Fish tissue, soil, and sediment reference materials	569
Dioxin and furan plus PCB standard mixtures	577
Non-2,3,7,8-containing standard mixtures	580
Two Column Dioxin and Furan Standard Mixtures	584
Mono-tri dioxin & furan standard mixtures	588
Isotope labelled dioxin and furan standard mixtures	588
Unlabelled dioxin and furan standard mixtures	589
Chlorodioxin and chlorofuran window defining mixtures	590
TCDD & TCDF column performance mixtures	590
Bromodioxin/Furan calibration mixtures	591
<b>PCB standards and standard mixtures</b>	<b>595</b>
Isotope labelled individual PCB standards	596
Unlabelled certified PCB standards	598
Unlabelled PCB standards	599
U.S. EPA Method 1668A/B standard mixtures	608
EN-1948-4 PCB standards	610
Japanese Industrial Standard (JIS) Methods K0311 and K0312 standard mixtures	612
WHO PCB mixtures	616
Dioxin-like PCB RH12 standard mixtures	622
WHO "Non-Dioxin-like" marker PCB standard mixtures	623
Rapid PCB screening standard mixtures	623
Mono-deca plus predominant PCB standard mixtures	624
CDC PCB Standard Mixtures	627
Isotope labelled PCB standard mixtures	628
Unlabelled PCB standard mixtures	630
PCB window defining mixture	635
Isotope labelled mixed bromo/chlorobiphenyl standards	635
Unlabelled mixed bromo/chloro PCB standards	635
Mixed bromo/chlorobiphenyl standard mixtures	635
Hydroxy-PCBs	636
Methoxy-PCBs	636
Unlabelled methyl sulfone PCB standards	636

<b>Brominated flame retardant standards</b>	<b>637</b>
Isotope labelled brominated diphenyl ether (BDE) standards	637
Unlabelled brominated diphenyl ether (BDE) standards	638
Isotope labelled polybrominated biphenyl (PBB) standards	639
Unlabelled polybrominated biphenyl (PBB) standards	639
BDE technical mixtures	639
Tetrabromobisphenol A (TBBPA) and hexabromocyclododecane (HBCD) standards	639
Other flame retardant standards	639
Hydroxy-BDEs	640
Methoxy-BDEs	640
U.S. EPA Method 1614 standard mixtures	640
<b>RoHS standards</b>	<b>642</b>
<b>Polycyclic aromatic hydrocarbons (PAH)</b>	<b>649</b>
Carbon-13 labelled polycyclic aromatic hydrocarbons (PAH) standards	649
Deuterated polycyclic aromatic hydrocarbon (PAH) standards	650
Unlabelled polycyclic aromatic hydrocarbon (PAH) standards	651
Isotope labelled PAH standard mixtures	652
<b>Polychlorinated naphthalene (PCN) standards</b>	<b>653</b>
Isotope labelled polychlorinated naphthalene (PCN) standards	653
Unlabelled polychlorinated naphthalene (PCN) standards	653
Polychlorinated naphthalene (PCN) standard mixtures	654
Halowax technical mixtures	654
<b>Substituted benzothiophenes</b>	<b>654</b>
<b>Priority pollutant standard mixtures</b>	<b>655</b>
Isotope labelled chlorobenzene & chlorophenol mixtures	655
U.S. EPA Method 1653A standard mixtures	656
U.S. EPA Method 1653 standard mixtures	656
U.S. EPA CLP DMC standard mixtures	657
U.S. EPA Methods 1624/1625 standard mixtures	658
<b>Priority pollutants, endocrine disruptor and chemical contaminant standards</b>	<b>660</b>
Personal care product (PPCP) standards	661
Sex and steroidal hormone standards	661
Prescription and non-prescription drug standards	662
Veterinary and human antibiotic standards	663
Food and drinking water analysis standards	663
Phthalate & phthalate metabolite standards	664
Nonylphenol and nonylphenol metabolites	665
Perfluorinated compounds	666
Nitrosamine standards	666
Tobacco metabolite and flavoring standards	666
Halogenated and substituted benzene and phenol standards	667
Endocrine disrupting compounds and xenoestrogen standards	668
Isotope labelled chlorinated diphenyl ether standards	671
Unlabelled chlorinated diphenyl ether standards	671
Other industrial chemicals	671
Explosive standards	672
Individual n-alkane standards	672
Priority pollutant standards	673
<b>Pesticide and chemical weapon standards</b>	<b>682</b>
Individual chlorinated cyclodiene pesticide standards	682
Organochlorine (OC) pesticide and metabolite standards	683
Organophosphorous pesticide metabolites	685
Carbamate pesticide and metabolite standards	686
Pyrethroid pesticide and metabolite standards	686
Triazine herbicide and metabolite standards	686
Camphechlor (Toxphene) congeners	687
Individual pesticide standards and pesticide metabolite standards	687
Pesticide standard mixtures	692
Chemical weapon metabolite standards	700

## ULTRAcHECK and standards for EPA methods

<b>ULTRAcHECK® blind, quality control check standards</b>	<b>705</b>
Inorganic blind QC samples for drinking water analysis	705
Organic blind QC samples for drinking water analysis	707
Inorganic blind QC samples for non-potable water analysis	710
Organic blind QC samples for non-potable water analysis	712
Blind QC samples for underground storage tanks, hydrocarbon fuels and TPH	713
Blind QC samples for aroclors	714

EPA 500 Methods	715
EPA 600 Methods	742
EPA 8000 Methods	764
<b>Combustion element analyser standards</b>	
Elemental standards - Sulfur standards	798
Elemental standards - Nitrogen standards	800
Elemental standards - Carbon standards	803
Elemental standards - Chlorine standards	803
Elemental standards - Sulfur and nitrogen mixed standards	804
Elemental combustion analyzer reagents	805
<b>Certified high purity standards and high purity inorganic chemicals</b>	
Elemental analysis	809
Stoichiometry	810
Pure substances	811
Organo-metallic compounds	812
Isotopes	813
High purity inorganic chemicals	817
<b>Physical property standards</b>	
<b>Thermal properties</b>	<b>827</b>
Enthalpy and heat capacity	827
Melting, freezing and triple points	828
Flash point	832
Combustion calorimetry	832
Solution calorimetry	832
Thermal conductivity	832
Thermal expansion	834
Thermal resistance	834
Glass liquid temperature	834
Temperature measuring devices	834
<b>Particles and surface properties</b>	<b>835</b>
Particle size	835
<b>Particle size calibration standards from Whitehouse Scientific</b>	<b>838</b>
Polydisperse particle standards	839
NIST traceable monodisperse particle standards	839
Image analysis standards	840
NIST traceable sieve standards	840
General purpose glass microspheres	841
General purpose basalt microspheres	842
Surface area	843
Micropore volume and width	843
Particle flow	845
Microhardness	845
Surface roughness	846
Surface tension	846
Depth profiling	847
Length calibration and lateral resolution	847
Thickness	847
Abrasive wear	848
<b>Reference Nanomaterials</b>	<b>849</b>

<b>Optical properties</b>	<b>851</b>
Molecular absorption and luminescence	851
Starna optical reference materials	853
Refractive index	860
Optical rotation	862
Optical fibres	862
Colour measurement	862
Photography	862
Microscopy	863
<b>Ion activity</b>	<b>863</b>
pH calibration	863
Biological buffer systems	864
pD calibration	864
Ion-selective electrode calibration	865
Electrolytic conductivity	865
Reagecon electrolytic conductivity standards	866
Conductivity standards according to the European Pharmacopoeia (Chapter 2)	867
<b>Electrical properties</b>	<b>867</b>
Electrical resistivity and conductivity	867
Superconducting critical current	867
Dielectric constant	867
<b>Viscosity</b>	<b>868</b>
Viscosity of glass	868
Viscosity fixpoints	868
Viscosity oil standards	868
Certified liquids for viscosity measurements in the European Pharmacopoeia	871
<b>Polymeric properties</b>	<b>871</b>
Individual molecular weight polymer standards	871
Molecular weight and melt flow	872
<b>Miscellaneous</b>	<b>874</b>
Relative humidity	874
Scanning electron microscope	874
X-ray diffraction	874
Density	875
Chemical resistance (durability) of glass	877
Multi-test verification materials (MTVMs)	877
Mechanical properties	878
Physico-chemical properties	879
Magnetic moment	879
Miscellaneous	880

## Laboratory supplies

<b>ULTRASep™ Filters</b>	<b>882</b>
ULTRASep™ TSS Filters for Standard Methods 2540C and 2540D	882
ULTRASep™ SPE disc system for EPA Method 1664A, specifically designed for dirty water samples	883
<b>eVol® hand-held automated analytical syringe</b>	<b>884</b>
eVol® NMR Edition	885
eVol® Accessories	885
eVol® Syringes	885
Replacement plungers for eVol® syringes	885
Replacement needles for 5 µL eVol® syringes	886
Replacement needles for 50 µL eVol® syringes	886
Replacement needles for 500 µL eVol® syringes	887

## High Purity solvents and acids

<b>Reagents / Sorbents</b>	<b>892</b>
<b>Ion pair reagents</b>	<b>893</b>
<b>LC-MS additives</b>	<b>893</b>
<b>High purity solvents and acids</b>	<b>894</b>

## Trademarks

## Indexes

## Introduction

### About LGC Standards and LGC

LGC Standards provides the widest range of reference materials from a single supplier. We work closely with the leading manufacturers to provide laboratories worldwide with improved access to reference materials, covering an increasingly large range of parameters. Our network of offices in Europe, US, UAE, China and India combined with our extensive experience in selling reference materials and our technical expertise allows LGC Standards to work in partnership with our customers to provide fast delivery together with sound technical advice as well as dealing with complex import and export regulations.

LGC Standards is part of LGC, an established leader in laboratory services, measurement standards, reference materials and proficiency testing. LGC's business is focused upon customers in: forensic science; pharmaceutical and biotechnology research, development and quality control; food chain and environmental surveillance and safety; life science, genomics, proteomics and basic research. LGC also plays a pivotal role in a number of programmes with both government and industry to improve analytical standards and laboratory performance.

LGC's Science and Technology Division acts as the designated UK National Measurement Institute (NMI) for chemical and bioanalytical measurement, and has a long history in the development and validation of analytical methods and the production of reference materials.

Many of the analytical methods, which cover the food, environment, industrial, clinical and pharmaceutical sectors, are accredited to ISO/IEC 17025 (Requirements for the competency of testing and calibration laboratories). Full details of the accreditation schedule can be found on the UKAS website [www.ukas.com](http://www.ukas.com).

LGC's Science and Technology Division is accredited to ISO Guide 34 (General requirements for the competence of reference materials producers) for the production of reference materials. The measurement capabilities used to produce certified reference materials in its capacity as the UK NMI are verified through participation in key comparison studies organised by the Consultative Committee for the Amount of Substance (CCQM) of the International Weights and Measures Organisation (BIPM). The certificates are recognised by other National Measurement Institutes, under the Mutual Recognition Arrangement.

In its role as the NMI, LGC serves on the International Organisation for Standardisation (ISO) Committee for Reference Materials (REMCO), which aims to carry out and encourage a broad international effort for the harmonization, production and application of certified reference materials (CRMs).

### This catalogue

This catalogue "Analytical reference materials and standards 2011/2012" combines products for the environmental, food and industrial sectors, and includes matrix materials, standard solutions and pure materials, and replaces the 2008 edition and subsequent newsletter updates.

#### New in this catalogue

This catalogue provides a fully updated listing of all relevant reference materials, standards and solvents. Products added since the last catalogue was issued include:

- ULTRAgold<sup>®</sup> inorganic standards produced under ISO Guide 34
- High purity inorganic compounds
- ULTRA QuECh<sup>™</sup> standards for the QuEChERS method
- Mycotoxins and ergot alkaloids
- Labelled toxaphene standards
- Isotope labelled compounds from Cambridge Isotope Laboratories (pesticides, PCBs, sex and steroidal hormone standards, veterinary and human antibiotics, priority pollutant standards, POPs)
- Standards for USP 467
- Veterinary medicine and pharmaceutical standards
- ERM<sup>®</sup> (European Reference Materials)
- Reference materials from the National Research Centre for Certified Reference Materials, China (NIM)
- Reference nanomaterials
- GMO reference materials
- Certified materials for microbiological properties
- DR CALUX<sup>®</sup> matrix reference materials
- Combustion element analyser standards
- CONOSTAN<sup>®</sup> biodiesel standards
- Glass standards
- eVol<sup>®</sup> hand-held automated analytical syringe

These products are labelled with "**New**" to help you find them easily.

#### How to find your product

Products are grouped in this catalogue by type of material, as listed in the Contents. An index of all products is included at the back of the catalogue, listed by name and catalogue number.

### Producers of reference materials

This catalogue brings together products from a wide variety of sources. There are certified reference materials from National Measurement Institutes and also reference materials and standards from many different producers. Most products are supplied with a certificate of analysis although the lay-out and format of the certificates will vary according to the producer. A list of the producers is given below.

#### LGC

LGC's Science and Technology Division, based in Teddington in the UK, is accredited to ISO Guide 34 (General requirements for the competence of reference materials producers) for the production of reference materials. LGC has a long history in the development and validation of analytical methods and the reference materials production facility at LGC complements this expertise.

The measurement capabilities used to produce certified reference materials in its capacity as the UK National Measurement Institute are verified through participation in key comparison studies organised by the Consultative Committee for the Amount of Substance (CCQM) of the International Weights and Measures Organisation (BIPM). The certificates are recognised by other National Measurement Institutes, under the Mutual Recognition Arrangement.

In its role as the NMI, LGC serves on the International Organisation for Standardisation (ISO) Committee for Reference Materials (REMCO), which aims to carry out and encourage a broad international effort for the harmonization, production and application of certified reference materials (CRMs).

#### IRMM

The Institute for Reference Materials and Measurements (IRMM) is one of the seven institutes of the Joint Research Centre (JRC), a Directorate-General of the European Commission (EC). Today IRMM is one of the world's leading reference material producers, and is accredited according to ISO Guide 34 for the production of reference materials.

BCR<sup>®</sup> and IRMM reference materials (BCR<sup>®</sup> is a registered trademark of JRC-EC-IRMM) are the products of both research funding and direct action programmes of the European Commission, in which new or improved measurement or testing methods are developed. These programmes are aimed at improving, harmonising or standardising measurements and testing in the European Union.

As an authorised distributor of BCR<sup>®</sup> reference materials LGC Standards currently holds stock of more than 6000 units of certified BCR<sup>®</sup> and IRMM reference materials under carefully controlled and monitored conditions.

#### Federal Institute for Materials Research and Testing (BAM)

The Federal Institute for Materials Research and Testing (BAM) has a long tradition in the production of Certified Reference Materials. Starting in 1912 with a "Normal Steel" for the determination of carbon, the development of new CRMs has increased continuously. One year later eight steel samples with different carbon contents were available. The development continued with the participation of regional German material research and testing institutes as well as industry (1957). In 1968 within the framework of EURONORM, the first European CRMs in the field of iron and steel were issued.

Today a large range of ferrous and non ferrous CRMs together with environmental CRMs and CRMs for engineering materials are offered.

#### European Reference Materials (ERM<sup>®</sup>)

The ERM<sup>®</sup> range of reference materials was launched in May 2004. It is the result of collaboration between three major reference material producers, LGC in the UK, the Institute for Reference Materials and Measurement (IRMM) in Belgium and Bundesanstalt für Materialforschung und Prüfung (BAM) in Germany. The partners are committed to using the most advanced principles for the production of certified reference materials. The certified values have clearly defined and stated traceability and are internationally recognized through participation of the partners in key comparisons organized by the Bureau International des Poids et Mesures (BIPM). All ERM<sup>®</sup> materials are subject to rigorous homogeneity and stability testing guaranteeing the certified values for every unit over its complete shelf life.

#### Cambridge Isotope Laboratories

Cambridge Isotope Laboratories, Inc. (CIL) is a world leader in the field of isotope separations and has the capacity to produce 120 kilograms of carbon-13 and 250 kilograms of oxygen-18 annually. For more than 20 years, CIL has specialised in the development, production, and marketing of stable (non-radioactive) isotopes and chemical compounds labelled with stable isotopes to become the world's premier producer of stable isotope labelled compounds. In the environmental field CIL offer a wide range of stable isotope labelled contaminant standards designed for use with the high accuracy Isotope Dilution Mass Spectrometry (IDMS) technique.

This catalogue includes a dedicated chapter with the full range of environmental contaminant standards from Cambridge Isotope Laboratories.



## ULTRA Scientific

ULTRA Scientific, based in the USA, is recognised as a leader in the chemical standards industry. LGC Standards works in close partnership with ULTRA to ensure that laboratory requirements for high quality environmental standards are satisfied. ULTRA's organic and inorganic calibration standards are widely used in the analysis of drinking water, waste water, soils, sediments, foods, cosmetics and other products. Through LGC Standards ULTRA is also able to provide customised standards within manageable time frames and at affordable prices.

The ULTRA Scientific manufacturing, quality control and distribution system is registered to the International ISO 9001 standard. The quality control laboratory at ULTRA Scientific is accredited to ISO Guide 17025 and ISO Guide 34. Since 2005 LGC Standards has been the exclusive distributor of ULTRA products across most of Europe.

## IPO (Institute of Industrial Organic Chemistry)

IPO is a significant research and development centre for the Polish chemical industry. They have been producing neat pesticide reference materials for more than 20 years. IPO products are individual high purity organic compounds or mixtures of definite composition, supplied with a certificate of analysis or statement of purity. The Analytical Department of IPO has implemented a Quality Management System for manufacturing of analytical standards of organic compounds. The system fulfills the requirements of PN-EN ISO 9001:2001 standard (identical with ISO 9001:2000) and was certified in 2002 by the IQNET and PCBC (Polish Centre for Testing and Certification).

LGC Standards is the official distributor of IPO standards.

## Cerilliant

Cerilliant Corporation is a leading supplier of chemical standards for environmental analysis and forensic drug testing and for providing custom chemical synthesis. They were the first to produce Carbon-13 labelled chlorinated dioxins and furans in co-operation with Cambridge Isotope Laboratories, to meet the increasing demand for isotope-labelled reference standards. From raw materials analysis to continuing shelf-life studies, Cerilliant's ISO 9001 system requires multiple checks to ensure product conformance, and is accredited to ISO Guide 34, ISO 17025 and ISO 9001.

## CONOSTAN<sup>®</sup> Oil Analysis Standards

CONOSTAN<sup>®</sup> (now a division of SCP Science) is a pioneer and global leader in the development, manufacturing, and marketing of oil analysis reference materials/standards. The pioneering innovation continues with introductions of standards for lubricant product analysis that are benchmarks for quality, accuracy, precision, and traceability. Their quality program is certified under ISO 9001:2000.

## The National Institute of Standards and Technology (NIST)

NIST produces standard reference materials (SRMs<sup>®</sup>). Based in the United States, NIST has provided reference materials to industry and commerce for nearly 100 years. NIST collaborates with companies to provide academia and industry with SRMs for expanding areas such as air and water pollution, which are international issues.

## The National Research Council of Canada (NRC)

NRC produces certified reference materials (CRMs) through a program jointly operated by the Institute for National Measurement Standards (INMS), in Ottawa, Ontario and the Institute for Marine Sciences (IMB), in Halifax, Nova Scotia. The NRC range includes a variety of inorganic and organic CRMs.

## The National Water Research Institute (NWRI)

NWRI is Canada's largest freshwater research establishment. It carries out a national program of research and development in the aquatic sciences in partnership with the Canadian and international freshwater science communities.

## National Analysis Centre for Iron and Steel (NACIS)

National Analysis Centre for Iron and Steel is a research and development centre of analysis and test technology for iron and steel. Based in the Central Iron and Steel Research Institute in Beijing, China, NACIS has over fifty years experience in research of a wide variety of reference materials and production of metal alloy, ore, and ferrous alloy certified reference materials (CRMs).



### ChromaDex™

ChromaDex™ was established in 1999 to develop and supply botanical reference standards along with related phytochemical products and services. Based in California, with a testing and research facility in Colorado, ChromaDex™ provides analytical services and products to the dietary supplement, food, beverage, nutraceutical and cosmetic industries.

### Others

Materials from the following organisations are also included in this catalogue:

- AEA Technology, UK
- Agricultural Research Centre, Finland
- BioDetection Systems (BDS), Netherlands
- CANMET, Canada
- Cargille Laboratories INC, USA
- Central Office of Measures (GUM), Poland
- Centre for Ecological Research, Poland
- Chemipan, Poland
- Cyano Biotech GmbH, Germany
- Czech Metrological Institute, Czech Republic
- Faculty of Physics and Nuclear Techniques, Poland
- Federal Institute for Materials Research and Testing (BAM), Germany
- G E Sensing, Ireland
- H & D Fitzgerald Ltd, UK
- Institute of Dyes and Organic Products, Poland
- Institute of Nuclear Chemistry and Technology, Poland
- LabAnalityka, Poland
- Institute of Nuclear Chemistry and Technology, Poland
- International Atomic Energy Agency, Austria
- MV Laboratories Inc., USA
- Nacalai Tesque, Japan
- National Institute for Environmental studies (NIES), Japan
- National Measurement Institute, Australia
- National Research Centre for Certified Reference Materials, China
- Poulten, Selfe & Lee Ltd, UK
- R. T. Corporation, USA
- SGE Analytical Science, UK
- Society of Glass Technology, UK
- Sigma-Aldrich
- Stanhope-Seta, UK
- Starna Scientific Ltd, UK
- WEPAL, Netherlands
- Whitehouse Scientific Ltd, UK

### The use of reference materials

Reference materials are instrumental in ensuring the reliability of analytical measurements and so ensuring the use of high quality data as the basis of decision making.

When choosing a matrix reference material for a particular application the analyst should consider the following factors before selecting a material:

- Matrix match and potential interferences
- Analytes
- Measurement range
- Measurement uncertainties
- Certification procedures used by the producer
- Documentation supplied with the material (e.g. certificate or report).

## About proficiency testing (PT)

Proficiency testing (PT) is a powerful quality assurance tool for laboratories undertaking analytical measurements. A PT scheme provider distributes test materials on a regular basis to participating laboratories for independent testing. The results are returned to the organiser of the scheme who makes an analysis of the results and provides a report to all the participants.

There are a number of benefits of taking part in a PT scheme:

- enable participants to measure their performance against others;
- give an early indication of potential problems or training requirements;
- encourage good performance and reinforce an interest in quality assurance;
- demonstrate an ability to comply with international regulations;
- provide a valuable source of information;
- provide the means to measure consistency across a group of laboratories.

LGC Standards is a UKAS accredited international provider of proficiency testing (PT) services, with over twenty years experience in all aspects of providing proficiency testing services to laboratories undertaking chemical, microbiological and physical analysis. LGC Standards operates 29 proficiency testing schemes serving over 6,000 laboratories, producing and distributing more than 100,000 samples and processing more than 2,000,000 data points per annum.

LGC Standards offers an unprecedented breadth of chemical, microbiological and physical testing schemes across a wide range of industries including meat, dairy and other food sectors, water, soil and other environmental sectors, brewing, distilling, malting, sugar, forensic, consumer safety, pharmaceutical and phytochemical sectors. Schemes are supplied on an international basis with customers in over 130 countries making LGC Standards a major international provider of proficiency testing services.

All the PT schemes within LGC Standards Proficiency Testing are operated in accordance with the international standard ISO/IEC 17043. The statistical analysis undertaken is in accordance with the international standard ISO 13528. LGC Standards Proficiency Testing is accredited by the United Kingdom Accreditation Service for the provision of proficiency testing schemes, currently against ISO/IEC Guide 43-1 (certificate 0001) and ILAC G13. A copy of our current scope of accreditation is available on the UKAS website ([www.ukas.com](http://www.ukas.com)).

Current schemes provided include:

### Water and environmental schemes:

- AQUACHECK - chemical analysis of clean water, waste waters, sludges, sediments and soils
- CONTEST - analysis of contaminated soils for a wide range of contaminants
- STACKS - chemical analysis of gaseous emissions in impinger solution and metals on quartz filters
- QWAS - microbiological assessment of waters, effluents and sludges

### Food schemes:

- AFPS - chemical and microbiological analysis of animal feed
- QCS - chemical and microbiological analysis of chocolate
- QDCS - composition and safety testing in the dairy sector
- QFCS - chemical testing of food products
- QGS - microbiological analysis of gelatine samples
- QMAS - chemical and microbiological analysis of meat
- QMS - microbiological examination of food and food ingredients

### Beverage schemes:

- BAPS - chemical, microbiological and sensory analysis of a range of beers
- DAPS - analysis of a wide range of alcoholic beverages (excluding beer)
- MAPS - analysis of malt and barley used by the malting, brewing and distilling industries
- SUPS - analysis of raw sugar used in the production of food and beverages
- QBS - chemical and microbiological analysis of soft drinks

### Other schemes:

- PACQS - laser diffraction particle size analysis
- PHARMASURE - measurement of a range of chemical and microbiological analytes in pharmaceutical products
- PHYTAS - phytochemical testing of plant extracts
- QMIS - identification of micro-organisms
- QUARTZ - toxicological analysis of drugs and alcohol in blood
- TOYTEST - toy safety testing to the European Standard EN71 and American Standard ASTM F963

### Heathcontrol schemes:

- Heathcontrol Therapeutic Drug Scheme
- Heathcontrol Psychoactive Drug Scheme
- Heathcontrol Antibiotic Drug Scheme
- Heathcontrol Toxicology Scheme
- Heathcontrol Drugs of Abuse in Urine Scheme
- Heathcontrol Drugs in Oral Fluid Scheme
- ASI Immunosuppressives Scheme

In addition to these regular schemes, we are able to offer customised and closed proficiency testing schemes tailored to a specific organisation's requirements. We operate such schemes on behalf of some of the largest companies in the world, all of whom are leading brand names recognised for the quality and added value of their products, and we are happy to discuss your requirements in this area.

Please contact your local LGC Standards office to find out more.

## General ordering information

---

### Relevant literature

- Applications of Reference Materials in Analytical Chemistry VAM  
V. Barwick, S. Burke, R. Lawn, P. Roper and R. Walker published by the RSC, 2001, ISBN 0-85404-488-5
- Reference Materials in Analytical Chemistry – A Guide for Selection and Use  
A. Zchunke published by Springer-Verlag.
- Reference Materials for Chemical Analysis – Certification, Availability and Proper Usage  
M. Stoepler, W.R. Wolf, P.J. Jenks published by Wiley-VCH.
- Proficiency Testing in Analytical Chemistry, R.Lawn, M.Thompson and R.Walker published by The Royal Society of Chemistry, 1997 ISBN 0-85404-432-9.

### Relevant training courses

A range of training courses is available from LGC to help laboratory managers and analysts demonstrate competence in, and keep abreast of, quality assurance issues and practices. LGC's analytical quality training programme includes:

- Achieving traceability in chemical testing
- Using proficiency testing in the analytical laboratory
- Method validation
- Principles and practice of measurement uncertainty in chemical testing laboratories
- Quality systems in testing laboratories
- Statistics for analytical chemists
- Further statistical tools for analytical chemists
- Evaluating measurement uncertainty for chemical testing laboratories

The majority of the courses are run in Teddington, South West London. In addition, LGC can provide training for groups of staff at your own site, where the courses can be customised to meet your exact needs.

For further information, please contact:

Bernadette Francis  
LGC Training Centre  
Queens Road  
Teddington, Middlesex  
TW11 0LY, UK  
Tel: +44 (0)20 8943 7631  
Fax: +44 (0)20 8943 2767  
Email: [training@lgc.co.uk](mailto:training@lgc.co.uk)  
Web: [www.lgc.co.uk](http://www.lgc.co.uk)

## General ordering information

Prices and delivery procedures are shown in the price list that accompanies this catalogue, or are available from your local LGC Standards sales office. For products requiring special delivery procedures (cooled shipping, dangerous goods, etc) additional charges will be applied.

Please check with your local LGC Standards sales office for detailed procedures and transport charges where applicable.

Unless otherwise agreed in advance and in writing, orders are accepted only against LGC Standards standard terms and conditions of sale.

Once delivered to the customer, reference substances are not returnable. For this reason it is very important for users to be certain that the product ordered meets their needs.

LGC Standards technical staff are available to advise on the use and suitability of a particular product. Customers requiring assistance with the use or application of a particular reference substance should contact their local LGC Standards office, contact details are provided at the beginning of this catalogue.

For further information please contact any of the offices listed on the inside cover or visit [www.lgcstandards.com](http://www.lgcstandards.com).

# ERM® Application Notes

## ERM® Application Note 1

### Comparison of a measurement result with the certified value

Author: Thomas Linsinger  
 European Commission - Joint Research Centre  
 Institute for Reference Materials and Measurements (IRMM)  
 Retieseweg 111, 2440 Geel, Belgium  
 Email: thomas.linsinger@ec.europa.eu; www.erm-crm.org

The comparison of a measurement result on a certified reference material with the certified value is explained. The method compares the difference between the certified and measured values with its uncertainty, i.e. the combined uncertainty of certified and measured value. Guidance on how to determine the standard uncertainties of certified values as well as standard uncertainties of measurement results is given.

### Introduction

One of the most frequent applications of certified reference materials is validation of measurement procedures. To achieve this, measurements on certified reference materials are performed and the results are compared with the certified values. This comparison is often described in a qualitative manner such as measurement results “agree”, “agree well” or even “agree perfectly” with the certified values. However, a structured and quantitative approach exists that allows a statement of the evidence of any bias to be made. This approach takes into account the certified value, the measurement result and their respective uncertainties. These uncertainties are subsequently combined and the expanded uncertainty is compared to the difference. This note will explain the procedure of the uncertainty estimation and the comparison of results with a certified value.

### Basic Principles

After the measurement of a CRM the absolute difference between the mean measured value and the certified value can be calculated as

$$\Delta_m = |c_m - c_{CRM}|$$

$\Delta_m$  absolute difference between mean measured value and certified value

$c_m$  mean measured value

$c_{CRM}$  certified value

Each measurement has an uncertainty  $u_m$  as described in the ISO Guide to the Expression of Uncertainty in Measurement (GUM) [1] and the Eurachem/CITAC Guide “Quantifying Uncertainty in Analytical Measurement” [2]. This means, any measurement result is only known within the limits of this uncertainty. Similarly, the certified value of a CRM is only known with a specified uncertainty  $u_{CRM}$  stated on the certificate. Uncertainties are usually expressed as standard deviations, but only the variances (the squared standard deviations) are additive. The uncertainty of  $\Delta_m$  is  $u_{\Delta}$ , that is calculated from the uncertainty of the certified value and the uncertainty of the measurement result according to

$$u_{\Delta} = \sqrt{u_m^2 + u_{CRM}^2}$$

$u_{\Delta}$  combined uncertainty of result and certified value (= uncertainty of  $\Delta_m$ )

$u_m$  uncertainty of the measurement result

$u_{CRM}$  uncertainty of the certified value

The expanded uncertainty  $U_{\Delta}$ , corresponding to a confidence interval of approximately 95 %, is obtained by multiplication of  $u_{\Delta}$  by a coverage factor (k), usually equal to 2.

$$U_{\Delta} = 2 \cdot u_{\Delta}$$

$U_{\Delta}$  expanded uncertainty of difference between result and certified value

**To evaluate method performance,  $\Delta_m$  is compared with  $U_{\Delta}$ :**

**If  $\Delta_m \leq U_{\Delta}$  then there is no significant difference between the measurement result and the certified value.**

## Determination of the individual uncertainties

### Uncertainty of the certified value

The expanded uncertainties  $U_{CRM}$  of each certified value are given on the certificate. Each ERM®-certificate also contains in a footnote an explanation of the derivation of the uncertainty (see Figs. 1 and 2). In most cases, the coverage factor is explicitly stated (an example can be seen in Fig. 1). The standard uncertainty,  $u_{CRM}$ , of the certified value is obtained by dividing the stated expanded uncertainty by the coverage factor. In some cases, the uncertainty is the 95 % confidence interval of the mean of laboratory means (for an example see Fig. 2). In this case, the t-factor for a 95 % confidence interval with n-1 degrees of freedom (n being the number of laboratories) needs to be determined from statistical tables. Alternatively, the factor can be derived in MS Excel® using the function  $tinv(0.05, n-1)$ . The standard uncertainty of the certified value  $u_{CRM}$  is then obtained by dividing the stated expanded uncertainty by the t-factor.

### Uncertainty of the measured value

According to ISO/IEC 17025 [3], measurement uncertainties must be known for each measurement. In the absence of full uncertainty budgets, several approximations exist (ranked in decreasing usefulness) to estimate measurement uncertainties:

- 1) The within-laboratory reproducibility standard deviation (intermediate precision) as determined from e.g. quality control charts can be used as (rough) estimation of  $u_m$ .
- 2) A reproducibility standard deviation from other sources (e.g. the certification reports available on [www.erm-crm.org](http://www.erm-crm.org) or an interlaboratory comparison) can be used after it has been proven that the laboratory's performance is equivalent to the performance of the participants in the study in question.
- 3) The standard deviation of the measurements over a longer time period can be used as very rough estimation. This estimation is typically underestimating the real uncertainty.

**ERM® - BB445**

PORK FAT		
Chlorobiphenyl <sup>1)</sup> Ballschmitter No. (Congener name)	Mass fraction	
	Certified value <sup>2)</sup> [µg/kg]	Uncertainty <sup>3)</sup> [µg/kg]
28 (2,4,4'-Trichlorobiphenyl)	14.8	1.3
52 (2,2',5,5'-Tetrachlorobiphenyl)	12.9	0.9

<sup>1)</sup> As obtained by quantification using GC methods.  
<sup>2)</sup> Unweighted mean value of the means of 8 accepted sets of data, each set being obtained in a different laboratory with a different method of determination. The certified value and its uncertainty are traceable to the International System units (SI).  
<sup>3)</sup> Estimated expanded uncertainty  $U$  with a coverage factor  $k = 2$  corresponding to a level of confidence of about 95% defined in the Guide to the Expression of Uncertainty in Measurement (GUM), ISO, 1995. Uncertainty contributors a

Figure 1: Certificate with expanded uncertainty. The standard uncertainty of the certified value ( $u_{CRM}$ ) is obtained by dividing the expanded uncertainty by the coverage factor (in this case: 2; marked in red)

**ERM® - CC580**

ESTUARINE SEDIMENT		
Parameter	Mass fraction (based on dry mass)	
	Certified value <sup>1)</sup>	Uncertainty <sup>2)</sup>
Total Hg	132 mg / kg	3 mg / kg
CH <sub>3</sub> Hg <sup>+</sup>	75 µg / kg	4 µg / kg

<sup>1)</sup> Unweighted mean value of the means of 11 to 13 accepted sets of data, each set being obtained in a different laboratory and / or with a different method of determination. Certified value is based on dry mass. The certified values are traceable to SI.  
<sup>2)</sup> The certified uncertainty is the half-width of the 95 % confidence interval of the mean defined in  $U$ .  $k$ -factors were chosen according to the t-distribution depending of the number of accepted sets of results and were 2.179 for total Hg and 2.228 for MeHg.

Figure 2: Certificate with a confidence interval. The standard uncertainty of the certified value ( $u_{CRM}$ ) is obtained by dividing the expanded uncertainty (in this case: 4 for CH<sub>3</sub>Hg) by the coverage factor (in this case: 2.228; circled)

**Example: PCBs in pork fat (ERM-BB445)**

PCB 52: certified value =  $(12.9 \pm 0.9)$  µg/kg. Footnote 2 of the certificate states that a coverage factor of  $k = 2$  was applied.  $u_{CRM}$  is therefore  $0.9/2$  µg/kg =  $0.45$  µg/kg.

The laboratory measurements gave an average of  $(14.3 \pm 1.8)$  µg/kg (single standard deviation of 6 measurements spread over three weeks). The standard deviation is divided by the square root of the number of measurements, as the average of the results is compared with the certified value.  $u_m$  is therefore estimated as  $1.8/\sqrt{6}$  µg/kg =  $0.74$  µg/kg.

$$\Delta_m = |c_m - c_{CRM}| = |12.9 - 14.3| \text{ µg/kg} = 1.4 \text{ µg/kg}$$

$$u_{\Delta} = \sqrt{u_m^2 + u_{CRM}^2} = \sqrt{0.74^2 + 0.45^2} \text{ µg/kg} = 0.87 \text{ µg/kg}$$

The expanded uncertainty  $U_{\Delta}$  is  $2 \cdot u_{\Delta} = 1.7$  µg/kg. This is larger than the difference  $\Delta_m$  between the certified and the measured value. The measured mean value is therefore not significantly different from the certified value.

[1] International Standards Organisation (1993) Guide to the expression of uncertainty in measurement. ISO, Geneva. ISBN 92-67-10188-9

[2] Ellison SLR, Roeslein M, Williams A (eds) (2000) EURACHEM/CITAC Guide: Quantifying uncertainty in analytical measurement, 2nd edn. EURACHEM. ISBN 0-948926-15-5. Available at <http://www.eurachem.com>

[3] International Standards Organisation (1999) ISO/IEC 17025: General Requirements for the competence of calibration and testing laboratories. ISO, Geneva

**ERM® Application Note 3****Using Reference Materials to Establish Metrological Traceability**

Author: Steve Wood  
LGC Limited  
Queens Road  
Teddington  
Middlesex, TW11 0LY, UK  
Email: [steve.wood@lgc.co.uk](mailto:steve.wood@lgc.co.uk)

Traceability of measurements enables results to be compared across space and time and is a requirement of ISO/IEC 17025. This note describes the steps that need to be applied to chemical measurement methods to ensure traceability of the results. Reference materials are key to achieving traceability of measurement results. The ERM® range of certified reference materials are produced by three of Europe's top metrology institutions. ERM® reference materials have stated traceabilities and provide a means of ensuring reliability and comparability of the results of chemical analysis.

**Introduction**

All chemical measurement results depend upon and are ultimately traceable to the values of measurement standards of various types, such as those for mass, volume and the amount of a particular chemical species. If results obtained by different laboratories are to be comparable, it is essential that all results are based on reliable measurement standards whose values are linked to a stated reference. If there are differences in the quality of the measurement standards used in different laboratories, discrepancies will inevitably arise when different laboratories analyse the same sample. It is a requirement of standards such as ISO/IEC 17025 [1] that test results should be traceable, preferably to national or international standards.

**Definition**

"Traceability is a property of the result of a measurement or the value of a standard whereby it can be related to stated references, usually national or international standards, through an unbroken chain of comparisons all having stated uncertainties" [2].

**Traceable measurements**

The value of the result for an unknown quantity obtained from a comparison with the value of a calibration standard (where the uncertainty of the result is the uncertainty of this comparison plus the uncertainty of the standard) is traceable to the value of the calibration standard provided the method used for the comparison is valid and the uncertainty of the calibration standard is known.

## Application to chemical measurements

Method development establishes an optimised procedure which can be used to compare a sample and standard. Validation shows that, in terms of its performance, this procedure is fit for the purpose in hand and has the appropriate uncertainty.

Calibration establishes the relationships between the values provided by the measurement system with the values of the reference standards.



Traceability or control has to be established for each parameter specified in the procedure. Traceability is established through the use of measurement standards (e.g. certified reference materials) which are appropriate for each parameter. These certified reference materials are selected on the basis of fitness for purpose.

## Establishing traceable results

The following steps are necessary to establish traceable results [3]:

- 1) Specify the measurand and acceptable uncertainty.
- 2) Choose a suitable method of estimating the value, i.e. a measurement procedure with associated calculation (equation) and measurement conditions.
- 3) Demonstrate (validation) that the calculation and measurement conditions include all the 'influence quantities' that significantly affect the result.
- 4) Identify relative importance of each influence quantity. A methodology to help analysts categorise the degree of control to be applied to realising a particular experimental value has been developed [4].
- 5) Choose and apply appropriate certified reference materials and standards.

Estimate the uncertainty of the result.



Figures 1 and 2 show how calibration using a common reference material provides comparability between laboratories and allows a meaningful comparison of results.



## A STRATEGY FOR ESTABLISHING TRACEABILITY

### *To achieve traceability*

The method must be properly validated and applied within its stated scope. If not, erroneous results may still be produced, even if all measurements and standards are traceable.

The method must be carried out using the **appropriate stated references**.

### *Key steps to select the appropriate stated references*

Write down and understand the equation used to calculate the analytical result.

Identify any 'reagents' or equipment with specified values detailed in the method.

Identify the fixed conditions used in the method.

Obtain appropriate 'stated references' for use in the practical measurement or realisation of the experimental value.

### *What are 'appropriate stated references'?*

Any 'reference point' that an analyst uses to obtain or realise a particular quantity value in practice.

Physical calibrations are well established, e.g. calibrated weight; reference thermometer; volumetric glassware; stopwatch.

Chemical calibrations can be established in the same way using pure or matrix certified reference materials (calibrants) or other well-characterised pure materials.

### *What is appropriate?*

The analyst must decide, based on:

The degree of control that is required in obtaining or realising a particular value in practice.

The extent to which the quantity affects the result.

The uncertainty of each stated reference must be appropriate.

[1] International Standards Organisation (2005) ISO/IEC 17025: General Requirements for the competence of testing and calibration laboratories. ISO, Geneva

[2] International Vocabulary of Basic and General Terms in Metrology. ISO, Geneva, 1993, 2nd edition. ISBN 92-67-01075-1

[3] Eurachem/CITAC 2003, Traceability in Chemical Measurement. A Guide to achieving comparable results in chemical measurements ([www.eurachem.ul.pt](http://www.eurachem.ul.pt))

[4] Meeting the Traceability Requirements of ISO/IEC 17025. An Analyst's Guide. 3rd Edition. V Barwick and S Wood (Editors), LGC Limited, September 2005. ISBN 0-948926-23-6

### **Acknowledgements**

We wish to thank ERM® for the permission to print the Application Notes 1 and 3

## ERM® Application Note 6

### Use of ERM® certificates and materials

Author: Thomas Linsinger  
 European Commission - Joint Research Centre  
 Institute for Reference Materials and Measurements (IRMM)  
 Retieseweg 111, 2440 Geel, Belgium  
 Email: thomas.linsinger@ec.europa.eu; www.erm-crm.org

This application note describes some practical aspects associated with handling and use of certified reference materials (CRMs) in laboratories. The various values provided on a certificate, re-use of materials, applying a moisture correction and interpretation of the traceability statement are also explained.

#### INTRODUCTION

Understanding the information contained in reference material certificates and correct use of these materials are necessary get the maximum benefit from them. This application note explains the basic terms used on ERM certificates, and gives guidance on the practical handling of materials.

#### TERMS ON THE CERTIFICATE

##### Types of assigned values

Three categories of values are assigned for ERM-branded reference materials:

**Certified values** fulfil the highest standards for reliability. They are traceable to stated references and are accompanied by a GUM (ISO Guide 98 "Guide to the expression of uncertainty in measurement") compatible expanded uncertainty statement valid for the entire shelf life of the ERM-CRM.

**Indicative values** are not certified due to either a larger uncertainty than required for the intended use or insufficient variety of methods used in the characterisation. The information is therefore unsuitable for certification at the accuracy required for certified values.

**Additional material information** are values created during the certification exercise, which are usually the result of one method only and indicate the order of magnitude rather than an accurate value. In summary, certified values are those values the certifying body is confident in assigning with the highest accuracy, while indicative values display higher uncertainties and/or lack a full traceability statement. This hierarchy in reliability is shown by the fact that only certified values are on the first page of the certificate. It follows that certified values are more assured than indicative values which in turn are more assured than additional material information.

##### Metrological traceability statement

Certified and indicative values come with a traceability statement. These statements unambiguously identify the measurand as well as the traceability of the values assigned to this measurand (see also the ERM policy on traceability on www.erm-crm.org). This information is given in one or two footnotes on the certified or indicative values and measurands (see Figures 1 and 2). The following alternatives exist: Measurands can be **structurally defined ("rational")** like for total Cadmium or Ochratoxin A, or **procedurally defined (empirical)**, such as for dietary fibre, extractable Cadmium or impact toughness, which are defined via specific measurement protocols.

For structurally defined measurands, ERM principles are stricter than those of ISO Guide 34 and 35 and require availability of results obtained from at least two completely independent methods or confirmation of results by primary methods of measurement by an independent method to demonstrate the absence of any method bias of assigned values.

Values assigned to the measurands can be traceable to the **International System of Units (SI)** or to an **artefact (empirical scales)**. In the former case, all input factors are calibrated with standards whose values are traceable to the SI, whereas in the latter cases arbitrary standards have been used for at least one step in the calibration (e.g. World Health Organisation primary reference preparation in clinical chemistry, Vienna Standard Mean Ocean Water (VSMOW) for chemical shift).

ERM® - AD452/IFCC		
GAMMA-GLUTAMYLTRANSFERASE		
	Certified value <sup>①</sup>	Uncertainty <sup>2</sup>
Catalytic concentration in reconstituted material	114.1 U/L	2.4 U/L
	1.90 µkat/L	0.04 µkat/L
1) This value is the unweighted mean of 12 sets of results, independently obtained from 12 laboratories. It is traceable to the IFCC primary reference method at 37 °C. The material must be reconstituted according to the specified procedure (see below). Values were converted from U/L into µkat/L by multiplication with 0.01667.		

Figure 1: Traceability statement of ERM-AD452/IFCC. The measurand is procedurally defined and proper calibration of all input factors is assumed.

In earlier ERM certificates, this information was combined into one footnote (Figure 1). Since the adoption of the common ERM policy on traceability, this information is given in two footnotes, one connected to identity of the measurand itself, the other specifying the traceability of the values assigned to it.

### Minimum sample intake

Every material is intrinsically heterogeneous. The minimum amount of material that is representative of the whole unit (bottle, vial etc.) is defined as minimum sample intake (Figure 2). The certified value and its uncertainty cannot be guaranteed for subsamples smaller than the minimum sample intake.

### Expiry date

Producers of reference materials guarantee the integrity of the material and the validity of the certificate for a specified time (known as the shelf life), provided the material is unopened and stored under the recommended storage conditions. This does not automatically mean that the user has to discard the unused sample once the shelf life has expired, but the producer cannot guarantee stability any longer. Users can continue to use a material under their own responsibility, if they have additional evidence of stability (e.g. no changes in quality control charts, comparison with other materials), however the material certificate will not be valid.

ERM® - BC367		
RAPESEED (COLZA)		
Parameter	Certified value <sup>1</sup>	Uncertainty <sup>2</sup>
Total glucosinolate (GSL)	99 mmol/kg	9 mmol/kg
Sulphur	10.3 g/kg	0.5 g/kg
1) The certified values for both GSL and S are the unweighted mean of the means of the accepted sets (GSL and 7 for S). The values are traceable to SI.		
2) Estimated expanded uncertainty $U$ with a coverage factor $k = 2$ , corresponding to a level of confidence of 95% as defined in the Guide to the Expression of Uncertainty in Measurement (GUM), ISO, 1995. Uncertainty arising from characterisation as well as from homogeneity and stability assessment were taken into consideration.		
This certificate is valid for one year after purchase.		
<b>Sales date:</b>		
<b>The minimum sample intake is:</b>		
- 500 mg for total glucosinolate (GSL) determination,		
- 20 g for sulphur calibration by XRF (preparation of discs),		
- 200 mg for sulphur determination after digestion.		

Figure 2: The shelf life and minimum sample intake are marked in blue and green, respectively.

The shelf life may be extended by the producer if additional information on the stability becomes available. This, however, refers only to newly purchased samples and not to samples distributed before the extension of the original shelf life.

### Instructions for use

The instructions for use give a detailed description for each material. These descriptions can refer to dry mass correction (Figure 3), reconstitution procedure, use of values, storage of the material etc. If these instructions are not followed, the assigned values are not valid.

INSTRUCTIONS FOR USE
The sample can be used as it is from the bottle. Before a bottle is opened, it should be shaken manually for 5 min so that the material is re-homogenised. The correction to dry mass should be made on a separate portion of 100 mg which should be dried in an oven at 102 °C for 3-4 h until constant mass is attained. The recommended minimum sample intake is 500 mg.

Figure 3: Definition of the dry mass correction for ERM-CE477. Please note the different recommended sample intakes for dry mass correction and certified measurands (in this case butyltins), reflecting different degrees of homogeneity for moisture and butyltins.

### HANDLING ISSUES

#### Measurement method to be used

The measurement method must determine the same measurand as described in the certificate. This means that for procedurally defined measurands, the method specified on the certificate must be used. For structurally defined measurands, any method determining this measurand can be used and should give unbiased results.

All instruments must be properly calibrated to ensure that measurement results are traceable to the same reference as the certified value. For results traceable to an artefact, a standard whose value is traceable to the same artefact must be used.

### Use of opened bottles

For opened units, alteration or even degradation of the material can happen which could not be accounted for during the certification process. Therefore, CRM producers cannot guarantee the assigned values of opened units. It is up to the user's judgement whether or not this material can be further used and which storage conditions or treatment are necessary. As a general guideline, materials should be stored cool, dry, in the dark and closed. Further information is often available in the certification report, which is freely available on [www.erm-crm.org](http://www.erm-crm.org). In any case, materials from opened containers should be used as soon as possible after opening to minimise change.

### Moisture correction

Many certified values are stated as content per dry mass of sample. As results from different methods (e.g. drying oven, Karl Fischer titration, vacuum drying oven) may differ significantly, the procedure for moisture correction must be clearly stated on the certificate (Figure 3) and this method must be used. Using different conditions can significantly alter the material (Figure 4) and the results obtained. Determination of the dry mass must be performed on a separate subsample.




Figure 4: Effect of different drying conditions on a cabbage reference material. Specified drying condition on the certificate: 16h at 70 °C

# Matrix reference materials





**European Commission Joint Research Centre**  
Institute for Reference Materials and Measurements (JRC IRMM), Belgium

**Bundesanstalt für Materialforschung und -prüfung (BAM)**  
Germany

**LGC**  
United Kingdom

## The highest quality and reliability in certified reference materials

Three major European producers have combined forces to produce a standard in reference materials to ensure reliability and comparability of the results of chemical analysis.

European Reference Materials (ERM®) are certified materials, which undergo uncompromising peer evaluation and offer the highest quality and reliability.



### Why ERM®?

- Peer-review ensures the highest quality and reliability
- Full transparency of the certification principles
- Clearly defined and stated traceability
- Internationally recognised values.

[www.erm-crm.org](http://www.erm-crm.org)



## Environmental matrix reference materials

## Waters

Code	Product	Unit
<b>Drinking water</b>		
<b>New</b> ERM-CA011	Hard drinking water - Metals Hard drinking water sourced from Tamworth (Staffordshire, UK) spiked with high purity metal standards to levels as close to the EU/UK drinking water regulation limits as possible (EC directive 98/83/EC). Certified values Al.....209 µg/L      K.....5.11mg/L As.....10.15 µg/L      Mg.....14.78 mg/L B.....952 µg/L      Mn.....48.3 µg/L Ba.....115.2 µg/L      Na.....22.77 mg/L Be.....5.01 µg/L      Ni.....19.27 µg/L Ca.....73.6 mg/L      Pb.....24.51 µg/L Cd.....4.88 µg/L      Sb.....5.1 µg/L Co.....4.82 µg/L      Se.....9.91 µg/L Cu.....1936 µg/L      Sr.....471 µg/L Cr.....48.2 µg/L      Vn.....4.75 µg/L Fe.....186 µg/L      Zn.....597 µg/L	250 mL
<b>New</b> ERM-CA015	Hard drinking water - Anions Hard drinking water sourced from Teddington, UK, containing anions at concentrations close to the maximum permissible levels specified in EU/UK drinking water regulations (EC directive 98/83/EC). Certified values Cl ..... 247 mg/L      Nitrate ( as NO <sub>3</sub> ).....45 mg/L F..... 1.3 mg/L      Sulfate (as SO <sub>4</sub> ) .....247 mg/L	250 mL
<b>New</b> ERM-CA022	Soft drinking water - Metals Certified values Al..... 204 ± 10 µg/L      Cr .....50.8 ± 2.7 µg/L      Na ..... 5.84 ± 0.14 mg/L As..... 10.3 ± 1.3 µg/L      Cu.....2100 ± 70 µg/L      Ni ..... 20.5 ± 1.6 µg/L Ba ..... 127 ± 13 µg/L      Fe .....201 ± 2 µg/L      Pb ..... 26 ± 0.9 µg/L Ca ..... 7.33 ± 0.25 mg/L      Mg ..... 1.01 ± 0.04 mg/L      Zn.....628 ± 4 µg/L Cd..... 5.26 ± 0.21 µg/L      Mn .....52.5 ± 3.9 µg/L	250 mL
<b>New</b> ERM-CA016	Soft drinking water - Anions Soft drinking water sourced from Plymouth, UK, containing anions at concentrations corresponding to the maximum permissible levels specified in EU/UK drinking water regulations (EC directive 98/83/EC). Certified values Cl ..... 250 mg/L      Nitrate ( as NO <sub>3</sub> ).....48 mg/L F..... 1.5 mg/L      Sulfate (as SO <sub>4</sub> ) .....254 mg/L	250 mL
<b>New</b> NWLETHBRIDG-03	Drinking water - Major ions and nutrients Lot 0909 Certified values Alkalinity, Total (as CaCO <sub>3</sub> ).....118 mg/L      Nitrate + Nitrite (as N) ..... 0.18 mg/L Ammonia (as N).....0.385 mg/L      pH ..... 8.19 Calcium.....38.5 mg/L      Potassium ..... 1.5 mg/L Chloride .....12.5 mg/L      Silica (as Si) ..... 1.3 mg/L Conductivity (25°C)..... 338 µS/cm      Sodium..... 9.48 mg/L Dissolved Inorganic Carbon (DIC).....28.0 mg/L      Sulfate (as SO <sub>4</sub> ) ..... 34.9 mg/L Fluoride.....0.682 mg/L      Total Kjeldahl Nitrogen (TKN)..... 0.516 Magnesium .....13.5 mg/L      Total Nitrogen ..... 0.687 Hardness, Total (as CaCO <sub>3</sub> ).....153 mg/L Indicative values for Boron, Colour (Hazen units), Dissolved Organic Carbon (DOC) and Turbidity (JTU/NTU).	500 mL
<b>Rainwater</b>		
NWAES-05	A low pH acid rain sample - Major ions and nutrients Lot 0310 Certified Values Al.....0.0117 mg/L      NO <sub>3</sub> + NO <sub>2</sub> (as N)..... 0.26 mg/L NH <sub>3</sub> (as N) .....0.243 mg/L      K..... 0.028 mg/L Ca .....0.187 mg/L      SO <sub>4</sub> ..... 1.28 mg/L Cl .....0.225 mg/L      Conductivity (µS/cm, 25°C)..... 10.8 Mg.....0.0376 mg/L      pH ..... 4.9 Na .....0.181 mg/L      Total Nitrogen ..... 0.512 mg/L Indicative values DIC.....0.31 mg/L      N (Total Kjeldahl, TKN)..... 0.26 mg/L DOC.....0.32 mg/L DOC = Dissolved Organic Carbon DIC = Dissolved Inorganic Carbon	500 mL



## Waters

Code	Product	Unit																																																
<b>New</b> ERM-CA408	Simulated rainwater	95 mL																																																
	<table border="0"> <thead> <tr> <th></th> <th>Certified value mg/L</th> <th>Uncertainty mg/L</th> </tr> </thead> <tbody> <tr> <td>Ammonium .....</td> <td>0.91 .....</td> <td>0.028</td> </tr> <tr> <td>Chloride .....</td> <td>1.96 .....</td> <td>0.07</td> </tr> <tr> <td>Fluoride .....</td> <td>0.194 .....</td> <td>0.008</td> </tr> <tr> <td>Magnesium .....</td> <td>0.145 .....</td> <td>0.022</td> </tr> <tr> <td>Nitrate .....</td> <td>2.01 .....</td> <td>0.09</td> </tr> <tr> <td><i>Ortho</i>-phosphate .....</td> <td>1 .....</td> <td>0.05</td> </tr> <tr> <td>Sulfate .....</td> <td>1.46 .....</td> <td>0.04</td> </tr> <tr> <td colspan="3">Electrochemical property</td> </tr> <tr> <td>Conductivity .....</td> <td>18.7 µS/cm .....</td> <td>1.8 µS/cm</td> </tr> <tr> <td>pH (20°C) .....</td> <td>6.3 .....</td> <td>0.6</td> </tr> </tbody> </table>		Certified value mg/L	Uncertainty mg/L	Ammonium .....	0.91 .....	0.028	Chloride .....	1.96 .....	0.07	Fluoride .....	0.194 .....	0.008	Magnesium .....	0.145 .....	0.022	Nitrate .....	2.01 .....	0.09	<i>Ortho</i> -phosphate .....	1 .....	0.05	Sulfate .....	1.46 .....	0.04	Electrochemical property			Conductivity .....	18.7 µS/cm .....	1.8 µS/cm	pH (20°C) .....	6.3 .....	0.6																
	Certified value mg/L	Uncertainty mg/L																																																
Ammonium .....	0.91 .....	0.028																																																
Chloride .....	1.96 .....	0.07																																																
Fluoride .....	0.194 .....	0.008																																																
Magnesium .....	0.145 .....	0.022																																																
Nitrate .....	2.01 .....	0.09																																																
<i>Ortho</i> -phosphate .....	1 .....	0.05																																																
Sulfate .....	1.46 .....	0.04																																																
Electrochemical property																																																		
Conductivity .....	18.7 µS/cm .....	1.8 µS/cm																																																
pH (20°C) .....	6.3 .....	0.6																																																
NWRAIN-97	Rain sample - Major ions and nutrients The sample was collected from a greenhouse roof in Grimsby, Ontario. It was centrifuged and filtered and several years later was modified to represent acid rain by addition of nitric and sulfuric acids. Many of the 52 laboratories which participated in the PE studies are accredited and traceable to NIST and other CRMs. Lot 1109 Certified Values <table border="0"> <tbody> <tr> <td>Alkalinity, Gran Tit'n (as CaCO<sub>3</sub>) .....</td> <td>- 1.80L</td> <td>NO<sub>3</sub> + NO<sub>2</sub> (as N) .....</td> <td>2.22 mg/L</td> </tr> <tr> <td>Al .....</td> <td>0.034 mg/L</td> <td>K .....</td> <td>0.166 mg/L</td> </tr> <tr> <td>NH<sub>3</sub> (as N) .....</td> <td>0.186 mg/L</td> <td>Na .....</td> <td>0.298 mg/L</td> </tr> <tr> <td>Ca .....</td> <td>2.86 mg/L</td> <td>Sulfate (as SO<sub>4</sub>) .....</td> <td>5.68 mg/L</td> </tr> <tr> <td>Cl .....</td> <td>0.576 mg/L</td> <td>pH .....</td> <td>4.47</td> </tr> <tr> <td>Dissolved Organic Carbon (DOC) .....</td> <td>0.96 mg/L</td> <td>Conductivity (25°C) .....</td> <td>47.2 µS/cm</td> </tr> <tr> <td>Mg .....</td> <td>1.0 mg/L</td> <td colspan="2">Indicative values for Colour (Hazen units), Dissolved Inorganic Carbon (DIC), Hardness, Total (as CaCO<sub>3</sub>), Silica (as Si), and Total Kjeldahl Nitrogen (TKN)</td> </tr> </tbody> </table>	Alkalinity, Gran Tit'n (as CaCO <sub>3</sub> ) .....	- 1.80L	NO <sub>3</sub> + NO <sub>2</sub> (as N) .....	2.22 mg/L	Al .....	0.034 mg/L	K .....	0.166 mg/L	NH <sub>3</sub> (as N) .....	0.186 mg/L	Na .....	0.298 mg/L	Ca .....	2.86 mg/L	Sulfate (as SO <sub>4</sub> ) .....	5.68 mg/L	Cl .....	0.576 mg/L	pH .....	4.47	Dissolved Organic Carbon (DOC) .....	0.96 mg/L	Conductivity (25°C) .....	47.2 µS/cm	Mg .....	1.0 mg/L	Indicative values for Colour (Hazen units), Dissolved Inorganic Carbon (DIC), Hardness, Total (as CaCO <sub>3</sub> ), Silica (as Si), and Total Kjeldahl Nitrogen (TKN)		500 mL																				
Alkalinity, Gran Tit'n (as CaCO <sub>3</sub> ) .....	- 1.80L	NO <sub>3</sub> + NO <sub>2</sub> (as N) .....	2.22 mg/L																																															
Al .....	0.034 mg/L	K .....	0.166 mg/L																																															
NH <sub>3</sub> (as N) .....	0.186 mg/L	Na .....	0.298 mg/L																																															
Ca .....	2.86 mg/L	Sulfate (as SO <sub>4</sub> ) .....	5.68 mg/L																																															
Cl .....	0.576 mg/L	pH .....	4.47																																															
Dissolved Organic Carbon (DOC) .....	0.96 mg/L	Conductivity (25°C) .....	47.2 µS/cm																																															
Mg .....	1.0 mg/L	Indicative values for Colour (Hazen units), Dissolved Inorganic Carbon (DIC), Hardness, Total (as CaCO <sub>3</sub> ), Silica (as Si), and Total Kjeldahl Nitrogen (TKN)																																																
<b>New</b> NWTMRIN-04	Simulated rain water - Trace elements Lot 0709 Certified values <table border="0"> <tbody> <tr> <td>Aluminum (Al) .....</td> <td>1.94 µg/L</td> <td>Copper (Cu) .....</td> <td>6.95 µg/L</td> <td>Strontium (Sr) .....</td> <td>1.81 µg/L</td> </tr> <tr> <td>Antimony (Sb) .....</td> <td>0.345 µg/L</td> <td>Iron (Fe) .....</td> <td>24.3 µg/L</td> <td>Thallium (Tl) .....</td> <td>0.371 µg/L</td> </tr> <tr> <td>Arsenic (As) .....</td> <td>1.14 µg/L</td> <td>Lead (Pb) .....</td> <td>0.344 µg/L</td> <td>Tin (Sn) .....</td> <td>0.723 µg/L</td> </tr> <tr> <td>Barium (Ba) .....</td> <td>0.868 µg/L</td> <td>Lithium (Li) .....</td> <td>0.518 µg/L</td> <td>Titanium (Ti) .....</td> <td>0.143 µg/L</td> </tr> <tr> <td>Beryllium (Be) .....</td> <td>0.378 µg/L</td> <td>Manganese (Mg) .....</td> <td>6.70 µg/L</td> <td>Uranium (U) .....</td> <td>0.293 µg/L</td> </tr> <tr> <td>Cadmium (Cd) .....</td> <td>0.520 µg/L</td> <td>Molybdenum (Mo) .....</td> <td>0.219 µg/L</td> <td>Vanadium (V) .....</td> <td>0.672 µg/L</td> </tr> <tr> <td>Chromium (Cr) .....</td> <td>0.861 µg/L</td> <td>Nickel (Ni) .....</td> <td>0.910 µg/L</td> <td>Zinc (Zn) .....</td> <td>8.52 µg/L</td> </tr> <tr> <td>Cobalt (Co) .....</td> <td>0.245 µg/L</td> <td>Selenium (Se) .....</td> <td>0.830 µg/L</td> <td></td> <td></td> </tr> </tbody> </table> Indicative values for Boron (B) and Rubidium (Rb)	Aluminum (Al) .....	1.94 µg/L	Copper (Cu) .....	6.95 µg/L	Strontium (Sr) .....	1.81 µg/L	Antimony (Sb) .....	0.345 µg/L	Iron (Fe) .....	24.3 µg/L	Thallium (Tl) .....	0.371 µg/L	Arsenic (As) .....	1.14 µg/L	Lead (Pb) .....	0.344 µg/L	Tin (Sn) .....	0.723 µg/L	Barium (Ba) .....	0.868 µg/L	Lithium (Li) .....	0.518 µg/L	Titanium (Ti) .....	0.143 µg/L	Beryllium (Be) .....	0.378 µg/L	Manganese (Mg) .....	6.70 µg/L	Uranium (U) .....	0.293 µg/L	Cadmium (Cd) .....	0.520 µg/L	Molybdenum (Mo) .....	0.219 µg/L	Vanadium (V) .....	0.672 µg/L	Chromium (Cr) .....	0.861 µg/L	Nickel (Ni) .....	0.910 µg/L	Zinc (Zn) .....	8.52 µg/L	Cobalt (Co) .....	0.245 µg/L	Selenium (Se) .....	0.830 µg/L			500 mL
Aluminum (Al) .....	1.94 µg/L	Copper (Cu) .....	6.95 µg/L	Strontium (Sr) .....	1.81 µg/L																																													
Antimony (Sb) .....	0.345 µg/L	Iron (Fe) .....	24.3 µg/L	Thallium (Tl) .....	0.371 µg/L																																													
Arsenic (As) .....	1.14 µg/L	Lead (Pb) .....	0.344 µg/L	Tin (Sn) .....	0.723 µg/L																																													
Barium (Ba) .....	0.868 µg/L	Lithium (Li) .....	0.518 µg/L	Titanium (Ti) .....	0.143 µg/L																																													
Beryllium (Be) .....	0.378 µg/L	Manganese (Mg) .....	6.70 µg/L	Uranium (U) .....	0.293 µg/L																																													
Cadmium (Cd) .....	0.520 µg/L	Molybdenum (Mo) .....	0.219 µg/L	Vanadium (V) .....	0.672 µg/L																																													
Chromium (Cr) .....	0.861 µg/L	Nickel (Ni) .....	0.910 µg/L	Zinc (Zn) .....	8.52 µg/L																																													
Cobalt (Co) .....	0.245 µg/L	Selenium (Se) .....	0.830 µg/L																																															
<b>Freshwater</b>																																																		
LGC6019	River water - Trace elements Collected from the River Thames downstream of Henley-on-Thames at Aston, U.K. Filtered at 0.7 µm and then at 0.45 µm. Stabilised at pH 2 by the addition of concentrated HNO <sub>3</sub> . Certified values <table border="0"> <tbody> <tr> <td>Al .....</td> <td>73 µg/L</td> <td>Cu .....</td> <td>15.4 µg/L</td> <td>Na .....</td> <td>24.7 mg/L</td> </tr> <tr> <td>Ca .....</td> <td>109 mg/L</td> <td>Fe .....</td> <td>287 µg/L</td> <td>Pb .....</td> <td>5.2 µg/L</td> </tr> <tr> <td>Cd .....</td> <td>0.11 µg/L</td> <td>K .....</td> <td>4.78 mg/L</td> <td>Zn .....</td> <td>59.7 µg/L</td> </tr> <tr> <td>Cr .....</td> <td>0.78 µg/L</td> <td>Mg .....</td> <td>4.62 mg/L</td> <td></td> <td></td> </tr> </tbody> </table>	Al .....	73 µg/L	Cu .....	15.4 µg/L	Na .....	24.7 mg/L	Ca .....	109 mg/L	Fe .....	287 µg/L	Pb .....	5.2 µg/L	Cd .....	0.11 µg/L	K .....	4.78 mg/L	Zn .....	59.7 µg/L	Cr .....	0.78 µg/L	Mg .....	4.62 mg/L			250 mL																								
Al .....	73 µg/L	Cu .....	15.4 µg/L	Na .....	24.7 mg/L																																													
Ca .....	109 mg/L	Fe .....	287 µg/L	Pb .....	5.2 µg/L																																													
Cd .....	0.11 µg/L	K .....	4.78 mg/L	Zn .....	59.7 µg/L																																													
Cr .....	0.78 µg/L	Mg .....	4.62 mg/L																																															
LGC6020	River water - Anions Collected from the River Thames downstream of Henley-on-Thames at Aston, U.K. Filtered at 0.7 µm and then at 0.45 µm. Certified values <table border="0"> <tbody> <tr> <td>Cl .....</td> <td>38.5 mg/L</td> <td>Phosphate (as PO<sub>4</sub>) .....</td> <td>1.1 mg/L</td> </tr> <tr> <td>Nitrate (as NO<sub>3</sub>) .....</td> <td>39.4 mg/L</td> <td>Sulfate (as SO<sub>4</sub>) .....</td> <td>53.2 mg/L</td> </tr> </tbody> </table>	Cl .....	38.5 mg/L	Phosphate (as PO <sub>4</sub> ) .....	1.1 mg/L	Nitrate (as NO <sub>3</sub> ) .....	39.4 mg/L	Sulfate (as SO <sub>4</sub> ) .....	53.2 mg/L	250 mL																																								
Cl .....	38.5 mg/L	Phosphate (as PO <sub>4</sub> ) .....	1.1 mg/L																																															
Nitrate (as NO <sub>3</sub> ) .....	39.4 mg/L	Sulfate (as SO <sub>4</sub> ) .....	53.2 mg/L																																															
BCR-479	Freshwater - Nitrate, low level Produced by adding a solution of the required salt to ultra pure water. Final pH was around 6.8 Certified value NO <sub>3</sub> .....	214 µmol/kg	100 mL																																															
BCR-480	Freshwater - Nitrate, high level Produced by adding a solution of the required salt to ultra pure water. Final pH was around 6.8 Certified value NO <sub>3</sub> .....	885 µmol/kg	100 mL																																															

Code	Product	Unit
<b>New</b> NIST-1640A	<b>Natural water - Trace elements</b> This Standard Reference Material (SRM) is intended for use in evaluating methods used in the determination of trace elements in freshwater. NIST-1640a consists of acidified spring water with mass fractions and mass concentrations assigned for 29 elements, 22 of which were gravimetrically added. The solution contains nitric acid at a volume fraction of approximately 2 %. A unit of NIST-1640a consists of 250 mL of solution in a high-density polyethylene (HDPE) bottle sealed inside an aluminized Mylar pouch. Certified values Ag ..... 8.017 ± 0.042 µg/kg      Co.....20.08 ± 0.24 µg/kg      Se ..... 19.97 ± 0.16 µg/kg Al..... 52.6 ± 1.8 µg/kg      Cu.....85.07 ± 0.48 µg/kg      Sr ..... 125.03 ± 0.86 µg/kg As..... 8.010 ± 0.067 µg/kg      Fe .....36.5 ± 1.7 µg/kg      Tl..... 1.606 ± 0.015 µg/kg B ..... 300.7 ± 3.1 µg/kg      Mn .....40.07 ± 0.35 µg/kg      U ..... 25.15 ± 0.26 µg/kg Ba ..... 150.60 ± 0.74 µg/kg      Mo .....45.24 ± 0.59 µg/kg      V ..... 14.93 ± 0.21 µg/kg Be ..... 3.002 ± 0.027 µg/kg      Ni.....25.12 ± 0.12 µg/kg      Zn..... 55.20 ± 0.32 µg/kg Cd ..... 3.961 ± 0.072 µg/kg      Pb.....12.005 ± 0.040 µg/kg Cr..... 40.22 ± 0.28 µg/kg      Sb..... 5.064 ± 0.045 µg/kg	250 mL
NIST-1643e	<b>Simulated freshwater - Trace elements</b> NIST-1643e simulates the elemental composition of freshwater. Nitric acid is present at a concentration of approximately 0.8 mol/L to stabilise the trace elements. Certified values Ag .....1.036 µg/kg .....1.062 µg/L Al.....138.33 µg/kg ..... 141.8 µg/L As.....58.98 µg/kg .....60.45 µg/L B ..... 154.0 µg/kg .....157.9 µg/L Ba ..... 531.0 µg/kg .....544.2 µg/L Be ..... 13.64 µg/kg ..... 13.98 µg/L Bi..... 13.75 µg/kg ..... 14.09 µg/L Ca .....31500 µg/kg .....32300 µg/L Cd .....6.408 µg/kg .....6.568 µg/L Cr.....19.90 µg/kg .....20.40 µg/L Co .....26.40 µg/kg .....27.06 µg/L Cu .....22.20 µg/kg .....22.76 µg/L Fe.....95.7 µg/kg .....98.1 µg/L K .....1984 µg/kg .....2034 µg/L Li.....17.0 µg/kg ..... 17.4 µg/L Mg.....7841 µg/kg .....8037 µg/L Mn.....38.02 µg/kg .....38.97 µg/L Mo.....118.5 µg/kg .....121.4 µg/L Na .....20230 µg/kg .....20740 µg/L Ni.....60.89 µg/kg .....62.41 µg/L Pb .....19.15 µg/kg .....19.63 µg/L Rb .....13.80 µg/kg .....14.14 µg/L Sb .....56.88 µg/kg .....58.30 µg/L Se .....11.68 µg/kg .....11.97 µg/L Sr.....315.2 µg/kg .....323.1 µg/L Te.....1.07 µg/kg ..... 1.09 µg/L Tl.....7.263 µg/kg .....7.445 µg/L V .....36.93 µg/kg .....37.86 µg/L Zn.....76.5 µg/kg .....78.5 µg/L	250 mL
NIST-1641d	<b>Natural water - Mercury</b> Mercury in 2% (v/v) HNO <sub>3</sub> initially stabilised with 1 mg/kg gold Certified value: .....1.557 mg/kg ± 0.020 mg/kg	10 x 10 mL
<b>New</b> ERM-CA615	<b>Ground water - Trace elements</b> Certified values As..... 9.9 ± 0.7 µg/L      Hg.....0.037 ± 0.004 µg/L      Pb ..... 7.1 ± 0.6 µg/L Cd ..... 0.106 ± 0.011 µg/L      Mn ..... 107 ± 5 µg/L Fe..... 5.11 ± 0.26 mg/L      Ni.....25.3 ± 1.1 µg/L	95 mL
<b>New</b> ERM-CA616	<b>Ground water - Trace elements, conductivity, pH</b> ERM-CA616 is a natural groundwater fortified with ammonium dihydrogenphosphate Certified value      Uncertainty mg/L      mg/L Calcium.....42.6 ..... 1.4 Chloride .....44.6 ..... 0.9 Magnesium .....10.1 ..... 0.3 <i>Ortho</i> -phosphate.....2.24 ..... 0.1 Potassium .....5.79 ..... 0.15 Sodium .....27.9 ..... 0.8 Electrochemical property Conductivity ..... 426 µS/cm ..... 5 µS/cm pH (20°C).....7.12 ..... 0.18	95 mL
BCR-609	<b>Ground water - Trace elements (low level)</b> The material has been filtered at 0.45 µm and acidified with HNO <sub>3</sub> to around pH 1.5 Certified values Al..... 47.7 µg/kg      Cd.....0.164 µg/kg      Pb ..... 1.63 µg/kg As..... 1.2 µg/kg      Cu.....2.48 µg/kg	500 mL

## Waters

Code	Product	Unit
BCR-610	Ground water - Trace elements (high level) The material has been filtered at 0.45 µm and acidified with HNO <sub>3</sub> to around pH 1.5 Certified values Al..... 159 µg/kg      Cd..... 2.94 µg/kg      Pb ..... 7.78 µg/kg As..... 10.8 µg/kg      Cu..... 45.7 µg/kg	500 mL
BCR-611	Ground water - Bromide (low level) (Based on IC measurements) The material has been filtered at 0.45 µm and sterilised by autoclaving Certified value Br ..... 93 µg/kg	4 x 25 mL
BCR-612	Ground water - Bromide (high level) (Based on IC measurements) The material has been filtered at 0.45 µm and sterilised by autoclaving Certified value Br ..... 252 µg/kg	4 x 25 mL
BCR-617	Artificial ground water - Trace elements, low carbonate content Produced by adding solutions of the required salts to ultra pure water. Sterilised by autoclaving Certified values Ca ..... 14.6 mg/kg      Mg ..... 7.32 mg/kg      NO <sub>3</sub> ..... 25.8 mg/kg Cl ..... 26.4 mg/kg      Mn ..... 0.050 mg/kg      SO <sub>4</sub> ..... 26.3 mg/kg K ..... 9.93 mg/kg      Na ..... 14.6 mg/kg	75 mL
<b>New</b> NRCSLRS-5	River water - Trace elements Certified values Aluminum (Al) ..... 49.5 ± 5.0 µg/kg      Nickel (Ni) ..... 0.476 ± 0.064 µg/kg Arsenic (As) ..... 0.413 ± 0.039 µg/kg      Strontium (Sr) ..... 53.6 ± 1.3 µg/kg Barium (Ba) ..... 14.0 ± 0.5 µg/kg      Vanadium (V) ..... 0.317 ± 0.033 µg/kg Cadmium (Cd) ..... 0.0060 ± 0.0014 µg/kg      Zinc (Zn) ..... 0.845 ± 0.095 µg/kg Chromium (Cr) ..... 0.208 ± 0.023 µg/kg      Calcium (Ca) ..... 10.5 ± 0.4 µg/g Copper (Cu) ..... 17.4 ± 1.3 µg/kg      Magnesium (Mg) ..... 2.54 ± 0.16 µg/g Iron (Fe) ..... 91.2 ± 5.8 µg/kg      Potassium (K) ..... 0.839 ± 0.036 µg/g Lead (Pb) ..... 0.081 ± 0.006 µg/kg      Sodium (Na) ..... 5.38 ± 0.10 µg/g Manganese (Mn) ..... 4.33 ± 0.18 µg/kg Indicative values for Sb, Be, Co, Mg, U The density of SLRS-5 is 1.0007 g/mL.	470 mL
NWMIRAMICHI-02	River Water Soft, Coloured - Major ions and nutrients Lot 0310 Certified values Alkalinity, Gran (as CaCO <sub>3</sub> ) ..... 6.87 mg/L      Dissolved Organic Carbon (DOC) ..... 4.57 ml/L Al ..... 0.07 mg/L      Magnesium ..... 0.459 mg/L Ammonia (as N) ..... 0.025 mg/L      Nitrate + Nitrite (as N) ..... 0.0500 mg/L Calcium ..... 2.72 mg/L      pH ..... 6.91 Chloride ..... 0.64 mg/L      Potassium ..... 0.358 mg/L Colour (Hazen units) ..... 33.9      Silica (as Si) ..... 2.78 mg/L Conductivity (25°C) ..... 24.7 µS/cm      Sodium ..... 1.39 mg/L Dissolved Inorganic Carbon (DIC) ..... 1.71 mg/L      Sulfate (as SO <sub>4</sub> ) ..... 2.49 mg/L Indicative values for Fluoride and Hardness	500 mL
<b>New</b> NWMISSISSIPPI-03	River Water - Major ions and nutrients Lot 1010 Certified values Alkalinity, Total (as CaCO <sub>3</sub> ) ..... 142 mg/L      Magnesium ..... 18.1 mg/L Boron ..... 0.0255 mg/L      Nitrate + Nitrite (as N) ..... 2.42 mg/L Calcium ..... 44.8 mg/L      pH ..... 8.14 Chloride ..... 17.3 mg/L      Potassium ..... 2.61 mg/L Colour (Hazen units) ..... 20.7      Silica (as Si) ..... 0.51 mg/L Conductivity (25°C) ..... 404 µS/cm      Sodium ..... 9.99 mg/L Dissolved Inorganic Carbon (DIC) ..... 33.6 mg/L      Sulfate (as SO <sub>4</sub> ) ..... 32.8 mg/L Dissolved Organic Carbon (DOC) ..... 6.31 ml/L      Total Kjeldahl Nitrogen (TKN) ..... 0.546 mg/L Fluoride ..... 0.151 mg/L      Total Nitrogen ..... 2.81 mg/L Hardness, Total (as CaCO <sub>3</sub> ) ..... 187 mg/L      Turbidity (JTU/NTU) ..... 0.141	500 mL
<b>New</b> NWBATTLE-02	River water - Major ions and nutrients Lot 1010 Certified values Alkalinity, Total (as CaCO <sub>3</sub> ) ..... 299 mg/L      Magnesium ..... 21.6 mg/L Boron ..... 0.261 mg/L      pH ..... 8.55 Calcium ..... 25.0 mg/L      Potassium ..... 5.54 mg/L Chloride ..... 41.7 mg/L      Silica (as Si) ..... 0.253 mg/L Colour (Hazen units) ..... 20.2      Sodium ..... 1.62 mg/L Conductivity (25°C) ..... 962 µS/cm      Sulfate (as SO <sub>4</sub> ) ..... 149 mg/L Dissolved Inorganic Carbon (DIC) ..... 69.5 mg/L      Total Nitrogen ..... 0.548 mg/L Fluoride ..... 0.196 mg/L      Turbidity (JTU/NTU) ..... 0.157 Hardness, Total (as CaCO <sub>3</sub> ) ..... 152 mg/L Indicative values for Dissolved Organic Carbon (DOC), Nitrate + Nitrite (as N) and Total Kjeldahl Nitrogen (TKN).	500 mL

Code	Product	Unit
NWONTARIO-99	Natural lake water - Major ions and nutrients Lot 1109 Certified values Alkalinity, Total (as CaCO <sub>3</sub> ).....93.1 mg/L Calcium.....35.4 mg/L Chloride.....20.8 mg/L Dissolved Inorganic Carbon (DIC).....22.2 mg/L Fluoride.....0.63 mg/L Hardness, Total (as CaCO <sub>3</sub> ).....124 mg/L Magnesium.....8.6 mg/L pH.....8.12 Potassium.....1.51 mg/L Silica (as Si).....0.53 mg/L Sodium.....12.7 mg/L Conductivity (25°C).....307 µS/cm Sulfate (as SO <sub>4</sub> ).....26.0 mg/L Total nitrogen.....0.58 mg/L Indicative values for Boron, Colour (Hazen Units), Dissolved Organic Carbon (DOC), Nitrate + Nitrite (as N), Total Kjeldahl Nitrogen (as N) and Turbidity (JTU/NTU).	500 mL
<b>New</b> NWBIGMOOSE-02	Lake water - Major ions and nutrients Lot 1010 Certified values Alkalinity, Gran (as CaCO <sub>3</sub> ).....0.992 mg/L Aluminium.....0.117 mg/L Ammonia (as N).....0.0263 mg/L Calcium.....2.00 mg/L Chloride.....0.463 mg/L Colour (Hazen units).....13.0 Conductivity (25°C).....21.2 µS/cm Dissolved Inorganic Carbon (DIC).....0.483 mg/L Dissolved Organic Carbon (DOC).....3.90 mg/L Fluoride.....0.0648 mg/L Magnesium.....0.326 mg/L Nitrate + Nitrite (as N).....0.179 mg/L pH.....6.02 Potassium.....0.326 mg/L Silica (as Si).....1.76 mg/L Sodium.....0.729 mg/L Sulfate (as SO <sub>4</sub> ).....5.08 mg/L Total Nitrogen.....0.352 mg/L Indicative values for Hardness, Total (as CaCO <sub>3</sub> ), Total Kjeldahl Nitrogen (TKN) and Turbidity (JTU/NTU).	500 mL
<b>New</b> NWC Cranberry-05	Lake water - Major ions and nutrients Lot 1010 Certified values Alkalinity, Total (as CaCO <sub>3</sub> ).....40 mg/L Calcium.....13.0 mg/L Chloride.....35.3 mg/L Colour (Hazen units).....19.3 Conductivity (25°C).....219 µS/cm Dissolved Inorganic Carbon (DIC).....9.42 mg/L Dissolved Organic Carbon (DOC).....3.64 mg/L Fluoride.....0.68 mg/L Hardness, Total (as CaCO <sub>3</sub> ).....55.5 mg/L Magnesium.....5.63 mg/L Nitrate + Nitrite (as N).....0.151 mg/L pH.....7.69 Potassium.....0.70 mg/L Silica (as Si).....0.269 mg/L Sodium.....20.1 mg/L Sulfate (as SO <sub>4</sub> ).....8.86 mg/L Total Kjeldahl Nitrogen (TKN).....0.208 mg/L Total Nitrogen.....0.343 mg/L Turbidity (JTU/NTU).....0.172 Indicative value for Boron	500 mL
NWION-915	Natural lake water - Major ions and nutrients Collected from Lake Superior Lot 1109 Certified Values pH.....7.79 Dissolved Inorganic Carbon (DIC).....10.2 mg/L Dissolved Organic Carbon (DOC).....1.37 mg/L Conductivity (25°C).....98.9 µS/cm Total alkalinity (as CaCO <sub>3</sub> ).....43.2 mg/L Total hardness (as CaCO <sub>3</sub> ).....46.4 mg/L Ca.....13.7 mg/L Cl.....1.42 mg/L K.....0.509 mg/L Mg.....2.88 mg/L NO <sub>3</sub> + NO <sub>2</sub> (as N).....0.352 mg/L Na.....1.39 mg/L Silica (as Si).....1.18 mg/L Sulfate (as SO <sub>4</sub> ).....3.42 mg/L Total nitrogen.....0.44 mg/L Indicative values for Ammonia, Colour (Hazen units), Fluoride, NH <sub>3</sub> (as N), Total N (Kjeldahl) and Turbidity (NTU/JTU).	500 mL
NRCORMS-4	River water - Mercury Certified Value for Mercury Hg.....22.0 ± 1.5 pg/g	3 x 50 mL
SPS-SW1	Surface water - Trace metals Certified values Al.....50 ng/mL As.....10.0 ng/mL Ba.....50 ng/mL Ca.....2000 ng/mL Cd.....0.50 ng/mL Co.....2.00 ng/mL Cr.....2.00 ng/mL Cs.....2.00 ng/mL Cu.....20 ng/mL Fe.....20 ng/mL K.....200 ng/mL Mg.....400 ng/mL Mn.....10.0 ng/mL Mo.....10.0 ng/mL Na.....2000 ng/mL Ni.....10.0 ng/mL P.....100 ng/mL Pb.....5.0 ng/mL Rb.....10.0 ng/mL S.....2000 ng/mL Se.....2.00 ng/mL Si.....1000 ng/mL Sr.....50.0 ng/mL Ti.....0.50 ng/mL V.....10.0 ng/mL Zn.....20 ng/mL Rare earth metals (Sc, Y, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sm, Tb, Th, Tm, U, Yb) 0.50 ng/mL	6 x 50 mL

## Waters

Code	Product	Unit
SPS-SW2	Surface water - Trace metals	6 x 50 mL
	Certified values	
Al.....	250 ng/mL	Fe ..... 100 ng/mL
As.....	50.0 ng/mL	K ..... 1000 ng/mL
Ba.....	250 ng/mL	Mg ..... 2000 ng/mL
Ca.....	10000 ng/mL	Mn ..... 50.0 ng/mL
Cd.....	2.50 ng/mL	Mo ..... 50.0 ng/mL
Co.....	10.0 ng/mL	Na ..... 10000 ng/mL
Cr.....	10.0 ng/mL	Ni ..... 50.0 ng/mL
Cs.....	10.0 ng/mL	P ..... 500 ng/mL
Cu.....	100 ng/mL	Pb ..... 25.0 ng/mL
	Rare earth metals (Sc, Y, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sm, Tb, Th, Tm, U, Yb) 2.50 ng/mL	Rb ..... 50.0 ng/mL
		S ..... 10000 ng/mL
		Se ..... 10.0 ng/mL
		Si ..... 5000 ng/mL
		Sr ..... 250 ng/mL
		V ..... 50.0 ng/mL
		Zn ..... 100 ng/mL
		Tl ..... 2.50 ng/mL

## Sea water

LGC6016	Estuarine water - Trace metals	50 mL
	Collected from the Severn Estuary, UK, offshore from a heavily industrialised area near Avonmouth.	
	Certified Values	
Cd.....	101 µg/kg	Mn ..... 976 µg/kg
Cu.....	190 µg/kg	Ni ..... 186 µg/kg
	Indicative values for Ca, K, Mg, Na, Zn	Pb ..... 196 µg/kg
BCR-505	Estuarine water - Trace elements	1 L
	The material has been filtered at 0.45 µm and acidified with HNO <sub>3</sub> to around pH 1.5	
	Certified values	
Cd.....	0.80 nmol/kg	Ni ..... 24.1 nmol/kg
Cu.....	29.4 nmol/kg	Zn ..... 172 nmol/kg
BCR-579	Coastal sea water - Mercury	1 L
	The material has been filtered at 0.45 µm and acidified with HCl to around pH 1.7	
	Certified value	
Hg.....	1.9 ng/kg	
NRCSLEW-3	Estuarine water - Trace elements	470 mL
	Collected from the San Francisco Bay, California, USA at a depth of 5 metres	
	Certified values	
As.....	1.36 µg/L	Cu ..... 1.55 µg/L
Cd.....	0.048 µg/L	Fe ..... 0.568 µg/L
Co.....	0.042 µg/L	Mn ..... 1.61 µg/L
Cr.....	0.183 µg/L	Ni ..... 1.23 µg/L
	Indicative values for Ag, Mo, U	Pb ..... 0.0090 µg/L
		V ..... 2.57 µg/L
		Zn ..... 0.201 µg/L
<b>New</b> NRCNASS-6	Seawater - Trace metals	500 mL
	Certified values	
Arsenic (As).....	1.40 ± 0.12 µg/kg	1.43 ± 0.12 µg/L
Cadmium (Cd).....	0.0303 ± 0.0019 µg/kg	0.0311 ± 0.0019 µg/L
Chromium (Cr).....	0.116 ± 0.008 µg/kg	0.118 ± 0.008 µg/L
Copper (Cu).....	0.242 ± 0.025 µg/kg	0.248 ± 0.025 µg/L
Iron (Fe).....	0.483 ± 0.045 µg/kg	0.495 ± 0.046 µg/L
Lead (Pb).....	0.006 ± 0.002 µg/kg	0.006 ± 0.002 µg/L
Manganese (Mn).....	0.516 ± 0.047 µg/kg	0.530 ± 0.050 µg/L
Nickel (Ni).....	0.294 ± 0.025 µg/kg	0.301 ± 0.025 µg/L
Vanadium (V).....	1.42 ± 0.16 µg/kg	1.46 ± 0.17 µg/L
Zinc (Zn).....	0.251 ± 0.020 µg/kg	0.257 ± 0.020 µg/L
	Indicative values for Cobalt (Co), Molybdenum (Mo) and Uranium (U).	
<b>New</b> NRCMOOS-2	Sea water - Nutrients	2 x 50 mL
	This certified reference material is primarily intended for use in the calibration of procedures and the development of methods for the analysis of nutrients in seawater.	
	Certified values	
Orthophosphate.....	1.58 ± 0.10 µmol/L	Nitrite..... 3.31 ± 0.18 µmol/L
Silicate.....	28.8 ± 1.0 µmol/L	Nitrite and Nitrate..... 24.9 ± 1.0 µmol/L

## Spiked/fortified water

<b>New</b> NWTM-15.2	Water - Trace elements	500 mL
	Lot 1010	
	Certified values	
Aluminum (Al).....	33.6 µg/L	Cobalt (Co)..... 15.1 µg/L
Antimony (Sb).....	16.3 µg/L	Copper (Cu)..... 17.2 µg/L
Arsenic (As).....	15.7 µg/L	Iron (Fe)..... 25.6 µg/L
Barium (Ba).....	13.2 µg/L	Lead (Pb)..... 11.6 µg/L
Beryllium (Be).....	15.3 µg/L	Lithium (Li)..... 15.0 µg/L
Boron (B).....	23.2 µg/L	Manganese (Mg)..... 18.1 µg/L
Cadmium (Cd).....	13.0 µg/L	Molybdenum (Mo)..... 14.0 µg/L
Chromium (Cr).....	16.4 µg/L	Nickel (Ni)..... 17.6 µg/L
	Indicative value for Bismuth (Bi), Gallium (Ga), Rubidium (Rb), Silver (Ag) and Tungsten (W)	Selenium (Se)..... 15.1 µg/L
		Strontium (Sr)..... 111 µg/L
		Thallium (Tl)..... 18.0 µg/L
		Tin (Sn)..... 14.8 µg/L
		Titanium (Ti)..... 14.6 µg/L
		Uranium (U)..... 15.4 µg/L
		Vanadium (V)..... 13.1 µg/L
		Zinc (Zn)..... 35.4 µg/L

Code	Product	Unit
<b>New</b> NWTM-23.4	Water - Trace elements Lot 1010 Certified values Aluminum (Al) ..... 94.6 µg/L Antimony (Sb) ..... 3.27 µg/L Arsenic (As) ..... 8.16 µg/L Barium (Ba) ..... 14.3 µg/L Beryllium (Be) ..... 2.02 µg/L Boron (B) ..... 18.1 µg/L Cadmium (Cd) ..... 2.92 µg/L Chromium (Cr) ..... 6.8 µg/L Cobalt (Co) ..... 7.09 µg/L Copper (Cu) ..... 8.51 µg/L Iron (Fe) ..... 14.4 µg/L Lead (Pb) ..... 2.97 µg/L Lithium (Li) ..... 2.04 µg/L Manganese (Mg) ..... 8.75 µg/L Molybdenum (Mo) ..... 4.23 µg/L Nickel (Ni) ..... 4.95 µg/L Selenium (Se) ..... 4.59 µg/L Strontium (Sr) ..... 111 µg/L Thallium (Tl) ..... 3.99 µg/L Tin (Sn) ..... 2.78 µg/L Titanium (Ti) ..... 3.19 µg/L Uranium (U) ..... 5.01 µg/L Vanadium (V) ..... 1.93 µg/L Zinc (Zn) ..... 2.47 µg/L Indicative value for Bismuth (Bi), Gallium (Ga), Rubidium (Rb), Silver (Ag) and Tungsten (W)	500 mL
<b>New</b> NWTM-24.3	Water - Trace elements Lot 0510 Certified values Aluminum (Al) ..... 34.4 µg/L Antimony (Sb) ..... 3.36 µg/L Arsenic (As) ..... 5.21 µg/L Barium (Ba) ..... 13.2 µg/L Beryllium (Be) ..... 2.06 µg/L Bismuth (Bi) ..... 2.37 µg/L Boron (B) ..... 15.9 µg/L Cadmium (Cd) ..... 3.97 µg/L Chromium (Cr) ..... 5.01 µg/L Cobalt (Co) ..... 6.29 µg/L Copper (Cu) ..... 6.79 µg/L Iron (Fe) ..... 15.4 µg/L Lead (Pb) ..... 5.82 µg/L Lithium (Li) ..... 5.02 µg/L Manganese (Mg) ..... 8.12 µg/L Molybdenum (Mo) ..... 6.18 µg/L Nickel (Ni) ..... 5.12 µg/L Selenium (Se) ..... 3.42 µg/L Strontium (Sr) ..... 110 µg/L Thallium (Tl) ..... 4.18 µg/L Tin (Sn) ..... 3.72 µg/L Titanium (Ti) ..... 7.3 µg/L Uranium (U) ..... 4.42 µg/L Vanadium (V) ..... 7.03 µg/L Zinc (Zn) ..... 23.5 µg/L Indicative values for Gallium (Ga), Rubidium (Rb) and Silver (Ag)	500 mL
<b>New</b> NWTM-27.3	Water - Trace elements Lot 0310 Certified values Aluminum (Al) ..... 44.2 µg/L Antimony (Sb) ..... 1.49 µg/L Arsenic (As) ..... 2.13 µg/L Barium (Ba) ..... 14.8 µg/L Beryllium (Be) ..... 1.16 µg/L Boron (B) ..... 14.7 µg/L Cadmium (Cd) ..... 1.05 µg/L Chromium (Cr) ..... 1.74 µg/L Cobalt (Co) ..... 2.05 µg/L Copper (Cu) ..... 6.19 µg/L Iron (Fe) ..... 10.9 µg/L Lead (Pb) ..... 2.86 µg/L Lithium (Li) ..... 3.5 µg/L Manganese (Mg) ..... 2.25 µg/L Molybdenum (Mo) ..... 2.22 µg/L Nickel (Ni) ..... 2.42 µg/L Selenium (Se) ..... 1.68 µg/L Strontium (Sr) ..... 105 µg/L Thallium (Tl) ..... 1.48 µg/L Tin (Sn) ..... 2.26 µg/L Titanium (Ti) ..... 2.01 µg/L Uranium (U) ..... 2.03 µg/L Vanadium (V) ..... 2.18 µg/L Zinc (Zn) ..... 16.2 µg/L Indicative value for Rubidium (Rb) and Silver (Ag)	500 mL
<b>New</b> NWTMDA-61.2	Water - Trace elements Lot 0510 Certified values Aluminum (Al) ..... 57.9 µg/L Antimony (Sb) ..... 33.6 µg/L Arsenic (As) ..... 34.4 µg/L Barium (Ba) ..... 62.7 µg/L Beryllium (Be) ..... 36.3 µg/L Bismuth (Bi) ..... 22.7 µg/L Boron (B) ..... 79 µg/L Cadmium (Cd) ..... 58 µg/L Chromium (Cr) ..... 67.2 µg/L Cobalt (Co) ..... 63 µg/L Copper (Cu) ..... 63.5 µg/L Iron (Fe) ..... 79.7 µg/L Lead (Pb) ..... 61.4 µg/L Lithium (Li) ..... 33.4 µg/L Manganese (Mg) ..... 75.7 µg/L Molybdenum (Mo) ..... 72.2 µg/L Nickel (Ni) ..... 57.5 µg/L Selenium (Se) ..... 39.3 µg/L Strontium (Sr) ..... 113 µg/L Thallium (Tl) ..... 36.8 µg/L Tin (Sn) ..... 55.9 µg/L Titanium (Ti) ..... 37.2 µg/L Uranium (U) ..... 36.8 µg/L Vanadium (V) ..... 71.1 µg/L Zinc (Zn) ..... 71.3 µg/L Indicative values for Gallium (Ga), Rubidium (Rb) and Silver (Ag)	500 mL
<b>New</b> NWTMDA-64.2	Water - Trace elements Lot 1010 Certified values Aluminum (Al) ..... 290 µg/L Antimony (Sb) ..... 128 µg/L Arsenic (As) ..... 162 µg/L Barium (Ba) ..... 291 µg/L Beryllium (Be) ..... 161 µg/L Bismuth (Bi) ..... 131 µg/L Boron (B) ..... 282 µg/L Cadmium (Cd) ..... 266 µg/L Chromium (Cr) ..... 290 µg/L Cobalt (Co) ..... 254 µg/L Copper (Cu) ..... 274 µg/L Iron (Fe) ..... 306 µg/L Lead (Pb) ..... 288 µg/L Lithium (Li) ..... 152 µg/L Manganese (Mg) ..... 295 µg/L Molybdenum (Mo) ..... 290 µg/L Nickel (Ni) ..... 263 µg/L Selenium (Se) ..... 154 µg/L Strontium (Sr) ..... 640 µg/L Thallium (Tl) ..... 147 µg/L Tin (Sn) ..... 290 µg/L Titanium (Ti) ..... 128 µg/L Uranium (U) ..... 142 µg/L Vanadium (V) ..... 290 µg/L Zinc (Zn) ..... 310 µg/L Indicative value for Gallium (Ga), Rubidium (Rb), Silver (Ag) and Tungsten (W)	500 mL
<b>New</b> NWTMDA-51.4	Fortified water - Trace elements Lot 1010 Certified values Aluminum (Al) ..... 94.8 µg/L Antimony (Sb) ..... 15.0 µg/L Arsenic (As) ..... 16.3 µg/L Barium (Ba) ..... 72.9 µg/L Beryllium (Be) ..... 10.0 µg/L Boron (B) ..... 47.6 µg/L Cadmium (Cd) ..... 25.6 µg/L Chromium (Cr) ..... 66.0 µg/L Cobalt (Co) ..... 70.4 µg/L Copper (Cu) ..... 80.6 µg/L Iron (Fe) ..... 116 µg/L Lead (Pb) ..... 68.9 µg/L Lithium (Li) ..... 17.8 µg/L Manganese (Mn) ..... 84.0 µg/L Molybdenum (Mg) ..... 57.3 µg/L Nickel (Ni) ..... 65.6 µg/L Selenium (Se) ..... 13.8 µg/L Strontium (Sr) ..... 116 µg/L Thallium (Tl) ..... 20.4 µg/L Tin (Sn) ..... 16.6 µg/L Titanium (Ti) ..... 14.3 µg/L Uranium (U) ..... 29.1 µg/L Vanadium (V) ..... 48.0 µg/L Zinc (Zn) ..... 140 µg/L Indicative value for Bismuth (Bi), Gallium (Ga), Silver (Ag) and Rubidium (Rb)	500 mL

## Waters

Code	Product	Unit
NWTMDA-52.3	Fortified water - Trace elements Lot 1010 Certified values Aluminum (Al) ..... 310 µg/mL Antimony (Sb) ..... 16.4 µg/mL Arsenic (As) ..... 25.4 µg/mL Barium (Ba) ..... 148 µg/mL Beryllium (Be) ..... 17.6 µg/mL Bismuth (Bi) ..... 12.3 µg/mL Boron (B) ..... 10.7 µg/mL Cadmium (Cd) ..... 90.9 µg/mL Chromium (Cr) ..... 165 µg/mL Cobalt (Co) ..... 136 µg/mL Copper (Cu) ..... 197 µg/mL Iron (Fe) ..... 412 µg/mL Lead (Pb) ..... 358 µg/mL Lithium (Li) ..... 13.9 µg/mL Manganese (Mg) ..... 198 µg/mL Molybdenum (Mo) ..... 207 µg/mL Nickel (Ni) ..... 274 µg/mL Selenium (Se) ..... 21.7 µg/mL Silver (Ag) ..... 20.6 µg/mL Strontium (Sr) ..... 286 µg/mL Thallium (Tl) ..... 18.3 µg/mL Tin (Sn) ..... 19.9 µg/mL Titanium (Ti) ..... 120 µg/mL Uranium (U) ..... 22.7 µg/mL Vanadium (V) ..... 145 µg/mL Zinc (Zn) ..... 263 µg/mL Indicative values for Gallium (Ga), Rubidium (Rb) and Tungsten (W)	500 mL
<b>New</b> NWTMDA-53.3	Fortified water - Trace elements Lot 0310 Certified values Aluminum (Al) ..... 364 µg/L Antimony (Sb) ..... 16.9 µg/L Arsenic (As) ..... 34.2 µg/L Barium (Ba) ..... 283 µg/L Beryllium (Be) ..... 13.2 µg/L Bismuth (Bi) ..... 12.0 µg/L Boron (B) ..... 10.4 µg/L Cadmium (Cd) ..... 118 µg/L Chromium (Cr) ..... 340 µg/L Cobalt (Co) ..... 251 µg/L Copper (Cu) ..... 308 µg/L Iron (Fe) ..... 325 µg/L Lead (Pb) ..... 349 µg/L Lithium (Li) ..... 11 µg/L Manganese (Mg) ..... 360 µg/L Molybdenum (Mo) ..... 252 µg/L Nickel (Ni) ..... 311 µg/L Selenium (Se) ..... 22.7 µg/L Silver (Ag) ..... 14.7 µg/L Strontium (Sr) ..... 369 µg/L Thallium (Tl) ..... 15.3 µg/L Tin (Sn) ..... 18.5 µg/L Uranium (U) ..... 32.8 µg/L Vanadium (V) ..... 315 µg/L Zinc (Zn) ..... 385 µg/L Indicative value for Rb	500 mL
NWTMDA-70	Fortified water - Trace elements Lot 0310 Certified values Aluminum (Al) ..... 415 µg/L Antimony (Sb) ..... 21.7 µg/L Arsenic (As) ..... 40.7 µg/L Barium (Ba) ..... 309 µg/L Beryllium (Be) ..... 15.1 µg/L Bismuth (Bi) ..... 13.5 µg/L Cadmium (Cd) ..... 145 µg/L Chromium (Cr) ..... 389 µg/L Cobalt (Co) ..... 285 µg/L Copper (Cu) ..... 398 µg/L Iron (Fe) ..... 368 µg/L Lead (Pb) ..... 444 µg/L Lithium (Li) ..... 21.6 µg/L Manganese (Mg) ..... 302 µg/L Molybdenum (Mo) ..... 259 µg/L Nickel (Ni) ..... 327 µg/L Selenium (Se) ..... 25.8 µg/L Silver (Ag) ..... 10.9 µg/L Strontium (Sr) ..... 441 µg/L Thallium (Tl) ..... 20 µg/L Tin (Sn) ..... 19.5 µg/L Uranium (U) ..... 55.9 µg/L Vanadium (V) ..... 312 µg/L Zinc (Zn) ..... 477 µg/L Indicative values for Boron (B), Rubidium (Rb) and Titanium (Ti)	500 mL
NWTM-DWS.2	Fortified water - Trace elements Lot 1010 Certified values Aluminum (Al) ..... 58.6 µg/L Antimony (Sb) ..... 3.21 µg/L Arsenic (As) ..... 4.18 µg/L Barium (Ba) ..... 146 µg/L Beryllium (Be) ..... 13.4 µg/L Boron (B) ..... 81.5 µg/L Cadmium (Cd) ..... 4.20 µg/L Chromium (Cr) ..... 44.4 µg/L Cobalt (Co) ..... 64.4 µg/L Copper (Cu) ..... 167 µg/L Iron (Fe) ..... 224 µg/L Lead (Pb) ..... 7.87 µg/L Lithium (Li) ..... 20.2 µg/L Manganese (Mg) ..... 47.3 µg/L Molybdenum (Mo) ..... 67.1 µg/L Nickel (Ni) ..... 82.5 µg/L Selenium (Se) ..... 8.65 µg/L Silver (Ag) ..... 9.94 µg/L Strontium (Sr) ..... 244 µg/L Thallium (Tl) ..... 8.32 µg/L Tin (Sn) ..... 12.2 µg/L Titanium (Ti) ..... 1.25 µg/L Uranium (U) ..... 14.2 µg/L Vanadium (V) ..... 44.5 µg/L Zinc (Zn) ..... 379 µg/L Indicative values for Bismuth (Bi), Gallium (Ga) and Rubidium (Rb)	500 mL
<b>New</b> NCS ZC76308	Water - Trace elements Certified values Cd ..... 11.3 ± 5 ng/g Pb ..... 52 ± 2 ng/g Cu ..... 50 ± 2 ng/g Cr ..... 30 ± 2 ng/g Zn ..... 91 ± 3 ng/g Ni ..... 62 ± 2 ng/g	100 mL
<b>New</b> NIM-GBW08604	Water - Fluoride Certified value F ..... 1.0 µg/g	100 mL
<b>New</b> NIM-GBW08605	Water - Arsenic Certified value As ..... 0.500 µg/g	100 mL
<b>New</b> NIM-GBW08611	Water - Arsenic Certified value As ..... 1000 µg/mL	20 mL
<b>New</b> NIM-GBW08607	Water - Metals Certified values Cd ..... 0.100 µg/g Cr ..... 0.500 µg/g Cu ..... 1.00 µg/g Ni ..... 0.500 µg/g Pb ..... 1.00 µg/g Zn ..... 5.00 µg/g	20 mL



	Code	Product	Unit
<b>New</b>	NIM-GBW08608	Water - Metals Certified values Cd ..... 12.2 ng/g      Cu ..... 51 ng/g      Zn ..... 91 ng/g Pb ..... 51 ng/g      Cr ..... 33 ng/g      Ni ..... 61 ng/g	80 mL
<b>New</b>	NIM-GBW08610	Water - Silver Certified value Ag ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08612	Water - Cadmium Certified value Cd ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08602	Water - Cadmium Certified value Cd ..... 0.100 ± 0.002 µg/g	80 mL
<b>New</b>	NIM-GBW08613	Water - Cobalt Certified value Co ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08614	Water - Chromium Certified value Cr ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08615	Water - Copper Certified value Cu ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08616	Water - Iron Certified value Fe ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08617	Water - Mercury Certified value Hg ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08603	Water - Mercury Certified value Hg ..... 10 ± 0.4 ng/g	20 mL
<b>New</b>	NIM-GBW08618	Water - Nickel Certified value Ni ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08619	Water - Lead Certified value Pb ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08601	Water - Lead Certified value Pb ..... 1 µg/g	80 mL
<b>New</b>	NIM-GBW08620	Water - Zinc Certified value Zn ..... 1000 µg/mL	20 mL
<b>New</b>	NIM-GBW08606	Water - Chloride, nitrate, sulfate Certified values Cl <sup>-</sup> ..... 22.2 ± 0.4 µg/g      NO <sub>3</sub> ..... 4.5 ± 0.1 µg/g      SO <sub>4</sub> <sup>2-</sup> ..... 38.1 ± 0.8 µg/g	20 mL
<b>New</b>	NIM-GBW08606-80	Water - Chloride, nitrate, sulfate	80 mL

### Miscellaneous

	LGC6175	Landfill leachate - Trace elements Landfill leachate collected and supplied in high density polyethylene bottles. Certified values B ..... 8.9 mg/L      Mn ..... 0.33 mg/L Ca ..... 148 mg/L      Na ..... 860 mg/L Fe ..... 1.05 mg/L      Ni ..... 0.09 mg/L K ..... 385 mg/L      Zn ..... 0.28 mg/L Mg ..... 221 mg/L	50 mL
--	---------	---	-------

## Waters

Code	Product	Unit
LGC6177	Landfill leachate - Trace elements Landfill leachate collected from a landfill site in Loughborough, Leicestershire, UK Assessed values B ..... 9.8 mg/L      K ..... 780 mg/L      Ni ..... 0.21 mg/L Ca ..... 74.8 mg/L      Mg ..... 73.5 mg/L      P ..... 11.5 mg/L Cr ..... 0.18 mg/L      Mn ..... 0.14 mg/L Fe ..... 3.8 mg/L      Na ..... 1750 mg/L	50 mL
BCR-713	Waste water effluent - Trace elements Certified values As ..... 9.7 µg/L      Cu ..... 69 µg/L      Ni ..... 30 µg/L Cd ..... 5.1 µg/L      Fe ..... 0.40 mg/L      Pb ..... 47 µg/L Cr ..... 21.9 µg/L      Mn ..... 43.4 µg/L      Se ..... 5.6 µg/L	100 mL
SPS-WW1	Waste water - Trace metals Certified values Al ..... 2000 ng/mL      Cu ..... 400 ng/mL      Pb ..... 100.0 ng/mL As ..... 100.0 ng/mL      Fe ..... 1000 ng/mL      V ..... 100.0 ng/mL Cd ..... 20.0 ng/mL      Mn ..... 400 ng/mL      Zn ..... 600 ng/mL Co ..... 60.0 ng/mL      Ni ..... 1000 ng/mL Cr ..... 200 ng/mL      P ..... 1000 ng/mL	6 x 50 mL
SPS-WW2	Waste water - Trace metals Certified values Al ..... 10000 ng/mL      Cu ..... 2000 ng/mL      Pb ..... 500 ng/mL As ..... 500 ng/mL      Fe ..... 5000 ng/mL      V ..... 500 ng/mL Cd ..... 100.0 ng/mL      Mn ..... 2000 ng/mL      Zn ..... 3000 ng/mL Co ..... 300 ng/mL      Ni ..... 5000 ng/mL Cr ..... 1000 ng/mL      P ..... 5000 ng/mL	6 x 50 mL
SPS-NU-WW1	Waste water - Anions Certified values Cl <sup>-</sup> ..... 5.00 µg/mL      NO <sub>3</sub> <sup>-</sup> ..... 1.00 µg/mL F <sup>-</sup> ..... 1.00 µg/mL      SO <sub>4</sub> <sup>2-</sup> ..... 20.0 µg/mL PO <sub>4</sub> <sup>3-</sup> ..... 1.50 µg/mL	6 x 50 mL
SPS-NU-WW2	Waste water - Anions Certified values Cl <sup>-</sup> ..... 50.0 µg/mL      NO <sub>3</sub> <sup>-</sup> ..... 5.00 µg/mL      SO <sub>4</sub> <sup>2-</sup> ..... 100 µg/mL F <sup>-</sup> ..... 10.0 µg/mL      PO <sub>4</sub> <sup>3-</sup> ..... 7.50 µg/mL	6 x 50 mL
IAEA-304	Oxygen-18 labelled water Two Oxygen-18 labelled water samples (A and B) prepared from oxygen-18 enriched water and diluted with distilled water Sample A Assessed value: ..... <sup>18</sup> O ..... 251.7δD <sub>VSMOW</sub> Sample B Assessed value: ..... <sup>18</sup> O ..... 502.5δD <sub>VSMOW</sub> *The isotopic compositions are given in parts per thousand difference from isotope ratio standard Vienna Standard Mean Ocean Water (VSMOW).	2 x 10 mL
<b>New</b> NCS ZC80301D	Chemical oxygen demand (COD) - low level Certified value COD ..... 1164 mg/L	20 mL
<b>New</b> NCS ZC80302D	Chemical oxygen demand (COD) - medium level Certified value COD ..... 2528 mg/L	20 mL
<b>New</b> NCS ZC80303D	Chemical oxygen demand (COD) - high level Certified value COD ..... 5027 mg/L	20 mL

The Quality Control Materials RTC-QCI-039 - RTC-QCI-088 for water analysis are formulated at known sample target concentrations for routine use. The samples are packaged in flame sealed ampoules to ensure stability. The materials can be used as the basis for a range of control materials by altering the final volume to which the concentrate is diluted.

The analytes and concentrations will vary from lot to lot (except "constant value") but will always be certified within the concentration range shown on the next page.

Code	Product	Unit
RTC-QCI-039	<b>Residue - Constant value</b> A set of 2 ampoules of solids for dilution up to 2 litres of residue-free water. Vial 1: Lot 001378 Residue (Total solids) (TS).....491 mg/L Filterable residue (TDS) .....441 mg/L Non-filterable residue (TSS).....57.1 mg/L Vial 2: Lot 018524 Total residue (Total solids) (TS) .....496 mg/L Filterable residue (TDS) .....255 mg/L Non-filterable residue (TSS) .....244 mg/L Residue volatile .....50.1 mg/L	set
RTC-QCI-040	<b>Demand - Constant value</b> A single sample to be diluted up to 1 litre of reagent water. Biochemical Oxygen Demand (BOD).....147 mg/L Carbonous BOD (CBOD) .....126 mg/L Chemical Oxygen Demand (COD) .....226 mg/L Total Organic Carbon (TOC) .....93.1 mg/L	Amp.
<b>New</b> RTC-QCI-301	<b>Demand - WP (Whole Volume)</b> Certified values Biochemical oxygen demand (BOD) ..... 147 ± 5.61 mg/L Carbonaceous BOD (CBOD)..... 126 ± 5.59 mg/L Chemical oxygen demand (COD)..... 227 ± 3.63 mg/L Total organic carbon (TOC)..... 93.2 ± 1.44 mg/L	500 mL
RTC-QCI-041	<b>pH QC Sample - Constant value</b> A single sample for direct measurement of pH. pH .....7.2 units	Amp.
<b>New</b> RTC-QCI-028K	<b>Nutrients</b> Three samples for dilution up to 1 L QCI-028-1 (20 mL concentrate) Ammonia as N .....14.5 mg/L      Nitrate + Nitrite as N ..... 12.4 mg/L Nitrate as N .....12.4 mg/L      Orthophosphate as P ..... 1.53 mg/L QCI-028-2 (2 mL concentrate) Kjeldahl nitrogen, total (TKN) .....11.5 mg/L      Phosphorus, total ..... 3.65 mg/L Nitrogen, total ..... 11.5 mg/L QCI-028-3 (2 mL concentrate) Nitrite as N 0.672 mg/L	set
RTC-QCI-028-1	<b>Nutrients</b> Samples for dilution up to 1 L 20 mL concentrate Ammonia as N .....14.5 mg/L      Nitrate + Nitrite as N ..... 12.4 mg/L Nitrate as N .....12.4 mg/L      Orthophosphate as P ..... 1.53 mg/L	Amp.
RTC-QCI-028-2	<b>Nutrients</b> Sample for dilution up to 1 L 2 mL concentrate Kjeldahl nitrogen, total (TKN) .....11.5 mg/L      Phosphorus, total ..... 3.65 mg/L Nitrogen, total ..... 11.5 mg/L	Amp.
RTC-QCI-028-3	<b>Nutrients</b> Samples for dilution up to 1L 2 mL concentrate Nitrite as N ..... 0.672 mg/L	Amp.
RTC-QCI-042	<b>Nutrients - Constant value</b> A two-sample set for dilution up to 2 litres of reagent water. Ampoule 1: Ammonia-N.....2.05 mg/L Nitrate-N .....1.99 mg/L Nitrite-N.....1.50 mg/L Orthophosphate as P.....0.758 mg/L Ampoule 2: Kjeldahl-Nitrogen (TKN) .....7.41 mg/L Total Nitrogen .....7.49 mg/L Total Phosphorus .....1.77 mg/L	set

## Waters

Code	Product	Unit
<b>New</b> RTC-QCI-303-1	Nutrients - WP (Whole-volume) Certified values Ammonia as N ..... 12.9 ± 0.129 mg/L Nitrate as N ..... 27.8 ± 0.429 mg/L Nitrate+nitrite as N ..... 28.2 ± 0.535 mg/L Nitrite as N ..... 0.411 ± 0.00601 mg/L Orthophosphate as P ..... 3.07 ± 0.0199 mg/L	500 mL
<b>New</b> RTC-QCI-303-2	Complex Nutrients - WP (Whole-volume) Certified values Kjeldahl nitrogen (TKN) ..... 3.56 ± 0.140 mg/L Phosphorus, total ..... 7.73 ± 0.121 mg/L	500 mL
RTC-QCI-032	Total phenolics A single sample for dilution up to 1 L Sample Target Concentration Total phenolics ..... 1.52 mg/L	Amp.
RTC-QCI-043	Phenolics - Constant value A set of 2 ampoules for dilution up to 2 litres of reagent water. 4AAP (colorimetric) methods are recommended for analysis. RTC-QCI-043-1: Total phenolics (by 4AAP Method) ..... 6.62 mg/L Total phenolics are derived from phenol (40%), 2-Chlorophenol (20%), 2,4-Dinitrophenol (20%), and 2,4-Dichlorophenol (20%). RTC-QCI-043-2: Total phenolics (as phenol) ..... 5.0 mg/L	set
RTC-QCI-033	Total residual chlorine A single sample for dilution up to 1 L Sample Target Concentration Total residual chlorine ..... 1.47 mg/L	Amp.
RTC-QCI-044	Residual chlorine - Constant value A single sample for dilution up to 1 litre of reagent water. Total or free residual chlorine ..... 1.66 mg/L	Amp.
RTC-QCI-267	Water -Total residual chlorine (Low level) A single sample for dilution up to 2 litres Certified value Total residual chlorine ..... 0.104 ± 0.00600 mg/L	
RTC-QCI-046	Minerals (set of 2 ampoules) - Constant value A set of 2 ampoules for dilution into 2 litres of reagent water. RTC-QCI-046-1 and RTC-QCI-046-2 are packaged as 20 mL concentrate Conductivity ..... 458 µmhos/cm <sup>3</sup> Corrosivity (ph) ..... 7.25 Hardness ..... 106 mg/L Ca ..... 25.7 mg/L Mg ..... 10.1 mg/L K ..... 8.09 mg/L Na ..... 40.6 mg/L Alkalinity as CaCO <sub>3</sub> ..... 43.0 mg/L Chloride ..... 85.7 mg/L Fluoride ..... 6.03 mg/L Sulfate ..... 24.4 mg/L	set
RTC-QCI-031	Total cyanide A single sample for dilution up to 1 L Total cyanide ..... 0.490 mg/l	Amp.
RTC-QCI-047	Cyanide - Constant value A set of 2 ampoules for dilution up to 2 L of reagent water. Ampoule 1: Cyanide (from Potassium Ferricyanide) ..... 0.626 mg/L Ampoule 2: Cyanide (from Potassium Cyanide) ..... 0.482 mg/L	set
RTC-QCI-048	Turbidity - Constant value A single sample for dilution up to 2 L of turbidity-free reagent water. Turbidity ..... 9.06 NTU	Amp.

Code	Product	Unit
RTC-QCI-034K	Trace metals kit RTC-QCI-034-2 Lot 016766 Sb .....392 µg/kg      Ag..... 393 µg/kg Ba .....1440 µg/kg      Sr ..... 165 µg/kg B .....1900 µg/kg      Tl..... 168 µg/kg Mo .....255 µg/kg RTC-QCI-034-5 Lot 016205 Sn .....1260 µg/kg      Tl..... 126 µg/kg	
RTC-QCI-049	Trace metal-AA (set of 3 ampoules) - Constant value A set of 3 ampoules for dilution up to 1 L of reagent water. Ampoule 1: Ampoule Concentration      Ampoule Concentration      Ampoule Concentration Ag ..... 19.2 µg/L      Cd.....41 µg/L      Hg ..... 40.8 µg/L As ..... 30.2 µg/L      Cr .....71.5 µg/L      Pb ..... 51.2 µg/L Ba ..... 109 µg/L      Cu.....61.6 µg/L      Se ..... 28.9 µg/L Ampoule 2: Ampoule Concentration      Ampoule Concentration      Ampoule Concentration Al..... 107 µg/L      Mn .....30.4 µg/L      Tl..... 41.9 µg/L Be ..... 40.9 µg/L      Mo .....61.9 µg/L      V ..... 71.1 µg/L Co ..... 30.8 µg/L      Ni.....93.5 µg/L Fe.....84.9 µg/L      Sb.....117 µg/L Ampoule 3 (21 mL): Ampoule Concentration      Ampoule Concentration      Ampoule Concentration Ba ..... 2030 µg/L      K.....1030 µg/L      Zn..... 844 µg/L Ca ..... 2080 µg/L      Mg .....617 µg/L Fe..... 775 µg/L      Na.....1010 µg/L	set
RTC-QCI-050	Trace metal-ICP (set of 2 ampoules) - Constant value A set of 2 ampoules for dilution, the values listed are ampoule concentration. Ampoule 1: Ampoule Concentration      Ampoule Concentration      Ampoule Concentration As..... 61.3 µg/L      Fe .....30.7 µg/L      Sb ..... 30.7 µg/L Be ..... 71.6 µg/L      Pb .....71.5 µg/L      Se ..... 122 µg/L Ca ..... 112 µg/L      Li .....61.6 µg/L      Sr ..... 143 µg/L Cd ..... 102 µg/L      Mg .....91.9 µg/L      Tl..... 133 µg/L Cr ..... 40.9 µg/L      Mn .....40.9 µg/L      Ti..... 72.1 µg/L Co ..... 61.1 µg/L      Mo .....91.9 µg/L      V ..... 91.7 µg/L Cu ..... 71.2 µg/L      Ni.....71.2 µg/L      Zn..... 30.6 µg/L Ampoule 2 (21 mL): Ampoule Concentration      Ampoule Concentration      Ampoule Concentration Ag ..... 250 µg/L      B.....816 µg/L      Si..... 3000 µg/L Al..... 550 µg/L      K.....3700 µg/L Ba ..... 664 µg/L      Na.....750 µg/L	set
RTC-QCI-051	Anions QC sample A single sample for dilution up to 2 L of reagent water. Sample Target Concentration      Sample Target Concentration Bromide .....1 – 10 mg/L      Nitrite as Nitrogen ..... 0.4 – 4 mg/L Chloride .....25 – 275 mg/L      Orthophosphate Phosphorous ..... 0.5 – 5.5 mg/L Fluoride .....0.3 – 4 mg/L      Sulfate..... 5 – 125 mg/L Nitrate as Nitrogen.....0.25 – 40 mg/L	Amp.
RTC-QCI-052	Corrosivity/Sodium (set of 2 ampoules) - Constant value A set of 2 ampoules for dilution up to 2 L of reagent water. pH .....9.12      Alkalinity as CaCO <sub>3</sub> ..... 63 mg/L Filterable residues (TDS).....578 mg/L      Na ..... 25 mg/L Ca .....99.9 mg/L	set
<b>New</b> RTC-QCI-244	Waters - Anionic surfactant (MBAS)-WP Sample for dilution in 1 litre Certified values Surfactants – MBAS .....0.414 ± 0.0313 mg/L      Total organic carbon (TOC)..... 1.45 ± 0.157 mg/L	vial
RTC-QCI-088	Nonionic surfactants in water Certified value Surfactant – Nonionic .....0.700 ± 0.0107 mg/L	20 mL

## Sediments

Code	Product	Unit
<b>Freshwater sediments</b>		
LGC6187	River sediment - Extractable metals The extractable/leachable metal content refers to metals soluble in a hot mixture of nitric and hydrochloric acids using methods based on ISO 11466 (1995). Certified values As..... 24.0 mg/kg      Hg..... 1.4 mg/kg      Sn ..... 6.8 mg/kg Cd ..... 2.7 mg/kg      Mn ..... 1240 mg/kg      V ..... 38.3 mg/kg Cr ..... 84.0 mg/kg      Ni ..... 34.7 mg/kg      Zn ..... 439 mg/kg Cu ..... 83.6 mg/kg      Pb ..... 77.2 mg/kg Fe ..... 23600 mg/kg      Se ..... 1.2 mg/kg	80 g
LGC6189	River sediment - Extractable metals The river sediment was collected from a monitoring station lagoon on the river Elbe close to the Czech-German Border, Czech Republic. Assessed values for extractable metals precisely following the ISO11466 (1995) method. Only those metals that reached a plateau of concentration after two hours reflux were characterised. Assessed values As..... 26 mg/kg      Cu..... 87 mg/kg      Ni ..... 34 mg/kg Cd ..... 3.3 mg/kg      Mn ..... 1120 mg/kg      Pb ..... 87 mg/kg Cr ..... 93 mg/kg      Mo ..... 1.2 mg/kg      Zn ..... 460 mg/kg Indicative values for Ba, Se and constituents.	30 g
BCR-280R	Lake sediment - Trace elements Certified values As..... 33.4 mg/kg      Cr..... 126 mg/kg      Ni ..... 69 mg/kg Cd ..... 0.85 mg/kg      Cu..... 53 mg/kg      Zn ..... 224 mg/kg Co ..... 16.8 mg/kg      Hg..... 1.46 mg/kg	30 g
BCR-701	Sediment - Extractable trace elements (3 step extraction) Certified values <u>Step 1</u> Cd ..... 7.34 mg/kg      Cu..... 49.3 mg/kg      Pb ..... 3.18 mg/kg Cr ..... 2.26 mg/kg      Ni ..... 15.4 mg/kg      Zn ..... 205 mg/kg <u>Step 2</u> Cd ..... 3.77 mg/kg      Cu..... 124 mg/kg      Pb ..... 126 mg/kg Cr ..... 45.7 mg/kg      Ni ..... 26.6 mg/kg      Zn ..... 114 mg/kg <u>Step 3</u> Cd ..... 0.27 mg/kg      Cu..... 55.2 mg/kg      Pb ..... 9.3 mg/kg Cr ..... 143 mg/kg      Ni ..... 15.3 mg/kg      Zn ..... 45.7 mg/kg	20 g
BCR-684	River sediment - Phosphorous Extractable phosphorous in sediment following a five-step extraction procedure NaOH-extractable P.....550 mg/kg      Organic P ..... 209 mg/kg HCl-extractable P.....536 mg/kg      Conc.HCl-extract. P ..... 1373 mg/kg Inorganic P.....1113 mg/kg	35 g
BCR-646	Freshwater sediment - Butyltin and phenyltin Certified values TBT ..... 480 µg/kg      MBT.....610 µg/kg      DPhT..... 36 µg/kg DBT..... 770 µg/kg      TPhT .....29 µg/kg      MPhT ..... 69 µg/kg	40 g

Code	Product	Unit
NIST-1939a	River sediment - PCBs and chlorinated pesticides Certified Concentrations (Mass Fractions for Selected PCB Congeners)	50 g
		µg/kg
PCB 52	2,2',5,5'-Tetrachlorobiphenyl	3691 ± 68
PCB 56	2,3,3',4'-Tetrachlorobiphenyl	355 ± 14
PCB 66	2,3',4,4'-Tetrachlorobiphenyl	556 ± 25
PCB 87	2,2',3,4,5'-Pentachlorobiphenyl	166 ± 21
PCB 92	2,2',3,3',5'-Pentachlorobiphenyl	386 ± 27
PCB 95	2,2',3,5',6'-Pentachlorobiphenyl	859 ± 29
PCB 101	2,2',4,5,5'-Pentachlorobiphenyl	476 ± 42
PCB 110	2,3,3',4',6'-Pentachlorobiphenyl	1008 ± 118
PCB 112	2,3,3',5,6'-Pentachlorobiphenyl	33.5 ± 3.1
PCB 153	2,2',4,4',5,5'-Hexachlorobiphenyl	357 ± 92
132	2,2',3,3',4,6'-Hexachlorobiphenyl	
PCB 156	2,3,3',4,4',5-Hexachlorobiphenyl	40.7 ± 4.4
PCB 167	2,3',4,4',5,5'-Hexachlorobiphenyl	17.9 ± 2.0
PCB 172	2,2',3,3',4,5,5'-Heptachlorobiphenyl	16.7 ± 1.5
PCB 175	2,2',3,3',4,5',6-Heptachlorobiphenyl	6.47 ± 0.23
PCB 177	2,2',3,3',4',5,6-Heptachlorobiphenyl	73.3 ± 6.8
PCB 180	2,2',3,4,4',5,5'-Heptachlorobiphenyl	167 ± 11
PCB 8	2,4'-Dichlorobiphenyl	5049 ± 294
PCB 18	2,2',5-Trichlorobiphenyl	2126 ± 264
PCB 28	2,4,4'-Trichlorobiphenyl	1676 ± 91
PCB 31	2,4',5-Trichlorobiphenyl	5698 ± 135
PCB 44	2,2',3,5'-Tetrachlorobiphenyl	766 ± 53
PCB 49	2,2',4,5'-Tetrachlorobiphenyl	3314 ± 317
193	2,3,3',4',5,5',6-Heptachlorobiphenyl	
PCB 189	2,3,3',4,4',5,5'-Heptachlorobiphenyl	3.40 ± 0.47
PCB 191	2,3,3',4,4',5,6-Heptachlorobiphenyl	2.92 ± 0.15
PCB 194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	41.1 ± 5.7
PCB 199a	2,2',3,3',4,5,5',6'-Octachlorobiphenyl	7.61 ± 0.92
PCB 201a	2,2',3,3',4,5,5',6'-Octachlorobiphenyl	18.9 ± 1.0
PCB 202	2,2',3,3',5,5',6'-Octachlorobiphenyl	18.9 ± 2.8
PCB 206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	33.4 ± 2.4
PCB 207	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl	3.96 ± 0.22
PCB 208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	13.1 ± 0.78
PCB 209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	8.32 ± 0.60
	Indicative values for further PCB congeners, chlorinated pesticides and PAHs	



Code	Product	Unit
NIST-1944	New York/New Jersey waterway sediment - PCBs and PAHs	50 g

This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is a mixture of marine sediment collected near urban areas in New York and New Jersey. Reference values are also provided for selected dibenzodioxin and dibenzofuran congeners, total organic carbon, total extractable material, and particle-size characteristics. All of the constituents for which certified, reference, and information values are provided were naturally present in the sediment material before processing.

#### Certified Concentrations for Selected PAHs

PAHs	Mass Fractions in mg/kg (dry-mass basis)	PAHs	Mass Fractions in mg/kg (dry-mass basis)
Naphthalene	1.65 ± 0.31	Benzo(a)fluoranthene	0.78 ± 0.12
Phenanthrene	5.27 ± 0.22	Benzo(e)pyrene	3.28 ± 0.11
Anthracene	1.77 ± 0.33	Benzo(a)pyrene	4.30 ± 0.13
Fluoranthene	8.92 ± 0.32	Perylene	1.17 ± 0.24
Pyrene	9.70 ± 0.42	Benzo(ghi)perylene	2.84 ± 0.10
Benzo(c)phenanthrene	0.76 ± 0.10	Indeno(1,2,3-cd)pyrene	2.78 ± 0.10
Benzo(a)anthracene	4.72 ± 0.11	Dibenzo(a,j)anthracene	0.500 ± 0.044
Chrysene	4.86 ± 0.10	Dibenzo(a,c)anthracene	0.335 ± 0.013
Triphenylene	1.04 ± 0.27	Dibenzo(a,h)anthracene	0.424 ± 0.069
Benzo(b)fluoranthene	3.87 ± 0.42	Pentaphene	0.288 ± 0.026
Benzo(j)fluoranthene	2.09 ± 0.44	Benzo(b)chrysene	0.63 ± 0.10
Benzo(k)fluoranthene	2.30 ± 0.20	Picene	0.518 ± 0.093

#### Certified Concentrations for Selected PCB Congeners

PCB Congeners	Mass Fraction in µg/kg (dry-mass basis)
PCB 8.....2,4'-Dichlorobiphenyl	22.3 ± 2.3
PCB 18.....2,2',5-Trichlorobiphenyl	51.0 ± 2.6
PCB 28.....2,4,4'-Trichlorobiphenyl	80.8 ± 2.7
PCB 31.....2,4',5-Trichlorobiphenyl	78.7 ± 1.6
PCB 44.....2,2',3,5'-Tetrachlorobiphenyl	60.2 ± 2.0
PCB 49.....2,2',4,5'-Tetrachlorobiphenyl	53.0 ± 1.7
PCB 52.....2,2',5,5'-Tetrachlorobiphenyl	79.4 ± 2.0
PCB 66.....2,3',4,4'-Tetrachlorobiphenyl	71.9 ± 4.3
PCB 87.....2,2',3,4,5'-Pentachlorobiphenyl	29.9 ± 4.3
PCB 95.....2,2',3,5',6-Pentachlorobiphenyl	65.0 ± 8.9
PCB 99.....2,2',4,4',5-Pentachlorobiphenyl	37.5 ± 2.4
PCB 101.....2,2',4,5,5'-Pentachlorobiphenyl +	
90.....2,2',3,4',5-Pentachlorobiphenyl	73.4 ± 2.5
PCB 105.....2,3,3',4,4'-Pentachlorobiphenyl	24.5 ± 1.1
PCB 110.....2,3,3',4',6-Pentachlorobiphenyl	63.5 ± 4.7
PCB 118.....2,3',4,4',5-Pentachlorobiphenyl	58 ± 4.3
PCB 128.....2,2',3,3',4,4'-Hexachlorobiphenyl	8.47 ± 0.28
PCB 138.....2,2',3,4,4',5'-Hexachlorobiphenyl +	
163.....2,3,3',4',5,6-Hexachlorobiphenyl +	
164.....2,3,3',4',5',6-Hexachlorobiphenyl	62.1 ± 3.0
PCB 149.....2,2',3,4',5',6-Hexachlorobiphenyl	49.7 ± 1.2
PCB 151.....2,2',3,5,5',6-Hexachlorobiphenyl	16.93 ± 0.36
PCB 153.....2,2',4,4',5,5'-Hexachlorobiphenyl	74.0 ± 2.9
PCB 156.....2,3,3',4,4',5-Hexachlorobiphenyl	6.52 ± 0.66
PCB 170.....2,2',3,3',4,4',5-Heptachlorobiphenyl +	
190.....(2,3,3',4,4',5,5'-Heptachlorobiphenyl)	22.6 ± 1.4
PCB 180.....2,2',3,4,4',5,5'-Heptachlorobiphenyl	44.3 ± 1.2
PCB 183.....2,2',3,4,4',5',6-Heptachlorobiphenyl	12.19 ± 0.57
PCB 187.....2,2',3,4',5,5',6-Heptachlorobiphenyl +	
159.....2,3,3',4,5,5'-Hexachlorobiphenyl +	
182.....2,2',3',4,4',5,6'-Heptachlorobiphenyl	25.1 ± 1.0
PCB 194.....2,2',3,3',4,4',5,5'-Octachlorobiphenyl	11.2 ± 1.4
PCB 195.....2,2',3,3',4,4',5,6-Octachlorobiphenyl	3.75 ± 0.39
PCB 206.....2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	9.21 ± 0.51
PCB 209.....Decachlorobiphenyl	6.81 ± 0.33

#### Certified Concentrations for Selected Chlorinated Pesticides

Chlorinated Pesticides	Mass Fractions in µg/kg (dry-mass basis)
Hexachlorobenzene	6.03 ± 0.35
cis-Chlordane (alpha-Chlordane)	16.51 ± 0.83
trans-Nonachlor	8.20 ± 0.51
4,4'-DDT	119 ± 11

Reference Values for PAHs, Chlorinated Pesticides, Dibenz-p-dioxin and Dibenzofuran Congeners, Particle-Size Characteristics, Total Organic Carbon and Percent Extractable Mass.

Certified and reference concentrations for selected inorganic constituents.

Code	Product	Unit
RTC-CNS329-050	Freshwater sediment - PCBs and PBDEs The PDBEs Reference Values were determined by US EPA Method 1614, ISO 22032 and related GC-MS techniques. The PCB Reference Values were determined by Dutch standard methods (NEN 5771, 5718, and 5719) and EPA extraction methods 3540/3541 or 3550A, followed by Method 8270. The sample is suitable for use by these, or other similar digestion and analytical procedures. Reference values Lot 010432 2,4,4'-Trichlorobiphenyl (PCB 28)..... 54.1 µg/kg 2,2',5,5'-Tetrachlorobiphenyl (PCB 52)..... 230 µg/kg 2,2',4,5,5'-Pentachlorobiphenyl (PCB 101)..... 390 µg/kg 2,3',4,4',5-Pentachlorobiphenyl (PCB 118)..... 75 µg/kg 2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)..... 226 µg/kg 2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153)..... 133 µg/kg 2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)..... 104 µg/kg <b>PCBs, total.....1330 µg/kg</b> PBDE 47..... 149 µg/kg PBDE 99..... 192 µg/kg PBDE 100..... 108 µg/kg PBDE 153..... 160 µg/kg PBDE 154..... 108 µg/kg PBDE 183..... 52.6 µg/kg PBDE 209..... (81.7) µg/kg	50 g
<b>New</b> RTC-CNS391-050	Freshwater sediment - PAH, PCBs and Pesticides Reference values Lot 011305 Acenaphthene..... 29.9 µg/kg Acenaphthylene..... 53.4 µg/kg Anthracene..... 15.0 µg/kg Benzo(a)anthracene..... 338 µg/kg Benzo(a)pyrene..... 65.3 µg/kg Benzo(b)fluoranthene..... 210 µg/kg Benzo(g,h,i)perylene..... 139 µg/kg Benzo(k)fluoranthene..... 300 µg/kg Chrysene..... 376 µg/kg Dibenz(a,h)anthracene)..... 294 µg/kg Fluoranthene..... 557 µg/kg Fluorene..... 408 µg/kg Indeno(1,2,3-cd)pyrene..... 235 µg/kg Naphthalene..... 464 µg/kg Phenanthrene..... 660 µg/kg Pyrene..... 331 µg/kg PCB 28..... 44.9 µg/kg PCB 52..... 64.6 µg/kg PCB 101..... 45.7 µg/kg PCB 118..... 24.0 µg/kg PCB 138..... 63.0 µg/kg PCB 153..... 41.3 µg/kg PCB 180..... 54.7 µg/kg 2, 4' DDD..... 15.5 µg/kg 2, 4' DDE..... 39.5 µg/kg 2, 4' DDT..... 43.0 µg/kg 4, 4' DDD..... 13.9 µg/kg 4, 4' DDE..... 18.8 µg/kg 4, 4' DDT..... 10.2 µg/kg alpha Endosulphan..... 14.2 µg/kg alpha HCH..... 37.1 µg/kg Aldrin..... 16.2 µg/kg beta HCH..... 21.1 µg/kg gamma HCH..... 9.50 µg/kg Dieldrin..... 25.7 µg/kg Endrin..... 10.4 µg/kg Hexachlorobenzene..... 36.5 µg/kg Heptachlor..... 6.54 µg/kg Heptachlor epoxide..... 33.1 µg/kg	50 g
<b>New</b> RTC-CRM640-025	Lake Sediment - Volatile organic analytes Certified values Lot 014727 Acetone..... 20200 µg/kg Benzene..... 4610 µg/kg Bromobenzene..... 3650 µg/kg Bromodichloromethane..... 7950 µg/kg Bromoform..... 7100 µg/kg 2-Butanone (Methyl ethyl ketone, MEK) 18400 µg/kg Carbon tetrachloride..... 8640 µg/kg Chlorobenzene..... 3420 µg/kg Chloroethane..... 2960 µg/kg 1,2-Dibromo-3-chloropropane..... 7730 µg/kg Dibromochloromethane..... 2580 µg/kg Dibromomethane..... 7010 µg/kg 1,2-Dichlorobenzene..... 7440 µg/kg 1,3-Dichlorobenzene..... 4020 µg/kg 1,4-Dichlorobenzene..... 2370 µg/kg 1,1-Dichloroethane..... 6390 µg/kg 1,2-Dichloroethane..... 8500 µg/kg 1,1-Dichloroethylene..... 7200 µg/kg cis-1,2-Dichloroethylene..... 5460 µg/kg trans-1,3-Dichloropropene..... 2370 µg/kg trans-1,2-Dichloroethylene..... 6360 µg/kg Ethylbenzene..... 5490 µg/kg 2-Hexanone..... 15800 µg/kg Isopropylbenzene..... 4430 µg/kg Methyl bromide..... 1410 µg/kg Methyl chloride..... 4400 µg/kg Methylene chloride..... 9130 µg/kg 4-Methyl-2-pentanone (MIBK)..... 13900 µg/kg Methyl tert-butyl ether (MTBE)..... 5450 µg/kg Naphthalene..... 6090 µg/kg Styrene..... 6370 µg/kg 1,1,1,2-Tetrachloroethane..... 3220 µg/kg 1,1,2,2-Tetrachloroethane..... 4110 µg/kg Toluene..... 2700 µg/kg 1,2,4-Trichlorobenzene..... 3340 µg/kg 1,1,1-Trichloroethane..... 7650 µg/kg Trichloroethene..... 7620 µg/kg Trichlorofluoromethane..... 5340 µg/kg 1,2,3-Trichloropropane..... 7330 µg/kg 1,2,4-Trimethylbenzene..... 13700 µg/kg 1,3,5-Trimethylbenzene..... 16300 µg/kg Vinyl chloride..... 8370 µg/kg m+p-Xylene..... 11500 µg/kg o-Xylene..... 2790 µg/kg Xylene..... 14500 µg/kg	25 g
NIST-RM 8704	Buffalo river sediment - Metals Collected from the Buffalo River in the area of the Ohio Street Bridge, Buffalo, New York. Reference values given for 25 trace elements	50 g
NIST-4350b	River sediment - Radioactivity Certified values <sup>241</sup> Am..... 1.5 x 10 <sup>-4</sup> Bq/g <sup>60</sup> Co..... 4.64 x 10 <sup>-3</sup> Bq/g <sup>137</sup> Cs..... 2.90 x 10 <sup>-2</sup> Bq/g <sup>152</sup> Eu..... 2.90 x 10 <sup>-2</sup> Bq/g <sup>154</sup> Eu..... 3.78 x 10 <sup>-3</sup> Bq/g <sup>226</sup> Ra..... 3.58 x 10 <sup>-2</sup> Bq/g <sup>238</sup> Pu..... 1.3 x 10 <sup>-5</sup> Bq/g <sup>239</sup> Pu + <sup>240</sup> Pu..... 5.08 x 10 <sup>-4</sup> Bq/g	85 g

# Sediments

Code	Product	Unit			
<b>New</b> NIM-GBW07319	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	6.73 ± 0.62 µg/g	Hg	0.07 ± 0.04 µg/g	Th	8.6 ± 0.6 µg/g
As	512 ± 18 µg/g	Ho	0.86 ± 0.07 µg/g	Ti	0.248 ± 0.006 %
Au	32.6 ± 6.9 µg/g	La	26.6 ± 1.5 µg/g	Tl	2.3 ± 0.8 µg/g
B	43.3 ± 8.6 µg/g	Li	32.7 ± 1.5 µg/g	Tm	0.39 ± 0.04 µg/g
Ba	297 ± 14 µg/g	Lu	0.35 ± 0.02 µg/g	U	6.1 ± 0.4 µg/g
Be	2.32 ± 0.22 µg/g	Mn	0.137 ± 0.007 %	V	80.3 ± 5.9 µg/g
Bi	89.8 ± 4.9 µg/g	Mo	15.5 ± 0.9 µg/g	W	38.7 ± 2.2 µg/g
Br	2.5 ± 1.3 µg/g	Nb	8.6 ± 1.4 µg/g	Y	24.3 ± 1.1 µg/g
Cd	3.76 ± 0.23 µg/g	Nd	23.2 ± 1.6 µg/g	Yb	2.43 ± 0.09 µg/g
Ce	55.6 ± 2.9 µg/g	Ni	46.2 ± 2.4 µg/g	Zn	797 ± 37 µg/g
Cl	87 ± 20 µg/g	P	804 ± 65 µg/g	Zr	132 ± 7 µg/g
Co	45.2 ± 3.1 µg/g	Pb	731 ± 26 µg/g	SiO <sub>2</sub>	38.05 ± 0.29 %
Cr	41.3 ± 3.2 µg/g	Pr	6.01 ± 0.37 µg/g	Al <sub>2</sub> O <sub>3</sub>	9.67 ± 0.19 %
Cs	14.5 ± 0.9 µg/g	Rb	90.0 ± 1.4 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	10.34 ± 0.13 %
Cu	0.50 ± 0.02 %	Sb	13.8 ± 0.8 µg/g	MgO	1.94 ± 0.05 %
Dy	4.40 ± 0.23 µg/g	Sc	8.7 ± 0.3 µg/g	CaO	16.40 ± 0.26 %
Er	2.64 ± 0.15 µg/g	Se	2.8 ± 0.3 µg/g	Na <sub>2</sub> O	0.59 ± 0.03 %
Eu	1.17 ± 0.05 µg/g	Sm	4.85 ± 0.24 µg/g	K <sub>2</sub> O	1.39 ± 0.03 %
F	632 ± 14 µg/g	Sn	16.6 ± 2.7 µg/g	TiO <sub>2</sub>	0.416 ± 0.009 %
Ga	12.4 ± 1.4 µg/g	Sr	324 ± 6 µg/g	MnO	0.174 ± 0.006 %
Gd	4.88 ± 0.23 µg/g	Ta	0.8 ± 0.3 µg/g	P <sub>2</sub> O <sub>5</sub>	0.182 ± 0.012 %
Ge	1.32 ± 0.30 µg/g	Tb	0.77 ± 0.03 µg/g		
Hf	4.0 ± 0.5 µg/g	Te	0.86 ± 0.32 µg/g		
<b>New</b> NIM-GBW07320	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.05 ± 0.01 µg/g	Ni	35.0 ± 1.1 µg/g	Sm	5.95 ± 0.36 µg/g
As	18.9 ± 0.8 µg/g	P	561 ± 13 µg/g	Eu	1.20 ± 0.04 µg/g
Au	1.2 ± 0.3 µg/g	Pb	30.9 ± 1.4 µg/g	Gd	5.35 ± 0.24 µg/g
B	59.0 ± 6.2 µg/g	Rb	119 ± 2 µg/g	Tb	0.83 ± 0.04 µg/g
Ba	404 ± 11 µg/g	Sc	11.8 ± 0.5 µg/g	Dy	4.71 ± 0.25 µg/g
Be	2.52 ± 0.09 µg/g	Sb	1.44 ± 0.19 µg/g	Ho	0.94 ± 0.08 µg/g
Bi	0.46 ± 0.04 µg/g	Se	0.10 ± 0.02 µg/g	Er	2.79 ± 0.16 µg/g
Br	1.2 ± 0.3 µg/g	Sn	2.8 ± 0.2 µg/g	Tm	0.43 ± 0.03 µg/g
Cd	0.18 ± 0.03 µg/g	Sr	83.8 ± 2.1 µg/g	Yb	2.69 ± 0.08 µg/g
Cl	114 ± 26 µg/g	Ta	1.2 ± 0.2 µg/g	Lu	0.41 ± 0.02 µg/g
Co	16.7 ± 0.7 µg/g	Te	0.045 ± 0.021 µg/g	Y	24.6 ± 0.7 µg/g
Cr	68.2 ± 3.3 µg/g	Th	12.9 ± 0.7 µg/g	SiO <sub>2</sub>	63.07 ± 0.43 %
Cs	10.4 ± 1.4 µg/g	Ti	0.375 ± 0.037 %	Al <sub>2</sub> O <sub>3</sub>	14.18 ± 0.25 %
Cu	27.3 ± 2.1 µg/g	Tl	0.60 ± 0.13 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	5.84 ± 0.07 %
F	659 ± 55 µg/g	U	2.8 ± 0.3 µg/g	MgO	1.55 ± 0.03 %
Ga	19.0 ± 1.3 µg/g	V	102 ± 3 µg/g	CaO	3.69 ± 0.07 %
Ge	1.44 ± 0.14 µg/g	W	1.9 ± 0.2 µg/g	Na <sub>2</sub> O	1.11 ± 0.03 %
Hf	6.0 ± 0.3 µg/g	Zn	82.7 ± 3.2 µg/g	K <sub>2</sub> O	2.51 ± 0.06 %
Hg	0.022 ± 0.003 µg/g	Zr	210 ± 7 µg/g	TiO <sub>2</sub>	0.650 ± 0.016 %
Li	48.5 ± 1.3 µg/g	La	39.0 ± 2.3 µg/g	MnO	0.127 ± 0.003 %
Mn	987 ± 28 µg/g	Ce	76.1 ± 2.3 µg/g	P <sub>2</sub> O <sub>5</sub>	0.130 ± 0.004 %
Mo	0.75 ± 0.07 µg/g	Pr	8.42 ± 0.42 µg/g		
Nb	14.6 ± 0.6 µg/g	Nd	31.0 ± 1.6 µg/g		
<b>New</b> NIM-GBW07321	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.09 ± 0.01 µg/g	Hg	0.033 ± 0.006 µg/g	Th	12.1 ± 0.6 µg/g
As	22.0 ± 0.5 µg/g	Ho	0.95 ± 0.08 µg/g	Ti	0.439 ± 0.014 %
Au	1.4 ± 0.3 µg/g	La	38.8 ± 2.9 µg/g	Tl	0.64 ± 0.12 µg/g
B	77.0 ± 4.2 µg/g	Li	53.9 ± 1.1 µg/g	Tm	0.43 ± 0.04 µg/g
Ba	508 ± 13 µg/g	Lu	0.41 ± 0.02 µg/g	U	2.6 ± 0.3 µg/g
Be	2.34 ± 0.12 µg/g	Mn	876 ± 15 µg/g	V	101 ± 3 µg/g
Bi	0.50 ± 0.03 µg/g	Mo	0.60 ± 0.05 µg/g	W	2.6 ± 0.2 µg/g
Br	1.0 ± 0.3 µg/g	Nb	15.9 ± 0.6 µg/g	Y	24.4 ± 0.6 µg/g
Cd	0.54 ± 0.04 µg/g	Nd	31.1 ± 1.8 µg/g	Yb	2.73 ± 0.15 µg/g
Ce	74.0 ± 2.9 µg/g	Ni	51.9 ± 1.9 µg/g	Zn	176 ± 6 µg/g
Cl	63 ± 5 µg/g	P	613 ± 19 µg/g	Zr	222 ± 7 µg/g
Co	17.9 ± 0.8 µg/g	Pb	61.9 ± 4.0 µg/g	SiO <sub>2</sub>	69.70 ± 0.20 %
Cr	93.8 ± 4.9 µg/g	Pr	8.33 ± 0.46 µg/g	Al <sub>2</sub> O <sub>3</sub>	13.19 ± 0.16 %
Cs	11.9 ± 1.1 µg/g	Rb	115 ± 2 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	5.85 ± 0.05 %
Cu	27.1 ± 1.5 µg/g	Sb	1.91 ± 0.22 µg/g	MgO	1.58 ± 0.04 %
Dy	4.73 ± 0.25 µg/g	Sc	12.0 ± 0.4 µg/g	CaO	0.39 ± 0.04 %
Er	2.81 ± 0.15 µg/g	Se	0.16 ± 0.02 µg/g	Na <sub>2</sub> O	1.23 ± 0.03 %
Eu	1.21 ± 0.04 µg/g	Sm	5.99 ± 0.39 µg/g	K <sub>2</sub> O	2.56 ± 0.08 %
F	622 ± 42 µg/g	Sn	14.9 ± 3.2 µg/g	TiO <sub>2</sub>	0.725 ± 0.009 %
Ga	17.8 ± 0.9 µg/g	Sr	59.3 ± 2.1 µg/g	MnO	0.113 ± 0.002 %
Gd	5.40 ± 0.25 µg/g	Ta	1.2 ± 0.1 µg/g	P <sub>2</sub> O <sub>5</sub>	0.140 ± 0.004 %
Ge	1.34 ± 0.13 µg/g	Tb	0.83 ± 0.04 µg/g		
Hf	6.5 ± 0.4 µg/g	Te	0.05 ± 0.03 µg/g		

Code	Product	Unit			
NCS DC70314	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.06 ± 0.01 µg/g	Ni	17.2 ± 0.7 µg/g	Sm	5.55 ± 0.33 µg/g
As	19.0 ± 2.5 µg/g	P	441 ± 10 µg/g	Eu	0.96 ± 0.04 µg/g
Au*	0.9 ± 0.2 µg/g	Pb	23.0 ± 1.2 µg/g	Gd	4.88 ± 0.25 µg/g
B	58.9 ± 5.7 µg/g	Rb	104 ± 2 µg/g	Tb	0.75 ± 0.03 µg/g
Ba	341 ± 10 µg/g	Sc	6.96 ± 0.51 µg/g	Dy	4.24 ± 0.20 µg/g
Be	2.13 ± 0.14 µg/g	Sb	1.08 ± 0.27 µg/g	Ho	0.86 ± 0.07 µg/g
Bi	0.34 ± 0.03 µg/g	Se	0.11 ± 0.01 µg/g	Er	2.56 ± 0.11 µg/g
Br	1.4 ± 0.3 µg/g	Sn	3.1 ± 0.4 µg/g	Tm	0.39 ± 0.03 µg/g
Cd	0.15 ± 0.01 µg/g	Sr	117.5 ± 4.4 µg/g	Yb	2.53 ± 0.08 µg/g
Cl	120 ± 29 µg/g	Ta	1.3 ± 0.1 µg/g	Lu	0.38 ± 0.02 µg/g
Co	7.9 ± 0.4 µg/g	Te	(0.03) µg/g	Y	23.3 ± 1.1 µg/g
Cr	36.2 ± 1.9 µg/g	Th	12.7 ± 0.6 µg/g	SiO <sub>2</sub>	76.43 ± 0.13 %
Cs	8.0 ± 0.7 µg/g	Ti	0.276 ± 0.008 %	Al <sub>2</sub> O <sub>3</sub>	10.60 ± 0.05 %
Cu	13.3 ± 0.7 µg/g	Tl	0.59 ± 0.17 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	3.29 ± 0.04 %
F	444 ± 12 µg/g	U	2.9 ± 0.3 µg/g	MgO	0.72 ± 0.03 %
Ga	13.6 ± 0.6 µg/g	V	56.1 ± 2.1 µg/g	CaO	1.27 ± 0.03 %
Ge	1.30 ± 0.15 µg/g	W	2.4 ± 0.2 µg/g	Na <sub>2</sub> O	1.47 ± 0.04 %
Hf	6.5 ± 0.8 µg/g	Zn	51.8 ± 2.2 µg/g	K <sub>2</sub> O	2.30 ± 0.03 %
Hg	0.074 ± 0.004 µg/g	Zr	220 ± 11 µg/g	TiO <sub>2</sub>	0.469 ± 0.006 %
Li	40.1 ± 1.0 µg/g	La	37.9 ± 2.0 µg/g	MnO	0.067 ± 0.002 %
Mn	517 ± 16 µg/g	Ce	70.6 ± 2.4 µg/g	P <sub>2</sub> O <sub>5</sub>	0.101 ± 0.002 %
Mo	0.70 ± 0.03 µg/g	Pr	7.86 ± 0.39 µg/g		
Nb	15.2 ± 0.6 µg/g	Nd	29.0 ± 1.3 µg/g		
<b>New</b> NIM-GBW07323	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.10 ± 0.01 µg/g	Hf	6.0 ± 0.5 µg/g	Tb	0.78 ± 0.04 µg/g
As	22.5 ± 1.1 µg/g	Hg	0.026 ± 0.004 µg/g	Th	12.3 ± 0.6 µg/g
Au	1.6 ± 0.3 µg/g	Ho	0.87 ± 0.07 µg/g	Ti	0.290 ± 0.003 %
B	59.5 ± 4.7 µg/g	La	37.0 ± 2.0 µg/g	Tl	0.62 ± 0.10 µg/g
Ba	384 ± 15 µg/g	Li	27.9 ± 0.9 µg/g	Tm	0.40 ± 0.03 µg/g
Be	2.13 ± 0.11 µg/g	Lu	0.38 ± 0.02 µg/g	U	2.5 ± 0.2 µg/g
Bi	0.46 ± 0.04 µg/g	Mn	567 ± 15 µg/g	V	57.4 ± 2.1 µg/g
Br	1.5 ± 0.3 µg/g	Mo	0.83 ± 0.05 µg/g	W	2.4 ± 0.1 µg/g
Cd	0.33 ± 0.03 µg/g	Nb	15.6 ± 0.4 µg/g	Y	23.7 ± 1.4 µg/g
Ce	71.3 ± 2.0 µg/g	Nd	29.3 ± 1.6 µg/g	Yb	2.55 ± 0.13 µg/g
Cl	96.7 ± 6.4 µg/g	Ni	20.1 ± 0.8 µg/g	Zn	91.1 ± 2.4 µg/g
Co	9.2 ± 0.5 µg/g	P	501 ± 21 µg/g	Zr	206 ± 10 µg/g
Cr	37.5 ± 1.5 µg/g	Pb	31.7 ± 1.6 µg/g	SiO <sub>2</sub>	66.50 ± 0.10 %
Cs	7.9 ± 1.2 µg/g	Pr	8.10 ± 0.17 µg/g	Al <sub>2</sub> O <sub>3</sub>	10.17 ± 0.18 %
Cu	16.6 ± 1.0 µg/g	Rb	104 ± 2 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	3.70 ± 0.04 %
Dy	4.40 ± 0.21 µg/g	Sb	0.82 ± 0.14 µg/g	MgO	1.14 ± 0.04 %
Er	2.60 ± 0.13 µg/g	Sc	7.9 ± 0.5 µg/g	CaO	6.50 ± 0.12 %
Eu	1.04 ± 0.03 µg/g	Se	0.12 ± 0.01 µg/g	Na <sub>2</sub> O	1.17 ± 0.03 %
F	539 ± 37 µg/g	Sm	5.61 ± 0.33 µg/g	K <sub>2</sub> O	2.26 ± 0.03 %
Ga	14.1 ± 1.0 µg/g	Sn	3.3 ± 0.4 µg/g	TiO <sub>2</sub>	0.491 ± 0.010 %
Gd	5.15 ± 0.23 µg/g	Sr	132 ± 3 µg/g	MnO	0.074 ± 0.002 %
Ge	1.09 ± 0.15 µg/g	Ta	1.3 ± 0.2 µg/g	P <sub>2</sub> O <sub>5</sub>	0.115 ± 0.004 %
NCS DC70316	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.07 ± 0.01 µg/g	Ni	75.3 ± 3.0 µg/g	Sm	8.11 ± 0.54 µg/g
As	13.7 ± 0.7 µg/g	P	571 ± 28 µg/g	Eu	1.58 ± 0.05 µg/g
Au	1.8 ± 0.4 µg/g	Pb	24.0 ± 1.7 µg/g	Gd	7.11 ± 0.29 µg/g
B	56.1 ± 6.4 µg/g	Rb	117 ± 3 µg/g	Tb	1.08 ± 0.05 µg/g
Ba	476 ± 17 µg/g	Sc	11.7 ± 1.0 µg/g	Dy	6.10 ± 0.31 µg/g
Be	2.43 ± 0.07 µg/g	Sb	1.10 ± 0.13 µg/g	Ho	1.20 ± 0.09 µg/g
Bi	0.30 ± 0.02 µg/g	Se	0.16 ± 0.02 µg/g	Er	3.54 ± 0.17 µg/g
Br	1.9 ± 0.4 µg/g	Sn	3.2 ± 0.2 µg/g	Tm	0.54 ± 0.03 µg/g
Cd	0.10 ± 0.02 µg/g	Sr	113 ± 3 µg/g	Yb	3.47 ± 0.12 µg/g
Cl	56.7 ± 7.0 µg/g	Ta	1.3 ± 0.2 µg/g	Lu	0.52 ± 0.03 µg/g
Co	14.7 ± 0.7 µg/g	Te	0.05 ± 0.02 µg/g	Y	32.7 ± 1.9 µg/g
Cr	139 ± 13 µg/g	Th	15.5 ± 0.6 µg/g	SiO <sub>2</sub>	68.50 ± 0.13 %
Cs	13.7 ± 0.8 µg/g	Ti	0.451 ± 0.009 %	Al <sub>2</sub> O <sub>3</sub>	14.42 ± 0.05 %
Cu	23.1 ± 1.0 µg/g	Tl	0.67 ± 0.11 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	4.81 ± 0.06 %
F	440 ± 22 µg/g	U	2.5 ± 0.6 µg/g	MgO	1.74 ± 0.05 %
Ga	18.5 ± 0.8 µg/g	V	87.7 ± 3.6 µg/g	CaO	0.53 ± 0.02 %
Ge	1.22 ± 0.19 µg/g	W	2.3 ± 0.2 µg/g	Na <sub>2</sub> O	1.66 ± 0.04 %
Hf	8.8 ± 0.4 µg/g	Zn	80.9 ± 2.9 µg/g	K <sub>2</sub> O	2.66 ± 0.06 %
Hg	0.043 ± 0.002 µg/g	Zr	299 ± 6 µg/g	TiO <sub>2</sub>	0.753 ± 0.012 %
Li	41.9 ± 1.3 µg/g	La	48.2 ± 3.2 µg/g	MnO	0.087 ± 0.002 %
Mn	668 ± 17 µg/g	Ce	93.4 ± 4.6 µg/g	P <sub>2</sub> O <sub>5</sub>	0.134 ± 0.003 %
Mo	0.83 ± 0.07 µg/g	Pr	10.9 ± 0.4 µg/g		
Nb	15.3 ± 0.6 µg/g	Nd	41.9 ± 1.9 µg/g		

## Sediments

Code	Product	Unit			
NCS DC70317	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.32 ± 0.02 µg/g	Hg	0.034 ± 0.004 µg/g	Th	17.5 ± 0.5 µg/g
As	37.3 ± 1.7 µg/g	Ho	0.83 ± 0.06 µg/g	Ti	0.217 ± 0.077 % µg/g
Au*	6.2 ± 1.4 µg/g	La	37.9 ± 1.8 µg/g	Tl	0.96 ± 0.21 µg/g
B	30.0 ± 2.8 µg/g	Li	29.7 ± 0.7 µg/g	Tm	0.38 ± 0.03 µg/g
Ba	369 ± 15 µg/g	Lu	0.36 ± 0.02 µg/g	U	3.4 ± 0.2 µg/g
Be	2.67 ± 0.11 µg/g	Mn	614 ± 21 µg/g	V	45.7 ± 1.9 µg/g
Bi	1.22 ± 0.07 µg/g	Mo	6.6 ± 0.4 µg/g	W	9.2 ± 0.5 µg/g
Br	0.9 ± 0.5 µg/g	Nb	12.0 ± 0.4 µg/g	Y	23.0 ± 1.3 µg/g
Cd	0.57 ± 0.04 µg/g	Nd	29.0 ± 1.5 µg/g	Yb	2.46 ± 0.11 µg/g
Ce	72.0 ± 2.1 µg/g	Ni	20.8 ± 0.7 µg/g	Zn	116 ± 4 µg/g
Cl	69.1 ± 4.6 µg/g	P	389 ± 23 µg/g	Zr	188 ± 12 µg/g
Co	9.8 ± 0.7 µg/g	Pb	127 ± 11 µg/g	SiO <sub>2</sub>	64.22 ± 0.22 %
Cr	39.8 ± 3.4 µg/g	Pr	7.89 ± 0.39 µg/g	Al <sub>2</sub> O <sub>3</sub>	10.84 ± 0.15 %
Cs	17.2 ± 1.0 µg/g	Rb	141 ± 3 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	3.07 ± 0.02 %
Cu	247 ± 6 µg/g	Sb	4.44 ± 0.44 µg/g	MgO	0.87 ± 0.03 %
Dy	4.24 ± 0.25 µg/g	Sc	6.5 ± 0.7 µg/g	CaO	8.19 ± 0.09 %
Er	2.47 ± 0.12 µg/g	Se	0.19 ± 0.02 µg/g	Na <sub>2</sub> O	1.74 ± 0.02 %
Eu	0.96 ± 0.04 µg/g	Sm	5.39 ± 0.24 µg/g	K <sub>2</sub> O	2.86 ± 0.03 %
F	424 ± 6 µg/g	Sn	3.3 ± 0.4 µg/g	TiO <sub>2</sub>	0.366 ± 0.008 %
Ga	14.4 ± 1.3 µg/g	Sr	185 ± 6 µg/g	MnO	0.079 ± 0.003 %
Gd	4.90 ± 0.22 µg/g	Ta	1.1 ± 0.2 µg/g	P <sub>2</sub> O <sub>5</sub>	0.090 ± 0.005 %
Ge	1.19 ± 0.16 µg/g	Tb	0.76 ± 0.03 µg/g		
Hf	5.7 ± 0.7 µg/g	Te	0.21 ± 0.04 µg/g		
NCS DC70318	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.06 ± 0.01 µg/g	Hf	6.7 ± 0.7 µg/g	Tb	0.91 ± 0.03 µg/g
As	18.0 ± 0.7 µg/g	Hg	0.030 ± 0.005 µg/g	Th	25.1 ± 1.4 µg/g
Au	1.4 ± 0.3 µg/g	Ho	0.97 ± 0.07 µg/g	Ti	0.253 ± 0.008 %
B	30.6 ± 2.6 µg/g	La	47.8 ± 2.8 µg/g	Tl	1.0 ± 0.2 µg/g
Ba	437 ± 12 µg/g	Li	36.6 ± 0.8 µg/g	Tm	0.46 ± 0.03 µg/g
Be	3.32 ± 0.10 µg/g	Lu	0.44 ± 0.02 µg/g	U	4.8 ± 0.3 µg/g
Bi	0.49 ± 0.03 µg/g	Mn	422 ± 16 µg/g	V	52.5 ± 1.6 µg/g
Br	0.9 ± 0.4 µg/g	Mo	0.59 ± 0.03 µg/g	W	4.1 ± 0.3 µg/g
Cd	0.10 ± 0.01 µg/g	Nb	14.7 ± 0.5 µg/g	Y	26.5 ± 0.8 µg/g
Ce	89.6 ± 3.3 µg/g	Nd	35.8 ± 0.9 µg/g	Yb	2.83 ± 0.07 µg/g
Cl	207 ± 7 µg/g	Ni	16.9 ± 0.5 µg/g	Zn	54.1 ± 1.8 µg/g
Co	6.7 ± 0.4 µg/g	P	420 ± 21 µg/g	Zr	225 ± 9 µg/g
Cr	47.6 ± 3.6 µg/g	Pb	35.8 ± 1.3 µg/g	SiO <sub>2</sub>	73.37 ± 0.06 %
Cs	20.2 ± 1.2 µg/g	Pr	9.78 ± 0.42 µg/g	Al <sub>2</sub> O <sub>3</sub>	12.73 ± 0.10 %
Cu	16.2 ± 1.1 µg/g	Rb	180 ± 3 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	3.19 ± 0.05 %
Dy	4.92 ± 0.24 µg/g	Sb	0.84 ± 0.12 µg/g	MgO	1.07 ± 0.04 %
Er	2.90 ± 0.16 µg/g	Sc	7.3 ± 0.5 µg/g	CaO	1.32 ± 0.04 %
Eu	1.07 ± 0.04 µg/g	Se	0.05 ± 0.01 µg/g	Na <sub>2</sub> O	2.09 ± 0.05 %
F	456 ± 4 µg/g	Sm	6.62 ± 0.36 µg/g	K <sub>2</sub> O	3.56 ± 0.09 %
Ga	16.3 ± 0.8 µg/g	Sn	3.8 ± 0.4 µg/g	TiO <sub>2</sub>	0.422 ± 0.012 %
Gd	5.83 ± 0.23 µg/g	Sr	165 ± 6 µg/g	MnO	0.055 ± 0.002 %
Ge	1.33 ± 0.13 µg/g	Ta	1.8 ± 0.2 µg/g	P <sub>2</sub> O <sub>5</sub>	0.097 ± 0.004 %
New NIM-GBW07327	Tibet sediment - Constituents	60 g			
	Certified values				
Ag	0.21 ± 0.02 µg/g	Hg	0.028 ± 0.003 µg/g	Th	25.5 ± 1.2 µg/g
As	19.6 ± 1.0 µg/g	Ho	0.79 ± 0.06 µg/g	Ti	0.344 ± 0.014 %
Au	1.2 ± 0.3 µg/g	La	42.6 ± 2.4 µg/g	Tl	1.1 ± 0.3 µg/g
B	66.2 ± 7.1 µg/g	Li	26.1 ± 0.8 µg/g	Tm	0.38 ± 0.02 µg/g
Ba	470 ± 17 µg/g	Lu	0.39 ± 0.02 µg/g	U	4.8 ± 0.4 µg/g
Be	2.31 ± 0.10 µg/g	Mn	527 ± 17 µg/g	V	74.7 ± 2.7 µg/g
Bi	0.80 ± 0.05 µg/g	Mo	7.0 ± 0.3 µg/g	W	9.3 ± 4.0 µg/g
Br	1.4 ± 0.7 µg/g	Nb	16.1 ± 0.7 µg/g	Y	21.6 ± 1.0 µg/g
Cd	0.19 ± 0.02 µg/g	Nd	30.6 ± 0.8 µg/g	Yb	2.55 ± 0.08 µg/g
Ce	78.1 ± 4.3 µg/g	Ni	9.5 ± 0.8 µg/g	Zn	62.9 ± 2.7 µg/g
Cl	244 ± 38 µg/g	P	484 ± 18 µg/g	Zr	299 ± 24 µg/g
Co	7.6 ± 0.5 µg/g	Pb	46.8 ± 3.5 µg/g	SiO <sub>2</sub>	71.23 ± 0.18 %
Cr	22.6 ± 2.0 µg/g	Pr	8.57 ± 0.43 µg/g	Al <sub>2</sub> O <sub>3</sub>	13.22 ± 0.03 %
Cs	15.0 ± 1.3 µg/g	Rb	154 ± 6 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	4.11 ± 0.14 %
Cu	151 ± 4 µg/g	Sb	2.70 ± 0.53 µg/g	MgO	0.70 ± 0.03 %
Dy	3.91 ± 0.21 µg/g	Sc	6.2 ± 0.3 µg/g	CaO	1.40 ± 0.03 %
Er	2.39 ± 0.12 µg/g	Se	0.18 ± 0.02 µg/g	Na <sub>2</sub> O	2.72 ± 0.04 %
Eu	0.97 ± 0.05 µg/g	Sm	5.42 ± 0.30 µg/g	K <sub>2</sub> O	3.65 ± 0.05 %
F	459 ± 25 µg/g	Sn	2.7 ± 0.2 µg/g	TiO <sub>2</sub>	0.589 ± 0.017 %
Ga	15.8 ± 0.6 µg/g	Sr	256 ± 4 µg/g	MnO	0.069 ± 0.002 %
Gd	4.57 ± 0.23 µg/g	Ta	1.8 ± 0.3 µg/g	P <sub>2</sub> O <sub>5</sub>	0.111 ± 0.003 %
Ge	1.13 ± 0.14 µg/g	Tb	0.70 ± 0.04 µg/g		
Hf	9.5 ± 1.0 µg/g	Te	0.10 ± 0.02 µg/g		

Code	Product	Unit
NCS DC73312	Chinese stream sediment - Trace elements and oxides	70 g
Certified values		
Ag .....	0.066 ± 0.010 µg/g	Hg.....0.040 ± 0.008 µg/g
As.....	6.2 ± 0.6 µg/g	Ho.....2.6 ± 0.4 µg/g
B.....	10.8 ± 2.5 µg/g	I.....2.9 ± 0.4 µg/g
Ba.....	185 ± 24 µg/g	La.....90 ± 7 µg/g
Be.....	17.1 ± 1.1 µg/g	Li.....101 ± 4 µg/g
Bi.....	1.64 ± 0.11 µg/g	Mn.....240 ± 20 µg/g
Br.....	3.0 ± 0.6 µg/g	Mo.....2.0 ± 0.3 µg/g
Cd.....	0.065 ± 0.011 µg/g	N.....363 ± 60 µg/g
Ce.....	192 ± 5 µg/g	Nb.....95 ± 6 µg/g
Co.....	2.6 ± 0.7 µg/g	Nd.....62 ± 7 µg/g
Cr.....	12 ± 3 µg/g	Ni.....5.5 ± 1.4 µg/g
Cs.....	16.6 ± 1.7 µg/g	P.....200 ± 27 µg/g
Cu.....	4.9 ± 0.5 µg/g	Pb.....32 ± 5 µg/g
Dy.....	11 ± 2 µg/g	Pr.....18.6 ± 3.0 µg/g
Er.....	8.2 ± 0.6 µg/g	Rb.....470 ± 23 µg/g
Eu.....	0.49 ± 0.09 µg/g	Sb.....0.46 ± 0.12 µg/g
F.....	1980 ± 163 µg/g	Sc.....4.4 ± 0.7 µg/g
Ga.....	27.4 ± 1.3 µg/g	Se.....0.20 ± 0.05 µg/g
Gd.....	9.5 ± 1.3 µg/g	Sm.....10.8 ± 0.9 µg/g
Ge.....	1.7 ± 0.3 µg/g	Sn.....29 ± 3 µg/g
Hf.....	20 ± 3 µg/g	Ta.....15.3 ± 1.3 µg/g
		Tb.....1.8 ± 0.4 µg/g
		Th.....70 ± 4 µg/g
		Ti.....1380 ± 80 µg/g
		Tl.....1.9 ± 0.4 µg/g
		Tm.....1.55 ± 0.21 µg/g
		U.....17 ± 2 µg/g
		V.....16.5 ± 1.9 µg/g
		W.....24 ± 2 µg/g
		Y.....67 ± 9 µg/g
		Yb.....11 ± 1 µg/g
		Zn.....44 ± 5 µg/g
		Zr.....460 ± 27 µg/g
		SiO <sub>2</sub> .....69.91 ± 0.17 %
		Al <sub>2</sub> O <sub>3</sub> .....15.72 ± 0.10 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....1.90 ± 0.06 %
		FeO.....0.56 ± 0.09 %
		MgO.....0.21 ± 0.02 %
		CaO.....0.25 ± 0.04 %
		Na <sub>2</sub> O.....3.03 ± 0.09 %
		K <sub>2</sub> O.....5.20 ± 0.09 %
		H <sub>2</sub> O <sup>+</sup> .....2.58 ± 0.28 %
	H <sub>2</sub> O <sup>+</sup> : Loss of water at 950°C	
	Indicative values for Cl, In, Lu, S, Sr, Te, CO <sub>2</sub> , C org., TC	

Code	Product	Unit
NCS DC73316	Chinese stream sediment - Trace elements and oxides	70 g
Certified values		
Ag.....	0.36 ± 0.03 µg/g	La.....39 ± 6 µg/g
As.....	13.6 ± 1.0 µg/g	Li.....40 ± 1 µg/g
B.....	50 ± 7 µg/g	Lu.....0.34 ± 0.09 µg/g
Ba.....	330 ± 24 µg/g	Mn.....970 ± 37 µg/g
Be.....	1.7 ± 0.3 µg/g	Mo.....7.7 ± 0.8 µg/g
Bi.....	5.0 ± 0.4 µg/g	Nb.....12 ± 3 µg/g
Cd.....	0.43 ± 0.03 µg/g	Nd.....33 ± 6 µg/g
Ce.....	68 ± 7 µg/g	Ni.....78 ± 5 µg/g
Co.....	24.4 ± 1.9 µg/g	P.....1020 ± 42 µg/g
Cr.....	190 ± 15 µg/g	Pb.....27 ± 4 µg/g
Cs.....	9.1 ± 1.3 µg/g	Pr.....8.4 ± 0.8 µg/g
Cu.....	383 ± 12 µg/g	Rb.....107 ± 6 µg/g
Dy.....	3.8 ± 0.9 µg/g	S.....784 ± 118 µg/g
Er.....	2.2 ± 0.5 µg/g	Sb.....1.25 ± 0.22 µg/g
Eu.....	1.50 ± 0.13 µg/g	Sc.....17 ± 2 µg/g
F.....	690 ± 35 µg/g	Se.....0.30 ± 0.08 µg/g
Ga.....	16.7 ± 0.7 µg/g	Sm.....5.6 ± 0.6 µg/g
Gd.....	5.5 ± 0.9 µg/g	Sn.....2.8 ± 0.7 µg/g
Ge.....	1.3 ± 0.3 µg/g	Sr.....266 ± 18 µg/g
Hf.....	4.9 ± 1.4 µg/g	Ta.....0.75 ± 0.09 µg/g
Hg.....	0.045 ± 0.008 µg/g	Tb.....0.69 ± 0.17 µg/g
Ho.....	0.76 ± 0.10 µg/g	Te.....0.14 ± 0.04 µg/g
In.....	0.14 ± 0.03 µg/g	Th.....9.0 ± 1.4 µg/g
		Ti.....4640 ± 120 µg/g
		Tl.....1.08 ± 0.15 µg/g
		Tm.....0.35 ± 0.06 µg/g
		U.....2.4 ± 0.4 µg/g
		V.....142 ± 8 µg/g
		W.....25 ± 2 µg/g
		Y.....20 ± 2 µg/g
		Yb.....2.1 ± 0.3 µg/g
		Zn.....144 ± 7 µg/g
		Zr.....170 ± 8 µg/g
		SiO <sub>2</sub> .....61.24 ± 0.13 %
		Al <sub>2</sub> O <sub>3</sub> .....14.16 ± 0.09 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....5.88 ± 0.07 %
		FeO.....1.58 ± 0.14 %
		MgO.....3.00 ± 0.06 %
		CaO.....3.87 ± 0.07 %
		Na <sub>2</sub> O.....2.30 ± 0.07 %
		K <sub>2</sub> O.....2.43 ± 0.05 %
		H <sub>2</sub> O <sup>+</sup> .....3.49 ± 0.27 %
		CO <sub>2</sub> .....2.03 ± 0.12 %
		TC.....0.91 ± 0.15 %
	Indicative value for C org.	

Code	Product	Unit
New NIM-GBW07309	Chinese stream sediment - Trace elements and oxides	70 g
Certified values		
Ag.....	0.089 ± 0.010 µg/g	I.....0.63 ± 0.09 µg/g
As.....	8.4 ± 0.9 µg/g	In.....0.056 ± 0.009 µg/g
Au.....	(0.0013) µg/g	La.....40 ± 3 µg/g
B.....	54 ± 6 µg/g	Li.....30 ± 1 µg/g
Ba.....	430 ± 18 µg/g	Lu.....0.45 ± 0.03 µg/g
Be.....	1.8 ± 0.3 µg/g	Mn.....620 ± 20 µg/g
Bi.....	0.42 ± 0.04 µg/g	Mo.....0.64 ± 0.11 µg/g
Br.....	1.2 ± 0.3 µg/g	N.....440 ± 30 µg/g
Cd.....	0.26 ± 0.04 µg/g	Nb.....18 ± 2 µg/g
Ce.....	78 ± 6 µg/g	Nd.....34 ± 2 µg/g
Cl.....	52 ± 11 µg/g	Ni.....32 ± 2 µg/g
Co.....	14.4 ± 1.2 µg/g	P.....670 ± 23 µg/g
Cr.....	85 ± 7 µg/g	Pb.....23 ± 3 µg/g
Cs.....	5.1 ± 0.8 µg/g	Pr.....9.2 ± 0.8 µg/g
Cu.....	32 ± 2 µg/g	Rb.....80 ± 3 µg/g
Dy.....	5.1 ± 0.3 µg/g	S.....160 ± 16 µg/g
Er.....	2.8 ± 0.3 µg/g	Sb.....0.81 ± 0.15 µg/g
Eu.....	1.33 ± 0.06 µg/g	Sc.....11.1 ± 0.6 µg/g
F.....	494 ± 25 µg/g	Se.....0.16 ± 0.03 µg/g
Ga.....	14.0 ± 0.6 µg/g	Sm.....6.3 ± 0.4 µg/g
Gd.....	5.5 ± 0.4 µg/g	Sn.....2.6 ± 0.4 µg/g
Ge.....	1.3 ± 0.2 µg/g	Sr.....166 ± 9 µg/g
Hf.....	9.7 ± 1.5 µg/g	Ta.....1.3 ± 0.2 µg/g
Hg.....	0.083 ± 0.009 µg/g	Tb.....0.87 ± 0.09 µg/g
Ho.....	0.96 ± 0.07 µg/g	Te.....0.041 ± 0.015 µg/g
		Th.....12.4 ± 0.7 µg/g
		Ti.....5500 ± 160 µg/g
		Tl.....0.49 ± 0.08 µg/g
		Tm.....0.44 ± 0.07 µg/g
		U.....2.6 ± 0.4 µg/g
		V.....97 ± 6 µg/g
		W.....1.8 ± 0.2 µg/g
		Y.....27 ± 2 µg/g
		Yb.....2.8 ± 0.3 µg/g
		Zn.....78 ± 4 µg/g
		Zr.....370 ± 20 µg/g
		SiO <sub>2</sub> .....64.89 ± 0.11 %
		Al <sub>2</sub> O <sub>3</sub> .....10.58 ± 0.10 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....4.86 ± 0.07 %
		FeO.....1.53 ± 0.05 %
		MgO.....2.39 ± 0.06 %
		CaO.....5.35 ± 0.09 %
		Na <sub>2</sub> O.....1.44 ± 0.04 %
		K <sub>2</sub> O.....1.99 ± 0.06 %
		H <sub>2</sub> O <sup>+</sup> .....2.93 ± 0.19 %
		CO <sub>2</sub> .....4.20 ± 0.08 %
		C org.....0.46 ± 0.05 %
		TC.....1.61 ± 0.08 %
		L.O.I.*.....7.21 ± 0.18 %
	* Loss on Ignition	



# Sediments

Code	Product	Unit
<b>New</b> NIM-GBW07310	Chinese stream sediment - Trace elements and oxides	70 g
Certified values		
Ag ..... 0.27 ± 0.02 µg/g	I ..... 1.6 ± 0.3 µg/g	Th ..... 5.0 ± 0.3 µg/g
As ..... 25 ± 3 µg/g	In ..... 0.067 ± 0.016 µg/g	Ti ..... 1270 ± 70 µg/g
B ..... 26 ± 4 µg/g	La ..... 13.0 ± 0.9 µg/g	Tl ..... 0.21 ± 0.05 µg/g
Ba ..... 42 ± 7 µg/g	Li ..... 13.0 ± 0.5 µg/g	Tm ..... 0.20 ± 0.03 µg/g
Be ..... 0.9 ± 0.2 µg/g	Lu ..... 0.19 ± 0.03 µg/g	U ..... 2.1 ± 0.2 µg/g
Bi ..... 0.38 ± 0.04 µg/g	Mn ..... 1010 ± 29 µg/g	V ..... 107 ± 5 µg/g
Br ..... 2.4 ± 0.5 µg/g	Mo ..... 1.2 ± 0.1 µg/g	W ..... 1.6 ± 0.3 µg/g
Cd ..... 1.12 ± 0.08 µg/g	Nb ..... 6.8 ± 1.3 µg/g	Y ..... 14 ± 2 µg/g
Ce ..... 38 ± 4 µg/g	Nd ..... 11.8 ± 1.1 µg/g	Yb ..... 1.2 ± 0.2 µg/g
Co ..... 15.3 ± 1.1 µg/g	Ni ..... 30 ± 2 µg/g	Zn ..... 46 ± 4 µg/g
Cr ..... 136 ± 10 µg/g	P ..... 271 ± 15 µg/g	Zr ..... 70 ± 6 µg/g
Cs ..... 2.3 ± 0.5 µg/g	Pb ..... 27 ± 2 µg/g	SiO <sub>2</sub> ..... 88.89 ± 0.19 %
Cu ..... 22.6 ± 1.3 µg/g	Pr ..... 3.2 ± 0.4 µg/g	Al <sub>2</sub> O <sub>3</sub> ..... 2.84 ± 0.07 %
Dy ..... 2.2 ± 0.3 µg/g	Rb ..... 9.2 ± 1.5 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T) ..... 3.86 ± 0.09 %
Er ..... 1.3 ± 0.2 µg/g	Sb ..... 6.3 ± 0.6 µg/g	MgO ..... 0.12 ± 0.04 %
Eu ..... 0.47 ± 0.04 µg/g	Sc ..... 4.1 ± 0.4 µg/g	CaO ..... 0.70 ± 0.03 %
F ..... 149 ± 25 µg/g	Se ..... 0.28 ± 0.05 µg/g	Na <sub>2</sub> O ..... 0.039 ± 0.009 %
Ga ..... 6.4 ± 0.7 µg/g	Sm ..... 2.4 ± 0.2 µg/g	K <sub>2</sub> O ..... 0.125 ± 0.013 %
Gd ..... 2.2 ± 0.2 µg/g	Sn ..... 1.4 ± 0.3 µg/g	CO <sub>2</sub> ..... 0.42 ± 0.06 %
Ge ..... 0.40 ± 0.06 µg/g	Sr ..... 25 ± 3 µg/g	C org. .... 0.40 ± 0.05 %
Hf ..... 1.8 ± 0.4 µg/g	Ta ..... 0.44 ± 0.12 µg/g	TC ..... 0.51 ± 0.07 %
Hg ..... 0.28 ± 0.03 µg/g	Tb ..... 0.42 ± 0.07 µg/g	L.O.I* ..... 2.88 ± 0.12 %
Ho ..... 0.45 ± 0.07 µg/g	Te ..... 0.08 ± 0.02 µg/g	
Indicative values for Cl, N, S, FeO, H <sub>2</sub> O*		
* Loss on Ignition		

Code	Product	Unit
<b>New</b> NIM-GBW07311	Chinese stream sediment - Trace elements and oxides	70 g
Certified values		
Ag ..... 3.2 ± 0.4 µg/g	Ho ..... 1.4 ± 0.2 µg/g	Tb ..... 1.13 ± 0.09 µg/g
As ..... 188 ± 13 µg/g	I ..... 2.0 ± 0.3 µg/g	Te ..... 0.4 ± 0.1 µg/g
B ..... 68 ± 5 µg/g	In ..... 1.9 ± 0.3 µg/g	Th ..... 23.3 ± 1.2 µg/g
Ba ..... 260 ± 17 µg/g	La ..... 30 ± 2 µg/g	Ti ..... 2100 ± 100 µg/g
Be ..... 26 ± 3 µg/g	Li ..... 71 ± 2 µg/g	Tl ..... 2.9 ± 0.4 µg/g
Bi ..... 50 ± 4 µg/g	Lu ..... 0.78 ± 0.06 µg/g	Tm ..... 0.74 ± 0.09 µg/g
Br ..... 2.2 ± 0.5 µg/g	Mn ..... 2490 ± 84 µg/g	U ..... 9.1 ± 0.9 µg/g
Cd ..... 2.3 ± 0.2 µg/g	Mo ..... 5.9 ± 0.6 µg/g	V ..... 47 ± 3 µg/g
Ce ..... 58 ± 4 µg/g	Nb ..... 25 ± 3 µg/g	W ..... 126 ± 9 µg/g
Cl ..... 290 ± 26 µg/g	Nd ..... 27 ± 2 µg/g	Y ..... 43 ± 5 µg/g
Co ..... 8.5 ± 0.8 µg/g	Ni ..... 14.3 ± 1.0 µg/g	Yb ..... 5.1 ± 0.6 µg/g
Cr ..... 40 ± 3 µg/g	P ..... 255 ± 27 µg/g	Zn ..... 373 ± 14 µg/g
Cs ..... 17.4 ± 0.8 µg/g	Pb ..... 636 ± 22 µg/g	Zr ..... 153 ± 13 µg/g
Cu ..... 79 ± 3 µg/g	Pr ..... 7.4 ± 0.5 µg/g	SiO <sub>2</sub> ..... 76.25 ± 0.18 %
Dy ..... 7.2 ± 0.6 µg/g	Rb ..... 408 ± 11 µg/g	Al <sub>2</sub> O <sub>3</sub> ..... 10.37 ± 0.10 %
Er ..... 4.6 ± 0.5 µg/g	S ..... 170 ± 26 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T) ..... 4.39 ± 0.07 %
Eu ..... 0.60 ± 0.06 µg/g	Sb ..... 14.9 ± 1.2 µg/g	MgO ..... 0.62 ± 0.07 %
F ..... 1650 ± 82 µg/g	Sc ..... 7.4 ± 0.4 µg/g	CaO ..... 0.47 ± 0.03 %
Ga ..... 18.5 ± 0.9 µg/g	Se ..... 0.20 ± 0.05 µg/g	Na <sub>2</sub> O ..... 0.46 ± 0.03 %
Gd ..... 5.9 ± 0.4 µg/g	Sm ..... 6.2 ± 0.3 µg/g	K <sub>2</sub> O ..... 3.28 ± 0.07 %
Ge ..... 1.81 ± 0.21 µg/g	Sn ..... 370 ± 44 µg/g	H <sub>2</sub> O <sup>+</sup> ..... 2.67 ± 0.12 %
Hf ..... 5.4 ± 0.6 µg/g	Sr ..... 29 ± 4 µg/g	
Hg ..... 0.072 ± 0.009 µg/g	Ta ..... 5.7 ± 0.5 µg/g	
Indicative values for Au, FeO, CO <sub>2</sub> , C org., TC, Loss on Ignition (L.O.I.)		

Code	Product	Unit
NCS DC73310	Chinese stream sediment - Trace elements and oxides	70 g
Certified values		
Ag ..... 1.15 ± 0.11 µg/g	Ho ..... 0.94 ± 0.07 µg/g	Tb ..... 0.82 ± 0.06 µg/g
As ..... 115 ± 6 µg/g	I ..... 1.8 ± 0.3 µg/g	Te ..... 0.30 ± 0.07 µg/g
B ..... 24 ± 2 µg/g	In ..... 0.96 ± 0.15 µg/g	Th ..... 21.4 ± 1.1 µg/g
Ba ..... 206 ± 15 µg/g	La ..... 32.7 ± 1.4 µg/g	Ti ..... 1510 ± 50 µg/g
Be ..... 8.2 ± 0.7 µg/g	Li ..... 39.0 ± 1.0 µg/g	Tl ..... 1.76 ± 0.27 µg/g
Bi ..... 10.9 ± 0.9 µg/g	Lu ..... 0.58 ± 0.06 µg/g	Tm ..... 0.53 ± 0.06 µg/g
Br ..... 1.7 ± 0.4 µg/g	Mn ..... 1400 ± 47 µg/g	U ..... 7.8 ± 0.7 µg/g
Cd ..... 4.0 ± 0.3 µg/g	Mo ..... 8.4 ± 0.6 µg/g	V ..... 47 ± 4 µg/g
Ce ..... 61 ± 4 µg/g	Nb ..... 15.4 ± 1.1 µg/g	W ..... 37 ± 2 µg/g
Cl ..... 163 ± 25 µg/g	Nd ..... 26 ± 3 µg/g	Y ..... 29 ± 3 µg/g
Co ..... 8.8 ± 0.7 µg/g	Ni ..... 12.8 ± 1.3 µg/g	Yb ..... 3.7 ± 0.4 µg/g
Cr ..... 35 ± 3 µg/g	P ..... 235 ± 22 µg/g	Zn ..... 498 ± 18 µg/g
Cs ..... 7.9 ± 0.4 µg/g	Pb ..... 285 ± 11 µg/g	Zr ..... 234 ± 16 µg/g
Cu ..... 1230 ± 33 µg/g	Pr ..... 6.9 ± 1.1 µg/g	SiO <sub>2</sub> ..... 77.29 ± 0.13 %
Dy ..... 4.8 ± 0.2 µg/g	Rb ..... 270 ± 10 µg/g	Al <sub>2</sub> O <sub>3</sub> ..... 9.30 ± 0.11 %
Er ..... 3.1 ± 0.3 µg/g	S ..... 940 ± 54 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T) ..... 4.88 ± 0.09 %
Eu ..... 0.61 ± 0.03 µg/g	Sb ..... 24 ± 3 µg/g	FeO ..... 1.19 ± 0.07 %
F ..... 1250 ± 39 µg/g	Sc ..... 5.1 ± 0.4 µg/g	MgO ..... 0.47 ± 0.08 %
Ga ..... 14.1 ± 0.5 µg/g	Se ..... 0.25 ± 0.03 µg/g	CaO ..... 1.16 ± 0.05 %
Gd ..... 4.4 ± 0.4 µg/g	Sm ..... 5.0 ± 0.4 µg/g	Na <sub>2</sub> O ..... 0.44 ± 0.03 %
Ge ..... 1.87 ± 0.13 µg/g	Sn ..... 54 ± 5 µg/g	K <sub>2</sub> O ..... 2.91 ± 0.04 %
Hf ..... 8.3 ± 1.0 µg/g	Sr ..... 24 ± 3 µg/g	H <sub>2</sub> O <sup>+</sup> ..... 2.15 ± 0.10 %
Hg ..... 0.056 ± 0.006 µg/g	Ta ..... 3.2 ± 0.3 µg/g	L.O.I* ..... 2.62 ± 0.14 %
Indicative values for Au, CO <sub>2</sub> , C org., TC		
* Loss on Ignition		



Code	Product	Unit			
NCS DC73371	Stream sediment - Trace elements and oxides	70 g			
	Certified values				
Ag	0.036 ± 0.010 µg/g	Ho	0.82 ± 0.11 µg/g	Tb	0.81 ± 0.07 µg/g
As	2.7 ± 0.4 µg/g	I	0.6 ± 0.2 µg/g	Th	27 ± 3 µg/g
B	9.8 ± 1.8 µg/g	La	41 ± 2 µg/g	Ti	5370 ± 210 µg/g
Ba	920 ± 77 µg/g	Li	32 ± 3 µg/g	Tl	0.67 ± 0.14 µg/g
Be	3.1 ± 0.3 µg/g	Lu	0.39 ± 0.04 µg/g	Tm	0.34 ± 0.04 µg/g
Bi	0.49 ± 0.14 µg/g	Mn	910 ± 28 µg/g	U	4.6 ± 0.6 µg/g
Cd	0.11 ± 0.03 µg/g	Mo	1.04 ± 0.13 µg/g	V	115 ± 11 µg/g
Ce	81 ± 7 µg/g	N	741 ± 28 µg/g	W	1.0 ± 0.1 µg/g
Cl	72 ± 7 µg/g	Nb	31.5 ± 1.9 µg/g	Y	22 ± 2 µg/g
Co	20 ± 2 µg/g	Nd	36 ± 3 µg/g	Yb	2.3 ± 0.2 µg/g
Cr	128 ± 6 µg/g	Ni	56 ± 7 µg/g	Zn	90 ± 7 µg/g
Cs	5.5 ± 0.2 µg/g	P	1520 ± 77 µg/g	Zr	316 ± 16 µg/g
Cu	28 ± 2 µg/g	Pb	31 ± 4 µg/g	SiO <sub>2</sub>	59.07 ± 0.21 %
Dy	4.3 ± 0.3 µg/g	Pr	9.3 ± 0.9 µg/g	Al <sub>2</sub> O <sub>3</sub>	15.36 ± 0.06 %
Er	2.3 ± 0.4 µg/g	Rb	126 ± 7 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	6.50 ± 0.15 %
Eu	1.7 ± 0.2 µg/g	Sb	0.30 ± 0.05 µg/g	MgO	3.30 ± 0.17 %
F	872 ± 52 µg/g	Sc	14 ± 2 µg/g	CaO	4.0 ± 0.1 %
Ga	23.6 ± 1.3 µg/g	Se	0.12 ± 0.03 µg/g	Na <sub>2</sub> O	3.4 ± 0.1 %
Gd	5.6 ± 0.6 µg/g	Sm	6.7 ± 0.4 µg/g	K <sub>2</sub> O	2.8 ± 0.1 %
Ge	1.5 ± 0.2 µg/g	Sn	3.3 ± 0.6 µg/g	L.O.I	3.8 ± 0.3 %
Hf	9.3 ± 0.7 µg/g	Sr	486 ± 32 µg/g		
Hg	0.032 ± 0.003 µg/g	Ta	3.0 ± 0.3 µg/g		
NCS DC73373	Stream sediment - Trace elements and oxides	70 g			
	Certified values				
Ag	0.027 ± 0.005 µg/g	Hg	0.011 ± 0.002 µg/g	Ta	(0.52) µg/g
As	2.0 ± 0.2 µg/g	Ho	0.33 ± 0.03 µg/g	Tb	0.28 ± 0.06 µg/g
B	5.3 ± 0.7 µg/g	I	0.3 ± 0.1 µg/g	Th	5.4 ± 0.6 µg/g
Ba	690 ± 54 µg/g	La	24 ± 3 µg/g	Ti	1370 ± 120 µg/g
Be	0.96 ± 0.04 µg/g	Li	7.4 ± 0.7 µg/g	Tl	0.30 ± 0.08 µg/g
Bi	0.057 ± 0.010 µg/g	Lu	0.16 ± 0.03 µg/g	Tm	0.13 ± 0.03 µg/g
Cd	0.045 ± 0.015 µg/g	Mn	218 ± 31 µg/g	U	0.75 ± 0.10 µg/g
Ce	42 ± 4 µg/g	Mo	0.44 ± 0.10 µg/g	V	19 ± 3 µg/g
Cl	32 ± 5 µg/g	Nb	9.0 ± 1.1 µg/g	W	0.50 ± 0.06 µg/g
Co	3.5 ± 0.4 µg/g	Nd	14.7 ± 1.6 µg/g	Y	8.9 ± 1.2 µg/g
Cr	10.7 ± 1.7 µg/g	Ni	3.7 ± 1.0 µg/g	Yb	0.99 ± 0.17 µg/g
Cs	1.0 ± 0.1 µg/g	P	166 ± 11 µg/g	Zn	18 ± 2 µg/g
Cu	11 ± 2 µg/g	Pb	13.5 ± 2.3 µg/g	Zr	187 ± 16 µg/g
Dy	1.56 ± 0.19 µg/g	Pr	4.3 ± 0.5 µg/g	SiO <sub>2</sub>	80.58 ± 0.17 %
Er	0.98 ± 0.17 µg/g	Rb	70 ± 6 µg/g	Al <sub>2</sub> O <sub>3</sub>	9.68 ± 0.16 %
Eu	0.38 ± 0.06 µg/g	Sb	0.19 ± 0.05 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	1.46 ± 0.05 %
F	133 ± 19 µg/g	Sc	2.4 ± 0.3 µg/g	MgO	0.24 ± 0.04 %
Ga	11.1 ± 0.9 µg/g	Se	0.040 ± 0.011 µg/g	CaO	0.34 ± 0.03 %
Gd	1.8 ± 0.2 µg/g	Sm	2.3 ± 0.2 µg/g	Na <sub>2</sub> O	2.35 ± 0.06 %
Ge	1.16 ± 0.05 µg/g	Sn	0.97 ± 0.33 µg/g	K <sub>2</sub> O	3.9 ± 0.2 %
Hf	4.5 ± 0.5 µg/g	Sr	87 ± 4 µg/g	L.O.I	1.07 ± 0.21 %
NCS DC73374	Stream sediment - Trace elements and oxides	70 g			
	Certified values				
Ag	0.13 ± 0.02 µg/g	Ho	1.43 ± 0.09 µg/g	Ta	5.0 ± 0.4 µg/g
As	18 ± 2 µg/g	I	1.6 ± 0.3 µg/g	Tb	1.23 ± 0.11 µg/g
B	27 ± 4 µg/g	La	54 ± 3 µg/g	Th	12.4 ± 1.2 µg/g
Ba	760 ± 47 µg/g	Li	24 ± 2 µg/g	Ti	14400 ± 500 µg/g
Be	6.0 ± 0.6 µg/g	Lu	0.58 ± 0.07 µg/g	Tl	0.47 ± 0.19 µg/g
Bi	3.0 ± 0.3 µg/g	Mn	1230 ± 82 µg/g	Tm	0.60 ± 0.05 µg/g
Cd	0.20 ± 0.03 µg/g	Mo	2.7 ± 0.3 µg/g	U	3.0 ± 0.4 µg/g
Ce	109 ± 10 µg/g	N	668 ± 25 µg/g	V	190 ± 25 µg/g
Co	28 ± 2 µg/g	Nb	72 ± 6 µg/g	W	5.6 ± 0.5 µg/g
Cr	243 ± 16 µg/g	Nd	45 ± 5 µg/g	Y	34 ± 5 µg/g
Cs	4.3 ± 0.8 µg/g	Ni	87 ± 9 µg/g	Yb	3.8 ± 0.6 µg/g
Cu	66 ± 6 µg/g	P	1000 ± 30 µg/g	Zn	165 ± 15 µg/g
Dy	7.0 ± 0.6 µg/g	Pb	66 ± 6 µg/g	Zr	524 ± 16 µg/g
Er	4.0 ± 0.5 µg/g	Pr	11.8 ± 0.9 µg/g	SiO <sub>2</sub>	57.25 ± 0.31 %
Eu	2.5 ± 0.4 µg/g	Rb	87 ± 7 µg/g	Al <sub>2</sub> O <sub>3</sub>	13.39 ± 0.16 %
F	593 ± 40 µg/g	Sb	2.7 ± 0.4 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	9.5 ± 0.1 %
Ga	25 ± 3 µg/g	Sc	18 ± 2 µg/g	MgO	3.4 ± 0.1 %
Gd	7.6 ± 1.1 µg/g	Se	(0.15) µg/g	CaO	3.5 ± 0.1 %
Ge	1.6 ± 0.3 µg/g	Sm	8.5 ± 0.6 µg/g	Na <sub>2</sub> O	2.0 ± 0.1 %
Hf	13.6 ± 0.6 µg/g	Sn	9.5 ± 1.7 µg/g	K <sub>2</sub> O	2.3 ± 0.1 %
Hg	0.037 ± 0.004 µg/g	Sr	216 ± 6 µg/g	L.O.I	5.64 ± 0.47 %
NCS ZC76001A	River sediment - Radioactive isotopes	100 g			
	Certified values				
<sup>60</sup> Co	0.631 Bq/g	<sup>239</sup> Pu + <sup>240</sup> Pu	0.0199 Bq/g	<sup>232</sup> Th	0.0599 Bq/g
<sup>137</sup> Cs	0.131 Bq/g	<sup>226</sup> Ra	0.120 Bq/g	<sup>235</sup> U	0.0197 Bq/g
<sup>40</sup> K	0.415 Bq/g	<sup>90</sup> Sr	0.197 Bq/g	<sup>238</sup> U	0.394 Bq/g
IAEA-313	Stream sediment - Radium-226	50 g			
	Recommended values				
<sup>226</sup> Ra	342 Bq/kg	Th	77.1 mg/kg	U	18.2 mg/kg

## Sediments

Code	Product	Unit
IAEA-314	Stream sediment - Radium-226 Recommended values <sup>226</sup> Ra ..... 732 Bq/kg      Th ..... 17.8 mg/kg      U ..... 56.8 mg/kg	50 g
IAEA-SL-1	Lake sediment - Trace elements Collected at the Sardis Reservoir; Panola County; Mississippi, USA. Recommended values As ..... 27.6 mg/kg      Fe ..... 67.4 mg/kg      Ti ..... 5170 mg/kg Ba ..... 639 mg/kg      La ..... 52.6 mg/kg      V ..... 170 mg/kg Br ..... 6.82 mg/kg      Mn ..... 3460 mg/kg      Yb ..... 3.42 mg/kg Cd ..... 0.26 mg/kg      Na ..... 1700 mg/kg      Zn ..... 223 mg/kg Ce ..... 117 mg/kg      Rb ..... 113 mg/kg Co ..... 19.8 mg/kg      Th ..... 14 mg/kg Information values for Cd, Cr, Cs, Cu, Dy, Eu, Ga, Hf, Hg, K, Lu, Na, Ni, Pb, Sb, Sc, Se, Sm, Sr, Ta, Tb, U	25 g
IAEA-SL-3	Lake sediment - Trace elements IAEA-SL-3 lake sediment was collected from the Neusiedlersee, located some 80 km south-east of Vienna. Recommended values As ..... 3.2 mg/kg      La ..... 22.5 mg/kg      Sr ..... 470 mg/kg Ce ..... 45.5 mg/kg      Nd ..... 21.5 mg/kg      Th ..... 7.02 mg/kg Hf ..... 9.1 mg/kg      Rb ..... 38.8 mg/kg K ..... 8.74 g/kg      Sm ..... 3.83 mg/kg Information values for Al, Br, Ca, Cs, Dy, Lu, Mg, Na, Sb, Sc, Ta, Tb, Ti, U, Yb	25 g
NIST-4354	Freshwater lake sediment - Radioactivity Certified values <sup>241</sup> Am ..... 0.0011 Bq/g <sup>228</sup> Th ..... 0.0286 Bq/g <sup>238</sup> Pu ..... 0.00026 Bq/g <sup>60</sup> Co ..... 0.320 Bq/g <sup>232</sup> Th ..... 0.0268 Bq/g <sup>239</sup> Pu + <sup>240</sup> Pu ..... 0.00400 Bq/g <sup>137</sup> Cs ..... 0.0592 Bq/g <sup>235</sup> U ..... 0.00075 Bq/g <sup>90</sup> Sr ..... 1.09 Bq/g <sup>238</sup> U ..... 0.0174 Bq/g	25 g
NWWQB-1	Lake sediment - Trace elements Certified values Al ..... 78134 µg/g      Fe ..... 47358 µg/g      Pb ..... 83.7 µg/g As ..... 23.00 µg/g      Hg ..... 1.09 µg/g      Se ..... 1.02 µg/g Co ..... 20.1 µg/g      Mn ..... 2237 µg/g      V ..... 129 µg/g Cu ..... 79.6 µg/g      Ni ..... 61.5 µg/g      Zn ..... 275 µg/g Indicative values for Ag, Ba, Be, Bi, Ca, Cd, Cr, K, Mg, Mo, Na, P, Sb, Sn, Sr, Tl, recoverable and leachable element concentrations	100 g
NWWQB-3	Lake sediment - Trace elements A blend of sediments collected from the heavy industrial areas of Hamilton Harbour and Lake Ontario, Canada. Certified values Al ..... 52700 µg/g      Fe ..... 6.0 %      Pb ..... 240 µg/g As ..... 18.8 µg/g      Hg ..... 2.75 µg/g      Se ..... 1.15 µg/g Co ..... 15.3 µg/g      Mn ..... 1264 µg/g      V ..... 90.7 µg/g Cu ..... 81.6 µg/g      Ni ..... 52.0 µg/g      Zn ..... 1396 µg/g Indicative values for Ag, Ba, Be, Bi, Cd, Ca, Cr, K, Mg, Mo, Na, P, Pb, Sb, Sn, Sr, Tl, V, recoverable and leachable element concentrations	100 g
NWSUD-1	Lake sediment - Trace metals Collected from Lake Ramsay in Sudbury, Ontario, Canada, a well-known mining area. It has high cobalt, copper and nickel levels but low mercury levels Al ..... 58049 µg/g      Ga ..... 14.3 µg/g*      Sb ..... 0.727 µg/g* As ..... 31.1 µg/g*      Hg ..... 0.098 µg/g*      Sc ..... 11.0 µg/g* B ..... 42.3 µg/g*      K ..... 19718 µg/g*      Se ..... 2.75 µg/g* Ba ..... 488 µg/g*      La ..... 24.4 µg/g*      Sn ..... 1.63 µg/g* Be ..... 1.30 µg/g*      Li ..... 19.1 µg/g*      Sr ..... 202 µg/g* Bi ..... 1.84 µg/g*      Mg ..... 10501 µg/g*      Ti ..... 2203 µg/g* Ca ..... 11636 µg/g*      Mn ..... 578 µg/g      Tl ..... 0.513 µg/g* Cd ..... 1.88 µg/g*      Mo ..... 1.92 µg/g*      U ..... 1.72 µg/g* Ce ..... 51.8 µg/g*      Na ..... 15798 µg/g*      V ..... 67.8 µg/g* Cr ..... 81.2 µg/g      Nb ..... 6.68 µg/g*      W ..... 0.996 µg/g* Co ..... 44.2 µg/g      Ni ..... 936 µg/g      Y ..... 12.5 µg/g* Cs ..... 2.03 µg/g*      P ..... 686 µg/g*      Zn ..... 768 µg/g* Cu ..... 561 µg/g      Pb ..... 56.3 µg/g Fe ..... 32688 µg/g      Rb ..... 77.1 µg/g* * non-certified values Information values for recoverable and leachable element concentrations	100 g
BCR-535	Freshwater harbour sediment - PAHs Compound      Certified value      Uncertainty mg/kg      mg/kg Pyrene ..... 2.52 ..... 0.18 Benzo(a)anthracene ..... 1.54 ..... 0.10 Benzo(a)pyrene ..... 1.16 ..... 0.10 Benzo(e)pyrene ..... 1.86 ..... 0.13 Benzo(b)fluoranthene ..... 2.29 ..... 0.15 Benzo(k)fluoranthene ..... 1.09 ..... 0.15 Indeno(1,2,3-cd)pyrene ..... 1.56 ..... 0.14	40 g

Code	Product	Unit
BCR-536	Freshwater harbour sediment - PCBs	40 g
	Compound (IUPAC Code)	Certified value µg/kg      Uncertainty µg/kg
	PCB 28	44 ..... 5
	PCB 52	38 ..... 4
	PCB 101	44 ..... 4
	PCB 105	3.5 ..... 0.6
	PCB 118	27.5 ..... 2.2
	PCB 128	5.4 ..... 1.2
	PCB 138	27 ..... 4
	PCB 149	49 ..... 4
	PCB 153	50 ..... 4
	PCB 156	3.0 ..... 0.4
	PCB 163	17.2 ..... 2.6
	PCB 170	13.4 ..... 1.4
	PCB 180	22.4 ..... 2.1

Code	Product	Unit
NWHR-1	Harbour sediment - Trace metals	100 g
	NWHR-1 is a harbour sediment from the mouth of the Humber River near Toronto, Ontario, Canada.	
	Al..... 59250 µg/g	Ga ..... 14.9 µg/g*
	As..... 6.29 µg/g*	Hg..... 0.342 µg/g*
	B ..... 55.7 µg/g*	K..... 20828 µg/g*
	Ba..... 532 µg/g*	La ..... 28.4 µg/g*
	Be ..... 1.65 µg/g*	Li ..... 29.9 µg/g*
	Bi..... 0.453 µg/g*	Mg ..... 14328 µg/g*
	Ca ..... 67660 µg/g*	Mn ..... 549 µg/g
	Cd..... 3.88 µg/g*	Mo ..... 1.42 µg/g*
	Ce ..... 60.2 µg/g*	Na..... 12027 µg/g*
	Cr..... 126 µg/g	Nb..... 11.5 µg/g*
	Co..... 14.0 µg/g*	Ni..... 39.4 µg/g
	Cs ..... 2.92 µg/g*	P ..... 1264 µg/g*
	Cu..... 79.9 µg/g	Pb..... 139 µg/g
	Fe..... 30579 µg/g	Rb..... 80.2 µg/g*
		Sb ..... 1.59 µg/g*
		Sc..... 11.4 µg/g*
		Se ..... 0.713 µg/g*
		Sn ..... 9.87 µg/g*
		Sr ..... 287 µg/g*
		Ti..... 3096 µg/g*
		Tl..... 0.502 µg/g*
		U ..... 1.99 µg/g*
		V ..... 84.1 µg/g
		W ..... 2.00 µg/g*
		Y ..... 22.3 µg/g*
		Zn..... 1105 µg/g

\* not-certified values

Information values for recoverable and leachable element concentrations

#### CAN-LKSD-2 - CAN-LKSD-4

The samples were taken from the bottom centre of each lake; materials from a number of similar lakes were then blended together to produce the four samples. As well as analytical values for elements from total destruction methods, values are also given for aqua regia and dilute aqua regia extraction methods, and for major and minor elements as oxides.

Provisional values for total elements

	CAN-LKSD 2	CAN-LKSD 3	CAN-LKSD 4
Ag	0.8	2.7	<0.5 mg/kg
As	11	27	16 mg/kg
Au	3	3	2 ng/g
B	65	25	22 mg/kg
Ba	780	680	330 mg/kg
Be	2.5	1.9	1.0 mg/kg
Br	18	16	49 mg/kg
C	4.5	4.5	17.7 wt. %
Ce	108	90	48 mg/kg
Co	17	30	11 mg/kg
Cr	57	87	33 mg/kg
Cs	3	2.3	1.7 mg/kg
Cu	37	35	31 mg/kg
Dy	7.3	4.9	3.7 mg/kg
Eu	1.9	1.5	1.1 mg/kg
F	590	490	260 mg/kg
Fe	4.3	4	2.8 wt. %
Hf	7	4.8	2.8 mg/kg
La	68	52	26 mg/kg
Li	20	25	12 mg/kg
Lu	0.6	0.4	0.5 mg/kg
Mn	2020	1440	500 mg/kg
Mo	<5	<5	<5 mg/kg
Nb	8	8	9 mg/kg
Nd	58	44	25 mg/kg
Ni	26	47	31 mg/kg
Pb	44	29	91 mg/kg
Rb	85	78	28 mg/kg
S	0.14	0.14	0.99 wt. %
Sb	1.1	1.3	1.7 mg/kg
Sc	13	13	7 mg/kg
Sm	11	8	5 mg/kg
Sn	5	3	5 mg/kg
Sr	220	240	110 mg/kg
Ta	0.8	0.7	0.4 mg/kg
Tb	1.4	1	1.2 mg/kg
Th	13.4	11.4	5.1 mg/kg
Ti	3460	3330	2270 mg/kg
U	7.6	4.6	31.0 mg/kg
V	77	82	49 mg/kg
W	<4	<4	<4 mg/kg
Y	44	30	23 mg/kg

Continued on next page

## Sediments

Code	Product	Unit
	Yb..... 4..... 2.7 .....2.0 mg/kg	
	Zn..... 209..... 152 .....194 mg/kg	
	Zr..... 254..... 178 .....105 mg/kg	
	Provisional values for total analytes	
	Water ..... 2.23..... 2.07 .....6.55 wt. %	
	Loss on ignition at	
	500°C..... 12.3..... 11.8 .....40.8 wt. %	
	Provisional values for major and minor elements as oxides	
	Al <sub>2</sub> O <sub>3</sub> ..... 12.3..... 12.5 .....5.9 wt. %	
	CaO ..... 2.2..... 2.3 .....1.8 wt. %	
	Fe <sub>2</sub> O <sub>3</sub> ..... 6.2..... 5.7 .....4.1 wt. %	
	K <sub>2</sub> O ..... 2.6..... 2.2 .....0.8 wt. %	
	MnO ..... 0.3..... 0.2 .....0.1 wt. %	
	MgO ..... 1.7..... 2 .....0.9 wt. %	
	Na <sub>2</sub> O ..... 1.9..... 2.3 .....0.7 wt. %	
	P <sub>2</sub> O <sub>5</sub> ..... 0.3..... 0.2 .....0.3 wt. %	
	SiO <sub>2</sub> ..... 58.9..... 58.5 .....41.6 wt. %	
	TiO <sub>2</sub> ..... 0.6..... 0.5 .....0.4 wt. %	
	Loss on Ignition	
	at 1000°C..... 13.6..... 13.4 .....43.6 wt. %	
	Totals ..... 100.6..... 99.8 .....100.2 wt. %	
	Provisional values for aqua regia extractable elements	
	Ag ..... 0.8..... 0.4 ..... 0.2 µg/g	
	As ..... 9..... 23 ..... 12 µg/g	
	Cd ..... 0.8..... 0.6 ..... 1.9 µg/g	
	Co ..... 17..... 30 ..... 11 µg/g	
	Cr ..... 29..... 51 ..... 21 µg/g	
	Cu ..... 36..... 34 ..... 30 µg/g	
	Fe..... 3.5..... 3.5 .....2.7 wt. %	
	Hg ..... 160..... 290 .....190 ng/g	
	Mn ..... 1840..... 1220 ..... 430 µg/g	
	Mo ..... 2..... 2 ..... 2 µg/g	
	Ni ..... 23..... 44 ..... 32 µg/g	
	Pb ..... 40..... 26 ..... 93 µg/g	
	Sb ..... 1.2..... 1.4 ..... 1.5 µg/g	
	V ..... 48..... 55 ..... 32µg/g	
	Zn..... 200..... 139 ..... 189 µg/g	
	Provisional values for dilute aqua regia extractable elements	
	Ag ..... 0.8..... 2.8 ..... 0.2 µg/g	
	Cd ..... 0.6..... 0.4 ..... 1.9 µg/g	
	Co ..... 16..... 30 ..... 9 µg/g	
	Cu ..... 36..... 34 ..... 31 µg/g	
	Fe..... 3,7..... 3,6 .....2.6 wt. %	
	Mn ..... 1840..... 1300 ..... 420 µg/g	
	Ni ..... 23..... 46 ..... 31 µg/g	
	Pb ..... 34..... 21 ..... 91 µg/g	
	Zn..... 205..... 151 ..... 195 µg/g	
	The materials are mixed from various sediments as follows:	
CAN-LKSD-2	Lake sediment Sourced from lake 31F in Ontario (Canada) and lakes 86K and 86L in N.W. Territories	100 g
CAN-LKSD-3	Lake sediment A composite of 9 sediments, 31F, M & N 32 C&D, 41P and 42A all in Ontario (Canada) plus 64 L&M in Manitoba	100 g
CAN-LKSD-4	Lake sediment Sourced from two lakes, 31C in Ontario (Canada) and 74H in Saskatchewan (Canada)	100 g

Code Product Unit

## CAN-STSD-1, CAN-STSD-3, CAN-STSD-4 and CAN-STSD-134

A set of three different samples from CANMET, designed to provide a representative selection of the type of stream sediments likely to be found within a continental shield region. The samples were taken from the bottom of the stream bed; material from a number of similar streams was blended together to produce the four samples. As well as analytical values for elements from total destruction methods, values are also given for aqua regia extraction methods, and the major and minor elements as oxides.

Provisional values for total elements

	CAN-STSD 1	CAN-STSD 3	CAN-STSD 4
Ag	<0.5	<0.5	<0.5 mg/kg
As	23	28	15 mg/kg
Au	8	7	4 ng/g
B	89	82	46 mg/kg
Ba	630	1490	2000 mg/kg
Be	1.6	2.6	1.7 mg/kg
Br	40	24	13 mg/kg
C	12.3	8.4	4.1 wt. %
Ce	51	63	44 mg/kg
Co	17	16	13 mg/kg
Cr	67	80	93 mg/kg
Cs	1.8	5.2	1.9 mg/kg
Cu	36	39	65 mg/kg
Dy	5.6	5.4	3.8 mg/kg
Eu	1.6	1.3	1.2 mg/kg
F	950	850	380 mg/kg
Fe	4.7	4.4	4.1 wt. %
Hf	6.1	5.1	5.5 mg/kg
La	30	39	24 mg/kg
Li	11	23	14 mg/kg
Lu	0.8	0.8	0.5 mg/kg
Mn	3950	2730	1520 mg/kg
Mo	<5	.6	<5 mg/kg
Nb	5	12	9 mg/kg
Nd	28	33	21 mg/kg
Ni	24	30	30 mg/kg
Pb	35	40	16 mg/kg
Rb	30	68	39 mg/kg
S	0.18	0.14	0.09 wt. %
Sb	3.3	4.0	7.3 mg/kg
Sc	14	13	14 mg/kg
Sm	6	7	5 mg/kg
Sn	4	4	2 mg/kg
Sr	170	230	350 mg/kg
Ta	0.4	0.9	0.6 mg/kg
Tb	1.2	1.1	0.8 mg/kg
Th	3.7	8.5	4.3 mg/kg
Ti	4600	4400	4530 mg/kg
U	8.0	10.5	3.0 mg/kg
V	98	134	106 mg/kg
W	<4	<4	<4 mg/kg
Y	42	36	24 mg/kg
Yb	4.0	3.4	2.6 mg/kg
Zn	178	204	107 mg/kg
Zr	218	196	190 mg/kg

Provisional values for total analytes

Water ..... 4.46 ..... 3.47 ..... 1.73 wt. %

Loss on ignition at

500°C ..... 29.7 ..... 21.6 ..... 10.2 wt. %

Provisional values for major and minor elements as oxides

Al<sub>2</sub>O<sub>3</sub> ..... 9.0 ..... 0.9 ..... 12.1 wt. %

CaO ..... 3.6 ..... 3.3 ..... 4.0 wt. %

Fe<sub>2</sub>O<sub>3</sub> ..... 6.5 ..... 6.2 ..... 5.7 wt. %K<sub>2</sub>O ..... 1.2 ..... 1.8 ..... 1.6 wt. %

MgO ..... 2.2 ..... 2.2 ..... 2.1 wt. %

MnO ..... 0.5 ..... 0.3 ..... 0.2 wt. %

Na<sub>2</sub>O ..... 1.8 ..... 1.5 ..... 2.7 wt. %P<sub>2</sub>O<sub>5</sub> ..... 0.4 ..... 0.4 ..... 0.2 wt. %SiO<sub>2</sub> ..... 42.5 ..... 48.6 ..... 58.9 wt. %TiO<sub>2</sub> ..... 0.8 ..... 0.7 ..... 0.8 wt. %

Loss on Ignition

at 1000°C ..... 31.6 ..... 23.6 ..... 11.6 wt. %

Totals ..... 100.1 ..... 99.5 ..... 99.9 wt. %

Provisional values for aqua regia extractable elements

Ag ..... 0.3 ..... 0.4 ..... 0.3 mg/kg

As ..... 17 ..... 22 ..... 11 mg/kg

Cd ..... 0.8 ..... 1.0 ..... 0.6 mg/kg

Co ..... 14 ..... 14 ..... 11 mg/kg

Cr ..... 28 ..... 34 ..... 30 mg/kg

Cu ..... 36 ..... 38 ..... 66 mg/kg

Fe ..... 3.5 ..... 3.4 ..... 2.6 wt. %

Hg ..... 110 ..... 90 ..... 930 µg/kg

Mn ..... 3740 ..... 2630 ..... 1200 mg/kg

Continued on next page

## Sediments

Code	Product	Unit																																																				
	Mo ..... 2 ..... 7 ..... 2 mg/kg																																																					
	Ni ..... 18 ..... 25 ..... 23 mg/kg																																																					
	Pb ..... 34 ..... 39 ..... 13 mg/kg																																																					
	Sb ..... 2.0 ..... 2.4 ..... 3.6 mg/kg																																																					
	V ..... 47 ..... 61 ..... 51 mg/kg																																																					
	Zn ..... 165 ..... 192 ..... 82 mg/kg																																																					
	The materials are mixed from various stream sediments as follows																																																					
CAN-STSD-1	Stream sediments Sourced from the bed of Lavant Creek (31F) in Ontario, Canada	100 g																																																				
CAN-STSD-3	Stream sediments A mixture of STSD 1 and 2	100 g																																																				
CAN-STSD-4	Stream sediments As STSD 3, but with a greater amount of STSD 1	100 g																																																				
CAN-STSD-134	Stream sediments Set of CAN-STSD-1, CAN-STSD-3 and CAN-STSD-4	3 x 100 g																																																				
RTC-CRM104-050	Sediment - PAH The certified values were determined by USEPA SW846 (3rd edition) Methods 3540A (Soxhlet extraction) and 8270C (Semivolatile organics by GC/MS). Certified values Lot 016136	50 g																																																				
	<table border="0"> <tr> <td>Naphthalene ..... 2790 µg/kg</td> <td>2,4-Dimethylphenol ..... 3020 µg/kg</td> </tr> <tr> <td>Nitrobenzene ..... 2470 µg/kg</td> <td>Dimethyl phthalate ..... 2740 µg/kg</td> </tr> <tr> <td>1,2,4-Trichlorobenzene ..... 9430 µg/kg</td> <td>2,4-Dinitrophenol ..... 3050 µg/kg</td> </tr> <tr> <td>Acenaphthene ..... 8580 µg/kg</td> <td>2,4-Dinitrotoluene (2,4-DNT) ..... 5060 µg/kg</td> </tr> <tr> <td>Anthracene ..... 5950 µg/kg</td> <td>2,6-Dinitrotoluene (2,6-DNT) ..... 5730 µg/kg</td> </tr> <tr> <td>Benzo(a)anthracene ..... 1690 µg/kg</td> <td>Di-n-octyl phthalate ..... 12600 µg/kg</td> </tr> <tr> <td>Benzo(a)pyrene ..... 3020 µg/kg</td> <td>bis(2-Ethylhexyl) phthalate (DEHP) ..... 10700 µg/kg</td> </tr> <tr> <td>Benzo(b)fluoranthene ..... 4740 µg/kg</td> <td>Fluoranthene ..... 453 µg/kg</td> </tr> <tr> <td>Benzo(k)fluoranthene ..... 1050 µg/kg</td> <td>Fluorene ..... 8660 µg/kg</td> </tr> <tr> <td>4-Bromophenyl phenyl ether ..... 1860 µg/kg</td> <td>Hexachlorobenzene ..... 5480 µg/kg</td> </tr> <tr> <td>Butyl benzyl phthalate ..... 1550 µg/kg</td> <td>Hexachlorocyclopentadiene ..... 6550 µg/kg</td> </tr> <tr> <td>4-Chloro-3-methylphenol ..... 2060 µg/kg</td> <td>Isophorone ..... 9060 µg/kg</td> </tr> <tr> <td>bis(2-Chloroethoxy) methane ..... 7090 µg/kg</td> <td>2-Methyl-4,6-dinitrophenol ..... 7920 µg/kg</td> </tr> <tr> <td>bis(2-Chloroisopropyl) ether ..... 6960 µg/kg</td> <td>2-Methylnaphthalene ..... 3400 µg/kg</td> </tr> <tr> <td>2-Chloronaphthalene ..... 4450 µg/kg</td> <td>2-Methylphenol (o-Cresol) ..... 8190 µg/kg</td> </tr> <tr> <td>2-Chlorophenol ..... 8500 µg/kg</td> <td>2-Methylphenol (p-Cresol) ..... 7810 µg/kg</td> </tr> <tr> <td>4-Chlorophenyl phenylether ..... 10700 µg/kg</td> <td>3+4-Methylphenol (m+p-Cresol) ..... 9270 µg/kg</td> </tr> <tr> <td>Dibenzofuran ..... 7240 µg/kg</td> <td>2-Nitrophenol ..... 6590 µg/kg</td> </tr> <tr> <td>Di-n-butyl phthalate ..... 11700 µg/kg</td> <td>4-Nitrophenol ..... 6810 µg/kg</td> </tr> <tr> <td>1,2-Dichlorobenzene ..... 7210 µg/kg</td> <td>n-Nitrosodimethylamine ..... 1720 µg/kg</td> </tr> <tr> <td>1,3-Dichlorobenzene ..... 3900 µg/kg</td> <td>n-Nitroso-di-n-propylamine ..... 6510 µg/kg</td> </tr> <tr> <td>1,4-Dichlorobenzene ..... 2470 µg/kg</td> <td>Phenanthrene ..... 5570 µg/kg</td> </tr> <tr> <td>Hexachlorobutadiene ..... 5430 µg/kg</td> <td>Phenol ..... 7930 µg/kg</td> </tr> <tr> <td>Hexachloroethane ..... 4510 µg/kg</td> <td>Pyrene ..... 3040 µg/kg</td> </tr> <tr> <td>2,6-Dinitrophenol ..... 4060 µg/kg</td> <td>2,4,5-Trichlorophenol ..... 10100 µg/kg</td> </tr> <tr> <td>Diethyl phthalate ..... 2240 µg/kg</td> <td></td> </tr> </table>	Naphthalene ..... 2790 µg/kg	2,4-Dimethylphenol ..... 3020 µg/kg	Nitrobenzene ..... 2470 µg/kg	Dimethyl phthalate ..... 2740 µg/kg	1,2,4-Trichlorobenzene ..... 9430 µg/kg	2,4-Dinitrophenol ..... 3050 µg/kg	Acenaphthene ..... 8580 µg/kg	2,4-Dinitrotoluene (2,4-DNT) ..... 5060 µg/kg	Anthracene ..... 5950 µg/kg	2,6-Dinitrotoluene (2,6-DNT) ..... 5730 µg/kg	Benzo(a)anthracene ..... 1690 µg/kg	Di-n-octyl phthalate ..... 12600 µg/kg	Benzo(a)pyrene ..... 3020 µg/kg	bis(2-Ethylhexyl) phthalate (DEHP) ..... 10700 µg/kg	Benzo(b)fluoranthene ..... 4740 µg/kg	Fluoranthene ..... 453 µg/kg	Benzo(k)fluoranthene ..... 1050 µg/kg	Fluorene ..... 8660 µg/kg	4-Bromophenyl phenyl ether ..... 1860 µg/kg	Hexachlorobenzene ..... 5480 µg/kg	Butyl benzyl phthalate ..... 1550 µg/kg	Hexachlorocyclopentadiene ..... 6550 µg/kg	4-Chloro-3-methylphenol ..... 2060 µg/kg	Isophorone ..... 9060 µg/kg	bis(2-Chloroethoxy) methane ..... 7090 µg/kg	2-Methyl-4,6-dinitrophenol ..... 7920 µg/kg	bis(2-Chloroisopropyl) ether ..... 6960 µg/kg	2-Methylnaphthalene ..... 3400 µg/kg	2-Chloronaphthalene ..... 4450 µg/kg	2-Methylphenol (o-Cresol) ..... 8190 µg/kg	2-Chlorophenol ..... 8500 µg/kg	2-Methylphenol (p-Cresol) ..... 7810 µg/kg	4-Chlorophenyl phenylether ..... 10700 µg/kg	3+4-Methylphenol (m+p-Cresol) ..... 9270 µg/kg	Dibenzofuran ..... 7240 µg/kg	2-Nitrophenol ..... 6590 µg/kg	Di-n-butyl phthalate ..... 11700 µg/kg	4-Nitrophenol ..... 6810 µg/kg	1,2-Dichlorobenzene ..... 7210 µg/kg	n-Nitrosodimethylamine ..... 1720 µg/kg	1,3-Dichlorobenzene ..... 3900 µg/kg	n-Nitroso-di-n-propylamine ..... 6510 µg/kg	1,4-Dichlorobenzene ..... 2470 µg/kg	Phenanthrene ..... 5570 µg/kg	Hexachlorobutadiene ..... 5430 µg/kg	Phenol ..... 7930 µg/kg	Hexachloroethane ..... 4510 µg/kg	Pyrene ..... 3040 µg/kg	2,6-Dinitrophenol ..... 4060 µg/kg	2,4,5-Trichlorophenol ..... 10100 µg/kg	Diethyl phthalate ..... 2240 µg/kg		
Naphthalene ..... 2790 µg/kg	2,4-Dimethylphenol ..... 3020 µg/kg																																																					
Nitrobenzene ..... 2470 µg/kg	Dimethyl phthalate ..... 2740 µg/kg																																																					
1,2,4-Trichlorobenzene ..... 9430 µg/kg	2,4-Dinitrophenol ..... 3050 µg/kg																																																					
Acenaphthene ..... 8580 µg/kg	2,4-Dinitrotoluene (2,4-DNT) ..... 5060 µg/kg																																																					
Anthracene ..... 5950 µg/kg	2,6-Dinitrotoluene (2,6-DNT) ..... 5730 µg/kg																																																					
Benzo(a)anthracene ..... 1690 µg/kg	Di-n-octyl phthalate ..... 12600 µg/kg																																																					
Benzo(a)pyrene ..... 3020 µg/kg	bis(2-Ethylhexyl) phthalate (DEHP) ..... 10700 µg/kg																																																					
Benzo(b)fluoranthene ..... 4740 µg/kg	Fluoranthene ..... 453 µg/kg																																																					
Benzo(k)fluoranthene ..... 1050 µg/kg	Fluorene ..... 8660 µg/kg																																																					
4-Bromophenyl phenyl ether ..... 1860 µg/kg	Hexachlorobenzene ..... 5480 µg/kg																																																					
Butyl benzyl phthalate ..... 1550 µg/kg	Hexachlorocyclopentadiene ..... 6550 µg/kg																																																					
4-Chloro-3-methylphenol ..... 2060 µg/kg	Isophorone ..... 9060 µg/kg																																																					
bis(2-Chloroethoxy) methane ..... 7090 µg/kg	2-Methyl-4,6-dinitrophenol ..... 7920 µg/kg																																																					
bis(2-Chloroisopropyl) ether ..... 6960 µg/kg	2-Methylnaphthalene ..... 3400 µg/kg																																																					
2-Chloronaphthalene ..... 4450 µg/kg	2-Methylphenol (o-Cresol) ..... 8190 µg/kg																																																					
2-Chlorophenol ..... 8500 µg/kg	2-Methylphenol (p-Cresol) ..... 7810 µg/kg																																																					
4-Chlorophenyl phenylether ..... 10700 µg/kg	3+4-Methylphenol (m+p-Cresol) ..... 9270 µg/kg																																																					
Dibenzofuran ..... 7240 µg/kg	2-Nitrophenol ..... 6590 µg/kg																																																					
Di-n-butyl phthalate ..... 11700 µg/kg	4-Nitrophenol ..... 6810 µg/kg																																																					
1,2-Dichlorobenzene ..... 7210 µg/kg	n-Nitrosodimethylamine ..... 1720 µg/kg																																																					
1,3-Dichlorobenzene ..... 3900 µg/kg	n-Nitroso-di-n-propylamine ..... 6510 µg/kg																																																					
1,4-Dichlorobenzene ..... 2470 µg/kg	Phenanthrene ..... 5570 µg/kg																																																					
Hexachlorobutadiene ..... 5430 µg/kg	Phenol ..... 7930 µg/kg																																																					
Hexachloroethane ..... 4510 µg/kg	Pyrene ..... 3040 µg/kg																																																					
2,6-Dinitrophenol ..... 4060 µg/kg	2,4,5-Trichlorophenol ..... 10100 µg/kg																																																					
Diethyl phthalate ..... 2240 µg/kg																																																						
RTC-CNS392-050	Freshwater Sediment - Trace elements The Reference values were determined by Dutch standard methods (NEN 56.; 57.; 64.; and 66.; series) after total digestion using predominantly Nitric/Hydrochloric acid mixture (Aqua Regia) in pressurized microwave digester units. The sample is suitable for use by these, or other similar digestion and analytical procedures. Reference values Lot 011295	50 g																																																				
	<table border="0"> <tr> <td>Al ..... (14100) mg/Kg</td> <td>Mn ..... 6604 mg/Kg</td> </tr> <tr> <td>Sb ..... 12.0 mg/Kg</td> <td>Mo ..... 14.5 mg/Kg</td> </tr> <tr> <td>As ..... 6.49 mg/Kg</td> <td>Ni ..... 32.9 mg/Kg</td> </tr> <tr> <td>Ba ..... 54.8 mg/Kg</td> <td>Se ..... 8.59 mg/Kg</td> </tr> <tr> <td>Be ..... 14.3 mg/Kg</td> <td>Ag ..... 15.8 mg/Kg</td> </tr> <tr> <td>Cd ..... 21.5 mg/Kg</td> <td>Ti ..... (25.9) mg/Kg</td> </tr> <tr> <td>Co ..... 9.16 mg/Kg</td> <td>V ..... 41.9 mg/Kg</td> </tr> <tr> <td>Cr ..... 36.6 mg/Kg</td> <td>Zn ..... 81.7 mg/Kg</td> </tr> <tr> <td>Cu ..... 146 mg/Kg</td> <td>Chemical Oxygen Demand (COD) ..... 0.610 g/Kg</td> </tr> <tr> <td>Fe ..... 7880 mg/Kg</td> <td>Chloride ..... 0.255 g/Kg</td> </tr> <tr> <td>Pb ..... 121 mg/Kg</td> <td>Kjeldahl-Nitrogen(KN) ..... 0.185 g/Kg</td> </tr> <tr> <td>Hg ..... 12.7 mg/Kg</td> <td>Phosphorus, Total (TP) ..... 0.137 g/Kg</td> </tr> </table>	Al ..... (14100) mg/Kg	Mn ..... 6604 mg/Kg	Sb ..... 12.0 mg/Kg	Mo ..... 14.5 mg/Kg	As ..... 6.49 mg/Kg	Ni ..... 32.9 mg/Kg	Ba ..... 54.8 mg/Kg	Se ..... 8.59 mg/Kg	Be ..... 14.3 mg/Kg	Ag ..... 15.8 mg/Kg	Cd ..... 21.5 mg/Kg	Ti ..... (25.9) mg/Kg	Co ..... 9.16 mg/Kg	V ..... 41.9 mg/Kg	Cr ..... 36.6 mg/Kg	Zn ..... 81.7 mg/Kg	Cu ..... 146 mg/Kg	Chemical Oxygen Demand (COD) ..... 0.610 g/Kg	Fe ..... 7880 mg/Kg	Chloride ..... 0.255 g/Kg	Pb ..... 121 mg/Kg	Kjeldahl-Nitrogen(KN) ..... 0.185 g/Kg	Hg ..... 12.7 mg/Kg	Phosphorus, Total (TP) ..... 0.137 g/Kg																													
Al ..... (14100) mg/Kg	Mn ..... 6604 mg/Kg																																																					
Sb ..... 12.0 mg/Kg	Mo ..... 14.5 mg/Kg																																																					
As ..... 6.49 mg/Kg	Ni ..... 32.9 mg/Kg																																																					
Ba ..... 54.8 mg/Kg	Se ..... 8.59 mg/Kg																																																					
Be ..... 14.3 mg/Kg	Ag ..... 15.8 mg/Kg																																																					
Cd ..... 21.5 mg/Kg	Ti ..... (25.9) mg/Kg																																																					
Co ..... 9.16 mg/Kg	V ..... 41.9 mg/Kg																																																					
Cr ..... 36.6 mg/Kg	Zn ..... 81.7 mg/Kg																																																					
Cu ..... 146 mg/Kg	Chemical Oxygen Demand (COD) ..... 0.610 g/Kg																																																					
Fe ..... 7880 mg/Kg	Chloride ..... 0.255 g/Kg																																																					
Pb ..... 121 mg/Kg	Kjeldahl-Nitrogen(KN) ..... 0.185 g/Kg																																																					
Hg ..... 12.7 mg/Kg	Phosphorus, Total (TP) ..... 0.137 g/Kg																																																					

Code	Product	Unit
RTC-CRM016-050	Freshwater sediment - Trace metals Sediment from a stream located in the Western United States. The following certified values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for arsenic (7060A), mercury (7471A), selenium (7740), and thallium (7841). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Al.....8920 mg/kg      Hg ..... 0.158 mg/kg As.....7.76 mg/kg      K..... 1960 mg/kg Ba .....79.3 mg/kg      Mg..... 13200 mg/kg Be .....0.49 mg/kg      Mn ..... 180 mg/kg Ca .....22600 mg/kg      Na ..... 292 mg/kg Cd .....0.47 mg/kg      Ni..... 16.7 mg/kg Co .....5.96 mg/kg      Pb..... 14.1 mg/kg Cr .....14.5 mg/kg      V..... 22.5 mg/kg Cu .....15.5 mg/kg      Zn..... 69.7 mg/kg Fe.....16800 mg/kg Indicative values for Al, Ba, Cd, Cr, K, B, Mo, Se, Si, Ag, Sr, Ti	50 g
RTC-CRM015-050	Sediment - Trace metals and cyanide Sediment from a stream located in the Western United States. The Certified values were determined by USEPA SW846 (3rd edition) Methods 3050/3051 and 6010, except for arsenic (7060A), mercury (7471A), selenium (7740), thallium (7841), and cyanide (9010A). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Al..... 9200 mg/kg      Cu..... 16.1 mg/kg      Na ..... 400 mg/kg As..... 6.6 mg/kg      Fe ..... 17070 mg/kg      Ni ..... 17.5 mg/kg Ba ..... 83.0 mg/kg      Hg..... 0.10 mg/kg      Pb ..... 15.04 mg/kg Be ..... 0.47 mg/kg      K..... 2074 mg/kg      V ..... 22.1 mg/kg Ca ..... 23463 mg/kg      Mg ..... 13611 mg/kg      Zn..... 69.9 mg/kg Cr ..... 14.3 mg/kg      Mn ..... 183.4 mg/kg      Cyanide..... 6.04 mg/kg Co ..... 6.04 mg/kg      Mo ..... 1.16 mg Indicative values for Ag, B, Cd, Mo, Sb, Se, Si, Ti	50 g
<b>Marine sediments</b>		
LGC6137	Estuarine sediment - Extractable metals Collected from the Severn Estuary, offshore around Avonmouth, UK The extractable metal content refers to metal soluble in hot Aqua Regia using methods based on ISO 11466 (1995). Certified values As..... 12.4 mg/kg      Fe ..... 30700 mg/kg      Na ..... 7420 mg/kg Ba ..... 82 mg/kg      K..... 5010 mg/kg      Pb ..... 73.0 mg/kg Be ..... 1.0 mg/kg      Li ..... 42.5 mg/kg      V ..... 47.0 mg/kg Ca ..... 51100 mg/kg      Mg ..... 11100 mg/kg      Zn..... 231 mg/kg Cr ..... 47 mg/kg      Mn ..... 665 mg/kg Indicative values for Cd, Mo, Se, Sn, Ti	50 g
BCR-667	Estuarine sediment - Trace elements Certified values Ce ..... 56.7 mg/kg      La ..... 27.8 mg/kg      Tb..... 0.682 mg/kg Dy ..... 4.01 mg/kg      Lu ..... 0.325 mg/kg      Th..... 10.0 mg/kg Er ..... 2.35 mg/kg      Nd..... 25.0 mg/ kg      Tm ..... 0.326 mg/ Kg Eu ..... 1.00 mg/kg      Pr..... 6.14 mg/kg      U ..... 2.26 mg/kg Gd ..... 4.41 mg/kg      Sc..... 13.7 mg/kg      Yb ..... 2.20 mg/kg Ho ..... 0.796 mg/kg      Sm..... 4.66 mg/kg Indicative values for: As, Au, Br, Cd, Co, Cr, Cs, Cu, Fe, Mn, Ni, Pb, Sb, Se, Sr, Ta, Y and Zn	40 g
BCR-277R	Estuarine sediment - Trace elements Certified values As..... 18.3 mg/kg      Cr ..... 188 mg/kg      Ni ..... 130 mg/kg Cd ..... 0.61 mg/kg      Cu..... 63 mg/kg      Zn..... 178 mg/kg Co ..... 22.5 mg/kg      Hg..... 0.128 mg/kg	40 g
BCR-462	Coastal sediment - Organotin compounds Compound      Certified value      Uncertainty µg/kg      µg/kg Tributyltin (TBT).....54 ..... 15 Dibutyltin (DBT) .....68 ..... 12 Additional cost for dry ice shipment	25 g
BCR-320R	Channel sediment - Trace elements Certified values As..... 21.7 mg/kg      Hg..... 0.85 mg/kg      Tl..... 0.65 mg/kg Cd ..... 2.64 mg/kg      Mn ..... 910 mg/kg      U ..... 1.56mg/kg Co ..... 9.7 mg/kg      Ni..... 27.1 mg/kg      V ..... 46.5mg/kg Cr ..... 59 mg/kg      Pb..... 85 mg/kg      Zn..... 319 mg/kg Cu ..... 46.3 mg/kg      Sc..... 5.2 mg/kg Fe..... 25700 mg/kg      Th ..... 5.3 mg/kg Indicative values for Se, Sn	40 g



# Sediments

Code	Product	Unit																																																																																																																																				
ERM-CC580	Estuarine sediment - Mercury and methylmercury Certified values <sup>1</sup> uncertainty <sup>2</sup> Total Hg ..... 132 mg/kg ..... 3 mg/kg CH <sub>3</sub> Hg <sup>+</sup> ..... 0.0755 mg/kg ..... 4 µg/kg 1) Unweighted mean value of the means of 11 to 13 accepted sets of data, each set being obtained in a different laboratory and / or with a different method of determination. Certified value is based on dry mass. The certified values are traceable to SI. 2) The certified uncertainty is the half-width of the 95 % confidence interval of the mean defined in 1). k-factors were chosen according to the t-distribution depending of the number of accepted sets of results and were 2.179 for total Hg and 2.228 for MeHg.	40 g																																																																																																																																				
NIST-1941b	Organics in marine sediment Collected at the mouth of the Baltimore Harbour. All of the constituents for which certified, reference, and information values are provided in NIST-1941b were naturally present in the sediment material before processing. A unit of NIST-1941b consists of a bottle containing 50 g of radiation-sterilized, freeze-dried sediment material. Certified Concentrations for Selected PAHs <table border="0"> <thead> <tr> <th>PAHs</th> <th>Mass Fractions in µg/kg (dry-mass basis)</th> <th>PAHs</th> <th>Mass Fractions in µg/kg (dry-mass basis)</th> </tr> </thead> <tbody> <tr><td>Naphthalene</td><td>848 ± 95</td><td>Benzo[b]fluoranthene</td><td>453 ± 21</td></tr> <tr><td>Fluorene</td><td>85 ± 15</td><td>Benzo[k]fluoranthene</td><td>225 ± 18</td></tr> <tr><td>Phenanthrene</td><td>406 ± 44</td><td>Benzo[e]pyrene</td><td>325 ± 25</td></tr> <tr><td>Anthracene</td><td>184 ± 18</td><td>Benzo[a]pyrene</td><td>358 ± 17</td></tr> <tr><td>3-Methylphenanthrene</td><td>105 ± 13</td><td>Perylene</td><td>397 ± 45</td></tr> <tr><td>2-Methylphenanthrene</td><td>128 ± 14</td><td>Benzo[ghi]perylene</td><td>307 ± 45</td></tr> <tr><td>1-Methylphenanthrene</td><td>73.2 ± 5.9</td><td>Indeno[1,2,3-cd]pyrene</td><td>341 ± 57</td></tr> <tr><td>Fluoranthene</td><td>651 ± 50</td><td>Dibenz[a,j]anthracene</td><td>48.9 ± 4.6</td></tr> <tr><td>Pyrene</td><td>581 ± 39</td><td>Dibenz[a,c]anthracene</td><td>36.7 ± 5.2</td></tr> <tr><td>Benz[a]anthracene</td><td>335 ± 25</td><td>Dibenz[a,h]anthracene</td><td>53 ± 10</td></tr> <tr><td>Chrysene</td><td>291 ± 31</td><td>Benzo[b]chrysene</td><td>53 ± 12</td></tr> <tr><td>Triphenylene</td><td>108 ± 5</td><td>Picene</td><td>46.6 ± 4.7</td></tr> </tbody> </table> Certified Concentrations for Selected PCB Congeners <table border="0"> <thead> <tr> <th>PCB Congeners</th> <th>Mass Fractions in µg/kg (dry-mass basis)</th> </tr> </thead> <tbody> <tr><td>PCB 8</td><td>2,4'-Dichlorobiphenyl ..... 1.65 ± 0.19</td></tr> <tr><td>PCB 18</td><td>2,2',5-Trichlorobiphenyl ..... 2.39 ± 0.29</td></tr> <tr><td>PCB 28</td><td>2,4,4'-Trichlorobiphenyl ..... 4.52 ± 0.57</td></tr> <tr><td>PCB 31</td><td>2,4',5-Trichlorobiphenyl ..... 3.18 ± 0.41</td></tr> <tr><td>PCB 44</td><td>2,2',3,5'-Tetrachlorobiphenyl ..... 3.85 ± 0.20</td></tr> <tr><td>PCB 49</td><td>2,2',4,5'-Tetrachlorobiphenyl ..... 4.34 ± 0.28</td></tr> <tr><td>PCB 52</td><td>2,2',5,5'-Tetrachlorobiphenyl ..... 5.24 ± 0.28</td></tr> <tr><td>PCB 66</td><td>2,3',4,4'-Tetrachlorobiphenyl ..... 4.96 ± 0.53</td></tr> <tr><td>PCB 87</td><td>2,2',3,4,5'-Pentachlorobiphenyl ..... 1.14 ± 0.16</td></tr> <tr><td>PCB 95</td><td>2,2',3,5',6-Pentachlorobiphenyl ..... 3.93 ± 0.62</td></tr> <tr><td>PCB 99</td><td>2,2',4,4',5-Pentachlorobiphenyl ..... 2.90 ± 0.36</td></tr> <tr><td>PCB 101</td><td>2,2',4,5,5'-Pentachlorobiphenyl ..... 5.11 ± 0.34</td></tr> <tr><td>PCB 105</td><td>2,3,3',4,4'-Pentachlorobiphenyl ..... 1.43 ± 0.10</td></tr> <tr><td>PCB 110</td><td>2,3,3',4',6-Pentachlorobiphenyl ..... 4.62 ± 0.36</td></tr> <tr><td>PCB 118</td><td>2,3',4,4',5-Pentachlorobiphenyl ..... 4.23 ± 0.19</td></tr> <tr><td>PCB 128</td><td>2,2',3,3',4,4'-Hexachlorobiphenyl ..... 0.696 ± 0.044</td></tr> <tr><td>PCB 138</td><td>2,2',3,4,4',5'-Hexachlorobiphenyl ..... 3.60 ± 0.28</td></tr> <tr><td>PCB 149</td><td>2,2',3,4',5',6-Hexachlorobiphenyl ..... 4.35 ± 0.26</td></tr> <tr><td>PCB 153</td><td>2,2',4,4',5,5'-Hexachlorobiphenyl ..... 5.47 ± 0.32</td></tr> <tr><td>PCB 156</td><td>2,3,3',4,4',5-Hexachlorobiphenyl ..... 0.507 ± 0.090</td></tr> <tr><td>PCB 170</td><td>2,2',3,3',4,4',5-Heptachlorobiphenyl ..... 1.35 ± 0.09</td></tr> <tr><td>PCB 180</td><td>2,2',3,4,4',5,5'-Heptachlorobiphenyl ..... 3.24 ± 0.51</td></tr> <tr><td>PCB 183</td><td>2,2',3,4,4',5',6-Heptachlorobiphenyl ..... 0.979 ± 0.087</td></tr> <tr><td>PCB 187</td><td>2,2',3,4',5,5',6-Heptachlorobiphenyl ..... 2.17 ± 0.22</td></tr> <tr><td>PCB 194</td><td>2,2',3,3',4,4',5,5'-Octachlorobiphenyl ..... 1.04 ± 0.06</td></tr> <tr><td>PCB 195</td><td>2,2',3,3',4,4',5,6-Octachlorobiphenyl ..... 0.645 ± 0.060</td></tr> <tr><td>PCB 201</td><td>2,2',3,3',4,5',6,6'-Octachlorobiphenyl ..... 0.777 ± 0.034</td></tr> <tr><td>PCB 206</td><td>2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ..... 2.42 ± 0.19</td></tr> <tr><td>PCB 209</td><td>Decachlorobiphenyl ..... 4.86 ± 0.45</td></tr> </tbody> </table> Certified Concentrations for Selected Pesticides <table border="0"> <thead> <tr> <th>Chlorinated Pesticides</th> <th>Mass Fractions in µg/kg (dry-mass basis)</th> <th>Chlorinated Pesticides</th> <th>Mass Fractions in µg/kg (dry-mass basis)</th> </tr> </thead> <tbody> <tr><td>Hexachlorobenzene</td><td>5.83 ± 0.38</td><td>trans-Nonachlor</td><td>0.438 ± 0.073</td></tr> <tr><td>cis-Chlordane</td><td>0.85 ± 0.11</td><td>4,4'-DDE</td><td>3.22 ± 0.28</td></tr> <tr><td>trans-Chlordane</td><td>0.566 ± 0.093</td><td>4,4'-DDD</td><td>4.66 ± 0.46</td></tr> <tr><td>cis-Nonachlor</td><td>0.378 ± 0.053</td><td></td><td></td></tr> </tbody> </table> Reference values for selected PCBs, PCBs, Pesticides and TOC Indicative values for carbon, hydrogen and nitrogen	PAHs	Mass Fractions in µg/kg (dry-mass basis)	PAHs	Mass Fractions in µg/kg (dry-mass basis)	Naphthalene	848 ± 95	Benzo[b]fluoranthene	453 ± 21	Fluorene	85 ± 15	Benzo[k]fluoranthene	225 ± 18	Phenanthrene	406 ± 44	Benzo[e]pyrene	325 ± 25	Anthracene	184 ± 18	Benzo[a]pyrene	358 ± 17	3-Methylphenanthrene	105 ± 13	Perylene	397 ± 45	2-Methylphenanthrene	128 ± 14	Benzo[ghi]perylene	307 ± 45	1-Methylphenanthrene	73.2 ± 5.9	Indeno[1,2,3-cd]pyrene	341 ± 57	Fluoranthene	651 ± 50	Dibenz[a,j]anthracene	48.9 ± 4.6	Pyrene	581 ± 39	Dibenz[a,c]anthracene	36.7 ± 5.2	Benz[a]anthracene	335 ± 25	Dibenz[a,h]anthracene	53 ± 10	Chrysene	291 ± 31	Benzo[b]chrysene	53 ± 12	Triphenylene	108 ± 5	Picene	46.6 ± 4.7	PCB Congeners	Mass Fractions in µg/kg (dry-mass basis)	PCB 8	2,4'-Dichlorobiphenyl ..... 1.65 ± 0.19	PCB 18	2,2',5-Trichlorobiphenyl ..... 2.39 ± 0.29	PCB 28	2,4,4'-Trichlorobiphenyl ..... 4.52 ± 0.57	PCB 31	2,4',5-Trichlorobiphenyl ..... 3.18 ± 0.41	PCB 44	2,2',3,5'-Tetrachlorobiphenyl ..... 3.85 ± 0.20	PCB 49	2,2',4,5'-Tetrachlorobiphenyl ..... 4.34 ± 0.28	PCB 52	2,2',5,5'-Tetrachlorobiphenyl ..... 5.24 ± 0.28	PCB 66	2,3',4,4'-Tetrachlorobiphenyl ..... 4.96 ± 0.53	PCB 87	2,2',3,4,5'-Pentachlorobiphenyl ..... 1.14 ± 0.16	PCB 95	2,2',3,5',6-Pentachlorobiphenyl ..... 3.93 ± 0.62	PCB 99	2,2',4,4',5-Pentachlorobiphenyl ..... 2.90 ± 0.36	PCB 101	2,2',4,5,5'-Pentachlorobiphenyl ..... 5.11 ± 0.34	PCB 105	2,3,3',4,4'-Pentachlorobiphenyl ..... 1.43 ± 0.10	PCB 110	2,3,3',4',6-Pentachlorobiphenyl ..... 4.62 ± 0.36	PCB 118	2,3',4,4',5-Pentachlorobiphenyl ..... 4.23 ± 0.19	PCB 128	2,2',3,3',4,4'-Hexachlorobiphenyl ..... 0.696 ± 0.044	PCB 138	2,2',3,4,4',5'-Hexachlorobiphenyl ..... 3.60 ± 0.28	PCB 149	2,2',3,4',5',6-Hexachlorobiphenyl ..... 4.35 ± 0.26	PCB 153	2,2',4,4',5,5'-Hexachlorobiphenyl ..... 5.47 ± 0.32	PCB 156	2,3,3',4,4',5-Hexachlorobiphenyl ..... 0.507 ± 0.090	PCB 170	2,2',3,3',4,4',5-Heptachlorobiphenyl ..... 1.35 ± 0.09	PCB 180	2,2',3,4,4',5,5'-Heptachlorobiphenyl ..... 3.24 ± 0.51	PCB 183	2,2',3,4,4',5',6-Heptachlorobiphenyl ..... 0.979 ± 0.087	PCB 187	2,2',3,4',5,5',6-Heptachlorobiphenyl ..... 2.17 ± 0.22	PCB 194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ..... 1.04 ± 0.06	PCB 195	2,2',3,3',4,4',5,6-Octachlorobiphenyl ..... 0.645 ± 0.060	PCB 201	2,2',3,3',4,5',6,6'-Octachlorobiphenyl ..... 0.777 ± 0.034	PCB 206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ..... 2.42 ± 0.19	PCB 209	Decachlorobiphenyl ..... 4.86 ± 0.45	Chlorinated Pesticides	Mass Fractions in µg/kg (dry-mass basis)	Chlorinated Pesticides	Mass Fractions in µg/kg (dry-mass basis)	Hexachlorobenzene	5.83 ± 0.38	trans-Nonachlor	0.438 ± 0.073	cis-Chlordane	0.85 ± 0.11	4,4'-DDE	3.22 ± 0.28	trans-Chlordane	0.566 ± 0.093	4,4'-DDD	4.66 ± 0.46	cis-Nonachlor	0.378 ± 0.053			50 g
PAHs	Mass Fractions in µg/kg (dry-mass basis)	PAHs	Mass Fractions in µg/kg (dry-mass basis)																																																																																																																																			
Naphthalene	848 ± 95	Benzo[b]fluoranthene	453 ± 21																																																																																																																																			
Fluorene	85 ± 15	Benzo[k]fluoranthene	225 ± 18																																																																																																																																			
Phenanthrene	406 ± 44	Benzo[e]pyrene	325 ± 25																																																																																																																																			
Anthracene	184 ± 18	Benzo[a]pyrene	358 ± 17																																																																																																																																			
3-Methylphenanthrene	105 ± 13	Perylene	397 ± 45																																																																																																																																			
2-Methylphenanthrene	128 ± 14	Benzo[ghi]perylene	307 ± 45																																																																																																																																			
1-Methylphenanthrene	73.2 ± 5.9	Indeno[1,2,3-cd]pyrene	341 ± 57																																																																																																																																			
Fluoranthene	651 ± 50	Dibenz[a,j]anthracene	48.9 ± 4.6																																																																																																																																			
Pyrene	581 ± 39	Dibenz[a,c]anthracene	36.7 ± 5.2																																																																																																																																			
Benz[a]anthracene	335 ± 25	Dibenz[a,h]anthracene	53 ± 10																																																																																																																																			
Chrysene	291 ± 31	Benzo[b]chrysene	53 ± 12																																																																																																																																			
Triphenylene	108 ± 5	Picene	46.6 ± 4.7																																																																																																																																			
PCB Congeners	Mass Fractions in µg/kg (dry-mass basis)																																																																																																																																					
PCB 8	2,4'-Dichlorobiphenyl ..... 1.65 ± 0.19																																																																																																																																					
PCB 18	2,2',5-Trichlorobiphenyl ..... 2.39 ± 0.29																																																																																																																																					
PCB 28	2,4,4'-Trichlorobiphenyl ..... 4.52 ± 0.57																																																																																																																																					
PCB 31	2,4',5-Trichlorobiphenyl ..... 3.18 ± 0.41																																																																																																																																					
PCB 44	2,2',3,5'-Tetrachlorobiphenyl ..... 3.85 ± 0.20																																																																																																																																					
PCB 49	2,2',4,5'-Tetrachlorobiphenyl ..... 4.34 ± 0.28																																																																																																																																					
PCB 52	2,2',5,5'-Tetrachlorobiphenyl ..... 5.24 ± 0.28																																																																																																																																					
PCB 66	2,3',4,4'-Tetrachlorobiphenyl ..... 4.96 ± 0.53																																																																																																																																					
PCB 87	2,2',3,4,5'-Pentachlorobiphenyl ..... 1.14 ± 0.16																																																																																																																																					
PCB 95	2,2',3,5',6-Pentachlorobiphenyl ..... 3.93 ± 0.62																																																																																																																																					
PCB 99	2,2',4,4',5-Pentachlorobiphenyl ..... 2.90 ± 0.36																																																																																																																																					
PCB 101	2,2',4,5,5'-Pentachlorobiphenyl ..... 5.11 ± 0.34																																																																																																																																					
PCB 105	2,3,3',4,4'-Pentachlorobiphenyl ..... 1.43 ± 0.10																																																																																																																																					
PCB 110	2,3,3',4',6-Pentachlorobiphenyl ..... 4.62 ± 0.36																																																																																																																																					
PCB 118	2,3',4,4',5-Pentachlorobiphenyl ..... 4.23 ± 0.19																																																																																																																																					
PCB 128	2,2',3,3',4,4'-Hexachlorobiphenyl ..... 0.696 ± 0.044																																																																																																																																					
PCB 138	2,2',3,4,4',5'-Hexachlorobiphenyl ..... 3.60 ± 0.28																																																																																																																																					
PCB 149	2,2',3,4',5',6-Hexachlorobiphenyl ..... 4.35 ± 0.26																																																																																																																																					
PCB 153	2,2',4,4',5,5'-Hexachlorobiphenyl ..... 5.47 ± 0.32																																																																																																																																					
PCB 156	2,3,3',4,4',5-Hexachlorobiphenyl ..... 0.507 ± 0.090																																																																																																																																					
PCB 170	2,2',3,3',4,4',5-Heptachlorobiphenyl ..... 1.35 ± 0.09																																																																																																																																					
PCB 180	2,2',3,4,4',5,5'-Heptachlorobiphenyl ..... 3.24 ± 0.51																																																																																																																																					
PCB 183	2,2',3,4,4',5',6-Heptachlorobiphenyl ..... 0.979 ± 0.087																																																																																																																																					
PCB 187	2,2',3,4',5,5',6-Heptachlorobiphenyl ..... 2.17 ± 0.22																																																																																																																																					
PCB 194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ..... 1.04 ± 0.06																																																																																																																																					
PCB 195	2,2',3,3',4,4',5,6-Octachlorobiphenyl ..... 0.645 ± 0.060																																																																																																																																					
PCB 201	2,2',3,3',4,5',6,6'-Octachlorobiphenyl ..... 0.777 ± 0.034																																																																																																																																					
PCB 206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ..... 2.42 ± 0.19																																																																																																																																					
PCB 209	Decachlorobiphenyl ..... 4.86 ± 0.45																																																																																																																																					
Chlorinated Pesticides	Mass Fractions in µg/kg (dry-mass basis)	Chlorinated Pesticides	Mass Fractions in µg/kg (dry-mass basis)																																																																																																																																			
Hexachlorobenzene	5.83 ± 0.38	trans-Nonachlor	0.438 ± 0.073																																																																																																																																			
cis-Chlordane	0.85 ± 0.11	4,4'-DDE	3.22 ± 0.28																																																																																																																																			
trans-Chlordane	0.566 ± 0.093	4,4'-DDD	4.66 ± 0.46																																																																																																																																			
cis-Nonachlor	0.378 ± 0.053																																																																																																																																					
NIST-4357	Ocean sediment - Radioactivity Certified values <sup>241</sup> Am ..... 1.1 x 10 <sup>-3</sup> Bq/g <sup>228</sup> Th ..... 2.86 x 10 <sup>-2</sup> Bq/g <sup>60</sup> Co ..... 3.20 x 10 <sup>-1</sup> Bq/g <sup>232</sup> Th ..... 2.68 x 10 <sup>-2</sup> Bq/g <sup>137</sup> Cs ..... 5.92 x 10 <sup>-2</sup> Bq/g <sup>235</sup> U ..... 7.4 x 10 <sup>-4</sup> Bq/g <sup>238</sup> Pu ..... 2.6 x 10 <sup>-4</sup> Bq/g <sup>238</sup> U ..... 1.74 x 10 <sup>-2</sup> Bq/g <sup>239</sup> Pu+ <sup>240</sup> Pu ..... 4.00 x 10 <sup>-3</sup> Bq/g	85 g																																																																																																																																				

Code	Product	Unit																											
NIST-1646a	Estuarine sediment - Metals Collected from Chesapeake Bay, USA Certified values	70 g																											
	Al.....2.297 %      K.....0.864 %      Se ..... 0.193 mg/kg As..... 6.23 mg/kg      Mg .....0.388 %      Si..... 40 % Ca..... 0.519 %      Mn .....234.5 mg/kg      Ti..... 0.456 % Cd ..... 0.148 mg/kg      Na.....0.741 %      V ..... 44.84 mg/kg Cr ..... 40.9 mg/kg      P .....234.5 mg/kg      Zn..... 48.9 mg/kg Cu ..... 10.01 mg/kg      Pb..... 11.7 mg/kg Fe..... 2.008 %      S..... 0.352 %																												
NIST-2702	Marine sediment - Trace elements Marine sediment collected at the mouth of the Baltimore Harbor, USA Certified values	50 g																											
	Al..... 8.41 %      K.....2.054 %      Sc..... 25.9 mg/kg As..... 45.3 mg/kg      La .....73.5 mg/kg      Sr ..... 119.7 mg/kg Ba ..... 397.4 mg/kg      Mn .....1757 mg/kg      Th ..... 20.51 mg/kg Ce ..... 123.4 mg/kg      Na.....0.681 %      Ti..... 0.884 % Cd ..... 0.817 mg/kg      Ni .....75.4 mg/kg      Tl ..... 0.8267mg/kg Co ..... 27.76 mg/kg      P .....0.1552 %      V ..... 357.6 mg/kg Cr ..... 352 mg/kg      Pb.....132.8 mg/kg      Zn..... 485.3 mg/kg Fe..... 7.91 %      Rb.....127.7 mg/kg Hg ..... 0.4474 mg/kg      Sb.....5.60 mg/kg																												
	Indicative values for Ag, Ca, Ga, Mg, Mo, Se, Sn																												
NIST-2703	Marine sediment - Trace elements Sediment for solid sampling (small sample) analytical techniques NIST-2703 is a marine sediment collected at the mouth of the Baltimore Harbor. It is primarily intended for use in evaluating analytical methods for the direct determination of selected elements in solid samples of marine or freshwater sediment and similar matrices. Direct and slurry sampling, as well as dissolution techniques using typically milligram size samples (<10 mg), can employ this Standard Reference Material® in the user's procedures; all certified and reference values are based on measurements using a samples size of at least 0.7 mg. Techniques using large samples (100 mg) should use NIST-2702 Marine sediment - Trace elements.	5 g																											
	Certified values																												
	<table border="0"> <thead> <tr> <th>Mass Fractions (mg/kg, unless noted as %)</th> <th>Mass Fractions (mg/kg, unless noted as %)</th> <th>Mass Fractions (mg/kg, unless noted as %)</th> </tr> </thead> <tbody> <tr><td>Al.....8.33 % ± 0.22 %</td><td>K..... 2.08 % 0.24 %</td><td>Sr ..... 118 ± 18</td></tr> <tr><td>As..... 45.5 ± 1.7</td><td>La .....75.9 ± 3.0</td><td>Th ..... 20.22 ± 0.74</td></tr> <tr><td>Ba ..... 416 ± 32</td><td>Mn .....1734 48</td><td>Ti .....0.880 % ± 0.046 %</td></tr> <tr><td>Cd ..... 0.811 ± 0.076</td><td>Na..... 0.693 % ± 0.019 %</td><td>U ..... 8.99 ± 0.72</td></tr> <tr><td>Ce ..... 125.5 ± 5.0</td><td>Pb..... 130 ± 11</td><td>V ..... 360 ± 13</td></tr> <tr><td>Co ..... 27.70 ± 0.50</td><td>Rb..... 130 ± 11</td><td>Zn ..... 480 ± 22</td></tr> <tr><td>Fe..... 7.38 % ± 0.32 %</td><td>Sb..... 5.62 ± 0.26</td><td></td></tr> <tr><td>Hg ..... 0.474 ± 0.066</td><td>Sc.....25.95 ± 0.68</td><td></td></tr> </tbody> </table>	Mass Fractions (mg/kg, unless noted as %)	Mass Fractions (mg/kg, unless noted as %)	Mass Fractions (mg/kg, unless noted as %)	Al.....8.33 % ± 0.22 %	K..... 2.08 % 0.24 %	Sr ..... 118 ± 18	As..... 45.5 ± 1.7	La .....75.9 ± 3.0	Th ..... 20.22 ± 0.74	Ba ..... 416 ± 32	Mn .....1734 48	Ti .....0.880 % ± 0.046 %	Cd ..... 0.811 ± 0.076	Na..... 0.693 % ± 0.019 %	U ..... 8.99 ± 0.72	Ce ..... 125.5 ± 5.0	Pb..... 130 ± 11	V ..... 360 ± 13	Co ..... 27.70 ± 0.50	Rb..... 130 ± 11	Zn ..... 480 ± 22	Fe..... 7.38 % ± 0.32 %	Sb..... 5.62 ± 0.26		Hg ..... 0.474 ± 0.066	Sc.....25.95 ± 0.68		
Mass Fractions (mg/kg, unless noted as %)	Mass Fractions (mg/kg, unless noted as %)	Mass Fractions (mg/kg, unless noted as %)																											
Al.....8.33 % ± 0.22 %	K..... 2.08 % 0.24 %	Sr ..... 118 ± 18																											
As..... 45.5 ± 1.7	La .....75.9 ± 3.0	Th ..... 20.22 ± 0.74																											
Ba ..... 416 ± 32	Mn .....1734 48	Ti .....0.880 % ± 0.046 %																											
Cd ..... 0.811 ± 0.076	Na..... 0.693 % ± 0.019 %	U ..... 8.99 ± 0.72																											
Ce ..... 125.5 ± 5.0	Pb..... 130 ± 11	V ..... 360 ± 13																											
Co ..... 27.70 ± 0.50	Rb..... 130 ± 11	Zn ..... 480 ± 22																											
Fe..... 7.38 % ± 0.32 %	Sb..... 5.62 ± 0.26																												
Hg ..... 0.474 ± 0.066	Sc.....25.95 ± 0.68																												
	Reference and information values for for selected elements																												
NCS DC74301	Marine sediment - Trace elements and oxides Certified values	50 g																											
	SiO <sub>2</sub> ..... 53.86 ± 0.06 %      Co.....76.7 ± 1.2 µg/g      Pr ..... 20.1 ± 1.9 µg/g Al <sub>2</sub> O <sub>3</sub> ..... 13.75 ± 0.09 %      Cr .....58.4 ± 1.3 µg/g      Rb ..... 97.3 ± 2.6 µg/g Fe <sub>2</sub> O <sub>3</sub> (T)..... 6.58 ± 0.07 %      Cs.....9.4 ± 0.7 µg/g      Sb ..... 1.85 ± 0.35 µg/g TiO <sub>2</sub> ..... 0.67 ± 0.01 %      Cu.....424 ± 8 µg/g      Sc..... 25.6 ± 2.9 µg/g P <sub>2</sub> O <sub>5</sub> ..... 0.45 ± 0.01 %      Dy..... 19.9 ± 1.8 µg/g      Sm ..... 21.5 ± 1.3 µg/g MnO ..... 0.43 ± 0.01 %      Er..... 11.0 ± 0.7 µg/g      Sr ..... 267 ± 15 µg/g MgO ..... 3.38 ± 0.05 %      Eu..... 5.3 ± 0.3 µg/g      Tb..... 3.4 ± 0.3 µg/g CaO ..... 1.71 ± 0.03 %      Ga ..... 23.7 ± 1.7 µg/g      Th ..... 13.9 ± 1.1 µg/g Na <sub>2</sub> O ..... 4.81 ± 0.05 %      Gd ..... 22.0 ± 1.2 µg/g      Tm ..... 1.54 ± 0.14 µg/g K <sub>2</sub> O ..... 2.95 ± 0.05 %      Ho..... 4.3 ± 0.2 µg/g      U ..... 1.98 ± 0.47 µg/g Ba ..... 0.44 ± 0.02 %      La .....67.8 ± 2.9 µg/g      V ..... 112 ± 5 µg/g H <sub>2</sub> O <sup>+</sup> ..... 5.39 ± 0.15 %      Li .....60.0 ± 1.5 µg/g      W ..... 5.5 ± 0.6 µg/g S ..... 0.31 ± 0.02 %      Lu .....1.46 ± 0.19 µg/g      Y ..... 104 ± 5 µg/g Cl ..... 4.07 ± 0.04 %      Mo ..... 7.2 ± 0.5 µg/g      Yb ..... 9.8 ± 1.1 µg/g As..... 5.8 ± 0.8 µg/g      Nd.....91.8 ± 3.9 µg/g      Zn ..... 160 ± 3 µg/g B ..... 125 ± 9 µg/g      Ni.....150 ± 4 µg/g      Zr ..... 177 ± 10 µg/g Ce ..... 92 ± 8 µg/g      Pb.....29.3 ± 1.1 µg/g																												
	Indicative values for FeO, Org. C, CO <sub>2</sub> , F, L .O.I., Salt, Nb																												
NCS DC75301	Offshore marine sediment - Trace elements and oxides Certified values	75 g																											
	Cu ..... 31 µg/g      Ni.....34.3 µg/g      MgO ..... 2.50 % Pb ..... 25 µg/g      Co.....14.2 µg/g      K <sub>2</sub> O ..... 2.48 % Zn ..... 87 µg/g      Sr.....150 µg/g      Na <sub>2</sub> O ..... 1.68 % Cd ..... 0.20 µg/g      Ba .....425 µg/g      TiO <sub>2</sub> ..... 0.825 % Cr ..... 86 µg/g      SiO <sub>2</sub> .....61.91 %      P <sub>2</sub> O <sub>5</sub> ..... 0.148 % As..... 10. 3 µg/g      Al <sub>2</sub> O <sub>3</sub> ..... 13. Jul %      MnO ..... 0.096 % Hg ..... 0.048 µg/g      Fe <sub>2</sub> O <sub>3</sub> (T).....5.36 %      Org.C ..... 0.50 % Se ..... 0.16 µg/g      CaO.....4.31 %      CO <sub>3</sub> <sup>2-</sup> ..... 4.70 %																												
	Indicative values for Ga, Mo, B, Zr , La, Ce, Nd, Sm, Eu, Tb, Ho, Yb, Lu, Y, Pr, Gd, Dy, Er, Tm, Rb, Sc, Th, V, Nb, Ta, Hf, Cs, W, Sb, U																												

## Sediments

Code	Product	Unit
<b>New</b> NIM-GBW07315	Offshore marine sediment - Trace elements and oxides	50 g
	Certified values	
SiO <sub>2</sub> .....	51.1 %	Br.....145 µg/g
Al <sub>2</sub> O <sub>3</sub> .....	11.41 %	Ce.....82 µg/g
Fe <sub>2</sub> O <sub>3</sub> (T).....	5.93 %	Co.....81 µg/g
FeO.....	-0.3 %	Cr.....59 µg/g
MnO.....	0.59 %	Cs.....6.8 µg/g
MgO.....	3.02 %	Cu.....357 µg/g
CaO.....	5.74 %	Dy.....17 µg/g
Na <sub>2</sub> O.....	4.43 %	Er.....9.8 µg/g
K <sub>2</sub> O.....	2.32 %	Eu.....4.5 µg/g
TiO <sub>2</sub> .....	0.61 %	Ga.....18 µg/g
P <sub>2</sub> O <sub>5</sub> .....	0.48 %	Gd.....18 µg/g
H <sub>2</sub> O <sup>+</sup> .....	-5.8 %	Hf.....3.6 µg/g
CO <sub>2</sub> .....	3.6 %	Hg.....0.95 µg/g
Cl.....	3.9 %	Ho.....3.6 µg/g
F.....	0.11 µg/g	La.....62 µg/g
As.....	7.1 µg/g	Li.....51 µg/g
B.....	125 µg/g	Lu.....1.3 µg/g
Ba.....	0.31 µg/g	Mo.....14 µg/g
Be.....	1.9 µg/g	Nb.....11 µg/g
Bi.....	0.9 µg/g	Nd.....75 µg/g
		Ni.....167 µg/g
		Pb.....37 µg/g
		Pr.....17 µg/g
		Rb.....73 µg/g
		Sb.....2 µg/g
		Sc.....23 µg/g
		Sm.....18 µg/g
		Sr.....298 µg/g
		Ta.....-0.6 µg/g
		Tb.....3.1 µg/g
		Th.....11 µg/g
		Tm.....1.4 µg/g
		U.....1.9 µg/g
		V.....101 µg/g
		W.....5.3 µg/g
		Y.....98 µg/g
		Yb.....8.9 µg/g
		Zn.....137 µg/g
		Zr.....140 µg/g
NCS DC75305	Offshore marine sediment - Trace elements and oxides	50 g
	Certified values	
SiO <sub>2</sub> .....	31.6 %	Br.....125 µg/g
Al <sub>2</sub> O <sub>3</sub> .....	7.7 %	Ce.....55 µg/g
Fe <sub>2</sub> O <sub>3</sub> (t).....	3.81 %	Co.....53 µg/g
MnO.....	0.4 %	Cr.....38 µg/g
MgO.....	2.04 %	Cs.....4.5 µg/g
CaO.....	22.6 %	Cu.....231 µg/g
Na <sub>2</sub> O.....	3.75 %	Dy.....11 µg/g
K <sub>2</sub> O.....	1.61 %	Er.....6.3 µg/g
TiO <sub>2</sub> .....	0.39 %	Eu.....3 µg/g
P <sub>2</sub> O <sub>5</sub> .....	0.33 %	Ga.....12 µg/g
H <sub>2</sub> O <sup>+</sup> .....	-4 %	Gd.....12 µg/g
CO <sub>2</sub> .....	17.3 %	Hf.....2.3 µg/g
Cl.....	3.5 %	Hg.....0.13 µg/g
F.....	0.08 µg/g	Ho.....2.4 µg/g
As.....	4.6 µg/g	La.....44 µg/g
B.....	84 µg/g	Li.....35 µg/g
Ba.....	0.25 µg/g	Lu.....0.89 µg/g
Be.....	1.5 µg/g	Mo.....5.7 µg/g
Bi.....	0.57 µg/g	Nb.....6.9 µg/g
		Nd.....51 µg/g
		Ni.....108 µg/g
		Pb.....22 µg/g
		Pr.....12 µg/g
		Rb.....50 µg/g
		Sb.....1.3 µg/g
		Sc.....15 µg/g
		Sm.....12 µg/g
		Sr.....667 µg/g
		Tb.....2 µg/g
		Th.....7 µg/g
		Tm.....0.96 µg/g
		U.....1.1 µg/g
		V.....69 µg/g
		W.....4.1 µg/g
		Y.....69 µg/g
		Yb.....5.8 µg/g
		Zn.....142 µg/g
		Zr.....94 µg/g
NRCMESS-3	Estuarine sediment - Trace elements	50 g
	Collected from the Beaufort Sea, Canada	
	Certified values	
Ag.....	0.18 mg/kg	Cu.....33.9 mg/kg
Al.....	8.59	Fe.....4.34 %
As.....	21.2 mg/kg	Hg.....0.091 mg/kg
Be.....	2.30 mg/kg	Li.....73.6 mg/kg
Ca.....	1.47 %	Mn.....324 mg/kg
Cd.....	0.24 mg/kg	Mo.....2.78 mg/kg
Co.....	14.4 mg/kg	Ni.....46.9 mg/kg
Cr.....	105 mg/kg	Pb.....21.1 mg/kg
		Sb.....1.02 mg/kg
		Se.....0.72 mg/kg
		Sn.....2.50 mg/kg
		Sr.....129 mg/kg
		Ti.....0.44 %
		Tl.....0.90 mg/kg
		V.....243 mg/kg
		Zn.....159 mg/kg
	Indicative values for C, K, Mg, Na, P, S, Si, U	
NRCPACS-2	Harbour sediment - Trace elements and organotin compounds	65 g
	Collected from Esquimalt Harbour in British Columbia, Canada	
	Certified values	
Ag.....	1.22 mg/kg	Hg.....3.04 mg/kg
Al.....	6.62 %	K.....1.24 %
As.....	26.2 mg/kg	Li.....32.2 mg/kg
Be.....	1.0 mg/kg	Mg.....1.47 %
Ca.....	1.96 %	Mn.....440 mg/kg
Cd.....	2.11 mg/kg	Mo.....5.43 mg/kg
Co.....	11.5 mg/kg	Na.....3.45 %
Cr.....	90.7 mg/kg	Ni.....39.5 mg/kg
Cu.....	310 mg/kg	P.....0.096 %
Fe.....	4.09 %	S.....1.29 %
		Pb.....183 mg/kg
		Sb.....11.3 mg/kg
		Se.....0.92 mg/kg
		Sn.....19.8 mg/kg
		Sr.....276 mg/kg
		Ti.....0.443 %
		V.....133 mg/kg
		Zn.....364 mg/kg
		TBT(as Sn).....0.89 mg/kg
		DBT(as Sn).....1.05 mg/kg
	Indicative values for C, Cl, Si, Ti, U, MBT (as Sn)	
NRCHISS-1	Sandy sediment - Trace elements	100 g
	Certified values	
Ag.....	0.016 mg/kg	Cu.....2.29 mg/kg
Al.....	0.73 %	Fe.....0.246 %
As.....	0.801 mg/kg	K.....0.332 %
Be.....	0.129 mg/kg	Li.....2.83 mg/kg
Ca.....	1.14 %	Mg.....0.075 %
Cd.....	0.024 mg/kg	Mn.....66.1 mg/kg
Cr.....	30.0 mg/kg	Na.....0.373 %
		Ni.....2.16 mg/kg
		Pb.....3.13 mg/kg
		Se.....0.050 mg/kg
		Sr.....96.9 mg/kg
		Ti.....0.076 %
		V.....6.80 mg/kg
		Zn.....4.94 mg/kg
	Indicative values for Co, Hg, Mo, Ti, Sb, Sn, U, V	

Code	Product	Unit
NRCHIPA-1	Marine sediment - Tributyltin Certified value Tributyltin ..... 78 ± 9 ng/g (as Sn)	25 g
NRCSOPH-1	Marine sediment - Dibutyltin and Tributyltin Certified value Dibutyltin ..... 174 ± 9 ng/g (as Sn)      Tributyltin ..... 125 ± 7 ng/g (as Sn)	12 g
<b>New</b> RTC-CRM361-100	Sea sediment - Total petroleum hydrocarbons (TPH) Certified value Lot 011244 TPH (Diesel range organics) ..... 694.99 mg/kg	100 g
NWTH-1	Harbour sediment - Trace elements Collected from Toronto Harbour, Canada, in 1981, contains high levels of lead Al..... 55597 µg/g      Cu..... 103 µg/g      Pb ..... 257 µg/g As..... 9.59 µg/g*      Fe ..... 35032 µg/g      Se ..... 0.911 µg/g* Cd ..... 5.41 µg/g*      Hg..... 0.440 µg/g*      Tl..... 0.623 µg/g* Cr..... 125 µg/g      Mn ..... 583 µg/g      V ..... 89.2 µg/g Co ..... 15.6 µg/g*      Ni..... 45.5 µg/g      Zn..... 1527 µg/g * non-certified values	100 g
NWTH-2	Harbour sediment - Trace metals Collected from Toronto Harbour, Canada, in 1981, contains high levels of lead Ag ..... 5.47 µg/g*      Fe ..... 35361 µg/g      Rb ..... 94.0 µg/g* Al..... 64799 µg/g      Ga ..... 17.3 µg/g*      Sb ..... 3.22 µg/g* As..... 8.70 µg/g*      Hg..... 0.620 µg/g      Sc ..... 13.5 µg/g* B ..... 84.0 µg/g*      K..... 22313 µg/g*      Se ..... 0.825 µg/g Ba ..... 573 µg/g*      La ..... 33.0 µg/g*      Sn ..... 10.77 µg/g* Be ..... 2.11 µg/g*      Li ..... 35.1 µg/g*      Sr ..... 273 µg/g* Bi..... 6.27 µg/g*      Mg ..... 15846 µg/g*      Ti..... 3015 µg/g* Ca ..... 77806 µg/g*      Mn ..... 584 µg/g      Tl..... 0.663 µg/g* Cd ..... 5.22 µg/g      Mo ..... 1.18 µg/g*      U ..... 2.08 µg/g* Ce ..... 73.9 µg/g*      Na ..... 10956 µg/g*      V ..... 89.2 µg/g Cr ..... 123 µg/g      Nb..... 8.82 µg/g*      W ..... 1.33 µg/g* Co ..... 15.7 µg/g      Ni ..... 43.0 µg/g      Y ..... 25.1 µg/g* Cs ..... 3.73 µg/g*      P ..... 1832 µg/g*      Zn..... 908 µg/g Cu ..... 124 µg/g      Pb..... 194 µg/g *non-certified values Information values for recoverable and leachable element concentrations	100 g
IAEA-384	Fangataufa sediment - Radioactive isotopes The sediment was collected in Fangataufa Lagoon (French Polynesia), where nuclear weapon testing had been carried out Certified values <sup>40</sup> K..... 6.8 Bq/kg <sup>230</sup> Th ..... 2.50 Bq/kg <sup>239+240</sup> Pu ..... 107 Bq/kg <sup>60</sup> Co..... 2.50 Bq/kg <sup>238</sup> U ..... 35.5 Bq/kg <sup>241</sup> Am* ..... 7.1 Bq/kg <sup>155</sup> Eu ..... 7.0 Bq/kg <sup>238</sup> Pu ..... 39.0 Bq/kg *The values should be corrected for in-growth from <sup>241</sup> Pu	250 g
IAEA-159	Sediment - Organic contaminants Samples were collected in Kilbrannan Sound, in the river Clyde's estuary, Scotland. Recommended values p,p' DDE ..... 0.89 ± 0.50 ng/g      Naphthalene..... 23 ± 13 ng/g p,p' DDD ..... 0.82 ± 0.58 ng/g      1-Methylnaphthalene..... 20 ± 10 ng/g o,p' DDD ..... 0.39 ± 0.22 ng/g      2-Methylnaphthalene..... 30 ± 19 ng/g Heptachlor ..... 0.31 ± 0.21 ng/g      Phenanthrene ..... 59 ± 29 ng/g Dieldrin..... 0.48 ± 0.37 ng/g      1-methyl phenanthrene ..... 20 ± 9.6 ng/g Aroclor 1260 ..... 5.54 ± 3.31 ng/g      Anthracene..... 11 ± 5.1 ng/g PCB 18 ..... 0.74 ± 0.53 ng/g      Chrysene..... 58 ± 26 ng/g PCB 28 ..... 0.57 ± 0.28 ng/g      Fluorene ..... 13 ± 7.7 ng/g PCB 44 ..... 0.35 ± 0.14 ng/g      Fluoranthene..... 110 ± 32 ng/g PCB 52 ..... 0.67 ± 0.25 ng/g      Pyrene..... 100 ± 38 ng/g PCB 66 ..... 0.41 ± 0.07 ng/g      Benzo[b]fluoranthene..... 100 ± 42 ng/g PCB 101 ..... 0.52 ± 0.16 ng/g      Benzo[k]fluoranthene..... 49 ± 14 ng/g PCB 118 ..... 0.52 ± 0.21 ng/g      Benz[a]anthracene..... 54 ± 20 ng/g PCB 138 ..... 0.60 ± 0.31 ng/g      Perylene ..... 27 ± 11 ng/g PCB 149 ..... 0.52 ± 0.14 ng/g      Benzo[e]pyrene ..... 82 ± 8.2 ng/g PCB 153 ..... 0.56 ± 0.09 ng/g      Benzo[a]pyrene ..... 58 ± 26 ng/g PCB 170 ..... 0.15 ± 0.04 ng/g      Benzo[g,h,i]perylene ..... 95 ± 45 ng/g PCB 180 ..... 0.26 ± 0.10 ng/g      Indeno[1,2,3-cd]pyrene ..... 120 ± 34 ng/g PCB 194 ..... 0.09 ± 0.04 ng/g      Dibenz[a,h]anthracene ..... 25 ± 14 ng/g n-C17 ..... 105 ± 56 ng/g      Acenaphthylene ..... 6.4 ± 5.4 ng/g Pristane..... 120 ± 53 ng/g      Acenaphthene ..... 6.0 ± 4.0 ng/g Phytane..... 81 ± 53 ng/g      Dibenzothiophene ..... 6.5 ± 2.8 ng/g Indicative values for chlorinated pesticides, PCBs and petroleum hydrocarbons.	45 g

## Sediments

Code	Product	Unit
IAEA-417	Sediment - Organic contaminants Collected from the Venice Lagoon, Italy	40 g
	Recommended values	
	gamma-HCH (Lindane)..... 0.54 ± 0.35 ng/g	PCB 194..... 2.7 ± 1.3 ng/g
	p,p' DDE ..... 14 ± 6.9 ng/g	PCB 195..... 1.2 ± 0.53 ng/g
	p,p' DDD ..... 21 ± 11 ng/g	PCB 206..... 1.8 ± 0.96 ng/g
	trans-Nonachlor ..... 0.32 ± 0.19 ng/g	PCB 209..... 1.2 0.7 ng/g
	PCB 28 ..... 5.7 ± 2.8 ng/g	n - C 17 ..... 200 ± 140 ng/g
	PCB 31 ..... 4.1 ± 1.5 ng/g	Phenanthrene..... 3900 ± 1500 ng/g
	PCB 44 ..... 9.7 ± 4.6 ng/g	1-Methylphenanthrene ..... 320 ± 150 ng/g
	PCB 49 ..... 7.8 ± 2.9 ng/g	Anthracene..... 630 ± 240 ng/g
	PCB 52 ..... 17 ± 7.9 ng/g	Chrysene..... 3600 ± 1700 ng/g
	PCB 74 ..... 5.1 ± 2.1 ng/g	Fluorene ..... 230 ± 110 ng/g
	PCB 87 ..... 19 ± 6.0 ng/g	Fluoranthene..... 7700 ± 3000 ng/g
	PCB 99 ..... 19 ± 7.8 ng/g	Pyrene..... 6000 ± 2200 ng/g
	PCB 101 ..... 42 ± 15 ng/g	Benzo[b]fluoranthene ..... 4100 ± 2000 ng/g
	PCB 105 ..... 22 ± 4.5 ng/g	Benzo[k]fluoranthene ..... 2000 ± 300 ng/g
	PCB 110 ..... 42 ± 15 ng/g	Benzo[a]anthracene ..... 3200 ± 1200 ng/g
	PCB 128 ..... 12 ± 4.2 ng/g	Perylene ..... 1200 ± 460 ng/g
	PCB 138 ..... 45 ± 22 ng/g	Benzo[e]pyrene ..... 3000 ± 830 ng/g
	PCB 149 ..... 25 ± 11 ng/g	Benzo[a]pyrene ..... 2800 ± 1200 ng/g
	PCB 156 ..... 5.9 ± 1.2 ng/g	Benzo[ghi]perylene ..... 2300 ± 1300 ng/g
	PCB 170 ..... 8.1 ± 4.3 ng/g	Indeno[123cd]pyrene..... 2700 ± 370 ng/g
	PCB 174 ..... 3.1 ± 0.97 ng/g	Acenaphthylene ..... 42 ± 35 ng/g
	PCB 177 ..... 1.8 ± 0.61 ng/g	Acenaphthene ..... 180 ± 62 ng/g
	PCB 183 ..... 3.4 ± 1.4 ng/g	Dibenzothiophene ..... 280 ± 16ng/g
	PCB 187 ..... 8.1 ± 3.3 ng/g	

Indicative values for chlorinated pesticides, PCBs and petroleum hydrocarbons.

### WEPAL sediment reference materials

The Wageningen Evaluating Programmes for Analytical Laboratories (WEPAL) runs international sample exchange programmes for continuous quality control of analytical data as produced by chemical laboratories. There are almost 700 laboratories who take part in one or more of WEPAL's regular ring-tests programmes.

The WEPAL sediment reference samples are supplied with certificates including consensus values, indicative values and values for information, based on the results of the proficiency programme.

The certificates are available on request.

<b>New</b>	WEPAL-SETOC-701	Riverclay - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-704	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-705	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-707	Marine sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-708	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-713	Marine sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-716	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-717	Marine sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-724	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-725	Soil cont, industrial area - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-728	Sandy soil - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-731	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-733	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-734	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-735	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-738	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-741	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-742	Clay soil - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-743	Soil from industrial area - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-745	Channel sludge - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-747	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-748	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b>	WEPAL-SETOC-749	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g

Code	Product	Unit
<b>New</b> WEPAL-SETOC-755	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	75 g
<b>New</b> WEPAL-SETOC-756	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b> WEPAL-SETOC-757	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b> WEPAL-SETOC-760	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b> WEPAL-SETOC-766	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b> WEPAL-SETOC-769	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g
<b>New</b> WEPAL-SETOC-770	Sediment - Organic compounds, inorganic composition (please ask for detailed information)	150 g

## Soils

Code	Product	Unit
BCR-142R	Light sandy soil - Trace elements Certified values Cd ..... 0.34 mg/kg      Hg.....0.067 mg/kg      Pb ..... 40.2 mg/kg Co ..... 12.1 mg/kg      Mn .....970 mg/kg Cu ..... 69.7 mg/kg      Ni.....64.5 mg/kg Indicative values for Cr, Zn <u>Aqua regia soluble content</u> Certified values Cd ..... 0.25 mg/kg      Pb.....25.7 mg/kg Ni ..... 61.1 mg/kg      Zn .....93.3 mg/kg Indicative values for Co, Cr, Cu, Mn	40 g
ERM-CC690	Calcareous soil - Trace elements Certified values Ce ..... 49.1 mg/kg      Nd.....19.1 mg/kg      Th..... 7.64 mg/kg Dy ..... 2.90 mg/kg      Sc.....7.81 mg/kg      Tm ..... 0.232 mg/kg Gd ..... 3.25 mg/kg      Sm.....3.50 mg/kg      U ..... 1.90 mg/kg La ..... 24.4 mg/kg      Tb .....0.503 mg/kg      Yb ..... 1.57 mg/kg Indicative values for: As, Au, Co, Cr, Cs, Cu, Er, Eu, Fe, Hf, Ho, Lu, Ni, Pb, Pr, Sb, Ta, W, Y and Zn	70 g
<b>New</b> ERM-CC141	Loam soil - Trace elements Certified values Total content As.....9.9 ± 1.5 mg/kg      Cr .....86 ± 8 mg/kg      Ni ..... 26.4 ± 2.4 mg/kg Cd ..... 0.35 ± 0.05 mg/kg      Cu.....14.4 ± 1.4 mg/kg      Pb ..... 41 ± 4 mg/kg Co ..... 8.5 ± 0.5 mg/kg      Mn .....464 ± 18 mg/kg      Zn..... 57 ± 4 mg/kg Aqua regia extractable content according to ISO 11466 As..... 7.5 ± 1.4 mg/kg      Cr .....31 ± 4 mg/kg      Ni ..... 21.9 ± 1.6 mg/kg Cd ..... 0.25 ± 0.04 mg/kg      Cu.....12.4 ± 0.9 mg/kg      Pb ..... 32.2 ± 1.4 mg/kg Co ..... 7.9 ± 0.9 mg/kg      Mn .....387 ± 17 mg/kg      Zn..... 50 ± 4 mg/kg	24 g
BCR-700	Organic rich soil - Extractable trace elements Certified values <u>EDTA</u> Cd ..... 65.2 mg/kg      Cu.....89.4 mg/kg      Pb ..... 103 mg/kg Cr ..... 10.1 mg/kg      Ni.....53.2 mg/kg      Zn..... 510 mg/kg <u>Acetic acid</u> Cd ..... 67.5 mg/kg      Cu.....36.3 mg/kg      Pb ..... 4.85 mg/kg Cr ..... 19 mg/kg      Ni.....99 mg/kg      Zn..... 719 mg/kg	40 g

### EUROSOILS

The environmental fate of a chemical substance that is deliberately or accidentally distributed in the environment can only be understood if one studies its possible interaction with the various environmental compartments. In this context the processes related to soil are of particular importance and as a consequence producers of chemicals are nowadays obliged to access the interaction of a given chemical product with soils (EU Directive 67/548/EEC and amendments). To achieve a better comparability of data the European Commission's IRMM has released the world's first Certified Reference Materials (IRMM-443) for soil adsorption testing of chemical substances according to the OECD Testguideline 106. Six EU-representative soils have been selected and their adsorption coefficients for three reference substances (Atrazine, 2,4-D and Lindane) have been certified. Furthermore, the soil-pH according to the respective ISO-standards in aqueous solution and in 0.01 M calcium chloride have been certified, too. Additional information on other pedological parameters (CEC, organic carbon content, Total N and C), matrix constituents and background pollution makes IRMM-443 one the best characterised reference soil sets on a global level.



## Soils

Code	Product	Unit		
IRMM-443-1	<b>EUROSOIL 1</b>	200 g		
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Atrazine <sup>(1)</sup> .....	7.0	1/n of 2,4-D <sup>(1)</sup> .....	0.9
	1/n of Atrazine <sup>(1)</sup> .....	0.91	pH in Water <sup>(2)</sup> .....	6.21
	K <sub>f</sub> of 2,4-D <sup>(1)</sup> .....	2.5	pH in 0.01M CaCl <sub>2</sub> <sup>(2)</sup> .....	5.65
	Non-certified indicative values			
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Lindane <sup>(1)</sup> .....	68	Organic carbon content.....	32.7 g/kg
	1/n of Lindane <sup>(1)</sup> .....	0.9	Total nitrogen content.....	3.4 g/kg
	Total carbon content.....	33.9 g/kg		
<sup>(1)</sup> Determination according OECD Test guideline 106				
<sup>(2)</sup> Measurement based on ISO Standard 10390				
IRMM-443-2	<b>EUROSOIL 2</b>	200 g		
	Certified values			
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Atrazine <sup>(1)</sup> .....	2.7	K <sub>f</sub> of Lindane <sup>(1)</sup> .....	48
	1/n of Atrazine <sup>(1)</sup> .....	0.93	1/n of Lindane <sup>(1)</sup> .....	0.98
	K <sub>f</sub> of 2,4-D <sup>(1)</sup> .....	0.99	pH in Water <sup>(2)</sup> .....	8.1
	1/n of 2,4-D <sup>(1)</sup> .....	0.96	pH in 0.01M CaCl <sub>2</sub> <sup>(2)</sup> .....	7.5
	Non-certified indicative values			
	Parameter	Value	Parameter	Value
	Total carbon content.....	108.1 g/kg	Total nitrogen content.....	2.5 g/kg
Organic carbon content.....	37.2 g/kg			
<sup>(1)</sup> Determination according OECD Test guideline 106				
<sup>(2)</sup> Measurement based on ISO 10390				
IRMM-443-3	<b>EUROSOIL 3</b>	200 g		
	Certified values			
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Atrazine <sup>(1)</sup> .....	2.4	1/n of 2,4-D <sup>(1)</sup> .....	0.93
	1/n of Atrazine <sup>(1)</sup> .....	0.91	pH in Water <sup>(2)</sup> .....	6.2
	K <sub>f</sub> of 2,4-D <sup>(1)</sup> .....	1.31	pH in 0.01M CaCl <sub>2</sub> <sup>(2)</sup> .....	5.5
	Non-certified indicative values			
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Lindane <sup>(1)</sup> .....	36	Organic carbon content.....	30.1 g/kg
	1/n of Lindane <sup>(1)</sup> .....	1.0	Total nitrogen content.....	3.1 g/kg
Total carbon content.....	32.5 g/kg			
<sup>(1)</sup> Determination according OECD Test guideline 106				
<sup>(2)</sup> Measurement based on ISO 10390				
IRMM-443-4	<b>EUROSOIL 4</b>	200 g		
	Certified values			
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Atrazine <sup>(1)</sup> .....	0.7	K <sub>f</sub> of Lindane <sup>(1)</sup> .....	8.3
	1/n of Atrazine <sup>(1)</sup> .....	0.87	1/n of Lindane <sup>(1)</sup> .....	0.96
	K <sub>f</sub> of 2,4-D <sup>(1)</sup> .....	0.39	pH in Water <sup>(2)</sup> .....	7.5
	1/n of 2,4-D <sup>(1)</sup> .....	0.86	pH in 0.01M CaCl <sub>2</sub> <sup>(2)</sup> .....	6.8
	Non-certified indicative values			
	Parameter	Value	Parameter	Value
	Total carbon content.....	14.5 g/kg	Total nitrogen content.....	1.6 g/kg
Organic carbon content.....	13.1 g/kg			
<sup>(1)</sup> Determination according OECD Test guideline 106				
<sup>(2)</sup> Measurement based on ISO 10390				
IRMM-443-5	<b>EUROSOIL 5</b>	200 g		
	Certified values			
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Atrazine <sup>(1)</sup> .....	13	1/n of 2,4-D <sup>(1)</sup> .....	0.9
	1/n of Atrazine <sup>(1)</sup> .....	0.9	pH in Water <sup>(2)</sup> .....	4.1
	K <sub>f</sub> of 2,4-D <sup>(1)</sup> .....	18	pH in 0.01M CaCl <sub>2</sub> <sup>(2)</sup> .....	3.1
	Non-certified indicative values			
	Parameter	Value	Parameter	Value
	K <sub>f</sub> of Lindane <sup>(1)</sup> .....	99	Organic carbon content.....	59.6 g/kg
	1/n of Lindane <sup>(1)</sup> .....	0.9	Total nitrogen content.....	2.3 g/kg
Total carbon content.....	64.3 g/kg			
<sup>(1)</sup> Determination according OECD Test guideline 106				
<sup>(2)</sup> Measurement based on ISO 10390				



Code	Product	Unit
IRMM-443-7	<b>EUROSOIL 7</b> Certified values Parameter Value Parameter Value K <sub>f</sub> of Atrazine <sup>(1)</sup> .....4.8 1/n of 2,4-D <sup>(1)</sup> ..... 0.88 1/n of Atrazine <sup>(1)</sup> .....0.92 pH in Water <sup>(2)</sup> ..... 5.1 K <sub>f</sub> of 2,4-D <sup>(1)</sup> .....8.2 pH in 0.01M CaCl <sub>2</sub> <sup>(2)</sup> ..... 4.3 Non-certified indicative values Parameter Value Parameter Value K <sub>f</sub> of Lindane <sup>(1)</sup> .....58 Organic carbon content..... 56.2 g/kg 1/n of Lindane <sup>(1)</sup> .....0.9 Total nitrogen content..... 4.8 g/kg <sup>(1)</sup> Determination according OECD Test guideline 106 <sup>(2)</sup> Measurement based on ISO 10390	200 g
AGH S-1	<b>Polish soil</b> Collected from an agricultural region 150 km from Krakow, the soil is typical of a well used, but unpolluted, agricultural soil in central Europe. Certified values As..... 3.4 µg/g Eu.....0.6 µg/g Sb..... 0.5 µg/g Ca..... 2.6 mg/g Fe.....9.88 mg/g Sc..... 4 µg/g Cd..... 0.3 µg/g K..... 12.05 mg/g Th..... 7 µg/g Ce..... 44µg/g Mn.....266 µg/g Zn..... 35 µg/g Co..... 3.9µg/g Na.....4.44 mg/g Zr..... 620 µg/g Cr..... 38 µg/g Pb..... 15 µg/g Rb..... 52 µg/g	50 g
	<b>RTC-CLNSOIL1-5</b> These five different soil types are not contaminated and contain only what an analyst can expect to find in a "clean soil". They are well characterised for nearly every parameter of interest. These soils are useful as a base material with known characteristics that can be spiked for in-house method development and validation, method comparison or other uses.	
RTC-CLN SOIL-1-100	Clean sandy soil Please ask for details	100 g
RTC-CLN SOIL-1-250	Clean sandy soil Please ask for details	250 g
RTC-CLN SOIL-2-100	Clean clay loam Please ask for details	100 g
RTC-CLN SOIL-2-250	Clean clay loam Please ask for details	250 g
RTC-CLN SOIL-3-100	Clean sandy loam Please ask for details	100 g
RTC-CLN SOIL-3-250	Clean sandy loam Please ask for details	250 g
RTC-CLN SOIL-5-100	Clean clay Please ask for details	100 g
RTC-CLN SOIL-5-250	Clean clay Please ask for details	250 g
<b>New</b> NIST-2701	<b>Contaminated soil - Hexavalent chromium (high level)</b> Certified values Hexavalent Cr.....551.2 mg/kg ± 34.5 mg/kg Fe.....23.73 % ± 0.19 % Total Cr..... 4.26 % ± 0.12 % Mn.....0.2137 % ± 0.0014 % Indicative values for selected elements.	75 g
RTC-CRM041-030	<b>Soil - Hexavalent Chromium VI</b> Certified value Chromium VI, Cr(VI)..... 91.4 mg/Kg	
<b>New</b> NIST-2709A	<b>San Joaquin soil - Trace and constituent elements (baseline)</b> Certified values Aluminum..... 7.37 ± 0.16 % Iron.....3.36 ± 0.07 % Sodium..... 1.22 ± 0.03 % Antimony..... 1.55 ± 0.06 mg/kg Lead..... 17.3 ± 0.1 mg/kg Strontium..... 239 ± 6 mg/kg Calcium..... 1.91 ± 0.09 % Magnesium.....1.46 ± 0.02 % Titanium..... 0.336 ± 0.007 % Barium..... 979 ± 28 mg/kg Manganese..... 529 ± 18 mg/kg Vanadium..... 110 ± 11 mg/kg Cadmium..... 0.371 ± 0.002 Phosphorus.....0.0688 ± 0.0013 % Zirconium..... 195 ± 46 mg/kg Chromium..... 130 ± 9 mg/kg Potassium.....2.11 ± 0.06 % Cobalt..... 12.8 ± 0.2 mg/kg Silicon.....30.3 ± 0.4 %	50 g

# Soils

Code	Product	Unit
<b>New</b> NIST-2710A	Montana I soil - Trace and constituent elements (highly elevated) Certified values	50 g
	Aluminum.....5.95 ± 0.05 %      Iron ..... 4.32 ± 0.08 %      Silicon .....31.1 ± 0.4 % Antimony ..... 52.5 ± 1.6 mg/kg      Lanthanum .....30.6 ± 1.2 mg/kg      Sodium..... 0.894 ± 0.019 % Arsenic..... 0.154 ± 0.010 %      Lead ..... 0.552 ± 0.003 %      Strontium ..... 255 ± 7 mg/kg Barium ..... 792 ± 36 mg/kg      Magnesium..... 0.734 ± 0.038 %      Titanium .....0.311 ± 0.007 % Calcium..... 0.964 ± 0.045 %      Manganese..... 0.214 ± 0.006 %      Uranium ..... 9.11 ± 0.30 mg/kg Cadmium ..... 12.3 ± 0.3 mg/kg      Mercury.....9.88 ± 0.21 mg/kg      Zinc ..... 0.418 ± 0.015 % Cobalt ..... 5.99 ± 0.14 mg/kg      Phosphorus ..... 0.105 ± 0.004 % Copper ..... 0.342 ± 0.005 %      Potassium ..... 2.17 ± 0.13 %	
<b>New</b> NIST-2711A	Montana II Soil - Trace and constituent elements (mod. elevated) This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use in the analysis of soils, sediments, or other materials of a similar matrix. One unit of NIST-2711a consists of 50 g of the dried, powdered soil.	50 g
	Al.....6.72 ± 0.06 %      Hg.....7.42 ± 0.18 mg/kg      Sb ..... 23.8 ± 1.4 mg/kg As..... 107 ± 5 mg/kg      K ..... 2.53 ± 0.10 %      Si..... 31.4 ± 0.7 % Ba ..... 730 ± 15 mg/kg      Mg ..... 1.07 ± 0.06 %      Sr ..... 242 ± 10 mg/kg Ca ..... 2.42 ± 0.06 %      Mn ..... 675 ± 18 mg/kg      Ti..... 0.317 ± 0.008 % Ca ..... 54.1 ± 0.5 mg/kg      Na..... 1.20 ± 0.01 %      U ..... 3.01 ± 0.12 mg/kg Co ..... 9.89 ± 0.18 mg/kg      Ni..... 21.7 ± 0.7 mg/kg      V ..... 80.7 ± 5.7 mg/kg Cr ..... 52.3 ± 2.9 mg/kg      P..... 842 ± 11 mg/kg      Zn..... 414 ± 11 mg/kg Cu ..... 140 ± 2 mg/kg      Pb..... 0.140 ± 0.001 % Fe..... 2.82 ± 0.04 %      Sa..... 5.93 ± 0.28 mg/kg	
NIST-4355	Peruvian soil - Radioactivity Certified values	75 g
	<sup>241</sup> Am .....0.000004 Bq/g <sup>238</sup> Pu+ <sup>240</sup> Pu..... 0.0000076 Bq/g <sup>230</sup> Th.....0.0397 Bq/g <sup>137</sup> Cs.....0.000033 Bq/g <sup>228</sup> Th ..... 0.0422 Bq/g <sup>232</sup> Th.....0.0430 Bq/g	
IAEA-SOIL-6	Soil - Radioactive isotopes The IAEA-SOIL-6 sample was collected near Ebensee in Upper Austria at an altitude of 1100 m above sea level. Recommended values	250 g
	<sup>137</sup> Cs..... 53.65 Bq/kg <sup>226</sup> Ra..... 79.92 Bq/kg <sup>239</sup> Pu + <sup>240</sup> Pu ..... 1.04 Bq/kg <sup>90</sup> Sr ..... 30.34 Bq/kg	
<b>New</b> NIM-GBW07424	Soil - Composition including trace elements Certified values	70 g
	Ag ..... 0.083 ± 0.010 µg/g      Ho.....0.97 ± 0.04 µg/g      Ta..... 1.3 ± 0.2 µg/g As..... 8.9 ± 0.9 µg/g      I ..... 3.2 ± 0.2 µg/g      Tb..... 0.84 ± 0.05 µg/g B ..... 35 ± 3 µg/g      In ..... 0.055 ± 0.015 µg/g      Th..... 11.3 ± 0.4 µg/g Ba ..... 613 ± 12 µg/g      La ..... 35.5 ± 1.7 µg/g      Ti..... 0.427 ± 0.006 % Be ..... 2.4 ± 0.1 µg/g      Li..... 30.6 ± 1.5 µg/g      Tl..... 0.58 ± 0.05 µg/g Bi..... 0.27 ± 0.02 µg/g      Lu ..... 0.46 ± 0.03 µg/g      Tm..... 0.42 ± 0.03 µg/g Br ..... 5.8 ± 0.4 µg/g      Mn ..... 681 ± 13 µg/g      U ..... 2.25 ± 0.12 µg/g Cd ..... 0.105 ± 0.013 µg/g      Mo ..... 0.52 ± 0.04 µg/g      V ..... 74 ± 3 µg/g Ce ..... 70 ± 4 µg/g      N..... 0.126 ± 0.011 %      W ..... 1.66 ± 0.10 µg/g Cl ..... 216 ± 14 µg/g      Nb..... 16.5 ± 0.7 µg/g      Y..... 26.5 ± 0.9 µg/g Co ..... 11.7 ± 0.5 µg/g      Nd..... 32 ± 2 µg/g      Yb..... 2.81 ± 0.14 µg/g Cr ..... 58 ± 2 µg/g      Ni..... 26 ± 1 µg/g      Zn..... 60 ± 4 µg/g Cs ..... 6.5 ± 0.4 µg/g      P ..... 500 ± 27 µg/g      Zr..... 350 ± 12 µg/g Cu ..... 19 ± 1 µg/g      Pb..... 22 ± 2 µg/g      SiO <sub>2</sub> ..... 65.50 ± 0.12 % Dy..... 4.7 ± 0.3 µg/g      Pr..... 8.5 ± 0.5 µg/g      Al <sub>2</sub> O <sub>3</sub> ..... 13.80 ± 0.11 % Er ..... 2.75 ± 0.17 µg/g      Rb..... 108 ± 3 µg/g      Fe <sub>2</sub> O <sub>3</sub> (T) ..... 4.17 ± 0.03 % Eu ..... 1.25 ± 0.04 µg/g      S ..... 270 ± 24 µg/g      MgO ..... 1.30 ± 0.03 % F..... 452 ± 16 µg/g      Sb(DA)..... 0.68 ± 0.09 µg/g      CaO ..... 2.62 ± 0.06 % Ga ..... 18 ± 1 µg/g      Sc ..... 10.2 ± 0.3 µg/g      Na <sub>2</sub> O ..... 2.14 ± 0.06 % Gd ..... 5.2 ± 0.3 µg/g      Se ..... 0.21 ± 0.02 µg/g      K <sub>2</sub> O ..... 2.65 ± 0.05 % Ge ..... 1.31 ± 0.08 µg/g      Sm ..... 6.0 ± 0.2 µg/g      Corg. .... 1.35 ± 0.07 % Hf ..... 9.5 ± 0.7 µg/g      Sn ..... 3.4 ± 0.4 µg/g Hg ..... 0.033 ± 0.004 µg/g      Sr..... 226 ± 5 µg/g	
	Indicative values for Re, Sb, FeO, H <sub>2</sub> O <sup>+</sup> , CO <sub>2</sub> Sb(DA) is result with aqua regia digestion	

Code	Product	Unit			
<b>New</b> NIM-GBW07425	Soil - Composition including trace elements	70 g			
	Certified values				
Ag	0.098 ± 0.007 µg/g	Ho	0.89 ± 0.05 µg/g	Ta	1.05 ± 0.14 µg/g
As	7.4 ± 0.5 µg/g	I	1.6 ± 0.1 µg/g	Tb	0.76 ± 0.05 µg/g
B	36 ± 3 µg/g	In	0.047 ± 0.013 µg/g	Te	µg/g
Ba	634 ± 10 µg/g	La	34 ± 2 µg/g	Th	10.8 ± 0.6 µg/g
Be	2.25 ± 0.08 µg/g	Li	30 ± 2 µg/g	Ti	0.392 ± 0.006 %
Bi	0.28 ± 0.01 µg/g	Lu	0.41 ± 0.02 µg/g	Tl	0.62 ± 0.02 µg/g
Br	2.8 ± 0.2 µg/g	Mn	572 ± 14 µg/g	Tm	0.38 ± 0.03 µg/g
Cd	0.125 ± 0.012 µg/g	Mo	0.60 ± 0.04 µg/g	U	2.2 ± 0.1 µg/g
Ce	65 ± 3 µg/g	N	0.095 ± 0.010 %	V	74 ± 2 µg/g
Cl	98 ± 12 µg/g	Nb	13.8 ± 0.6 µg/g	W	1.65 ± 0.12 µg/g
Co	11.6 ± 0.4 µg/g	Nd	30 ± 2 µg/g	Y	23.6 ± 0.7 µg/g
Cr	59 ± 3 µg/g	Ni	25.4 ± 1.3 µg/g	Yb	2.54 ± 0.13 µg/g
Cs	6.0 ± 0.4 µg/g	P	483 ± 24 µg/g	Zn	65 ± 5 µg/g
Cu	21.4 ± 1.2 µg/g	Pb	24.7 ± 1.4 µg/g	Zr	270 ± 9 µg/g
Dy	4.2 ± 0.4 µg/g	Pr	7.9 ± 0.5 µg/g	SiO <sub>2</sub>	69.42 ± 0.28 %
Er	2.46 ± 0.07 µg/g	Rb	110 ± 4 µg/g	Al <sub>2</sub> O <sub>3</sub>	13.14 ± 0.06 %
Eu	1.18 ± 0.04 µg/g	S	217 ± 23 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	4.21 ± 0.06 %
F	425 ± 17 µg/g	Sb(DA)	0.61 ± 0.06 µg/g	MgO	1.20 ± 0.04 %
Ga	17.2 ± 1.0 µg/g	Sc	10.0 ± 0.3 µg/g	CaO	1.33 ± 0.03 %
Gd	4.7 ± 0.3 µg/g	Se	0.20 ± 0.02 µg/g	Na <sub>2</sub> O	1.98 ± 0.07 %
Ge	1.3 ± 0.1 µg/g	Sm	5.5 ± 0.2 µg/g	K <sub>2</sub> O	2.70 ± 0.04 %
Hf	7.7 ± 0.5 µg/g	Sn	3.1 ± 0.4 µg/g	Corg.	1.07 ± 0.06 %
Hg	0.060 ± 0.009 µg/g	Sr	182 ± 5 µg/g		
	Indicative values for Sb, FeO, H <sub>2</sub> O <sup>+</sup> , CO <sub>2</sub>				
	Sb(DA) is result with aqua regia digestion				

Code	Product	Unit			
<b>New</b> NIM-GBW07426	Soil - Composition including trace elements	70 g			
	Certified values				
Ag	0.078 ± 0.007 µg/g	I	1.4 ± 0.2 µg/g	Tb	0.84 ± 0.06 µg/g
As	12.2 ± 0.8 µg/g	In	0.058 ± 0.007 µg/g	Th	10 ± 1 µg/g
B	55 ± 5 µg/g	La	29 ± 2 µg/g	Ti	0.392 ± 0.007 %
Ba	492 ± 20 µg/g	Li	36 ± 2 µg/g	Tl	0.51 ± 0.04 µg/g
Be	2.04 ± 0.06 µg/g	Lu	0.46 ± 0.02 µg/g	Tm	0.44 ± 0.05 µg/g
Bi	0.30 ± 0.02 µg/g	Mn	774 ± 19 µg/g	U	2.4 ± 0.2 µg/g
Br	2.1 ± 0.3 µg/g	Mo	0.96 ± 0.06 µg/g	V	86 ± 4 µg/g
Cd	0.15 ± 0.02 µg/g	N	0.055 ± 0.006 %	W	1.64 ± 0.10 µg/g
Ce	57 ± 2 µg/g	Nb	12 ± 1 µg/g	Y	26.4 ± 0.9 µg/g
Co	12.6 ± 0.3 µg/g	Nd	27.9 ± 1.2 µg/g	Yb	2.9 ± 0.2 µg/g
Cr	59 ± 2 µg/g	Ni	32 ± 1 µg/g	Zn	78 ± 5 µg/g
Cs	7.2 ± 0.4 µg/g	P	708 ± 9 µg/g	Zr	195 ± 7 µg/g
Cu	29 ± 1 µg/g	Pb	19 ± 2 µg/g	SiO <sub>2</sub>	60.0 ± 0.3 %
Dy	4.9 ± 0.3 µg/g	Pr	7.0 ± 0.4 µg/g	Al <sub>2</sub> O <sub>3</sub>	13.27 ± 0.11 %
Er	2.9 ± 0.2 µg/g	Rb	94 ± 3 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	4.71 ± 0.04 %
Eu	1.22 ± 0.04 µg/g	S	154 ± 15 µg/g	FeO	1.39 ± 0.07 %
F	592 ± 45 µg/g	Sb(DA)	1.05 ± 0.07 µg/g	MgO	2.43 ± 0.07 %
Ga	16.8 ± 0.5 µg/g	Sc	12.6 ± 0.4 µg/g	CaO	5.83 ± 0.06 %
Gd	5.1 ± 0.3 µg/g	Se	0.16 ± 0.02 µg/g	Na <sub>2</sub> O	2.00 ± 0.06 %
Ge	1.3 ± 0.1 µg/g	Sm	5.6 ± 0.4 µg/g	K <sub>2</sub> O	2.62 ± 0.05 %
Hf	5.5 ± 0.4 µg/g	Sn	2.8 ± 0.4 µg/g	CO <sub>2</sub>	3.9 ± 0.4 %
Hg	0.021 ± 0.005 µg/g	Sr	240 ± 5 µg/g		
Ho	1.01 ± 0.04 µg/g	Ta	0.85 ± 0.07 µg/g		
	Indicative values for Cl, Sb, H <sub>2</sub> O <sup>+</sup> , Corg.				
	Sb(DA) is result with aqua regia digestion				

Code	Product	Unit			
NCS ZC73004	Soil - Composition including trace elements	70 g			
	Certified values				
Ag	0.067 ± 0.006 µg/g	Ho	0.92 ± 0.03 µg/g	Tb	0.80 ± 0.03 µg/g
As	10.6 ± 0.8 µg/g	I	2.4 ± 0.2 µg/g	Th	11.0 ± 0.5 µg/g
B	54 ± 3 µg/g	In	0.044 ± 0.009 µg/g	Ti	0.382 ± 0.011 %
Ba	500 ± 15 µg/g	La	34 ± 2 µg/g	Tl	0.52 ± 0.05 µg/g
Be	1.90 ± 0.05 µg/g	Li	31.5 ± 1.5 µg/g	Tm	0.40 ± 0.03 µg/g
Bi	0.29 ± 0.02 µg/g	Lu	0.41 ± 0.02 µg/g	U	2.19 ± 0.12 µg/g
Br	4.0 ± 0.4 µg/g	Mn	580 ± 12 µg/g	V	74 ± 2 µg/g
Cd	0.13 ± 0.01 µg/g	Mo	0.48 ± 0.03 µg/g	W	1.6 ± 0.1 µg/g
Ce	66 ± 3 µg/g	N	0.072 ± 0.009 %	Y	24.5 ± 0.7 µg/g
Cl	80 ± 10 µg/g	Nb	14 ± 1 µg/g	Yb	2.6 ± 0.2 µg/g
Co	11.3 ± 0.5 µg/g	Nd	30 ± 2 µg/g	Zn	65 ± 3 µg/g
Cr	65 ± 2 µg/g	Ni	28.5 ± 1.2 µg/g	Zr	257 ± 9 µg/g
Cs	6.0 ± 0.4 µg/g	P	833 ± 35 µg/g	SiO <sub>2</sub>	64.9 ± 0.3 %
Cu	21.6 ± 0.8 µg/g	Pb	21.6 ± 1.2 µg/g	Al <sub>2</sub> O <sub>3</sub>	11.8 ± 0.1 %
Dy	4.5 ± 0.3 µg/g	Pr	7.9 ± 0.5 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	4.11 ± 0.4 %
Er	2.57 ± 0.12 µg/g	Rb	91 ± 3 µg/g	FeO	1.25 ± 0.11 %
Eu	1.18 ± 0.05 µg/g	Sb(DA)	0.86 ± 0.06 µg/g	MgO	2.05 ± 0.04 %
F	545 ± 32 µg/g	Sc	10.5 ± 0.3 µg/g	CaO	5.0 ± 0.1 %
Ga	15.0 ± 0.4 µg/g	Se	0.16 ± 0.02 µg/g	Na <sub>2</sub> O	1.86 ± 0.07 %
Gd	4.9 ± 0.3 µg/g	Sm	5.6 ± 0.3 µg/g	K <sub>2</sub> O	2.27 ± 0.04 %
Ge	1.27 ± 0.07 µg/g	Sn	3.3 ± 0.4 µg/g	CO <sub>2</sub>	3.34 ± 0.14 %
Hf	7.0 ± 0.5 µg/g	Sr	195 ± 4 µg/g	Corg.	0.62 ± 0.08 %
Hg	0.052 ± 0.006 µg/g	Ta	1.02 ± 0.09 µg/g		
	Indicative values for S, Re, Sb, H <sub>2</sub> O				
	Sb(DA) is result with aqua regia digestion				

# Soils

Code	Product	Unit
<b>New</b> NIM-GBW07428	Soil - Composition including trace elements	70 g
Certified values		
Ag .....	0.084 ± 0.007 µg/g	Ho.....0.93 ± 0.04 µg/g
As.....	6.5 ± 1.3 µg/g	I.....0.9 ± 0.2 µg/g
B.....	46 ± 3 µg/g	In.....0.057 ± 0.006 µg/g
Ba.....	608 ± 13 µg/g	La.....41 ± 2 µg/g
Be.....	2.44 ± 0.06 µg/g	Li.....39 ± 3 µg/g
Bi.....	0.35 ± 0.02 µg/g	Lu.....0.42 ± 0.02 µg/g
Br.....	1.7 ± 0.3 µg/g	Mn.....688 ± 15 µg/g
Cd.....	0.20 ± 0.02 µg/g	Mo.....0.65 ± 0.06 µg/g
Ce.....	80 ± 2 µg/g	N.....0.081 ± 0.012 %
Cl.....	50 ± 4 µg/g	Nb.....14.4 ± 0.6 µg/g
Co.....	14.6 ± 0.7 µg/g	Nd.....36 ± 3 µg/g
Cr.....	70 ± 3 µg/g	Ni.....33 ± 2 µg/g
Cs.....	7.0 ± 0.3 µg/g	P.....730 ± 28 µg/g
Cu.....	27.4 ± 1.1 µg/g	Pb.....31 ± 1 µg/g
Dy.....	4.8 ± 0.3 µg/g	Pr.....9.2 ± 0.6 µg/g
Er.....	2.6 ± 0.3 µg/g	Rb.....108 ± 4 µg/g
Eu.....	1.36 ± 0.06 µg/g	S.....173 ± 21 µg/g
F.....	619 ± 39 µg/g	Sb(DA).....0.73 ± 0.08 µg/g
Ga.....	18.8 ± 0.8 µg/g	Sc.....11.7 ± 0.3 µg/g
Gd.....	5.5 ± 0.5 µg/g	Se.....0.16 ± 0.02 µg/g
Ge.....	1.42 ± 0.11 µg/g	Sm.....6.4 ± 0.3 µg/g
Hf.....	6.4 ± 0.3 µg/g	Sn.....3.1 ± 0.3 µg/g
Hg.....	0.089 ± 0.004 µg/g	Sr.....152 ± 5 µg/g
		Ta.....1.08 ± 0.09 µg/g
		Tb.....0.87 ± 0.06 µg/g
		Th.....12.7 ± 0.5 µg/g
		Ti.....0.406 ± 0.013 %
		Tl.....0.63 ± 0.03 µg/g
		Tm.....0.41 ± 0.03 µg/g
		U.....2.45 ± 0.12 µg/g
		V.....86 ± 2 µg/g
		W.....1.5 ± 0.1 µg/g
		Y.....25 ± 1 µg/g
		Yb.....2.54 ± 0.12 µg/g
		Zn.....96 ± 3 µg/g
		Zr.....227 ± 8 µg/g
		SiO <sub>2</sub> .....64.5 ± 0.4 %
		Al <sub>2</sub> O <sub>3</sub> .....14.4 ± 0.2 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....5.32 ± 0.06 %
		MgO.....1.90 ± 0.06 %
		CaO.....2.45 ± 0.05 %
		Na <sub>2</sub> O.....1.59 ± 0.07 %
		K <sub>2</sub> O.....2.46 ± 0.07 %
		Org.....0.79 ± 0.07 %
Indicative values for Sb, FeO, H <sub>2</sub> O <sup>+</sup> , CO <sub>2</sub> Sb(DA) is result with aqua regia digestion		

Code	Product	Unit
NCS ZC73006	Soil - Composition including trace elements	70 g
Certified values		
Ag .....	0.15 ± 0.02 µg/g	Ho.....1.23 ± 0.07 µg/g
As.....	21.7 ± 1.2 µg/g	I.....2.3 ± 0.2 µg/g
B.....	63 ± 2 µg/g	In.....0.145 ± 0.021 µg/g
Ba.....	716 ± 16 µg/g	La.....47 ± 2 µg/g
Be.....	2.7 ± 0.1 µg/g	Li.....44 ± 3 µg/g
Bi.....	1.16 ± 0.06 µg/g	Lu.....0.54 ± 0.02 µg/g
Br.....	2.7 ± 0.3 µg/g	Mn.....963 ± 20 µg/g
Cd.....	0.21 ± 0.02 µg/g	Mo.....0.92 ± 0.07 µg/g
Ce.....	93 ± 4 µg/g	N.....0.094 ± 0.010 %
Cl.....	83 ± 15 µg/g	Nb.....18.6 ± 1.3 µg/g
Co.....	17.6 ± 0.7 µg/g	Nd.....41 ± 2 µg/g
Cr.....	87 ± 4 µg/g	Ni.....41 ± 1 µg/g
Cs.....	8.9 ± 0.4 µg/g	P.....560 ± 18 µg/g
Cu.....	37 ± 2 µg/g	Pb.....38 ± 2 µg/g
Dy.....	6.2 ± 0.4 µg/g	Pr.....10.3 ± 0.8 µg/g
Er.....	3.4 ± 0.2 µg/g	Rb.....116 ± 3 µg/g
Eu.....	1.56 ± 0.06 µg/g	S.....176 ± 22 µg/g
F.....	652 ± 48 µg/g	Sb(DA).....1.9 ± 0.2 µg/g
Ga.....	20.5 ± 1.0 µg/g	Sc.....14.8 ± 0.5 µg/g
Gd.....	6.8 ± 0.5 µg/g	Se.....0.31 ± 0.02 µg/g
Ge.....	1.63 ± 0.08 µg/g	Sm.....7.8 ± 0.3 µg/g
Hf.....	7.6 ± 0.4 µg/g	Sn.....4.5 ± 0.5 µg/g
Hg.....	0.094 ± 0.004 µg/g	Sr.....115 ± 4 µg/g
		Ta.....1.52 ± 0.15 µg/g
		Tb.....1.08 ± 0.07 µg/g
		Th.....14.5 ± 0.8 µg/g
		Ti.....0.527 ± 0.020 %
		Tl.....0.67 ± 0.04 µg/g
		Tm.....0.53 ± 0.04 µg/g
		U.....3.0 ± 0.2 µg/g
		V.....119 ± 3 µg/g
		W.....2.8 ± 0.2 µg/g
		Y.....33 ± 2 µg/g
		Yb.....3.5 ± 0.2 µg/g
		Zn.....94 ± 4 µg/g
		Zr.....272 ± 8 µg/g
		SiO <sub>2</sub> .....63.6 ± 0.2 %
		Al <sub>2</sub> O <sub>3</sub> .....15.3 ± 0.1 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....6.44 ± 0.07 %
		FeO.....1.06 ± 0.15 %
		MgO.....1.80 ± 0.06 %
		CaO.....1.53 ± 0.04 %
		Na <sub>2</sub> O.....1.26 ± 0.05 %
		K <sub>2</sub> O.....2.36 ± 0.04 %
		Org.....0.78 ± 0.05 %
Indicative values for Re, Sb, Te, H <sub>2</sub> O <sup>+</sup> , CO <sub>2</sub> Sb(DA) is result with aqua regia digestion		

Code	Product	Unit
<b>New</b> NIM-GBW07430	Soil - Composition including trace elements	70 g
Certified values		
Ag .....	0.14 ± 0.02 µg/g	Ho.....1.41 ± 0.08 µg/g
As.....	18 ± 2 µg/g	I.....1.3 ± 0.1 µg/g
B.....	63 ± 4 µg/g	In.....0.095 ± 0.027 µg/g
Ba.....	411 ± 18 µg/g	La.....67 ± 3 µg/g
Be.....	3.8 ± 0.3 µg/g	Li.....51 ± 3 µg/g
Bi.....	1.44 ± 0.11 µg/g	Lu.....0.58 ± 0.05 µg/g
Br.....	2.6 ± 0.3 µg/g	Mn.....441 ± 20 µg/g
Cd.....	0.25 ± 0.02 µg/g	Mo.....1.15 ± 0.07 µg/g
Ce.....	133 ± 5 µg/g	N.....0.102 ± 0.011 %
Cl.....	78 ± 6 µg/g	Nb.....26 ± 1 µg/g
Co.....	13.6 ± 0.6 µg/g	Nd.....57 ± 4 µg/g
Cr.....	67 ± 3 µg/g	Ni.....27.4 ± 0.9 µg/g
Cs.....	13.9 ± 0.7 µg/g	P.....972 ± 34 µg/g
Cu.....	32 ± 2 µg/g	Pb.....61 ± 2 µg/g
Dy.....	7.4 ± 0.5 µg/g	Pr.....14.6 ± 1.1 µg/g
Er.....	3.8 ± 0.2 µg/g	Rb.....173 ± 5 µg/g
Eu.....	1.66 ± 0.07 µg/g	S.....261 ± 26 µg/g
F.....	790 ± 44 µg/g	Sb(DA).....1.7 ± 0.2 µg/g
Ga.....	25.1 ± 1.2 µg/g	Sc.....14.0 ± 0.5 µg/g
Gd.....	8.5 ± 0.7 µg/g	Se.....0.51 ± 0.05 µg/g
Ge.....	1.70 ± 0.12 µg/g	Sm.....10.4 ± 0.5 µg/g
Hf.....	8.2 ± 0.4 µg/g	Sn.....12.4 ± 0.8 µg/g
Hg.....	0.46 ± 0.05 µg/g	Sr.....68 ± 4 µg/g
		Ta.....2.8 ± 0.2 µg/g
		Tb.....1.3 ± 0.1 µg/g
		Th.....28 ± 2 µg/g
		Ti.....0.578 ± 0.026 %
		Tl.....1.12 ± 0.08 µg/g
		Tm.....0.57 ± 0.05 µg/g
		U.....5.9 ± 0.3 µg/g
		V.....105 ± 4 µg/g
		W.....5.8 ± 0.2 µg/g
		Y.....38 ± 3 µg/g
		Yb.....3.8 ± 0.2 µg/g
		Zn.....100 ± 8 µg/g
		Zr.....275 ± 11 µg/g
		SiO <sub>2</sub> .....63.8 ± 0.2 %
		Al <sub>2</sub> O <sub>3</sub> .....17.85 ± 0.12 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....5.44 ± 0.05 %
		MgO.....0.84 ± 0.05 %
		CaO.....0.40 ± 0.04 %
		Na <sub>2</sub> O.....0.33 ± 0.02 %
		K <sub>2</sub> O.....2.50 ± 0.04 %
		Org.....0.97 ± 0.12 %
Indicative values for Re, Sb, FeO, H <sub>2</sub> O <sup>+</sup> , CO <sub>2</sub> Sb(DA) is result with aqua regia digestion		

Code	Product	Unit			
	<b>NIM GBW07403 - NCS DC87105</b>				
	Soils collected from a variety of locations around China. Certified and indicative values are given for a large number of elements and oxides				
<b>New</b>	<b>NIM-GBW07403</b>	<b>70 g</b>			
	Soil - Composition including trace elements				
	Certified values				
Ag .....	0.091 ± 0.007 µg/g	I .....	1.3 ± 0.2 µg/g	Te.....	0.039 ± 0.013 µg/g
As.....	4.4 ± 0.6 µg/g	In.....	0.031 ± 0.010 µg/g	Th.....	6.0 ± 0.5 µg/g
B .....	23 ± 3 µg/g	La .....	21 ± 2 µg/g	Ti.....	2240 ± 80 µg/g
Ba .....	1210 ± 65 µg/g	Li .....	18.4 ± 0.8 µg/g	Tl.....	0.48 ± 0.05 µg/g
Be.....	1.4 ± 0.2 µg/g	Lu .....	0.29 ± 0.02 µg/g	Tm .....	0.28 ± 0.05 µg/g
Bi.....	0.17 ± 0.03 µg/g	Mn .....	304 ± 14 µg/g	U .....	1.3 ± 0.3 µg/g
Br.....	4.3 ± 0.8 µg/g	Mo .....	0.31 ± 0.06 µg/g	V .....	36 ± 3 µg/g
Cd.....	0.060 ± 0.009 µg/g	N.....	640 ± 50 µg/g	W .....	0.96 ± 0.12 µg/g
Ce .....	39 ± 4 µg/g	Nb.....	9.3 ± 1.5 µg/g	Y .....	15 ± 2 µg/g
Cl .....	57 ± 11 µg/g	Nd.....	18.4 ± 1.7 µg/g	Yb.....	1.7 ± 0.2 µg/g
Co.....	5.5 ± 0.7 µg/g	Ni.....	12 ± 2 µg/g	Zn.....	31 ± 3 µg/g
Cr.....	32 ± 4 µg/g	P.....	320 ± 18 µg/g	Zr .....	246 ± 14 µg/g
Cs.....	3.2 ± 0.4 µg/g	Pb.....	26 ± 3 µg/g	SiO <sub>2</sub> .....	74.72 ± 0.19 %
Cu.....	11.4 ± 1.1 µg/g	Pr.....	4.8 ± 0.4 µg/g	Al <sub>2</sub> O <sub>3</sub> .....	12.24 ± 0.09 %
Dy.....	2.6 ± 0.2 µg/g	Rb.....	85 ± 4 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T).....	2.00 ± 0.05 %
Er.....	1.5 ± 0.3 µg/g	S.....	123 ± 14 µg/g	FeO.....	0.50 ± 0.06 %
Eu.....	0.72 ± 0.04 µg/g	Sb.....	0.44 ± 0.08 µg/g	MgO.....	0.58 ± 0.04 %
F.....	246 ± 26 µg/g	Sc.....	5.0 ± 0.4 µg/g	CaO.....	1.27 ± 0.05 %
Ga.....	13.7 ± 0.9 µg/g	Se.....	0.09 ± 0.02 µg/g	Na <sub>2</sub> O.....	2.71 ± 0.06 %
Gd.....	2.9 ± 0.4 µg/g	Sm.....	3.3 ± 0.2 µg/g	K <sub>2</sub> O.....	3.04 ± 0.05 %
Ge.....	1.16 ± 0.13 µg/g	Sn.....	2.5 ± 0.3 µg/g	C org.....	0.51 ± 0.03 %
Hf.....	6.8 ± 0.8 µg/g	Sr.....	380 ± 16 µg/g	TC.....	0.55 ± 0.05 %
Hg.....	0.060 ± 0.004 µg/g	Ta.....	0.76 ± 0.15 µg/g	L.O.I.....	2.67 ± 0.13 %
Ho.....	0.53 ± 0.06 µg/g	Tb.....	0.49 ± 0.06 µg/g		
<b>New</b>	<b>NIM-GBW07404</b>	<b>70 g</b>			
	Soil - Composition including trace elements				
	Certified values				
Ag .....	0.070 ± 0.011 µg/g	Ho.....	1.46 ± 0.12 µg/g	Tb.....	0.94 ± 0.09 µg/g
As.....	58 ± 6 µg/g	I .....	9.4 ± 1.1 µg/g	Te.....	0.16 ± 0.06 µg/g
Au .....	(0.0055) µg/g	In .....	0.12 ± 0.03 µg/g	Th.....	27 ± 2 µg/g
B .....	97 ± 9 µg/g	La .....	53 ± 4 µg/g	Ti.....	10800 ± 310 µg/g
Ba .....	213 ± 20 µg/g	Li .....	55 ± 2 µg/g	Tl.....	0.94 ± 0.25 µg/g
Be.....	1.85 ± 0.34 µg/g	Lu .....	0.75 ± 0.06 µg/g	Tm .....	0.70 ± 0.10 µg/g
Bi.....	1.04 ± 0.13 µg/g	Mn .....	1420 ± 75 µg/g	U .....	6.7 ± 0.8 µg/g
Br.....	4.0 ± 0.7 µg/g	Mo .....	2.6 ± 0.3 µg/g	V .....	247 ± 14 µg/g
Cd.....	0.35 ± 0.06 µg/g	N.....	1000 ± 62 µg/g	W .....	6.2 ± 0.5 µg/g
Ce .....	136 ± 11 µg/g	Nb.....	38 ± 3 µg/g	Y .....	39 ± 6 µg/g
Cl .....	(39) µg/g	Nd.....	27 ± 2 µg/g	Yb.....	4.8 ± 0.6 µg/g
Co.....	22 ± 2 µg/g	Ni.....	64 ± 5 µg/g	Zn.....	210 ± 13 µg/g
Cr.....	370 ± 16 µg/g	P.....	695 ± 28 µg/g	Zr .....	500 ± 42 µg/g
Cs.....	21.4 ± 1.0 µg/g	Pb.....	58 ± 5 µg/g	SiO <sub>2</sub> .....	50.95 ± 0.14 %
Cu.....	40 ± 3 µg/g	Pr.....	8.4 ± 1.7 µg/g	Al <sub>2</sub> O <sub>3</sub> .....	23.45 ± 0.19 %
Dy.....	6.6 ± 0.6 µg/g	Rb.....	75 ± 4 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T).....	10.30 ± 0.11 %
Er.....	4.5 ± 0.7 µg/g	S.....	180 ± 36 µg/g	MgO.....	0.49 ± 0.05 %
Eu.....	0.85 ± 0.07 µg/g	Sb.....	6.3 ± 1.1 µg/g	CaO.....	0.26 ± 0.04 %
F.....	540 ± 25 µg/g	Sc.....	20 ± 2 µg/g	Na <sub>2</sub> O.....	0.11 ± 0.02 %
Ga.....	31 ± 3 µg/g	Se.....	0.64 ± 0.14 µg/g	K <sub>2</sub> O.....	1.03 ± 0.06 %
Gd.....	4.7 ± 0.5 µg/g	Sm.....	4.4 ± 0.4 µg/g	C org.....	0.62 ± 0.08
Ge.....	1.9 ± 0.3 µg/g	Sn.....	5.7 ± 0.9 µg/g	TC.....	0.65 ± 0.10
Hf.....	14 ± 2 µg/g	Sr.....	77 ± 6 µg/g		
Hg.....	0.59 ± 0.05 µg/g	Ta.....	3.1 ± 0.3 µg/g		
<b>New</b>	<b>NIM-GBW07405</b>	<b>70 g</b>			
	Soil - Composition including trace elements				
	Certified values				
Ag .....	4.4 ± 0.4 µg/g	Ho.....	0.77 ± 0.08 µg/g	Sr.....	42 ± 4 µg/g
As.....	412 ± 16 µg/g	I .....	3.8 ± 0.5 µg/g	Ta.....	1.8 ± 0.3 µg/g
Au .....	0.260 ± 0.007 µg/g	In .....	4.1 ± 0.6 µg/g	Tb.....	0.7 ± 0.1 µg/g
B .....	53 ± 6 µg/g	La .....	36 ± 4 µg/g	Te.....	(5) µg/g
Ba .....	296 ± 26 µg/g	Li .....	56 ± 2 µg/g	Th.....	23 ± 2 µg/g
Be.....	2.0 ± 0.4 µg/g	Lu .....	0.42 ± 0.05 µg/g	Ti.....	6290 ± 210 µg/g
Bi.....	41 ± 4 µg/g	Mn .....	1360 ± 71 µg/g	Tl.....	1.6 ± 0.3 µg/g
Cd.....	0.45 ± 0.06 µg/g	Mo .....	4.6 ± 0.4 µg/g	Tm .....	0.41 ± 0.04 µg/g
Ce .....	91 ± 10 µg/g	N.....	610 ± 31 µg/g	U .....	6.5 ± 0.7 µg/g
Co.....	12 ± 2 µg/g	Nb.....	23 ± 3 µg/g	V .....	166 ± 9 µg/g
Cr.....	118 ± 7 µg/g	Nd.....	24 ± 2 µg/g	W .....	34 ± 2 µg/g
Cs.....	15 ± 1 µg/g	Ni.....	40 ± 4 µg/g	Y .....	21 ± 3 µg/g
Cu.....	144 ± 6 µg/g	P.....	390 ± 34 µg/g	Yb.....	2.8 ± 0.4 µg/g
Dy.....	3.7 ± 0.5 µg/g	Pb.....	552 ± 29 µg/g	Zn.....	494 ± 25 µg/g
Er.....	2.4 ± 0.3 µg/g	Pr.....	7.0 ± 1.2 µg/g	Zr .....	272 ± 16 µg/g
Eu.....	0.82 ± 0.04 µg/g	Rb.....	117 ± 6 µg/g	SiO <sub>2</sub> .....	52.57 ± 0.16 %
F.....	603 ± 28 µg/g	S.....	410 ± 54 µg/g	Al <sub>2</sub> O <sub>3</sub> .....	21.58 ± 0.15 %
Ga.....	32 ± 4 µg/g	Sb.....	35 ± 5 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T).....	12.62 ± 0.18 %
Gd.....	3.5 ± 0.3 µg/g	Sc.....	17 ± 1 µg/g	MgO.....	0.61 ± 0.06 %
Ge.....	2.6 ± 0.4 µg/g	Se.....	1.6 ± 0.2 µg/g	Na <sub>2</sub> O.....	0.12 ± 0.02 %
Hf.....	8.1 ± 1.7 µg/g	Sm.....	4.0 ± 0.4 µg/g	K <sub>2</sub> O.....	1.50 ± 0.04 %
Hg.....	0.29 ± 0.03 µg/g	Sn.....	18 ± 3 µg/g		

# Soils

Code	Product	Unit
<b>New</b> NIM-GBW07406	Soil - Composition including trace elements	70 g
Certified values		
Ag .....	0.20 ± 0.02 µg/g	Ho.....0.69 ± 0.05 µg/g
As.....	220 ± 14 µg/g	I.....19.4 ± 0.9 µg/g
B.....	57 ± 5 µg/g	In.....0.84 ± 0.18 µg/g
Ba.....	118 ± 14 µg/g	La.....30 ± 2 µg/g
Be.....	4.4 ± 0.7 µg/g	Li.....36 ± 1 µg/g
Bi.....	49 ± 5 µg/g	Lu.....0.42 ± 0.05 µg/g
Br.....	8.0 ± 0.7 µg/g	Mn.....1450 ± 82 µg/g
Cd.....	0.13 ± 0.03 µg/g	Mo.....18 ± 2 µg/g
Ce.....	66 ± 6 µg/g	N.....740 ± 59 µg/g
Cl.....	95 ± 7 µg/g	Nb.....27 ± 2 µg/g
Co.....	7.6 ± 1.1 µg/g	Nd.....21 ± 2 µg/g
Cr.....	75 ± 6 µg/g	Ni.....53 ± 4 µg/g
Cs.....	10.8 ± 0.6 µg/g	P.....303 ± 30 µg/g
Cu.....	390 ± 14 µg/g	Pb.....314 ± 13 µg/g
Dy.....	3.3 ± 0.3 µg/g	Pr.....5.8 ± 0.6 µg/g
Er.....	2.2 ± 0.3 µg/g	Rb.....237 ± 8 µg/g
Eu.....	0.66 ± 0.04 µg/g	S.....260 ± 43 µg/g
F.....	906 ± 45 µg/g	Sb.....60 ± 7 µg/g
Ga.....	30 ± 3 µg/g	Sc.....15.5 ± 0.9 µg/g
Gd.....	3.4 ± 0.3 µg/g	Se.....1.34 ± 0.17 µg/g
Ge.....	3.2 ± 0.4 µg/g	Sm.....3.8 ± 0.4 µg/g
Hf.....	7.5 ± 0.8 µg/g	Sn.....72 ± 7 µg/g
Hg.....	0.072 ± 0.007 µg/g	Sr.....39 ± 4 µg/g
		Ta.....5.3 ± 0.6 µg/g
		Tb.....0.61 ± 0.08 µg/g
		Te.....0.4 ± 0.1 µg/g
		Th.....23 ± 2 µg/g
		Ti.....4390 ± 120 µg/g
		Tl.....2.4 ± 0.5 µg/g
		Tm.....0.40 ± 0.06 µg/g
		U.....6.7 ± 0.7 µg/g
		V.....130 ± 7 µg/g
		W.....90 ± 7 µg/g
		Y.....19 ± 2 µg/g
		Yb.....2.7 ± 0.4 µg/g
		Zn.....97 ± 6 µg/g
		Zr.....220 ± 14 µg/g
		SiO <sub>2</sub> .....56.93 ± 0.18 %
		Al <sub>2</sub> O <sub>3</sub> .....21.23 ± 0.16 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....8.09 ± 0.13 %
		MgO.....0.34 ± 0.05 %
		CaO.....0.22 ± 0.03 %
		Na <sub>2</sub> O.....0.19 ± 0.02 %
		K <sub>2</sub> O.....1.70 ± 0.06 %
		C org.....0.81 ± 0.09 %
		TC.....0.83 ± 0.10 %

Code	Product	Unit
<b>New</b> NIM-GBW07407	Soil - Composition including trace elements	70 g
Certified values		
Ag.....	0.057 ± 0.011 µg/g	I.....19 ± 2 µg/g
As.....	4.8 ± 1.3 µg/g	In.....0.10 ± 0.03 µg/g
Ba.....	180 ± 27 µg/g	La.....46 ± 5 µg/g
Be.....	2.8 ± 0.6 µg/g	Li.....19.5 ± 0.9 µg/g
Bi.....	0.20 ± 0.04 µg/g	Lu.....0.35 ± 0.06 µg/g
Br.....	5.1 ± 0.5 µg/g	Mn.....1780 ± 113 µg/g
Cd.....	0.08 ± 0.02 µg/g	Mo.....2.9 ± 0.3 µg/g
Ce.....	98 ± 11 µg/g	N.....660 ± 62 µg/g
Cl.....	100 ± 6 µg/g	Nb.....64 ± 7 µg/g
Co.....	97 ± 6 µg/g	Nd.....45 ± 2 µg/g
Cr.....	410 ± 23 µg/g	Ni.....276 ± 15 µg/g
Cs.....	2.7 ± 0.8 µg/g	P.....1150 ± 39 µg/g
Cu.....	97 ± 6 µg/g	Pb.....14 ± 3 µg/g
Dy.....	6.6 ± 0.6 µg/g	Pr.....11 ± 1 µg/g
Er.....	2.7 ± 0.5 µg/g	Rb.....16 ± 3 µg/g
Eu.....	3.4 ± 0.2 µg/g	S.....250 ± 36 µg/g
F.....	321 ± 29 µg/g	Sb.....0.42 ± 0.09 µg/g
Ga.....	39 ± 5 µg/g	Sc.....28 ± 2 µg/g
Gd.....	9.6 ± 0.9 µg/g	Se.....0.32 ± 0.05 µg/g
Ge.....	1.6 ± 0.3 µg/g	Sm.....10.3 ± 0.4 µg/g
Hf.....	7.7 ± 0.5 µg/g	Sn.....3.6 ± 0.7 µg/g
Hg.....	0.061 ± 0.006 µg/g	Sr.....26 ± 4 µg/g
Ho.....	1.1 ± 0.2 µg/g	Ta.....3.9 ± 0.6 µg/g
		Tb.....1.3 ± 0.2 µg/g
		Th.....9.1 ± 0.7 µg/g
		Ti.....20200 ± 500 µg/g
		Tl.....0.21 ± 0.06 µg/g
		Tm.....0.42 ± 0.05 µg/g
		U.....2.2 ± 0.4 µg/g
		V.....245 ± 21 µg/g
		W.....1.2 ± 0.2 µg/g
		Y.....27 ± 4 µg/g
		Yb.....2.4 ± 0.4 µg/g
		Zn.....142 ± 11 µg/g
		Zr.....318 ± 37 µg/g
		SiO <sub>2</sub> .....32.69 ± 0.18 %
		Al <sub>2</sub> O <sub>3</sub> .....29.26 ± 0.34 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....18.76 ± 0.33 %
		MgO.....0.26 ± 0.03 %
		CaO.....0.16 ± 0.02 %
		Na <sub>2</sub> O.....0.08 ± 0.02 %
		K <sub>2</sub> O.....0.20 ± 0.02 %
		C org.....0.64 ± 0.07 %
		TC.....0.67 ± 0.09 %

Code	Product	Unit
<b>New</b> NIM-GBW07408	Soil - Composition including trace elements	70 g
Certified values		
Ag.....	0.060 ± 0.009 µg/g	I.....1.7 ± 0.2 µg/g
As.....	12.7 ± 1.1 µg/g	In.....0.044 ± 0.013 µg/g
B.....	54 ± 4 µg/g	La.....36 ± 3 µg/g
Ba.....	480 ± 23 µg/g	Li.....35 ± 2 µg/g
Be.....	1.9 ± 0.2 µg/g	Lu.....0.43 ± 0.04 µg/g
Bi.....	0.30 ± 0.04 µg/g	Mn.....650 ± 23 µg/g
Br.....	2.5 ± 0.5 µg/g	Mo.....1.16 ± 0.10 µg/g
Cd.....	0.13 ± 0.02 µg/g	N.....370 ± 54 µg/g
Ce.....	66 ± 7 µg/g	Nb.....15 ± 2 µg/g
Cl.....	68 ± 12 µg/g	Nd.....32 ± 2 µg/g
Co.....	12.7 ± 1.1 µg/g	Ni.....31.5 ± 1.8 µg/g
Cr.....	68 ± 6 µg/g	P.....775 ± 25 µg/g
Cs.....	7.5 ± 0.7 µg/g	Pb.....21 ± 2 µg/g
Cu.....	24.3 ± 1.2 µg/g	Pr.....8.3 ± 0.8 µg/g
Dy.....	4.8 ± 0.4 µg/g	Rb.....96 ± 4 µg/g
Er.....	2.8 ± 0.2 µg/g	Sb.....1.0 ± 0.2 µg/g
Eu.....	1.2 ± 0.1 µg/g	Sc.....11.7 ± 0.7 µg/g
F.....	577 ± 24 µg/g	Se.....0.10 ± 0.01 µg/g
Ga.....	14.8 ± 1.1 µg/g	Sm.....5.9 ± 0.4 µg/g
Gd.....	5.4 ± 0.5 µg/g	Sn.....2.8 ± 0.5 µg/g
Ge.....	1.27 ± 0.20 µg/g	Sr.....236 ± 13 µg/g
Hf.....	7.0 ± 0.8 µg/g	Ta.....1.05 ± 0.25 µg/g
Hg.....	0.017 ± 0.003 µg/g	Tb.....0.89 ± 0.08 µg/g
Ho.....	0.97 ± 0.08 µg/g	Te.....0.045 ± 0.010 µg/g
		Th.....11.8 ± 0.7 µg/g
		Ti.....3800 ± 120 µg/g
		Tl.....0.58 ± 0.06 µg/g
		Tm.....0.46 ± 0.07 µg/g
		U.....2.7 ± 0.4 µg/g
		V.....81 ± 5 µg/g
		W.....1.7 ± 0.2 µg/g
		Y.....26 ± 2 µg/g
		Yb.....2.8 ± 0.2 µg/g
		Zn.....68 ± 4 µg/g
		Zr.....229 ± 12 µg/g
		SiO <sub>2</sub> .....58.61 ± 0.13 %
		Al <sub>2</sub> O <sub>3</sub> .....11.92 ± 0.15 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....4.48 ± 0.05 %
		FeO.....1.22 ± 0.05 %
		MgO.....2.38 ± 0.07 %
		CaO.....8.27 ± 0.12 %
		Na <sub>2</sub> O.....1.72 ± 0.04 %
		K <sub>2</sub> O.....2.42 ± 0.04 %
		CO <sub>2</sub> .....5.97 ± 0.16 %
		TC.....1.93 ± 0.13 %
		L.O.I.....9.12 ± 0.17 %



Code	Product	Unit			
<b>New</b> NIM-GBW07402	Soil - Trace elements and oxides	70 g			
	Certified values				
Ag	0.054 ± 0.010 µg/g	Ho	0.93 ± 0.15 µg/g	Ta	0.78 ± 0.18 µg/g
As	13.7 ± 1.8 µg/g	I	1.8 ± 0.2 µg/g	Tb	0.97 ± 0.40 µg/g
B	36 ± 4 µg/g	In	0.09 ± 0.03 µg/g	Th	16.6 ± 1.2 µg/g
Ba	930 ± 81 µg/g	La	164 ± 16 µg/g	Ti	2710 ± 120 µg/g
Be	1.8 ± 0.3 µg/g	Li	22 ± 1 µg/g	Tl	0.62 ± 0.28 µg/g
Bi	0.38 ± 0.06 µg/g	Lu	0.32 ± 0.06 µg/g	Tm	0.42 ± 0.13 µg/g
Br	4.5 ± 0.6 µg/g	Mn	510 ± 25 µg/g	U	1.4 ± 0.4 µg/g
Cd	0.071 ± 0.022 µg/g	Mo	0.98 ± 0.17 µg/g	V	62 ± 6 µg/g
Ce	402 ± 25 µg/g	N	630 ± 47 µg/g	W	1.08 ± 0.33 µg/g
Cl	56 µg/g	Nb	27 ± 3 µg/g	Y	22 ± 3 µg/g
Co	8.7 ± 1.4 µg/g	Nd	210 ± 22 µg/g	Yb	2.0 ± 0.3 µg/g
Cr	47 ± 6 µg/g	Ni	19.4 ± 1.9 µg/g	Zn	42 ± 5 µg/g
Cs	4.9 ± 0.6 µg/g	P	446 ± 38 µg/g	Zr	219 ± 23 µg/g
Cu	16.3 ± 1.4 µg/g	Pb	20 ± 4 µg/g	SiO <sub>2</sub>	73.35 ± 0.27 %
Dy	4.4 ± 0.3 µg/g	Pr	57 ± 6 µg/g	Al <sub>2</sub> O <sub>3</sub>	10.31 ± 0.15 %
Er	2.1 ± 0.4 µg/g	Rb	88 ± 5 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	3.52 ± 0.10 %
Eu	3.0 ± 0.3 µg/g	S	210 ± 50 µg/g	FeO	0.57 ± 0.09 %
F	2240 ± 175 µg/g	Sb	1.3 ± 0.3 µg/g	MgO	1.04 ± 0.06 %
Ga	12 ± 1 µg/g	Sc	10.7 ± 0.8 µg/g	CaO	2.36 ± 0.07 %
Gd	7.8 ± 0.6 µg/g	Se	0.16 ± 0.04 µg/g	Na <sub>2</sub> O	1.62 ± 0.06 %
Ge	1.2 ± 0.2 µg/g	Sm	18 ± 3 µg/g	K <sub>2</sub> O	2.54 ± 0.07 %
Hf	5.8 ± 0.9 µg/g	Sn	3.0 ± 0.4 µg/g	Org.C	0.49 ± 0.05 %
Hg	0.015 ± 0.004 µg/g	Sr	187 ± 14 µg/g	LOI	4.4 ± 0.2 %
	Indicative values for Au, Te, H <sub>2</sub> O <sup>+</sup> , CO <sub>2</sub>				
NCS DC87101	Soil - Composition including trace elements	100 g			
	Certified values				
SiO <sub>2</sub>	67.96 %	B	46 µg/g	Pb	28 µg/g
TiO <sub>2</sub>	0.72 %	Ba	677 µg/g	Rb	111 µg/g
Al <sub>2</sub> O <sub>3</sub>	14.35 %	Be	2.4 µg/g	Sb	0.73 µg/g
Fe <sub>2</sub> O <sub>3</sub>	4.69 %	Co	15 µg/g	Sr	168 µg/g
MnO	0.093 %	Cr	93 µg/g	Te	0.033 µg/g
MgO	1.62 %	Cu	23 µg/g	Th	12 µg/g
CaO	0.9 %	F	458 µg/g	U	1.9 µg/g
Na <sub>2</sub> O	1.78 %	Ga	17 µg/g	V	88 µg/g
K <sub>2</sub> O	2.56 %	Hg	0.014 µg/g	W	1.8 µg/g
P <sub>2</sub> O <sub>5</sub>	0.1 %	La	43 µg/g	Y	24 µg/g
L.O.I	4.64 %	Li	37 µg/g	Zn	68 µg/g
N	0.035 %	Nb	15 µg/g	Zr	274 µg/g
As	10 µg/g	Ni	41 µg/g		
NCS DC87102	Soil - Composition including trace elements	100 g			
	Certified values				
SiO <sub>2</sub>	67.21 %	S	0.034 %	Pb	21 µg/g
TiO <sub>2</sub>	0.56 %	As	9.8 µg/g	Rb	86 µg/g
Al <sub>2</sub> O <sub>3</sub>	10.78 %	Ba	469 µg/g	Sb	0.83 µg/g
Fe <sub>2</sub> O <sub>3</sub>	2.28 %	Be	2 µg/g	Se	0.14 µg/g
MnO	0.066 %	Cl	600 µg/g	Sn	2.9 µg/g
MgO	1.73 %	Co	9.4 µg/g	Sr	197 µg/g
CaO	5.21 %	Cr	61 µg/g	Th	9.6 µg/g
Na <sub>2</sub> O	1.95 %	Cu	12 µg/g	U	1.9 µg/g
K <sub>2</sub> O	2.15 %	Ga	17 µg/g	V	63 µg/g
P <sub>2</sub> O <sub>5</sub>	0.15 %	Hg	0.031 µg/g	W	1.5 µg/g
H <sub>2</sub> O <sup>+</sup>	2.29 %	La	36 µg/g	Y	21 µg/g
CO <sub>2</sub>	3.48 %	Li	27 µg/g	Zn	51 µg/g
L.O.I	6.73 %	Nb	12 µg/g	Zr	291 µg/g
N	0.064 %	Ni	23 µg/g		
NCS DC87103	Soil - Composition including trace elements	100 g			
	Certified values				
SiO <sub>2</sub>	72.92 %	Ba	524 µg/g	Rb	91 µg/g
TiO <sub>2</sub>	0.69 %	Be	1.9 µg/g	Sb	0.65 µg/g
Al <sub>2</sub> O <sub>3</sub>	12.28 %	Co	12 µg/g	Se	0.11 µg/g
Fe <sub>2</sub> O <sub>3</sub>	3.38 %	Cr	56 µg/g	Sn	3.2 µg/g
MnO	0.072 %	Cu	23 µg/g	Sr	227 µg/g
MgO	1.14 %	F	383 µg/g	Th	10 µg/g
CaO	1.44 %	Ga	15 µg/g	U	1.9 µg/g
Na <sub>2</sub> O	2.2 %	Hg	0.017 µg/g	V	74 µg/g
K <sub>2</sub> O	2.16 %	La	38 µg/g	W	1.5 µg/g
P <sub>2</sub> O <sub>5</sub>	0.11 %	Li	28 µg/g	Y	22 µg/g
N	0.029 %	Nb	14 µg/g	Zn	48 µg/g
As	6.3 µg/g	Ni	22 µg/g	Zr	331 µg/g
B	50 µg/g	Pb	19 µg/g		



## Soils

Code	Product	Unit
NCS DC87104	Soil - Composition including trace elements	100 g
	Certified values	
SiO <sub>2</sub> .....	60.76 %	B .....44 µg/g
TiO <sub>2</sub> .....	0.55 %	Ba .....448 µg/g
Al <sub>2</sub> O <sub>3</sub> .....	10.78 %	Be .....1.8 µg/g
Fe <sub>2</sub> O <sub>3</sub> .....	2.79 %	Bi .....0.24 µg/g
MnO.....	0.058 %	Cl .....222 µg/g
MgO.....	1.83 %	Co .....9.2 µg/g
CaO.....	9.07 %	Cr .....62 µg/g
Na <sub>2</sub> O.....	1.74 %	Cu .....17 µg/g
K <sub>2</sub> O.....	2.01 %	F .....559 µg/g
P <sub>2</sub> O <sub>5</sub> .....	0.087 %	Ga .....13 µg/g
CO <sub>2</sub> .....	6.44 %	La .....34 µg/g
L.O.I.....	9.62 %	Li .....38 µg/g
N.....	0.02 %	Nb .....11 µg/g
As.....	9.4 µg/g	Ni .....23 µg/g
		Pb .....19 µg/g
		Rb .....82 µg/g
		Sb .....0.78 µg/g
		Sn .....2.4 µg/g
		Sr .....296 µg/g
		Th .....9.4 µg/g
		U .....1.8 µg/g
		V .....65 µg/g
		W .....1.4 µg/g
		Y .....19 µg/g
		Zn .....45 µg/g
		Zr .....258 µg/g
NCS DC87105	Soil - Composition including trace elements	100 g
	Certified values	
SiO <sub>2</sub> .....	67.53 %	S .....0.0092 %
TiO <sub>2</sub> .....	0.54 %	As .....8.2 µg/g
Al <sub>2</sub> O <sub>3</sub> .....	10.84 %	B .....33 µg/g
Fe <sub>2</sub> O <sub>3</sub> (T).....	-3.26 %	Ba .....555 µg/g
Fe <sub>2</sub> O <sub>3</sub> .....	2.64 %	Be .....1.8 µg/g
MnO.....	0.062 %	Bi .....0.21 µg/g
MgO.....	1.68 %	Co .....8.9 µg/g
CaO.....	5.42 %	Cr .....54 µg/g
Na <sub>2</sub> O.....	1.87 %	Cu .....16 µg/g
K <sub>2</sub> O.....	2.18 %	F .....657 µg/g
P <sub>2</sub> O <sub>5</sub> .....	0.074 %	Ga .....13 µg/g
CO <sub>2</sub> .....	3.59 %	La .....32 µg/g
L.O.I.....	6.67 %	Li .....25 µg/g
N.....	0.021 %	Nb .....11 µg/g
		Ni .....22 µg/g
		Pb .....20 µg/g
		Rb .....83 µg/g
		Sb .....0.7 µg/g
		Sn .....2.2 µg/g
		Sr .....231 µg/g
		Th .....8.9 µg/g
		U .....2.4 µg/g
		V .....66 µg/g
		W .....1.3 µg/g
		Y .....19 µg/g
		Zr .....298 µg/g
<b>New</b> NIM-GBW08302	Tibet soil - Trace elements	15 g
	Collected from the mountains of Tibet, an area practically unaffected by industrial contamination.	
	Certified values	
Al.....	7,11 ± 0,12 %	K .....2,12 ± 0,18 %
As.....	3,8 ± 0,7 µg/g	La .....41,9 ± 4,0 µg/g
Be.....	2,96 ± 0,08 µg/g	Mg .....1,53 ± 0,04 %
Ca.....	2,59 ± 0,04 %	Mn .....677 ± 23 µg/g
Cd.....	0,081 ± 0,015 µg/g	Na .....1,52 ± 0,11 %
Co.....	13,1 ± 1,1 µg/g	N .....0,128 ± 0,003 %
Ce.....	83,6 ± 3,3 µg/g	Nd .....42,3 ± 4,8 µg/g
Cr.....	60,8 ± 3,6 µg/g	Ni .....31,1 ± 1,6 µg/g
Cu.....	24,6 ± 2,8 µg/g	P .....0,86 ± 0,08 %
Eu.....	1,4 ± 0,3 µg/g	Pb .....14,2 ± 2,7 µg/g
Fe.....	3,34 ± 0,11 %	Rb .....135 ± 14 µg/g
		Sc .....10,8 ± 1,5 µg/g
		Si .....30,57 ± 0,11 %
		Sm .....7,1 ± 0,5 µg/g
		Sr .....163 ± 29 µg/g
		Th .....17,6 ± 0,7 µg/g
		Ti .....0,40 ± 0,03 %
		U .....3,84 ± 0,40 µg/g
		V .....77,5 ± 8,0 µg/g
		Zn .....58,0 ± 6,6 µg/g
		Yb .....3,1 ± 0,6 µg/g
		Se .....0,16 ± 0,04 µg/g

Code	Product	Unit
	<b>NIM-GBW07412A - NIM-GBW07417A and NCS DC85113</b>	
	These certified reference materials were prepared in accordance with the ISO guides 30-35. The intended use for these CRMs are the quality control in geochemical exploration, soil and eco-environment research analysis, the evaluation of analytical methods and the calibration of analytical instruments	
	<b>Composition</b>	<b>Methods</b>
	Organic Matter	H <sub>2</sub> SO <sub>4</sub> ,K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> oxidation - Volumetric method
	Total nitrogen	Kjeldahl method for Nitrogen (not include NO <sub>2</sub> - and NO <sub>3</sub> -)
	pH	Water extraction - Potential method
	Cation exchange capacity	CH <sub>3</sub> COONH <sub>4</sub> extraction - Volumetric method
	Exchangeable Ca, Mg, Na, K, Mn	EDTA-CH <sub>3</sub> COONH <sub>4</sub> extraction - ICP-AES method (neutral, acid soil)
	Hydrolyzable nitrogen	Alkali Hydrolysis - Diffuse method
	Available phosphorus	NaHCO <sub>3</sub> extraction - Colorimetry (neutral, calcareous soil)
		NH <sub>4</sub> F,dilute HCl extraction - Molybdenum-antimony-ascorbic acid method (acid soil)
	Effective potassium	CH <sub>3</sub> COONH <sub>4</sub> . extraction - ICP-AES method or AAS
	Slowly available potassium	Dilute nitric acid extraction - ICP-AES method or AAS
	Available sulfur	(P) Phosphat- CH <sub>3</sub> COONH <sub>4</sub> .extraction - ICP-AES (neutral, acid soil)
		(Ca) CaCl <sub>2</sub> solution extraction - ICP-AES (calcareous soil)
	Available silicon	Citric acid extraction - ICP-AES or silicon molybdenum blue colorimetric method
	Available Cu, Zn, Fe, Mn, Cd, Pb, Ni, Cr, Co	DTPA* solution extraction - ICP-AES and ICP-MS
	Available Cu, Zn, Fe, Mn, Cd, Pb, Ni, Cr, Co	Dilute hydrochloric acid extraction- ICP-AES, ICP-MS or AFS (neutral, acid soil)
	Available Cu, Zn, Cd, Pb, Ni, Cr	NaNO <sub>3</sub> extraction - ICP-AES and ICP-MS
	Available molybdenum or I	Oxalic acid ammonium oxalate (Tamm solution)** - Extraction polarography ICP-AES
	Available boron	Boiling water extraction - Curcumin colorimetric method and ICP-AES
	Soluble selenium	Boiling water extraction - ICP-AES or AFS
	Soluble fluorine	Water extraction - Ion selective electrode method
	Soluble salts	
	Total	Water extraction - Gravimetric method or conductivity method
	Cl <sup>-</sup>	Water extraction - Titrimetric method
	SO <sub>4</sub> <sup>2-</sup>	Water extraction - ICP-AES
	Ca, Mg, K, Na	Water extraction- ICP-AES or AAS

\* DTPA solution 0.005mol/L C<sub>14</sub>H<sub>23</sub>N<sub>3</sub>O<sub>10</sub>-0.01mol/L CaCl<sub>2</sub>.0.1mol/L C<sub>6</sub>H<sub>15</sub>NO<sub>3</sub>, pH 7.3

\*\* Tamm solution 24.9g/L (NH<sub>4</sub>)<sub>2</sub>C<sub>2</sub>O<sub>4</sub>·H<sub>2</sub>O-12.6g/L H<sub>2</sub>C<sub>2</sub>O<sub>4</sub>·2H<sub>2</sub>O, pH 3.3

## Soils

Code	Product	Unit
<b>New</b> NIM-GBW07412A	Soil (Brown soil) - Available nutrients	500 g
	Certified values	
	pH .....	6.80
	Organic matter .....	10 g/kg
	Total nitrogen .....	0.63 g/kg
	Hydrolysable nitrogen .....	54 mg/kg
	Available phosphorus (NaHCO <sub>3</sub> extraction) .....	100 mg/kg
	Effective potassium .....	0.38 g/kg
	Slowly available potassium .....	1.06 g/kg
	Available sulfur (phosphate extraction) .....	22 mg/kg
	Available silicon .....	0.83 g/kg
	Cation exchange capacity .....	21.6 cmol(+)/kg
	Exchangeable calcium .....	17.8 cmol (1/2Ca <sup>2+</sup> )/kg
	Exchangeable magnesium .....	4.3 cmol (1/2Mg <sup>2+</sup> )/kg
	Exchangeable sodium .....	0.31 cmol (Na <sup>+</sup> )/kg
	Exchangeable potassium .....	0.99 cmol (K <sup>+</sup> )/kg
	Exchangeable manganese .....	47 mg/kg
	Available molybdenum .....	0.24 mg/kg
	Available boron .....	0.42 mg/kg
	Soluble fluorine .....	5.1 mg/kg
	Soluble salt	
	Cl <sup>-</sup> .....	0.020 g/kg
	SO <sub>4</sub> <sup>2-</sup> .....	0.064 g/kg
	Ca <sup>2+</sup> .....	0.040 g/kg
	Mg <sup>2+</sup> .....	10 mg/kg
	K <sup>+</sup> .....	17 mg/kg
	Na <sup>+</sup> .....	27 mg/kg
	DTPA extraction	
	Available copper .....	3.3 mg/kg
	Available zinc .....	2.4 mg/kg
	Available iron .....	202 mg/kg
	Available manganese .....	31 mg/kg
	Available cadmium .....	0.033 mg/kg
	Available lead .....	1.9 mg/kg
	Available nickel .....	1.1 mg/kg
	Available cobalt .....	0.16 mg/kg
	Hydrochlorid acid extraction	
	Available copper .....	2.9 mg/kg
	Available zinc .....	5.4 mg/kg
	Available iron .....	111 mg/kg
	Available manganese .....	96 mg/kg
	Available cadmium .....	0.046 mg/kg
	Available lead .....	0.82 mg/kg
	Available nickel .....	2.4 mg/kg
	Available chromium .....	0.42 mg/kg
	Sodium nitrate extraction	
	Available copper .....	0.025 mg/kg
	Available nickel .....	0.035 mg/kg

Code	Product	Unit
<b>New</b> NIM-GBW07413A	Soil (Moist soil) - Available nutrients	500 g
	Certified values	
	pH..... 8.15	
	Organic matter..... 13.2 g/kg	
	Total nitrogen..... 0.77 g/kg	
	Hydrolysable nitrogen..... 76 mg/kg	
	Available phosphorus (NaHCO <sub>3</sub> extraction)..... 23.3 mg/kg	
	Effective potassium..... 0.29 g/kg	
	Slowly available potassium..... 0.95 g/kg	
	Available sulfur (CaCl <sub>2</sub> extraction)..... 42 mg/kg	
	Available sulfur (phosphate extraction)..... 105 mg/kg	
	Available silicon..... 0.46 g/kg	
	Cation exchange capacity..... 12.8 cmol(+)/kg	
	Exchangeable magnesium..... 3.0 cmo(1/2Mg <sup>2+</sup> )/kg	
	Exchangeable sodium..... 0.26 cmol (Na <sup>+</sup> )/kg	
	Exchangeable potassium..... 0.77 cmol (K <sup>+</sup> )/kg	
	Available molybdenum..... 0.086 mg/kg	
	Available boron..... 0.55 mg/kg	
	Soluble fluorine..... 14.6 mg/kg	
	Soluble salt	
	Cl <sup>-</sup> ..... 0.022 g/kg	
	SO <sub>4</sub> <sup>2-</sup> ..... 0.125 g/kg	
	Ca <sup>2+</sup> ..... 0.17 g/kg	
	Mg <sup>2+</sup> ..... 22 mg/kg	
	K <sup>+</sup> ..... 31 mg/kg	
	Na <sup>+</sup> ..... 29 mg/kg	
	DTPA extraction	
	Available copper..... 1.17 mg/kg	
	Available zinc..... 1.08 mg/kg	
	Available iron..... 55 mg/kg	
	Available manganese..... 17.3 mg/kg	
	Available cadmium..... 0.040 mg/kg	
	Available lead..... 1.7 mg/kg	
	Available nickel..... 0.27 mg/kg	
	Available cobalt..... 0.13 mg/kg	
	Sodium nitrate extraction	
	Available copper..... 0.047 mg/kg	
<b>New</b> NIM-GBW07414A	Soil (Purple soil) - Available nutrients	500 g
	Please ask for details	

## Soils

Code	Product	Unit
<b>New</b> NIM-GBW07415A	Soil (Paddy soil) - Available nutrients	500 g
	Certified values	
	pH .....	6.08
	Organic matter .....	33.3 g/kg
	Total nitrogen .....	1.97 g/kg
	Hydrolysable nitrogen .....	165 mg/kg
	Available phosphorus (NH <sub>4</sub> F extraction) .....	1.5 mg/kg
	Effective potassium .....	0.25 g/kg
	Slowly available potassium .....	0.46 g/kg
	Available sulfur (phosphate extraction) .....	76 mg/kg
	Available silicon .....	0.52 g/kg
	Cation exchange capacity .....	19 cmol(+)/kg
	Exchangeable calcium .....	13 cmol (1/2Ca <sup>2+</sup> )/kg
	Exchangeable magnesium .....	3.98 cmol (1/2Mg <sup>2+</sup> )/kg
	Exchangeable sodium .....	0.32 cmol (Na <sup>+</sup> )/kg
	Exchangeable potassium .....	0.63 cmol (K <sup>+</sup> )/kg
	Exchangeable manganese .....	43 mg/kg
	Available molybdenum .....	0.112 mg/kg
	Available boron .....	0.31 mg/kg
	Soluble fluorine .....	4.1 mg/kg
	Soluble salt	
	Cl <sup>-</sup> .....	0.058 g/kg
	SO <sub>4</sub> <sup>2-</sup> .....	0.236 g/kg
	Ca <sup>2+</sup> .....	0.128 g/kg
	Mg <sup>2+</sup> .....	33 mg/kg
	K <sup>+</sup> .....	24 mg/kg
	Na <sup>+</sup> .....	41 mg/kg
	DTPA extraction	
	Available copper .....	5.8 mg/kg
	Available zinc .....	1.14 mg/kg
	Available iron .....	252 mg/kg
	Available manganese .....	45 mg/kg
	Available cadmium .....	0.137 mg/kg
	Available lead .....	5.6 mg/kg
	Available nickel .....	0.58 mg/kg
	Available cobalt .....	0.34 mg/kg
	Hydrochloride acid extraction	
	Available copper .....	6.8 mg/kg
	Available zinc .....	3.1 mg/kg
	Available iron .....	428 mg/kg
	Available manganese .....	98 mg/kg
	Available cadmium .....	0.174 mg/kg
	Available lead .....	5.4 mg/kg
	Available nickel .....	1.23 mg/kg
	Available chromium .....	0.60 mg/kg
	Available selenium .....	6.8 mg/kg
	Sodium nitrate extraction	
	Available copper .....	0.066 mg/kg
<b>New</b> NIM-GBW07416A	Soil (Red soil) - Available nutrients	500 g
	Please ask for details	

Code	Product	Unit
<b>New</b> NIM-GBW07417A	Soil - Available nutrients	500 g
	Certified values	
	pH .....	6.80
	Organic matter .....	38.5 g/kg
	Total nitrogen .....	2.11 g/kg
	Hydrolysable nitrogen .....	155 mg/kg
	Available phosphorus (NaHCO <sub>3</sub> extraction) .....	90 mg/kg
	Effective potassium .....	0.162 g/kg
	Slowly available potassium .....	0.33 g/kg
	Available sulfur (phosphate extraction) .....	105 mg/kg
	Available silicon .....	0.37 g/kg
	Cation exchange capacity .....	19.7 cmol(+)/kg
	Exchangeable calcium .....	18.9 cmol (1/2Ca <sup>2+</sup> )/kg
	Exchangeable magnesium .....	2.82 cmol (1/2Mg <sup>2+</sup> )/kg
	Exchangeable sodium .....	0.93 cmol (Na <sup>+</sup> )/kg
	Exchangeable potassium .....	0.41 cmol (K <sup>+</sup> )/kg
	Exchangeable manganese .....	128 mg/kg
	Available molybdenum .....	0.14 mg/kg
	Available boron .....	0.31 mg/kg
	Soluble fluorine .....	11.4 mg/kg
	Soluble salt	
	Cl <sup>-</sup> .....	0.16 g/kg
	SO <sub>4</sub> <sup>2-</sup> .....	0.335 g/kg
	Ca <sup>2+</sup> .....	0.166 g/kg
	Mg <sup>2+</sup> .....	25 mg/kg
	K <sup>+</sup> .....	18.7 mg/kg
	Na <sup>+</sup> .....	154 mg/kg
	DTPA extraction	
	Available copper .....	10.3 mg/kg
	Available zinc .....	2.1 mg/kg
	Available iron .....	258 mg/kg
	Available manganese .....	88 mg/kg
	Available cadmium .....	0.20 mg/kg
	Available lead .....	8.1 mg/kg
	Available nickel .....	0.47 mg/kg
	Available cobalt .....	0.43 mg/kg
	Hydrochlorid acid extraction	
	Available copper .....	10.6 mg/kg
	Available zinc .....	6.6 mg/kg
	Available iron .....	134 mg/kg
	Available manganese .....	295 mg/kg
	Available cadmium .....	0.30 mg/kg
	Available lead .....	6.7 mg/kg
	Available nickel .....	1.3 mg/kg
	Available chromium .....	0.64 mg/kg
	Available arsenic .....	0.094 mg/kg
	Sodium nitrate extraction	
	Available copper .....	0.064 mg/kg

# Soils

Code	Product	Unit
<b>New</b> NCS DC85113	Soil - Available nutrients	500 g
	Certified values	
	pH .....	6.14
	Organic matter .....	34.5 g/kg
	Total nitrogen .....	1.62 g/kg
	Hydrolysable nitrogen .....	157 mg/kg
	Available phosphorus (NH <sub>4</sub> F extraction).....	32 mg/kg
	Effective potassium.....	0.36 g/kg
	Slowly available potassium.....	0.98 g/kg
	Available sulfur (phosphate extraction).....	33 mg/kg
	Available silicon .....	0.63 g/kg
	Cation exchange capacity.....	31 cmol(+)/kg
	Exchangeable calcium.....	22.5 cmol (1/2Ca <sup>2+</sup> )/kg
	Exchangeable magnesium .....	5.4 cmol(1/2Mg <sup>2+</sup> )/kg
	Exchangeable sodium .....	0.24 cmol (Na <sup>+</sup> )/kg
	Exchangeable potassium.....	0.94 cmol (K <sup>+</sup> )/kg
	Exchangeable manganese .....	80 mg/kg
	Available molybdenum.....	0.13 mg/kg
	Available boron .....	0.56 mg/kg
	Soluble fluorine.....	2.9 mg/kg
	Soluble salt	
	Cl <sup>-</sup> .....	0.016 g/kg
	SO <sub>4</sub> <sup>2-</sup> .....	0.109 g/kg
	Ca <sup>2+</sup> .....	0.080 g/kg
	Mg <sup>2+</sup> .....	19 mg/kg
	K <sup>+</sup> .....	18 mg/kg
	Na <sup>+</sup> .....	24 mg/kg
	DTPA extraction	
	Available copper .....	2.6 mg/kg
	Available zinc.....	2.3 mg/kg
	Available iron .....	142 mg/kg
	Available manganese .....	67 mg/kg
	Available cadmium .....	0.048 mg/kg
	Available lead .....	2.07 mg/kg
	Available nickel.....	2.4 mg/kg
	Available cobalt.....	0.39 mg/kg
	Hydrochloric acid extraction	
	Available copper .....	1.08 mg/kg
	Available zinc.....	3.6 mg/kg
	Available iron .....	16.3 mg/kg
	Available manganese .....	131 mg/kg
	Available cadmium .....	0.053 mg/kg
	Available lead .....	0.8 mg/kg
	Available nickel.....	3.3 mg/kg
	Available chromium .....	0.25 mg/kg
	Available arsenic.....	0.018 mg/kg
	Sodium nitrate extraction	
	Available copper .....	0.034 mg/kg
	Available zinc.....	0.068 mg/kg
	Available nickel.....	0.047 mg/kg



Code	Product	Unit
CIL-EDF-5183	Soil - Organic contaminants	10 g
	Reference values	
	Polychlorinated dioxins and furans	
	2,3,7,8-TCDD .....	0.11 ± 0.14 ng/kg
	Total TCDD .....	0.32 ± 0.88 ng/kg
	1,2,3,7,8-PeCDD .....	0.39 ± 0.32 ng/kg
	Total PeCDD .....	2.96 ± 2.40 ng/kg
	1,2,3,4,7,8-HxCDD .....	1.12 ± 0.52 ng/kg
	1,2,3,6,7,8-HxCDD .....	4.39 ± 0.88 ng/kg
	1,2,3,7,8,9-HxCDD .....	2.00 ± 1.20 ng/kg
	Total HxCDD .....	50.9 ± 22.8 ng/kg
	1,2,3,4,6,7,8-HpCDD .....	153 ± 57.2 ng/kg
	Total HpCDD .....	492 ± 246 ng/kg
	OCDD .....	7870 ± 1650 ng/kg
	2,3,7,8-TCDF .....	0.70 ± 0.34 ng/kg
	Total TCDF .....	3.21 ± 2.12 ng/kg
	Polychlorinated biphenyls	
	2,2',5'-TriCB (#18) .....	78.9 ± 30.4 ng/kg
	2,4,4'-TriCB (#28) .....	140 ± 127 ng/kg
	3,4,4'-TriCB (#37) .....	1710 ± 440 ng/kg
	2,2',3,5'-TetraCB (#44) .....	1070 ± 552 ng/kg
	2,2',4,5'-TetraCB (#49) .....	638 ± 350 ng/kg
	2,2',5,5'-TetraCB (#52) .....	2020 ± 744 ng/kg
	2,4,4',5'-TetraCB (#74) .....	447000 ± 348000 ng/kg
	3,3',4,4'-TetraCB (#77) .....	2,230 ± 988 ng/kg
	3,4,4',5'-TetraCB (#81) .....	5.52 ± 7.42 ng/kg
	2,2',3,4,5'-PentaCB (#87) .....	2370 ± 532 ng/kg
	2,2',4,4',5'-PentaCB (#99) .....	1110 ± 444 ng/kg
	2,2',4,5,5'-PentaCB (#101) .....	5370 ± 1564 ng/kg
	2,3,3',4,4'-PentaCB (#105) .....	629 ± 158.4 ng/kg
	2,3,3',4',6'-PentaCB (#110) .....	5880 ± 2,110 ng/kg
	2,3,4,4',5'-PentaCB (#114) .....	34.6 ± 18.0 ng/kg
	2,3',4,4',5'-PentaCB (#118) .....	6520 ± 2,300 ng/kg
	2',3,4,4',5'-PentaCB (#123) .....	24.1 ± 23.2 ng/kg
	3,3',4,4',5'-PentaCB (#126) .....	33.5 ± 10.3 ng/kg
	2,2',3,3',4,4'-HexaCB (#128) .....	342 ± 135 ng/kg
	2,2',3,4,4',5'-HexaCB (#137) .....	87.1 ± 32.8 ng/kg
	2,2',3,4,4',5'-HexaCB (#138) .....	2350 ± 764 ng/kg
	2,2',3,4,5,5'-HexaCB (#141) .....	514 ± 112 ng/kg
	2,2',3,4',5',6'-HexaCB (#149) .....	2280 ± 424 ng/kg
	2,2',3,5,5',6'-HexaCB (#151) .....	910 ± 752 ng/kg
	2,2',4,4',5,5'-HexaCB (#153) .....	2330 ± 842 ng/kg
	2,3,3',4,4',5'-HexaCB (#156) .....	189 ± 25.0 ng/kg
	2,3,3',4,4',5'-HexaCB (#157) .....	31.0 ± 15.1 ng/kg
	2,3,3',4,4',6'-HexaCB (#158) .....	224 ± 44.8 ng/kg
	2,3',4,4',5,5'-HexaCB (#167) .....	83.2 ± 12.0 ng/kg
	3,3',4,4',5,5'-HexaCB (#169) .....	0.57 ± 0.68 ng/kg
	2,2',3,3',4,4',5-HeptaCB (#170) .....	436 ± 102 ng/kg
	2,2',3,3',4',5,6-HeptaCB (#177) .....	362 ± 79.0 ng/kg
	2,2',3,3',5,5',6-HeptaCB (#178) .....	135 ± 22.6 ng/kg
	2,2',3,4,4',5,5'-HeptaCB (#180) .....	1116 ± 500 ng/kg
	2,2',3,4,4',5'-HeptaCB (#183) .....	360 ± 25.2 ng/kg
	2,2',3,4',5,5',6-HeptaCB (#187) .....	679 ± 143 ng/kg
	2,3,3',4,4',5,5'-HeptaCB (#189) .....	14.2 ± 5.32 ng/kg
	2,2',3,3',4,4',5,5'-OctaCB (#194) .....	182 ± 44.6 ng/kg
	2,2',3,3',4,4',5,6-OctaCB (#195) .....	90.6 ± 17.2 ng/kg
	2,2',3,3',4,5,6,6'-OctaCB (#199) .....	229 ± 34.2 ng/kg
	2,2',3,3',4,4',5,5',6-NonaCB (#206) .....	74.8 ± 108 ng/kg
	2,2',3,3',4,4',5,5',6'-NonaCB (#208) .....	39.3 ± 61.4 ng/kg
	DecaCB (#209) .....	12.9 ± 23.0 ng/kg
	Brominated diphenyl ethers	
	2,2',4'-TriBDE (#17) .....	4.80 ± 6.10 ng/kg
	2,4,4'-TriBDE (#28) .....	38.0 ± 79.8 ng/kg
	2,2',4,4'-TetraBDE (#47)5 .....	192 ± 246 ng/kg
	2,2',4,5'-TetraBDE (#49) .....	24.4 ± 19.7 ng/kg
	2,3',4,4'-TetraBDE (#66) .....	12.6 ± 10.9 ng/kg
	2,2',3,4,4'-PentaBDE (#85) .....	19.5 ± 17.9 ng/kg
	2,2',4,4',5'-PentaBDE (#99) .....	213 ± 186 ng/kg
	2,2',4,4',6'-PentaBDE (#100) .....	55.4 ± 31.0 ng/kg
	2,2',3,4,4',5'-HexaBDE (#138) .....	25.8 ± 25.8 ng/kg
	2,2',4,4',5,5'-HexaBDE (#153) .....	111 ± 24.0 ng/kg
	2,2',4,4',5,6'-HexaBDE (#154) .....	46.0 ± 26.6 ng/kg
	2,2',3,4,4',5',6-HeptaBDE (#183) .....	286 ± 70.8 ng/kg
	DecaBDE (#209) .....	1930 ± 2300 ng/kg
	Polyaromatic hydrocarbons	
	Anthracene .....	9650 ± 5980 ng/kg
	Benz[a]anthracene .....	11200 ± 9420 ng/kg
	Benzo[b]fluoranthene .....	18100 ± 19200 ng/kg
	Benzo[k]fluoranthene .....	5870 ± 3320 ng/kg
	Benzo[g,h,i]perylene .....	8280 ± 2600 ng/kg
	Benzo[a]pyrene .....	7620 ± 6160 ng/kg
	Chrysene .....	16000 ± 7500 ng/kg
	Fluoranthene .....	33000 ± 10300 ng/kg
	Indeno[1,2,3-cd]pyrene .....	9550 ± 4140 ng/kg
	Phenanthrene .....	25900 ± 38200 ng/kg
	Pyrene .....	26300 ± 8680 ng/kg

# Soils

Code	Product	Unit
	LGCQC3004 - 3006 Quality control reference materials from LGC	
LGCQC3004	Clay soil 1 - Metals, inorganics and polynuclear aromatic hydrocarbons Textural Classification <sup>(1)</sup> - Clay Sand 2.00-0.063mm ..... 31 % w/w      Clay <0.002mm ..... 36% w/w Silt 0.063-0.002mm ..... 33 % w/w Indicative values Extractable metals As ..... 83 mg/kg      Cu ..... 300 mg/kg      Pb ..... 50 mg/kg Ba ..... 380 mg/kg      Fe ..... 40000 mg/kg      Sb ..... 370 mg/kg Be ..... <2 mg/kg      Hg ..... 670 mg/kg      Se ..... <3 mg/kg Cd ..... <1 mg/kg      Mn ..... 830 mg/kg      Tl ..... <1 mg/kg Co ..... 36 mg/kg      Mo ..... 2 mg/kg      V ..... 47 mg/kg Cr ..... 37 mg/kg      Ni ..... 61 mg/kg      Zn ..... 82 mg/kg Naphthalene ..... <40 µg/kg      Chrysene ..... <80 µg/kg Acenaphthylene ..... <20 µg/kg      Benzo(b)fluoranthene ..... <70 µg/kg Acenaphthene ..... <30 µg/kg      Benzo(k)fluoranthene ..... <50 µg/kg Fluorene ..... <20 µg/kg      Benzo(e)pyrene ..... <60 µg/kg Phenanthrene ..... <90 µg/kg      Benzo(a)pyrene ..... <60 µg/kg Anthracene ..... <40 µg/kg      Dibenzo(ah)anthracene ..... <50 µg/kg Fluoranthene ..... <130 µg/kg      Indeno(1,2,3,cd)pyrene ..... <80 µg/kg Pyrene ..... <110 µg/kg      Benzo(ghi)perylene ..... <90 µg/kg Cyclopenta(cd)pyrene ..... <10 µg/kg      Anthanthrene ..... <70 µg/kg Benz(a)anthracene ..... <50 µg/kg Water Soluble Boron ..... 3 mg/kg      Water Soluble Sulfate ..... <0.02 g/L Loss on Ignition ..... 10 % w/w      pH ..... 6.7 <sup>(1)</sup> According to UK Textural Soil Classification	2 x 250 g
LGCQC3005	Loamy Sand Soil 1 - Metals, inorganics and polynuclear aromatic hydrocarbons Textural Classification <sup>(1)</sup> - Loamy sand Sand 2.00-0.063mm ..... 81 % w/w      Clay <0.002mm ..... 10% w/w Silt 0.063-0.002mm ..... 9 % w/w Indicative values Extractable metals As ..... <5 mg/kg      Hg ..... <3 mg/kg      Se ..... <3 mg/kg Ba ..... 180 mg/kg      Mn ..... 150 mg/kg      Tl ..... <1 mg/kg Be ..... <2 mg/kg      Mo ..... 7 mg/kg      V ..... 13 mg/kg Cd ..... <1 mg/kg      Ni ..... 14 mg/kg      Zn ..... 220 mg/kg Co ..... 3 mg/kg      Pb ..... 520 mg/kg Cr ..... 180 mg/kg      Sb ..... 9 mg/kg Naphthalene ..... <110 µg/kg      Chrysene ..... <300 µg/kg Acenaphthylene ..... <140 µg/kg      Benzo(b)fluoranthene ..... <390 µg/kg Acenaphthene ..... <60 µg/kg      Benzo(k)fluoranthene ..... <160 µg/kg Fluorene ..... <140 µg/kg      Benzo(e)pyrene ..... <230 µg/kg Phenanthrene ..... <500 µg/kg      Benzo(a)pyrene ..... <220 µg/kg Anthracene ..... <210 µg/kg      Dibenzo(ah)anthracene ..... <80 µg/kg Fluoranthene ..... <370 µg/kg      Indeno(1,2,3,cd)pyrene ..... <210 µg/kg Pyrene ..... <340 µg/kg      Benzo(ghi)perylene ..... <310 µg/kg Cyclopenta(cd)pyrene ..... <10 µg/kg      Anthanthrene ..... <140 µg/kg Benz(a)anthracene ..... <180 µg/kg Water Soluble Chloride ..... 54 mg/kg      Loss on Ignition ..... 2 % w/w Water Soluble Boron ..... <2 mg/kg      Water Soluble Sulfate(4) ..... 0.1 g/L Total Sulfate ..... 850 mg/kg      pH ..... 8.1 Total Sulfur ..... 0.02 % w/w <sup>(1)</sup> According to UK Textural Soil Classification	2 x 250 g

Code	Product	Unit
LGCQC3006	Sandy Loam Soil 1 - Metals, inorganics and polynuclear aromatic hydrocarbons Textural Classification <sup>(1)</sup> - Sandy loam	2 x 250 g
	Sand 2.00-0.063mm ..... 80 % w/w      Clay <0.002mm ..... 11% w/w Silt 0.063-0.002mm ..... 9 % w/w	
	Indicative values	
	Extractable metals	
	As ..... <5 mg/kg      Cu ..... 19 mg/kg      Sb ..... 9 mg/kg Ba ..... 180 mg/kg      Hg ..... <1 mg/kg      Se ..... <3 mg/kg Be ..... <2 mg/kg      Mn ..... 170 mg/kg      Tl ..... <1 mg/kg Cd ..... <1 mg/kg      Mo ..... 6 mg/kg      V ..... 13 mg/kg Co ..... 3 mg/kg      Ni ..... 14 mg/kg      Zn ..... 230 mg/kg Cr ..... 180 mg/kg      Pb ..... 600 mg/kg	
	Naphthalene ..... <100 µg/kg      Chrysene ..... <390 µg/kg Acenaphthylene ..... <30 µg/kg      Benzo(b)fluoranthene ..... <340 µg/kg Acenaphthene ..... <50 µg/kg      Benzo(k)fluoranthene ..... <190 µg/kg Fluorene ..... <40 µg/kg      Benzo(e)pyrene ..... <220 µg/kg Phenanthrene ..... <330 µg/kg      Benzo(a)pyrene ..... <230 µg/kg Anthracene ..... <180 µg/kg      Dibenzo(ah)anthracene ..... <270 µg/kg Fluoranthene ..... <500 µg/kg      Indeno(1,2,3,cd)pyrene ..... <150 µg/kg Pyrene ..... <400 µg/kg      Benzo(ghi)perylene ..... <210 µg/kg Cyclopenta(cd)pyrene ..... <10 µg/kg      Anthanthrene ..... <60 µg/kg Benz(a)anthracene ..... <280 µg/kg	
	Water Soluble Chloride ..... 64 mg/kg      Loss on Ignition ..... 2 % w/w Water Soluble Boron ..... <2 mg/kg      Water Soluble Sulfate ..... 0.3 g/L Total Sulfate ..... 1300 mg/kg      pH ..... 8.2 Total Sulfur ..... 0.03 % w/w	
	<sup>(1)</sup> According to UK Textural Soil Classification	

LGC6115	Soil - PCBs and PAHs	50 g
	LGC6115 is a contaminated sandy loam soil sourced from the Czech Republic. It has been produced to meet the demands of laboratories seeking to validate methods for accreditation to the UK Environment Agency's MCERTS soil testing scheme or similar schemes worldwide.	
	Certified values	
	PCB 101 ..... 93 µg/kg      Benzo(a)anthracene ..... 36 mg/kg PCB 118 ..... 116 µg/kg      Benzo(a)pyrene ..... 0.13 mg/kg Phenanthrene ..... 178 mg/kg      Benzo(ghi)perylene ..... 0.33 mg/kg Fluoranthene ..... 312 mg/kg	
	Assesed values	
	PCB 138 ..... 16 µg/kg      PCB 153 ..... 19 µg/kg      PCB 180 ..... 9.6 µg/kg	

<b>New</b> ERM-CC135	Brick works soil - Extractable metals	50 g
	Collected from Hackney Brick Works	
	The extractable/leachable metal content refers to metals soluble in Aqua Regia using methods based on ISO11466 (1995).	
	<u>Total metals</u>	
	Certified values	
	Ba ..... 305 mg/kg      K ..... 16300 mg/kg      Pb ..... 411 mg/kg Ca ..... 23400 mg/kg      Mg ..... 9400 mg/kg      V ..... 139 mg/kg Cr ..... 455 mg/kg      Mn ..... 390 mg/kg      Zn ..... 345 mg/kg Cu ..... 107 mg/kg      Na ..... 1700 mg/kg Fe ..... 47500 mg/kg      Ni ..... 291 mg/kg	
	Indicative values for Al, Be, Co, Li, Mo, Se, Sn, Ti	
	<u>Extractable metals</u>	
	Certified values	
	Al ..... 22700 mg/kg      Cu ..... 105 mg/kg      Na ..... 362 mg/kg Ba ..... 134 mg/kg      Fe ..... 40900 mg/kg      Ni ..... 277 mg/kg Be ..... 1.4 mg/kg      Hg ..... 3.2 mg/kg      Pb ..... 391 mg/kg Ca ..... 21900 mg/kg      K ..... 5100 mg/kg      Se ..... 0.9 mg/kg Co ..... 20 mg/kg      Mg ..... 7000 mg/kg      V ..... 78 mg/kg Cr ..... 336 mg/kg      Mn ..... 348 mg/kg      Zn ..... 316 mg/kg	
	Indicative values for Li, Mo Sn, Ti	

## Soils

Code	Product	Unit
LGC6145	Contaminated clay loam soil - Extractable metals, PAHs and inorganics	50 g
	LGC6145 is a contaminated clay – loam soil sourced from the Czech Republic. It has been produced to meet the demands of laboratories seeking to validate methods for accreditation to the UK Environment Agency's MCERTS soil testing scheme or similar schemes worldwide.	
	Certified values	
	As.....38.7 mg/kg	Pb..... 45.1 mg/kg
	Cd .....0.65 mg/kg	Se..... 1.81 mg/kg
	Cr .....47.6 mg/kg	V..... 53.9 mg/kg
	Cu .....62.2 mg/kg	Zn..... 137 mg/kg
	Ni .....39.0 mg/kg	
	Assessed values	
	Naphthalene .....9.3 mg/kg	Benzo(b)fluoranthene..... 12 mg/kg
	Acenaphthylene .....0.79 mg/kg	Indeno(1,2,3-cd)pyrene ..... 0.97 mg/kg
	Phenanthrene .....325 mg/kg	Water soluble chloride ..... 65 mg/kg
	Anthracene .....8.4 mg/kg	Water soluble sulfate ..... 5.3 g/L
	Chrysene.....45 mg/kg	
	Indicative value for Acenaphthene, Fluorene, Fluoranthene, Pyrene, Benzo(a)anthracene, Benzo(k)fluoranthene, Benzo(a)pyrene, Dibenzo(a,h)anthracene, Benzo(ghi)perylene, Easily liberated cyanide and Total cyanide, Total sulfur, Al <sub>2</sub> O <sub>3</sub> , CaO, Fe <sub>2</sub> O <sub>3</sub> , K <sub>2</sub> O, MgO, SO <sub>3</sub> , SiO <sub>2</sub> , TiO <sub>2</sub> , Soil textural class (UK), Loss on drying, pH, Loss on ignition, Quartz SiO <sub>2</sub> , Kaoline clay, Muscovite clay	
BCR-481	Industrial soil - PCBs	25 g
	Compound	Certified value mg/kg
	PCB 101 ..... 37.....	3
	PCB 118 ..... 9.4.....	0.7
	PCB 128 ..... 9.1.....	0.8
	PCB 149 ..... 97.....	7
	PCB 153 ..... 137.....	7
	PCB 156 ..... 7.0.....	0.5
	PCB 170 ..... 52.....	4
	PCB 180 ..... 124.....	6
BCR-524	Contaminated industrial soil - PAHs	40 g
	Compound	Certified value mg/kg
	Pyrene..... 173.....	11
	Benzo(a)anthracene ..... 22.5.....	1.8
	Benzo(a)pyrene ..... 8.6.....	0.5
	Benzo(e)pyrene ..... 10.6.....	1.4
	Benzo(b)fluoranthene ..... 13.5.....	1.6
	Benzo(k)fluoranthene ..... 6.2.....	0.7
	Benzo(b)naphtho(2,1-d)thiophene ..... 3.8.....	0.6
	Indeno(1,2,3-cd)pyrene ..... 5.1.....	0.4
	Pentachlorophenol ..... 0.034.....	0.005
BCR-529	Industrial sandy soil - PCDDs and PCDFs	50 g
	Compound	Certified value mg/kg
	1,2,3-Trichlorobenzene ..... 0.63.....	0.11
	3,4-Dichlorophenol ..... 0.23.....	0.04
	2,4,5-Trichlorophenol ..... 1.51.....	0.10
	Pentachlorophenol ..... 0.23.....	0.04
		µg/kg
	2,3,7,8-TCDD..... 4.5.....	0.6
	1,2,3,7,8-PeCDD ..... 0.44.....	0.05
	1,2,3,4,7,8-HxCDD ..... 1.2.....	0.3
	1,2,3,6,7,8-HxCDD ..... 5.4.....	0.9
	1,2,3,7,8,9-HxCDD ..... 3.0.....	0.4
	2,3,7,8-TCDF ..... 0.078.....	0.013
	1,2,3,7,8-PeCDF ..... 0.14.....	0.03
	2,3,4,7,8-PeCDF ..... 0.36.....	0.07
	1,2,3,4,7,8-HxCDF ..... 3.4.....	0.5
	1,2,3,6,7,8-HxCDF ..... 1.09.....	0.15
	1,2,3,7,8,9-HxCDF ..... 0.022.....	0.010
	2,3,4,6,7,8-HxCDF ..... 0.37.....	0.04
BCR-530	Industrial clay soil - Dioxins and furans	50 g
	Compound	Certified value mg/kg
	1,2,3-Trichlorobenzene ..... 15.....	4
	3,4-Dichlorophenol ..... 6.0.....	0.5
	2,4,5-Trichlorophenol ..... 40.....	7
	Pentachlorophenol ..... 0.47.....	0.08
		µg/kg
	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ..... 0.061.....	0.011
	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ..... 0.022.....	0.003
	1,2,3,7,8-Pentachlorodibenzofuran ..... 0.24.....	0.04
	2,3,4,7,8-Pentachlorodibenzofuran ..... 0.62.....	0.07
	1,2,3,4,7,8-Hexachlorodibenzofuran ..... 0.321.....	0.015
	1,2,3,6,7,8-Hexachlorodibenzofuran ..... 0.19.....	0.03
	2,3,4,6,7,8-Hexachlorodibenzofuran ..... 0.126.....	0.012

## Soils

Code	Product	Unit
ERM-CC008	Soil - Pentachlorophenol Certified value Pentachlorophenol... 2.04 mg/kg	30 g
ERM-CC009	Soil - Pentachlorophenol Certified value Pentachlorophenol... 2.91 mg/kg	30 g
ERM-CC010	Soil - AOX (DIN 38414 Part 18) Certified value AOX ..... 1349.4 mg/kg AOX - Absorbed Organically Bound Halogens	5.7 g
ERM-CC011	Soil - AOX (DIN 38414 Part 18) Certified value AOX ..... 80.4 mg/kg AOX - Absorbed Organically Bound Halogens	4.2 g
ERM-CC013A	Soil - PAHs Certified values Naphthalene .....2.4 mg/kg Fluorene.....1.14 mg/kg Phenanthrene .....12.0 mg/kg Anthracene .....1.14 mg/kg Fluoranthene.....12.9 mg/kg Pyrene .....9.6 mg/kg Benz(a)anthracene .....5.6 mg/kg Chrysene..... 5.3 mg/kg Benzo(b)fluoranthene ..... 7.1 mg/kg Benzo(k)fluoranthene..... 3.4 mg/kg Benzo(a)pyrene..... 4.9 mg/kg Benzo(g,h,i)perylene ..... 4.6 mg/kg Indeno(1,2,3-c,d)pyrene..... 5.2 mg/kg	81 g
ERM-CC012	Soil - AOX (DIN 38414 Part 18) Certified value AOX ..... 102.3 mg/kg AOX - Absorbed Organically Bound Halogens	6.5 g

Code	Product	Unit	
CIL-EDF-5184	Contaminated sediment - Organic contaminants	10 g	
	Reference values		
	Polychlorinated dioxins and furans		
2,3,7,8-TCDD	1.96 ± 1.10 ng/kg	1,2,3,7,8-PeCDF	122 ± 24.0 ng/kg
Total TCDD	25.0 ± 13.6 ng/kg	2,3,4,7,8-PeCDF	164 ± 50.4 ng/kg
1,2,3,7,8-PeCDD	5.79 ± 2.12 ng/kg	Total PeCDF	1,490 ± 800 ng/kg
Total PeCDD	45.8 ± 49.2 ng/kg	1,2,3,4,7,8-HxCDF	277 ± 42.8 ng/kg
1,2,3,4,7,8-HxCDD	5.61 ± 2.72 ng/kg	1,2,3,6,7,8-HxCDF	159 ± 23.6 ng/kg
1,2,3,6,7,8-HxCDD	10.9 ± 3.50 ng/kg	1,2,3,7,8,9-HxCDF	7.44 ± 7.38 ng/kg
1,2,3,7,8,9-HxCDD	6.88 ± 1.94 ng/kg	2,3,4,6,7,8-HxCDF	48.4 ± 18.7 ng/kg
Total HxCDD	193 ± 134 ng/kg	Total HxCDF	1,240 ± 398 ng/kg
1,2,3,4,6,7,8-HpCDD	231 ± 77.6 ng/kg	1,2,3,4,6,7,8-HpCDF	346 ± 45.6 ng/kg
Total HpCDD	497 ± 304 ng/kg	1,2,3,4,7,8,9-HpCDF	80.2 ± 30.4 ng/kg
OCDD	2,050 ± 580 ng/kg	Total HpCDF	659 ± 462 ng/kg
2,3,7,8-TCDF	219 ± 47.8 ng/kg	OCDF	301 ± 50.6 ng/kg
Total TCDF	1,680 ± 486 ng/kg		
	Polychlorinated biphenyls		
2,2',5'-TriCB (#18)	27,600 ± 11,200 ng/kg		
2,4,4'-TriCB (#28)	54,200 ± 15,500 ng/kg		
3,4,4'-TriCB (#37)	16,800 ± 12,700 ng/kg		
2,2',3,5'-TetraCB (#44)	657,000 ± 159,000 ng/kg		
2,2',4,5'-TetraCB (#49)	476,000 ± 155,000 ng/kg		
2,2',5,5'-TetraCB (#52)	1,340,000 ± 260,000 ng/kg		
2,3',4,4'-TetraCB (#66)	403,000 ± 40,800 ng/kg		
2,4,4',5'-TetraCB (#74)	819,000 ± 1,660,000 ng/kg		
3,3',4,4'-TetraCB (#77)	11,700 ± 2,600 ng/kg		
3,4,4',5'-TetraCB (#81)	341 ± 402 ng/kg		
2,2',3,4,5'-PentaCB (#87)	1,810,000 ± 1,110,000 ng/kg		
2,2',3',4,5'-PentaCB (#97)	990,000 ± 1,870,000 ng/kg		
2,2',4,4',5'-PentaCB (#99)	1,160,000 ± 496,000 ng/kg		
2,2',4,5,5'-PentaCB (#101)	3,140,000 ± 552,000 ng/kg		
2,3,3',4,4'-PentaCB (#105)	1,050,000 ± 314,000 ng/kg		
2,3,3',4',6'-PentaCB (#110)	3,340,000 ± 768,000 ng/kg		
2,3,4,4',5'-PentaCB (#114)	70,000 ± 47,400 ng/kg		
2,3',4,4',5'-PentaCB (#118)	2,520,000 ± 904,000 ng/kg		
2',3,4,4',5'-PentaCB (#123)	46,200 ± 29,200 ng/kg		
3,3',4,4',5'-PentaCB (#126)	2,540 ± 1,080 ng/kg		
2,2',3,3',4,4'-HexaCB (#128)	694,000 ± 181,000 ng/kg		
2,2',3,4,4',5'-HexaCB (#137)	164,000 ± 106,000 ng/kg		
2,2',3,4,4',5'-HexaCB (#138)	3,970,000 ± 2,820,000 ng/kg		
2,2',3,4,5,5'-HexaCB (#141)	1,010,000 ± 346,000 ng/kg		
2,2',3,4',5,5'-HexaCB (#146)	623,000 ± 87,400 ng/kg		
2,2',3,4',5',6'-HexaCB (#149)	3,390,000 ± 838,000 ng/kg		
2,2',3,5,5',6'-HexaCB (#151)	1,410,000 ± 788,000 ng/kg		
2,2',4,4',5,5'-HexaCB (#153)	3,880,000 ± 902,000 ng/kg		
2,3,3',4,4',5'-HexaCB (#156)	457,000 ± 189,000 ng/kg		
2,3,3',4,4',5'-HexaCB (#157)	88,900 ± 28,000 ng/kg		
2,3,3',4,4',6'-HexaCB (#158)	512,000 ± 195,000 ng/kg		
2,3',4,4',5,5'-HexaCB (#167)	162,000 ± 18,800 ng/kg		
3,3',4,4',5,5'-HexaCB (#169)	139 ± 92.4 ng/kg		
2,2',3,3',4,4',5'-HeptaCB (#170)	1,250,000 ± 334,000 ng/kg		
2,2',3,3',4,5,5'-HeptaCB (#172)	207,000 ± 85,600 ng/kg		
2,2',3,3',4',5,6'-HeptaCB (#177)	743,000 ± 238,000 ng/kg		
2,2',3,3',5,5',6'-HeptaCB (#178)	290,000 ± 113,000 ng/kg		
2,2',3,4,4',5,5'-HeptaCB (#180)	2,940,000 ± 774,000 ng/kg		
2,2',3,4,4',5',6'-HeptaCB (#183)	810,000 ± 394,000 ng/kg		
2,2',3,4',5,5',6'-HeptaCB (#187)	1,520,000 ± 232,000 ng/kg		
2,3,3',4,4',5,5'-HeptaCB (#189)	50,200 ± 18,200 ng/kg		
2,2',3,3',4,4',5,5'-OctaCB (#194)	622,000 ± 146,000 ng/kg		
2,2',3,3',4,4',5,6'-OctaCB (#195)	268,000 ± 73,800 ng/kg		
2,2',3,3',4,5,5',6'-OctaCB (#199)	691,000 ± 226,000 ng/kg		
2,2',3,4,4',5,5',6'-OctaCB (#203)	442,000 ± 108,000 ng/kg		
2,2',3,3',4,4',5,5',6'-NonaCB (#206)	152,000 ± 35,400 ng/kg		
2,2',3,3',4,5,5',6',6'-NonaCB (#208)	31,800 ± 11,100 ng/kg		
DecaCB (#209)	6,030 ± 3,100 ng/kg		
	Polychlorinated biphenyls		
2,4,4'-TriBDE (#28) 6	25.8 ± 31.2 ng/kg		
2,2',4,4'-TetraBDE (#47)	94.7 ± 218 ng/kg		
2,2',4,5'-TetraBDE (#49)	14.5 ± 34.8 ng/kg		
2,3',4,4'-TetraBDE (#66)	32.0 ± 112 ng/kg		
3,3',4,4'-TetraBDE (#77)	106 ± 66.6 ng/kg		
2,2',3,4,4'-PentaBDE (#85)	14.4 ± 45.0 ng/kg		
2,2',4,4',5'-PentaBDE (#99)	95.1 ± 206 ng/kg		
2,2',4,4',6'-PentaBDE (#100)	17.6 ± 38.0 ng/kg		
2,2',3,4,4',5'-HexaBDE (#138)	12.2 ± 40.6 ng/kg		
2,2',4,4',5,5'-HexaBDE (#153)	22.4 ± 59.4 ng/kg		
2,2',4,4',5,6'-HexaBDE (#154)	25.3 ± 73.8 ng/kg		
2,2',3,4,4',5',6'-HeptaBDE (#183)	43.3 ± 82.8 ng/kg		
DecaBDE (#209)	9,900 ± 14,300 ng/kg		
	Polyaromatic hydrocarbons		
Acenaphthene	39,300 ± 14,800 ng/kg	Chrysene	2,490,000 ± 442,000 ng/kg
Acenaphthylene	419,000 ± 308,000 ng/kg	Dibenz[a,h]anthracene	243,000 ± 159,000 ng/kg
Anthracene	551,000 ± 258,000 ng/kg	Fluoranthene	3,690,000 ± 636,000 ng/kg
Benz[a]anthracene	2,620,000 ± 1,010,000 ng/kg	Fluorene	69,400 ± 76,800 ng/kg
Benz[b]fluoranthene	1,550,000 ± 574,000 ng/kg	Indeno[1,2,3-cd]pyrene	1,320,000 ± 780,000 ng/kg
Benzo[k]fluoranthene	856,000 ± 290,000 ng/kg	Naphthalene	82,900 ± 33,800 ng/kg
Benzo[g,h,i]perylene	1,130,000 ± 428,000 ng/kg	Phenanthrene	622,000 ± 424,000 ng/kg
Benzo[a]pyrene	2,390,000 ± 1,010,000 ng/kg	Perylene	428,000 ± 470,000 ng/kg
Benzo[e]pyrene	1,740,000 ± 271,000 ng/kg	Pyrene	5,710,000 ± 445,000 ng/kg

Code	Product	Unit
<b>New</b> RTC-CRM090-100	Clay soil - Nutrients Lot 014687 Certified values Ammonia as N .....743 ± 35.2 mg/kg Kjeldahl nitrogen, total (TKN) .....2530 ± 104 mg/kg Phosphorus, total.....809 ± 79.5 mg/kg Total organic carbon (TOC).....5280 ± 592 mg/kg	100 g
RTC-CRM401-225	Superfund soil (Sludge) - TCLP organics Organic contaminated soil from a superfund site in the Western United States. Certified using methods USEPA, SW846, 3 <sup>rd</sup> edition, Extraction Method 1311 and analytical methods 8031, 8150 and 8270. Lot D5401 Certified values o-Cresol .....888 mg/kg      Pentachlorophenol ..... 117 mg/kg Total cresol .....2660 mg/kg      2,4,6-Trichlorophenol ..... 58.7 mg/kg Lindane .....1.05 mg/kg Indicative values for m+p Cresol, 2,4-D TCLP: Total Characteristic Leaching Procedure. Superfund: US Government funding for the cleaning up of sites in the United States where dumping of hazardous waste has occurred.	225 g
RTC-CRM402-225	Superfund soil (Sandy loam) - TCLP organics The reference values were determined by USEPA SW846 (3rd edition) Extraction Method 1311 and Analytical Methods 8081, 8150, and 8270. The sample is suitable for these and other similar methods. Certified values CD402 Nitrobenzene .....12.2 mg/L      BHC (Lindane) ..... 1.28 mg/L 2,4-Dinitrotoluene (2,4-DNT) .....0.619 mg/L      2,4-D ..... 67.1 mg/L	225 g
RTC-CRM910-050	Soil (Loam) - PCBs Real-world waste produced from a contaminated site in the Eastern United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value D910 Aroclor 1242 ..... 39.4 mg/kg	50 g
RTC-CRM911-050	Soil (Loam) - PCBs Real-world waste collected from a percolation pond at an electric generating facility in the Southeastern United States. The sample was certified by USEPA SW846 (3rd edition) Methods 3540A/3545/3550 and 8082. The sample is suitable for use by these and other similar methods. Certified value BC911 Aroclor 1254 ..... 1.28 mg/kg	50 g
RTC-CRM913-050	Soil (Sandy loam) - PCBs Real-world waste collected from electric utility storage site Western United States. The PCB value was certified using extraction method 3540A and analysis method 8081 (PCBs by GC) and is suitable for use by these and other similar methods. Certified value Lot DG913 Aroclor 1254 ..... 5.93 mg/kg	50 g
RTC-CRM915-050	Soil (Sandy loam) - PCBs Real-world waste collected from a site in the Western United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified values Lot JG915 Aroclor 1260 ..... 1.50 mg/kg	50 g
RTC-CRM916-050	Soil (Loamy sand) - PCBs Real-world waste collected from a site in the Western United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value Lot IH916 Aroclor 1248 ..... 10.7 mg/kg	50 g
RTC-CRM917-050	Soil (Loamy sand) - PCBs Real-world waste collected from a site in the Western United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value Lot II917 Aroclor 1242 ..... 5.05 mg/kg	50 g



## Soils

Code	Product	Unit
RTC-CRM918-050	Soil (Sandy loam) - PCBs Real-world waste collected from a site in the Western United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value Lot JI918 Aroclor 1252 ..... 274 mg/kg	50 g
RTC-CRM921-050	Soil (Sandy loam) - PCBs Real-world waste collected from a site in the Western United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value Lot AL921 Aroclor 1242 ..... 29.8 mg/kg	50 g
RTC-CRM922-050	Soil (Loam) - PCBs Real-world waste collected from a site in the Western United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value Aroclor 1016 ..... 8.30 mg/kg	50 g
RTC-CRM923-050	Soil (Sandy loam) - PCBs Real-world waste collected from a site in the Western United States. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value BL923 Aroclor 1254 ..... 5.47 mg/kg	50 g
RTC-CRM924-050	Soil (Silt loam) - PCBs Certified value Lot P76 Aroclor 1242 ..... 8.27 mg/kg	50 g
<b>New</b> RTC-CRM927-050	Soil (Clay loam) - PCBs The certified value was determined by USEPA SW846 (3rd edition) Methods 8081A and 8082. The sample is suitable for use by these and other similar methods. Certified value Lot 002392 Aroclor 1242 ..... 7.03 mg/kg	50 g
<b>New</b> RTC-CRM961-050	Clay soil - PCBs Certified values Lot 013366 PCBs, total ..... 3,100 ± 516 µg/kg 2,4,4'-Trichlorobiphenyl (PCB 28) ..... 135 ± 19.8 µg/kg 2,2',5,5'-Tetrachlorobiphenyl (PCB 52) ..... 85.9 ± 18.2 µg/kg 3,3',4,4'-Tetrachlorobiphenyl (PCB 77) ..... 223 ± 31.5 µg/kg 3,4,4',5-Tetrachlorobiphenyl (PCB 81) ..... 205 ± 35.8 µg/kg 2,2',4,5,5'-Pentachlorobiphenyl (PCB 101) ..... 106 ± 11.0 µg/kg 2,3,3',4,4'-Pentachlorobiphenyl (PCB 105) ..... 147 ± 18.5 µg/kg 2,3',4,4',5-Pentachlorobiphenyl (PCB 118) ..... 173 ± 19.9 µg/kg 2,3',4,4',5'-Pentachlorobiphenyl (PCB 123) ..... 170 ± 24.0 µg/kg 2,3,4,4',5-Pentachlorobiphenyl (PCB 114) ..... 183 ± 28.9 µg/kg 3,3',4,4',5-Pentachlorobiphenyl (PCB 126) ..... 213 ± 26.6 µg/kg 2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138) ..... 130 ± 22.8 µg/kg 2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153) ..... 137 ± 18.5 µg/kg 2,3',4,4',5,5'-Hexachlorobiphenyl (PCB 167) ..... 236 ± 43.7 µg/kg 3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169) ..... 124 ± 15.5 µg/kg 2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180) ..... 116 ± 11.6 µg/kg 2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189) ..... 247 ± 60.2 µg/kg PCB (156)+(157) ..... 370 ± 4.59 µg/kg	50 g

Code	Product	Unit
<b>New</b> RTC-CRM962-050	Loamy sand - PCBs Certified values Lot 012222 2,4,4'-Trichlorobiphenyl (PCB 28)..... 180 ± 53.6 µg/kg 2,2',5,5'-Tetrachlorobiphenyl (PCB 52)..... 179 ± 40.7 µg/kg 3,3',4,4'-Tetrachlorobiphenyl (PCB 77)..... 221 ± 32.1 µg/kg 3,4,4',5-Tetrachlorobiphenyl (PCB 81) ..... 165 ± 2.73 µg/kg 2,2',4,5,5'-Pentachlorobiphenyl (PCB 101)..... 119 ± 39.5 µg/kg 2,3,3',4,4'-Pentachlorobiphenyl (PCB 105)..... 108 ± 19.6 2 µg/kg 2,3',4,4',5-Pentachlorobiphenyl (PCB 118)..... 154 ± 11.8 2 µg/kg 2,3',4,4',5'-Pentachlorobiphenyl (PCB 123) ..... 187 ± 28.0 µg/kg 2,3,4,4',5-Pentachlorobiphenyl (PCB 114) ..... 128 ± 3.69 µg/kg 3,3',4,4',5-Pentachlorobiphenyl (PCB 126)..... 124 ± 23.3 µg/kg 2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138) ..... 265 ± 84.9 µg/kg 2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153) ..... 204 ± 74.9 µg/kg 2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 157) ..... 241 ± 101 µg/kg 2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 156) ..... 211 ± 60.3 µg/kg 2,3',4,4',5,5'-Hexachlorobiphenyl (PCB 167) ..... 225 ± 35.0 µg/kg 3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169) ..... 178 ± 32.9 µg/kg 2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)..... 287 ± 66.5 µg/kg 2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189)..... 204 ± 35.7 µg/kg PCB (156)+(157) ..... 450 ± 29.7 µg/kg	50 g
<b>New</b> RTC-CRM304-030	Soil - BETX This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The sample has been analyzed by a minimum of 20 laboratories to meet the requirements specified by the IPA/AALA RM-03, ISO Guides 34 and 35. The soil was certified by USEPA SW846, 3rd edition Method 5030A and 8020A or 8040B and is suitable for use by these and other similar methods. Certified values Lot 002520 Benzene.....3.57 mg/kg Ethylbenzene .....8.73 mg/kg Toluene.....3.84 mg/kg m+p-Xylene.....2.43 mg/kg o-Xylene ..... 2.40 mg/kg Xylene, total ..... 7.02 mg/kg Gasoline range organics (C6-C12) ..... 65.5 mg/kg	30 g
<b>New</b> RTC-CRM305-030	Silt loam - BETX The sample was certified by USEPA SW846, 3rd edition Method 5030A and 8020A or 8240B and is suitable for use by these and other similar methods. Certified values Lot 010406 Benzene.....57.5 mg/kg Ethylbenzene .....3.49 mg/kg Methyl tert-butyl ether (MTBE).....31.6 mg/kg Toluene.....15.5 mg/kg m+p-Xylene ..... 42.7 mg/kg o-Xylene ..... 23.2 mg/kg Xylene, total ..... 66.7 mg/kg Gasoline range organics (C6-C12) ..... 235 mg/kg	30 g
<b>New</b> RTC-CRM306-030	Soil - BETX This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA SW846, 3rd edition Method 5030A and 8021B or 8260B and is suitable for use by these and other similar methods. Certified values Lot 010590 Benzene.....20.2 mg/kg Ethylbenzene .....40.1 mg/kg Methyl tert-butyl ether (MTBE).....9.45 mg/kg Toluene.....51.4 mg/kg o-Xylene ..... 33.6 mg/kg m+p Xylene ..... 30.4 mg/kg Total Xylene ..... 69.5 mg/kg	30 g
RTC-CRM307-030	Soil - BTEX This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA SW846, 3rd edition Method 5030A and 8021B or 8260B and is suitable for use by these and other similar methods. The value for GRO was determined by GC method 8015M. Certified values Lot 015190 Benzene.....4240 µg/kg Ethylbenzene .....6540 µg/kg MTBE.....5430 µg/kg Napthalene .....3560 µg/kg Toluene.....2790 µg/kg 1,2,4-Trimethylbenzene .....2190 µg/kg 1,3,5-Trimethylbenzene ..... 1750 µg/kg m+p-Xylene ..... 6300 µg/kg o-Xylene ..... 3190 µg/kg Total Xylene ..... 9820 µg/kg Total purgeable hydrocarbons ..... 65500 µg/kg	30 g
RTC-CRM308-030	Soil - BTEX Certified values Lot 014714 Benzene.....4150 µg/kg 1,2-Dichlorobenzene.....6400 µg/kg 1,3-Dichlorobenzene.....1500 µg/kg 1,4-Dichlorobenzene.....5670 µg/kg Ethylbenzene .....1550 µg/kg Methyl tert-butyl ether (MTBE).....4720 µg/kg Napthalene .....3200 µg/kg Toluene ..... 4940 µg/kg 1,2,4-Trimethylbenzene ..... 5100 µg/kg 1,3,5-Trimethylbenzene ..... 2690 µg/kg m+p-Xylene ..... 5170 µg/kg o-Xylene ..... 2320 µg/kg Xylene, total ..... 7390 µg/kg Total purgeable Hydrocarbons ..... 67300 µg/kg	30 g

## Soils

Code	Product	Unit
<b>New</b> RTC-CRM309-030	Soil - BETX Certified values Lot 013253 Benzene .....2300 µg/kg Ethylbenzene .....6130 µg/kg Methyl tert-butyl ether (MTBE) .....5070 µg/kg Toluene .....5190 µg/kg m+p-Xylene ..... 7240 µg/kg o-Xylene ..... 6440 µg/kg Xylenes, total ..... 12100 µg/kg	30 g
<b>New</b> ERM-CC017	Mineral oil contaminated soil - Total petrol hydrocarbons (TPH) To be used for verification of analytical procedures for the determination of TPH in soils and sediments according to ISO 16703:2004 by GC/FID and for quality control in analytical laboratories. Certified values Total petrol hydrocarbons (TPH) .....6.6 ± 0.5 g/kg	81 g
<b>New</b> ERM-CC016	Waste - Total petrol hydrocarbons (TPH) The intended purpose of reference material ERM <sup>®</sup> -CC016 is the verification of analytical procedures for the determination of mineral oil hydrocarbons in waste and soils according to EN 14039 and ISO 16703 by GC-FID and for quality control in analytical laboratories. Certified value Total petrol hydrocarbons (TPH) .....3010 ± 220 mg/kg	83 g
<b>New</b> LGCQC3013	Loamy sand soil 2 - Total Petroleum Hydrocarbons Quality control reference material The method used for the determination of TPH was based on the ISO 16703:2004(E) Standard Soil Quality-Determination of content of hydrocarbons in the range of C10 to C40 by gas chromatography. Indicative values Textural classification Sand: 2.00-0.063 mm ..... 87 % Silt: 0.063 – 0.002 ..... 6 % Clay: < 0.002 mm ..... 7 % Constituent Total Petroleum Hydrocarbons (C10-C40) .....4100 mg/kg	100 g
RTC-CRM352-100	Soil (Loamy sand) - Total petroleum hydrocarbons (TPH) This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA 418.1. Certified value TPH ..... 1130 mg/kg	100 g
RTC-CRM350-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA 418.1. Certified value Lot 013246 TPH ..... 8300 mg/kg	100 g
RTC-CRM353-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA 418.1. Certified value Lot 012182 TPH ..... 2200 mg/kg	100 g
RTC-CRM355-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA 418.1. Certified value Lot JC355 TPH ..... 7040 mg/kg	100 g
RTC-CRM356-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA 418.1. Certified value Lot GK356 TPH .....3810 mg/kg Diesel Range Organics (C10-C20) ..... 611 mg/kg	100 g
RTC-CRM358-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) The value was determined by USEPA Method 8015M, 418.1, Total Recoverable Petroleum Hydrocarbons. Certified value TPH ..... 3650 mg/kg	100 g

Code	Product	Unit
RTC-CRM359-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) (as diesel) Certified value Lot 015649 Diesel range organics, C10-C28 .....982 mg/kg      Total EPH ..... 1110 mg/kg Diesel Range Organics (DRO) ..... 1030 mg/kg	100 g
RTC-CRM360-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) as (30/40WT motor) oil The reference value for TPH was determined by USEPA SW846 (3rd edition) Method 8015B and 8015M. TPH source is 30/40WT motor oil. Certified values Lot 013220 Residual Range Organics (RRO) C28-C35.....414 mg/kg	100 g
RTC-CRM357-100	Soil (Sandy loam) - Total petroleum hydrocarbons (TPH) This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA 418.1. Certified value Lot JF357 TPH ..... 3220 mg/kg	100 g
<b>New</b> RTC-CRM372-100	Sandy soil - Total petroleum hydrocarbons (TPH) Certified values Lot 014092 Total Petroleum Hydrocarbon.....2020 mg/kg      C10 to C12 Aromatics..... 17.1 mg/kg C10 to C12 Aliphatics .....70.9 mg/kg      C12 to C16 Aromatics..... 112 mg/kg C12 to C16 Aliphatics .....314 mg/kg      C16 to C21 Aromatics..... 96.2 mg/kg C16 to C21 Aliphatics .....209 mg/kg      C21 to C35 Aromatics..... 39.4 mg/kg C21 to C35 Aliphatics .....460 mg/kg	100 g
<b>New</b> RTC-CRM373-100	Loamy Soil - TPH Banded The soil is to be extracted and analyzed using an appropriate extraction and analytical method for TPH, assuming a high concentration sample. The values given are based on GC-FID/PID and column separation methods for aliphatics and aromatics. Certified values Lot 014476 C10 to C12 Aliphatics .....93.6 ± 10.5 mg/kg C12 to C16 Aliphatics .....302 ± 23.2 mg/kg C16 to C21 Aliphatics .....205 ± 10.3 mg/kg C21 to C35 Aliphatics .....539 ± 30.9 mg/kg C10 to C12 Aromatics .....36.8 ± 8.15 mg/kg C12 to C16 Aromatics .....151 ± 24.0 mg/kg C16 to C21 Aromatics .....86.8 ± 11.1 mg/kg C21 to C35 Aromatics .....26.7 ± 6.50 mg/kg Total Petroleum Hydrocarbons ..... 1050 ± 101 mg/kg      (TPH), (C6-C35)	100 g
<b>New</b> RTC-CRM371-100	Loamy Soil - TPH Banded The soil is to be extracted and analyzed using an appropriate extraction and analytical method for TPH, assuming a high concentration sample. Certified values Lot 013042 C10 to C12 Aliphatics ..... 280 ± 14.8 mg/kg C12 to C16 Aliphatics ..... 764 ± 42.1 mg/kg C16 to C21 Aliphatics ..... 574 ± 30.4 mg/kg C21 to C35 Aliphatics ..... 63.4 ± 6.89 mg/kg C10 to C12 Aromatics ..... 60.0 ± 6.70 mg/kg C12 to C16 Aromatics ..... 210 ± 35.9 mg/kg C16 to C21 Aromatics ..... 168 ± 12.4 mg/kg C21 to C35 Aromatics ..... 23.6 ± 4.78 mg/kg Total Petroleum Hydrocarbons(C6-C35) (TPH) ..... 1,570 ± 286 mg/kg	100 g
RTC-CRM500-030	Soil (Sandy loam) - Gasoline The sample was certified by USEPA Method 8015B, and is suitable for use by this and other similar methods. Certified value Benzene.....9.03 mg/kg      m+p-Xylene ..... 25.3 mg/kg Ethylbenzene .....6.16 mg/kg      o-Xylene ..... 9.23 mg/kg Naphthalene .....1.51 mg/kg      Xylene, total ..... 46.3 mg/kg Toluene.....30.1 mg/kg      Gasoline range organics (C5-C10) ..... 334 mg/kg	30 g
<b>New</b> RTC-CRM501-030	Soil (Loamy clay) - BTEX/GRO The sample was certified by USEPA Method 8015B, and is suitable for use by this and other similar methods. Certified values Lot 010589 Benzene.....10.5 mg/kg      o-Xylene ..... 12.6 mg/kg Ethylbenzene .....9.63 mg/kg      Xylene, total ..... 46.3 mg/kg Toluene.....42.6 mg/kg      Gasoline range organics (C6-C12) ..... 480 mg/kg m+p-Xylene.....34.2 mg/kg	30 g

# Soils

Code	Product	Unit
<b>New</b> RTC-CRM502-030	Soil (clay) - BTEX/GRO The sample was certified by USEPA Method 8015B, and is suitable for use by this and other similar methods. Certified values Lot 013606 Benzene.....8.79 mg/kg Ethylbenzene .....5.77 mg/kg Toluene.....27.4 mg/kg m+p-Xylene.....23.4 mg/kg	30 g o-Xylene ..... 8.66 mg/kg Xylene, total..... 33.0 mg/kg Gasoline range organics (C5-C10) ..... 357 mg/kg
RTC-CRM504-030	Soil (Sandy loam) - Gasoline The certified values were determined by USEPA SW846 (3rd edition) Method 8015B. Certified values Lot 016116 GRO (Gasoline Range Organics).....886 mg/kg Benzene .....22.5 mg/kg Ethylbenzene .....16.5 mg/kg Toluene.....76.9 mg/kg m+p-Xylene.....70.7 mg/kg	30 g o-Xylene ..... 26.1 mg/kg Total Xylene ..... 92.9 mg/kg Naphthalene..... 3.94 mg/kg GRO (C5-C10) ..... 685 mg/kg
<b>New</b> RTC-CRM513-030	Soil - BTEX/GRO Certified values Lot 011783 Benzene .....5.11 mg/kg Ethylbenzene .....3.86 mg/kg Toluene.....18.6 mg/kg m+p-Xylene.....14.5 mg/kg	30 g o-Xylene ..... 5.70 mg/kg Xylene, total..... 18.7 mg/kg Gasoline range organic (GRO), ..... 242 mg/kg C5-C10
RTC-CRM550-100	Soil (Sandy loam) - Diesel This soil is typical of that found in the backfill surrounding a leaking underground diesel storage tank (LUST). The soil was certified by USEPA SW846 (3rd edition) Method 8015B. Certified value Lot 015644 Diesel Range Organics .....963mg/kg	100 g
<b>New</b> RTC-CRM555-100	Soil (Silty loam) - Diesel The reference value for DRO was determined by USEPA SW846 (3rd edition) Method 8015B and 8015M. The reference value for TPH was determined by USEPA SW846 (3rd edition) Method 413.1 and 418.1.	100 g
<b>New</b> RTC-CRM558-100	Soil (Clay loam)- Diesel The sample was certified by USEPA Method 8015B, and is suitable for use by this and other similar methods. Certified values EPH .....591 mg/kg Diesel range organics (DRO).....544 mg/kg	100 g
<b>New</b> RTC-CRM608-025	Sandy loam 1 - Volatile organic analytes (VOAs) Certified values Acetone.....8620 µg/Kg Benzene.....7750 µg/Kg Bromobenzene .....7660 µg/Kg Bromodichloromethane.....2490 µg/Kg Bromoform .....8840 µg/Kg 2-Butanone .....20900 µg/Kg (Methyl ethyl ketone,MEK)..... 4-Methyl-2-pentanone Carbon tetrachloride .....3050 µg/Kg Chlorobenzene.....5730 µg/Kg 1,2-Dibromo-3-chloropropane (DBCP) .. 5200 µg/Kg 1,2-Dibromoethane .....7190 µg/Kg (EDB, Ethylene dibromide) ..... Tetrachloroethylene Dibromomethane .....8620 µg/Kg 1,2-Dichlorobenzene .....2460 µg/Kg 1,3-Dichlorobenzene.....7150 µg/Kg 1,4-Dichlorobenzene.....5850 µg/Kg 1,1-Dichloroethane .....2270 µg/Kg 1,2-Dichloroethane .....8210 µg/Kg 1,1-Dichloroethylene .....9860 µg/Kg cis-1,2-Dichloroethylene .....7810 µg/Kg 1,2-Dichloropropane .....8690 µg/Kg cis-1,3-Dichloropropene.....7960 µg/Kg trans-1,3-Dichloropropene .....4300 µg/Kg trans-1,2-Dichloroethylene.....9050 µg/Kg Ethylbenzene .....7770 µg/Kg	25 g Hexachloroethane .....2030 µg/Kg 2-Hexanone.....16800 µg/Kg Isopropylbenzene .....5800 µg/Kg Methyl bromide.....5010 µg/Kg Methyl chloride .....2480 µg/Kg Methylene chloride (Dichloromethane) ...6220 µg/Kg 5690 µg/Kg Methyl tert-butyl ether.....3340 µg/Kg Naphthalene.....4830 µg/Kg Styrene.....4780 µg/Kg 1,1,2,2-Tetrachloroethane .....4060 µg/Kg 4460 µg/Kg (Perchloroethylene) Toluene .....8180 µg/Kg 1,2,4-Trichlorobenzene .....6160 µg/Kg 1,1,1-Trichloroethane .....5830 µg/Kg 1,1,2-Trichloroethane .....2050 µg/Kg Trichlorofluoromethane .....5140 µg/Kg 1,2,3-Trichloropropane.....2820 µg/Kg 1,2,4-Trimethylbenzene .....4670 µg/Kg 1,3,5-Trimethylbenzene .....6140 µg/Kg Vinyl chloride.....1560 µg/Kg m+p-Xylene .....9940 µg/Kg o-Xylene .....8350 µg/Kg Xylene, total.....18200 µg/Kg

Code	Product	Unit
RTC-CRM627-030	Soil (Sandy loam) - Volatile organic analytes (low level)	30 g
	The following sample was certified using USEPA SW846, 3rd edition, method 8260, and is ideal for methanol extraction	
	Certified values	
	Benzene.....56.5 µg/kg	Styrene..... 39 µg/kg
	Carbon tetrachloride .....44.8 µg/kg	1,1,1,2-Tetrachloroethane..... 99.8 µg/kg
	Chlorobenzene .....52.6 µg/kg	1,1,2,2-Tetrachloroethane..... 87.8 µg/kg
	1,2-Dichlorobenzene.....40.9 µg/kg	Toluene..... 75.7 µg/kg
	1,3-Dichlorobenzene.....70.4 µg/kg	1,2,4-Trichlorobenzene .....48.9 µg/kg
	1,4-Dichlorobenzene.....74.9 µg/kg	1,1,2-Trichloroethane ..... 71.3 µg/kg
	1,2-Dichloroethane .....60.7 µg/kg	1,2,3-Trichloropropane..... 53 µg/kg
	Ethylbenzene.....88.4 µg/kg	1,2,4-Trimethylbenzene ..... 90.5 µg/kg
	Hexachloroethane.....147 µg/kg	m+p-Xylene ..... 67.3 µg/kg
	Methyl chloride (Chloromethane).....23.3 µg/kg	o-Xylene ..... 49.9 µg/kg
	Methyl tert-butyl ether (MTBE).....121 µg/kg	Xylene, total ..... 117 µg/kg
RTC-CRM633-030	Soil (Loamy sandy) - Volatile organic analytes (low level)	30 g
	Analytical data for certification was obtained using USEPA SW846, 3rd edition method 8260 (VOCs by GC/MS). The sample is intended for use in analytical systems using this and related methods.	
	Certified values	
	Lot 015216	
	Acetone.....411 µg/kg	2-Hexanone ..... 422 µg/kg
	Benzene.....52.2 µg/kg	Isopropylbenzene ..... 106 µg/kg
	Bromobenzene .....153 µg/kg	Methyl bromide (Bromomethane) ..... 79.3 µg/kg
	Bromodichloromethane .....65.1 µg/kg	Methyl chloride (Chloromethane)..... 60.2 µg/kg
	2-Butanone (Methyl ethyl ketone, MEK).....330 µg/kg	Methyl tert-butyl ether (MTBE) ..... 82.3 µg/kg
	Carbon tetrachloride .....145 µg/kg	Naphthalene.....94.8 µg/kg
	Chlorobenzene .....158 µg/kg	Styrene ..... 81.9 µg/kg
	Chloroethane .....92.2 µg/kg	1,1,1,2-Tetrachloroethane..... 120 µg/kg
	Chloroform .....120 µg/kg	Tetrachloroethylene ..... 131 µg/kg
	1,2-Dibromo-3-chloropropane (DBCP).....98.4 µg/kg	Toluene ..... 86.2 µg/kg
	Dibromochloromethane .....183 µg/kg	1,2,4-Trichlorobenzene ..... 83.8 µg/kg
	1,2-Dibromoethane (EDB).....158 µg/kg	1,1,1-Trichloroethane ..... 38.8 µg/kg
	Dibromomethane .....27.0 µg/kg	1,1,2-Trichloroethane ..... 127 µg/kg
	1,2-Dichlorobenzene.....49.9 µg/kg	Trichloroethene (Trichloroethylene) ..... 188 µg/kg
	1,3-Dichlorobenzene.....68.3 µg/kg	Trichlorofluoromethane ..... 102 µg/kg
	1,4-Dichlorobenzene.....40.0 µg/kg	1,2,3-Trichloropropane..... 134 µg/kg
	1,2-Dichloroethane .....31.6 µg/kg	1,2,4-Trimethylbenzene ..... 132 µg/kg
	1,1-Dichloroethylene .....132 µg/kg	1,3,5-Trimethylbenzene ..... 190 µg/kg
	cis-1,2-Dichloroethylene .....81.3 µg/kg	Vinyl chloride.....63.2 µg/kg
	1,2-Dichloropropane .....37.2 µg/kg	m+p-Xylene ..... 110 µg/kg
	cis-1,3-Dichloropropene .....183 µg/kg	o-Xylene ..... 47.7 µg/kg
	trans-1,2-Dichloroethylene.....49.6 µg/kg	Xylene, total ..... 158 µg/kg
	Ethylbenzene .....56.6 µg/kg	
<b>New</b> RTC-CRM636-025	Loamy sand 4 - Volatile organic analytes	25 g
	Certified values	
	Lot 016530	
	Acrolein.....1080 µg/kg	Ethylbenzene ..... 6150 µg/kg
	Acetone.....27900 µg/kg	2-Hexanone ..... 11700 µg/kg
	Benzene.....5110 µg/kg	Isopropylbenzene ..... 5440 µg/kg
	Bromobenzene .....3810 µg/kg	Methyl bromide..... 1980 µg/kg
	Bromodichloromethane .....3500 µg/kg	Methyl chloride..... 3620 µg/kg
	2-Butanone (Methyl ethyl ketone, MEK) 15800 µg/kg	4-Methyl-2-pentanone (MIBK) ..... 10700 µg/kg
	Carbon tetrachloride .....3110 µg/kg	Methyl tert-butyl ether (MTBE) ..... 6600 µg/kg
	Chlorobenzene .....4740 µg/kg	Naphthalene.....6780 µg/kg
	Chloroethane .....4010 µg/kg	Styrene.....7070 µg/kg
	2-Chloroethyl vinyl ether .....923 µg/kg	1,1,1,2-Tetrachloroethane..... 5580 µg/kg
	Chloroform .....8260 µg/kg	1,1,2,2-Tetrachloroethane..... 7070 µg/kg
	1,2-Dibromo-3-chloropropane.....5280 µg/kg	Tetrachloroethylene ..... 8430 µg/kg
	Dibromochloromethane .....8680 µg/kg	Toluene ..... 4840 µg/kg
	Dibromomethane.....7950 µg/kg	1,2,4-Trimethylbenzene ..... 8400 µg/kg
	1,2-Dichlorobenzene.....5330 µg/kg	1,1,2-Trichloroethane ..... 2260 µg/kg
	1,3-Dichlorobenzene.....6440 µg/kg	Trichloroethene ..... 7630 µg/kg
	1,4-Dichlorobenzene.....5680 µg/kg	Trichlorofluoromethane ..... 8280 µg/kg
	1,1-Dichloroethane .....5770 µg/kg	1,2,3-Trichloropropane..... 8550 µg/kg
	1,2-Dichloroethane .....8540 µg/kg	1,2,4-Trimethylbenzene ..... 7650 µg/kg
	1,1-Dichloroethylene.....5310 µg/kg	1,3,5-Trimethylbenzene ..... 12000 µg/kg
	cis-1,2-Dichloroethylene .....9050 µg/kg	Vinyl chloride.....5360 µg/kg
	1,2-Dichloropropane .....7800 µg/kg	m+p-Xylene ..... 8920 µg/kg
	trans-1,3-Dichloropropene .....6690 µg/kg	o-Xylene ..... 2680 µg/kg
	trans-1,2-Dichloroethylene.....6720 µg/kg	Xylene ..... 11300 µg/kg



# Soils

Code	Product	Unit
<b>New</b> RTC-CRM638-025	Clay 2- Volatile organic analytes Certified values Lot 015215 Acetone.....27900 µg/kg Benzene.....5390 µg/kg Bromobenzene.....3660 µg/kg Bromodichloromethane.....3870 µg/kg 2-Butanone (Methyl ethyl ketone, MEK) 11100 µg/kg Carbon tetrachloride.....6910 µg/kg Chlorobenzene.....9080 µg/kg Chloroethane.....4060 µg/kg Chloroform.....5800 µg/kg 1,2-Dibromo-3-chloropropane.....5730 µg/kg Dibromochloromethane.....3320 µg/kg 1,2-Dibromomethane.....6300 µg/kg Dibromomethane.....6240 µg/kg 1,2-Dichlorobenzene.....9130 µg/kg 1,3-Dichlorobenzene.....3600 µg/kg 1,4-Dichlorobenzene.....3320 µg/kg 1,2-Dichloroethane.....7970 µg/kg 1,1-Dichloroethylene.....5780 µg/kg cis-1,2-Dichloroethylene.....5050 µg/kg 1,2-Dichloropropane.....6900 µg/kg cis-1,3-Dichloropropane.....6640 µg/kg trans-1,2-Dichloroethylene.....9380 µg/kg Ethylbenzene.....6480 µg/kg 2-Hexanone.....15800 µg/kg Isopropylbenzene.....8520 µg/kg Methyl bromide.....5020 µg/kg Methyl chloride.....1970 µg/kg 4-Methyl-2-pentanone (MIBK).....10600 µg/kg Methyl tert-butyl ether (MTBE).....3060 µg/kg Naphthalene.....6250 µg/kg Styrene.....5650 µg/kg 1,1,1,2-Tetrachloroethane.....5280 µg/kg Tetrachloroethylene.....7200 µg/kg Toluene.....8060 µg/kg 1,2,4-Trichlorobenzene.....2960 µg/kg 1,1,1-Trichloroethane.....9380 µg/kg 1,1,2-Trichloroethane.....2940 µg/kg Trichloroethene.....7470 µg/kg Trichlorofluoromethane.....8400 µg/kg 1,2,3-Trichloropropane.....3490 µg/kg 1,2,4-Trimethylbenzene.....11400 µg/kg 1,3,5-Trimethylbenzene.....18800 µg/kg Vinyl chloride.....8370 µg/kg m+p-Xylene.....11500 µg/kg o-Xylene.....2790 µg/kg Xylene.....14500 µg/kg	25 g
RTC-CRM106-100	Soil (Sandy loam) - Semi-volatile organic analytes (Semi-VOAs) Soil contaminated with semi-volatile organic compounds, from the Western region of the United States. The sample was certified by USEPA SW846, 3rd edition extraction methods 3540A (Soxhlet), 3550 (sonication), and analysis method 8270A (Semivolatile organics by GC/MS). The sample is suitable for use by these and other similar methods. Certified values Lot CF106 Phenol.....19.54 mg/kg Chlorophenol.....17.76 mg/kg 4-Methylphenol.....1.71 mg/kg 3-Nitroaniline.....11.64 mg/kg 2,4-Dinitrophenol.....3.90 mg/kg 4-Nitrophenol.....15.15 mg/kg 2,4-Dinitrotoluene.....29.31 mg/kg 2,6-Dinitrotoluene.....16.64 mg/kg Pentachlorophenol.....29.89 mg/kg Phenanthrene.....0.63 mg/kg Bis(2-ethylhexyl)phthalate.....24.14 mg/kg	100 g
RTC-CRM114-100	Soil (Loam) - Semi-volatile organic analytes (Semi-VOAs) Soil contaminated with Semi-Volatile Organic compounds, from a site in the Western region of the United States. The Semi-VOA values in the sample were certified by USEPA SW846, 3rd edition Extraction Methods 3540C (Soxhlet extraction), 3550 (Sonication) and analysis method 8270C (Semivolatile organics by GC/MS). The sample is suitable for use by these and other similar methods. Certified values Lot II114 Benzo(a)anthracene.....11.5 mg/kg Benzo(a)pyrene.....33.8 mg/kg Benzo(ghi)perylene.....6.68 mg/kg 2-Chlorophenol.....30.7 mg/kg 2,4-Dichlorophenol.....24.6 mg/kg 2,4-Dinitrotoluene.....30.2 mg/kg Fluoranthene.....54.4 mg/kg Fluorene.....25.4 mg/kg Hexachlorobenzene.....77.1 mg/kg Hexachloroethane.....11.0 mg/kg 1- and 2-Methylnaphthalene.....61.3 mg/kg 3-Nitroaniline.....29.2 mg/kg Nitrobenzene.....29.9 mg/kg 4-Nitrophenol.....45.4 mg/kg Pentachlorophenol.....30.9 mg/kg Pyrene.....9.2 mg/kg	100 g
RTC-CRM109-100	Soil (Sandy loam) - Organic contaminants BNA contaminated soil, from a site in the Western United States and is not "spiked or fortified" in any manner. The BNA values in the sample were certified by USEPA SW846, 3rd edition Extraction Methods 3540A/3541 (Soxhlet), 3550 (sonication), and analysis method 8270A (Semivolatile organics by GC/MS). The sample is suitable for use by these and other similar methods.	100 g
RTC-CRM110-100	Soil (Sandy loam) - Organic contaminants BNA contaminated soil from a site in the Western United States. The BNA values in the sample were certified by USEPA SW846, 3rd edition Extraction Methods 3540A/3541 (Soxhlet), 3550 (sonication), and analysis method 8270B (Semivolatile organics by GC/MS). The sample is suitable for use by these and other similar methods. Certified values Lot LG110 Acenaphthene.....55.6 mg/kg Bis(2-ethylhexyl)phthalate.....13.1 mg/kg 2-Chlorophenol.....21.4 mg/kg Dibenzofuran.....47.8 mg/kg 2,4-Dinitrophenol.....9.98 mg/kg 2,4-Dinitrotoluene.....44.6 mg/kg 2,6-Dinitrotoluene.....19.4 mg/kg Fluoranthene.....11.8 mg/kg Fluorene.....14.2 mg/kg Hexachlorobenzene.....71.3 mg/kg Hexachloroethane.....8.79 mg/kg Naphthalene.....30.3 mg/kg 2-Nitroaniline.....46.3 mg/kg 4-Nitrophenol.....26.2 mg/kg Nitrobenzene.....15.1 mg/kg Pentachlorophenol.....27.1 mg/kg Phenol.....13.9 mg/kg Indicative value for 3-Nitroaniline	100 g



Code	Product	Unit
RTC-CRM111-100	Soil (Loamy sand) - Organic contaminants BNA contaminated soil from a site in the Rocky Mountain region of the United States. The BNA values in the sample were certified by USEPA SW846, 3rd edition Extraction Methods 3540A/3541 (Soxhlet), 3550 (sonication), and analysis method 8270A (Semivolatile organics by GC/MS). The sample is suitable for use by these and other similar methods. Certified values Lot IH111 Acenaphthene.....21.3 mg/kg Bis(2-ethylhexyl)phthalate.....36.0 mg/kg Dibenzofuran.....6.91 mg/kg 2,4-Dinitrotoluene.....33.7 mg/kg 2,6-Dinitrotoluene.....15.4 mg/kg Fluoranthene.....56.1 mg/kg Fluorene.....21.4 mg/kg Hexachlorobenzene.....23.1 mg/kg Hexachloroethane.....7.51 mg/kg Naphthalene.....10.8 mg/kg 2-Nitroaniline.....30 mg/kg 3-Nitroaniline.....5.85 mg/kg Nitrobenzene.....30.7 mg/kg 4-Dinitrophenol.....8.70 mg/kg Pentachlorophenol.....22.0 mg/kg	100 g
RTC-CRM113-100	Soil (Loamy sand) - Organic contaminants BNA contaminated soil from a site in the Western region of the United States. The BNA values in the sample were certified by USEPA SW846, 3rd edition Extraction Methods 3540A/3541 (Soxhlet), 3550 (Sonication), and analysis method 8270C (Semivolatile Organics by GC/MS). The sample is suitable for use by these and other similar methods. Certified values Lot F1113 Bis(2-ethylhexyl)phthalate.....0.97 mg/kg Benzo(b)fluoranthene.....3.53 mg/kg Benzo(a)pyrene.....3.17 mg/kg Chrysene.....7.21 mg/kg 2,4-Dinitrophenol.....1.64 mg/kg 2,4-Dinitrotoluene.....16.0 mg/kg Fluoranthene.....6.51 mg/kg Fluorene.....8.41 mg/kg Hexachlorobenzene.....14.3 mg/kg Hexachloroethane.....1.65 mg/kg 4-Methylphenol.....7.55 mg/kg 2-Nitroaniline.....14.5 mg/kg 3-Nitroaniline.....0.98 mg/kg Nitrobenzene.....5.88 mg/kg 4-Nitrophenol.....4.56 mg/kg Pyrene.....37.0 mg/kg	100 g
RTC-CRM115-100	Soil (Loamy sand) - Organic contaminants PAH contaminated soil from a site in the Western Region of the United States. Certified values Lot JC115 Acenaphthene.....4.60 mg/kg Benzo(a)anthracene.....12.1 mg/kg Benzo(b)Fluoranthene.....0.930 mg/kg Chrysene.....16.8 mg/kg Dibenzofuran.....10.6 mg/kg Fluoranthene.....22.1 mg/kg Fluorene.....13.0 mg/kg Naphthalene.....1.34 mg/kg Phenanthrene.....0.080 mg/kg Pyrene.....7.66 mg/kg Indicative values for Anthracene and Bis(2-ethylhexyl)phthalate	100 g
<b>New</b> RTC-CRM116-100	Soil (Loam) - Organic contaminants BNA contaminated soil from a site in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Extraction Method 3540C (soxhlet) and 3550 (sonication), and Analysis Method 8270C (semivolatile organics by GC/MS).The sample is suitable for these and other similar methods. Certified values Lot JL116 Naphthalene.....2.81 mg/Kg Nitrobenzene.....3.89 mg/Kg Acenaphthene.....6.04 mg/Kg Acenaphthylene.....7.8 mg/Kg Anthracene.....6.15 mg/Kg Benzo(a)anthracene.....5.25 mg/Kg 4-Bromophenyl phenyl ether.....9.92 mg/Kg 4-Chloro-3-methylphenol.....5.88 mg/Kg 2-Chlorophenol.....5.51 mg/Kg Chrysene.....1.38 mg/Kg Dibenzofuran.....5.91 mg/Kg Di-n-butyl phthalate.....10.8 mg/Kg 2,4-Dichlorophenol.....6.84 mg/Kg 2,4-Dinitrophenol.....4.02 mg/Kg 2,4-Dinitrotoluene (2,4-DNT).....8.5 mg/Kg 2,6-Dinitrotoluene (2,6-DNT).....7.54 mg/Kg bis(2-Ethylhexyl) phthalate (DEHP).....9.51 mg/Kg Fluoranthene.....7.08 mg/Kg Fluorene.....5.72 mg/Kg Hexachlorobenzene.....7.12 mg/Kg Isophorone.....6.63 mg/Kg 2-Methyl-4,6-dinitrophenol.....5.96 mg/Kg 2-Nitrophenol.....4.9 mg/Kg 4-Nitrophenol.....6.79 mg/Kg Pentachlorophenol.....6.55 mg/Kg Phenanthrene.....6.96 mg/Kg Phenol.....9.28 mg/Kg Pyrene.....3.92 mg/Kg 2,4,6-Trichlorophenol.....5.35 mg/Kg	100 g

# Soils

Code	Product	Unit																																																																
<b>New</b> RTC-CRM118-100	Soil (Sandy loam) - Organic contaminants The certified values were determined by USEPA SW846 (3rd edition) Extraction Method 3540C (soxhlet) and 3550 (sonication), and Analysis Method 8270C (semivolatile organics by GC/MS). The sample is suitable for these and other similar methods. Certified values Lot A1118	100 g																																																																
	<table border="0"> <tr> <td>1,2,4-Trichlorobenzene.....</td> <td>6.43 mg/kg</td> <td>Benzo(k)fluoranthene.....</td> <td>6.05 mg/kg</td> </tr> <tr> <td>2,4,5-Trichlorophenol.....</td> <td>8.75 mg/kg</td> <td>Dibenzofuran.....</td> <td>7.99 mg/kg</td> </tr> <tr> <td>2,4,6-Trichlorophenol.....</td> <td>6.60 mg/kg</td> <td>Diethylphthalate.....</td> <td>7.00 mg/kg</td> </tr> <tr> <td>2,4-Dichlorophenol.....</td> <td>7.05 mg/kg</td> <td>Di-n-butylphthalate.....</td> <td>7.30 mg/kg</td> </tr> <tr> <td>2,4-Dimethylphenol.....</td> <td>6.42 mg/kg</td> <td>Fluoranthene.....</td> <td>4.64 mg/kg</td> </tr> <tr> <td>2,4-Dinitrotoluene.....</td> <td>2.64 mg/kg</td> <td>Fluorene.....</td> <td>4.75 mg/kg</td> </tr> <tr> <td>2,6-Dinitrotoluene.....</td> <td>3.42 mg/kg</td> <td>Hexachlorobenzene.....</td> <td>5.48 mg/kg</td> </tr> <tr> <td>2-Chlorophenol.....</td> <td>5.99 mg/kg</td> <td>Hexachlorobutadiene.....</td> <td>4.61 mg/kg</td> </tr> <tr> <td>2-Nitrophenol.....</td> <td>7.08 mg/kg</td> <td>Hexachloroethane.....</td> <td>4.99 mg/kg</td> </tr> <tr> <td>4-Bromophenyl-phenylether.....</td> <td>11.80 mg/kg</td> <td>Isophorone.....</td> <td>5.83 mg/kg</td> </tr> <tr> <td>4-Chloro-3-methylphenol.....</td> <td>5.80 mg/kg</td> <td>Naphthalene.....</td> <td>7.79 mg/kg</td> </tr> <tr> <td>4-Nitrophenol.....</td> <td>8.25 mg/kg</td> <td>Nitrobenzene.....</td> <td>7.95 mg/kg</td> </tr> <tr> <td>Acenaphthene.....</td> <td>7.92 mg/kg</td> <td>Pentachlorophenol.....</td> <td>5.07 mg/kg</td> </tr> <tr> <td>Acenaphthylene.....</td> <td>7.91 mg/kg</td> <td>Phenanthrene.....</td> <td>5.69 mg/kg</td> </tr> <tr> <td>Anthracene.....</td> <td>8.35 mg/kg</td> <td>Phenol.....</td> <td>9.23 mg/kg</td> </tr> <tr> <td>Benzo(a)pyrene.....</td> <td>7.83 mg/kg</td> <td>Pyrene.....</td> <td>5.00 mg/kg</td> </tr> </table>	1,2,4-Trichlorobenzene.....	6.43 mg/kg	Benzo(k)fluoranthene.....	6.05 mg/kg	2,4,5-Trichlorophenol.....	8.75 mg/kg	Dibenzofuran.....	7.99 mg/kg	2,4,6-Trichlorophenol.....	6.60 mg/kg	Diethylphthalate.....	7.00 mg/kg	2,4-Dichlorophenol.....	7.05 mg/kg	Di-n-butylphthalate.....	7.30 mg/kg	2,4-Dimethylphenol.....	6.42 mg/kg	Fluoranthene.....	4.64 mg/kg	2,4-Dinitrotoluene.....	2.64 mg/kg	Fluorene.....	4.75 mg/kg	2,6-Dinitrotoluene.....	3.42 mg/kg	Hexachlorobenzene.....	5.48 mg/kg	2-Chlorophenol.....	5.99 mg/kg	Hexachlorobutadiene.....	4.61 mg/kg	2-Nitrophenol.....	7.08 mg/kg	Hexachloroethane.....	4.99 mg/kg	4-Bromophenyl-phenylether.....	11.80 mg/kg	Isophorone.....	5.83 mg/kg	4-Chloro-3-methylphenol.....	5.80 mg/kg	Naphthalene.....	7.79 mg/kg	4-Nitrophenol.....	8.25 mg/kg	Nitrobenzene.....	7.95 mg/kg	Acenaphthene.....	7.92 mg/kg	Pentachlorophenol.....	5.07 mg/kg	Acenaphthylene.....	7.91 mg/kg	Phenanthrene.....	5.69 mg/kg	Anthracene.....	8.35 mg/kg	Phenol.....	9.23 mg/kg	Benzo(a)pyrene.....	7.83 mg/kg	Pyrene.....	5.00 mg/kg	
1,2,4-Trichlorobenzene.....	6.43 mg/kg	Benzo(k)fluoranthene.....	6.05 mg/kg																																																															
2,4,5-Trichlorophenol.....	8.75 mg/kg	Dibenzofuran.....	7.99 mg/kg																																																															
2,4,6-Trichlorophenol.....	6.60 mg/kg	Diethylphthalate.....	7.00 mg/kg																																																															
2,4-Dichlorophenol.....	7.05 mg/kg	Di-n-butylphthalate.....	7.30 mg/kg																																																															
2,4-Dimethylphenol.....	6.42 mg/kg	Fluoranthene.....	4.64 mg/kg																																																															
2,4-Dinitrotoluene.....	2.64 mg/kg	Fluorene.....	4.75 mg/kg																																																															
2,6-Dinitrotoluene.....	3.42 mg/kg	Hexachlorobenzene.....	5.48 mg/kg																																																															
2-Chlorophenol.....	5.99 mg/kg	Hexachlorobutadiene.....	4.61 mg/kg																																																															
2-Nitrophenol.....	7.08 mg/kg	Hexachloroethane.....	4.99 mg/kg																																																															
4-Bromophenyl-phenylether.....	11.80 mg/kg	Isophorone.....	5.83 mg/kg																																																															
4-Chloro-3-methylphenol.....	5.80 mg/kg	Naphthalene.....	7.79 mg/kg																																																															
4-Nitrophenol.....	8.25 mg/kg	Nitrobenzene.....	7.95 mg/kg																																																															
Acenaphthene.....	7.92 mg/kg	Pentachlorophenol.....	5.07 mg/kg																																																															
Acenaphthylene.....	7.91 mg/kg	Phenanthrene.....	5.69 mg/kg																																																															
Anthracene.....	8.35 mg/kg	Phenol.....	9.23 mg/kg																																																															
Benzo(a)pyrene.....	7.83 mg/kg	Pyrene.....	5.00 mg/kg																																																															
	Indicative value for 2,4-Dinitrophenol																																																																	

<b>New</b> RTC-CRM119-100	Soil (Sandy loam) - Organic contaminants The certified values were determined by USEPA SW846 (3rd edition) Extraction Method 3540C (soxhlet) and 3550 (sonication), and Analysis Method 8270C (semivolatile organics by GC/MS). The sample is suitable for these and other similar methods. Certified values Lot BC119	100 g																																																																				
	<table border="0"> <tr> <td>Acenaphthene.....</td> <td>4.77 mg/kg</td> <td>2,4-Dimethylphenol.....</td> <td>4.68 mg/kg</td> </tr> <tr> <td>Acenaphthylene.....</td> <td>4.52 mg/kg</td> <td>Dimethylphthalate.....</td> <td>9.73 mg/kg</td> </tr> <tr> <td>Anthracene.....</td> <td>3.90 mg/kg</td> <td>Diethylphthalate.....</td> <td>5.73 mg/kg</td> </tr> <tr> <td>Benzo(a)pyrene.....</td> <td>6.43 mg/kg</td> <td>Fluoranthene.....</td> <td>5.70 mg/kg</td> </tr> <tr> <td>Bis(2-ethylhexyl).....</td> <td>8.80 mg/kg</td> <td>Fluorene.....</td> <td>4.09 mg/kg</td> </tr> <tr> <td>4-Bromophenyl-phenylether.....</td> <td>10.3 mg/kg</td> <td>Isophorone.....</td> <td>4.46 mg/kg</td> </tr> <tr> <td>Butylbenzylphthalate.....</td> <td>14.2 mg/kg</td> <td>2-Methyl-4,6-dinitrophenol.....</td> <td>2.41 mg/kg</td> </tr> <tr> <td>4-Chloro-3-methylphenol.....</td> <td>7.65 mg/kg</td> <td>2-Methylnaphthalene.....</td> <td>11.6 mg/kg</td> </tr> <tr> <td>2-Chloronaphthalene.....</td> <td>7.26 mg/kg</td> <td>2-Methylphenol.....</td> <td>7.79 mg/kg</td> </tr> <tr> <td>2-Chlorophenol.....</td> <td>4.40 mg/kg</td> <td>4-Methylphenol.....</td> <td>8.47 mg/kg</td> </tr> <tr> <td>4-Chlorophenyl-phenylether.....</td> <td>9.87 mg/kg</td> <td>Naphthalene.....</td> <td>8.61 mg/kg</td> </tr> <tr> <td>Chrysene.....</td> <td>11.7 mg/kg</td> <td>2-Nitroaniline.....</td> <td>10.0 mg/kg</td> </tr> <tr> <td>Dibenzofuran.....</td> <td>4.12 mg/kg</td> <td>2-Nitrophenol.....</td> <td>7.09 mg/kg</td> </tr> <tr> <td>1,3-Dichlorobenzene.....</td> <td>3.79 mg/kg</td> <td>4-Nitrophenol.....</td> <td>3.47 mg/kg</td> </tr> <tr> <td>1,4-Dichlorobenzene.....</td> <td>2.35 mg/kg</td> <td>Pentachlorophenol.....</td> <td>7.50 mg/kg</td> </tr> <tr> <td>2,4-Dichlorophenol.....</td> <td>6.93 mg/kg</td> <td>Phenanthrene.....</td> <td>6.62 mg/kg</td> </tr> <tr> <td>Diethylphthalate.....</td> <td>4.73 mg/kg</td> <td></td> <td></td> </tr> </table>	Acenaphthene.....	4.77 mg/kg	2,4-Dimethylphenol.....	4.68 mg/kg	Acenaphthylene.....	4.52 mg/kg	Dimethylphthalate.....	9.73 mg/kg	Anthracene.....	3.90 mg/kg	Diethylphthalate.....	5.73 mg/kg	Benzo(a)pyrene.....	6.43 mg/kg	Fluoranthene.....	5.70 mg/kg	Bis(2-ethylhexyl).....	8.80 mg/kg	Fluorene.....	4.09 mg/kg	4-Bromophenyl-phenylether.....	10.3 mg/kg	Isophorone.....	4.46 mg/kg	Butylbenzylphthalate.....	14.2 mg/kg	2-Methyl-4,6-dinitrophenol.....	2.41 mg/kg	4-Chloro-3-methylphenol.....	7.65 mg/kg	2-Methylnaphthalene.....	11.6 mg/kg	2-Chloronaphthalene.....	7.26 mg/kg	2-Methylphenol.....	7.79 mg/kg	2-Chlorophenol.....	4.40 mg/kg	4-Methylphenol.....	8.47 mg/kg	4-Chlorophenyl-phenylether.....	9.87 mg/kg	Naphthalene.....	8.61 mg/kg	Chrysene.....	11.7 mg/kg	2-Nitroaniline.....	10.0 mg/kg	Dibenzofuran.....	4.12 mg/kg	2-Nitrophenol.....	7.09 mg/kg	1,3-Dichlorobenzene.....	3.79 mg/kg	4-Nitrophenol.....	3.47 mg/kg	1,4-Dichlorobenzene.....	2.35 mg/kg	Pentachlorophenol.....	7.50 mg/kg	2,4-Dichlorophenol.....	6.93 mg/kg	Phenanthrene.....	6.62 mg/kg	Diethylphthalate.....	4.73 mg/kg			
Acenaphthene.....	4.77 mg/kg	2,4-Dimethylphenol.....	4.68 mg/kg																																																																			
Acenaphthylene.....	4.52 mg/kg	Dimethylphthalate.....	9.73 mg/kg																																																																			
Anthracene.....	3.90 mg/kg	Diethylphthalate.....	5.73 mg/kg																																																																			
Benzo(a)pyrene.....	6.43 mg/kg	Fluoranthene.....	5.70 mg/kg																																																																			
Bis(2-ethylhexyl).....	8.80 mg/kg	Fluorene.....	4.09 mg/kg																																																																			
4-Bromophenyl-phenylether.....	10.3 mg/kg	Isophorone.....	4.46 mg/kg																																																																			
Butylbenzylphthalate.....	14.2 mg/kg	2-Methyl-4,6-dinitrophenol.....	2.41 mg/kg																																																																			
4-Chloro-3-methylphenol.....	7.65 mg/kg	2-Methylnaphthalene.....	11.6 mg/kg																																																																			
2-Chloronaphthalene.....	7.26 mg/kg	2-Methylphenol.....	7.79 mg/kg																																																																			
2-Chlorophenol.....	4.40 mg/kg	4-Methylphenol.....	8.47 mg/kg																																																																			
4-Chlorophenyl-phenylether.....	9.87 mg/kg	Naphthalene.....	8.61 mg/kg																																																																			
Chrysene.....	11.7 mg/kg	2-Nitroaniline.....	10.0 mg/kg																																																																			
Dibenzofuran.....	4.12 mg/kg	2-Nitrophenol.....	7.09 mg/kg																																																																			
1,3-Dichlorobenzene.....	3.79 mg/kg	4-Nitrophenol.....	3.47 mg/kg																																																																			
1,4-Dichlorobenzene.....	2.35 mg/kg	Pentachlorophenol.....	7.50 mg/kg																																																																			
2,4-Dichlorophenol.....	6.93 mg/kg	Phenanthrene.....	6.62 mg/kg																																																																			
Diethylphthalate.....	4.73 mg/kg																																																																					
	Indicative values for Carbazole, 2,6-Dichlorophenol, Di-n-butylphthalate and Phenol																																																																					

RTC-CRM131-100	Soil (Sandy loam) - Organic contaminants The values were determined by USEPA SW846 (3rd edition) Extraction Method 3540C (soxhlet) and 3550 (sonication), and Analysis Method 8270C (semivolatile organics by GC/MS). The sample is suitable for these and other similar methods. Certified values Lot 013243	100 g																																																																																								
	<table border="0"> <tr> <td>1,2-Dichlorobenzene.....</td> <td>1580 µg/kg</td> <td>2,6-Dichlorophenol.....</td> <td>959 µg/kg</td> </tr> <tr> <td>1,3-Dichlorobenzene.....</td> <td>1400 µg/kg</td> <td>Diethyl phthalate.....</td> <td>3950 µg/kg</td> </tr> <tr> <td>1,4-Dichlorobenzene.....</td> <td>502 µg/kg</td> <td>Dimethyl phthalate.....</td> <td>2970 µg/kg</td> </tr> <tr> <td>Hexachloroethane.....</td> <td>1180 µg/kg</td> <td>2,4-Dichlorophenol.....</td> <td>1550 µg/kg</td> </tr> <tr> <td>Naphthalene.....</td> <td>1200 µg/kg</td> <td>2,4-Dinitrotoluene.....</td> <td>1530 µg/kg</td> </tr> <tr> <td>Nitrobenzene.....</td> <td>1810 µg/kg</td> <td>2,6-Dinitrotoluene.....</td> <td>2340 µg/kg</td> </tr> <tr> <td>Acenaphthene.....</td> <td>260 µg/kg</td> <td>Di-n-octyl phthalate.....</td> <td>1990 µg/kg</td> </tr> <tr> <td>Anthracene.....</td> <td>389 µg/kg</td> <td>Fluoranthene.....</td> <td>3870 µg/kg</td> </tr> <tr> <td>Benzo(a)anthracene.....</td> <td>4060 µg/kg</td> <td>Fluorene.....</td> <td>5670 µg/kg</td> </tr> <tr> <td>Benzo(a)pyrene.....</td> <td>406 µg/kg</td> <td>Hexachlorobenzene.....</td> <td>1240 µg/kg</td> </tr> <tr> <td>Benzo(b)fluoranthene.....</td> <td>1560 µg/kg</td> <td>Indeno(1,2,3-cd) pyrene.....</td> <td>1840 µg/kg</td> </tr> <tr> <td>Benzo(g,h,i)perylene.....</td> <td>4720 µg/kg</td> <td>2-Methyl-4,6-dinitrophenol.....</td> <td>4250 µg/kg</td> </tr> <tr> <td>Benzo(k)fluoranthene.....</td> <td>3820 µg/kg</td> <td>2-Methylnaphthalene.....</td> <td>1350 µg/kg</td> </tr> <tr> <td>4-Bromophenyl phenyl ether.....</td> <td>8732 µg/kg</td> <td>2-Methylphenol (o-Cresol).....</td> <td>280 µg/kg</td> </tr> <tr> <td>Butyl benzyl phthalate.....</td> <td>2780 µg/kg</td> <td>4-Nitrophenol.....</td> <td>3550 µg/kg</td> </tr> <tr> <td>bis(2-Chloroethoxy)methane.....</td> <td>878 µg/kg</td> <td>n-Nitroso-di-n-propylamine.....</td> <td>2000 µg/kg</td> </tr> <tr> <td>bis(2-Chlorophenyl)ether.....</td> <td>1230 µg/kg</td> <td>Pentachlorophenol.....</td> <td>3190 µg/kg</td> </tr> <tr> <td>2-Chlorophenol.....</td> <td>3525 µg/kg</td> <td>Phenanthrene.....</td> <td>1900 µg/kg</td> </tr> <tr> <td>4-Chlorophenyl phenylether.....</td> <td>1180 µg/kg</td> <td>Phenol.....</td> <td>899 µg/kg</td> </tr> <tr> <td>Chrysene.....</td> <td>6790 µg/kg</td> <td>Pyrene.....</td> <td>1110 µg/kg</td> </tr> <tr> <td>Dibenz(a,h) anthracene.....</td> <td>4800 µg/kg</td> <td>2,4,6-Trichlorophenol.....</td> <td>5950 µg/kg</td> </tr> <tr> <td>Dibenzofuran.....</td> <td>4400 µg/kg</td> <td></td> <td></td> </tr> </table>	1,2-Dichlorobenzene.....	1580 µg/kg	2,6-Dichlorophenol.....	959 µg/kg	1,3-Dichlorobenzene.....	1400 µg/kg	Diethyl phthalate.....	3950 µg/kg	1,4-Dichlorobenzene.....	502 µg/kg	Dimethyl phthalate.....	2970 µg/kg	Hexachloroethane.....	1180 µg/kg	2,4-Dichlorophenol.....	1550 µg/kg	Naphthalene.....	1200 µg/kg	2,4-Dinitrotoluene.....	1530 µg/kg	Nitrobenzene.....	1810 µg/kg	2,6-Dinitrotoluene.....	2340 µg/kg	Acenaphthene.....	260 µg/kg	Di-n-octyl phthalate.....	1990 µg/kg	Anthracene.....	389 µg/kg	Fluoranthene.....	3870 µg/kg	Benzo(a)anthracene.....	4060 µg/kg	Fluorene.....	5670 µg/kg	Benzo(a)pyrene.....	406 µg/kg	Hexachlorobenzene.....	1240 µg/kg	Benzo(b)fluoranthene.....	1560 µg/kg	Indeno(1,2,3-cd) pyrene.....	1840 µg/kg	Benzo(g,h,i)perylene.....	4720 µg/kg	2-Methyl-4,6-dinitrophenol.....	4250 µg/kg	Benzo(k)fluoranthene.....	3820 µg/kg	2-Methylnaphthalene.....	1350 µg/kg	4-Bromophenyl phenyl ether.....	8732 µg/kg	2-Methylphenol (o-Cresol).....	280 µg/kg	Butyl benzyl phthalate.....	2780 µg/kg	4-Nitrophenol.....	3550 µg/kg	bis(2-Chloroethoxy)methane.....	878 µg/kg	n-Nitroso-di-n-propylamine.....	2000 µg/kg	bis(2-Chlorophenyl)ether.....	1230 µg/kg	Pentachlorophenol.....	3190 µg/kg	2-Chlorophenol.....	3525 µg/kg	Phenanthrene.....	1900 µg/kg	4-Chlorophenyl phenylether.....	1180 µg/kg	Phenol.....	899 µg/kg	Chrysene.....	6790 µg/kg	Pyrene.....	1110 µg/kg	Dibenz(a,h) anthracene.....	4800 µg/kg	2,4,6-Trichlorophenol.....	5950 µg/kg	Dibenzofuran.....	4400 µg/kg			
1,2-Dichlorobenzene.....	1580 µg/kg	2,6-Dichlorophenol.....	959 µg/kg																																																																																							
1,3-Dichlorobenzene.....	1400 µg/kg	Diethyl phthalate.....	3950 µg/kg																																																																																							
1,4-Dichlorobenzene.....	502 µg/kg	Dimethyl phthalate.....	2970 µg/kg																																																																																							
Hexachloroethane.....	1180 µg/kg	2,4-Dichlorophenol.....	1550 µg/kg																																																																																							
Naphthalene.....	1200 µg/kg	2,4-Dinitrotoluene.....	1530 µg/kg																																																																																							
Nitrobenzene.....	1810 µg/kg	2,6-Dinitrotoluene.....	2340 µg/kg																																																																																							
Acenaphthene.....	260 µg/kg	Di-n-octyl phthalate.....	1990 µg/kg																																																																																							
Anthracene.....	389 µg/kg	Fluoranthene.....	3870 µg/kg																																																																																							
Benzo(a)anthracene.....	4060 µg/kg	Fluorene.....	5670 µg/kg																																																																																							
Benzo(a)pyrene.....	406 µg/kg	Hexachlorobenzene.....	1240 µg/kg																																																																																							
Benzo(b)fluoranthene.....	1560 µg/kg	Indeno(1,2,3-cd) pyrene.....	1840 µg/kg																																																																																							
Benzo(g,h,i)perylene.....	4720 µg/kg	2-Methyl-4,6-dinitrophenol.....	4250 µg/kg																																																																																							
Benzo(k)fluoranthene.....	3820 µg/kg	2-Methylnaphthalene.....	1350 µg/kg																																																																																							
4-Bromophenyl phenyl ether.....	8732 µg/kg	2-Methylphenol (o-Cresol).....	280 µg/kg																																																																																							
Butyl benzyl phthalate.....	2780 µg/kg	4-Nitrophenol.....	3550 µg/kg																																																																																							
bis(2-Chloroethoxy)methane.....	878 µg/kg	n-Nitroso-di-n-propylamine.....	2000 µg/kg																																																																																							
bis(2-Chlorophenyl)ether.....	1230 µg/kg	Pentachlorophenol.....	3190 µg/kg																																																																																							
2-Chlorophenol.....	3525 µg/kg	Phenanthrene.....	1900 µg/kg																																																																																							
4-Chlorophenyl phenylether.....	1180 µg/kg	Phenol.....	899 µg/kg																																																																																							
Chrysene.....	6790 µg/kg	Pyrene.....	1110 µg/kg																																																																																							
Dibenz(a,h) anthracene.....	4800 µg/kg	2,4,6-Trichlorophenol.....	5950 µg/kg																																																																																							
Dibenzofuran.....	4400 µg/kg																																																																																									

Code	Product	Unit
<b>New</b> RTC-CRM143-040	Sandy loam - Organic contaminants	40 g
	Certified values	
	Lot 016496	
	1,3-Dichlorobenzene.....5470 µg/kg	2,4-Dichlorophenol..... 6810 µg/kg
	1,4-Dichlorobenzene.....7770 µg/kg	Diethyl phthalate ..... 7340 µg/kg
	Hexachlorobutadiene.....4300 µg/kg	2,4-Dimethylphenol ..... 3640 µg/kg
	Hexachloroethane.....6100 µg/kg	2,4-Dinitrophenol..... 1630 µg/kg
	Naphthalene .....4460 µg/kg	2,4-Dinitrotoluene (2,4-DNT)..... 5880 µg/kg
	Nitrobenzene .....5510 µg/kg	2,6-Dinitrotoluene (2,6-DNT)..... 8710 µg/kg
	1,2,4-Trichlorobenzene.....1240 µg/kg	bis(2-Ethylhexyl) phthalate..... 4840 µg/kg
	Acenaphthene.....2050 µg/kg	Di-n-octyl phthalate ..... 9910 µg/kg
	Acenaphthylene .....4040 µg/kg	Fluoranthene..... 6520 µg/kg
	Anthracene .....2810 µg/kg	Fluorene..... 5370 µg/kg
	Benzo(a)anthracene .....4000µg/kg	Indeno(1,2,3-cd) pyrene..... 1000 µg/kg
	Benzo(a)pyrene .....3860µg/kg	Isophorone ..... 4580 µg/kg
	Benzo(b)fluoranthene .....3670µg/kg	2-Methylnaphthalene..... 2880 µg/kg
	Benzo(g,h,i)perylene.....5050 µg/kg	2-Methylphenol (o-Cresol)..... 4040 µg/kg
	Benzo(k)fluoranthene .....3870 µg/kg	4-Methylphenol (p-Cresol)..... 4090 µg/kg
	4-Bromophenyl phenyl ether.....11200 µg/kg	2-Nitroaniline ..... 2510 µg/kg
	Butyl benzyl phthalate.....6480 µg/kg	2-Nitrophenol ..... 5780 µg/kg
	Carbazole .....1730 µg/kg	4-Nitrophenol ..... 4680 µg/kg
	bis(2-Chloroethoxy) methane .....6830µg/kg	n-Nitrosodiphenylamine ..... 4480 µg/kg
	bis (2-Chloroethyl) ether .....9680µg/kg	Pentachlorophenol..... 2890 µg/kg
	4-Chlorophenyl phenylether.....4810 µg/kg	Phenanthrene ..... 8080 µg/kg
	Chrysene .....3630 µg/kg	Phenol..... 7250 µg/kg
	Dibenz(a,h) anthracene .....2280 µg/kg	Pyrene..... 1450 µg/kg
	Dibenzofuran .....3820 µg/kg	2,4,6-Trichlorophenol ..... 7570 µg/kg
RTC-CRM121-100	Soil (Loam) - Organic contaminants	100 g
	BNA contaminated soil from a site in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Extraction Method 3540C (soxhlet) and 3550 (sonicator), and Analysis Method 8270C (semivolatile organics by GC/MS). The sample is suitable for these and other similar methods.	
	Certified values	
	Lot BL121	
	Benzo(a)pyrene .....5.34 mg/kg	Dimethylphthalate ..... 7.38 mg/kg
	Bis(2-ethylhexyl)phthalate .....1.49 mg/kg	Di-n-butylphthalate ..... 10.2 mg/kg
	4-Bromophenyl phenylether .....11.8 mg/kg	2,4-Dinitrotoluene ..... 19.7 mg/kg
	Butylbenzylphthalate .....5.66 mg/kg	Fluoranthene ..... 5.65 mg/kg
	4-Chloro-3-methylphenol .....8.80 mg/kg	Fluorene ..... 5.42 mg/kg
	2-Chloronaphthalene .....8.17 mg/kg	Hexachlorobenzene ..... 6.26 mg/kg
	2-Chlorophenol .....8.30 mg/kg	Isophorone ..... 9.53 mg/kg
	4-Chlorophenyl phenylether .....9.37 mg/kg	2-Methyl-4,6-dinitrophenol ..... 11.4 mg/kg
	Chrysene .....4.94 mg/kg	2-Methylphenol (o-Cresol) ..... 9.65 mg/kg
	Dibenzofuran .....6.10 mg/kg	Naphthalene ..... 8.63 mg/kg
	1,2-Dichlorobenzene .....4.19 mg/kg	Nitrobenzene ..... 9.42 mg/kg
	1,3-Dichlorobenzene .....4.24 mg/kg	Phenanthrene ..... 5.87 mg/kg
	1,4-Dichlorobenzene .....3.15 mg/kg	Phenol ..... 9.60 mg/kg
	2,4-Dichlorophenol .....6.66 mg/kg	Pyrene ..... 8.20 mg/kg
	2,6-Dichlorophenol .....12.9 mg/kg	1,2,4-Trichlorobenzene ..... 6.79 mg/kg
	Diethylphthalate .....6.74 mg/kg	2,4,5-Trichlorophenol ..... 6.98 mg/kg
	Indicative values for Carbazole, 3-Methylphenol (m-Cresol) , 4-Methylphenol (p-Cresol)	
RTC-CRM123-100	Soil (Silty loam) - Organic contaminants	100 g
	BNA contaminated soil from a site in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Extraction Method 3540C (soxhlet) and 3550 (sonicator), and Analysis Method 8270C (semivolatile organics by GC/MS).The sample is suitable for these and other similar methods.	
	Certified values	
	Lot CD123	
	Acenaphthene.....7.52 mg/kg	Dimethylphthalate ..... 9.56 mg/kg
	Acenaphthylene .....7.24 mg/kg	2,4-Dinitrotoluene ..... 17.5 mg/kg
	Anthracene .....6.94 mg/kg	Di-n-oxyphthalate ..... 11.4 mg/kg
	Benzo(a)anthracene .....8.38 mg/kg	Fluoranthene..... 9.31 mg/kg
	Benzo(a)pyrene .....7.77 mg/kg	Fluorene..... 6.88 mg/kg
	Bis(2-ethylhexyl)phthalate.....8.90 mg/kg	Hexachlorobenzene ..... 6.81 mg/kg
	4-Bromophenyl-phenylether.....13.0 mg/kg	Hexachlorobutadiene ..... 5.46 mg/kg
	4-Chloro-3-methylphenol .....7.60 mg/kg	Hexachloroethane ..... 10.6 mg/kg
	2-Chloronaphthalene .....7.42 mg/kg	Isophorone ..... 8.07 mg/kg
	2-Chlorophenol .....8.45 mg/kg	2-Methylphenol (o-Cresol)..... 7.70 mg/kg
	4-Chlorophenyl-phenylether.....9.39 mg/kg	3-Methylphenol (m-Cresol)..... 9.80 mg/kg
	Chrysene .....11.3 mg/kg	4-Methylphenol (p-Cresol)..... 7.04 mg/kg
	Dibenzofuran .....8.19 mg/kg	Naphthalene..... 9.73 mg/kg
	Di-n-butylphthalate.....16.8 mg/kg	Nitrobenzene..... 10.6 mg/kg
	1,2-Dichlorobenzene.....5.15 mg/kg	2-Nitrophenol ..... 6.30 mg/kg
	1,3-Dichlorobenzene.....4.25 mg/kg	Phenanthrene ..... 7.94 mg/kg
	1,4-Dichlorobenzene.....3.98 mg/kg	Pyrene ..... 6.75 mg/kg
	2,4-Dichlorophenol.....10.6 mg/kg	2,4,5-Trichlorophenol ..... 5.29 mg/kg
	2,4-Dimethylphenol.....9.25 mg/kg	

# Soils

Code	Product	Unit	
<b>New</b> RTC-CRM125-100	<b>Soil - Organic contaminants</b>	<b>100 g</b>	
The values were determined by USEPA SW846 (3rd edition) Extraction Method 3540C (soxhlet) and 3550 (sonication), and Analysis Method 8270C (semivolatile organics by GC/MS). The sample is suitable for these and other similar methods.			
Certified values (on a dry basis)			
Lot 012218			
1,2-Dichlorobenzene.....	1082.52 µg/kg	2,4-Dichlorophenol.....	4700.09 µg/kg
1,3-Dichlorobenzene.....	495.07 µg/kg	Diethylphthalate .....	8064.98 µg/kg
Hexachlorobutadiene.....	1168.02 µg/kg	2,4-Dinitrophenol.....	1969.88 µg/kg
Hexachloroethane.....	201.29 µg/kg	2,4-Dinitrotoluene(2,4-DNT).....	7840.28 µg/kg
Nitrobenzene.....	5588.60 µg/kg	bis(2-Ethylhexyl)phthalate .....	3096.73 µg/kg
1,2,4-Trichlorobenzene.....	2380.01 µg/kg	Fluoranthene .....	5098.72 µg/kg
Acenaphthene.....	2116.63 µg/kg	Hexachlorocyclopentadiene .....	429.03 µg/kg
Anthracene .....	1194.84 µg/kg	Indeno(1,2,3-cd)pyrene .....	1309.09 µg/kg
Benzo(a)pyrene .....	1563.19 µg/kg	Isophorone .....	3311.47 µg/kg
Benzo(b)fluoranthene .....	3925.10 µg/kg	2-Methyl-4,6-dinitrophenol.....	5064.86 µg/kg
Benzo(g,h,i)perylene.....	2831.44 µg/kg	2-Methylphenol(o-Cresol).....	1900.24 µg/kg
Benzo(k)fluoranthene .....	1782.84 µg/kg	3-Methylphenol(m-Cresol).....	233.21 µg/kg
Benzylalcohol.....	3325.86 µg/kg	4-Methylphenol(p-Cresol).....	2507.76 µg/kg
4-Bromophenylphenylether.....	8043.07 µg/kg	3+4-Methylphenol(m+p-Cresol) .....	2296.70 µg/kg
Butylbenzylphthalate.....	7286.12 µg/kg	4-Nitroaniline.....	1841.66 µg/kg
4-Chloro-3-methylphenol.....	3359.15 µg/kg	2-Nitrophenol.....	4882.89 µg/kg
bis(2-Chloroethoxy)methane.....	5348.24 µg/kg	n-Nitrosodimethylamine .....	777.05 µg/kg
bis(2-Chloroethyl)ether .....	966.61 µg/kg	n-Nitrosodiphenylamine .....	348.50 µg/kg
4-Chlorophenylphenylether.....	6402.37 µg/kg	n-Nitrosodi-n-propylamine.....	6481.25 µg/kg
Chrysene.....	1213.74 µg/kg	Phenanthrene.....	57.99 µg/kg
Dibenz(a,h)anthracene.....	1231.21 µg/kg	Phenol.....	5906.13 µg/kg
Dibenzofuran.....	1745.31 µg/kg	2,4,5-Trichlorophenol.....	5305.96 µg/kg
Di-n-butylphthalate.....	7326.39 µg/kg	2,4,6-Trichlorophenol.....	3165.24 µg/kg
<b>New</b> RTC-CRM126-100	<b>Soil (Clay loam) - Organic contaminants</b>	<b>100 g</b>	
Certified values			
Lot 010572			
1,2-Dichlorobenzene.....	2.86 mg/kg	4-Chlorophenyl phenylether .....	8.33 mg/kg
1,3-Dichlorobenzene.....	2.57 mg/kg	Chrysene.....	2.37 mg/kg
Hexachlorobutadiene.....	1.66 mg/kg	Dibenzofuran.....	1.91 mg/kg
Hexachloroethane.....	0.450 mg/kg	Di-n-butyl phthalate .....	1.34 mg/kg
Naphthalene .....	0.610 mg/kg	2,4-Dichlorophenol.....	0.500 mg/kg
Nitrobenzene.....	6.03 mg/kg	Dimethyl phthalate .....	4.08 mg/kg
1,2,4-Trichlorobenzene.....	1.57 mg/kg	2,4-Dinitrotoluene (2,4-DNT).....	0.880 mg/kg
Acenaphthene.....	4.25 mg/kg	Di-n-octyl phthalate .....	1.34 mg/kg
Anthracene .....	0.280 mg/kg	bis(2-Ethylhexyl) phthalate (DEHP) .....	4.88 mg/kg
Benzo(a)pyrene .....	0.630 mg/kg	Fluoranthene.....	0.120 mg/kg
Benzo(b)fluoranthene .....	0.610 mg/kg	Fluorene .....	1.45 mg/kg
Benzo(g,h,i)perylene.....	0.570 mg/kg	Hexachlorobenzene .....	0.620 mg/kg
Benzo(k)fluoranthene .....	0.720 mg/kg	Isophorone .....	6.12 mg/kg
Benzo(b+k)fluoranthene .....	1.29 mg/kg	2-Methyl-4,6-dinitrophenol.....	3.93 mg/kg
Benzyl alcohol.....	7.10 mg/kg	2-Methylphenol (o-Cresol).....	2.57 mg/kg
4-Bromophenyl phenyl ether.....	10.6 mg/kg	3+4-Methylphenol (m+p-Cresol) .....	3.58 mg/kg
4-Chloro-3-methylphenol.....	0.650 mg/kg	4-Nitrophenol.....	5.83 mg/kg
4-Chloroaniline.....	0.580 mg/kg	Pentachlorophenol.....	0.380 mg/kg
2-Chloronaphthalene .....	3.89 mg/kg	Phenol.....	0.740 mg/kg
2-Chlorophenol.....	1.99 mg/kg	2,4,5-Trichlorophenol.....	2.26 mg/kg
<b>RTC-CRM135-100</b>	<b>Soil (Silty clay) - Semi-volatile organic analytes</b>	<b>100 g</b>	
Certified values			
Lot 010382			
1,2-Dichlorobenzene.....	673 µg/kg	2-Chlorophenol.....	1670 µg/kg
1,3-Dichlorobenzene.....	329 µg/kg	4-Chlorophenyl phenylether .....	7620 µg/kg
1,4-Dichlorobenzene.....	163 µg/kg	Dibenzofuran.....	5100 µg/kg
Hexachlorobutadiene.....	155 µg/kg	Di-n-butyl phthalate .....	4600 µg/kg
Hexachloroethane.....	156 µg/kg	2,4-Dichlorophenol.....	1550 µg/kg
Naphthalene .....	640 µg/kg	2,4-Dimethylphenol .....	3270 µg/kg
Nitrobenzene.....	4370 µg/kg	Dimethyl phthalate .....	3780 µg/kg
1,2,4-Trichlorobenzene.....	1710 µg/kg	2,4-Dinitrophenol.....	2220 µg/kg
Acenaphthene.....	1390 µg/kg	Di-n-octyl phthalate .....	5140 µg/kg
Acenaphthylene.....	1210 µg/kg	Fluoranthene.....	328 µg/kg
Aniline .....	2310 µg/kg	Fluorene .....	3410 µg/kg
Anthracene .....	848 µg/kg	Isophorone .....	742 µg/kg
Benzo(a)anthracene .....	3520 µg/kg	2-Methyl-4,6-dinitrophenol.....	4280 µg/kg
Benzo(a)pyrene .....	347 µg/kg	2-Methylphenol (o-Cresol).....	3500 µg/kg
Benzoic acid .....	1900 µg/kg	4-Methylphenol (p-Cresol).....	5900 µg/kg
Benzyl alcohol.....	1560 µg/kg	3+4-Methylphenol (m+p-Cresol) .....	6830 µg/kg
4-Bromophenyl phenyl ether.....	5260 µg/kg	2-Nitroaniline.....	5090 µg/kg
Butyl benzyl phthalate.....	3130 µg/kg	3-Nitroaniline .....	4930 µg/kg
Carbazole.....	5400 µg/kg	4-Nitroaniline.....	1730 µg/kg
4-Chloro-3-methylphenol .....	602 µg/kg	2-Nitrophenol.....	3820 µg/kg
4-Chloroaniline.....	749 µg/kg	4-Nitrophenol.....	3680 µg/kg
bis(2-Chloroethyl) ether .....	694 µg/kg	Pentachlorophenol.....	3420 µg/kg
2-Chloronaphthalene .....	2030 µg/kg	Phenanthrene.....	2010 µg/kg

Code	Product	Unit
RTC-CRM136-100	Soil (Clay) - Organic contaminants	100 g
	Certified values	
	Lot 010772	
	1,4-Dichlorobenzene.....350 µg/kg	Dimethyl phthalate ..... 3130 µg/kg
	Hexachlorobutadiene.....2010 µg/kg	2,4-Dinitrophenol..... 1600 µg/kg
	Nitrobenzene .....4670 µg/kg	2,6-Dinitrotoluene (2,6-DNT)..... 2510 µg/kg
	1,2,4-Trichlorobenzene.....698 µg/kg	Di-n-octyl phthalate ..... 5250 µg/kg
	Acenaphthene.....173 µg/kg	bis(2-Ethylhexyl) phthalate (DEHP) ..... 891 µg/kg
	Anthracene .....431 µg/kg	Fluoranthene..... 5350 µg/kg
	Benzo(a)anthracene .....838 µg/kg	Hexachlorobenzene ..... 551 µg/kg
	Benzo(b)fluoranthene .....442 µg/kg	Hexachlorocyclopentadiene ..... 3930 µg/kg
	Benzo(k)fluoranthene .....661 µg/kg	Indeno(1,2,3-cd) pyrene..... 425 µg/kg
	Benzo(b+k)fluoranthene .....1100 µg/kg	Isophorone ..... 6070 µg/kg
	4-Bromophenyl phenyl ether.....6460 µg/kg	2-Methylnaphthalene..... 6190 µg/kg
	Butyl benzyl phthalate.....7470 µg/kg	4-Methylphenol (p-Cresol).....2940 µg/kg
	Carbazole .....1370 µg/kg	3+4-Methylphenol (m+p-Cresol) ..... 3270 µg/kg
	bis(2-Chloroethoxy)methane .....6970 µg/kg	2-Nitrophenol ..... 668 µg/kg
	2-Chloronaphthalene .....2640 µg/kg	4-Nitrophenol ..... 2630 µg/kg
	2-Chlorophenol .....1200 µg/kg	n-Nitrosodi-n-propylamine..... 2630 µg/kg
	Chrysene .....927 µg/kg	Pentachlorophenol..... 2560 µg/kg
	Dibenz(a,h) anthracene .....458 µg/kg	Phenanthrene ..... 973 µg/kg
	Dibenzofuran .....5160 µg/kg	Phenol..... 1200 µg/kg
	Di-n-butyl phthalate.....720 µg/kg	Pyrene..... 6620 µg/kg
	2,4-Dichlorophenol.....605 µg/kg	2,4,6-Trichlorophenol ..... 3480 µg/kg
	Diethyl phthalate .....1470 µg/kg	
<b>New</b> RTC-CRM142-100	Soil (Silty loam) - PAHs	100 g
	The organic sample is a soil containing extractable PAHs for analysis by 8100, 8270, 8310 or equivalent methods.	
	Certified values	
	Lot 014105	
	Acenaphthene.....118 ± 19.0 µg/kg	Chrysene..... 295 ± 33.1 µg/kg
	Acenaphthylene .....53.4 ± 19.3 µg/kg	Dibenz(a,h) anthracene ..... 320 ± 27.6 µg/kg
	Anthracene .....109 ± 27.6 µg/kg	Fluoranthene..... 507 ± 63.7 µg/kg
	Benzo(a)anthracene .....356 ± 39.4 µg/kg	Fluorene..... 126 ± 21.2 µg/kg
	Benzo(a)pyrene .....126 ± 20.9 µg/kg	Indeno(1,2,3-cd) pyrene..... 316 ± 38.0 µg/kg
	Benzo(b)fluoranthene .....257 ± 27.1 µg/kg	Phenanthrene ..... 532 ± 79.0 µg/kg
	Benzo(g,h,i)perylene.....569 ± 58.2 µg/kg	Pyrene..... 272 ± 36.2 µg/kg
	Benzo(k)fluoranthene .....327 ± 40.0 µg/kg	
RTC-CRM112-100	Soil (Sandy loam) - Phenols	100 g
	Soil contaminated with phenols from a wood treatment site in the Rocky Mountain Region of the United States. The phenol values in the sample were certified by USEPA SW846, 3rd edition Analysis Method 8041 which describes open-tubular, capillary column gas chromatography procedures for the analysis of phenols, using both single-column and dual column/dual-detector approaches. The sample is suitable for these and other similar methods.	
	Certified values	
	Lot LH112	
	2-Chlorophenol .....2.38 mg/kg	m & p Cresol ..... 4.00 mg/kg
	4-Chloro-3-methylphenol .....4.94 mg/kg	2-Methyl-4,6-dinitrophenol ..... 4.75 mg/kg
	2,4-Dichlorophenol.....2.53 mg/kg	Pentachlorophenol ..... 5.05 mg/kg
	2-Nitrophenol .....4.33 mg/kg	Phenol..... 2.45 mg/kg
	4-Nitrophenol .....5.66 mg/kg	
	Indicative value for 2,4-Dinitrophenol	
RTC-CRM107-100	Soil (Sandy loam) - PAH/Pesticides	100 g
	PAH contaminated soil from a superfund site in the Western United States. The BNA values in the sample were certified by USEPA SW846, 3rd edition Extraction Methods 3540A/3541 (Soxhlet), 3550 (sonication), and analysis method 8270A (Semivolatile organics by GC/MS). The Organochlorine Pesticides and PCB values were certified using the same extraction methods and analysis method 8081 (pesticides by GC). The sample is suitable for these and other similar methods.	
	Certified values	
	Lot KG107	
	Acenaphthene.....61.9 mg/kg	2,4-Dinitrotoluene..... 43.1 mg/kg
	Bis(2-ethylhexyl)phthalate.....38.5 mg/kg	Fluoranthene..... 19.2 mg/kg
	2-Chlorophenol .....37.5 mg/kg	Fluorene..... 30.8 mg/kg
	2,4-D Acid .....22.9 mg/kg	Hexachlorobenzene ..... 42.9 mg/kg
	4,4-DDD .....11.1 mg/kg	Hexachloroethane..... 2.31 mg/kg
	4,4-DDT .....38.5 mg/kg	Lindane ..... 34.3 mg/kg
	2,4-DP.....15.4 mg/kg	Naphthalene..... 36.8 mg/kg
	Dalapon .....8.09 mg/kg	2-Nitroaniline ..... 15.1 mg/kg
	Dibenzofuran .....40.1 mg/kg	3-Nitroaniline..... 4.27 mg/kg
	Dicamba .....28.4 mg/kg	Nitrobenzene..... 35.0 mg/kg
	2,4-Dichlorophenol.....0.23 mg/kg	4-Nitrophenol ..... 70.8 mg/kg
	Dieldrin.....10.8 mg/kg	2,4,5-T-Acid ..... 15.0 mg/kg
	2,4-Dinitrophenol .....9.03 mg/kg	Pentachlorophenol ..... 25.0 mg/kg
	Indicative value for Aroclor 1248	

## Soils

Code	Product	Unit
RTC-CRM803-050	<b>Soil (Sandy loam) - Herbicides</b> Soil contaminated with herbicide compounds from an agricultural region in the Western region of the United States. The sample was certified by USEPA SW846, 3rd edition Methods 8151 (herbicides by GC). The sample is suitable for these and other similar methods. Certified values Lot GF803 2,4-D ..... 44600 µg/kg      2,4,5-T ..... 25746 µg/kg      2,4,5-TP ..... 41334 µg/kg	50 g
RTC-CRM804-050	<b>Soil (Sandy loam) - Pesticides</b> Soil contaminated with pesticide compounds from an agricultural region in the Western region of the United States. The sample was certified by USEPA SW846, 3rd edition Methods 3540A/3541 (Soxhlet extraction), 3550 (Sonication), and 8081 (Pesticides by GC). The sample is suitable for these and other similar methods. Certified values Lot DG804 Aldrin ..... 18 µg/kg      4,4'-DDT ..... 1060 µg/kg      EndosulfanII ..... 1128 µg/kg 4,4'-DDD ..... 1531 µg/kg      Dieldrin ..... 1863 µg/kg      Endrin ..... 62.2 µg/kg 4,4'-DDE ..... 1520 µg/kg      Endosulfan I ..... 1464 µg/kg      Lindane ..... 491 µg/kg	50 g
RTC-CRM805-050	<b>Soil (Sandy loam) - Pesticides</b> Soil contaminated with pesticide compounds from an agricultural region in the Western region of the United States. The sample was certified by USEPA SW846, 3rd edition Methods 3540A/3541 (Soxhlet extraction), 3550 (Sonication), and 8081 (Pesticides by GC). The sample is suitable for use by these and other similar methods. Certified values Lot FH805 DDD ..... 19500 µg/kg      Endosulfan I ..... 6900 µg/kg      Endrine aldehyde ..... 95.5 µg/kg DDE ..... 18613 µg/kg      Endosulfan II ..... 5940 µg/kg      Lindane ..... 10618 µg/kg DDT ..... 786 µg/kg      Endrin ..... 12967 µg/kg      Methoxychlor ..... 15800 µg/kg	50 g
RTC-CRM808-050	<b>Soil (Loam) - Herbicides</b> Soil fortified with herbicides to meet the requirements of NELAC Fields of Testing. The sample was certified by USEPA SW846 (3rd edition) method 8151 (herbicides by GC). The sample is suitable for these and other similar methods. Certified values Lot AC808 2,4-D ..... 314 µg/kg      Dicamba ..... 307 µg/kg      2,4,5-TP ..... 302 µg/kg 2,4-DB ..... 252 µg/kg      2,4,5-T acid ..... 222 µg/kg Indicative value for Pentachlorophenol	50 g
RTC-CRM810-050	<b>Soil (Loamy sand) - Herbicides</b> Soil fortified with herbicides to meet the requirements of NELAC Fields of Testing. The sample was certified by USEPA SW846 (3rd edition) method 8151A (herbicides by GC). The sample is suitable for these and other similar methods. Certified values Lot BC810 2,4,5-T ..... 171 µg/kg      2,4-D ..... 311 µg/kg      Dicamba ..... 369 µg/kg 2,4,5-TP (Silvex) ..... 249 µg/kg      Dalapon ..... 156 µg/kg	50 g
RTC-CRM817-050	<b>Soil (Loam) - Herbicides</b> Soil fortified with herbicides to meet the requirements of NELAC Fields of Testing. The sample was certified by USEPA SW846 (3rd edition) method 8151A (herbicides by GC). The sample is suitable for these and other similar methods. Certified values Lot BE817 Dalapon ..... 112 µg/kg      Dicamba ..... 247 µg/kg      2,4,5-T acid ..... 84.5 µg/kg 2,4-D acid ..... 250 µg/kg      MCPP ..... 4800 µg/kg      2,4,5-TP ..... 188 µg/kg 2,4-DB ..... 188 µg/kg      Pentachlorophenol ..... 267 µg/kg	50 g
RTC-CRM831-050	<b>Soil (Loam) - Herbicides</b> Fortified to meet the requirements of NELAC Fields of Testing, RCRA Solid. The Reference Values were determined by USEPA SW846 (3rd edition) Analysis Method 8151 (herbicides by GC). Certified values Lot 001679 Pentachlorophenol ..... 161 µg/kg      2,4-DB ..... 361 µg/kg      2,4,5-T ..... 172 µg/kg 2,4-D ..... 415 µg/kg      Dicamba ..... 374 µg/kg Dalapon ..... 158 µg/kg      Silvex (2,4,5-TP) ..... 297 µg/kg	50 g



Code	Product	Unit																																								
<b>New</b> RTC-CRM814-050	Soil (Sandy loam) - Pesticides The sample was certified by USEPA SW846 (3rd edition) method 8081A (Pesticides by GC). The sample is suitable for these and other similar methods. Certified values Lot 014692	50 g																																								
	<table> <tbody> <tr> <td>Aldrin.....</td> <td>80.1 µg/kg</td> <td>Endrin ketone.....</td> <td>125 µg/kg</td> </tr> <tr> <td>4,4'-DDD.....</td> <td>189 µg/kg</td> <td>Heptachlor.....</td> <td>99.4 µg/kg</td> </tr> <tr> <td>4,4'-DDE.....</td> <td>410 µg/kg</td> <td>Hexachlorobenzene.....</td> <td>255 µg/kg</td> </tr> <tr> <td>4,4'-DDT.....</td> <td>322 µg/kg</td> <td>alpha-HCH.....</td> <td>258 µg/kg</td> </tr> <tr> <td>Dieldrin.....</td> <td>182 µg/kg</td> <td>beta-HCH.....</td> <td>140 µg/kg</td> </tr> <tr> <td>Endosulfan I.....</td> <td>425 µg/kg</td> <td>gamma-HCH (Lindane).....</td> <td>276 µg/kg</td> </tr> <tr> <td>Endosulfan II.....</td> <td>58.3 µg/kg</td> <td>alpha- Chlordane.....</td> <td>92.5 µg/kg</td> </tr> <tr> <td>Endosulfan sulfate.....</td> <td>62.0 µg/kg</td> <td>gamma – Chlordane.....</td> <td>63.9 µg/kg</td> </tr> <tr> <td>Endrin.....</td> <td>393 µg/kg</td> <td>Methoxychlor.....</td> <td>327 µg/kg</td> </tr> <tr> <td>Endrin aldehyde.....</td> <td>149 µg/kg</td> <td>Propachlor.....</td> <td>98.0 µg/kg</td> </tr> </tbody> </table>	Aldrin.....	80.1 µg/kg	Endrin ketone.....	125 µg/kg	4,4'-DDD.....	189 µg/kg	Heptachlor.....	99.4 µg/kg	4,4'-DDE.....	410 µg/kg	Hexachlorobenzene.....	255 µg/kg	4,4'-DDT.....	322 µg/kg	alpha-HCH.....	258 µg/kg	Dieldrin.....	182 µg/kg	beta-HCH.....	140 µg/kg	Endosulfan I.....	425 µg/kg	gamma-HCH (Lindane).....	276 µg/kg	Endosulfan II.....	58.3 µg/kg	alpha- Chlordane.....	92.5 µg/kg	Endosulfan sulfate.....	62.0 µg/kg	gamma – Chlordane.....	63.9 µg/kg	Endrin.....	393 µg/kg	Methoxychlor.....	327 µg/kg	Endrin aldehyde.....	149 µg/kg	Propachlor.....	98.0 µg/kg	
Aldrin.....	80.1 µg/kg	Endrin ketone.....	125 µg/kg																																							
4,4'-DDD.....	189 µg/kg	Heptachlor.....	99.4 µg/kg																																							
4,4'-DDE.....	410 µg/kg	Hexachlorobenzene.....	255 µg/kg																																							
4,4'-DDT.....	322 µg/kg	alpha-HCH.....	258 µg/kg																																							
Dieldrin.....	182 µg/kg	beta-HCH.....	140 µg/kg																																							
Endosulfan I.....	425 µg/kg	gamma-HCH (Lindane).....	276 µg/kg																																							
Endosulfan II.....	58.3 µg/kg	alpha- Chlordane.....	92.5 µg/kg																																							
Endosulfan sulfate.....	62.0 µg/kg	gamma – Chlordane.....	63.9 µg/kg																																							
Endrin.....	393 µg/kg	Methoxychlor.....	327 µg/kg																																							
Endrin aldehyde.....	149 µg/kg	Propachlor.....	98.0 µg/kg																																							
RTC-CRM824-050	Soil (Sandy loam) - Pesticides Soil fortified with pesticide compounds to meet the requirements of NELAC Fields of Testing. The sample was certified by USEPA SW846 (3rd edition) method 8081A (Pesticides by GC). The sample is suitable for these and other similar methods. Certified values Lot BL824	50 g																																								
	<table> <tbody> <tr> <td>4,4'-DDD.....</td> <td>367 µg/kg</td> <td>Endrin aldehyde.....</td> <td>398 µg/kg</td> </tr> <tr> <td>4,4'-DDE.....</td> <td>396 µg/kg</td> <td>Heptachlor.....</td> <td>338 µg/kg</td> </tr> <tr> <td>4,4'-DDT.....</td> <td>363 µg/kg</td> <td>Heptachlor epoxide (beta).....</td> <td>317 µg/kg</td> </tr> <tr> <td>Endosulfan I.....</td> <td>361 µg/kg</td> <td>alpha-HCH.....</td> <td>361 µg/kg</td> </tr> <tr> <td>Endosulfan II.....</td> <td>340 µg/kg</td> <td>beta-HCH.....</td> <td>382 µg/kg</td> </tr> <tr> <td>Endosulfan sulfate.....</td> <td>327 µg/kg</td> <td>gamma-HCH (Lindane).....</td> <td>371 µg/kg</td> </tr> <tr> <td>Endrin.....</td> <td>358 µg/kg</td> <td>Methoxychlor.....</td> <td>365 µg/kg</td> </tr> </tbody> </table> <p>Indicative value for Endrin ketone</p>	4,4'-DDD.....	367 µg/kg	Endrin aldehyde.....	398 µg/kg	4,4'-DDE.....	396 µg/kg	Heptachlor.....	338 µg/kg	4,4'-DDT.....	363 µg/kg	Heptachlor epoxide (beta).....	317 µg/kg	Endosulfan I.....	361 µg/kg	alpha-HCH.....	361 µg/kg	Endosulfan II.....	340 µg/kg	beta-HCH.....	382 µg/kg	Endosulfan sulfate.....	327 µg/kg	gamma-HCH (Lindane).....	371 µg/kg	Endrin.....	358 µg/kg	Methoxychlor.....	365 µg/kg													
4,4'-DDD.....	367 µg/kg	Endrin aldehyde.....	398 µg/kg																																							
4,4'-DDE.....	396 µg/kg	Heptachlor.....	338 µg/kg																																							
4,4'-DDT.....	363 µg/kg	Heptachlor epoxide (beta).....	317 µg/kg																																							
Endosulfan I.....	361 µg/kg	alpha-HCH.....	361 µg/kg																																							
Endosulfan II.....	340 µg/kg	beta-HCH.....	382 µg/kg																																							
Endosulfan sulfate.....	327 µg/kg	gamma-HCH (Lindane).....	371 µg/kg																																							
Endrin.....	358 µg/kg	Methoxychlor.....	365 µg/kg																																							
<b>New</b> RTC-CRM821-050	Soil (Sandy loam) - Organophosphorus pesticides Certified values Lot 014702	50 g																																								
	<table> <tbody> <tr> <td>Azinphos-methyl (Guthion).....</td> <td>0.792 mg/kg</td> <td>Malathion.....</td> <td>0.277 mg/kg</td> </tr> <tr> <td>Chlorfenvinphos.....</td> <td>0.186 mg/kg</td> <td>Parathion, methyl.....</td> <td>0.629 mg/kg</td> </tr> <tr> <td>Chlorpyrifos.....</td> <td>0.150 mg/kg</td> <td>Parathion, ethyl.....</td> <td>0.432 mg/kg</td> </tr> <tr> <td>Diazinon.....</td> <td>0.509 mg/kg</td> <td>Phorate.....</td> <td>0.0903 mg/kg</td> </tr> <tr> <td>EPN.....</td> <td>0.508 mg/kg</td> <td>Ronnel.....</td> <td>0.250 mg/kg</td> </tr> <tr> <td>Ethoprop.....</td> <td>0.328 mg/kg</td> <td>Sulfotepp.....</td> <td>0.026 mg/kg</td> </tr> <tr> <td>Famphur.....</td> <td>0.526 mg/kg</td> <td>Tetrachlorvinphos.....</td> <td>0.642 mg/kg</td> </tr> <tr> <td>Fenthion.....</td> <td>0.311 mg/kg</td> <td>Disulfoton.....</td> <td>0.117 mg/kg</td> </tr> </tbody> </table>	Azinphos-methyl (Guthion).....	0.792 mg/kg	Malathion.....	0.277 mg/kg	Chlorfenvinphos.....	0.186 mg/kg	Parathion, methyl.....	0.629 mg/kg	Chlorpyrifos.....	0.150 mg/kg	Parathion, ethyl.....	0.432 mg/kg	Diazinon.....	0.509 mg/kg	Phorate.....	0.0903 mg/kg	EPN.....	0.508 mg/kg	Ronnel.....	0.250 mg/kg	Ethoprop.....	0.328 mg/kg	Sulfotepp.....	0.026 mg/kg	Famphur.....	0.526 mg/kg	Tetrachlorvinphos.....	0.642 mg/kg	Fenthion.....	0.311 mg/kg	Disulfoton.....	0.117 mg/kg									
Azinphos-methyl (Guthion).....	0.792 mg/kg	Malathion.....	0.277 mg/kg																																							
Chlorfenvinphos.....	0.186 mg/kg	Parathion, methyl.....	0.629 mg/kg																																							
Chlorpyrifos.....	0.150 mg/kg	Parathion, ethyl.....	0.432 mg/kg																																							
Diazinon.....	0.509 mg/kg	Phorate.....	0.0903 mg/kg																																							
EPN.....	0.508 mg/kg	Ronnel.....	0.250 mg/kg																																							
Ethoprop.....	0.328 mg/kg	Sulfotepp.....	0.026 mg/kg																																							
Famphur.....	0.526 mg/kg	Tetrachlorvinphos.....	0.642 mg/kg																																							
Fenthion.....	0.311 mg/kg	Disulfoton.....	0.117 mg/kg																																							
RTC-CRM827-050	Soil (Sandy loam) - Organophosphorus pesticides Soil fortified with pesticide compounds to meet the requirements of NELAC Fields of Testing. The sample was certified by USEPA SW846 (3rd edition) method 8141A. The sample is suitable for these and other similar methods. Certified values Lot BL827	50 g																																								
	<table> <tbody> <tr> <td>Azinphos methyl (guthion).....</td> <td>1.52 mg/kg</td> <td>Demeton-O.....</td> <td>0.710 mg/kg</td> </tr> <tr> <td>Dichlorvos (DDVP).....</td> <td>0.887 mg/kg</td> <td>Diazinon.....</td> <td>3.76 mg/kg</td> </tr> <tr> <td>Demeton-S.....</td> <td>0.525 mg/kg</td> <td>Malathion.....</td> <td>8.02 mg/kg</td> </tr> <tr> <td>Ronnel.....</td> <td>0.830 mg/kg</td> <td>Parathion, ethyl.....</td> <td>4.88 mg/kg</td> </tr> <tr> <td>Phorate.....</td> <td>0.48 mg/kg</td> <td>Stirophos (tetrachlorovinphos).....</td> <td>4.24 mg/kg</td> </tr> </tbody> </table>	Azinphos methyl (guthion).....	1.52 mg/kg	Demeton-O.....	0.710 mg/kg	Dichlorvos (DDVP).....	0.887 mg/kg	Diazinon.....	3.76 mg/kg	Demeton-S.....	0.525 mg/kg	Malathion.....	8.02 mg/kg	Ronnel.....	0.830 mg/kg	Parathion, ethyl.....	4.88 mg/kg	Phorate.....	0.48 mg/kg	Stirophos (tetrachlorovinphos).....	4.24 mg/kg																					
Azinphos methyl (guthion).....	1.52 mg/kg	Demeton-O.....	0.710 mg/kg																																							
Dichlorvos (DDVP).....	0.887 mg/kg	Diazinon.....	3.76 mg/kg																																							
Demeton-S.....	0.525 mg/kg	Malathion.....	8.02 mg/kg																																							
Ronnel.....	0.830 mg/kg	Parathion, ethyl.....	4.88 mg/kg																																							
Phorate.....	0.48 mg/kg	Stirophos (tetrachlorovinphos).....	4.24 mg/kg																																							
RTC-CRM837-050	Soil (Silty loam) - Organophosphorus pesticides The reference values were determined by USEPA SW846 (3rd edition) Analysis Method 8141A. Certified values Lot 015621	50 g																																								
	<table> <tbody> <tr> <td>Azinphos-methyl (Guthion).....</td> <td>299 µg/kg</td> <td>Malathion.....</td> <td>706 µg/kg</td> </tr> <tr> <td>Chlorpyrifos.....</td> <td>292 µg/kg</td> <td>Methyl parathion (Parathion, methyl).....</td> <td>227 µg/kg</td> </tr> <tr> <td>Diazinon.....</td> <td>624 µg/kg</td> <td>Parathion, ethyl.....</td> <td>782 µg/kg</td> </tr> <tr> <td>EPN.....</td> <td>553 µg/kg</td> <td>Ronnel.....</td> <td>180 µg/kg</td> </tr> <tr> <td>Ethoprop.....</td> <td>300 µg/kg</td> <td>Tetrachlorvinphos.....</td> <td>254 µg/kg</td> </tr> </tbody> </table>	Azinphos-methyl (Guthion).....	299 µg/kg	Malathion.....	706 µg/kg	Chlorpyrifos.....	292 µg/kg	Methyl parathion (Parathion, methyl).....	227 µg/kg	Diazinon.....	624 µg/kg	Parathion, ethyl.....	782 µg/kg	EPN.....	553 µg/kg	Ronnel.....	180 µg/kg	Ethoprop.....	300 µg/kg	Tetrachlorvinphos.....	254 µg/kg																					
Azinphos-methyl (Guthion).....	299 µg/kg	Malathion.....	706 µg/kg																																							
Chlorpyrifos.....	292 µg/kg	Methyl parathion (Parathion, methyl).....	227 µg/kg																																							
Diazinon.....	624 µg/kg	Parathion, ethyl.....	782 µg/kg																																							
EPN.....	553 µg/kg	Ronnel.....	180 µg/kg																																							
Ethoprop.....	300 µg/kg	Tetrachlorvinphos.....	254 µg/kg																																							
<b>New</b> RTC-CRM851-050	Soil (Silty loam) - Organophosphorus pesticides Certified values Lot 002536	50 g																																								
	<table> <tbody> <tr> <td>Azinphos-methyl (Guthion).....</td> <td>1.76 mg/kg</td> <td>Parathion, ethyl.....</td> <td>3.23 mg/kg</td> </tr> <tr> <td>Chlorfenvinphos.....</td> <td>1.76 mg/kg</td> <td>Ronnel.....</td> <td>2.14 mg/kg</td> </tr> <tr> <td>Diazinon.....</td> <td>0.217 mg/kg</td> <td>Tetrachlorvinphos.....</td> <td>0.673 mg/kg</td> </tr> <tr> <td>Malathion.....</td> <td>4.14 mg/kg</td> <td>Disulfoton.....</td> <td>5.18 mg/kg</td> </tr> <tr> <td>Parathion, methyl.....</td> <td>5.80 mg/kg</td> <td></td> <td></td> </tr> </tbody> </table>	Azinphos-methyl (Guthion).....	1.76 mg/kg	Parathion, ethyl.....	3.23 mg/kg	Chlorfenvinphos.....	1.76 mg/kg	Ronnel.....	2.14 mg/kg	Diazinon.....	0.217 mg/kg	Tetrachlorvinphos.....	0.673 mg/kg	Malathion.....	4.14 mg/kg	Disulfoton.....	5.18 mg/kg	Parathion, methyl.....	5.80 mg/kg																							
Azinphos-methyl (Guthion).....	1.76 mg/kg	Parathion, ethyl.....	3.23 mg/kg																																							
Chlorfenvinphos.....	1.76 mg/kg	Ronnel.....	2.14 mg/kg																																							
Diazinon.....	0.217 mg/kg	Tetrachlorvinphos.....	0.673 mg/kg																																							
Malathion.....	4.14 mg/kg	Disulfoton.....	5.18 mg/kg																																							
Parathion, methyl.....	5.80 mg/kg																																									



## Soils

Code	Product	Unit
<b>New</b> RTC-CRM806-100	Soil (Loamy sand) - Chlordane The certified value was determined by USEPA SW846 (3rd edition) Extraction Methods 3540B/3541 (soxhlet), 3550A (sonication) and Analysis Method 8081 (pesticides by GC). The sample is suitable for these and other similar methods. Certified value Lot FH806 Chlordane ..... 7.19 mg/kg	100 g
RTC-CRM812-050	Soil (Sandy loam) - Chlordane The certified value was determined by USEPA SW846 (3rd edition) Extraction Methods 3540B/3541 (soxhlet), 3550A (sonication) and Analysis Method 8081 (pesticides by GC). The sample is suitable for these and other similar methods. Certified value Lot AL812 Chlordane ..... 205 µg/kg	50 g
RTC-CRM825-050	Soil (Sandy loam) - Chlordane The certified value was determined by USEPA SW846 (3rd edition) Extraction Methods 3540B/3541 (soxhlet), 3550A (sonication) and Analysis Method 8081 (pesticides by GC). The sample is suitable for these and other similar methods. Certified value Lot BL825 Chlordane ..... 392 µg/kg	50 g
<b>New</b> RTC-CRM852-050	Sediment - Chlordane Certified value Lot 002531 Chlordane (total) ..... 235 µg/kg	50 g
RTC-CRM828-050	Soil (Silty loam) - Pesticides Fortified to meet the requirements of NELAC Fields of Testing, RCRA Solid. The Reference Values were determined by USEPA SW846 (3rd edition) method 8081A. Certified values Lot 001682 Aldrin ..... 126 µg/Kg      Endosulfan sulfate ..... 319 µg/Kg 4,4'-DDD ..... 397 µg/Kg      Endrin ..... 336 µg/Kg 4,4'-DDE ..... 293 µg/Kg      alpha-HCH ..... 338 µg/Kg 4,4'-DDT ..... 302 µg/Kg      beta-HCH ..... 272 µg/Kg Dieldrin ..... 225 µg/Kg      gamma-HCH (Lindane) ..... 384 µg/Kg Endosulfan I ..... 170 µg/Kg      Heptachlor ..... 136 µg/Kg Endosulfan II ..... 223 µg/Kg      Methoxychlor ..... 279 µg/Kg	50 g
RTC-CRM846-050	Soil (Loamy sand) - Pesticides The reference values were determined by USEPA SW846 (3rd edition) method 8081A. The sample is suitable for this and other similar methods. Certified values Lot 015141 Aldrin ..... 63.8 µg/kg      Endrin ketone ..... 82.7 µg/kg alpha-Chlordane ..... 98.3 µg/kg      Endrin ..... 222 µg/kg gamma-Chlordane ..... 376 µg/kg      delta-HCH ..... 100 µg/kg 4,4'-DDD ..... 259 µg/kg      alpha-HCH ..... 256 µg/kg 4,4'-DDE ..... 243 µg/kg      beta-HCH ..... 327 µg/kg 4,4'-DDT ..... 190 µg/kg      gamma-HCH (Lindane) ..... 147 µg/kg Dieldrin ..... 290 µg/kg      Heptachlor ..... 70.8 µg/kg Endosulfan I ..... 187 µg/kg      Heptachlor epoxide ..... 238 µg/kg Endosulfan II ..... 119 µg/kg      Methoxychlor ..... 238 µg/kg Endosulfan sulfate ..... 160 µg/kg      Propachlor ..... 287 µg/kg Endrin aldehyde ..... 116 µg/kg      Trifluralin ..... 282 µg/kg	50 g
RTC-CRM829-050	Soil (Silty loam) - Toxaphenes Certified value Lot 01678 Toxaphene ..... 221 µg/kg	50 g
RTC-CRM826-050	Soil (Sandy loam) - Toxaphene The Certified value was determined by USEPA SW846 (3rd edition) Extraction Methods 3540B/3541 (soxhlet), 3550A (sonication) and Analysis Method 8081 (pesticides by GC). The sample is suitable for these and other similar methods. Certified value Lot BL826 Toxaphene ..... 257 µg/kg	50 g

Code	Product	Unit
RTC-CRM813-050	Soil (Sandy loam) - Toxaphene The certified value was determined by USEPA SW846 (3rd edition) Extraction Methods 3540B/3541 (soxhlet), 3550A (sonication) and Analysis Method 8081 (pesticides by GC). The sample is suitable for these and other similar methods. Certified value Lot BC813 Toxaphene ..... 254 µg/kg	50 g
<b>New</b> RTC-CRM853-050	Soil (Clay) - Toxaphenes Certified value Lot 010770 Toxaphene ..... 306 µg/kg	50 g
RTC-CRM847-050	Soil (Clay Loam) - Pesticides The certified values were determined by USEPA SW846 (3rd edition) method 8081A. The sample is suitable for this and other similar methods. Certified values Lot 002405 4,4'-DDD ..... 228 µg/kg 4,4'-DDE ..... 218 µg/kg 4,4'-DDT ..... 172 µg/kg Aldrin ..... 115 µg/kg Dieldrin ..... 125 µg/kg Endosulfan I ..... 160 µg/kg Endosulfan II ..... 233 µg/kg Endosulfan sulfate ..... 270 µg/kg Endrin ..... 377 µg/kg Endrin aldehyde ..... 49.3 µg/kg alpha-HCH ..... 225 µg/kg beta-HCH ..... 92.4 µg/kg delta-HCH ..... 67.6 µg/kg gamma-HCH (Lindane) ..... 340 µg/kg Heptachlor ..... 109 µg/kg Heptachlor epoxide (beta) ..... 98.7 µg/kg Methoxychlor ..... 172 µg/kg	50 g
<b>New</b> RTC-CRM981-010	Clay loam - Dioxins/Furans Certified values Lot 013623 1,2,3,4,6,7,8-HpCDF ..... 789 ± 50.7 pg/g 1,2,3,4,6,7,8-HpCDD ..... 196 ± 12.4 pg/g HpCDD (total) ..... 196 ± 11.0 pg/g HpCDF (total) ..... 796 ± 54.3 pg/g 1,2,3,4,7,8-HxCDD ..... 479 ± 40.5 pg/g 1,2,3,6,7,8-HxCDD ..... 87.0 ± 11.0 pg/g 1,2,3,7,8,9-HxCDD ..... 908 ± 55.5 pg/g HxCDD (total) ..... 1430 ± 137 pg/g 1,2,3,4,7,8-HxCDF ..... 228 ± 13.0 pg/g HxCDF (total) ..... 235 ± 10.2 pg/g 1,2,3,4,6,7,8,9-OCDF ..... 700 ± 64.3 pg/g 1,2,3,4,6,7,8,9-OCDD ..... 305 ± 36.9 pg/g 1,2,3,7,8-PeCDD ..... 83.9 ± 8.43 pg/g PeCDD (total) ..... 95.4 ± 2.34 pg/g 2,3,7,8-TCDD ..... 804 ± 57.6 pg/g 2,3,7,8-TCDF ..... 306 ± 28.9 pg/g TCDF (total) ..... 323 ± 30.0 pg/g TCDD (total) ..... 804 ± 56.9 pg/g PCDD (total) ..... 2750 ± 136 pg/g PCDD + PCDF (total) ..... 4690 ± 275 pg/g PCDF (total) ..... 1950 ± 183 pg/g	10 g
RTC-CRM141-050	Soil (Loamy clay) - PAHs The organic sample is a soil containing extractable PAHs for analysis by 8100, 8270, 8310 or equivalent methods. Certified values Lot: 015161 Naphthalene ..... 188 ± 40.3 µg/kg Acenaphthene ..... 693 ± 174 µg/kg Acenaphthylene ..... 176 ± 45.5 µg/kg Anthracene ..... 393 ± 130 µg/kg Benzo(a)anthracene ..... 409 ± 83.0 µg/kg Benzo(a)pyrene ..... 198 ± 25.8 µg/kg Benzo(b)fluoranthene ..... 364 ± 48.6 µg/kg Benzo(g,h,i)perylene ..... 618 ± 109 µg/kg Benzo(k)fluoranthene ..... 253 ± 43.9 µg/kg Chrysene ..... 316 ± 52.0 µg/kg Dibenzo(a,h)anthracene ..... 451 ± 70.4 µg/kg Fluoranthene ..... 176 ± 40.3 µg/kg Fluorene ..... 338 ± 111 µg/kg Indeno(1,2,3-cd)pyrene ..... 394 ± 52.0 µg/kg Phenanthrene ..... 719 ± 221 µg/kg Pyrene ..... 331 ± 62.0 µg/kg	50 g
<b>New</b> RTC-CRM860-050	Soil (Clay Loam) - Pesticides Certified values Lot 010760 Hexachlorobenzene ..... 83.3 µg/kg delta-BHC ..... 65.7 µg/kg alpha-BHC (alpha-Hexachlorocyclohexane) ..... 115 µg/kg beta-BHC (beta-Hexachlorocyclohexane) ..... 109 µg/kg alpha-Chlordane ..... 74.0 µg/kg gamma-Chlordane ..... 101 µg/kg 4,4'-DDD ..... 116 µg/kg 4,4'-DDE ..... 70.8 µg/kg 4,4'-DDT ..... 49.4 µg/kg Dieldrin ..... 79.7 µg/kg Endosulfan I ..... 91.5 µg/kg Endosulfan II ..... 111 µg/kg Endosulfan sulfate ..... 58.6 µg/kg Endrin aldehyde ..... 50.2 µg/kg Endrin ketone ..... 119 µg/kg Endrin ..... 75.3 µg/kg Heptachlor ..... 68.1 µg/kg Heptachlor epoxide ..... 106 µg/kg Methoxychlor ..... 96.6 µg/kg	50 g

# Soils

Code	Product	Unit																																																
RTC-CRM020-050	<p><b>Dry soil No. 2 (Sandy loam) - Trace elements</b></p> <p>Soil is from a USEPA Superfund site located in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for mercury (Method 7471) and pH (method 9045). The sample is suitable for other 3000 series metals digestion procedures and 7000-series spectroscopic methods.</p> <p>Certified values</p> <p>Lot D020</p> <table> <tr> <td>pH .....</td> <td>2.96</td> <td>Co.....</td> <td>4.51 mg/kg</td> <td>Ni .....</td> <td>16.9 mg/kg</td> </tr> <tr> <td>Ag .....</td> <td>38.5 mg/kg</td> <td>Cr.....</td> <td>13.6 mg/kg</td> <td>Pb .....</td> <td>5111 mg/kg</td> </tr> <tr> <td>Al.....</td> <td>1760 mg/kg</td> <td>Cu.....</td> <td>729 mg/kg</td> <td>Sb .....</td> <td>8.38 mg/kg</td> </tr> <tr> <td>As.....</td> <td>400 mg/kg</td> <td>Fe .....</td> <td>191706 mg/kg</td> <td>Se .....</td> <td>6.57 mg/kg</td> </tr> <tr> <td>Ba .....</td> <td>24.8 mg/kg</td> <td>Hg.....</td> <td>1.12 mg/kg</td> <td>Tl.....</td> <td>5.91 mg/kg</td> </tr> <tr> <td>Ca .....</td> <td>25584 mg/kg</td> <td>Mg.....</td> <td>2687 mg/kg</td> <td>V .....</td> <td>6.47 mg/kg</td> </tr> <tr> <td>Cd .....</td> <td>15.4 mg/kg</td> <td>Mn .....</td> <td>945 mg/kg</td> <td>Zn.....</td> <td>3010 mg/kg</td> </tr> </table> <p>Indicative values for K, Na, Sr</p>	pH .....	2.96	Co.....	4.51 mg/kg	Ni .....	16.9 mg/kg	Ag .....	38.5 mg/kg	Cr.....	13.6 mg/kg	Pb .....	5111 mg/kg	Al.....	1760 mg/kg	Cu.....	729 mg/kg	Sb .....	8.38 mg/kg	As.....	400 mg/kg	Fe .....	191706 mg/kg	Se .....	6.57 mg/kg	Ba .....	24.8 mg/kg	Hg.....	1.12 mg/kg	Tl.....	5.91 mg/kg	Ca .....	25584 mg/kg	Mg.....	2687 mg/kg	V .....	6.47 mg/kg	Cd .....	15.4 mg/kg	Mn .....	945 mg/kg	Zn.....	3010 mg/kg	50 g						
pH .....	2.96	Co.....	4.51 mg/kg	Ni .....	16.9 mg/kg																																													
Ag .....	38.5 mg/kg	Cr.....	13.6 mg/kg	Pb .....	5111 mg/kg																																													
Al.....	1760 mg/kg	Cu.....	729 mg/kg	Sb .....	8.38 mg/kg																																													
As.....	400 mg/kg	Fe .....	191706 mg/kg	Se .....	6.57 mg/kg																																													
Ba .....	24.8 mg/kg	Hg.....	1.12 mg/kg	Tl.....	5.91 mg/kg																																													
Ca .....	25584 mg/kg	Mg.....	2687 mg/kg	V .....	6.47 mg/kg																																													
Cd .....	15.4 mg/kg	Mn .....	945 mg/kg	Zn.....	3010 mg/kg																																													
RTC-CRM021-100	<p><b>Dry soil No. 3 (Sandy loam) - Trace elements</b></p> <p>Soil is from a waste site in the Midwestern United States. The certified values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for Mercury (Method 7471). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods.</p> <p>Certified values</p> <p>Lot E021</p> <table> <tr> <td>Ag .....</td> <td>6.5 mg/kg</td> <td>Cr.....</td> <td>10.7 mg/kg</td> <td>Na .....</td> <td>380 mg/kg</td> </tr> <tr> <td>Al.....</td> <td>2725 mg/kg</td> <td>Cu.....</td> <td>4792 mg/kg</td> <td>Ni .....</td> <td>12.6 mg/kg</td> </tr> <tr> <td>As.....</td> <td>24.8 mg/kg</td> <td>Fe .....</td> <td>6481 mg/kg</td> <td>Sb .....</td> <td>4950 mg/kg</td> </tr> <tr> <td>Ba .....</td> <td>586 mg/kg</td> <td>Hg.....</td> <td>4.7 mg/kg</td> <td>Zn.....</td> <td>546 mg/kg</td> </tr> <tr> <td>Ca .....</td> <td>5426 mg/kg</td> <td>K.....</td> <td>1006 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Cd .....</td> <td>1.2 mg/kg</td> <td>Mn .....</td> <td>174 mg/kg</td> <td></td> <td></td> </tr> </table> <p>Indicative values for Co, Mg, Pb, Sn, Ti, V</p>	Ag .....	6.5 mg/kg	Cr.....	10.7 mg/kg	Na .....	380 mg/kg	Al.....	2725 mg/kg	Cu.....	4792 mg/kg	Ni .....	12.6 mg/kg	As.....	24.8 mg/kg	Fe .....	6481 mg/kg	Sb .....	4950 mg/kg	Ba .....	586 mg/kg	Hg.....	4.7 mg/kg	Zn.....	546 mg/kg	Ca .....	5426 mg/kg	K.....	1006 mg/kg			Cd .....	1.2 mg/kg	Mn .....	174 mg/kg			100 g												
Ag .....	6.5 mg/kg	Cr.....	10.7 mg/kg	Na .....	380 mg/kg																																													
Al.....	2725 mg/kg	Cu.....	4792 mg/kg	Ni .....	12.6 mg/kg																																													
As.....	24.8 mg/kg	Fe .....	6481 mg/kg	Sb .....	4950 mg/kg																																													
Ba .....	586 mg/kg	Hg.....	4.7 mg/kg	Zn.....	546 mg/kg																																													
Ca .....	5426 mg/kg	K.....	1006 mg/kg																																															
Cd .....	1.2 mg/kg	Mn .....	174 mg/kg																																															
RTC-CRM022-020	<p><b>Dry soil No. 5 (Loam) - Trace elements and cyanide</b></p> <p>This soil is from a waste site in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for Arsenic (7060A), Mercury (7471A), Selenium (7740), Thallium (7841) and Cyanide (9010A). The sample is suitable for other 3000-series metals digestion procedures and 7000-series 9000-series spectroscopic methods.</p> <p>Certified values</p> <p>Lot D522</p> <table> <tr> <td>Al.....</td> <td>10060 mg/kg</td> <td>Co.....</td> <td>5.7 mg/kg</td> <td>Na .....</td> <td>268 mg/kg</td> </tr> <tr> <td>As.....</td> <td>5.4 mg/kg</td> <td>Cu.....</td> <td>12.4 mg/kg</td> <td>Ni .....</td> <td>16 mg/kg</td> </tr> <tr> <td>Ba .....</td> <td>109 mg/kg</td> <td>Fe .....</td> <td>13555 mg/kg</td> <td>Pb .....</td> <td>415 mg/kg</td> </tr> <tr> <td>Be .....</td> <td>0.5 mg/kg</td> <td>Hg.....</td> <td>5 mg/kg</td> <td>V .....</td> <td>23 mg/kg</td> </tr> <tr> <td>Ca .....</td> <td>27242 mg/kg</td> <td>K.....</td> <td>3170 mg/kg</td> <td>Zn.....</td> <td>46 mg/kg</td> </tr> <tr> <td>Cd .....</td> <td>3.1 mg/kg</td> <td>Mg.....</td> <td>9524 mg/kg</td> <td>Cyanide.....</td> <td>26.6 mg/kg</td> </tr> <tr> <td>Cr.....</td> <td>18.8 mg/kg</td> <td>Mn .....</td> <td>318 mg/kg</td> <td></td> <td></td> </tr> </table> <p>Indicative values for B, Ag, Hg, Sb, Se, Si, Sn, Sr, Ti</p>	Al.....	10060 mg/kg	Co.....	5.7 mg/kg	Na .....	268 mg/kg	As.....	5.4 mg/kg	Cu.....	12.4 mg/kg	Ni .....	16 mg/kg	Ba .....	109 mg/kg	Fe .....	13555 mg/kg	Pb .....	415 mg/kg	Be .....	0.5 mg/kg	Hg.....	5 mg/kg	V .....	23 mg/kg	Ca .....	27242 mg/kg	K.....	3170 mg/kg	Zn.....	46 mg/kg	Cd .....	3.1 mg/kg	Mg.....	9524 mg/kg	Cyanide.....	26.6 mg/kg	Cr.....	18.8 mg/kg	Mn .....	318 mg/kg			20 g						
Al.....	10060 mg/kg	Co.....	5.7 mg/kg	Na .....	268 mg/kg																																													
As.....	5.4 mg/kg	Cu.....	12.4 mg/kg	Ni .....	16 mg/kg																																													
Ba .....	109 mg/kg	Fe .....	13555 mg/kg	Pb .....	415 mg/kg																																													
Be .....	0.5 mg/kg	Hg.....	5 mg/kg	V .....	23 mg/kg																																													
Ca .....	27242 mg/kg	K.....	3170 mg/kg	Zn.....	46 mg/kg																																													
Cd .....	3.1 mg/kg	Mg.....	9524 mg/kg	Cyanide.....	26.6 mg/kg																																													
Cr.....	18.8 mg/kg	Mn .....	318 mg/kg																																															
RTC-CRM008-050	<p><b>Sediment 1 - Trace elements</b></p> <p>Sediment/soil from a river bank and bottom near the Chesapeake Bay. The certified values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for arsenic (7060A), mercury (7471A), selenium (7740), and thallium (7841). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods.</p> <p>Certified values</p> <p>Lot J408</p> <table> <tr> <td>Al.....</td> <td>23906 mg/kg</td> <td>Co.....</td> <td>11 mg/kg</td> <td>Mn.....</td> <td>261 mg/kg</td> </tr> <tr> <td>As.....</td> <td>14 mg/kg</td> <td>Cu.....</td> <td>36 mg/kg</td> <td>Na .....</td> <td>8706 mg/kg</td> </tr> <tr> <td>Ba .....</td> <td>54 mg/kg</td> <td>Fe .....</td> <td>33042 mg/kg</td> <td>Ni .....</td> <td>26 mg/kg</td> </tr> <tr> <td>Be .....</td> <td>1 mg/kg</td> <td>Hg.....</td> <td>0.72 mg/kg</td> <td>Pb .....</td> <td>95.9 mg/kg</td> </tr> <tr> <td>Ca .....</td> <td>2935 mg/kg</td> <td>K.....</td> <td>3948 mg/kg</td> <td>V .....</td> <td>44.4 mg/kg</td> </tr> <tr> <td>Cr.....</td> <td>48 mg/kg</td> <td>Mg.....</td> <td>6742 mg/kg</td> <td>Zn.....</td> <td>134 mg/kg</td> </tr> </table> <p>Indicative values for Ag, B, Cd, Mo, Sb, Se, Si, Sn, Sr, Ti</p>	Al.....	23906 mg/kg	Co.....	11 mg/kg	Mn.....	261 mg/kg	As.....	14 mg/kg	Cu.....	36 mg/kg	Na .....	8706 mg/kg	Ba .....	54 mg/kg	Fe .....	33042 mg/kg	Ni .....	26 mg/kg	Be .....	1 mg/kg	Hg.....	0.72 mg/kg	Pb .....	95.9 mg/kg	Ca .....	2935 mg/kg	K.....	3948 mg/kg	V .....	44.4 mg/kg	Cr.....	48 mg/kg	Mg.....	6742 mg/kg	Zn.....	134 mg/kg	50 g												
Al.....	23906 mg/kg	Co.....	11 mg/kg	Mn.....	261 mg/kg																																													
As.....	14 mg/kg	Cu.....	36 mg/kg	Na .....	8706 mg/kg																																													
Ba .....	54 mg/kg	Fe .....	33042 mg/kg	Ni .....	26 mg/kg																																													
Be .....	1 mg/kg	Hg.....	0.72 mg/kg	Pb .....	95.9 mg/kg																																													
Ca .....	2935 mg/kg	K.....	3948 mg/kg	V .....	44.4 mg/kg																																													
Cr.....	48 mg/kg	Mg.....	6742 mg/kg	Zn.....	134 mg/kg																																													
RTC-CRM023-050	<p><b>Soil (Sandy loam) - Metals</b></p> <p>Soil is from a contaminated site located in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for Mercury (Method 7471). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods.</p> <p>Certified values</p> <p>Lot DG023</p> <table> <tr> <td>Ag .....</td> <td>132 mg/kg</td> <td>Co.....</td> <td>8.9 mg/kg</td> <td>Ni .....</td> <td>11.0 mg/kg</td> </tr> <tr> <td>Al.....</td> <td>8472 mg/kg</td> <td>Cu.....</td> <td>4.7 mg/kg</td> <td>Pb .....</td> <td>213 mg/kg</td> </tr> <tr> <td>As.....</td> <td>380 mg/kg</td> <td>Fe .....</td> <td>10678 mg/kg</td> <td>Se .....</td> <td>116 mg/kg</td> </tr> <tr> <td>Ba .....</td> <td>75.5 mg/kg</td> <td>Hg.....</td> <td>77.8 mg/kg</td> <td>Sr.....</td> <td>32.6 mg/kg</td> </tr> <tr> <td>Be .....</td> <td>0.4 mg/kg</td> <td>K.....</td> <td>2231 mg/kg</td> <td>Tl.....</td> <td>111.51 mg/kg</td> </tr> <tr> <td>Ca .....</td> <td>5425 mg/kg</td> <td>Mg.....</td> <td>3064 mg/kg</td> <td>V .....</td> <td>21.7 mg/kg</td> </tr> <tr> <td>Cd .....</td> <td>0.9 mg/kg</td> <td>Mn .....</td> <td>206 mg/kg</td> <td>Zn.....</td> <td>93.8 mg/kg</td> </tr> <tr> <td>Cr.....</td> <td>31.1 mg/kg</td> <td>Na.....</td> <td>295 mg/kg</td> <td></td> <td></td> </tr> </table> <p>Indicative values for B, Si</p>	Ag .....	132 mg/kg	Co.....	8.9 mg/kg	Ni .....	11.0 mg/kg	Al.....	8472 mg/kg	Cu.....	4.7 mg/kg	Pb .....	213 mg/kg	As.....	380 mg/kg	Fe .....	10678 mg/kg	Se .....	116 mg/kg	Ba .....	75.5 mg/kg	Hg.....	77.8 mg/kg	Sr.....	32.6 mg/kg	Be .....	0.4 mg/kg	K.....	2231 mg/kg	Tl.....	111.51 mg/kg	Ca .....	5425 mg/kg	Mg.....	3064 mg/kg	V .....	21.7 mg/kg	Cd .....	0.9 mg/kg	Mn .....	206 mg/kg	Zn.....	93.8 mg/kg	Cr.....	31.1 mg/kg	Na.....	295 mg/kg			50 g
Ag .....	132 mg/kg	Co.....	8.9 mg/kg	Ni .....	11.0 mg/kg																																													
Al.....	8472 mg/kg	Cu.....	4.7 mg/kg	Pb .....	213 mg/kg																																													
As.....	380 mg/kg	Fe .....	10678 mg/kg	Se .....	116 mg/kg																																													
Ba .....	75.5 mg/kg	Hg.....	77.8 mg/kg	Sr.....	32.6 mg/kg																																													
Be .....	0.4 mg/kg	K.....	2231 mg/kg	Tl.....	111.51 mg/kg																																													
Ca .....	5425 mg/kg	Mg.....	3064 mg/kg	V .....	21.7 mg/kg																																													
Cd .....	0.9 mg/kg	Mn .....	206 mg/kg	Zn.....	93.8 mg/kg																																													
Cr.....	31.1 mg/kg	Na.....	295 mg/kg																																															

Code	Product	Unit
RTC-CRM024-050	Soil (Sandy loam) - Metals This soil is from a site in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Methods 3050B and 6010B, except for mercury (Method 7471). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot 11024 Ag ..... 13.3 mg/kg      Cr ..... 25.4 mg/kg      Na ..... 287 mg/kg Al..... 8681 mg/kg      Cu..... 8.70 mg/kg      Ni ..... 15.0 mg/kg As..... 3.42 mg/kg      Fe ..... 10196 mg/kg      Pb ..... 15.7 mg/kg B ..... 7.22 mg/kg      Hg..... 0.71 mg/kg      Sr ..... 35.4 mg/kg Ba ..... 79.6 mg/kg      K..... 2102 mg/kg      V ..... 20.8 mg/kg Be ..... 0.43 mg/kg      Mg ..... 2945 mg/kg      Zn..... 37.3 mg/kg Ca ..... 5534 mg/kg      Mn ..... 199 mg/kg Cd ..... 2.15 mg/kg      Mo ..... 0.58 mg/kg Indicative values for Sb, Se, Si, TI	50 g
RTC-CRM025-050	Soil (Sandy loam) - Metals This soil is from a moderate contaminated site located in the Western United States. The certified values were determined by USEPA SW846 (3rd Edition) Methods 3050 and 6010, except for Arsenic (7060A), Mercury (7471A), Selenium (7740), and Thallium (7841). The sample is suitable for other 3000-series metals digestion procedures and 7000-series 9000-series spectroscopic methods. Certified values Lot JG025 Ag ..... 132 mg/kg      Cr ..... 441 mg/kg      Mn..... 173 mg/kg Al..... 7637 mg/kg      Co..... 4.07 mg/kg      Na ..... 313 mg/kg As..... 339 mg/kg      Cu..... 7.76 mg/kg      Ni ..... 12.2 mg/kg Ba ..... 1839 mg/kg      Fe ..... 9439 mg/kg      Pb ..... 1447 mg/kg Be ..... 0.33 mg/kg      Hg..... 99.8 mg/kg      Se ..... 518 mg/kg Ca ..... 28320 mg/kg      K..... 1992 mg/kg      V ..... 19.3 mg/kg Cd ..... 369 mg/kg      Mg ..... 4376 mg/kg      Zn..... 51.8 mg/kg Indicative values for B, Mo, Sb, Si, Sr, TI	50 g
RTC-CRM026-050	Soil (Sandy loam) - Metals This soil is from a slightly contaminated site located in the Rocky Mountain Region of the United States. The following certified values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for mercury (Method 7471). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot BE026 Al..... 17730 mg/kg      Co..... 6.77 mg/kg      Na ..... 119 mg/kg As..... 5.41 mg/kg      Cu..... 18.8 mg/kg      Ni ..... 14.4 mg/kg Ba ..... 214 mg/kg      Fe ..... 21906 mg/kg      Pb ..... 25.6 mg/kg Be ..... 18.0 mg/kg      Hg..... 2.42 mg/kg      Sr ..... 38.4 mg/kg Ca ..... 6221 mg/kg      K..... 3600 mg/kg      V ..... 32.0 mg/kg Cd ..... 11.7 mg/kg      Mg ..... 2837 mg/kg      Zn..... 140 mg/kg Cr..... 27.2 mg/kg      Mn ..... 633 mg/kg Indicative values for Ag, B, Mo, Sb, Se, Si, TI The following certified values were determined by using USEPA SW846 Method 7060A for Arsenic, by using USEPA SW846 Method 7471B for Mercury, and by using Aqua Regia DIN 38414-S7 Method for Cadmium, Chromium, Copper, Lead, Nickel, and Zinc. As..... 5.41 mg/kg      Cu..... 22.5 mg/kg      Ni ..... 19.3 mg/kg Cd ..... 12.9 mg/kg      Pb..... 30.7 mg/kg      Zn..... 169 mg/kg Cr..... 36.9 mg/kg      Hg..... 2.42 mg/kg	50 g
RTC-CRM027-050	Soil (Sandy loam) - Metals This soil is from a moderately contaminated site located in the Western United States. The Reference Values were determined by USEPA SW846 (3rd edition) Methods 3050B and 6010, except for mercury (Method 7471) and pH (method 9045). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot HC027 Ag ..... 5.98 mg/kg      Co..... 4.70 mg/kg      Ni ..... 10.5 mg/kg Al..... 8537 mg/kg      Cu..... 9.87 mg/kg      Pb ..... 51.9 mg/kg As..... 12.4 mg/kg      Fe ..... 11173 mg/kg      Sb ..... 3.28 mg/kg Ba ..... 166 mg/kg      Hg..... 3.80 mg/kg      Se ..... 14.0 mg/kg Be ..... 2.73 mg/kg      K..... 2115 mg/kg      Sr ..... 43.0 mg/kg Ca ..... 5970 mg/kg      Mg ..... 2755 mg/kg      V ..... 21.4 mg/kg Cd ..... 12.0 mg/kg      Mn ..... 259 mg/kg      Zn..... 51.3 mg/kg Cr ..... 26.9 mg/kg      Na..... 241 mg/kg Indicative values for B, Mo, Si, TI	50 g

# Soils

Code	Product	Unit
RTC-CRM028-050	<b>Soil (Sandy loam) - Metals</b> This soil is from a moderately contaminated site location in the Western United States. The Reference Values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for mercury (Method 7471) and pH (method 9045). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot IH028 Al..... 7562 mg/kg      Cr..... 19.0 mg/kg      Mn..... 209 mg/kg As..... 3.83 mg/kg      Co..... 4.3 mg/kg      Na..... 231 mg/kg Ba..... 73.2 mg/kg      Cu..... 8.51 mg/kg      Ni..... 11.0 mg/kg Be..... 0.38 mg/kg      Fe..... 10000 mg/kg      Pb..... 10.4 mg/kg Ca..... 5883 mg/kg      K..... 2045 mg/kg      V..... 19.2 mg/kg Cd..... 0.50 mg/kg      Mg..... 2995 mg/kg      Zn..... 75.0 mg/kg Indicative values for B, Si, Sr	50 g
RTC-CRM030-050	<b>Soil (Sandy loam) - Metals</b> This soil is from a moderately contaminated site location in the Western United States. The Reference Values were determined by USEPA SW846 (3rd edition) Methods 3050B and 6010B, except for mercury, pH, cyanide and fluoride (methods 7471, 9045, 9213, and 9214), respectively. The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods.	50 g
<b>New</b> RTC-CRM033-050	<b>Soil - Metals</b> The values were determined by USEPA SW846 (3rd edition) Methods 3050B/3051, 6010B, and 7000 series. The sample is suitable for these and other similar methods. Certified values Lot 013545 Antimony, Sb..... 60.6 mg/kg      Molybdenum, Mo..... 67.7 mg/kg Arsenic, As..... 132 mg/kg      Nickel, Ni..... 201 mg/kg Barium, Ba..... 487 mg/kg      Potassium, K..... 18900 mg/kg Beryllium, Be..... 218 mg/kg      Selenium, Se..... 304 mg/kg Boron, B..... 139 mg/kg      Silicon, Si..... 858 mg/kg Cadmium, Cd..... 56.6 mg/kg      Silver, Ag..... 82.1 mg/kg Calcium, Ca..... 7830 mg/kg      Sodium, Na..... 1540 mg/kg Chromium, Cr (total)..... 302 mg/kg      Strontium, Sr..... 125 mg/kg Cobalt, Co..... 108 mg/kg      Thallium, Tl..... 72.7 mg/kg Copper, Cu..... 61.1 mg/kg      Titanium, Ti..... 287 mg/kg Iron, Fe..... 11100 mg/kg      Tin, Sn..... 107 mg/kg Lead, Pb..... 315 mg/kg      Vanadium, V..... 314 mg/kg Lithium, Li..... 128 mg/kg      Zinc, Zn..... 251 mg/kg Magnesium, Mg..... 9990 mg/kg      Aluminum, Al..... 11900 mg/kg Manganese, Mn..... 680 mg/kg      pH..... 7.76 Mercury, Hg..... 25.4 mg/kg      Phosphorus, P..... 162 mg/kg	50 g
<b>New</b> RTC-CRM034-050	<b>Soil (Loamy sand) - Metals</b> The values were determined by USEPA SW846 (3rd edition) Methods 3050B/3051, 6010B, and 7000 series. The sample is suitable for these and other similar methods. Certified values Lot AL034 Ag..... 27.0 mg/kg      Co..... 49.7 mg/kg      Mo..... 76.4 mg/kg Al..... 13500 mg/kg      Cr..... 207 mg/kg      Na..... 463 mg/kg As..... 148 mg/kg      Cu..... 76.1 mg/kg      Ni..... 192 mg/kg B..... 136 mg/kg      Fe..... 11900 mg/kg      Pb..... 60.6 mg/kg Ba..... 227 mg/kg      Hg..... 13.0 mg/kg      Se..... 68.0 mg/kg Be..... 101 mg/kg      K..... 3420 mg/kg      Tl..... 97.6 mg/kg Ca..... 11300 mg/kg      Mg..... 4190 mg/kg      V..... 47.1 mg/kg Cd..... 31.3 mg/kg      Mn..... 559 mg/kg      Zn..... 324 mg/kg Indicative values for pH, Sb, Sn	50 g
<b>New</b> RTC-CRM036-050	<b>Soil (Loamy sand) - Metals</b> This fortified soil is from a site located in the Western United States. The certified values were determined by USEPA SW846 (3rd edition) Methods 3050B/3051, 6010B, and 7000 series. The sample is suitable for these and other similar methods. Certified values Lot 12014 Aluminum, Al..... 6770 mg/kg      Cobalt, Co..... 163 mg/kg      Potassium, K..... 14200 mg/kg Antimony, Sb..... 56.6 mg/kg      Copper, Cu..... 266 mg/kg      Selenium, Se..... 188 mg/kg Arsenic, As..... 114 mg/kg      Iron, Fe..... 8200 mg/kg      Silver, Ag..... 84.0 mg/kg Barium, Ba..... 298 mg/kg      Lead, Pb..... 188 mg/kg      Sodium, Na..... 9590 mg/kg Beryllium, Be..... 108 mg/kg      Magnesium, Mg..... 8350 mg/kg      Thallium, Tl..... 85.4 mg/kg Boron, B..... 86.6 mg/kg      Manganese, Mn..... 951 mg/kg      Tin, Sn..... 102 mg/kg Cadmium, Cd..... 224 mg/kg      Mercury, Hg..... 1.26 mg/kg      Vanadium, V..... 97.4 mg/kg Calcium, Ca..... 3310 mg/kg      Molybdenum, Mo..... 235 mg/kg      Zinc, Zn..... 197 mg/kg Chromium, Cr (total) 77.6 mg/kg      Nickel, Ni..... 221 mg/kg      pH..... 6.91	50 g

Code	Product	Unit																																	
<b>New</b> RTC-CRM043-050	Soil (Sandy loam) - Metals The certified values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050B/3051, 6010B, 6020, and 7000 series. The sample is suitable for these and other similar methods. Certified values Lot 016111	50 g																																	
	<table> <tr> <td>Al..... 19100 mg/kg</td> <td>Fe..... 22500 mg/kg</td> <td>Sn..... 196 mg/kg</td> </tr> <tr> <td>Ag..... 87.7 mg/kg</td> <td>Hg..... 27.2 mg/kg</td> <td>Sr..... 357 mg/kg</td> </tr> <tr> <td>As..... 190 mg/kg</td> <td>K..... 5040 mg/kg</td> <td>Ti..... 514 mg/kg</td> </tr> <tr> <td>B..... 128 mg/kg</td> <td>Mg..... 6640 mg/kg</td> <td>Tl..... 140 mg/kg</td> </tr> <tr> <td>Ba..... 690 mg/kg</td> <td>Mn..... 789 mg/kg</td> <td>V..... 127 mg/kg</td> </tr> <tr> <td>Be..... 122 mg/kg</td> <td>Mo..... 110 mg/kg</td> <td>Zn..... 424 mg/kg</td> </tr> <tr> <td>Ca..... 16600 mg/kg</td> <td>Na..... 402 mg/kg</td> <td>pH..... 5.67</td> </tr> <tr> <td>Cd..... 223 mg/kg</td> <td>Ni..... 176 mg/kg</td> <td>Phosphorus, P..... 523 mg/kg</td> </tr> <tr> <td>Co..... 146 mg/kg</td> <td>Pb..... 143 mg/kg</td> <td>Silica..... 1380 mg/kg</td> </tr> <tr> <td>Cr..... 301mg/kg</td> <td>Sb..... 40.6 mg/kg</td> <td></td> </tr> <tr> <td>Cu..... 131 mg/kg</td> <td>Se..... 144 mg/kg</td> <td></td> </tr> </table>	Al..... 19100 mg/kg	Fe..... 22500 mg/kg	Sn..... 196 mg/kg	Ag..... 87.7 mg/kg	Hg..... 27.2 mg/kg	Sr..... 357 mg/kg	As..... 190 mg/kg	K..... 5040 mg/kg	Ti..... 514 mg/kg	B..... 128 mg/kg	Mg..... 6640 mg/kg	Tl..... 140 mg/kg	Ba..... 690 mg/kg	Mn..... 789 mg/kg	V..... 127 mg/kg	Be..... 122 mg/kg	Mo..... 110 mg/kg	Zn..... 424 mg/kg	Ca..... 16600 mg/kg	Na..... 402 mg/kg	pH..... 5.67	Cd..... 223 mg/kg	Ni..... 176 mg/kg	Phosphorus, P..... 523 mg/kg	Co..... 146 mg/kg	Pb..... 143 mg/kg	Silica..... 1380 mg/kg	Cr..... 301mg/kg	Sb..... 40.6 mg/kg		Cu..... 131 mg/kg	Se..... 144 mg/kg		
Al..... 19100 mg/kg	Fe..... 22500 mg/kg	Sn..... 196 mg/kg																																	
Ag..... 87.7 mg/kg	Hg..... 27.2 mg/kg	Sr..... 357 mg/kg																																	
As..... 190 mg/kg	K..... 5040 mg/kg	Ti..... 514 mg/kg																																	
B..... 128 mg/kg	Mg..... 6640 mg/kg	Tl..... 140 mg/kg																																	
Ba..... 690 mg/kg	Mn..... 789 mg/kg	V..... 127 mg/kg																																	
Be..... 122 mg/kg	Mo..... 110 mg/kg	Zn..... 424 mg/kg																																	
Ca..... 16600 mg/kg	Na..... 402 mg/kg	pH..... 5.67																																	
Cd..... 223 mg/kg	Ni..... 176 mg/kg	Phosphorus, P..... 523 mg/kg																																	
Co..... 146 mg/kg	Pb..... 143 mg/kg	Silica..... 1380 mg/kg																																	
Cr..... 301mg/kg	Sb..... 40.6 mg/kg																																		
Cu..... 131 mg/kg	Se..... 144 mg/kg																																		
	Indicative values for Si, pH																																		
RTC-CRM048-050	Soil (Sandy loam) - Metals The values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050B/3051, 6010B, 6020, and 7000 series. Certified values Lot 017065	50 g																																	
	<table> <tr> <td>Ag..... 75.5 mg/kg</td> <td>Cu..... 277 mg/kg</td> <td>Sb..... 139 mg/kg</td> </tr> <tr> <td>Al..... 12900 mg/kg</td> <td>Fe..... 12300 mg/kg</td> <td>Se..... 177 mg/kg</td> </tr> <tr> <td>As..... 123 mg/kg</td> <td>Hg..... 28.0 mg/kg</td> <td>Sn..... 93.5 mg/kg</td> </tr> <tr> <td>B..... 135 mg/kg</td> <td>K..... 11300 mg/kg</td> <td>Sr..... 213 mg/kg</td> </tr> <tr> <td>Ba..... 235 mg/kg</td> <td>Mg..... 7050 mg/kg</td> <td>Ti..... 178 mg/kg</td> </tr> <tr> <td>Be..... 76.8 mg/kg</td> <td>Mn..... 1160 mg/kg</td> <td>Tl..... 60.5 mg/kg</td> </tr> <tr> <td>Ca..... 6430 mg/kg</td> <td>Mo..... 138 mg/kg</td> <td>V..... 101 mg/kg</td> </tr> <tr> <td>Cd..... 140 mg/kg</td> <td>Na..... 8270 mg/kg</td> <td>Zn..... 724 mg/kg</td> </tr> <tr> <td>Co..... 177 mg/kg</td> <td>Ni..... 100 mg/kg</td> <td>pH..... 6.82</td> </tr> <tr> <td>Cr..... 239 mg/kg</td> <td>Pb..... 86.9 mg/kg</td> <td>Phosphorus, P..... 298 mg/kg</td> </tr> </table>	Ag..... 75.5 mg/kg	Cu..... 277 mg/kg	Sb..... 139 mg/kg	Al..... 12900 mg/kg	Fe..... 12300 mg/kg	Se..... 177 mg/kg	As..... 123 mg/kg	Hg..... 28.0 mg/kg	Sn..... 93.5 mg/kg	B..... 135 mg/kg	K..... 11300 mg/kg	Sr..... 213 mg/kg	Ba..... 235 mg/kg	Mg..... 7050 mg/kg	Ti..... 178 mg/kg	Be..... 76.8 mg/kg	Mn..... 1160 mg/kg	Tl..... 60.5 mg/kg	Ca..... 6430 mg/kg	Mo..... 138 mg/kg	V..... 101 mg/kg	Cd..... 140 mg/kg	Na..... 8270 mg/kg	Zn..... 724 mg/kg	Co..... 177 mg/kg	Ni..... 100 mg/kg	pH..... 6.82	Cr..... 239 mg/kg	Pb..... 86.9 mg/kg	Phosphorus, P..... 298 mg/kg				
Ag..... 75.5 mg/kg	Cu..... 277 mg/kg	Sb..... 139 mg/kg																																	
Al..... 12900 mg/kg	Fe..... 12300 mg/kg	Se..... 177 mg/kg																																	
As..... 123 mg/kg	Hg..... 28.0 mg/kg	Sn..... 93.5 mg/kg																																	
B..... 135 mg/kg	K..... 11300 mg/kg	Sr..... 213 mg/kg																																	
Ba..... 235 mg/kg	Mg..... 7050 mg/kg	Ti..... 178 mg/kg																																	
Be..... 76.8 mg/kg	Mn..... 1160 mg/kg	Tl..... 60.5 mg/kg																																	
Ca..... 6430 mg/kg	Mo..... 138 mg/kg	V..... 101 mg/kg																																	
Cd..... 140 mg/kg	Na..... 8270 mg/kg	Zn..... 724 mg/kg																																	
Co..... 177 mg/kg	Ni..... 100 mg/kg	pH..... 6.82																																	
Cr..... 239 mg/kg	Pb..... 86.9 mg/kg	Phosphorus, P..... 298 mg/kg																																	
RTC-CRM044-050	Soil (Silty loam) - Metals The values were determined by using USEPA SW846 Method 7060A for arsenic, by using USEPA SW846 Method 7471B for mercury, and by using Aqua Regia Method for cadmium, chromium, copper, lead, nickel, and zinc. Certified values Lot CF044	50 g																																	
	<table> <tr> <td>Ag..... 114 mg/kg</td> <td>Cu..... 64.0 mg/kg</td> <td>Sb..... 106 mg/kg</td> </tr> <tr> <td>Al..... 3540 mg/kg</td> <td>Fe..... 3180 mg/kg</td> <td>Se..... 81.1 mg/kg</td> </tr> <tr> <td>As..... 52.3 mg/kg</td> <td>Hg..... 9.70 mg/kg</td> <td>Si..... 991 mg/kg</td> </tr> <tr> <td>B..... 113 mg/kg</td> <td>K..... 1480 mg/kg</td> <td>Sn..... 93.5 mg/kg</td> </tr> <tr> <td>Ba..... 145 mg/kg</td> <td>Mg..... 8920 mg/kg</td> <td>Sr..... 4520 mg/kg</td> </tr> <tr> <td>Be..... 37.3 mg/kg</td> <td>Mn..... 204 mg/kg</td> <td>Ti..... 138 mg/kg</td> </tr> <tr> <td>Ca..... 206000 mg/kg</td> <td>Mo..... 14.5 mg/kg</td> <td>Tl..... 65.3 mg/kg</td> </tr> <tr> <td>Cd..... 71.6 mg/kg</td> <td>Na..... 651 mg/kg</td> <td>V..... 82.1 mg/kg</td> </tr> <tr> <td>Co..... 50.6 mg/kg</td> <td>Ni..... 87.1 mg/kg</td> <td>Zn..... 136 mg/kg</td> </tr> <tr> <td>Cr..... 88.5 mg/kg</td> <td>Pb..... 77.8 mg/kg</td> <td>pH..... 6.82</td> </tr> </table>	Ag..... 114 mg/kg	Cu..... 64.0 mg/kg	Sb..... 106 mg/kg	Al..... 3540 mg/kg	Fe..... 3180 mg/kg	Se..... 81.1 mg/kg	As..... 52.3 mg/kg	Hg..... 9.70 mg/kg	Si..... 991 mg/kg	B..... 113 mg/kg	K..... 1480 mg/kg	Sn..... 93.5 mg/kg	Ba..... 145 mg/kg	Mg..... 8920 mg/kg	Sr..... 4520 mg/kg	Be..... 37.3 mg/kg	Mn..... 204 mg/kg	Ti..... 138 mg/kg	Ca..... 206000 mg/kg	Mo..... 14.5 mg/kg	Tl..... 65.3 mg/kg	Cd..... 71.6 mg/kg	Na..... 651 mg/kg	V..... 82.1 mg/kg	Co..... 50.6 mg/kg	Ni..... 87.1 mg/kg	Zn..... 136 mg/kg	Cr..... 88.5 mg/kg	Pb..... 77.8 mg/kg	pH..... 6.82				
Ag..... 114 mg/kg	Cu..... 64.0 mg/kg	Sb..... 106 mg/kg																																	
Al..... 3540 mg/kg	Fe..... 3180 mg/kg	Se..... 81.1 mg/kg																																	
As..... 52.3 mg/kg	Hg..... 9.70 mg/kg	Si..... 991 mg/kg																																	
B..... 113 mg/kg	K..... 1480 mg/kg	Sn..... 93.5 mg/kg																																	
Ba..... 145 mg/kg	Mg..... 8920 mg/kg	Sr..... 4520 mg/kg																																	
Be..... 37.3 mg/kg	Mn..... 204 mg/kg	Ti..... 138 mg/kg																																	
Ca..... 206000 mg/kg	Mo..... 14.5 mg/kg	Tl..... 65.3 mg/kg																																	
Cd..... 71.6 mg/kg	Na..... 651 mg/kg	V..... 82.1 mg/kg																																	
Co..... 50.6 mg/kg	Ni..... 87.1 mg/kg	Zn..... 136 mg/kg																																	
Cr..... 88.5 mg/kg	Pb..... 77.8 mg/kg	pH..... 6.82																																	
RTC-CRM045-050	Soil (Silty clay) - Metals The values were determined by using USEPA SW846 Method 7060A for arsenic, by using USEPA SW846 Method 7471B for Mercury, and by using Aqua Regia Method for cadmium, chromium, copper, lead, nickel, and zinc. Certified values Lot CF045	50 g																																	
	<table> <tr> <td>As..... 18.4 mg/kg</td> <td>Cr..... 85.3 mg/kg</td> <td>Pb..... 42.8 mg/kg</td> </tr> <tr> <td>Cd..... 1.61 mg/kg</td> <td>Hg..... 0.795 mg/kg</td> <td>Zn..... 330 mg/kg</td> </tr> <tr> <td>Co..... 13.5 mg/kg</td> <td>Mn..... 292 mg/kg</td> <td></td> </tr> <tr> <td>Cu..... 122 mg/kg</td> <td>Ni..... 199 mg/kg</td> <td></td> </tr> </table>	As..... 18.4 mg/kg	Cr..... 85.3 mg/kg	Pb..... 42.8 mg/kg	Cd..... 1.61 mg/kg	Hg..... 0.795 mg/kg	Zn..... 330 mg/kg	Co..... 13.5 mg/kg	Mn..... 292 mg/kg		Cu..... 122 mg/kg	Ni..... 199 mg/kg																							
As..... 18.4 mg/kg	Cr..... 85.3 mg/kg	Pb..... 42.8 mg/kg																																	
Cd..... 1.61 mg/kg	Hg..... 0.795 mg/kg	Zn..... 330 mg/kg																																	
Co..... 13.5 mg/kg	Mn..... 292 mg/kg																																		
Cu..... 122 mg/kg	Ni..... 199 mg/kg																																		
RTC-CRM046-050	Soil (Clay) - Metals The values were determined by using USEPA SW846 Method 7060A for arsenic, by using USEPA SW846 Method 7471B for Mercury, and by using Aqua Regia Method for cadmium, chromium, copper, lead, nickel, and zinc. Certified values Lot CF046	50 g																																	
	<table> <tr> <td>As..... 7.47 mg/kg</td> <td>Cu..... 62.2 mg/kg</td> <td>Ni..... 37.5 mg/kg</td> </tr> <tr> <td>Cd..... 7.01 mg/kg</td> <td>Pb..... 45.3 mg/kg</td> <td>Zn..... 114 mg/kg</td> </tr> <tr> <td>Cr..... 45.7 mg/kg</td> <td>Mn..... 118 mg/kg</td> <td></td> </tr> <tr> <td>Co..... 8.22 mg/kg</td> <td>Hg..... 0.153 mg/kg</td> <td></td> </tr> </table>	As..... 7.47 mg/kg	Cu..... 62.2 mg/kg	Ni..... 37.5 mg/kg	Cd..... 7.01 mg/kg	Pb..... 45.3 mg/kg	Zn..... 114 mg/kg	Cr..... 45.7 mg/kg	Mn..... 118 mg/kg		Co..... 8.22 mg/kg	Hg..... 0.153 mg/kg																							
As..... 7.47 mg/kg	Cu..... 62.2 mg/kg	Ni..... 37.5 mg/kg																																	
Cd..... 7.01 mg/kg	Pb..... 45.3 mg/kg	Zn..... 114 mg/kg																																	
Cr..... 45.7 mg/kg	Mn..... 118 mg/kg																																		
Co..... 8.22 mg/kg	Hg..... 0.153 mg/kg																																		

## Soils

Code	Product	Unit																																																																		
RTC-CRM049-050	Soil (Sandy clay) - Metals The values were determined by USEPA SW846 (3rd edition) Methods 3050B/3051, 6010B, 6020, and 7000 series. The sample is suitable for these and other similar methods. Certified values Lot 10248	50 g																																																																		
	<table> <tr> <td>Ag .....</td><td>125 mg/kg</td> <td>Cu .....</td><td>88.5 mg/kg</td> <td>Sb .....</td><td>123 mg/kg</td> </tr> <tr> <td>Al .....</td><td>560 mg/kg</td> <td>Fe .....</td><td>9170 mg/kg</td> <td>Se .....</td><td>72.1 mg/kg</td> </tr> <tr> <td>As .....</td><td>65.3 mg/kg</td> <td>Hg .....</td><td>13.5 mg/kg</td> <td>Si .....</td><td>168 mg/kg</td> </tr> <tr> <td>B .....</td><td>59 mg/kg</td> <td>K .....</td><td>3020 mg/kg</td> <td>Sn .....</td><td>236 mg/kg</td> </tr> <tr> <td>Ba .....</td><td>12.7 mg/kg</td> <td>Mg .....</td><td>899 mg/kg</td> <td>Sr .....</td><td>8.62 mg/kg</td> </tr> <tr> <td>Be .....</td><td>60.5 mg/kg</td> <td>Mn .....</td><td>636 mg/kg</td> <td>Ti .....</td><td>47.1 mg/kg</td> </tr> <tr> <td>Ca .....</td><td>4790 mg/kg</td> <td>Mo .....</td><td>98.6 mg/kg</td> <td>Tl .....</td><td>125 mg/kg</td> </tr> <tr> <td>Cd .....</td><td>80 mg/kg</td> <td>Na .....</td><td>665 mg/kg</td> <td>V .....</td><td>57.8 mg/kg</td> </tr> <tr> <td>Co .....</td><td>84 mg/kg</td> <td>Ni .....</td><td>344 mg/kg</td> <td>Zn .....</td><td>542 mg/kg</td> </tr> <tr> <td>Cr .....</td><td>355 mg/kg</td> <td>Pb .....</td><td>111 mg/kg</td> <td>pH .....</td><td>2.23</td> </tr> </table>	Ag .....	125 mg/kg	Cu .....	88.5 mg/kg	Sb .....	123 mg/kg	Al .....	560 mg/kg	Fe .....	9170 mg/kg	Se .....	72.1 mg/kg	As .....	65.3 mg/kg	Hg .....	13.5 mg/kg	Si .....	168 mg/kg	B .....	59 mg/kg	K .....	3020 mg/kg	Sn .....	236 mg/kg	Ba .....	12.7 mg/kg	Mg .....	899 mg/kg	Sr .....	8.62 mg/kg	Be .....	60.5 mg/kg	Mn .....	636 mg/kg	Ti .....	47.1 mg/kg	Ca .....	4790 mg/kg	Mo .....	98.6 mg/kg	Tl .....	125 mg/kg	Cd .....	80 mg/kg	Na .....	665 mg/kg	V .....	57.8 mg/kg	Co .....	84 mg/kg	Ni .....	344 mg/kg	Zn .....	542 mg/kg	Cr .....	355 mg/kg	Pb .....	111 mg/kg	pH .....	2.23							
Ag .....	125 mg/kg	Cu .....	88.5 mg/kg	Sb .....	123 mg/kg																																																															
Al .....	560 mg/kg	Fe .....	9170 mg/kg	Se .....	72.1 mg/kg																																																															
As .....	65.3 mg/kg	Hg .....	13.5 mg/kg	Si .....	168 mg/kg																																																															
B .....	59 mg/kg	K .....	3020 mg/kg	Sn .....	236 mg/kg																																																															
Ba .....	12.7 mg/kg	Mg .....	899 mg/kg	Sr .....	8.62 mg/kg																																																															
Be .....	60.5 mg/kg	Mn .....	636 mg/kg	Ti .....	47.1 mg/kg																																																															
Ca .....	4790 mg/kg	Mo .....	98.6 mg/kg	Tl .....	125 mg/kg																																																															
Cd .....	80 mg/kg	Na .....	665 mg/kg	V .....	57.8 mg/kg																																																															
Co .....	84 mg/kg	Ni .....	344 mg/kg	Zn .....	542 mg/kg																																																															
Cr .....	355 mg/kg	Pb .....	111 mg/kg	pH .....	2.23																																																															
RTC-CRM051-050	Soil (Clay) - Metals The values were determined by USEPA SW846 (3rd edition) Methods 3050B/3051, 6010B, 6020, and 7000 series. The sample is suitable for these and other similar methods. Certified values Lot 16485	50 g																																																																		
	<table> <tr> <td>Al .....</td><td>12600 mg/kg</td> <td>Fe .....</td><td>6490 mg/kg</td> <td>Si .....</td><td>453 mg/kg</td> </tr> <tr> <td>Ag .....</td><td>29.1 mg/kg</td> <td>Hg .....</td><td>4.08 mg/kg</td> <td>Sn .....</td><td>218 mg/kg</td> </tr> <tr> <td>As .....</td><td>79.4 mg/kg</td> <td>K .....</td><td>7790 mg/kg</td> <td>Sr .....</td><td>283 mg/kg</td> </tr> <tr> <td>B .....</td><td>157 mg/kg</td> <td>Mg .....</td><td>1440 mg/kg</td> <td>Ti .....</td><td>177 mg/kg</td> </tr> <tr> <td>Ba .....</td><td>391 mg/kg</td> <td>Mn .....</td><td>408 mg/kg</td> <td>Tl .....</td><td>192 mg/kg</td> </tr> <tr> <td>Be .....</td><td>304 mg/kg</td> <td>Mo .....</td><td>156 mg/kg</td> <td>V .....</td><td>213 mg/kg</td> </tr> <tr> <td>Ca .....</td><td>8320 mg/kg</td> <td>Na .....</td><td>857 mg/kg</td> <td>Zn .....</td><td>256 mg/kg</td> </tr> <tr> <td>Cd .....</td><td>48.3 mg/kg</td> <td>Ni .....</td><td>76 mg/kg</td> <td>pH .....</td><td>4.34</td> </tr> <tr> <td>Co .....</td><td>59.2 mg/kg</td> <td>Pb .....</td><td>181 mg/kg</td> <td>Phosphorus, P .....</td><td>414 mg/kg</td> </tr> <tr> <td>Cr .....</td><td>171 mg/kg</td> <td>Sb .....</td><td>105 mg/kg</td> <td>Sulfur, S .....</td><td>471 mg/kg</td> </tr> <tr> <td>Cu .....</td><td>327 mg/kg</td> <td>Se .....</td><td>76.9 mg/kg</td> <td></td><td></td> </tr> </table>	Al .....	12600 mg/kg	Fe .....	6490 mg/kg	Si .....	453 mg/kg	Ag .....	29.1 mg/kg	Hg .....	4.08 mg/kg	Sn .....	218 mg/kg	As .....	79.4 mg/kg	K .....	7790 mg/kg	Sr .....	283 mg/kg	B .....	157 mg/kg	Mg .....	1440 mg/kg	Ti .....	177 mg/kg	Ba .....	391 mg/kg	Mn .....	408 mg/kg	Tl .....	192 mg/kg	Be .....	304 mg/kg	Mo .....	156 mg/kg	V .....	213 mg/kg	Ca .....	8320 mg/kg	Na .....	857 mg/kg	Zn .....	256 mg/kg	Cd .....	48.3 mg/kg	Ni .....	76 mg/kg	pH .....	4.34	Co .....	59.2 mg/kg	Pb .....	181 mg/kg	Phosphorus, P .....	414 mg/kg	Cr .....	171 mg/kg	Sb .....	105 mg/kg	Sulfur, S .....	471 mg/kg	Cu .....	327 mg/kg	Se .....	76.9 mg/kg			
Al .....	12600 mg/kg	Fe .....	6490 mg/kg	Si .....	453 mg/kg																																																															
Ag .....	29.1 mg/kg	Hg .....	4.08 mg/kg	Sn .....	218 mg/kg																																																															
As .....	79.4 mg/kg	K .....	7790 mg/kg	Sr .....	283 mg/kg																																																															
B .....	157 mg/kg	Mg .....	1440 mg/kg	Ti .....	177 mg/kg																																																															
Ba .....	391 mg/kg	Mn .....	408 mg/kg	Tl .....	192 mg/kg																																																															
Be .....	304 mg/kg	Mo .....	156 mg/kg	V .....	213 mg/kg																																																															
Ca .....	8320 mg/kg	Na .....	857 mg/kg	Zn .....	256 mg/kg																																																															
Cd .....	48.3 mg/kg	Ni .....	76 mg/kg	pH .....	4.34																																																															
Co .....	59.2 mg/kg	Pb .....	181 mg/kg	Phosphorus, P .....	414 mg/kg																																																															
Cr .....	171 mg/kg	Sb .....	105 mg/kg	Sulfur, S .....	471 mg/kg																																																															
Cu .....	327 mg/kg	Se .....	76.9 mg/kg																																																																	
RTC-CRM052-050	Soil (Loamy clay) - Metals The values were determined by Dutch standard methods (NEN 56.;; 57.;; 64.;; and 66.;; series) after total digestion using predominantly nitric/hydrochloric acid mixture (Aqua Regia) in pressurised microwave digester units. The sample is suitable for use by these, or other similar digestion and analytical procedures. Certified values Lot 015055	50 g																																																																		
	<table> <tr> <td>Ag .....</td><td>23.0 mg/kg</td> <td>Mn .....</td><td>217 mg/kg</td> </tr> <tr> <td>Al .....</td><td>9660 mg/kg</td> <td>Mo .....</td><td>34.3 mg/kg</td> </tr> <tr> <td>As .....</td><td>33.4 mg/kg</td> <td>Ni .....</td><td>50.8 mg/kg</td> </tr> <tr> <td>Ba .....</td><td>239 mg/kg</td> <td>Pb .....</td><td>82.9 mg/kg</td> </tr> <tr> <td>Be .....</td><td>46.0 mg/kg</td> <td>Sb .....</td><td>37.9 mg/kg</td> </tr> <tr> <td>B .....</td><td>90.5 mg/kg</td> <td>Se .....</td><td>25.3 mg/kg</td> </tr> <tr> <td>Cd .....</td><td>43.0 mg/kg</td> <td>Si .....</td><td>667 mg/kg</td> </tr> <tr> <td>Ca .....</td><td>2860 mg/kg</td> <td>Na .....</td><td>319 mg/kg</td> </tr> <tr> <td>Co .....</td><td>44.1 mg/kg</td> <td>Sr .....</td><td>148 mg/kg</td> </tr> <tr> <td>Cr .....</td><td>57.8 mg/kg</td> <td>Sn .....</td><td>77.5 mg/kg</td> </tr> <tr> <td>Cu .....</td><td>56.5 mg/kg</td> <td>Tl .....</td><td>113 mg/kg</td> </tr> <tr> <td>Fe .....</td><td>14700 mg/kg</td> <td>Ti .....</td><td>43.2 mg/kg</td> </tr> <tr> <td>Hg .....</td><td>2.40 mg/kg</td> <td>V .....</td><td>107 mg/kg</td> </tr> <tr> <td>K .....</td><td>2390 mg/kg</td> <td>Zn .....</td><td>94.3 mg/kg</td> </tr> <tr> <td>Li .....</td><td>101 mg/kg</td> <td>pH .....</td><td>7.02</td> </tr> <tr> <td>Mg .....</td><td>1690 mg/kg</td> <td></td><td></td> </tr> </table>	Ag .....	23.0 mg/kg	Mn .....	217 mg/kg	Al .....	9660 mg/kg	Mo .....	34.3 mg/kg	As .....	33.4 mg/kg	Ni .....	50.8 mg/kg	Ba .....	239 mg/kg	Pb .....	82.9 mg/kg	Be .....	46.0 mg/kg	Sb .....	37.9 mg/kg	B .....	90.5 mg/kg	Se .....	25.3 mg/kg	Cd .....	43.0 mg/kg	Si .....	667 mg/kg	Ca .....	2860 mg/kg	Na .....	319 mg/kg	Co .....	44.1 mg/kg	Sr .....	148 mg/kg	Cr .....	57.8 mg/kg	Sn .....	77.5 mg/kg	Cu .....	56.5 mg/kg	Tl .....	113 mg/kg	Fe .....	14700 mg/kg	Ti .....	43.2 mg/kg	Hg .....	2.40 mg/kg	V .....	107 mg/kg	K .....	2390 mg/kg	Zn .....	94.3 mg/kg	Li .....	101 mg/kg	pH .....	7.02	Mg .....	1690 mg/kg					
Ag .....	23.0 mg/kg	Mn .....	217 mg/kg																																																																	
Al .....	9660 mg/kg	Mo .....	34.3 mg/kg																																																																	
As .....	33.4 mg/kg	Ni .....	50.8 mg/kg																																																																	
Ba .....	239 mg/kg	Pb .....	82.9 mg/kg																																																																	
Be .....	46.0 mg/kg	Sb .....	37.9 mg/kg																																																																	
B .....	90.5 mg/kg	Se .....	25.3 mg/kg																																																																	
Cd .....	43.0 mg/kg	Si .....	667 mg/kg																																																																	
Ca .....	2860 mg/kg	Na .....	319 mg/kg																																																																	
Co .....	44.1 mg/kg	Sr .....	148 mg/kg																																																																	
Cr .....	57.8 mg/kg	Sn .....	77.5 mg/kg																																																																	
Cu .....	56.5 mg/kg	Tl .....	113 mg/kg																																																																	
Fe .....	14700 mg/kg	Ti .....	43.2 mg/kg																																																																	
Hg .....	2.40 mg/kg	V .....	107 mg/kg																																																																	
K .....	2390 mg/kg	Zn .....	94.3 mg/kg																																																																	
Li .....	101 mg/kg	pH .....	7.02																																																																	
Mg .....	1690 mg/kg																																																																			
<b>New</b> RTC-CRM059-050	Soil (Loamy clay) - Metals Certified values Lot 010755	50 g																																																																		
	<table> <tr> <td>Antimony, Sb .....</td><td>86.0 mg/kg</td> <td>Molybdenum, Mo .....</td><td>9.30 mg/kg</td> </tr> <tr> <td>Arsenic, As .....</td><td>153 mg/kg</td> <td>Nickel, Ni .....</td><td>75.5 mg/kg</td> </tr> <tr> <td>Barium, Ba .....</td><td>138 mg/kg</td> <td>Potassium, K .....</td><td>3720 mg/kg</td> </tr> <tr> <td>Beryllium, Be .....</td><td>39.1 mg/kg</td> <td>Selenium, Se .....</td><td>106 mg/kg</td> </tr> <tr> <td>Boron, B .....</td><td>155 mg/kg</td> <td>Silver, Ag .....</td><td>98.5 mg/kg</td> </tr> <tr> <td>Cadmium, Cd .....</td><td>65.0 mg/kg</td> <td>Sodium, Na .....</td><td>5710 mg/kg</td> </tr> <tr> <td>Calcium, Ca .....</td><td>11700 mg/kg</td> <td>Strontium, Sr .....</td><td>43.8 mg/kg</td> </tr> <tr> <td>Chromium, Cr (total) .....</td><td>136 mg/kg</td> <td>Thallium, Tl .....</td><td>81.1 mg/kg</td> </tr> <tr> <td>Cobalt, Co .....</td><td>44.3 mg/kg</td> <td>Tin, Sn .....</td><td>81.9 mg/kg</td> </tr> <tr> <td>Copper, Cu .....</td><td>99.4 mg/kg</td> <td>Titanium, Ti .....</td><td>14.3 mg/kg</td> </tr> <tr> <td>Iron, Fe .....</td><td>21100 mg/kg</td> <td>Vanadium, V .....</td><td>95.1 mg/kg</td> </tr> <tr> <td>Lead, Pb .....</td><td>107 mg/kg</td> <td>Zinc, Zn .....</td><td>428 mg/kg</td> </tr> <tr> <td>Magnesium, Mg .....</td><td>1580 mg/kg</td> <td>pH .....</td><td>6.83</td> </tr> <tr> <td>Manganese, Mn .....</td><td>220 mg/kg</td> <td>Aluminum, Al .....</td><td>7790 mg/kg</td> </tr> <tr> <td>Mercury, Hg .....</td><td>9.72 mg/kg</td> <td>Silicon, Si .....</td><td>508 mg/kg</td> </tr> </table>	Antimony, Sb .....	86.0 mg/kg	Molybdenum, Mo .....	9.30 mg/kg	Arsenic, As .....	153 mg/kg	Nickel, Ni .....	75.5 mg/kg	Barium, Ba .....	138 mg/kg	Potassium, K .....	3720 mg/kg	Beryllium, Be .....	39.1 mg/kg	Selenium, Se .....	106 mg/kg	Boron, B .....	155 mg/kg	Silver, Ag .....	98.5 mg/kg	Cadmium, Cd .....	65.0 mg/kg	Sodium, Na .....	5710 mg/kg	Calcium, Ca .....	11700 mg/kg	Strontium, Sr .....	43.8 mg/kg	Chromium, Cr (total) .....	136 mg/kg	Thallium, Tl .....	81.1 mg/kg	Cobalt, Co .....	44.3 mg/kg	Tin, Sn .....	81.9 mg/kg	Copper, Cu .....	99.4 mg/kg	Titanium, Ti .....	14.3 mg/kg	Iron, Fe .....	21100 mg/kg	Vanadium, V .....	95.1 mg/kg	Lead, Pb .....	107 mg/kg	Zinc, Zn .....	428 mg/kg	Magnesium, Mg .....	1580 mg/kg	pH .....	6.83	Manganese, Mn .....	220 mg/kg	Aluminum, Al .....	7790 mg/kg	Mercury, Hg .....	9.72 mg/kg	Silicon, Si .....	508 mg/kg							
Antimony, Sb .....	86.0 mg/kg	Molybdenum, Mo .....	9.30 mg/kg																																																																	
Arsenic, As .....	153 mg/kg	Nickel, Ni .....	75.5 mg/kg																																																																	
Barium, Ba .....	138 mg/kg	Potassium, K .....	3720 mg/kg																																																																	
Beryllium, Be .....	39.1 mg/kg	Selenium, Se .....	106 mg/kg																																																																	
Boron, B .....	155 mg/kg	Silver, Ag .....	98.5 mg/kg																																																																	
Cadmium, Cd .....	65.0 mg/kg	Sodium, Na .....	5710 mg/kg																																																																	
Calcium, Ca .....	11700 mg/kg	Strontium, Sr .....	43.8 mg/kg																																																																	
Chromium, Cr (total) .....	136 mg/kg	Thallium, Tl .....	81.1 mg/kg																																																																	
Cobalt, Co .....	44.3 mg/kg	Tin, Sn .....	81.9 mg/kg																																																																	
Copper, Cu .....	99.4 mg/kg	Titanium, Ti .....	14.3 mg/kg																																																																	
Iron, Fe .....	21100 mg/kg	Vanadium, V .....	95.1 mg/kg																																																																	
Lead, Pb .....	107 mg/kg	Zinc, Zn .....	428 mg/kg																																																																	
Magnesium, Mg .....	1580 mg/kg	pH .....	6.83																																																																	
Manganese, Mn .....	220 mg/kg	Aluminum, Al .....	7790 mg/kg																																																																	
Mercury, Hg .....	9.72 mg/kg	Silicon, Si .....	508 mg/kg																																																																	



Code	Product	Unit
<b>New</b> RTC-CRM2003-050	Taiwan clay - Trace metals The certified values were determined by using USEPA SW846 Method 7060A for Arsenic, by using USEPA SW846 Method 7471B for Mercury, and by using Aqua Regia Method for Cadmium, Chromium, Copper, Lead, Nickel, and Zinc. Certified values Lot A-21 Arsenic, As .....20.7 mg/kg Cadmium, Cd.....1.66 mg/kg Chromium, Cr (total).....86.8 mg/kg Cobalt, Co.....13.5 mg/kg Copper, Cu .....126 mg/kg Lead, Pb..... 44.1 mg/kg Manganese, Mn ..... 292 mg/kg Mercury, Hg..... 0.865 mg/kg Nickel, Ni..... 206 mg/kg Zinc, Zn ..... 342 mg/kg	50 g
<b>New</b> RTC-CRM2004-050	Taiwan clay - Trace metals The certified values were determined by using USEPA SW846 Method 7060A for Arsenic, by using USEPA SW846 Method 7471B for Mercury, and by using Aqua Regia Method for Cadmium, Chromium, Copper, Lead, Nickel, and Zinc. Certified values Lot B-22 Arsenic, As .....7.81 mg/kg Cadmium, Cd.....7.89 mg/kg Chromium, Cr (total).....47.1 mg/kg Cobalt, Co.....8.22 mg/kg Copper, Cu .....65.1 mg/kg Lead, Pb..... 44.9 mg/kg Manganese, Mn ..... 118 mg/kg Mercury, Hg..... 0.140 mg/kg Nickel, Ni..... 38.5 mg/kg Zinc, Zn ..... 118 mg/kg	50 g
RTC-CRM202-225	Soil (Sandy loam) - TCLP metals Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3rd edition, 1311, 6011 and 7000 series. Certified values in the Method 1311 extract Lot 000109 Ag ..... 4.33 mg/L As..... 1.70 mg/L Ba ..... 4.51 mg/L Cd.....21.4 mg/L Cr .....3.64 mg/L Hg.....2.13 mg/L Pb ..... 38.2 mg/L Se ..... 1.96 mg/L Zn.....0.449 mg/L	225 g
RTC-CRM204-225	Soil (Sandy loam) - TCLP Metals Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000107 As..... 0.5 mg/L Cd ..... 14.8 mg/L Cr .....3.31 mg/L Pb.....4.51 mg/L Indicative values for Ag, Ba, Hg, Se	225 g
RTC-CRM206-225	Soil (Sandy loam) - TCLP Metals Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000117 Ag ..... 0.605 mg/L As..... 11.7 mg/L Ba ..... 0.247 mg/L Cd.....8.20 mg/L Cr .....0.0747 mg/L Hg.....1.17 mg/L Pb ..... 1.78 mg/L Se ..... 20.3 mg/L	225 g
RTC-CRM207-225	Soil (Loamy sand) - TCLP metals Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000165 Ag ..... 0.965 mg/L As..... 8.61 mg/L Ba ..... 0.426 mg/L Cd.....7.30 mg/L Cr .....0.762 mg/L Hg.....0.0304 mg/L Pb ..... 2.54 mg/L Se ..... 21.1 mg/L	225 g
RTC-CRM208-225	Soil (Sandy loam) - TCLP metals Collected from sites located in the Western United States and analysed for six Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000162 As..... 5.16 mg/L Ba ..... 34.6 mg/L Cd.....46.0 mg/L Cr .....0.727 mg/L Hg ..... 1.33 mg/L Pb ..... 1.76 mg/L	225 g

## Soils

Code	Product	Unit																											
RTC-CRM209-225	<b>Soil (Sandy loam) - TCLP metals</b> Collected from sites located in the Western United States and analysed for six Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000153 As..... 12.3 mg/L      Cd.....4.75 mg/L      Pb ..... 31.3 mg/L Ba .....0.265 mg/L      Cr.....0.243 mg/L	225 g																											
RTC-CRM210-225	<b>Soil (Sandy loam) - TCLP metals</b> Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000442 Ag ..... 0.12 mg/L      Cd.....6.50 mg/L      Pb ..... 133 mg/L As..... 1.98 mg/L      Cr.....0.46 mg/L      Se ..... 1.38 mg/L Ba ..... 0.50 mg/L      Hg.....0.45 mg/L	225 g																											
RTC-CRM211-225	<b>Soil (Sandy loam) - TCLP metals</b> Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000534 As..... 4.49 mg/L      Cr.....0.533 mg/L      Zn..... 1.43 mg/L Ba ..... 0.320 mg/L      Pb.....0.867 mg/L Cd ..... 3.18 mg/L      Se.....1.68 mg/L	225 g																											
RTC-CRM212-225	<b>Soil (Loamy sand) - TCLP metals</b> Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000609 As..... 0.295 mg/L      Cd.....0.377 mg/L      Se ..... 0.310 mg/L Ba ..... 0.716 mg/L      Cr.....0.0187 mg/L Indicative values for Cu, Ag, Hg, Zn	225 g																											
RTC-CRM213-225	<b>Soil (Loamy sand) - TCLP metals</b> Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000718 As..... 3.12 mg/L      Cd.....13.1 mg/L      Hg ..... 1.36 mg/L Ag ..... 0.0335 mg/L      Cr.....0.280 mg/L      Se ..... 7.56 mg/L Ba ..... 2.12 mg/L      Pb.....4.83 mg/L	225 g																											
RTC-CRM215-225	<b>Soil (Sandy loam) - TCLP metals</b> Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot 000962 <table style="margin-left: 40px;"> <thead> <tr> <th></th> <th>Extraction fluid 1</th> <th>Extraction fluid 2</th> </tr> </thead> <tbody> <tr> <td>As.....</td> <td>3.3 mg/L</td> <td>5.76 mg/L</td> </tr> <tr> <td>Ba.....</td> <td>16.5mg/L</td> <td>17.4 mg/L</td> </tr> <tr> <td>Cd.....</td> <td>31.4 mg/L</td> <td>54.1 mg/L</td> </tr> <tr> <td>Cr.....</td> <td>0.912 mg/L</td> <td>2.09 mg/L</td> </tr> <tr> <td>Pb.....</td> <td>0.565 mg/L</td> <td>1.93 mg/L</td> </tr> <tr> <td>Hg.....</td> <td>1.48 mg/L</td> <td>1.78 mg/L</td> </tr> <tr> <td>Se.....</td> <td>1.31 mg/L</td> <td>1.87 mg/L</td> </tr> <tr> <td>Ag.....</td> <td>ND</td> <td>ND</td> </tr> </tbody> </table> ND: not detected		Extraction fluid 1	Extraction fluid 2	As.....	3.3 mg/L	5.76 mg/L	Ba.....	16.5mg/L	17.4 mg/L	Cd.....	31.4 mg/L	54.1 mg/L	Cr.....	0.912 mg/L	2.09 mg/L	Pb.....	0.565 mg/L	1.93 mg/L	Hg.....	1.48 mg/L	1.78 mg/L	Se.....	1.31 mg/L	1.87 mg/L	Ag.....	ND	ND	225 g
	Extraction fluid 1	Extraction fluid 2																											
As.....	3.3 mg/L	5.76 mg/L																											
Ba.....	16.5mg/L	17.4 mg/L																											
Cd.....	31.4 mg/L	54.1 mg/L																											
Cr.....	0.912 mg/L	2.09 mg/L																											
Pb.....	0.565 mg/L	1.93 mg/L																											
Hg.....	1.48 mg/L	1.78 mg/L																											
Se.....	1.31 mg/L	1.87 mg/L																											
Ag.....	ND	ND																											
RTC-CRM217-225	<b>Soil (Sandy loam) - TCLP metals</b> Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. Certified values Lot BC217 As..... 1.84 mg/L      Cr.....0.467 mg/L      Se ..... 8.63 mg/L Ba ..... 3.43 mg/L      Pb.....1.75 mg/L      Ag ..... 0.037 mg/L Cd ..... 8.85 mg/L      Hg.....0.198 mg/L	225 g																											

Code	Product	Unit
<b>New</b> RTC-CRM218-225	Soil (Loam) - TCLP Metals Collected from sites located in the Western United States and analysed for eight Toxicity Characteristic Leaching Procedure (TCLP) Metals. The samples were certified using method USEPA SW 846, 3 <sup>rd</sup> edition, 1311, 6011 and 7000 series. All values are expressed in mg/L in the Method 1311 extract. Certified values Lot 017197 As..... 5.04 mg/L      Cu..... 0.0572 mg/L      Se ..... 40.6 mg/L Ag ..... 0.0377 mg/L      Hg..... 1.03 mg/L      V ..... 0.794 mg/L Ba ..... 49.4 mg/L      Pb..... 6.73 mg/L      Zn..... 41.3 mg/L Cd ..... 48.6 mg/L      Ni..... 0.0213 mg/L Cr..... 0.243 mg/L      Sb..... 0.0154 mg/L	225 g
BCR-143R	Sewage sludge amended soil - Major and trace elements Certified values Cd ..... 71.8 mg/kg      Hg..... 1.10 mg/kg      Pb ..... 179.7 mg/kg Co ..... 12.3 mg/kg      Mn ..... 904 mg/kg      Zn..... 1055 mg/kg Cu ..... 130.6 mg/kg      Ni..... 299 mg/kg Aqua regia soluble content Cd ..... 72.0 mg/kg      Mn ..... 858 mg/kg      Pb ..... 174 mg/kg Cr..... 426 mg/kg      Ni..... 296 mg/kg      Zn..... 1063 mg/kg	40 g
BCR-483	Sewage sludge amended soil - Extractable trace elements EDTA-extractable Certified values Cd ..... 24.3 mg/kg      Cu..... 215 mg/kg      Pb ..... 229 mg/kg Cr ..... 28.6 mg/kg      Ni..... 28.7 mg/kg      Zn..... 612 mg/kg Acetic acid-extractable Certified values Cd ..... 18.3 mg/kg      Cu..... 33.5 mg/kg      Pb ..... 2.10 mg/kg Cr ..... 18.7 mg/kg      Ni..... 25.8 mg/kg      Zn..... 620 mg/kg Indicative values for the calcium chloride extractable content, the sodium nitrate extractable content and the ammonium nitrate extractable content.	70 g
BCR-484	Sewage sludge amended (terra rossa) soil - Extractable trace elements EDTA-extractable Certified values Cd ..... 0.51 mg/kg      Ni..... 1.39 mg/kg      Zn..... 383 mg/kg Cu ..... 88 mg/kg      Pb..... 59.7 mg/kg Acetic acid-extractable Certified values Cd ..... 0.48 mg/kg      Ni..... 1.69 mg/kg      Zn..... 193 mg/kg Cu ..... 33.9 mg/kg      Pb..... 1.17 mg/kg Indicative values for the calcium chloride extractable content, the sodium nitrate extractable content and the ammonium nitrate extractable content.	70 g
RTC-CRM005-050	Sewage sludge amended (terra rossa) soil - Trace elements Soil from a sewage sludge agricultural land farming application located in the Western United States. The certified values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050A and 6010A, except for arsenic (7060A), mercury (7471A), selenium (7740), and thallium (7841). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. pH 7.59 Certified values Lot J050 Ag ..... 36.3 mg/kg      Cr ..... 41.4 mg/kg      Na ..... 2490 mg/kg Al..... 15300 mg/kg      Cu..... 465 mg/kg      Ni ..... 26 mg/kg As..... 6.91 mg/kg      Fe..... 12700 mg/kg      Pb ..... 89.2 mg/kg Ba ..... 853 mg/kg      Hg..... 3.32 mg/kg      Se ..... 19.9 mg/kg Be ..... 1 mg/kg      K..... 6230 mg/kg      V ..... 109 mg/kg Ca ..... 119000 mg/kg      Mg ..... 6706 mg/kg      Zn..... 625 mg/kg Cd ..... 13.7 mg/kg      Mn ..... 172 mg/kg Co ..... 6.18 mg/kg      Mo ..... 14 mg/kg Indicative values for P, TI	50 g
<b>New</b> RTC-PB-2000	Clay loam - Lead RTC-Pb-2000 was certified using methods USEPA SW846, 3 <sup>rd</sup> edition, 3050 (hot block), 3051 (microwave), 6010 (ICP-EOS), 6020 (ICP-MS) and 7000 (AES) series. Certified value Lot 091103/ Lot 01932 Lead, Pb ..... 2000 mg/kg	50 g
<b>New</b> RTC-PB-3000	Soil - Lead RTC-Pb-3000 was certified using methods USEPA SW846, 3 <sup>rd</sup> edition, 3050 (hot block), 3051 (microwave), 6010 (ICP-EOS), 6020 (ICP-MS) and 7000 (AES) series. Certified value Lot 015429 Lead, Pb ..... 3000 mg/kg	50 g

# Soils

Code	Product	Unit
<b>New</b> RTC-CRM499-100	Loamy sand - pH The soil is to be extracted and analyzed using an appropriate extraction and analytical method to determine pH corrosivity such as USEPA Method SW-846 9040B or 9045C. Lot 015063 pH ..... 9.18 ± 0.0577	100 g
<b>New</b> RTC-CRM498-100	Clay soil - pH, conductivity The soil is to be extracted and analyzed using an appropriate extraction and analytical method to determine pH corrosivity such as USEPA Method SW-846 9040B or 9045C. Lot 015914 Specific conductance Conductivity (25°C)..... 2100 ± 389 µmhos/cm pH ..... 9.20 ± 0.0754	100 g
<b>New</b> METRANAL-31	Light sandy soil - Trace elements METRANAL™ The material is primarily designed for internal and external quality control purposes in the determination of total element contents and contents of element fraction extractable by the below described conventional procedures in soils and materials of similar matrix (quality control charts, inter-laboratory comparisons, estimation of bias etc.) but not for ensuring traceability of measurements and calibration purposes.  Indicative values <u>Total</u> Be ..... 3.32 µg/g      Cu ..... 30.8 µg/g      Pb ..... 43.8 µg/g Cd ..... 0.32 µg/g      Hg ..... 0.087 µg/g      V ..... 58.7 µg/g Co ..... 9.66 µg/g      Mn ..... 540 µg/g      Zn ..... 120 µg/g Cr ..... 89.6 µg/g      Ni ..... 31.9 µg/g <u>Aqua regia extractable content according to ISO 11466(1995)</u> As ..... 10.4 µg/g      Co ..... 9.15 µg/g      Ni ..... 31.8 µg/g Ba ..... 108 µg/g      Cr ..... 71.9 µg/g      Pb ..... 24.1 µg/g Be ..... 1.02 µg/g      Cu ..... 28.9 µg/g      V ..... 52.0 µg/g Cd ..... 0.29 µg/g      Mn ..... 479 µg/g      Zn ..... 108 µg/g <u>Boiling 2 mol/L nitric acid</u> As ..... 5.92 mg/kg      Cu ..... 24.1 µg/g      V ..... 42.7 µg/g Be ..... 0.71 µg/g      Mn ..... 438 µg/g      Zn ..... 97.1 µg/g Co ..... 8.44 µg/g      Ni ..... 18.7 µg/g Cr ..... 48.5 µg/g      Pb ..... 23.7 µg/g <u>Cold 2 mol/L nitric acid</u> As ..... 2.32 µg/g      Cr ..... 23.6 µg/g      Pb ..... 20.7 µg/g Be ..... 0.52 µg/g      Cu ..... 18.1 µg/g      V ..... 21.0 µg/g Cd ..... 0.18 µg/g      Mn ..... 357 µg/g      Zn ..... 58.0 µg/g Co ..... 5.19 µg/g      Ni ..... 10.0 µg/g	80 g
<b>New</b> METRANAL-32	Light sandy soil - Trace elements METRANAL™ The material is primarily designed for internal and external quality control purposes in the determination of total element contents and contents of element fraction extractable by the below described conventional procedures in soils and materials of similar matrix (quality control charts, inter-laboratory comparisons, estimation of bias etc.) but not for ensuring traceability of measurements and calibration purpose.  Indicative values <u>Total</u> As ..... 32.4 µg/g      Cr ..... 179 µg/g      Ni ..... 42.0 µg/g Be ..... 8.77 µg/g      Cu ..... 29.3 µg/g      Pb ..... 58.9 µg/g Cd ..... 0.31 µg/g      Hg ..... 0.090 µg/g      V ..... 54.9 µg/g Co ..... 12.6 µg/g      Mn ..... 540 µg/g      Zn ..... 69.0 µg/g <u>Aqua regia extractable content according to ISO 11466(1995)</u> As ..... 26.1 µg/g      Cr ..... 147 µg/g      Pb ..... 35.5 µg/g Be ..... 2.83 µg/g      Cu ..... 27.3 µg/g      V ..... 44.6 µg/g Cd ..... 0.28 µg/g      Mn ..... 531 µg/g      Zn ..... 64.0 µg/g Co ..... 11.1 µg/g      Ni ..... 40.1 µg/g <u>Boiling 2 mol/L nitric acid</u> As ..... 15.1 mg/kg      Cr ..... 121 µg/g      Ni ..... 33.7 µg/g Be ..... 1.94 µg/g      Cu ..... 23.8 µg/g      Pb ..... 34.1 µg/g Cd ..... 0.26 µg/g      Hg ..... 0.046 µg/g      V ..... 37.7 µg/g Co ..... 10.2 µg/g      Mn ..... 481 µg/g      Zn ..... 58.1 µg/g <u>Cold 2 mol/L nitric acid</u> As ..... 6.12 µg/g      Cr ..... 62.9 µg/g      Pb ..... 30.6 µg/g Be ..... 1.40 µg/g      Cu ..... 19.8 µg/g      V ..... 21.3 µg/g Cd ..... 0.21 µg/g      Mn ..... 425 µg/g      Zn ..... 34.2 µg/g Co ..... 6.64 µg/g      Ni ..... 16.0 µg/g	80 g

Code	Product	Unit
<b>New</b> METRANAL-33	Silty clay loam - Trace elements METRANAL™ The material is primarily designed for internal and external quality control purposes in the determination of total element contents and contents of element fraction extractable by the below described conventional procedures in soils and materials of similar matrix (quality control charts, inter-laboratory comparisons, estimation of bias etc.) but not for ensuring traceability of measurements and calibration purposes.	80 g
Indicative values		
<u>Total</u>		
Be .....	2.18 µg/g	Cu.....29.1 µg/g
Cd .....	0.32 µg/g	Hg.....0.096 µg/g
Co .....	11.5 µg/g	Mn.....600 µg/g
Cr.....	79.8 µg/g	Ni.....31.3 µg/g
<u>Aqua regia extractable content according to ISO 11466(1995)</u>		
As.....	11.6 µg/g	Cr.....42.4 µg/g
Be .....	1.29 µg/g	Cu.....25.4 µg/g
Cd .....	0.32 µg/g	Mn.....529 µg/g
Co.....	10.3 µg/g	Ni.....28.8 µg/g
<u>Boiling 2 mol/L nitric acid</u>		
Be .....	0.95 µg/g	Cu.....20.6 µg/g
Cd .....	0.27 µg/g	Hg.....0.054 µg/g
Co .....	8.31 µg/g	Mn.....476 µg/g
Cr.....	23.8 µg/g	Ni.....22.2 µg/g
<u>Cold 2 mol/L nitric acid</u>		
As.....	1.30 µg/g	Cr.....9.06 µg/g
Be .....	0.69 µg/g	Cu.....15.8 µg/g
Cd .....	0.23 µg/g	Mn.....435 µg/g
Co.....	5.90 µg/g	Ni.....11.9 µg/g
Pb.....	33.5 µg/g	V.....76.2 µg/g
Zn.....	81.0 µg/g	
Pb.....	25.2 µg/g	V.....52.9 µg/g
Zn.....	69.4 µg/g	
Pb.....	22.7 µg/g	V.....25.3 µg/g
Zn.....	54.2 µg/g	
Pb.....	19.3 µg/g	V.....11.4 µg/g
Zn.....	24.4 µg/g	

<b>New</b> METRANAL-34	Loam - Trace elements METRANAL™ The material is primarily designed for internal and external quality control purposes in the determination of total element contents and contents of element fraction extractable by the below described conventional procedures in soils and materials of similar matrix (quality control charts, inter-laboratory comparisons, estimation of bias etc.) but not for ensuring traceability of measurements and calibration purposes.	80 g
Indicative values		
<u>Total</u>		
As.....	49.6 µg/g	Cr.....82.2 µg/g
Be .....	4.17 µg/g	Cu.....183 µg/g
Cd .....	1.52 µg/g	Hg.....0.223 µg/g
Co .....	20.0 µg/g	Mn.....869 µg/g
<u>Aqua regia extractable content according to ISO 11466(1995)</u>		
As.....	42.4 µg/g	Cr.....46.3 µg/g
Be .....	2.69 µg/g	Cu.....167 µg/g
Cd .....	1.44 µg/g	Mn.....741 µg/g
Co.....	17.5 µg/g	Ni.....30.4 µg/g
<u>Boiling 2 mol/L nitric acid</u>		
As.....	27.1 µg/g	Cr.....27.3 µg/g
Be .....	2.17 µg/g	Cu.....159 µg/g
Cd .....	1.44 µg/g	Mn.....572 µg/g
Co.....	12.5 µg/g	Ni.....21.4 µg/g
<u>Cold 2 mol/L nitric acid</u>		
As.....	16.4 µg/g	Cr.....14.6 µg/g
Be .....	1.84 µg/g	Cu.....137 µg/g
Cd .....	1.36 µg/g	Hg.....0.094 µg/g
Co.....	9.42 µg/g	Mn.....527 µg/g
Ni.....	33.3 µg/g	Pb.....93.4 µg/g
Pb.....	93.4 µg/g	V.....126 µg/g
V.....	126 µg/g	Zn.....227 µg/g
Zn.....	227 µg/g	
Pb.....	83.1 µg/g	V.....95.1 µg/g
V.....	95.1 µg/g	Zn.....198 µg/g
Zn.....	198 µg/g	
Pb.....	82.6 µg/g	V.....48.9 µg/g
V.....	48.9 µg/g	Zn.....169 µg/g
Zn.....	169 µg/g	
Ni.....	11.9 µg/g	Pb.....71.7 µg/g
Pb.....	71.7 µg/g	V.....11.4 µg/g
V.....	11.4 µg/g	Zn.....24.4 µg/g
Zn.....	24.4 µg/g	

## WEPAL soil reference materials

The Wageningen Evaluating Programmes for Analytical Laboratories (WEPAL) runs international sample exchange programmes for continuous quality control of analytical data as produced by chemical laboratories. There are almost 700 laboratories who take part in one or more of WEPAL's regular ring-tests programmes. The WEPAL soil reference samples are supplied with certificates including consensus values, indicative values and values for information, based on the results of the proficiency programme. The certificates are available on request.

For each soil there are values for several sample preparation methods e.g.:

- Real totals
- Acid extractable (so-called totals)
- Aqua Regia (ISO 11466)
- Extraction with boiling 2 M HNO<sub>3</sub>
- Extraction with 0.1 M NaNO<sub>3</sub>
- Extraction with 0.01 M CaCl<sub>2</sub> 1:10
- Extraction with 1 M NH<sub>4</sub>NO<sub>3</sub> 1:2.5 (w/v) (DIN 19730)
- Extraction with 1 M NH<sub>4</sub>acetate
- Extraction with BaCl<sub>2</sub>
- Soil characteristics

	Code	Product	Unit
<b>New</b>	WEPAL-ISE-880	Cat clay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-882	Heavy clay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-886	Riverclay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-912	Loess (soil under Forest) - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-921	Riverclay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-930	Moist Clay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-934	Loess - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-936	Organic clay soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-938	Andosol - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-944	Subsoil loess - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-946	Salt-marsh soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-948	Forest subsoil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-950	Sandy soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-951	Riverclay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-953	Heavy clay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-955	Sandy soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-957	Latosol - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-959	Sandy soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-963	Irish coarse - Inorganic composition (please ask for detailed information)	55 g
<b>New</b>	WEPAL-ISE-967	Sandy soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-968	Sandy soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-972	Marine clay - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-973	Organic sandy soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-974	Loess (acid brown earth) - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-975	Loess (acid brown earth) - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-977	Sandy soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-979	Rendzina soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-980	Forrest soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-982	Regolith on granodioritic rock - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-983	Marine sediment - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-984	Marine sediment - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-991	Rock soil - Inorganic composition (please ask for detailed information)	100 g
<b>New</b>	WEPAL-ISE-999	Moist clay - Inorganic composition (please ask for detailed information)	100 g

## Sewage sludges

Code	Product	Unit
<b>New</b> ERM-CC136	<b>Sewage sludge - Extractable and total metals</b> An aged sewage sludge collected from a disused sewage works site at Heathrow in London, UK. Dried, sterilised and ground to a powder. The extractable metal content refers to metals soluble in Aqua Regia using methods based on ISO11466 (1995). Assessed values Al..... 15100 mg/kg      Fe ..... 22200 mg/kg      Ni ..... 130 mg/kg Ba ..... 633 mg/kg      K ..... 2030 mg/kg      Pb ..... 341 mg/kg Co ..... 23.2 mg/kg      Mg ..... 2820 mg/kg      Zn ..... 890 mg/kg Cr ..... 399 mg/kg      Mn ..... 544 mg/kg Cu ..... 464 mg/kg      Na ..... 397 mg/kg	25 g
LGC6181	<b>Sewage sludge - Extractable metals</b> The extractable metal content refers to metals soluble in Aqua Regia using methods based on ISO11466 (1995). Certified values Ag ..... 55 mg/kg      Cr ..... 78 mg/kg      Ni ..... 45 mg/kg As ..... 7.8 mg/kg      Fe ..... 40300 mg/kg      Pb ..... 105 mg/kg Cd ..... 5.8 mg/kg      Hg ..... 4.9 mg/kg      V ..... 20 mg/kg Cu ..... 354 mg/kg      Mn ..... 454 mg/kg      Zn ..... 1100 mg/kg	100 g
LGC6182	<b>Sewage sludge - PAHs</b> A digested sewage sludge of mixed origin was taken from a city water treatment plant immediately after discharge from a digestion tank. Assessed Values Acenaphthene..... 0.10 mg/kg      Chrysene ..... 0.84 mg/kg Anthracene ..... 0.17 mg/kg      Fluoranthene ..... 1.81 mg/kg Benzo(a)anthracene ..... 0.66 mg/kg      Fluorene ..... 0.19 mg/kg Benzo(b)fluoranthene ..... 0.95 mg/kg      Indeno(1,2,3cd)pyrene ..... 0.58 mg/kg Benzo(k)fluoranthene ..... 0.45 mg/kg      Naphthalene ..... 0.33 mg/kg Benzo(ghi)perylene ..... 0.62 mg/kg      Phenanthrene ..... 1.04 mg/kg Benzo(a)pyrene ..... 0.59 mg/kg      Pyrene ..... 1.53 mg/kg Indicative values for Acenaphthylene, Dibenzo(a,h)anthracene	30 g
LGC6184	<b>Sewage sludge - PCBs</b> A digested sewage sludge of mixed origin, taken from a city water treatment plant in the Czech Republic, immediately after discharge from a digestion tank. Certified values PCB 101 ..... 37 µg/kg      PCB 118 ..... 17 µg/kg      PCB 153 ..... 112 µg/kg Assessed values PCB 28 ..... 28 µg/kg      PCB 149 ..... 63 µg/kg      PCB 187 ..... 35 µg/kg PCB 52 ..... 14 µg/kg      PCB 170 ..... 37 µg/kg      PCB 194 ..... 13 µg/kg PCB 138 ..... 77 µg/kg      PCB 180 ..... 78 µg/kg Indicative values for PCB 31, PCB 77, PCB 110	30 g
BCR-145R	<b>Sewage sludge (mixed origin) - Trace elements</b> Certified values Cd ..... 3.50 mg/kg      Hg ..... 2.01 mg/kg      Pb ..... 286 mg/kg Co ..... 5.61 mg/kg      Mn ..... 156 mg/kg      Zn ..... 2122 mg/kg Cu ..... 696 mg/kg      Ni ..... 247 mg/kg Indicative value for Cr <u>Aqua Regia soluble content</u> Certified values Cr ..... 307 mg/kg      Ni ..... 251 mg/kg      Zn ..... 2137 mg/kg Cu ..... 707 mg/kg      Pb ..... 282 mg/kg Indicative values for Cd, Co, Hg, Mn	40 g
BCR-146R	<b>Sewage sludge (industrial origin) - Trace elements</b> Certified values Cd ..... 18.8 mg/kg      Cu ..... 838 mg/kg      Ni ..... 69.7 mg/kg Co ..... 7.39 mg/kg      Hg ..... 8.62 mg/kg      Pb ..... 609 mg/kg Cr ..... 196 mg/kg      Mn ..... 324 mg/kg      Zn ..... 3061 mg/kg <u>Aqua regia soluble content</u> Certified values Cd ..... 18.5 mg/kg      Cu ..... 831 mg/kg      Ni ..... 65.0 mg/kg Co ..... 6.5 mg/kg      Hg ..... 8.39 mg/kg      Pb ..... 583 mg/kg Cr ..... 174 mg/kg      Mn ..... 298 mg/kg      Zn ..... 3043 mg/kg	40 g
BCR-597	<b>Sewage sludge - Chromium</b> Certified value Cr ..... 203 mg/kg	40 g



## Sewage sludges

Code	Product	Unit
BCR-677	Sewage sludge - PCDD/PCDFs	40 g
	Certified values	
	2,3,7,8-TCDD ..... 1.51 pg/g	2,3,4,7,8-PeCDF ..... 16.9 pg/g
	1,2,3,7,8-PeCDD ..... 4.1 pg/g	1,2,3,4,7,8-HxCDF ..... 14.5 pg/g
	1,2,3,6,7,8-HxCDD ..... 235 pg/g	1,2,3,6,7,8-HxCDF ..... 6.1 pg/g
	1,2,3,7,8,9-HxCDD ..... 79 pg/g	1,2,3,7,8,9-HxCDF ..... 0.84 pg/g
	1,2,3,4,6,7,8-HpCDD ..... $3.5 \times 10^3$ pg/g	2,3,4,6,7,8-HxCDF ..... 5.6 pg/g
	OCDD ..... $12.7 \times 10^3$ pg/g	1,2,3,4,6,7,8-HpCDF ..... 6.2 pg/g
	2,3,7,8-TCDF ..... 45 pg/g	1,2,3,4,7,8,9-HpCDF ..... 6.3 pg/g
	1,2,3,7,8-PeCDF ..... 24.8 pg/g	OCDF ..... 177 pg/g
CMI-CRM7006	Sewage sludge - PCDDs and PCDFs	60 g
	Certified values	
	2,3,7,8-TeCDD ..... $4.5 \pm 0.3$ ng/kg	1,2,3,4,7,8,9-HpCDF ..... $110 \pm 17$ ng/kg
	1,2,3,7,8-PeCDD ..... $2.1 \pm 0.3$ ng/kg	OCDF ..... $1590 \pm 290$ ng/kg
	1,2,3,4,7,8-HxCDD ..... $2.6 \pm 0.5$ ng/kg	PCB 77 ..... $2380 \pm 370$ ng/kg
	1,2,3,6,7,8-HxCDD ..... $5 \pm 0.9$ ng/kg	PCB 81 ..... $108 \pm 16$ ng/kg
	1,2,3,7,8,9-HxCDD ..... $3.7 \pm 0.6$ ng/kg	PCB 126 ..... $169 \pm 32$ ng/kg
	1,2,3,4,6,7,8-HpCDD ..... $65 \pm 10$ ng/kg	PCB 169 ..... $25 \pm 4$ ng/kg
	OCDD ..... $519 \pm 74$ ng/kg	PCB 105 ..... $3430 \pm 495$ ng/kg
	2,3,7,8-TeCDF ..... $110 \pm 17$ ng/kg	PCB 114 ..... $169 \pm 36$ ng/kg
	1,2,3,7,8-PeCDF ..... $157 \pm 21$ ng/kg	PCB 118 ..... $15800 \pm 2300$ ng/kg
	2,3,4,7,8-PeCDF ..... $87 \pm 11$ ng/kg	PCB 123 ..... $121 \pm 30$ ng/kg
	1,2,3,4,7,8-HxCDF ..... $376 \pm 63$ ng/kg	PCB 156 ..... $9140 \pm 1300$ ng/kg
	1,2,3,6,7,8-HxCDF ..... $102 \pm 13$ ng/kg	PCB 157 ..... $802 \pm 130$ ng/kg
	1,2,3,7,8,9-HxCDF ..... $11 \pm 2.2$ ng/kg	PCB 167 ..... $4130 \pm 670$ ng/kg
	2,3,4,6,7,8-HxCDF ..... $19.8 \pm 2.8$ ng/kg	PCB 189 ..... $1860 \pm 260$ ng/kg
	1,2,3,4,6,7,8-HpCDF ..... $256 \pm 41$ ng/kg	
	Indicative values for metals, other PCBs, PAHs, pesticides, brominated flame retardants	
RTC-CNS312-050	Sewage sludge - PAHs, PCBs and pesticides	50 g
	The PAH 10 list of polycyclic aromatic hydrocarbons is defined according to VROM, the Dutch Ministry of Housing and Urban Planning. The reference values were determined by Dutch standard methods (NEN 5771, 5718, and 5719).	
	Reference values	
	Lot 002554	
	Acenaphthene ..... 2.99 mg/kg	PCB 118 ..... 73.6 µg/kg
	Acenaphthylene ..... 2.42 mg/kg	PCB 138 ..... 136 µg/kg
	Anthracene ..... 1.67 mg/kg	PCB 153 ..... 214 µg/kg
	Benzo(a)anthracene ..... 1.45 mg/kg	PCB 180 ..... 232 µg/kg
	Benzo(a)pyrene ..... 0.872 mg/kg	Total PCB ..... 1350 µg/kg
	Benzo(b)fluoranthene ..... 0.241 mg/kg	2,4-DDD ..... 625 µg/kg
	Benzo(g,h,i)perylene ..... 0.835 mg/kg	2,4-DDE ..... 258 µg/kg
	Benzo(k)fluoranthene ..... 0.678 mg/kg	2,4-DDT ..... 223 µg/kg
	Chrysene ..... 1.12 mg/kg	4,4-DDD ..... 809 µg/kg
	Dibenzo(a,h)anthracene ..... 0.407 mg/kg	4,4-DDE ..... 229 µg/kg
	Fluoranthene ..... 4.19 mg/kg	4,4-DDT ..... 23.5 µg/kg
	Fluorene ..... 2.01 mg/kg	Aldrin ..... 221 µg/kg
	Indeno(1,2,3-cd)pyrene ..... 0.54 mg/kg	alpha-BHC ..... 137 µg/kg
	Naphthalene ..... 2.58 mg/kg	beta-BHC ..... 111 µg/kg
	Phenanthrene ..... 0.462 mg/kg	gamma-BHC (Lindane) ..... 578 µg/kg
	Pyrene ..... 4.17 mg/kg	Dieldrin ..... 569 µg/kg
	Total PAH 10 (VROM 10) ..... 13.8 mg/kg	Endosulfan I ..... 296 µg/kg
	Total PAH16 (EPA 16) ..... 25.1 mg/kg	Endrin ..... 336 µg/kg
	PCB 28 ..... 205 µg/kg	Hexachlorobenzene ..... 689 µg/kg
	PCB 52 ..... 263 µg/kg	Heptachlor ..... 197 µg/kg
	PCB 101 ..... 257 µg/kg	Heptachlor epoxide (beta) ..... 104 µg/kg
RTC-CNS311-050	Sewage Sludge - Trace Elements	50 g
	The Reference Values were determined by Dutch standard methods (NEN 56.; 57.; 64.; and 66.; series) after total digestion using predominantly nitric/hydrochloric acid mixture (Aqua Regia) in pressurised microwave digester units. The sample is suitable for use by these, or other similar digestion and analytical procedures.	
	Reference values	
	Lot 002545	
	Ag ..... 18 mg/kg	Mn ..... 232 mg/kg
	Al ..... 13200 mg/kg	Mo ..... 10.4 mg/kg
	As ..... 3.3 mg/kg	Ni ..... 19.2 mg/kg
	Ba ..... 347 mg/kg	Pb ..... 25.4 mg/kg
	Cd ..... 1.74 mg/kg	V ..... 12 mg/kg
	Co ..... 2.97 mg/kg	Zn ..... 563 mg/kg
	Cr ..... 40.4 mg/kg	Chemical Oxygen Demand (COD) ..... 771 mg/kg
	Cu ..... 402 mg/kg	Kjeldahl – Nitrogen (KN) ..... 41.1 g/kg
	Fe ..... 22500 mg/kg	Phosphorus, Total (TP) ..... 23.1 g/kg
	Hg ..... 1.71 mg/kg	

Code	Product	Unit
RTC-CRM018-050	<b>Sewage sludge (wet) - Metals</b> Raw sewage sludge from a publicly owned treatment works (POTW), representative of a residential area with industrial influence. The certified values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050 and 6010, except for arsenic (7060A), mercury (7471A), selenium (7740), and thallium (7841). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot AG18a Ag ..... 72.1 mg/kg      Cr ..... 40.1 mg/kg      Na ..... 1000 mg/kg Al ..... 22400 mg/kg      Cu ..... 840 mg/kg      Ni ..... 20.4 mg/kg As ..... 6.63 mg/kg      Fe ..... 9900 mg/kg      Pb ..... 126 mg/kg Ba ..... 1100 mg/kg      Hg ..... 4.78 mg/kg      Se ..... 8.38 mg/kg Be ..... 0.30 mg/kg      K ..... 2660 mg/kg      Sr ..... 420 mg/kg Ca ..... 49100 mg/kg      Mg ..... 4300 mg/kg      V ..... 39.2 mg/kg Cd ..... 5.57 mg/kg      Mn ..... 200 mg/kg      Zn ..... 1120 mg/kg Co ..... 3.22 mg/kg      Mo ..... 10.5 mg/kg Indicative values for B, P, Si, Sb, Ti, Ammonia as N, TOC, Nitrogen (total Kjeldahl), Total solids	50 g
RTC-CRM029-050	<b>Sewage sludge - Metals</b> Digested sewage sludge from a publicly owned treatment works (POTW), representative of a residential area with light industrial influence. The certified values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050B and 6010B, except for Mercury (Method 7471). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot 013583 Ag ..... 70.4 mg/kg      K ..... 3370 mg/kg      Ti ..... 44.9 mg/kg Al ..... 12400 mg/kg      Li ..... 63.7 mg/kg      Tl ..... 34.0 mg/kg As ..... 27.4 mg/kg      Mg ..... 8280 mg/kg      V ..... 41.5 mg/kg Ba ..... 1080 mg/kg      Mn ..... 399 mg/kg      Zn ..... 1400 mg/kg Be ..... 4.51 mg/kg      Mo ..... 19.1 mg/kg      Ammonia as N ..... 5450 mg/kg B ..... 186 mg/kg      Na ..... 1650 mg/kg      Kjeldahl nitrogen ..... 4.07 Wt% Ca ..... 48400 mg/kg      Ni ..... 172 mg/kg      Nitrate ..... 11200 mg/kg Cd ..... 487 mg/kg      Pb ..... 300 mg/kg      pH ..... 7.10 Co ..... 5.70 mg/kg      Sb ..... 5.78 mg/kg      Phosphorus, total ..... 2.21 Wt% Cr ..... 345 mg/kg      Se ..... 25.4 mg/kg      Residue, total (TS) ..... 91.5 Wt% Cu ..... 1100 mg/kg      Si ..... 828 mg/kg      Residue, volatile ..... 59.1 Wt% Fe ..... 20700 mg/kg      Sn ..... 97.1 mg/kg      S ..... 13600 mg/kg Hg ..... 6.13 mg/kg      Sr ..... 647 mg/kg      Total organic carbon ..... 28.3 Wt%	50 g
RTC-CRM031-040	<b>Sewage sludge - Metals</b> The values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050B/3051, 6010B, 6020, and 7000 series. The pH value was determined by USEPA SW 846 (3 <sup>rd</sup> edition) Methods 9040, and 9045C. The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot 014679 Ag ..... 100 mg/kg      Na ..... 845 mg/kg Al ..... 13100 mg/kg      Ni ..... 136 mg/kg As ..... 217 mg/kg      Pb ..... 121 mg/kg B ..... 158 mg/kg      Sb ..... 107 mg/kg Ba ..... 851 mg/kg      Se ..... 119 mg/kg Be ..... 155 mg/kg      Sn ..... 94.0 mg/kg Ca ..... 49400 mg/kg      Sr ..... 459 mg/kg Cd ..... 212 mg/kg      Ti ..... 31.1 mg/kg Co ..... 73.4 mg/kg      Tl ..... 112 mg/kg Cr (total) ..... 243 mg/kg      V ..... 133 mg/kg Cu ..... 639 mg/kg      Zn ..... 908 mg/kg Fe ..... 22400 mg/kg      Ammonia as N ..... 5380 mg/kg Hg ..... 11 mg/kg      Kjeldahl nitrogen total (TKN) ..... 3.55 % K ..... 7460 mg/kg      pH ..... 7.02 Li ..... 103 mg/kg      Phosphorus total ..... 2.21 % Mg ..... 8920 mg/kg      Residue total (TS) ..... 90.6 % Mn ..... 1240 mg/kg      Residue-volatile ..... 55.5 % Mo ..... 71.4 mg/kg      Sulfur ..... 13900 mg/kg	40 g

## Sewage sludges

Code	Product	Unit
RTC-CRM055-050	Sludge - Metals The values were determined by USEPA SW846 3050(Nitric Acid/Hot Plate), 3051(Nitric Acid/Microwave), 7000 series(AA), 6010(ICP) and Dutch standard methods (NEN 56.; 57.; 64.; and 66.; series) after total digestion using predominantly nitric/hydrochloric acid mixture (Aqua Regia) in pressurised microwave digester units. The sample is suitable for use by these, or other similar digestion and analytical procedures. Certified values Lot 015148 Ag .....64.7 mg/kg      Mo ..... 133 mg/kg Al.....14800 mg/kg      Na..... 758 mg/kg As.....229 mg/kg      Ni..... 163 mg/kg B .....110 mg/kg      Pb..... 154 mg/kg Ba .....765 mg/kg      Sb..... 75.3 mg/kg Be .....167 mg/kg      Se..... 162 mg/kg Ca .....47200 mg/kg      Sn..... 148 mg/kg Cd .....60.6 mg/kg      Sr..... 445 mg/kg Co .....97.0 mg/kg      Tl..... 82.0 mg/kg Cr .....289 mg/kg      V..... 245 mg/kg Cu .....482 mg/kg      Zn ..... 1240 mg/kg Fe.....20100 mg/kg      pH..... 7.16 Hg .....12.5 mg/kg      Phosphorus (total)..... 2.14 Wt% K .....2420 mg/kg      Residue, total (TS)..... 86.4 Wt% Mn .....693 mg/kg      Residue-volatile ..... 56.2 Wt% Mg .....9210 mg/kg      Sulfur..... 11500 mg/kg	50 g
NIST-2781	Domestic sludge - Metals Certified values As..... 7.82 mg/kg      Mo .....46.7 mg/kg      Se ..... 16.0 mg/kg Cd ..... 12.78 mg/kg      N..... 4.78 %      Zn..... 1273 mg/kg Cu ..... 627.4 mg/kg      Ni.....80.2 mg/kg Hg ..... 3.64 mg/kg      Pb.....202.1 mg/kg Indicative values for Ag, Al, Ca, Cr, Fe, K, Mg, Na, P, Si, Ti	40 g
NIST-2782	Industrial sludge - Leachable and total metals Obtained from an industrial site in northern New Jersey, USA where pharmaceutical research is carried out. Certified values As..... 166 mg/kg      Hg..... 1.10 mg/kg      Se ..... 0.44 mg/kg Cd ..... 4.17 mg/kg      Mo .....10.07 mg/kg      Zn..... 1254 mg/kg Cr ..... 109 mg/kg      Ni.....154.1 mg/kg Cu ..... 2594 mg/kg      Pb.....574 mg/kg Indicative values for a wide range of additional elements	70 g

## WEPAL sewage sludge and compost reference materials

The Wageningen Evaluating Programmes for Analytical Laboratories (WEPAL) runs international sample exchange programmes for continuous quality control of analytical data as produced by chemical laboratories. There are almost 700 laboratories who take part in one or more of WEPAL's regular ring-tests programmes.

The WEPAL sewage sludge and compost reference samples are supplied with certificates including consensus values, indicative values and values for information, based on the results of the proficiency programme. The certificates are available on request.

<b>New</b>	WEPAL-MARSEP-202	Compost - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-205	Compost - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-207	Sewage sludge - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-208	Sewage sludge - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-217	Sewage sludge - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-223	Compost - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-241	Champost - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-247	Sewage sludge - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-MARSEP-249	Sewage sludge - Inorganic composition (please ask for detailed information)	20 g

## Plants

Code	Product	Unit
<b>Trees and bushes</b>		
BCR-100	Beech leaves - Trace elements	30 g
	Certified values	
	Al..... 0.435 g/kg	Cr ..... 0.0080 g/kg
	Ca ..... 5.30 g/kg	K ..... 9.94 g/kg
	Cl ..... 1.49 g/kg	Mg ..... 0.878 g/kg
		N ..... 26.29 g/kg
		P ..... 1.55 g/kg
		S ..... 2.69 g/kg
	Indicative values for Cd, Cu, Fe, Mn, Mo, Pb, Zn	
NIST-1575a	Pine needles - Trace elements and minor constituents	50 g
	Certified values	
	P ..... 0.107 %	Ba ..... 6.0 mg/kg
	K ..... 0.417 %	Cd ..... 0.233 mg/kg
	Ca ..... 0.25 %	Cl ..... 421 mg/kg
	Al ..... 580 mg/kg	Cu ..... 2.g/kg
		Fe ..... 46 mg/kg
		Hg ..... 0.0399 mg/kg
		Rb ..... 16.5 mg/kg
		Zn ..... 38 mg/kg
NIST-1515	Apple leaves - Trace elements	50 g
	Dried leaves from Golden Delicious and Rome varieties.	
	Certified values	
	Al..... 286 mg/kg	Fe ..... 83 mg/kg
	As..... 0.038 mg/kg	Hg..... 0.044 mg/kg
	B ..... 27 mg/kg	K ..... 1.61 %
	Ba ..... 49 mg/kg	Mg ..... 0.271 %
	Ca ..... 1.526 %	Mn ..... 54 mg/kg
	Cd ..... 0.013 mg/kg	Mo ..... 0.094 mg/kg
	Cl ..... 579 mg/kg	N ..... 2.25 %
	Cu ..... 5.64 mg/kg	Na ..... 24.4 mg/kg
		Ni ..... 0.91 mg/kg
		P ..... 0.159 %
		Pb ..... 0.470 mg/kg
		Rb ..... 10.2 mg/kg
		Se ..... 0.050 mg/kg
		Sr ..... 25 mg/kg
		V ..... 0.26 mg/kg
		Zn ..... 12.5 mg/kg
	Indicative values for Au, Br, Ce, Co, Cr, Eu, Gd, I, La, Nd, S, Sb, Sc, Sm, Sn, Tb, Th, U, W, Yb	
NIST-1547	Peach leaves - Trace elements	50 g
	Dried leaves from the Coronet variety.	
	Certified values	
	Al..... 249 mg/kg	Fe ..... 218 mg/kg
	As..... 0.060 mg/kg	Hg..... 0.031 mg/kg
	B ..... 29 mg/kg	K ..... 2.43 %
	Ba ..... 124 mg/kg	Mg ..... 0.432 %
	Ca ..... 1.56 %	Mn ..... 98 mg/kg
	Cd ..... 0.026 mg/kg	Mo ..... 0.060 mg/kg
	Cl ..... 360 mg/kg	N ..... 2.94 %
	Cu ..... 3.7 mg/kg	Na ..... 24 mg/kg
		Ni ..... 0.69 mg/kg
		P ..... 0.137 %
		Pb ..... 0.87 mg/kg
		Rb ..... 19.7 mg/kg
		Se ..... 0.120 mg/kg
		Sr ..... 53 mg/kg
		V ..... 0.37 mg/kg
		Zn ..... 17.9 mg/kg
	Indicative values for Br, Ce, Co, Cr, Eu, Gd, I, La, Nd, S, Sb, Sc, Sm, Sn, Tb, Th, U, Yb	
<b>New</b> NIM-GBW07602	Bush branches and leaves - Trace elements	35 g
	Certified values	
	Ag ..... 0.027 µg/g	Eu ..... 0.037 µg/g
	Al..... 0.214 %	F ..... 24 µg/g
	As..... 0.95 µg/g	Fe ..... 1020 µg/g
	B ..... 34 µg/g	Hf ..... 0.14 µg/g
	Ba ..... 19 µg/g	K ..... 0.85 %
	Be ..... 0.056 µg/g	La ..... 1.23 µg/g
	Bi..... 0.027 µg/g	Li ..... 2.4 µg/g
	Br ..... 2.4 µg/g	Mg ..... 0.287 %
	Ca ..... 2.22 %	Mn ..... 58 µg/g
	Cd ..... 0.14 µg/g	Mo ..... 0.26 µg/g
	Ce ..... 2.4 µg/g	N ..... 1.20 %
	Co ..... 0.39 µg/g	Na ..... 1.10 %
	Cr ..... 2.3 µg/g	Ni ..... 1.7 µg/g
	Cs ..... 0.27 µg/g	P ..... 830 µg/g
	Cu ..... 5.2 µg/g	Pb ..... 7.1 µg/g
		Rb ..... 4.2 µg/g
		S ..... 0.32 %
		Sb ..... 0.045 µg/g
		Sc ..... 0.31 µg/g
		Se ..... 0.184 µg/g
		Si ..... 0.58 %
		Sm ..... 0.19 µg/g
		Sr ..... 345 µg/g
		Th ..... 0.37 µg/g
		Ti ..... 95 µg/g
		V ..... 2.4 µg/g
		Yb ..... 0.063 µg/g
		Zn ..... 20.6 µg/g
	Indicative values for Cl, Nd, Tb, U, W, Y	

# Plants

Code	Product	Unit
<b>New</b> NIM-GBW07603	Bush branches and leaves - Trace elements	35 g
	Certified values	
Ag .....	0.027 µg/g	Eu .....
Al .....	0.214 %	F .....
As .....	0.95 µg/g	Fe .....
B .....	34 µg/g	Hf .....
Ba .....	19 µg/g	K .....
Be .....	0.056 µg/g	La .....
Bi .....	0.027 µg/g	Li .....
Br .....	2.4 µg/g	Mg .....
Ca .....	2.22 %	Mn .....
Cd .....	0.14 µg/g	Mo .....
Ce .....	2.4 µg/g	N .....
Co .....	0.39 µg/g	Na .....
Cr .....	2.3 µg/g	Ni .....
Cs .....	0.27 µg/g	P .....
Cu .....	5.2 µg/g	Pb .....
		Rb .....
		S .....
		Sb .....
		Sc .....
		Se .....
		Si .....
		Sm .....
		Sr .....
		Th .....
		Ti .....
		V .....
		Yb .....
		Zn .....
	Indicative values for Cl, Nd, Tb, U, W, Y	
BCR-683	Beech wood - PCP and PAHs	60 g
	Compound	Certified value mg/kg
		Uncertainty mg/kg
	Pentachlorophenol .....	3.6 .....
	Benzo(a)anthracene .....	6.5 .....
	Benzo(a)pyrene .....	3.4 .....
	Benzo(e)pyrene .....	9.3 .....
	Benzo(b)fluoranthene .....	5.8 .....
	Benzo(k)fluoranthene .....	2.58 .....
<b>New</b> ERM-CD100	Wood - Trace elements and pentachlorophenol (PCP)	74 g
	The certified reference material ERM-CD100 is intended for the verification of a correct implementation of standardised analytical methods for waste wood characterisation such as GEN/TR 14823 for the determination of PCP or digestion methods according to EN 13657 for the determination of trace elements. Furthermore, it can be used for the validation of modified or new analytical procedures.	
	Arsenic (As) .....	3.1 ± 0.5 mg/kg
	Cadmium (Cd) .....	3.02 ± 0.24 mg/kg
	Chromium (Cr) .....	36.4 ± 2.6 mg/kg
	Copper (Cu) .....	22.9 ± 1.7 mg/kg
	Mercury (Hg) .....	0.60 ± 0.14 mg/kg
	Lead (Pb) .....	39 ± 4 mg/kg
	Pentachlorophenol .....	7.9 ± 0.6 mg/kg
	Additional information	
	The moisture content of the bottled wood material at the time of certification was (7.48 ± 0.14) %, corresponding to a drying temperature of (103 ± 2) °C.	
<b>New</b> IC-INCT-OBTL-5	Oriental basma tobacco leaves - Trace elements	50 g
	Certified values	
Al .....	0.198 ± 0.028 %	Co .....
Ca .....	3.996 ± 0.142 %	Cs .....
K .....	2.271 ± 0.076 %	Cu .....
Mg .....	0.853 ± 0.034 %	Er .....
P .....	0.17 ± 0.012 %	Eu .....
S .....	0.455 ± 0.091 %	Hf .....
Ag .....	0.053 ± 0.011 mg/kg	Hg .....
As .....	0.668 ± 0.086 mg/kg	La .....
B .....	33.6 ± 2.2 mg/kg	Mn .....
Ba .....	67.4 ± 3.8 mg/kg	Mo .....
Br .....	87.4 ± 5.4 mg/kg	Nd .....
Cd .....	2.64 ± 0.14 mg/kg	Ni .....
Ce .....	2.99 ± 0.18 mg/kg	Pb .....
		Rb .....
		Sb .....
		Sc .....
		Sm .....
		Sr .....
		Ta .....
		Tb .....
		Th .....
		V .....
		Yb .....
		Zn .....
	Indicative values for Au, Be, Cl, Cr, Dy, Fe, Gd, Ho, Li, Lu, Na, Pr, Ti, Tl, Tm, U and Y	
<b>New</b> IC-INCT-PVLT-6	Tobacco leaves - Trace elements	50 g
	Certified values	
Ca .....	2.297 ± 0.078 %	Ce .....
K .....	2.64 ± 0.09 %	Co .....
Mg .....	0.241 ± 0.009 %	Cu .....
P .....	0.242 ± 0.015 %	Er .....
S .....	0.378 ± 0.059 %	Eu .....
Ag .....	0.019 ± 0.004 mg/kg	Hf .....
Al .....	252 ± 49 mg/kg	Hg .....
As .....	0.138 ± 0.01 mg/kg	La .....
B .....	33.4 ± 1.9 mg/kg	Li .....
Ba .....	41.6 ± 1.9 mg/kg	Mn .....
Br .....	19.5 ± 1 mg/kg	Mo .....
Cd .....	2.23 ± 0.12 mg/kg	Nd .....
		Ni .....
		Pb .....
		Rb .....
		Sb .....
		Sc .....
		Sm .....
		Sr .....
		Ta .....
		Tb .....
		Th .....
		V .....
		Zn .....
	Indicative values for Bi, Cl, Cr, Cs, Fe, Na, Pr, Sn, Ti, Tl, U and Y	

Code	Product	Unit
<b>Grasses and crops</b>		
BCR-129	Hay powder - Trace elements Certified values Ca ..... 6.4 g/kg I ..... 0.167 mg/kg K ..... 33.8 g/kg Mg ..... 1.45 g/kg N ..... 37.2 g/kg P ..... 2.36 g/kg S ..... 3.16 g/kg Zn ..... 32.1 mg/kg Kjeldahl-N ..... 34.2 g/kg	30 g
<b>New</b> ERM-CD281	Rye grass - Trace elements Certified values As ..... 0.042 ± 0.01 mg/kg B ..... 5.5 ± 0.5 mg/kg Cd ..... 0.12 ± 0.007 mg/kg Cr ..... 24.8 ± 1.3 mg/kg Cu ..... 10.2 ± 0.5 mg/kg Hg ..... 0.0164 ± 0.0022 mg/kg Mn ..... 82 ± 4 mg/kg Mo ..... 2.22 ± 0.12 mg/kg Ni ..... 15.2 ± 0.6 mg/kg Pb ..... 1.67 ± 0.11 mg/kg Sb ..... 0.042 ± 0.007 mg/kg Se ..... 0.023 ± 0.004 mg/kg Sn ..... 0.062 ± 0.011 mg/kg Zn ..... 30.5 ± 1.1 mg/kg	vial
<b>New</b> IAEA-372	Grass - Radionuclides Certified values (dry mass basis) <sup>40</sup> K ..... 1060 ± 56 7 Bq/kg <sup>137</sup> Cs ..... 11320 ± 360 Bq/kg	100 g
NIST-2695	Vegetation - Fluoride Two samples of timothy grass with fluoride concentrations above natural levels. <u>Low level</u> Certified value Fluoride ..... 64.0 µg/g <u>High level</u> Certified value Fluoride ..... 277 µg/g	2 x 25 g
IAEA-V-9	Cellulose (cotton) - Trace elements Certified values Ba ..... 9 mg/kg Ca ..... 240 mg/kg Cl ..... 600 mg/kg Cr ..... 0.11 mg/kg Cu ..... 0.59 mg/kg Hg ..... 0.06 mg/kg Mg ..... 53 mg/kg Mn ..... 0.15 mg/kg Mo ..... 0.034 mg/kg Na ..... 56 mg/kg Ni ..... 0.09 mg/kg Pb ..... 0.25 mg/kg Sr ..... 0.65 mg/kg Indicative values for Al, Br, Fe, V	25 g
BCR-402	White clover - Trace elements Collected from an area with soil especially rich in selenium, resulting in a high selenium content Certified values As ..... 0.093 mg/kg Co ..... 0.178 mg/kg Mo ..... 6.93 mg/kg Se ..... 6.70 mg/kg Indicative values for Cr, Fe, Ni, Zn	25 g
IAEA-156	Clover - Radioactive isotopes Recommended values <sup>134</sup> Cs ..... 132 Bq/kg <sup>137</sup> Cs ..... 264 Bq/kg <sup>40</sup> K ..... 657 Bq/kg <sup>90</sup> Sr ..... 14.8 Bq/kg	250 g
<b>Aquatic plants</b>		
BCR-060	Aquatic plant ( <i>Lagarosiphon major</i> ) - Trace elements Certified values Al ..... 4180 mg/kg Cd ..... 2.20 mg/kg Cu ..... 51.2 mg/kg Hg ..... 0.34 mg/kg Mn ..... 1759 mg/kg Pb ..... 63.8 mg/kg Zn ..... 313 mg/kg Indicative values for Ag, As, Au, B, Br, CaO, Ce, Cl, Co, Cr, Cs, Eu, F, Fe <sub>2</sub> O <sub>3</sub> , K <sub>2</sub> O, La, MgO, Mo, N, Na <sub>2</sub> O, Ni, P <sub>2</sub> O <sub>5</sub> , Rb, S, Sb, Sc, Se, SiO <sub>2</sub> , Sn, Ta, Tb, TiO <sub>2</sub> , Tl, U, V, W	25 g
BCR-596	Aquatic plant ( <i>trapa natans</i> ) - Chromium Certified value Cr ..... 36.3 mg/kg	25 g
BCR-414	Plankton - Trace elements Certified values As ..... 6.82 µg/g Cd ..... 0.383 µg/g Cr ..... 23.8 µg/g Cu ..... 29.5 µg/g Hg ..... 0.276 µg/g Mn ..... 299 µg/g Ni ..... 18.8 µg/g Pb ..... 3.97 µg/g Se ..... 1.75 µg/g V ..... 8.10 µg/g Zn ..... 111.6 µg/g	5 g

## Plants

Code	Product	Unit
BCR-670	Aquatic plant ( <i>Lemna minor</i> ) - Trace elements Certified values Ce ..... 0.99 mg/kg      La ..... 0.487 mg/kg      Tb ..... 14.0 µg/kg Dy ..... 79 µg/kg      Lu ..... 6.3 µg/kg      Th ..... 0.159 mg/kg Er ..... 44.0 µg/kg      Nd ..... 0.473 mg/kg      Tm ..... 5.70 µg/kg Eu ..... 23.2 µg/kg      Pr ..... 0.121 mg/kg      U ..... 82 µg/kg Gd ..... 98 µg/kg      Sc ..... 0.191 mg/kg      Y ..... 0.46 mg/kg Ho ..... 15.8 µg/kg      Sm ..... 94 µg/kg      Yb ..... 40 µg/kg Indicative values for : As, Cd, Cr, Cs, Cu, Fe, Mo, Ni, Pb, Sb, Se and Zn	10 g
NIES03	Chlorella (green algae) - Trace elements The material was prepared from spray-dried chlorella ( <i>Chlorella pyrenoidosa</i> ) obtained from a commercial source. Certified values Ca ..... 0.49 %      Fe ..... 0.185 %      Mn ..... 69 µg/g Co ..... 0.87 µg/g      K ..... 1.24 %      Sr ..... 40 µg/g Cu ..... 3.5 µg/g      Mg ..... 0.33 %      Zn ..... 20.5 µg/g Indicative values for Cd, P, Pb, Sc	36 g
NIST-4359	Seaweed - Radioactivity NIST-4359 contains low levels of anthropogenic and natural radioactivity. Certified values for <sup>40</sup> K, <sup>137</sup> Cs, <sup>210</sup> Pb, <sup>210</sup> Po, <sup>228</sup> Ra, <sup>232</sup> Th, <sup>234</sup> U, <sup>235</sup> U, <sup>238</sup> U, <sup>238</sup> Pu, <sup>239</sup> Pu, <sup>239,240</sup> Pu, <sup>241</sup> Am Indicative values for further isotopes	300 g
<b>New</b> NIES26	Algae - Microcystines, trace elements Certified values Microcystins <sup>1)</sup> ..... 4.5 ± 0.4 mg/g Ca ..... 0.56 ± 0.02 %      Mg ..... 0.44 ± 0.03 %      Sr ..... 4.5 ± 0.3 mg/kg Fe ..... 0.086 ± 0.006 %      Na ..... 0.12 ± 0.02 %      Zn ..... 13 ± 2 mg/kg K ..... 0.90 ± 0.05 %      Mn ..... 39 ± 3 mg/kg Indicative values for S, P, Co, Cu, Ni, Pb <sup>1)</sup> The microcystins were determined in accordance with the manual for examination of substances requiring investigation by the Ministry of Environment, Japan (March 2003). This method followed those in reports for the determination of total microcystins. The microcystins were oxidatively decomposed to MMPB, which was determined using HPLC-mass spectrometry, or gas chromatography-mass spectrometry after esterification.	54 mg
IAEA-392	Algae - Trace elements Algae material (type: <i>Scenedesmus obliquus</i> 208) Recommended values Ca ..... 2680 ± 67.4 mg/kg      Mg ..... 2376 ± 78.8 mg/kg      Ni ..... 0.571 ± 0.028 mg/kg Cu ..... 23.2 ± 1.74 mg/kg      Mn ..... 67.5 ± 1.54 mg/kg      Pb ..... 0.574 ± 0.019 mg/kg Fe ..... 497 ± 13.6 mg/kg      Na ..... 680 ± 23.0 mg/kg      Zn ..... 128 ± 2.0 mg/kg Indicative values for As, Cd, Cr, K	20 g
IAEA-413	Algae - Trace elements Algae material (type: <i>Chlorella Boehm</i> ) Recommended values (based on dry mass) As ..... 127 ± 6.6 mg/kg      Fe ..... 1370 ± 39 mg/kg      Ni ..... 113 ± 4.9 mg/kg Ca ..... 3143 ± 112 mg/kg      K ..... 10740 ± 270 mg/kg      Pb ..... 242 ± 7 mg/kg Cd ..... 204 ± 8.5 mg/kg      Mg ..... 4058 ± 117 mg/kg      Zn ..... 169 ± 3.3 mg/kg Co ..... 4.24 ± 0.25 mg/kg      Mn ..... 158 ± 3.4 mg/kg Cr ..... 377 ± 14 mg/kg      Na ..... 375 ± 20 mg/kg Indicative values for further elements	10 g
<b>Miscellaneous</b>		
LGC7162	Strawberry leaves - Trace elements The raw material was collected from a private farm in the Czech Republic. The mixture was cut and jet milled to pass a 250 µm nylon sieve. The resulting powder was homogenised, separated in 20 g portions and placed in 60 mL bottles. Certified Values Ca ..... 1.53 g/100 g      Ba ..... 107 mg/kg      Mo ..... 0.32 mg/kg Mg ..... 0.377 g/100 g      Cd ..... 0.17 mg/kg      Hg ..... 0.027 mg/kg N ..... 2.01 g/100 g      Co ..... 0.47 mg/kg      Ni ..... 2.6 mg/kg P ..... 0.260 g/100 g      Cr ..... 2.15 mg/kg      Sr ..... 64 mg/kg K ..... 1.96 g/100 g      Fe ..... 818 mg/kg      Zn ..... 24 mg/kg S ..... 0.174 g/100 g      Pb ..... 1.8 mg/kg As ..... 0.28 mg/kg      Mn ..... 171 mg/kg	20 g
NIST-1573a	Tomato leaves - Trace elements Certified values Al ..... 598 mg/kg      Cu ..... 4.70 mg/kg      P ..... 0.216 % As ..... 0.112 mg/kg      Hg ..... 0.034 mg/kg      Rb ..... 14.89 mg/kg B ..... 33.3 mg/kg      K ..... 2.70 %      Sb ..... 0.063 mg/kg Cd ..... 1.52 mg/kg      Mn ..... 246 mg/kg      Se ..... 0.054 mg/kg Ca ..... 5.05 %      N ..... 3.03 %      V ..... 0.57 mg/kg Co ..... 0.57 mg/kg      Na ..... 136 mg/kg      Zn ..... 82 mg/kg Cr ..... 1.99 mg/kg      Ni ..... 1.59 mg/kg Indicative values for Eu, Gd, Mg, Pb, S, Sc, Sm, Sr, Th, U	50 g



Code	Product	Unit
NIST-RM 8491	Sugar cane bagasse - Whole biomass feedstocks This Reference Material (RM) is intended primarily for use in evaluating analytical methods for the determination of summative composition of lignocellulosic materials. Reference concentration values for the following constituents are given: Ash, 95% Ethanol extractives, Acid soluble lignin, Acid insoluble lignin, Total lignin. Glucuronic acid, Arabinan, Xylan, Mannan, Galactan and Glucan.	50 g
NIST-RM 8492	Eastern cottonwood - Whole biomass feedstocks This Reference Material (RM) is intended primarily for use in evaluating analytical methods for the determination of summative composition of lignocellulosic materials. Reference concentration values for the following constituents are given: Ash, 95% Ethanol extractives, Acid soluble lignin, Acid insoluble lignin, Total lignin. Glucuronic acid, Arabinan, Xylan, Mannan, Galactan and Glucan.	50 g
NIST-RM 8493	Monterey pine - Whole biomass feedstocks This Reference Material (RM) is intended primarily for use in evaluating analytical methods for the determination of summative composition of lignocellulosic materials. Reference concentration values for the following constituents are given: Ash, 95% Ethanol extractives, Acid soluble lignin, Acid insoluble lignin, Total lignin. Glucuronic acid, Arabinan, Xylan, Mannan, Galactan and Glucan.	50 g
NIST-RM 8494	Wheat straw - Whole biomass feedstocks This Reference Material (RM) is intended primarily for use in evaluating analytical methods for the determination of summative composition of lignocellulosic materials. Reference concentration values for the following constituents are given: Ash, 95% Ethanol extractives, Acid soluble lignin, Acid insoluble lignin, Total lignin. Glucuronic acid, Arabinan, Xylan, Mannan, Galactan and Glucan.	50 g
BCR-482	Lichen - Trace elements Certified values Al..... 1103 mg/kg      Cr ..... 4.12 mg/kg      Ni ..... 2.47 mg/kg As..... 0.85 mg/kg      Cu..... 7.03 mg/kg      Pb ..... 40.9 mg/kg Cd ..... 0.56 mg/kg      Hg..... 0.48 mg/kg      Zn..... 100.6 mg/kg	15 g
IAEA-336	Lichen - Trace elements Recommended values As..... 0.63 mg/kg      Fe ..... 430 mg/kg      Se ..... 0.22 mg/kg Ba ..... 6.4 mg/kg      Hg..... 0.2 mg/kg      Sm ..... 0.106 mg/kg Br ..... 12.9 mg/kg      K ..... 1840 mg/kg      Sr ..... 9.3 mg/kg Ce ..... 1.28 mg/kg      La ..... 0.66 mg/kg      Th ..... 0.14 mg/kg Co ..... 0.29 mg/kg      Mn ..... 63 mg/kg      Zn ..... 30.4 mg/kg Cs ..... 0.11 mg/kg      Na..... 320 mg/kg Cu ..... 3.6 mg/kg      Sb..... 0.073 mg/kg Information values for Al, Cd, Cl, Cr, Eu, Lu, Nd, P, Pb, Rb, Sc, Tb, V, Yb	20 g
BCR-273	Single cell protein The material consists of about 10 g single cell protein powder in a sealed argon filled ampoule. Certified values Ca ..... 11.97 g/kg      K..... 2.22 g/kg      P ..... 26.8 g/kg Fe..... 0.156 mg/kg      N..... 121.6 g/kg Indicative values for Mg, N (Kjeldahl), Na, S	10 g
BCR-274	Single cell protein - Trace elements Certified values As..... 132 µg/kg      Cu..... 13.1 µg/kg      Se ..... 1.03 mg/kg Cd ..... 30 µg/kg      Mn ..... 51.9 mg/kg      Zn ..... 42.7 µg/g Co ..... 39 µg/kg      Pb..... 44 µg/kg Indicative values for F, I, Ni	10 g
<b>New</b> NIES23	Tea leaves - Elements Certified values Mg..... 0.169 ± 0.012 %      Ca..... 0.249 ± 0.021 %      Cu ..... 9.48 ± 0.76 mg/kg P ..... 0.472 ± 0.032 %      Mn ..... 704 ± 52 mg/kg      Zn..... 31.9 ± 2.2 mg/kg K ..... 2.03 ± 0.11 %      Ni..... 7.89 ± 0.57 mg/kg      Sr ..... 3.93 ± 0.25 mg/kg Indicative values for S, Na, Al, Cs and Ba.	35 g

## Plants

### WEPAL plant reference materials

The Wageningen Evaluating Programmes for Analytical Laboratories (WEPAL) runs international sample exchange programmes for continuous quality control of analytical data as produced by chemical laboratories. There are almost 700 laboratories who take part in one or more of WEPAL's regular ring-tests programmes.

The WEPAL plants reference samples are supplied with certificates including consensus values, indicative values and values for information, based on the results of the proficiency programme. The certificates are available on request.

	Code	Product	Unit
<b>New</b>	WEPAL-IPE-101	Coast cross (grass) / <i>Cynodon dactylon</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-103	Banana (seeds) / <i>Musa paradisiaca</i> (seeds) - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-105	Elephant grass / <i>Pennisetum purpurem schum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-108	Parsley / <i>Petroselinum crispum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-110	Clover (Honey-stalk) / <i>Melilotus officinalis desr.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-111	Chive(s) / <i>Allium schoenoprasum l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-113	Rosa (plant) / <i>Rosa l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-114	Rosa (plant) / <i>Rosa l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-115	Rosa (plant) / <i>Rosa l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-116	Rosa (plant) / <i>Rosa l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-117	Rosa (plant) / <i>Rosa l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-118	Rosa (plant) / <i>Rosa l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-119	Rosa (plant) / <i>Rosa l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-120	Mushroom / <i>Agaricus bisporus</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-126	Maize (plant) / <i>Zea mays</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-131	Potato (bulb) / <i>Solanum tuberosum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-132	Broccoli / <i>Brassica oleracea l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-136	Bokashi / Bokashi - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-137	French bean / <i>Phaseolus vulgaris l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-138	Kivi (leaf + stalk) / <i>Actinidia chinensis pl.</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-140	Dandelion (root) / <i>Radix taraxaci tot.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-141	Thyme / <i>Folia thymus vulgaris cong</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-143	Valerian root / <i>Valeriana officinalis</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-145	Valerian (root) / <i>Radix valerianae tot.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-149	Luzerne / <i>Medicago sativum</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-151	Grass / <i>Poaceae</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-152	Lucerne/ <i>Medicago savitum</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-162	Stinging nettle / <i>Urtica dioica</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-164	Chrysanthemum / <i>Chrysanthemum l.</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-165	Oil palm (leaf) / <i>Elaeis guineensis</i> - Inorganic composition (please ask for detailed information)	20 g
	Code	Product	Unit
<b>New</b>	WEPAL-IPE-167	French bean / <i>Phaseolus vulgaris</i> - Inorganic composition (please ask for detailed information)	20 g

## Plants

	Code	Product	Unit
<b>New</b>	WEPAL-IPE-168	Sunflower / <i>Heliantus annuus</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-174	Tulip (tuber) / <i>Tulipa l.</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-176	Reed / <i>Phragmites communis</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-178	Green pea / <i>Pisum sativum</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-192	String bean ( pods) / <i>Phaseolus vulgaris</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-200	Maize (shoots) / <i>Zea mays</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-548	Barley (grain) / <i>Hordeum vulgare</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-551	Peas (grain) / <i>Pisum sativum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-556	Wheat (grain) / <i>Triticum aestivum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-561	Summer barley (grain) / <i>Hordeum vulgare</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-565	Summer barley (grain) / <i>Hordeum distichon</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-568	Summer wheat (grain) / <i>Triticum aestivum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-599	Sprouts / <i>Brassica oleracea var. gemmifera</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-605	Summer barley / <i>Hordeum vulgare</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-606	Winter rye / <i>Secale cereale l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-638	Maize (plant) / <i>Zea mays L.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-677	Maize (plant) / <i>Zea mays</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-680	Barley (straw) / <i>Hordeum vulgare</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-681	Sugar-beet (pulp) / <i>Beta vulgaris</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-682	Wheat (straw) / <i>Triticum aestivum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-684	Wheat (grain) / <i>Triticum aestivum</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-686	Grass / <i>Poaceae</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-722	Amaryllis (leaf) / <i>Hippeastrum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-723	Maize (plant) / <i>Zea mays</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-732	Cucumber (fruit) / <i>Cucumis sativus</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-753	Cucumber (fruit) / <i>Cucumis sativus</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-761	Pine (needles) / <i>Pinus radiata</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-763	Lily (bulb) / <i>Lilium</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-767	Amaryllis (shoot) / <i>Hippeastrum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-768	Amaryllis (bulb) / <i>Hippeastrum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-775	Endive mixture / <i>Cichorium endiva l.</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-776	Lettuce / <i>Lactuca sativa</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-778	Celery (turnip) / <i>Apium graveolens</i> (coarse, milled over 1 mm sieve) - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-780	Oats (grain) / <i>Avena sativa</i> - Inorganic composition (please ask for detailed information)	10 g

## Plants

	Code	Product	Unit
<b>New</b>	WEPAL-IPE-783	Wheat (grain) / <i>Triticum aestivum</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-790	Scots pine (needles) / <i>Pinus silvestris</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-791	Crocus (tuber) / <i>Crocus vernus</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-792	Lettuce / <i>Lactuca sativa</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-814	Peanut (plant) / <i>Arachis hypogaea</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-815	Sunflower (plant) / <i>Helianthus annuus</i> l, - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-816	Caster-oil (shoot) / <i>Ricinus communis</i> l, - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-817	Cucumber (fruit) / <i>Cucumis sativus</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-820	Endive / <i>Cichorium endiva</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-827	Lily (bulb) / <i>Lilium</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-846	Carrots (shoot) / <i>Daucus carota</i> l, - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-853	Carrots (leaf) / <i>Daucus carota</i> l, - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-858	Forrest Litter - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-873	Gladiolus (leaf) / <i>Gladiolus</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-874	Gladiolus (bulb) / <i>Gladiolus</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-879	Conifers / <i>Coniferae</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-883	Carnation (straw) / <i>Dianthus</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-884	Yam / <i>Dioscorea</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-885	Maize (leaves) / <i>Zea mays</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-896	Artichoke / <i>Cynara scolymus</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-898	Cabbage / <i>Brassica oleracea</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-899	Cabbage (leaf) / <i>Brassica oleracea</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-900	Beet spinach / <i>Beta vulgaris</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-901	Maize (flour) / <i>Zea mays</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-903	Broadbeans / <i>Vicia faba</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-904	Broadbeans (bark) / <i>Vicia faba</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-920	Curly Kail (leaf) / <i>Brassica oleracea Laciniata</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-929	Banana (fruit) / <i>Musa paradisiaca</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-933	Lucerne / <i>Medicago sativum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-936	Iceberg lettuce (mixture) / <i>Lactuca sativa</i> l, - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-937	Crocus (tuber) / <i>Crocus vernus</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-941	Gherkin (mixture) / <i>Sicyos</i> l, - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-944	Wintercarrots (mixture) / <i>Daucus carota</i> l, var, (coarse, milled over 1 mm sieve) - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-945	Apple (leaf Mixture) / <i>Malus</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-946	Wintercarrots (leaf) / <i>Daucus carota</i> l, var, - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-947	Gladiolus (mixture) / <i>Juncaceae</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-950	Melon / <i>Cucumis melo</i> l, - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-951	Aubergine (leaf+fruit) / <i>Solanum melongena</i> l, - Inorganic composition (please ask for detailed information)	10 g

## Plants

	Code	Product	Unit
<b>New</b>	WEPAL-IPE-952	Grass (mixture) / <i>Poaceae</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-954	Seaclub-rush / <i>Scirpus maritimus</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-955	Cord grass / <i>Spartina anglica</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-956	Sea aster / <i>Aster tripolium</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-962	Wheat (straw) / <i>Triticum L.</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-965	Tall fescue / <i>Festuca arundinacea</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-966	Lucerne / <i>Medicago sativum</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-968	Maize (stalk) / <i>Zea mays</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-971	Potato (mixture) / <i>Solanum tuberosum</i> - Inorganic composition (please ask for detailed information)	30 g
<b>New</b>	WEPAL-IPE-975	Lucerne / <i>Medicago sativum</i> - Inorganic composition (please ask for detailed information)	20 g
<b>New</b>	WEPAL-IPE-976	Pansy / <i>Herba violae tric, tot.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-977	Angelica / <i>Radix angelicae totum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-978	Lucerne / <i>Medicago sativum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-979	Dandelion (leaf) / <i>Folia taraxaci</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-981	Grape (stalk) / <i>Vitis labrusca</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-982	Lettuce / <i>Lactuca sativa l, Castelfranco</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-984	Spinach / <i>Spinacia oleracea</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-986	Rubber plant (leaves) / <i>Ficus elastica roxburghii</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-987	Lucerne / <i>Medicago sativum</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-988	Mangrove (leaf) / <i>Ceriops candolleana</i> (coarse, milled over 1 mm sieve) - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-990	Alfalfa farine de Lucerne / <i>Medicago sativa</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-991	Juniper-shoot / <i>Juniperus l.</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-992	Saw-dust - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-996	Red-chicory / <i>Cycorium intibus l.</i> (coarse, milled over 1 mm sieve) - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-997	Red-chicory / <i>Cycorium intibus l.</i> (coarse, milled over 1 mm sieve) - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-998	Potato (tuber) / <i>Solanum tuberosom</i> - Inorganic composition (please ask for detailed information)	10 g
<b>New</b>	WEPAL-IPE-999	Acacia (leaf) / <i>Robina pseudo</i> - Inorganic composition (please ask for detailed information)	10 g



## Ash, particulate and dust

## Ash and particulate

Code	Product	Unit																																							
LGC6180	<p>Pulverised fuel ash - Extractable and total metals</p> <p>Collected from a disposal site near Camarthan Bay in South Wales, UK. Pulverised fuel ash is a waste product of coal-fired power stations. The extractable metal content refers to metals soluble in Aqua Regia using methods based on ISO 11466 (1995).</p> <p><u>Extractable metal content</u></p> <p>Assessed values</p> <table> <tr> <td>Al.....</td> <td>25700 mg/kg</td> <td>Cr.....</td> <td>43.8 mg/kg</td> <td>Na .....</td> <td>1230 mg/kg</td> </tr> <tr> <td>As.....</td> <td>91.7 mg/kg</td> <td>Cu.....</td> <td>67.9 mg/kg</td> <td>Ni .....</td> <td>48.4 mg/kg</td> </tr> <tr> <td>Ba .....</td> <td>676 mg/kg</td> <td>K.....</td> <td>6170 mg/kg</td> <td>Pb .....</td> <td>48.6 mg/kg</td> </tr> <tr> <td>Ca .....</td> <td>6415 mg/kg</td> <td>Mg .....</td> <td>3660 mg/kg</td> <td>V .....</td> <td>105 mg/kg</td> </tr> <tr> <td>Co .....</td> <td>18.5 mg/kg</td> <td>Mn .....</td> <td>259 mg/kg</td> <td>Zn.....</td> <td>115 mg/kg</td> </tr> </table> <p>Indicative values for B, Be, Fe, Hg, Li, Sb, Se, Ti</p> <p><u>Total metal content</u></p> <p>Indicative values for Al, As, Ba, Be, Ca, Co, Cr, Cu, Fe, K, Li, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Ti, V, Zn</p>	Al.....	25700 mg/kg	Cr.....	43.8 mg/kg	Na .....	1230 mg/kg	As.....	91.7 mg/kg	Cu.....	67.9 mg/kg	Ni .....	48.4 mg/kg	Ba .....	676 mg/kg	K.....	6170 mg/kg	Pb .....	48.6 mg/kg	Ca .....	6415 mg/kg	Mg .....	3660 mg/kg	V .....	105 mg/kg	Co .....	18.5 mg/kg	Mn .....	259 mg/kg	Zn.....	115 mg/kg	50 g									
Al.....	25700 mg/kg	Cr.....	43.8 mg/kg	Na .....	1230 mg/kg																																				
As.....	91.7 mg/kg	Cu.....	67.9 mg/kg	Ni .....	48.4 mg/kg																																				
Ba .....	676 mg/kg	K.....	6170 mg/kg	Pb .....	48.6 mg/kg																																				
Ca .....	6415 mg/kg	Mg .....	3660 mg/kg	V .....	105 mg/kg																																				
Co .....	18.5 mg/kg	Mn .....	259 mg/kg	Zn.....	115 mg/kg																																				
BCR-038	<p>Fly ash from pulverised coal - Trace elements</p> <p>Certified values</p> <table> <tr> <td>As.....</td> <td>48.0 mg/kg</td> <td>Cu.....</td> <td>176 mg/kg</td> <td>Na .....</td> <td>3740 mg/kg</td> </tr> <tr> <td>Cd .....</td> <td>4.6 mg/kg</td> <td>F .....</td> <td>538 mg/kg</td> <td>Pb .....</td> <td>262 mg/kg</td> </tr> <tr> <td>Cl .....</td> <td>323 mg/kg</td> <td>Fe.....</td> <td>33800 mg/kg</td> <td>Zn.....</td> <td>581 mg/kg</td> </tr> <tr> <td>Co .....</td> <td>53.8 mg/kg</td> <td>Hg.....</td> <td>2.10 mg/kg</td> <td></td> <td></td> </tr> <tr> <td>Cr .....</td> <td>192 mg/kg</td> <td>Mn .....</td> <td>479 mg/kg</td> <td></td> <td></td> </tr> </table> <p>Indicative values for Ni, Th, V</p>	As.....	48.0 mg/kg	Cu.....	176 mg/kg	Na .....	3740 mg/kg	Cd .....	4.6 mg/kg	F .....	538 mg/kg	Pb .....	262 mg/kg	Cl .....	323 mg/kg	Fe.....	33800 mg/kg	Zn.....	581 mg/kg	Co .....	53.8 mg/kg	Hg.....	2.10 mg/kg			Cr .....	192 mg/kg	Mn .....	479 mg/kg			5 g									
As.....	48.0 mg/kg	Cu.....	176 mg/kg	Na .....	3740 mg/kg																																				
Cd .....	4.6 mg/kg	F .....	538 mg/kg	Pb .....	262 mg/kg																																				
Cl .....	323 mg/kg	Fe.....	33800 mg/kg	Zn.....	581 mg/kg																																				
Co .....	53.8 mg/kg	Hg.....	2.10 mg/kg																																						
Cr .....	192 mg/kg	Mn .....	479 mg/kg																																						
BCR-176R	<p>Fly ash - Trace elements</p> <p>The CRM was prepared from a fly ash collected in the electrostatic filters of a city waste incineration plant.</p> <table> <thead> <tr> <th>Compound</th> <th>Certified value (mg/kg)</th> <th>Uncertainty (mg/kg)</th> </tr> </thead> <tbody> <tr><td>As.....</td><td>54.....</td><td>5</td></tr> <tr><td>Cd .....</td><td>226.....</td><td>19</td></tr> <tr><td>Co .....</td><td>26.7.....</td><td>1.6</td></tr> <tr><td>Cr .....</td><td>810.....</td><td>70</td></tr> <tr><td>Cu .....</td><td>1050.....</td><td>70</td></tr> <tr><td>Fe.....</td><td>13100.....</td><td>500</td></tr> <tr><td>Ni .....</td><td>117.....</td><td>6</td></tr> <tr><td>Pb .....</td><td>5000.....</td><td>500</td></tr> <tr><td>Sb .....</td><td>850.....</td><td>50</td></tr> <tr><td>Se .....</td><td>18.3.....</td><td>1.9</td></tr> <tr><td>Tl .....</td><td>1.32.....</td><td>0.21</td></tr> <tr><td>Zn.....</td><td>16800.....</td><td>400</td></tr> </tbody> </table>	Compound	Certified value (mg/kg)	Uncertainty (mg/kg)	As.....	54.....	5	Cd .....	226.....	19	Co .....	26.7.....	1.6	Cr .....	810.....	70	Cu .....	1050.....	70	Fe.....	13100.....	500	Ni .....	117.....	6	Pb .....	5000.....	500	Sb .....	850.....	50	Se .....	18.3.....	1.9	Tl .....	1.32.....	0.21	Zn.....	16800.....	400	40 g
Compound	Certified value (mg/kg)	Uncertainty (mg/kg)																																							
As.....	54.....	5																																							
Cd .....	226.....	19																																							
Co .....	26.7.....	1.6																																							
Cr .....	810.....	70																																							
Cu .....	1050.....	70																																							
Fe.....	13100.....	500																																							
Ni .....	117.....	6																																							
Pb .....	5000.....	500																																							
Sb .....	850.....	50																																							
Se .....	18.3.....	1.9																																							
Tl .....	1.32.....	0.21																																							
Zn.....	16800.....	400																																							
BCR-490	<p>Fly ash - Dioxins and furans</p> <table> <thead> <tr> <th>Compound</th> <th>Certified value µg/kg</th> <th>Uncertainty µg/kg</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TCDD.....</td><td>0.169.....</td><td>0.012</td></tr> <tr><td>1,2,3,7,8-PeCDD .....</td><td>0.67.....</td><td>0.04</td></tr> <tr><td>1,2,3,4,7,8-HxCDD .....</td><td>0.95.....</td><td>0.11</td></tr> <tr><td>1,2,3,6,7,8-HxCDD .....</td><td>4.8.....</td><td>0.4</td></tr> <tr><td>1,2,3,7,8,9-HxCDD .....</td><td>2.84.....</td><td>0.17</td></tr> <tr><td>2,3,7,8-TCDF .....</td><td>0.90.....</td><td>0.05</td></tr> <tr><td>1,2,3,7,8-PeCDF .....</td><td>1.71.....</td><td>0.12</td></tr> <tr><td>2,3,4,7,8-PeCDF .....</td><td>1.8.....</td><td>0.11</td></tr> <tr><td>1,2,3,4,7,8-HxCDF .....</td><td>2.37.....</td><td>0.12</td></tr> <tr><td>1,2,3,6,7,8-HxCDF .....</td><td>2.64.....</td><td>0.14</td></tr> <tr><td>1,2,3,7,8,9-HxCDF .....</td><td>0.34.....</td><td>0.05</td></tr> <tr><td>2,3,4,6,7,8-HxCDF .....</td><td>2.47.....</td><td>0.17</td></tr> </tbody> </table>	Compound	Certified value µg/kg	Uncertainty µg/kg	2,3,7,8-TCDD.....	0.169.....	0.012	1,2,3,7,8-PeCDD .....	0.67.....	0.04	1,2,3,4,7,8-HxCDD .....	0.95.....	0.11	1,2,3,6,7,8-HxCDD .....	4.8.....	0.4	1,2,3,7,8,9-HxCDD .....	2.84.....	0.17	2,3,7,8-TCDF .....	0.90.....	0.05	1,2,3,7,8-PeCDF .....	1.71.....	0.12	2,3,4,7,8-PeCDF .....	1.8.....	0.11	1,2,3,4,7,8-HxCDF .....	2.37.....	0.12	1,2,3,6,7,8-HxCDF .....	2.64.....	0.14	1,2,3,7,8,9-HxCDF .....	0.34.....	0.05	2,3,4,6,7,8-HxCDF .....	2.47.....	0.17	30 g
Compound	Certified value µg/kg	Uncertainty µg/kg																																							
2,3,7,8-TCDD.....	0.169.....	0.012																																							
1,2,3,7,8-PeCDD .....	0.67.....	0.04																																							
1,2,3,4,7,8-HxCDD .....	0.95.....	0.11																																							
1,2,3,6,7,8-HxCDD .....	4.8.....	0.4																																							
1,2,3,7,8,9-HxCDD .....	2.84.....	0.17																																							
2,3,7,8-TCDF .....	0.90.....	0.05																																							
1,2,3,7,8-PeCDF .....	1.71.....	0.12																																							
2,3,4,7,8-PeCDF .....	1.8.....	0.11																																							
1,2,3,4,7,8-HxCDF .....	2.37.....	0.12																																							
1,2,3,6,7,8-HxCDF .....	2.64.....	0.14																																							
1,2,3,7,8,9-HxCDF .....	0.34.....	0.05																																							
2,3,4,6,7,8-HxCDF .....	2.47.....	0.17																																							
BCR-615	<p>Fly ash - Dioxins and furans</p> <p>Certified values</p> <table> <tr> <td>2,3,7,8-T<sub>4</sub>CDD (D48) .....</td> <td>27 pg/g</td> <td>2,3,4,7,8-P<sub>5</sub>CDF (F114) .....</td> <td>125 pg/g</td> </tr> <tr> <td>1,2,3,7,8-P<sub>5</sub>CDD (D54) .....</td> <td>92 pg/g</td> <td>1,2,3,4,7,8-H<sub>6</sub>CDF (F118) .....</td> <td>203 pg/g</td> </tr> <tr> <td>1,2,3,4,7,8-H<sub>6</sub>CDD (D66).....</td> <td>74 pg/g</td> <td>1,2,3,6,7,8-H<sub>6</sub>CDF (F121) .....</td> <td>204 pg/g</td> </tr> <tr> <td>1,2,3,6,7,8-H<sub>6</sub>CDD (D67).....</td> <td>103 pg/g</td> <td>1,2,3,7,8,9-H<sub>6</sub>CDF (F124) .....</td> <td>13.3 pg/g</td> </tr> <tr> <td>1,2,3,7,8,9-H<sub>6</sub>CDD (D70).....</td> <td>108 pg/g</td> <td>2,3,4,6,7,8-H<sub>6</sub>CDF (F130).....</td> <td>130 pg/g</td> </tr> <tr> <td>1,2,3,4,6,7,8-H<sub>7</sub>CDD (D73).....</td> <td>0.87 x 10<sup>3</sup> pg/g</td> <td>1,2,3,4,6,7,8-H<sub>7</sub>CDF (F131).....</td> <td>0.75 x 10<sup>3</sup> pg/g</td> </tr> <tr> <td>O<sub>8</sub>CDD (D75).....</td> <td>1.75 x 10<sup>3</sup> pg/g</td> <td>1,2,3,4,7,8,9-H<sub>7</sub>CDF (F134).....</td> <td>61 pg/g</td> </tr> <tr> <td>2,3,7,8-T<sub>4</sub>CDF (F83).....</td> <td>86 pg/g</td> <td>O<sub>8</sub>CDF (F135).....</td> <td>0.29 x 10<sup>3</sup> pg/g</td> </tr> <tr> <td>1,2,3,7,8-P<sub>5</sub>CDF (F94).....</td> <td>176 pg/g</td> <td></td> <td></td> </tr> </table>	2,3,7,8-T <sub>4</sub> CDD (D48) .....	27 pg/g	2,3,4,7,8-P <sub>5</sub> CDF (F114) .....	125 pg/g	1,2,3,7,8-P <sub>5</sub> CDD (D54) .....	92 pg/g	1,2,3,4,7,8-H <sub>6</sub> CDF (F118) .....	203 pg/g	1,2,3,4,7,8-H <sub>6</sub> CDD (D66).....	74 pg/g	1,2,3,6,7,8-H <sub>6</sub> CDF (F121) .....	204 pg/g	1,2,3,6,7,8-H <sub>6</sub> CDD (D67).....	103 pg/g	1,2,3,7,8,9-H <sub>6</sub> CDF (F124) .....	13.3 pg/g	1,2,3,7,8,9-H <sub>6</sub> CDD (D70).....	108 pg/g	2,3,4,6,7,8-H <sub>6</sub> CDF (F130).....	130 pg/g	1,2,3,4,6,7,8-H <sub>7</sub> CDD (D73).....	0.87 x 10 <sup>3</sup> pg/g	1,2,3,4,6,7,8-H <sub>7</sub> CDF (F131).....	0.75 x 10 <sup>3</sup> pg/g	O <sub>8</sub> CDD (D75).....	1.75 x 10 <sup>3</sup> pg/g	1,2,3,4,7,8,9-H <sub>7</sub> CDF (F134).....	61 pg/g	2,3,7,8-T <sub>4</sub> CDF (F83).....	86 pg/g	O <sub>8</sub> CDF (F135).....	0.29 x 10 <sup>3</sup> pg/g	1,2,3,7,8-P <sub>5</sub> CDF (F94).....	176 pg/g			50 g			
2,3,7,8-T <sub>4</sub> CDD (D48) .....	27 pg/g	2,3,4,7,8-P <sub>5</sub> CDF (F114) .....	125 pg/g																																						
1,2,3,7,8-P <sub>5</sub> CDD (D54) .....	92 pg/g	1,2,3,4,7,8-H <sub>6</sub> CDF (F118) .....	203 pg/g																																						
1,2,3,4,7,8-H <sub>6</sub> CDD (D66).....	74 pg/g	1,2,3,6,7,8-H <sub>6</sub> CDF (F121) .....	204 pg/g																																						
1,2,3,6,7,8-H <sub>6</sub> CDD (D67).....	103 pg/g	1,2,3,7,8,9-H <sub>6</sub> CDF (F124) .....	13.3 pg/g																																						
1,2,3,7,8,9-H <sub>6</sub> CDD (D70).....	108 pg/g	2,3,4,6,7,8-H <sub>6</sub> CDF (F130).....	130 pg/g																																						
1,2,3,4,6,7,8-H <sub>7</sub> CDD (D73).....	0.87 x 10 <sup>3</sup> pg/g	1,2,3,4,6,7,8-H <sub>7</sub> CDF (F131).....	0.75 x 10 <sup>3</sup> pg/g																																						
O <sub>8</sub> CDD (D75).....	1.75 x 10 <sup>3</sup> pg/g	1,2,3,4,7,8,9-H <sub>7</sub> CDF (F134).....	61 pg/g																																						
2,3,7,8-T <sub>4</sub> CDF (F83).....	86 pg/g	O <sub>8</sub> CDF (F135).....	0.29 x 10 <sup>3</sup> pg/g																																						
1,2,3,7,8-P <sub>5</sub> CDF (F94).....	176 pg/g																																								

Code	Product	Unit
<b>New</b> NIES24	Fly ash - PCDDs and PCDFs	15 g
	Certified values (dry weight basis)	
	PCDD isomers	
	2,3,7,8-TeCDD ..... 4.2 ± 0.6 ng/g	1,2,3,7,8,9-HxCDD ..... 49 ± 8 ng/g
	1,2,3,7,8-PeCDD ..... 28 ± 4 ng/g	1,2,3,4,6,7,8-HpCDD ..... 250 ± 60 ng/g
	1,2,3,4,7,8-HxCDD ..... 39 ± 7 ng/g	OCDD ..... 280 ± 70 ng/g
	1,2,3,6,7,8-HxCDD ..... 38 ± 7 ng/g	
	PCDF isomers	
	2,3,7,8-TeCDF ..... 7.1 ± 1.7 ng/g	1,2,3,7,8,9-HxCDF ..... 2.9 ± 1.2 ng/g
	1,2,3,7,8-PeCDF ..... 23 ± 8 ng/g	2,3,4,6,7,8-HxCDF ..... 38 ± 9 ng/g
	2,3,4,7,8-PeCDF ..... 23 ± 5 ng/g	1,2,3,4,6,7,8-HpCDF ..... 160 ± 50 ng/g
	1,2,3,4,7,8-HxCDF ..... 43 ± 8 ng/g	1,2,3,4,7,8,9-HpCDF ..... 18 ± 7 ng/g
	1,2,3,6,7,8-HxCDF ..... 45 ± 8 ng/g	OCDF ..... 63 ± 21 ng/g
	PCDD congeners	
	TeCDDs ..... 55 ± 8 ng/g	HpCDDs ..... 420 ± 80 ng/g
	PeCDDs ..... 170 ± 20 ng/g	OCDD ..... 280 ± 70 ng/g
	HxCDDs ..... 390 ± 60 ng/g	Total PCDDs ..... 1300 ± 200 ng/g
	PCDF congener	
	TeCDFs ..... 220 ± 30 ng/g	HpCDFs ..... 260 ± 80 ng/g
	PeCDFs ..... 330 ± 50 ng/g	OCDF ..... 63 ± 21 ng/g
	HxCDFs ..... 400 ± 50 ng/g	Total PCDFs ..... 1300 ± 200 ng/g
	Total (PCDDs + PCDFs) ..... 2600 ± 400 ng/g	
	TEQ values are also listed in the certificate	
	Indicative values for PCBs	

Code	Product	Unit
<b>New</b> CIL-EDF-5369	Fly ash	10 g
	Analyte (all values in ng/kg)	Assigned Value <sup>1</sup> Standard Deviation    Reference Value <sup>2</sup> (n) <sup>3</sup>
	<b>Polychlorinated dioxins and furans</b>	
	1,3,6,8-TetraCDD ..... 18.9 ..... 3.90 ..... 18.9 ± 7.8 ..... 20	
	2,3,7,8-TetraCDD ..... 11.4 ..... 2.98 ..... 11.4 ± 5.96 ..... 37	
	Total TetraCDD ..... 147 ..... 25.9 ..... 147 ± 51.8 ..... 30	
	1,2,3,7,8-PentaCDD ..... 38.4 ..... 9.72 ..... 38.4 ± 19.4 ..... 37	
	Total PentaCDD ..... 327 ..... 58.1 ..... 327 ± 116 ..... 30	
	1,2,3,4,7,8-HexaCDD ..... 31.3 ..... 10.9 ..... 31.3 ± 21.8 ..... 37	
	1,2,3,6,7,8-HexaCDD ..... 70.4 ..... 22.2 ..... 70.4 ± 44.4 ..... 37	
	1,2,3,7,8,9-HexaCDD ..... 56.3 ..... 19.2 ..... 56.3 ± 38.4 ..... 37	
	Total HexaCDD ..... 780 ..... 132 ..... 780 ± 264 ..... 30	
	1,2,3,4,6,7,8-HeptaCDD ..... 899 ..... 301 ..... 899 ± 602 ..... 37	
	Total HeptaCDD ..... 1810 ..... 440 ..... 1810 ± 880 ..... 30	
	OctaCDD ..... 3660 ..... 1150 ..... 3660 ± 2300 ..... 38	
	1,3,6,8-TetraCDF ..... 29.2 ..... 8.27 ..... 29.2 ± 16.5 ..... 9	
	2,3,7,8-TetraCDF ..... 21.8 ..... 5.87 ..... 21.8 ± 11.7 ..... 37	
	Total TetraCDF ..... 621 ..... 104 ..... 621 ± 208 ..... 30	
	1,2,3,7,8-PentaCDF ..... 59.6 ..... 14.4 ..... 59.6 ± 28.8 ..... 37	
	2,3,4,7,8-PentaCDF ..... 46.9 ..... 12.0 ..... 46.9 ± 24.0 ..... 37	
	Total-PentaCDF ..... 780 ..... 131 ..... 780 ± 262 ..... 30	
	1,2,3,4,7,8-HexaCDF ..... 89.7 ..... 28.8 ..... 89.7 ± 57.6 ..... 37	
	1,2,3,6,7,8-HexaCDF ..... 100 ..... 30.4 ..... 100 ± 60.8 ..... 37	
	1,2,3,7,8,9-HexaCDF ..... 13.3 ..... 2.54 ..... 13.3 ± 5.08 ..... 35	
	2,3,4,6,7,8-HexaCDF ..... 125 ..... 34.7 ..... 125 ± 69.4 ..... 37	
	Total-HexaCDF ..... 1000 ..... 154 ..... 1000 ± 308 ..... 30	
	1,2,3,4,6,7,8-HeptaCDF ..... 530 ..... 159 ..... 530 ± 318 ..... 37	
	1,2,3,4,7,8,9-HeptaCDF ..... 117 ..... 37.5 ..... 117 ± 75.0 ..... 37	
	Total-HeptaCDF ..... 1080 ..... 228 ..... 1080 ± 456 ..... 30	
	OctaCDF ..... 864 ..... 243 ..... 864 ± 486 ..... 37	
	<b>Polychlorinated biphenyls<sup>4</sup></b>	
	3,3',4,4'-TetraCB (#77) ..... 8.26 ..... 1.85 ..... 8.26 ± 3.70 ..... 23	
	3,4,4',5-TetraCB (#81) ..... 5.26 ..... 0.93 ..... 5.26 ± 1.86 ..... 23	
	2,3,3',4,4'-PentaCB (#105) ..... 7.61 ..... 3.29 ..... 7.61 ± 6.58 ..... 24	
	2,3,4,4',5-PentaCB (#114) ..... 2.75 ..... 0.65 ..... 2.75 ± 1.30 ..... 24	
	2,3',4,4',5-PentaCB (#118) ..... 8.26 ..... 4.48 ..... 8.26 ± 8.96 ..... 25	
	2',3,4,4',5-PentaCB (#123) ..... 1.72 ..... 0.45 ..... 1.72 ± 0.90 ..... 23	
	3,3',4,4',5-PentaCB (#126) ..... 13.9 ..... 2.52 ..... 13.9 ± 5.04 ..... 24	
	2,3,3',4,4',5-HexaCB (#156) ..... 9.43 ..... 1.65 ..... 9.43 ± 3.30 ..... 24	
	2,3,3',4,4',5'-HexaCB (#157) ..... 6.24 ..... 0.84 ..... 6.24 ± 1.68 ..... 24	
	2,3',4,4',5,5'-HexaCB (#167) ..... 4.26 ..... 0.69 ..... 4.26 ± 1.38 ..... 24	
	3,3',4,4',5,5'-HexaCB (#169) ..... 9.93 ..... 1.45 ..... 9.93 ± 2.90 ..... 24	
	2,2',3,3',4,4',5-HeptaCB (#170) ..... 20.2 ..... 7.90 ..... 20.2 ± 15.8 ..... 6	
	2,2',3,4,4',5,5'-HeptaCB (#180) ..... 11.4 ..... 5.07 ..... 11.4 ± 10.1 ..... 6	
	2,3,3',4,4',5,5'-HeptaCB (#189) ..... 14.3 ..... 2.22 ..... 14.3 ± 4.44 ..... 24	

<sup>1</sup> Assigned value as determined by Manna Associates in the UK using Cofino analysis of raw interlaboratory study data.

<sup>2</sup> Reference value is the Assigned Value plus or minus two standard deviations. Negative numbers resulting from two standard deviations being greater than the assigned value have no significance.

<sup>3</sup> Number of laboratories providing results for this analyte.

<sup>4</sup> All numbers in parentheses refer to the IUPAC designation for the compound.



## Ash, particulate and dust

Code	Product	Unit
NIST-2689	Coal fly ash - Constituent elements Set of 3 x 10 g Certified values Al.....12.94 %      K.....2.20 %      P.....0.10 % Ca.....2.18 %      Mg.....0.61 %      Si.....24.06 % Fe(total).....9.32 %      Na.....0.25 %      Ti.....0.75 % Indicative values for As, Ba, Be, Cd, Co, Cr, Cs, Eu, Hf, Hg, Mn, Ni, Pb, Sb, Sc, Se, Sr, Th, Zn	set (3)
NIST-2690	Coal fly ash - Constituent elements Set of 3 x 10 g Certified values Al.....12.35 %      Mg.....1.53 %      Si.....25.85 % Ca.....5.71 %      Na.....0.24 %      Ti.....0.52 % Fe(total).....3.57 %      P.....0.52 % K.....1.04 %      S.....0.15 % Indicative values for As, Ba, Be, Cd, Co, Cr, Cs, Eu, Hf, Hg, Mn, Ni, Pb, Sb, Sc, Se, Sr, Th, Zn	set (3)
NIST-2691	Coal fly ash - Constituent elements Set of 3 x 10 g Certified values Al.....9.81 %      Mg.....3.12 %      Si.....16.83 % Ca.....18.45 %      Na.....1.09 %      Ti.....0.90 % Fe(total).....4.42 %      P.....0.51 % K.....0.34 %      S.....0.83 % Indicative values for As, Ba, Be, Cd, Co, Cr, Cs, Eu, Hf, Hg, Mn, Ni, Pb, Sb, Sc, Se, Sr, Th, Zn	set (3)
IC-CTA-FFA-1	Fine fly ash - Constituent elements Collected from the 3 <sup>rd</sup> zone electrofilters at Kozenice power station in Poland Certified values for elements Al.....14.87 wt. %      Hf.....6.09 mg/kg      Si.....22.48 wt. % As.....53.6 mg/kg      La.....60.7 mg/kg      Sm.....10.9 mg/kg Ba.....835 mg/kg      Li.....128 mg/kg      Sc.....24.2 mg/kg Ce.....120 mg/kg      Lu.....0.658 mg/kg      Sr.....250 mg/kg Cr.....156 mg/kg      Mn.....1066 mg/kg      Ta.....2.11 mg/kg Cu.....158 mg/kg      Na.....2.19 mg/kg      Tb.....1.38 mg/kg Dy.....9.09 mg/kg      Nd.....56.8 mg/kg      Th.....29.4 mg/kg Er.....4.52 mg/kg      Ni.....99.0 mg/kg      Tm.....0.705 mg/kg Eu.....2.39 mg/kg      P.....725 mg/kg      W.....10.5 mg/kg F.....198 mg/kg      Pb.....369 mg/kg      Y.....45.0 mg/kg Fe.....4.89 wt. %      Rb.....185 mg/kg      Yb.....4.24 mg/kg Gd.....10.0 mg/kg      Sb.....17.6 mg/kg      Zn.....569 mg/kg Informational values for Be, Ca, Cd, Ga, In, K, Mg, Mo, Se	50 g
NCS FC82012	Coal ash - Constituents Certified values SiO <sub>2</sub> .....46.77 %      MgO.....1.73 %      Na <sub>2</sub> O.....1.36 % Al <sub>2</sub> O <sub>3</sub> .....14.96 %      SO <sub>3</sub> .....3.94 %      P <sub>2</sub> O <sub>5</sub> .....0.50 % Fe <sub>2</sub> O <sub>3</sub> .....5.51 %      TiO <sub>2</sub> .....0.63 % CaO.....21.37 %      K <sub>2</sub> O.....1.41 %	30 g
NCS FC82014	Coal ash - Constituents Certified values SiO <sub>2</sub> .....59.98 %      MgO.....1.08 %      Na <sub>2</sub> O.....0.22 % Al <sub>2</sub> O <sub>3</sub> .....31.70 %      SO <sub>3</sub> .....0.28 %      P <sub>2</sub> O <sub>5</sub> .....0.28 % Fe <sub>2</sub> O <sub>3</sub> .....7.80 %      TiO <sub>2</sub> .....1.17 % CaO.....1.44 %      K <sub>2</sub> O.....1.36 %	30 g
NCS FC82015	Coal ash - Constituents Certified values SiO <sub>2</sub> .....62.93 %      MgO.....0.90 %      Na <sub>2</sub> O.....1.18 % Al <sub>2</sub> O <sub>3</sub> .....17.88 %      SO <sub>3</sub> .....1.20 %      P <sub>2</sub> O <sub>5</sub> .....0.85 % Fe <sub>2</sub> O <sub>3</sub> .....6.04 %      TiO <sub>2</sub> .....0.79 % CaO.....6.11 %      K <sub>2</sub> O.....0.87 %	30 g
<b>New</b> NIM-GBW11131	Coal ash - Constituents Certified values SiO <sub>2</sub> .....50.08 %      MgO.....0.76 %      Na <sub>2</sub> O.....0.41 % Al <sub>2</sub> O <sub>3</sub> .....33.78 %      SO <sub>3</sub> .....1.25 %      P <sub>2</sub> O <sub>5</sub> .....0.18 % Fe <sub>2</sub> O <sub>3</sub> .....4.36 %      TiO <sub>2</sub> .....1.77 % CaO.....5.50 %      K <sub>2</sub> O.....0.87 %	30 g
NCS FC82017	Coal ash - Constituents Certified values SiO <sub>2</sub> .....31.24 %      MgO.....1.17 %      Na <sub>2</sub> O.....0.46 % Al <sub>2</sub> O <sub>3</sub> .....10.00 %      SO <sub>3</sub> .....2.76 %      P <sub>2</sub> O <sub>5</sub> .....0.04 % Fe <sub>2</sub> O <sub>3</sub> .....8.16 %      TiO <sub>2</sub> .....0.56 % CaO.....42.40 %      K <sub>2</sub> O.....1.28 %	30 g

Code	Product	Unit																																																																								
<b>New</b> NIM-GBW08401	Coal fly ash - Metals Certified values As..... 11.4 µg/g      Cr ..... 60 µg/g      Pb ..... 33.8 µg/g Be ..... 10.7 µg/g      Cu ..... 53 µg/g      Se ..... 1.13 µg/g Cd ..... 0.16 µg/g      Fe ..... 7.65 %      V ..... 95 µg/g Co ..... 33.2 µg/g      Mn ..... 1178 µg/g      Zn ..... 61 µg/g Indicative values for Ba, Hg	30 g																																																																								
RTC-CRM001-100	Fly ash - Trace elements Sample from a power plant in the Western United States. The certified values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050 and 6010. This sample is suitable for use by these and other similar methods. Certified values Ba ..... 428 mg/kg      Cu ..... 40.7 mg/kg Cr ..... 29.1 mg/kg      Ni ..... 19.8 mg/kg	100 g																																																																								
RTC-CRM012-100	Industrial incineration ash - Metals Ash material from an industrial incineration facility located in the Western United States. The certified values were determined by USEPA SW846 (3 <sup>rd</sup> edition) Methods 3050 and 6010. The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Lot AR12 Ag ..... 54,8 mg/kg      Cr ..... 162000 mg/kg      Mn ..... 202 mg/kg Al ..... 2160 mg/kg      Cu ..... 3020 mg/kg      Na ..... 29200 mg/kg Ba ..... 18,7 mg/kg      Fe ..... 28700 mg/kg      Ni ..... 13300 mg/kg Cd ..... 362 mg/kg      K ..... 73300 mg/kg      Pb ..... 120 mg/kg Ca ..... 2110 mg/kg      Mg ..... 1510 mg/kg      Zn ..... 635 mg/kg Indicative values for Co, V	100 g																																																																								
NIST-1975	Diesel particulate extract - PAHs Certified Concentrations for Selected PAHs <table border="0"> <thead> <tr> <th></th> <th>Mass Fraction mg/kg</th> <th></th> <th>Mass Fraction mg/kg</th> </tr> </thead> <tbody> <tr> <td>Phenanthrene .....</td> <td>8.00 ± 0.20</td> <td>Triphenylene .....</td> <td>2.38 ± 0.10</td> </tr> <tr> <td>Fluoranthene.....</td> <td>13.5 ± 0.6</td> <td>Benzo(b)fluoranthene .....</td> <td>3.20 ± 0.10</td> </tr> <tr> <td>Benzo(a)anthracene .....</td> <td>0.092 ± 0.015</td> <td>Benzo(k)fluoranthene.....</td> <td>0.174 ± 0.050</td> </tr> <tr> <td>Chrysene .....</td> <td>1.95 ± 0.07</td> <td>Benzo(e)pyrene.....</td> <td>0.268 ± 0.023</td> </tr> </tbody> </table> Reference Concentrations for PAHs, Nitro-substituted PAHs, Extract Residue Mass, Mutagenicity (revertants/ µg of organic extract).		Mass Fraction mg/kg		Mass Fraction mg/kg	Phenanthrene .....	8.00 ± 0.20	Triphenylene .....	2.38 ± 0.10	Fluoranthene.....	13.5 ± 0.6	Benzo(b)fluoranthene .....	3.20 ± 0.10	Benzo(a)anthracene .....	0.092 ± 0.015	Benzo(k)fluoranthene.....	0.174 ± 0.050	Chrysene .....	1.95 ± 0.07	Benzo(e)pyrene.....	0.268 ± 0.023	4 x 1.2 mL																																																				
	Mass Fraction mg/kg		Mass Fraction mg/kg																																																																							
Phenanthrene .....	8.00 ± 0.20	Triphenylene .....	2.38 ± 0.10																																																																							
Fluoranthene.....	13.5 ± 0.6	Benzo(b)fluoranthene .....	3.20 ± 0.10																																																																							
Benzo(a)anthracene .....	0.092 ± 0.015	Benzo(k)fluoranthene.....	0.174 ± 0.050																																																																							
Chrysene .....	1.95 ± 0.07	Benzo(e)pyrene.....	0.268 ± 0.023																																																																							
NIST-2975	Diesel particulate matter - PAHs Certified Concentrations for Selected PAHs <table border="0"> <thead> <tr> <th></th> <th>Mass Fraction mg/kg</th> <th></th> <th>Mass Fraction mg/kg</th> </tr> </thead> <tbody> <tr> <td>Phenanthrene .....</td> <td>17.0 ± 2.8</td> <td>Benzo(j)fluoranthene.....</td> <td>0.82 ± 0.11</td> </tr> <tr> <td>Fluoranthene.....</td> <td>26.6 ± 5.1</td> <td>Benzo(k)fluoranthene.....</td> <td>0.678 ± 0.076</td> </tr> <tr> <td>Pyrene .....</td> <td>0.90 ± 0.24</td> <td>Benzo(e)pyrene.....</td> <td>1.11 ± 0.10</td> </tr> <tr> <td>Benzo(a)anthracene .....</td> <td>0.317 ± 0.066</td> <td>Benzo(a)pyrene.....</td> <td>0.0522 ± 0.043</td> </tr> <tr> <td>Chrysene .....</td> <td>4.56 ± 0.16</td> <td>Benzo(ghi)perylene.....</td> <td>0.498 ± 0.044</td> </tr> <tr> <td>Triphenylene .....</td> <td>5.22 ± 0.20</td> <td></td> <td></td> </tr> </tbody> </table> Reference Concentrations for PAHs, Total Extractable Mass and Particle-Size Characteristics.		Mass Fraction mg/kg		Mass Fraction mg/kg	Phenanthrene .....	17.0 ± 2.8	Benzo(j)fluoranthene.....	0.82 ± 0.11	Fluoranthene.....	26.6 ± 5.1	Benzo(k)fluoranthene.....	0.678 ± 0.076	Pyrene .....	0.90 ± 0.24	Benzo(e)pyrene.....	1.11 ± 0.10	Benzo(a)anthracene .....	0.317 ± 0.066	Benzo(a)pyrene.....	0.0522 ± 0.043	Chrysene .....	4.56 ± 0.16	Benzo(ghi)perylene.....	0.498 ± 0.044	Triphenylene .....	5.22 ± 0.20			1 g																																												
	Mass Fraction mg/kg		Mass Fraction mg/kg																																																																							
Phenanthrene .....	17.0 ± 2.8	Benzo(j)fluoranthene.....	0.82 ± 0.11																																																																							
Fluoranthene.....	26.6 ± 5.1	Benzo(k)fluoranthene.....	0.678 ± 0.076																																																																							
Pyrene .....	0.90 ± 0.24	Benzo(e)pyrene.....	1.11 ± 0.10																																																																							
Benzo(a)anthracene .....	0.317 ± 0.066	Benzo(a)pyrene.....	0.0522 ± 0.043																																																																							
Chrysene .....	4.56 ± 0.16	Benzo(ghi)perylene.....	0.498 ± 0.044																																																																							
Triphenylene .....	5.22 ± 0.20																																																																									
NIST-1650b	Diesel particulate matter - PAHs and nitro-PAHs Certified concentrations for selected PAHs in NIST-1650b <table border="0"> <tbody> <tr> <td>Naphthalene .....</td> <td>5.07 ± 0.43 mg/kg</td> <td>Triphenylene .....</td> <td>9.17 ± 0.94 mg/kg</td> </tr> <tr> <td>1-Methylnaphthalene .....</td> <td>1.51 ± 0.12 mg/kg</td> <td>Benzo(a)fluoranthene .....</td> <td>0.370 ± 0.029 mg/kg</td> </tr> <tr> <td>2-Methylnaphthalene .....</td> <td>3.05 ± 0.56 mg/kg</td> <td>Benzo(b)fluoranthene .....</td> <td>6.77 ± 0.84 mg/kg</td> </tr> <tr> <td>Phenanthrene .....</td> <td>69.5 ± 1.9 mg/kg</td> <td>Benzo(j)fluoranthene.....</td> <td>3.24 ± 0.42 mg/kg</td> </tr> <tr> <td>Anthracene .....</td> <td>7.67 ± 0.47 mg/kg</td> <td>Benzo(k)fluoranthene.....</td> <td>2.37 ± 0.21 mg/kg</td> </tr> <tr> <td>1-Methylphenanthrene.....</td> <td>28.3 ± 1.5 mg/kg</td> <td>Benzo(a)pyrene.....</td> <td>1.17 ± 0.09 mg/kg</td> </tr> <tr> <td>2-Methylphenanthrene.....</td> <td>70.7 ± 2.7 mg/kg</td> <td>Benzo(e)pyrene.....</td> <td>6.30 ± 0.50 mg/kg</td> </tr> <tr> <td>3-Methylphenanthrene.....</td> <td>55.1 ± 1.9 mg/kg</td> <td>Perylene.....</td> <td>0.165 ± 0.032 mg/kg</td> </tr> <tr> <td>9-Methylphenanthrene.....</td> <td>35.1 ± 1.9 mg/kg</td> <td>Benzo(ghi)perylene.....</td> <td>5.91 ± 0.18 mg/kg</td> </tr> <tr> <td>Fluoranthene.....</td> <td>47.3 ± 0.8 mg/kg</td> <td>Indeno(1,2,3-cd)pyrene.....</td> <td>4.44 ± 0.28 mg/kg</td> </tr> <tr> <td>Pyrene .....</td> <td>43.4 ± 1.6 mg/kg</td> <td>Dibenz(a,c)anthracene.....</td> <td>0.438 ± 0.043 mg/kg</td> </tr> <tr> <td>Benzo(ghi)fluoranthene.....</td> <td>10.8 ± 1.0 mg/kg</td> <td>Dibenz(a,h)anthracene.....</td> <td>0.365 ± 0.071 mg/kg</td> </tr> <tr> <td>Benzo(c)phenanthrene.....</td> <td>2.51 ± 0.29 mg/kg</td> <td>Dibenz(a,j)anthracene.....</td> <td>0.387 ± 0.051 mg/kg</td> </tr> <tr> <td>Benzo(a)anthracene.....</td> <td>6.18 ± 0.30 mg/kg</td> <td>Benzo(b)chrysene.....</td> <td>0.290 ± 0.020 mg/kg</td> </tr> <tr> <td>Chrysene .....</td> <td>13.3 ± 1.1 mg/kg</td> <td>Picene.....</td> <td>0.499 ± 0.061 mg/kg</td> </tr> </tbody> </table> Certified concentrations for selected nitro-PAHs in NIST-1650b <table border="0"> <tbody> <tr> <td>9-Nitroanthracene.....</td> <td>5890 ± 310 µg/kg</td> <td>6-Nitrochrysene.....</td> <td>45.5 ± 1.9 µg/kg</td> </tr> <tr> <td>1-Nitropyrene.....</td> <td>18200 ± 200 µg/kg</td> <td>6-Nitrobenzo(a)pyrene.....</td> <td>1390 ± 100 µg/kg</td> </tr> <tr> <td>7-Nitrobenzo(a)anthracene.....</td> <td>967 ± 42 µg/kg</td> <td>1,6-Dinitropyrene.....</td> <td>84.0 ± 3.0 µg/kg</td> </tr> </tbody> </table> Reference values for selected PAHs, Nitro-PAHs. Indicative values for for particle-size characteristics and specific surface area	Naphthalene .....	5.07 ± 0.43 mg/kg	Triphenylene .....	9.17 ± 0.94 mg/kg	1-Methylnaphthalene .....	1.51 ± 0.12 mg/kg	Benzo(a)fluoranthene .....	0.370 ± 0.029 mg/kg	2-Methylnaphthalene .....	3.05 ± 0.56 mg/kg	Benzo(b)fluoranthene .....	6.77 ± 0.84 mg/kg	Phenanthrene .....	69.5 ± 1.9 mg/kg	Benzo(j)fluoranthene.....	3.24 ± 0.42 mg/kg	Anthracene .....	7.67 ± 0.47 mg/kg	Benzo(k)fluoranthene.....	2.37 ± 0.21 mg/kg	1-Methylphenanthrene.....	28.3 ± 1.5 mg/kg	Benzo(a)pyrene.....	1.17 ± 0.09 mg/kg	2-Methylphenanthrene.....	70.7 ± 2.7 mg/kg	Benzo(e)pyrene.....	6.30 ± 0.50 mg/kg	3-Methylphenanthrene.....	55.1 ± 1.9 mg/kg	Perylene.....	0.165 ± 0.032 mg/kg	9-Methylphenanthrene.....	35.1 ± 1.9 mg/kg	Benzo(ghi)perylene.....	5.91 ± 0.18 mg/kg	Fluoranthene.....	47.3 ± 0.8 mg/kg	Indeno(1,2,3-cd)pyrene.....	4.44 ± 0.28 mg/kg	Pyrene .....	43.4 ± 1.6 mg/kg	Dibenz(a,c)anthracene.....	0.438 ± 0.043 mg/kg	Benzo(ghi)fluoranthene.....	10.8 ± 1.0 mg/kg	Dibenz(a,h)anthracene.....	0.365 ± 0.071 mg/kg	Benzo(c)phenanthrene.....	2.51 ± 0.29 mg/kg	Dibenz(a,j)anthracene.....	0.387 ± 0.051 mg/kg	Benzo(a)anthracene.....	6.18 ± 0.30 mg/kg	Benzo(b)chrysene.....	0.290 ± 0.020 mg/kg	Chrysene .....	13.3 ± 1.1 mg/kg	Picene.....	0.499 ± 0.061 mg/kg	9-Nitroanthracene.....	5890 ± 310 µg/kg	6-Nitrochrysene.....	45.5 ± 1.9 µg/kg	1-Nitropyrene.....	18200 ± 200 µg/kg	6-Nitrobenzo(a)pyrene.....	1390 ± 100 µg/kg	7-Nitrobenzo(a)anthracene.....	967 ± 42 µg/kg	1,6-Dinitropyrene.....	84.0 ± 3.0 µg/kg	200 mg
Naphthalene .....	5.07 ± 0.43 mg/kg	Triphenylene .....	9.17 ± 0.94 mg/kg																																																																							
1-Methylnaphthalene .....	1.51 ± 0.12 mg/kg	Benzo(a)fluoranthene .....	0.370 ± 0.029 mg/kg																																																																							
2-Methylnaphthalene .....	3.05 ± 0.56 mg/kg	Benzo(b)fluoranthene .....	6.77 ± 0.84 mg/kg																																																																							
Phenanthrene .....	69.5 ± 1.9 mg/kg	Benzo(j)fluoranthene.....	3.24 ± 0.42 mg/kg																																																																							
Anthracene .....	7.67 ± 0.47 mg/kg	Benzo(k)fluoranthene.....	2.37 ± 0.21 mg/kg																																																																							
1-Methylphenanthrene.....	28.3 ± 1.5 mg/kg	Benzo(a)pyrene.....	1.17 ± 0.09 mg/kg																																																																							
2-Methylphenanthrene.....	70.7 ± 2.7 mg/kg	Benzo(e)pyrene.....	6.30 ± 0.50 mg/kg																																																																							
3-Methylphenanthrene.....	55.1 ± 1.9 mg/kg	Perylene.....	0.165 ± 0.032 mg/kg																																																																							
9-Methylphenanthrene.....	35.1 ± 1.9 mg/kg	Benzo(ghi)perylene.....	5.91 ± 0.18 mg/kg																																																																							
Fluoranthene.....	47.3 ± 0.8 mg/kg	Indeno(1,2,3-cd)pyrene.....	4.44 ± 0.28 mg/kg																																																																							
Pyrene .....	43.4 ± 1.6 mg/kg	Dibenz(a,c)anthracene.....	0.438 ± 0.043 mg/kg																																																																							
Benzo(ghi)fluoranthene.....	10.8 ± 1.0 mg/kg	Dibenz(a,h)anthracene.....	0.365 ± 0.071 mg/kg																																																																							
Benzo(c)phenanthrene.....	2.51 ± 0.29 mg/kg	Dibenz(a,j)anthracene.....	0.387 ± 0.051 mg/kg																																																																							
Benzo(a)anthracene.....	6.18 ± 0.30 mg/kg	Benzo(b)chrysene.....	0.290 ± 0.020 mg/kg																																																																							
Chrysene .....	13.3 ± 1.1 mg/kg	Picene.....	0.499 ± 0.061 mg/kg																																																																							
9-Nitroanthracene.....	5890 ± 310 µg/kg	6-Nitrochrysene.....	45.5 ± 1.9 µg/kg																																																																							
1-Nitropyrene.....	18200 ± 200 µg/kg	6-Nitrobenzo(a)pyrene.....	1390 ± 100 µg/kg																																																																							
7-Nitrobenzo(a)anthracene.....	967 ± 42 µg/kg	1,6-Dinitropyrene.....	84.0 ± 3.0 µg/kg																																																																							

## Ash, particulate and dust

Code	Product	Unit
NIES08	Vehicle exhaust particulates - Major and minor constituents and trace elements The NIES CRM " Vehicle Exhaust Particulates" was prepared from particulate matter collected from electrostatic precipitators in huge ventilators connected to a highway tunnel. Certified values Al.....0,33 ± 0,02 %      As .....2,6 ± 0,2 µg/g      Pb ..... 219 ± 9 µg/g Ca .....0,53 ± 0,02 %      Cd .....1,1 ± 0,1 µg/g      Sb ..... 6,0 ± 0,4 µg/g K ..... 0,115 ± 0,008 %      Co .....3,3 ± 0,3 µg/g      Sr ..... 89 ± 3 µg/g Mg .....0,101 ± 0,005 %      Cr .....25,5 ± 1,5 µg/g      V ..... 17 ± 2 µg/g Na .....0,192 ± 0,008 %      Cu .....67 ± 3 µg/g Zn .....0,104 ± 0,005 %      Ni .....18,5 ± 1,5 µg/g	7 g
<b>New</b> NIES28	Urban aerosols - Elements Certified values Na .....0.796 ± 0.065 %      Fe ..... 2.92 ± 0.17 %      As ..... 90.2 ± 10.7 mg/kg Mg ..... 1.40 ± 0.06 %      Zn ..... 0.114 ± 0.010 %      Sr ..... 469 ± 16 mg/kg Al .....5.04 ± 0.10 %      V ..... 73.2 ± 7.0 mg/kg      Cd ..... 5.60 ± 0.43 mg/kg K ..... 1.37 ± 0.06 %      Mn .....686 ± 42 mg/kg      Ba ..... 874 ± 65 mg/kg Ca .....6.69 ± 0.24 %      Ni .....63.8 ± 3.4 mg/kg      Pb ..... 403 ± 32 mg/kg Ti .....0.292 ± 0.033 %      Cu .....104 ± 12 mg/kg      U ..... 4.33 ± 0.26 mg/kg Indicative value for further elements.	15 g
<b>Dust and Fumes</b>		
BCR-605	Urban dust - Trimethyllead Certified value Trimethyllead ..... 7.9 µg/kg	15 g
BCR-723	Road dust - Palladium, platinum and rhodium Certified values Pd ..... 6.1 µg/kg      Pt .....81.3 µg/kg      Rh ..... 12.8 µg/kg	25 g
NIST-1648A	Urban particulate matter - Constituent elements Certified values Al.....3.42 %      Cr.....402 mg/kg      Pb .....0.655 % As..... 115 mg/kg      Cu .....610 mg/kg      Rb ..... 51.0 mg/kg Br ..... 502 mg/kg      Fe ..... 3.92 %      S ..... 5.51 % Ca ..... 5.84 %      K ..... 1.056 %      Sb ..... 45.4 mg/kg Cd ..... 75 mg/kg      Mg ..... 0.813 %      Sr ..... 215 mg/kg Ce ..... 54.6 mg/kg      Mn .....790 mg/kg      Ti ..... 4021 mg/kg Cl ..... 4543 mg/kg      Na .....4240 mg/kg      V ..... 127 mg/kg Co ..... 17.93 mg/kg      Ni .....81.1 mg/kg      Zn ..... 4800 mg/kg Indicative values for Ag, B, Cs, La, Se, Si, Sm and W	2 g

Code	Product	Unit																																																																																																									
<b>New</b> NIST-1649B	Urban dust - Organic contaminants This Standard Reference Material® (SRM®) is an atmospheric particulate material collected in an urban area and is intended for use in evaluating analytical methods for the determination of selected polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, and chlorinated pesticides in atmospheric particulate material and similar matrices. Reference values are also provided for nitro-substituted polycyclic aromatic hydrocarbons (nitro-PAHs), decabromodiphenyl ether, toxaphene congeners, and polychlorinated dibenzo-p-dioxin and dibenzofuran congeners. Information concentration values are provided for selected hydrocarbons, hopanes, steranes, ketones, and particle-size characteristics. All of the constituents for which certified, reference, and information values are provided in NIST-1649B are naturally present in the particulate material.  Certified concentrations for selected PAHs  <table border="0"> <thead> <tr> <th colspan="2">Mass fraction ( mg/kg)</th> <th colspan="2">Mass fraction ( mg/kg)</th> </tr> </thead> <tbody> <tr> <td>Phenanthrene .....</td> <td>3.941 ± 0.047</td> <td>Benzo[e]pyrene .....</td> <td>2.970 ± 0.043</td> </tr> <tr> <td>4H-Cyclopenta[def]phenanthrene .....</td> <td>0.252 ± 0.018</td> <td>Benzo[a]pyrene .....</td> <td>2.47 ± 0.17</td> </tr> <tr> <td>Fluoranthene .....</td> <td>6.14 ± 0.12</td> <td>Perylene .....</td> <td>0.606 ± 0.013</td> </tr> <tr> <td>Pyrene .....</td> <td>4.784 ± 0.029</td> <td>Benzo[ghi]perylene .....</td> <td>3.937 ± 0.052</td> </tr> <tr> <td>Benzo[ghi]fluoranthene .....</td> <td>0.885 ± 0.015</td> <td>Indeno[1,2,3-cd]pyrene .....</td> <td>2.96 ± 0.17</td> </tr> <tr> <td>Benzo[c]phenanthrene .....</td> <td>0.449 ± 0.014</td> <td>Anthanthrene .....</td> <td>0.509 ± 0.014</td> </tr> <tr> <td>Benzo[a]anthracene .....</td> <td>2.092 ± 0.048</td> <td>Dibenz[a,c]anthracene .....</td> <td>0.212 ± 0.017</td> </tr> <tr> <td>Chrysene .....</td> <td>3.008 ± 0.044</td> <td>Dibenz[a,h]anthracene .....</td> <td>0.290 ± 0.004</td> </tr> <tr> <td>Triphenylene .....</td> <td>1.244 ± 0.052</td> <td>Picene .....</td> <td>0.390 ± 0.028</td> </tr> <tr> <td>Benzo[b]fluoranthene .....</td> <td>5.99 ± 0.20</td> <td>Dibenzo[b,k]fluoranthene .....</td> <td>0.655 ± 0.035</td> </tr> <tr> <td>Benzo[j]fluoranthene .....</td> <td>1.731 ± 0.083</td> <td>Dibenzo[a,e]pyrene .....</td> <td>0.538 ± 0.024</td> </tr> <tr> <td>Benzo[k]fluoranthene .....</td> <td>1.748 ± 0.083</td> <td></td> <td></td> </tr> </tbody> </table> Certified concentrations for selected PCB congeners  <table border="0"> <thead> <tr> <th colspan="2">Mass fraction (µg/kg)</th> </tr> </thead> <tbody> <tr> <td>PCB 49 .....</td> <td>2,2',4,5'-Tetrachlorobiphenyl .....</td> <td>8.92 ± 1.0</td> </tr> <tr> <td>PCB 52 .....</td> <td>2,2',5,5'-Tetrachlorobiphenyl .....</td> <td>23.7 ± 3.6</td> </tr> <tr> <td>PCB 101 .....</td> <td>2,2',4,5,5'-Pentachlorobiphenyl .....</td> <td>55.1 ± 5.1</td> </tr> <tr> <td>PCB 105 .....</td> <td>2,3,3',4,4'-Pentachlorobiphenyl .....</td> <td>9.7 ± 1.0</td> </tr> <tr> <td>PCB 110 .....</td> <td>2,3,3',4',6-Pentachlorobiphenyl .....</td> <td>32.9 ± 3.0</td> </tr> <tr> <td>PCB 149 .....</td> <td>2,2',3,4',5',6-Hexachlorobiphenyl .....</td> <td>77.5 ± 2.1</td> </tr> <tr> <td>PCB 151 .....</td> <td>2,2',3,5,5',6-Hexachlorobiphenyl .....</td> <td>32.6 ± 2.1</td> </tr> <tr> <td>PCB 153 .....</td> <td>2,2',4,4',5,5'-Hexachlorobiphenyl .....</td> <td>74.8 ± 1.0</td> </tr> <tr> <td>PCB 163 .....</td> <td>2,3,3',4',5,6-Hexachlorobiphenyl .....</td> <td>21.69 ± 0.33</td> </tr> <tr> <td>PCB 183 .....</td> <td>2,2',3,4,4',5',6-Heptachlorobiphenyl .....</td> <td>16.80 ± 0.85</td> </tr> <tr> <td>PCB 187 .....</td> <td>2,2',3,4',5,5',6-Heptachlorobiphenyl .....</td> <td>38.5 ± 2.9</td> </tr> <tr> <td>PCB 194 .....</td> <td>2,2',3,3',4,4',5,5'-Octachlorobiphenyl .....</td> <td>27.8 ± 1.6</td> </tr> <tr> <td>PCB 206 .....</td> <td>2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl .....</td> <td>16.6 ± 1.2</td> </tr> </tbody> </table> Certified concentrations for selected chlorinated pesticides  <table border="0"> <thead> <tr> <th>Chlorinated pesticides</th> <th>Mass fraction in µg/kg</th> <th>Chlorinated pesticides</th> <th>Mass fraction in µg/kg</th> </tr> </thead> <tbody> <tr> <td>trans-Chlordane (γ-Chlordane) .....</td> <td>50.7 ± 5.1</td> <td>4,4'-DDE .....</td> <td>49.5 ± 1.3</td> </tr> <tr> <td>trans-Nonachlor .....</td> <td>33.0 ± 3.5</td> <td>4,4'-DDD .....</td> <td>36.8 ± 1.9</td> </tr> </tbody> </table> Reference values for PAHs, nitro-substituted PAHs, PCBs, pesticides incl. toxaphene, decabromodiphenyl ether, dibenzo-p-dioxin and dibenzofuran congeners.	Mass fraction ( mg/kg)		Mass fraction ( mg/kg)		Phenanthrene .....	3.941 ± 0.047	Benzo[e]pyrene .....	2.970 ± 0.043	4H-Cyclopenta[def]phenanthrene .....	0.252 ± 0.018	Benzo[a]pyrene .....	2.47 ± 0.17	Fluoranthene .....	6.14 ± 0.12	Perylene .....	0.606 ± 0.013	Pyrene .....	4.784 ± 0.029	Benzo[ghi]perylene .....	3.937 ± 0.052	Benzo[ghi]fluoranthene .....	0.885 ± 0.015	Indeno[1,2,3-cd]pyrene .....	2.96 ± 0.17	Benzo[c]phenanthrene .....	0.449 ± 0.014	Anthanthrene .....	0.509 ± 0.014	Benzo[a]anthracene .....	2.092 ± 0.048	Dibenz[a,c]anthracene .....	0.212 ± 0.017	Chrysene .....	3.008 ± 0.044	Dibenz[a,h]anthracene .....	0.290 ± 0.004	Triphenylene .....	1.244 ± 0.052	Picene .....	0.390 ± 0.028	Benzo[b]fluoranthene .....	5.99 ± 0.20	Dibenzo[b,k]fluoranthene .....	0.655 ± 0.035	Benzo[j]fluoranthene .....	1.731 ± 0.083	Dibenzo[a,e]pyrene .....	0.538 ± 0.024	Benzo[k]fluoranthene .....	1.748 ± 0.083			Mass fraction (µg/kg)		PCB 49 .....	2,2',4,5'-Tetrachlorobiphenyl .....	8.92 ± 1.0	PCB 52 .....	2,2',5,5'-Tetrachlorobiphenyl .....	23.7 ± 3.6	PCB 101 .....	2,2',4,5,5'-Pentachlorobiphenyl .....	55.1 ± 5.1	PCB 105 .....	2,3,3',4,4'-Pentachlorobiphenyl .....	9.7 ± 1.0	PCB 110 .....	2,3,3',4',6-Pentachlorobiphenyl .....	32.9 ± 3.0	PCB 149 .....	2,2',3,4',5',6-Hexachlorobiphenyl .....	77.5 ± 2.1	PCB 151 .....	2,2',3,5,5',6-Hexachlorobiphenyl .....	32.6 ± 2.1	PCB 153 .....	2,2',4,4',5,5'-Hexachlorobiphenyl .....	74.8 ± 1.0	PCB 163 .....	2,3,3',4',5,6-Hexachlorobiphenyl .....	21.69 ± 0.33	PCB 183 .....	2,2',3,4,4',5',6-Heptachlorobiphenyl .....	16.80 ± 0.85	PCB 187 .....	2,2',3,4',5,5',6-Heptachlorobiphenyl .....	38.5 ± 2.9	PCB 194 .....	2,2',3,3',4,4',5,5'-Octachlorobiphenyl .....	27.8 ± 1.6	PCB 206 .....	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl .....	16.6 ± 1.2	Chlorinated pesticides	Mass fraction in µg/kg	Chlorinated pesticides	Mass fraction in µg/kg	trans-Chlordane (γ-Chlordane) .....	50.7 ± 5.1	4,4'-DDE .....	49.5 ± 1.3	trans-Nonachlor .....	33.0 ± 3.5	4,4'-DDD .....	36.8 ± 1.9	2.5 g
Mass fraction ( mg/kg)		Mass fraction ( mg/kg)																																																																																																									
Phenanthrene .....	3.941 ± 0.047	Benzo[e]pyrene .....	2.970 ± 0.043																																																																																																								
4H-Cyclopenta[def]phenanthrene .....	0.252 ± 0.018	Benzo[a]pyrene .....	2.47 ± 0.17																																																																																																								
Fluoranthene .....	6.14 ± 0.12	Perylene .....	0.606 ± 0.013																																																																																																								
Pyrene .....	4.784 ± 0.029	Benzo[ghi]perylene .....	3.937 ± 0.052																																																																																																								
Benzo[ghi]fluoranthene .....	0.885 ± 0.015	Indeno[1,2,3-cd]pyrene .....	2.96 ± 0.17																																																																																																								
Benzo[c]phenanthrene .....	0.449 ± 0.014	Anthanthrene .....	0.509 ± 0.014																																																																																																								
Benzo[a]anthracene .....	2.092 ± 0.048	Dibenz[a,c]anthracene .....	0.212 ± 0.017																																																																																																								
Chrysene .....	3.008 ± 0.044	Dibenz[a,h]anthracene .....	0.290 ± 0.004																																																																																																								
Triphenylene .....	1.244 ± 0.052	Picene .....	0.390 ± 0.028																																																																																																								
Benzo[b]fluoranthene .....	5.99 ± 0.20	Dibenzo[b,k]fluoranthene .....	0.655 ± 0.035																																																																																																								
Benzo[j]fluoranthene .....	1.731 ± 0.083	Dibenzo[a,e]pyrene .....	0.538 ± 0.024																																																																																																								
Benzo[k]fluoranthene .....	1.748 ± 0.083																																																																																																										
Mass fraction (µg/kg)																																																																																																											
PCB 49 .....	2,2',4,5'-Tetrachlorobiphenyl .....	8.92 ± 1.0																																																																																																									
PCB 52 .....	2,2',5,5'-Tetrachlorobiphenyl .....	23.7 ± 3.6																																																																																																									
PCB 101 .....	2,2',4,5,5'-Pentachlorobiphenyl .....	55.1 ± 5.1																																																																																																									
PCB 105 .....	2,3,3',4,4'-Pentachlorobiphenyl .....	9.7 ± 1.0																																																																																																									
PCB 110 .....	2,3,3',4',6-Pentachlorobiphenyl .....	32.9 ± 3.0																																																																																																									
PCB 149 .....	2,2',3,4',5',6-Hexachlorobiphenyl .....	77.5 ± 2.1																																																																																																									
PCB 151 .....	2,2',3,5,5',6-Hexachlorobiphenyl .....	32.6 ± 2.1																																																																																																									
PCB 153 .....	2,2',4,4',5,5'-Hexachlorobiphenyl .....	74.8 ± 1.0																																																																																																									
PCB 163 .....	2,3,3',4',5,6-Hexachlorobiphenyl .....	21.69 ± 0.33																																																																																																									
PCB 183 .....	2,2',3,4,4',5',6-Heptachlorobiphenyl .....	16.80 ± 0.85																																																																																																									
PCB 187 .....	2,2',3,4',5,5',6-Heptachlorobiphenyl .....	38.5 ± 2.9																																																																																																									
PCB 194 .....	2,2',3,3',4,4',5,5'-Octachlorobiphenyl .....	27.8 ± 1.6																																																																																																									
PCB 206 .....	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl .....	16.6 ± 1.2																																																																																																									
Chlorinated pesticides	Mass fraction in µg/kg	Chlorinated pesticides	Mass fraction in µg/kg																																																																																																								
trans-Chlordane (γ-Chlordane) .....	50.7 ± 5.1	4,4'-DDE .....	49.5 ± 1.3																																																																																																								
trans-Nonachlor .....	33.0 ± 3.5	4,4'-DDD .....	36.8 ± 1.9																																																																																																								
BCR-553-4	Formaldehyde-2,4-dinitrophenyl-hydrazone on filter Set of 2 x BCR 553 & 1 x BCR 554 (blank) <u>BCR-553 (spiked filter)</u> Certified value (per filter) Formaldehyde-2,4-dinitrophenylhydrazone.....4.96 µg <u>BCR-554 (blank filter)</u> Certified value (per filter) Formaldehyde-2,4-dinitrophenylhydrazone..... < 0.1µg	set																																																																																																									

## Ash, particulate and dust

Code	Product	Unit												
	<p>BCR-555</p> <p>Council directive 80/1107/EEC and national legislation prescribes that the exposure of each individual worker to certain potentially harmful vapours has to be monitored periodically. This requires "personal monitoring" where a tube, containing a suitable sorbing agent, is attached to the worker's clothes. After a set sampling period any harmful vapours absorbed onto the material in the tube are desorbed, either by heating or solvent extraction, and determined using gas chromatography.</p>													
BCR-555	<p>Tenax charged tube - Chlorinated hydrocarbons</p> <p>Stainless steel tube of 9.0 cm length and 0.25 inches outer diameter containing a single section of 250 mg TENAX GR, charged with 4 chlorinated hydrocarbons and toluene at the levels shown above.</p> <p>Certified values</p> <table> <tr> <td>Dichloromethane.....</td> <td>320 ng</td> <td>Trichloroethylene.....</td> <td>390 ng</td> <td>Toluene.....</td> <td>57 ng</td> </tr> <tr> <td>1,1,1-Trichloroethane.....</td> <td>370 ng</td> <td>Perchloroethylene .....</td> <td>327 ng</td> <td></td> <td></td> </tr> </table>	Dichloromethane.....	320 ng	Trichloroethylene.....	390 ng	Toluene.....	57 ng	1,1,1-Trichloroethane.....	370 ng	Perchloroethylene .....	327 ng			tube
Dichloromethane.....	320 ng	Trichloroethylene.....	390 ng	Toluene.....	57 ng									
1,1,1-Trichloroethane.....	370 ng	Perchloroethylene .....	327 ng											
RTC-CRM014-050	<p>Baghouse dust - Trace metals</p> <p>Certified values</p> <p>Lot V014</p> <table> <tr> <td>Cd .....</td> <td>510 mg/kg</td> <td>Cr.....</td> <td>2230 mg/kg</td> <td>Pb .....</td> <td>1910 mg/kg</td> </tr> </table>	Cd .....	510 mg/kg	Cr.....	2230 mg/kg	Pb .....	1910 mg/kg	50 g						
Cd .....	510 mg/kg	Cr.....	2230 mg/kg	Pb .....	1910 mg/kg									
NIST-1878a	<p>Respirable alpha quartz</p> <p>One form of respirable silica</p> <p>Certified value</p> <p>Crystalline <math>\alpha</math>-quartz.....</p> <p>93.7 % <math>\pm</math> 0.21 %</p>	5 g												
NIST-1879a	<p>Respirable cristabolite</p> <p>One form of respirable silica</p> <p>Certified value</p> <p>Crystalline cristabolite .....</p> <p>95.6 %</p>	5 g												

Code	Product	Unit
NIST-2585	This Standard Reference Material® (SRM®) is a house dust intended for use in evaluating analytical methods for the determination of selected polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, chlorinated pesticides, and polybrominated diphenyl ether (PBDE) congeners in house dust and similar matrices.	10 g

## Certified Concentrations for Selected PAHs

Mass Fraction (dry-mass basis)		Mass Fraction (dry-mass basis)	
Naphthalene	266 ± 8 µg/kg	Benzo[j]fluoranthene	1320 ± 110 µg/kg
Dibenzothiophene	109 ± 8 µg/kg	Benzo[k]fluoranthene	1330 ± 70 µg/kg
Phenanthrene	1920 ± 20 µg/kg	Benzo[a]fluoranthene	74.5 ± 8.1 µg/kg
Anthracene	96.0 ± 5.2 µg/kg	Benzo[e]pyrene	2160 ± 80 µg/kg
4H-cyclopenta[def]phenanthrene	117 ± 10 µg/kg	Benzo[a]pyrene	1140 ± 10 µg/kg
3-Methylphenanthrene	293 ± 36 µg/kg	Perylene	387 ± 23 µg/kg
2-Methylphenanthrene	352 ± 40 µg/kg	Benzo[ghi]perylene	2280 ± 40 µg/kg
9-Methylphenanthrene	205 ± 16 µg/kg	Indeno[1,2,3-cd]pyrene	2080 ± 100 µg/kg
1-Methylphenanthrene	197 ± 29 µg/kg	Dibenz[a,i]anthracene	267 ± 9 µg/kg
Fluoranthene	4380 ± 100 µg/kg	Dibenz[a,c]anthracene	183 ± 25 µg/kg
Pyrene	3290 ± 30 µg/kg	Dibenz[a,h]anthracene	301 ± 50 µg/kg
Benzo[ghi]fluoranthene	317 ± 11 µg/kg	Benzo[b]chrysene	182 ± 6 µg/kg
Benzo[c]phenanthrene	288 ± 10 µg/kg	Picene	413 ± 15 µg/kg
Benz[a]anthracene	1160 ± 54 µg/kg	Coronene	603 ± 38 µg/kg
Chrysene	2260 ± 60 µg/kg	Dibenzo[b,k]fluoranthene	596 ± 22 µg/kg
Triphenylene	589 ± 17 µg/kg	Dibenzo[a,e]pyrene	477 ± 67 µg/kg
Benzo[b]fluoranthene	2700 ± 90 µg/kg		

## Certified Concentrations for Selected PCB Congeners

Mass Fraction (dry-mass basis)	
PCB 18 (2,2',5-Trichlorobiphenyl)	12.8 ± 1.0 µg/kg
PCB 28 (2,4,4'-Trichlorobiphenyl)	13.4 ± 0.5 µg/kg
PCB 31 (2,4',5-Trichlorobiphenyl)	14.0 ± 0.5 µg/kg
PCB 44 (2,2',3,5'-Tetrachlorobiphenyl)	18.1 ± 1.9 µg/kg
PCB 52 (2,2',5,5'-Tetrachlorobiphenyl)	21.8 ± 1.9 µg/kg
PCB 56 (2,3,3',4-Tetrachlorobiphenyl)	4.42 ± 0.28 µg/kg
PCB 70 (2,3',4',5-Tetrachlorobiphenyl)	13.1 ± 1.2 µg/kg
PCB 74 (2,4,4',5-Tetrachlorobiphenyl)	5.22 ± 0.51 µg/kg
PCB 87 (2,2',3,4,5'-Pentachlorobiphenyl)	16.6 ± 0.8 µg/kg
PCB 92 (2,2',3,5,5'-Pentachlorobiphenyl)	5.48 ± 0.72 µg/kg
PCB 95 (2,2',3,5',6-Pentachlorobiphenyl)	22.7 ± 2.6 µg/kg
PCB 99 (2,2',4,4',5-Pentachlorobiphenyl)	11.6 ± 0.4 µg/kg
PCB 101 (2,2',4,5,5'-Pentachlorobiphenyl)	29.8 ± 2.3 µg/kg
PCB 105 (2,3,3',4,4'-Pentachlorobiphenyl)	13.2 ± 1.4 µg/kg
PCB 107 (2,3,3',4,5'-Pentachlorobiphenyl)	4.14 ± 0.47 µg/kg
PCB 110 (2,3,3',4',6-Pentachlorobiphenyl)	28.1 ± 3.7 µg/kg
PCB 118 (2,3',4,4',5-Pentachlorobiphenyl)	26.3 ± 1.7 µg/kg
PCB 138 (2,2',3,4,4',5'-Hexachlorobiphenyl)	27.6 ± 2.1 µg/kg
PCB 146 (2,2',3,4',5,5'-Hexachlorobiphenyl)	4.89 ± 0.38 µg/kg
PCB 149 (2,2',3,4',5',6-Hexachlorobiphenyl)	24.4 ± 1.9 µg/kg
PCB 151 (2,2',3,5,5',6-Hexachlorobiphenyl)	6.92 ± 0.64 µg/kg
PCB 153 (2,2',4,4',5,5'-Hexachlorobiphenyl)	40.2 ± 1.8 µg/kg
132 (2,2',3,3',4,6'-Hexachlorobiphenyl)	
PCB 158 (2,3,3',4,4',6-Hexachlorobiphenyl)	4.50 ± 0.43 µg/kg
PCB 163 (2,3,3',4',5,6-Hexachlorobiphenyl)	7.2 ± 1.2 µg/kg
PCB 170 (2,2',3,3',4,4',5-Heptachlorobiphenyl)	8.8 ± 1.0 µg/kg
PCB 174 (2,2',3,3',4,5,6'-Heptachlorobiphenyl)	8.83 ± 0.47 µg/kg
PCB 180 (2,2',3,4,4',5,5'-Heptachlorobiphenyl)	18.4 ± 3.2 µg/kg
PCB 183 (2,2',3,4,4',5',6-Heptachlorobiphenyl)	5.27 ± 0.39 µg/kg
PCB 187 (2,2',3,4',5,5',6-Heptachlorobiphenyl)	11.3 ± 1.4 µg/kg
PCB 206 (2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl)	3.81 ± 0.13 µg/kg

## Certified Concentrations for Selected Chlorinated Pesticides

Mass Fraction (dry-mass basis)	Mass Fraction (dry-mass basis)	Mass Fraction (dry-mass basis)	
4,4'-DDE	261 ± 2 µg/kg	2,4'-DDT	44.5 ± 3.9 µg/kg
4,4'-DDD	27.3 ± 0.8 µg/kg	4,4'-DDT	111 ± 23 µg/kg

## Certified Concentrations for Selected PBDE Congeners

Mass Fraction (dry-mass basis)	
PBDE 17 (2,2',4-Tribromodiphenyl ether)	11.5 ± 1.2 µg/kg
PBDE 28 (2,4,4'-Tribromodiphenyl ether)	46.9 ± 4.4 µg/kg
33 (2',3,4-Tribromodiphenyl ether)	
PBDE 47 (2,2',4,4'-Tetrabromodiphenyl ether)	497 ± 46 µg/kg
PBDE 49 (2,2',4,5'-Tetrabromodiphenyl ether)	53.5 ± 4.2 µg/kg
PBDE 85 (2,2',3,4,4'-Pentabromodiphenyl ether)	43.8 ± 1.6 µg/kg
PBDE 99 (2,2',4,4',5-Pentabromodiphenyl ether)	892 ± 53 µg/kg
PBDE 100 (2,2',4,4',6-Pentabromodiphenyl ether)	145 ± 11 µg/kg
PBDE 138 (2,2',3,4,4',5'-Hexabromodiphenylether)	15.2 ± 2.0 µg/kg
PBDE 153 (2,2',4,4',5,5'-Hexabromodiphenyl ether)	119 ± 1 µg/kg
PBDE 154 (2,2',4,4',5,6'-Hexabromodiphenyl ether)	83.5 ± 2.0 µg/kg
PBDE 155 (2,2',4,4',6,6'-Hexabromodiphenyl ether)	3.94 ± 0.34 µg/kg
PBDE 183 (2,2',3,4,4',5',6-Heptabromodiphenyl ether)	43.0 ± 3.5 µg/kg
PBDE 203 (2,2',3,4,4',5,6',6-Octabromodiphenyl ether)	36.7 ± 6.4 µg/kg
PBDE 206 (2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether)	271 ± 42 µg/kg
PBDE 209 (Decabromodiphenyl ether)	2510 ± 190 µg/kg

Reference values for PAHs, PCBs, Pesticides, PBDEs

## Occupational hygiene reference materials

Code	Product	Unit
NIST-2583	Indoor dust - Trace elements Certified values As..... 7.0 mg/kg      Cr..... 80 mg/kg      Pb ..... 85.9 mg/kg Cd ..... 7.3 mg/kg      Hg..... 1.56 mg/kg	8 g
NIST-2584	Indoor dust - Trace elements Collected from vacuum cleaner bags used in the cleaning of interior dwelling places Certified values As..... 17.4 mg/kg      Cr..... 135.0 mg/kg      Pb ..... 9761 mg/kg Cd ..... 10.0 mg/kg      Hg..... 5.20 mg/kg Indicative values for a wide range of additional elements	8 g
ERM-CZ100 and ERM-CZ120 The European Air Quality Directive, specifically 2008/50/EC and 2004/107/EC require the monitoring of arsenic, cadmium, nickel, lead and several polycyclic aromatic hydrocarbons (PAHs) in PM <sub>10</sub> (particulate matter of 10 µm and less aerodynamic diameter) in ambient air.		
<b>New</b> ERM-CZ100	Fine dust (PM <sub>10</sub> -like) – PAHs PM <sub>10</sub> (particulate matter of 10 µm and less aerodynamic diameter) Certified values Benzo[a]anthracene.....0.91 ± 0.07 mg/kg Benzo[a]pyrene.....0.72 ± 0.05 mg/kg Benzo[b]fluoranthene.....1.42 ± 0.14 mg/kg Benzo[j]fluoranthene.....0.75 ± 0.14 mg/kg Benzo[k]fluoranthene.....0.67 ± 0.06 mg/kg Dibenzo[a,h]anthracene.....0.18 ± 0.04 mg/kg Indeno[1,2,3,-c-d]pyrene.....1.07 ± 0.10 mg/kg Sum of benzo[b]fluoranthene,.....2.84 ± 0.21 mg/kg benzo[k]fluoranthene and benzo[j]fluoranthene Indicative values for further PAHs	0.5 g
<b>New</b> ERM-CZ120	Fine dust (PM <sub>10</sub> -like) - As, Cd, Pb and Ni PM <sub>10</sub> (particulate matter of 10 µm and less aerodynamic diameter) Certified values Arsenic (As).....7.1 ± 0.7 mg/kg      Lead (Pb) ..... 113 ± 17 mg/kg Cadmium (Cd).....0.90 ± 0.22 mg/kg      Nickel (Ni) ..... 58 ± 7 mg/kg Indicative values for further elements.	0.5 g

## Occupational hygiene reference materials

### Filter media

Code	Product	Unit
BCR-545	Glass fibre filter - Chromium Welding dust loaded on a filter. Certified values Cr (VI).....40.2 g/kg      total leachable Cr..... 39.5 g/kg	filter
NAMI() A-3 and NAMI() B-3 Intended for use in conjunction with measurements of elements in air filters collected from work-room air. The 37 mm cellulose ester membrane filters were prepared by spiking each filter with an aqueous solution containing 25 elements with concentrations gravimetrically traceable to ultrapure metals or stoichiometrically well defined oxides. The levels correspond to current threshold limit values of contaminants in workroom atmospheres (provided that the simulated filter has been exposed to one cubic meter of air). The certified values are based on a gravimetric procedure, i.e. weight per volume composition of the primary reference material dissolved in high purity sub-distilled acids.		
NAMI(1)/A-3	Cellulose ester membrane filter - Metals Certified values Al.....225 ± 1 µg      Fe..... 521 ± 2 µg      Sn .....37.7 ± 0.1 µg As.....7.65 ± 0.05 µg      Mg ..... 74.5 ± 0.4 µg      Sr .....35.2 ± 0.1 µg Ba .....37.4 ± 0.1 µg      Mn ..... 150 ± 1 µg      Ti .....37.0 ± 0.1 µg Be .....1.48 ± 0.01 µg      Mo ..... 37.6 ± 0.2 µg      Tl .....2.61 ± 0.01 µg Cd .....15.0 ± 0.1 µg      Ni ..... 60.3 ± 0.2 µg      V .....15.5 ± 0.1 µg Co .....37.3 ± 0.1 µg      Pb ..... 37.0 ± 0.1 µg      Zn .....226 ± 1 µg Cr .....47.8 ± 0.3 µg      Pt ..... 35.2 ± 0.1 µg      Zr .....37.3 ± 0.2 µg Cu .....75.0 ± 0.4 µg      Sb ..... 37.5 ± 0.1 µg Indicative values for B, W	filter
NAMI(5)/A-3	Cellulose ester membrane filter - Metals	5 filter



Code	Product	Unit
NAMI(1)/B-3	Cellulose ester membrane filter - Metals Certified values	filter
	Al..... 110 ± 1 µg      Fe ..... 256 ± 3 µg      Sn ..... 18.6 ± 0.2 µg As..... 3.76 ± 0.04 µg      Mg ..... 36.6 ± 0.4 µg      Sr ..... 17.3 ± 0.2 µg Ba ..... 18.4 ± 0.2 µg      Mn ..... 73.6 ± 0.8 µg      Ti ..... 17.8 ± 0.4 µg Be ..... 0.73 ± 0.01 µg      Mo ..... 15.9 ± 0.3 µg      Tl ..... 1.28 ± 0.01 µg Cd ..... 7.35 ± 0.07 µg      Ni ..... 29.7 ± 0.3 µg      V ..... 7.61 ± 0.08 µg Co ..... 18.3 ± 0.2 µg      Pb ..... 18.2 ± 0.2 µg      Zn ..... 111 ± 1 µg Cr ..... 23.5 ± 0.2 µg      Pt ..... 17.3 ± 0.2 µg      Zr ..... 18.3 ± 0.2 µg Cu ..... 36.9 ± 0.4 µg      Sb ..... 18.4 ± 0.2 µg	
	Indicative values for B, W	
NAMI(5)/B-3	Cellulose ester membrane filter - Metals	5 filter
NIST-2951	Respirable alpha quartz on filter media, 5 µg A unit of NIST-2951 consists of five filters, each containing a nominal mass of 5 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2952	Respirable alpha quartz on filter media, 10 µg A unit of NIST-2952 consists of five filters, each containing a nominal mass of 10 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2953	Respirable alpha quartz on filter media, 20 µg A unit of NIST-2953 consists of five filters, each containing a nominal mass of 20 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2954	Respirable alpha quartz on filter media, 50 µg A unit of NIST-2954 consists of five filters, each containing a nominal mass of 50 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2955	Respirable alpha quartz on filter media, 100 µg A unit of NIST-2955 consists of five filters, each containing a nominal mass of 100 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2956	Respirable alpha quartz on filter media, 250 µg A unit of NIST-2956 consists of five filters, each containing a nominal mass of 250 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2957	Respirable alpha quartz on filter media, 500 µg A unit of NIST-2957 consists of five filters, each containing a nominal mass of 500 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2958	Respirable alpha quartz on filter media, 1000 µg A unit of NIST-2958 consists of five filters, each containing a nominal mass of 1000 µg of respirable alpha quartz. The SRM is provided with five blank PVC filters containing no alpha quartz.	set
NIST-2950	Respirable alpha quartz on filter media, 10-500 µg Each unit of NIST-2950 consists of one unit each of NIST 2952, 2953, 2954, 2955, 2956, and 2957.	set
NIST-2961	Respirable cristobalite on filter media, 5 µg A unit of NIST-2961 consists of five filters, each containing a nominal mass of 5 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2962	Respirable cristobalite on filter media, 10 µg A unit of NIST-2962 consists of five filters, each containing a nominal mass of 10 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2963	Respirable cristobalite on filter media, 20 µg A unit of NIST-2963 consists of five filters, each containing a nominal mass of 20 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2964	Respirable cristobalite on filter media, 50 µg A unit of NIST-2964 consists of five filters, each containing a nominal mass of 50 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2965	Respirable cristobalite on filter media, 100 µg A unit of NIST-2965 consists of five filters, each containing a nominal mass of 100 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2966	Respirable cristobalite on filter media, 250 µg A unit of NIST-2966 consists of five filters, each containing a nominal mass of 250 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2966	Respirable cristobalite on filter media, 250 µg A unit of NIST-2966 consists of five filters, each containing a nominal mass of 250 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2960	Respirable cristobalite on filter media, 5 - 250 µg NIST-2960 consists of one unit each of NIST-2961, 2962, 2963, 2964, 2965, and 2966. Each unit of NIST-2961, 2962, 2963, 2964, 2965, and 2966 consists of five blank PVC filters containing no cristobalite and five loaded PVC filters containing a known mass of respirable cristobalite.	set

## Respirable materials (solid form)

Code	Product	Unit
NIST-2967	Respirable cristobalite on filter media, 500 µg A unit of NIST-2967 consists of five filters, each containing a nominal mass of 500 µg of respirable cristobalite and is provided with five blank PVC filters containing no cristobalite.	set
NIST-2783	Air particulate on filter media - Trace elements This Standard Reference Material is an air particulate sample reduced in particle size to simulate PM <sub>2.5</sub> air particulate matter (particles with an aerodynamic equivalent diameter of 2.5 µm) and deposited on a polycarbonate filter membrane. NIST-2783 included two loaded filters and two blank filters. Certified values Al..... 23210 ng      Cu..... 404 ng      Ni ..... 68 ng As..... 11.8 ng      Fe ..... 26500 ng      Pb ..... 317 ng Ba ..... 335 ng      K..... 5280 ng      Sb ..... 71.8 ng Ca ..... 13200 ng      Mg ..... 8620 ng      Ti ..... 1490 ng Co ..... 7.7 ng      Mn ..... 320 ng      V ..... 48.5 ng Cr ..... 135 ng      Na..... 2860 ng      Zn..... 1790 ng Indicative values for Ce, Rb, S, Sc, Si, SM, Th, U, W	4 filter
NIST-RM 8785	Filter media - Air particulate matter This Reference Material NIST-RM 8785 is intended primarily for use in the evaluation of analytical methods used to characterise the carbon composition of atmospheric fine-particulate matter (PM) for national air quality monitoring programs. This RM consists of only the fine fraction (nominally < 2.5 µm aerodynamic diameter) of NIST-1649a Urban Dust resuspended in air and filtered onto quartz-fiber filter. NIST-RM 8785 also provides the atmospheric chemistry and ocean-sciences community with a means to inter-compare methods and laboratories for the measurement of elemental (black) carbon. RM 8785 has value-assignments for total carbon, elemental carbon and organic carbon measured according to two thermal-optical methods: the NIOSH and IMPROVE protocols. A unit of NIST-RM 8785 consists of three loaded filters, each uniquely identified by its APM identification number (e.g., APM 1257), its production characteristics, i.e., batch and chamber-column-row (e.g., 12959-30 and IV-D-5, respectively) and its mass of fine NIST-1649a on the filter (e.g., 1948 µg).	3 filter
NIST-RM 8786	Filter blank for NIST-RM 8785 A unit of NIST-RM 8786 consists of a single production blank filter with a 37 mm diameter	filter
NIST-2678	Blank cellulose acetate membrane filter Set of 10 blank filters Intended for use in evaluating the performance of air sampling filter methods. Certified values or limits of detection for each of 30 constituent elements as well as 6 leachable anions and cations.	set (10)
NIST-2681	Blank ashless filter - Trace elements Intended for use in evaluating the performance of air sampling filter methods. Certified values or limits of detection for each of 30 constituent elements as well as 6 leachable anions and cations.	set (10)
RTC-CRM002-100	Activated charcoal filter - Trace elements From a commercial water treatment system. Certified values Lot AZ02 Ag ..... 18.3 mg/kg      Cr..... 36000 mg/kg      Cu ..... 96900 mg/kg Indicative values for 22 further elements	100 g
RTC-CRM004-100	Diatomaceous earth filter - Trace elements From a commercial water treatment system in the Eastern United States. Certified values Lot AY04 Ba ..... 1590 mg/kg      Cr..... 21.4 mg/kg Cd ..... 2.4 mg/kg      Pb..... 11900 mg/kg Indicative values for 20 further elements	100 g

## Respirable materials (solid form)

Code	Product	Unit
<b>New</b> NIST-1877	Beryllium oxide powder Certified value Beryllium mass fraction..... 0.3576 ± 0.0024 g/g Indicative values for specific surface area, specific gravity, count median diameter (CMD) and size distribution of the primary beryllium oxide particles, mass median diameter (MMD) and size distribution of the primary beryllium oxide particles.	20 g
NIST-1878a	Respirable alpha quartz One form of respirable silica Certified value Crystalline α-quartz..... 93.7 % ± 0.21 %	5 g

Code	Product	Unit
NIST-1879a	Respirable cristabolite One form of respirable silica Certified value Crystalline cristabolite..... 95.6 %	5 g

## Food matrix reference materials

### Milk and milk products

Code	Product	Unit
LGC7104	Sterilised cream - Proximates and nutrient elements LGC7104 is a cream product, sealed in cans in 170g portions. Assessed values Moisture ..... 70.2 g/100 g Nitrogen ..... 0.40 g/100 g Total fat..... 22.7 g/100 g Ash..... 0.58 g/100 g Ca..... 845 mg/kg K..... 1160 mg/kg Mg ..... 84 mg/kg Na..... 505 mg/kg P ..... 823mg/kg Zn..... 3.1 mg/kg Indicative values for Cl, Lactose	170 g
BCR-380R	Whole milk powder - Major nutrients Certified values Crude protein .....28.66 ± 0.28 g/100 g (Kjeldahl-N x 6.38) Fat.....26.95 ± 0.16 g/100 g Lactose (anhydrous).....37.1 ± 1.0 g/100 g Ash.....6.00 ± 0.13 g/100 g	100 g
BCR-685	Skimmed milk powder - Major nutrients Certified values Crude protein .....38.2 ± 0.4 g/100 g (Kjeldahl-N x 6.38) Fat.....0.96 ± 0.12 g/100 g	50 g
BCR-063R	Skimmed milk powder - Major and trace elements Natural elemental levels in skim milk powder. Certified values Ca ..... 13.49 mg/g Cl ..... 9.94 mg/g Cu ..... 0.602 µg/g Fe..... 2.32 µg/g I ..... 0.81 µg/g K..... 17.68 mg/g Mg ..... 1.263 mg/g N (total) ..... 62.3 mg/g Na ..... 4.37 mg/g P ..... 11.10 mg/g Pb ..... 18.5 ng/g Zn..... 49.0 µg/g	50 g
BCR-150	Spiked skimmed milk powder - Trace elements Milk spiked with Cd, Cu, Fe and Hg. Certified values Cd ..... 21.8 µg/kg Cu ..... 2.23 mg/kg Fe ..... 11.8 mg/kg Hg..... 9.4 µg/kg I..... 1.29 mg/kg Pb ..... 1.00 mg/kg Indicative values for Co, Mn, Ni, Se, Ti, Zn	23 g
BCR-151	Spiked skimmed milk powder - Trace elements Milk spiked with Cd, Cu, Fe and Hg. Certified values Cd ..... 101.0 µg/kg Cu ..... 5.23 mg/kg Fe ..... 50.1 mg/kg Hg..... 101 µg/kg I..... 5.35 mg/kg Pb ..... 2002 mg/kg Indicative values for Co, Mn, Ni, Se, Ti, Zn	23 g
NIST-1549	Non-fat milk powder - Trace elements Certified values Ca ..... 1.30 % Cd ..... 0.0005 mg/kg Cl ..... 1.09 % Cr ..... 0.0026 mg/kg Cu ..... 0.7 mg/kg I ..... 3.38 mg/kg Fe ..... 1.78 mg/kg Hg..... 0.0003 mg/kg K..... 1.69 % Mg ..... 0.120 % Mn ..... 0.26 mg/kg Na..... 0.497 % P ..... 1.06 % Pb ..... 0.019 mg/kg S ..... 0.351 % Se ..... 0.11 mg/kg Zn..... 46.1 mg/kg Indicative values for Ag, Al, As, Br, Co, F, Mo, Rb, Sb, Sn	100 g
IAEA-153	Milk powder - Trace elements Certified values Br ..... 12.3 mg/kg Ca ..... 12870 mg/kg Fe..... 2.53 mg/kg K..... 17620 mg/kg Mg ..... 1060 mg/kg Na..... 4180 mg/kg P ..... 10100 mg/kg Rb ..... 14 mg/kg Zn..... 39.6 mg/kg Indicative values for Cu, Mn, Mo, Sr	50 g

## Milk and milk products

Code	Product	Unit
IAEA-155	Whey powder - Trace elements	50 g
	Certified values	
	Br ..... 39.1 mg/kg	Hg ..... 0.0026 mg/kg
	Cd ..... 0.016 mg/kg	Mg ..... 3190 mg/kg
	Cl ..... 69200 mg/kg	Mn ..... 9.3 mg/kg
	Co ..... 0.0427 mg/kg	Na ..... 15.8 mg/kg
	Cr ..... 0.59 mg/kg	Ni ..... 0.54 mg/kg
	Cs ..... 0.086 mg/kg	P ..... 16210 mg/kg
	Pb ..... 0.104 mg/kg	Rb ..... 39.2 mg/kg
	Sc ..... 0.028 mg/kg	Se ..... 0.064 mg/kg
	Zn ..... 34.3 mg/kg	
	Indicative values for Al, As, B, Ca, Cu, Fe, K, S, Sr	
<b>New</b> NIM-GBW10017	Milk powder - Trace elements	35 g
	Certified elements	
	As ..... 0.031 ± 0.007 mg/kg	Cu ..... 0.51 ± 0.13 mg/kg
	B ..... 1.56 ± 0.22 mg/kg	Fe ..... 7.8 ± 1.3 mg/kg
	Ba ..... 1.0 ± 0.3 mg/kg	I ..... 1.12 ± 0.23 mg/kg
	Br ..... 5.7 ± 1.4 mg/kg	K ..... 1.25 ± 0.05 %
	Ca ..... 0.94 ± 0.03 %	Mg ..... 0.096 ± 0.007 %
	Cl ..... 0.81 ± 0.09 %	Mn ..... 0.51 ± 0.17 mg/kg
	Co ..... 0.030 ± 0.007 mg/kg	Mo ..... 0.28 ± 0.03 mg/kg
	Cr ..... 0.39 ± 0.04 mg/kg	N ..... 3.8 ± 0.2 %
	Cs ..... 0.034 ± 0.005 mg/kg	Na ..... 0.47 ± 0.03 mg/kg
	Indicative values for further elements	
	P ..... 0.76 ± 0.03 %	
	Pb ..... 0.07 ± 0.02 mg/kg	
	Rb ..... 11.6 ± 0.7 mg/kg	
	S ..... 0.25 ± 0.02 %	
	Se ..... 0.11 ± 0.03 mg/kg	
	Sr ..... 5.3 ± 0.6 mg/kg	
	Y ..... 0.008 ± 0.003 mg/kg	
	Zn ..... 34 ± 2 mg/kg	
ERM-BD282	Whole milk powder - Aflatoxin M1 (zero level)	30 g
	Compound	Certified value
		µg/kg
	Aflatoxin M1 ..... < 0.002	
ERM-BD283	Whole milk powder - Aflatoxin M1 (low level)	30 g
	Compound	Certified value
		µg/kg
	Aflatoxin M1 ..... 0.111	Uncertainty
		µg/kg
		0.018
ERM-BD284	Whole milk powder - Aflatoxin M1 (high level)	30 g
	Compound	Certified value
		µg/kg
	Aflatoxin M1 ..... 0.44	Uncertainty
		µg/kg
		0.06
BCR-187	Natural milk powder - Pesticides	20 g
	Compound	Certified value
		µg/kg
	HCB ..... 1.50	Uncertainty
		µg/kg
	alpha-HCH ..... 1.8	0.2
	gamma-HCH ..... 5.7	0.14
	4,4'-DDE ..... 6.6	0.7
		0.6
BCR-188	Milk powder (spiked) - Pesticides	20 g
	Compound	Certified value
		µg/kg
	HCB ..... 37.4	Uncertainty
		µg/kg
	beta-HCH ..... 12.0	2.7
	gamma-HCH ..... 45.4	1.2
	beta-Heptachlor epoxide ..... 32.0	2.9
	4,4'-DDE ..... 51.3	1.8
	Dieldrin ..... 36.1	3.5
	Endrin ..... 6.2	2.4
	4,4'-DDT ..... 69.0	0.9
		4.6
BCR-450	Natural milk powder - PCBs	20 g
	Compound	Certified value
		µg/kg
	PCB 52 ..... 1.16	Uncertainty
		µg/kg
	PCB 118 ..... 3.3	0.17
	PCB 153 ..... 19.0	0.4
	PCB 156 ..... 1.62	0.7
	PCB 170 ..... 4.8	0.2
	PCB 180 ..... 11.0	0.6
		0.7
BCR-607	Natural spray dried milk powder - Dioxins and furans	100 g
	Compound	Certified value
		ng/kg
	2,3,7,8-TCDD ..... 0.25	Uncertainty
		ng/kg
	1,2,3,7,8-PeCDD ..... 0.79	0.03
	1,2,3,4,7,8-HxCDD ..... 0.42	0.04
	1,2,3,6,7,8-HxCDD ..... 0.98	0.07
	1,2,3,7,8,9-HxCDD ..... 0.34	0.11
	2,3,7,8-TCDF ..... 0.05	0.05
	1,2,3,7,8-PeCDF ..... 0.054	0.03
	2,3,4,7,8-PeCDF ..... 1.81	0.013
	1,2,3,4,7,8-HxCDF ..... 0.94	0.13
	1,2,3,6,7,8-HxCDF ..... 1.01	0.04
	2,3,4,6,7,8-HxCDF ..... 1.07	0.09
		0.05

Code	Product	Unit
IAEA-152	Milk powder - Radioactive isotopes Certified values <sup>134</sup> Cs ..... 764 Bq/kg <sup>40</sup> K ..... 539 Bq/kg <sup>137</sup> Cs ..... 2129 Bq/kg <sup>90</sup> Sr ..... 7.7 Bq/kg	250 g
IAEA-321	Milk powder - Radioactive isotopes Certified values <sup>134</sup> Cs ..... 15.5 Bq/kg <sup>40</sup> K ..... 552 Bq/kg <sup>137</sup> Cs ..... 72.6 Bq/kg <sup>90</sup> S ..... 3.3 Bq/kg	250 g
IAEA-154	Whey powder - Radioactive isotopes Certified values <sup>134</sup> Cs ..... 1355 Bq/kg <sup>40</sup> K ..... 1575 Bq/kg <sup>137</sup> Cs ..... 3749 Bq/kg <sup>90</sup> S ..... 6.9 Bq/kg	250 g
BCR-519	Anhydrous butter fat - Triglycerides Triglyceride contents of an anhydrous butter fat with additional value for free cholesterol. Compound      Certified value      Uncertainty mass fraction (%)      mass fraction (%) Cholesterol..... 0.30 ..... 0.03 C24 ..... 0.05 ..... 0.02 C26 ..... 0.25 ..... 0.03 C28 ..... 0.59 ..... 0.04 C30 ..... 1.15 ..... 0.05 C32 ..... 2.43 ..... 0.12 C34 ..... 5.64 ..... 0.18 C36 ..... 10.47 ..... 0.19 C38 ..... 12.53 ..... 0.22 C40 ..... 10.03 ..... 0.16 C42 ..... 6.69 ..... 0.10 C44 ..... 6.11 ..... 0.08 C46 ..... 6.86 ..... 0.08 C48 ..... 8.69 ..... 0.15 C50 ..... 11.40 ..... 0.24 C52 ..... 10.96 ..... 0.25 C54 ..... 5.89 ..... 0.13	2 amps.

## Milk and milk products

Code	Product	Unit																																																						
BCR-632	Butter fat - cholesterol and triglyceride BCR-623 consists of a 5 mL ampoule of BCR-632a and a 5 mL ampoule of BCR-632b	2 amps.																																																						
	Certified values																																																							
	<b>BCR-632A Pure butter fat - Cholesterol and triglycerides</b>																																																							
	<table border="1"> <thead> <tr> <th>Compound</th> <th>certified value g/100 g</th> <th>Uncertainty g/100 g</th> </tr> </thead> <tbody> <tr><td>C24</td><td>0.07</td><td>0.04</td></tr> <tr><td>Cholesterol</td><td>0.289</td><td>0.012</td></tr> <tr><td>C26</td><td>0.33</td><td>0.06</td></tr> <tr><td>C28</td><td>0.74</td><td>0.07</td></tr> <tr><td>C30</td><td>1.37</td><td>0.08</td></tr> <tr><td>C32</td><td>2.83</td><td>0.14</td></tr> <tr><td>C34</td><td>6.09</td><td>0.29</td></tr> <tr><td>C36</td><td>10.7</td><td>0.5</td></tr> <tr><td>C38</td><td>12.5</td><td>0.4</td></tr> <tr><td>C40</td><td>10.05</td><td>0.19</td></tr> <tr><td>C42</td><td>7.07</td><td>0.13</td></tr> <tr><td>C44</td><td>6.68</td><td>0.12</td></tr> <tr><td>C46</td><td>7.36</td><td>0.17</td></tr> <tr><td>C48</td><td>8.74</td><td>0.21</td></tr> <tr><td>C50</td><td>10.74</td><td>0.24</td></tr> <tr><td>C52</td><td>9.8</td><td>0.4</td></tr> <tr><td>C54</td><td>4.7</td><td>0.5</td></tr> </tbody> </table>	Compound	certified value g/100 g	Uncertainty g/100 g	C24	0.07	0.04	Cholesterol	0.289	0.012	C26	0.33	0.06	C28	0.74	0.07	C30	1.37	0.08	C32	2.83	0.14	C34	6.09	0.29	C36	10.7	0.5	C38	12.5	0.4	C40	10.05	0.19	C42	7.07	0.13	C44	6.68	0.12	C46	7.36	0.17	C48	8.74	0.21	C50	10.74	0.24	C52	9.8	0.4	C54	4.7	0.5	
Compound	certified value g/100 g	Uncertainty g/100 g																																																						
C24	0.07	0.04																																																						
Cholesterol	0.289	0.012																																																						
C26	0.33	0.06																																																						
C28	0.74	0.07																																																						
C30	1.37	0.08																																																						
C32	2.83	0.14																																																						
C34	6.09	0.29																																																						
C36	10.7	0.5																																																						
C38	12.5	0.4																																																						
C40	10.05	0.19																																																						
C42	7.07	0.13																																																						
C44	6.68	0.12																																																						
C46	7.36	0.17																																																						
C48	8.74	0.21																																																						
C50	10.74	0.24																																																						
C52	9.8	0.4																																																						
C54	4.7	0.5																																																						
	<b>BCR-632B Adulterated butter fat - Cholesterol and triglycerides</b>																																																							
	<table border="1"> <thead> <tr> <th>Compound</th> <th>certified value g/100 g</th> <th>Uncertainty g/100 g</th> </tr> </thead> <tbody> <tr><td>C24</td><td>0.08</td><td>0.04</td></tr> <tr><td>Cholesterol</td><td>0.278</td><td>0.011</td></tr> <tr><td>C26</td><td>0.34</td><td>0.06</td></tr> <tr><td>C28</td><td>0.75</td><td>0.06</td></tr> <tr><td>C30</td><td>1.46</td><td>0.07</td></tr> <tr><td>C32</td><td>3.30</td><td>0.12</td></tr> <tr><td>C34</td><td>6.57</td><td>0.25</td></tr> <tr><td>C36</td><td>11.1</td><td>0.4</td></tr> <tr><td>C38</td><td>12.7</td><td>0.4</td></tr> <tr><td>C40</td><td>10.07</td><td>0.17</td></tr> <tr><td>C42</td><td>7.10</td><td>0.10</td></tr> <tr><td>C44</td><td>6.57</td><td>0.12</td></tr> <tr><td>C46</td><td>7.12</td><td>0.17</td></tr> <tr><td>C48</td><td>8.42</td><td>0.19</td></tr> <tr><td>C50</td><td>10.28</td><td>0.19</td></tr> <tr><td>C52</td><td>9.36</td><td>0.28</td></tr> <tr><td>C54</td><td>4.5</td><td>0.4</td></tr> </tbody> </table>	Compound	certified value g/100 g	Uncertainty g/100 g	C24	0.08	0.04	Cholesterol	0.278	0.011	C26	0.34	0.06	C28	0.75	0.06	C30	1.46	0.07	C32	3.30	0.12	C34	6.57	0.25	C36	11.1	0.4	C38	12.7	0.4	C40	10.07	0.17	C42	7.10	0.10	C44	6.57	0.12	C46	7.12	0.17	C48	8.42	0.19	C50	10.28	0.19	C52	9.36	0.28	C54	4.5	0.4	
Compound	certified value g/100 g	Uncertainty g/100 g																																																						
C24	0.08	0.04																																																						
Cholesterol	0.278	0.011																																																						
C26	0.34	0.06																																																						
C28	0.75	0.06																																																						
C30	1.46	0.07																																																						
C32	3.30	0.12																																																						
C34	6.57	0.25																																																						
C36	11.1	0.4																																																						
C38	12.7	0.4																																																						
C40	10.07	0.17																																																						
C42	7.10	0.10																																																						
C44	6.57	0.12																																																						
C46	7.12	0.17																																																						
C48	8.42	0.19																																																						
C50	10.28	0.19																																																						
C52	9.36	0.28																																																						
C54	4.5	0.4																																																						
BCR-633	Anhydrous butter fat - Tracers	Amp.																																																						
	<table border="1"> <thead> <tr> <th>Compound</th> <th>certified value mg/kg</th> <th>Uncertainty mg/kg</th> </tr> </thead> <tbody> <tr><td>β-Apo-8'-carotenic acid ethyl ester</td><td>26.5</td><td>1.4</td></tr> <tr><td>β-Sitosterol</td><td>530</td><td>29</td></tr> <tr><td>Stigmasterol</td><td>147</td><td>11</td></tr> <tr><td>n-Heptanoic acid triglyceride</td><td>1.06 x 10<sup>4</sup></td><td>0.04 x 10<sup>4</sup></td></tr> </tbody> </table>	Compound	certified value mg/kg	Uncertainty mg/kg	β-Apo-8'-carotenic acid ethyl ester	26.5	1.4	β-Sitosterol	530	29	Stigmasterol	147	11	n-Heptanoic acid triglyceride	1.06 x 10 <sup>4</sup>	0.04 x 10 <sup>4</sup>																																								
Compound	certified value mg/kg	Uncertainty mg/kg																																																						
β-Apo-8'-carotenic acid ethyl ester	26.5	1.4																																																						
β-Sitosterol	530	29																																																						
Stigmasterol	147	11																																																						
n-Heptanoic acid triglyceride	1.06 x 10 <sup>4</sup>	0.04 x 10 <sup>4</sup>																																																						
BCR-599	Ewes'/Goats' curd - Adulteration with cows' milk Two freeze dried curd materials made from a mixture of ewes' and goats' milk intended to detect adulteration by cows' milk in cheeses made from ewes' milk, goats' milk and mixtures of the two. Unadulterated material 0% cows' milk Adulterated material 1% cows' milk	set (2)																																																						
BCR-122	Margarine - Vitamins Certified values D <sub>3</sub> (cholecalciferol).....0.125 mg/kg E (tocopherol).....241 mg/kg	200 g																																																						
BCR-492-3	Lyophilized skimmed milk powder - Oxytetracycline Set of BCR-492 and BCR-493 <u>BCR-492</u> Certified value Oxytetracycline ..... 307 µg/L <u>BCR-493</u> Certified value Oxytetracycline ..... <10 µg/L	set																																																						

## MUVA reference materials

MUVA reference materials are so-called secondary (non-certified) reference materials for chemical analysis of milk and milk products. They have been characterised at the MUVA Kempten laboratories for homogeneity and stability as well as for contents of relevant compounds by different methods, where possible. Reference values are characterised by interlaboratory studies. During storage at MUVA Kempten materials are regularly checked for their contents.

Code	Product	Unit
MUVA-RM56	Milk powder, roller dried - Proximates Best before: 12/2011 Reference values Fat (Röse-Gottlieb) .....26.02 ± 0.11 g/100 g Free Fat .....21.50 ± 0.18 g/100 g Dry matter (102 °C).....96.16 ± 0.04 g/100 g Protein (Kjeldahl) ..... 25.70 ± 0.09 g/100 g Lactose (Monohydrate) ..... 37.48 ± 0.22 g/100 g Ash..... 5.64 ± 0.04 g/100 g	
MUVA-RM 59	Milk powder, spray dried - Proximates Best before: 06/2014 Reference values Fat (Röse-Gottlieb) .....26.46 ± 0.15 g/100 g Free fat ..... 14.49 ± 0.60 g/100 g Dry matter (102 °C).....97.99 ± 0.08 g/100 g Protein (Kjeldahl) ..... 26.68 ± 0.08 g/100 g Lactose (Monohydrate) ..... 38.48 ± 0.54 g/100 g Ash..... 5.71 ± 0.04 g/100 g	70 g
MUVA-RM 58	Milk powder mixed - Proximates Best before: 01/2013 Reference values Fat (Röse-Gottlieb) .....13.84 ± 0.15 g/100 g Free Fat .....4.62 ± 0.36 g/100 g Dry matter (102 °C).....97.38 ± 0.07 g/100 g Protein (Kjeldahl) ..... 32.28 ± 0.11 g/100 g Lactose (Monohydrate) ..... 43.68 ± 0.40 g/100 g Ash..... 6.83 ± 0.04 g/100 g	70 g
MUVA-MP-0201	Skimmed milk powder spray dried - Proximates Best before: 11/2014 Reference values Fat (Röse-Gottlieb) .....0.71 ± 0.12 g/100 g Dry matter .....95.97 ± 0.08 g/100 g Protein (Kjeldahl) .....36.61 ± 0.11 g/100 g Lactose (Monohydrate) ..... 50.72 ± 0.54 g/100 g Ash..... 7.85 ± 0.07 g/100 g Nitrate ..... 35.1 ± 5.6 mg/kg	70 g
MUVA-MP-0202	Skimmed milk powder spray dried - Proximates Best before: 11/2014 Reference values Fat (Röse-Gottlieb) .....26.72 ± 0.54 g/100 g Dry matter .....97.80 ± 0.06 g/100 g Protein (Kjeldahl) .....27.14 ± 0.18 g/100 g Lactose (Monohydrate) ..... 38.11 ± 0.46 g/100 g Ash..... 5.66 ± 0.06 g/100 g Nitrate ..... 5.2 ± 2.8 mg/kg	70 g
MUVA-RM 71	Whey powder - Proximates Best before: 12/2011 Reference values Fat (Röse-Gottlieb) .....1.63 ± 0.05 g/100 g Dry matter (102 °C).....96.68 ± 0.08 g/100 g Dry matter (87 °C).....97.31 ± 0.05 g/100 g Protein (Kjeldahl) .....25.59 ± 0.16 g/100 g Lactose (Monohydrate).....48.06 ± 0.43 g/100 g Nitrate ..... 211 ± 11 mg/kg Calcium ..... 8129 ± 435 mg/kg Magnesium ..... 2233 ± 97 mg/kg Ash..... 15.04 ± 0.08 g/100 g	20 g
MUVA-RM 72	Whey powder - Proximates Best before: 12/2011 Reference values Fat (Röse-Gottlieb) .....0.98 ± 0.05 g/100 g Dry matter (102 °C).....97.95 ± 0.08 g/100 g Dry matter (87 °C).....98.35 ± 0.08 g/100 g Protein (Kjeldahl) .....13.28 ± 0.10 g/100 g Lactose (Monohydrate).....74.14 ± 0.61 g/100 g Nitrate ..... 158 ± 11 mg/kg Ash..... 7.62 ± 0.07 g/100 g Calcium ..... 4614 ± 310 mg/kg Magnesium ..... 1161 ± 66 mg/kg	20 g
MUVA-RM 74	Whey powder - Proximates Best before: 01/2013 Reference values Fat (Röse-Gottlieb) .....1.97 ± 0.12 g/100 g Dry matter (102 °C).....96.16 ± 0.12 g/100 g Dry matter (87 °C).....96.89 ± 0.09 g/100 g Protein (Kjeldahl) .....30.34 ± 0.63 g/100 g Lactose (Monohydrate) ..... 48.88 ± 0.89 g/100 g Ash..... 8.41 ± 0.10 g/100 g Lactic acid ..... 1101 ± 60 g/100 g Nitrate ..... 34.66 ± 5.25 mg/kg	70 g
MUVA-RM 803	Whey powder - Proximates Best before: 12/2011 Reference values Sodium .....6.26 ± 0.22 mg/g Potassium .....23.61 ± 0.66 mg/g Calcium.....4.67 ± 0.13 mg/g Magnesium ..... 1.15 ± 0.03 mg/g Lead ..... 11 ± 12 µg/kg	20 g



## MUVA reference materials

Code	Product	Unit
<b>New</b> MUVA-MO-0610	Whey powder - Proximates Best before: 08/2015 Reference values Fat (Röse-Gottlieb) ..... 0.84 ± 0.06 g/100 g Dry matter (87 °C)..... 97.92 ± 0.08 g/100 g Dry matter (102 °C)..... 97.62 ± 0.06 g/100 g Protein (Kjeldahl) ..... 13.07 ± 0.08 g/100 g Lactose (Monohydrate) ..... 79.17 ± 0.89 g/100 g Ash ..... 3.29 ± 0.02 g/100 g Calcium (AAS/ICP) ..... 3038 ± 154 mg/kg Magnesium (AAS/ICP)..... 901 ± 36 mg/kg NPN (Kjeldahl) ..... 2.93 ± 0.26 g/100 g	70 g
<b>New</b> MUVA-RM 84	Acid casein - Proximates Best before: 12/2011 Reference values Fat (SBR)..... 1.09 ± 0.16 g/100 g Water ..... 9.28 ± 0.22 g/100 g Protein (Kjeldahl) ..... 88.61 ± 0.27 g/100 g Lactose (Monohydrate) ..... 0.09 ± 0.03 g/100 g Ash ..... 1.73 ± 0.08 g/100 g Nitrate..... 4.94 ± 1.56 mg/kg	60 g
<b>New</b> MUVA-RM 85	Sodium casein - Proximates Best before: 12/2011 Reference values Fat (SBR)..... 1.15 ± 0.09 g/100 g Water ..... 6.82 ± 0.05 g/100 g Protein (Kjeldahl) ..... 89.00 ± 0.16 g/100 g Lactose (Monohydrate) ..... 0.10 ± 0.02 g/100 g Ash ..... 3.57 ± 0.11 g/100 g Nitrate..... 17.9 ± 2.20 mg/kg	60 g
<b>New</b> MUVA-KM-0504	Evaporated milk (4% fat) - Proximates Best before 2/2013 Reference values Fat (Röse-Gottlieb) ..... 4.03 ± 0.01 g/100 g Dry matter (102 °C)..... 24.20 ± 0.09 g/100 g Protein (Kjeldahl) ..... 7.37 ± 0.04 g/100 g Ash ..... 1.63 ± 0.01 g/100 g Phosphorus ..... 2157 ± 128 mg/100 g	170 g
<b>New</b> MUVA-HA-1505	Grana Padano / Hard cheese (grated) - Proximates Best before: 4 weeks after shipment Reference values Fat (SBR)..... 27.42 ± 0.30 g/100 g Dry matter (102 °C)..... 68.67 ± 0.22 g/100 g Protein (Kjeldahl) ..... 34.31 ± 0.30 g/100 g Sodium chloride ..... 1.31 ± 0.04 g/100 g pH-value..... 5.54 ± 0.02 Lactic acid ..... 1452 ± 262 mg/100 g	100 g
<b>New</b> MUVA-HA-1506	Hard cheese (grated, dehydrated) - Proximates Best before: 4 weeks after shipment Reference values Fat (SBR)..... 31.96 ± 0.11 g/100 g Dry matter (102 °C)..... 88.85 ± 20 g/100 g Protein (Kjeldahl) ..... 46.84 ± 0.19 g/100 g Sodium chloride ..... 3.34 ± 0.03 g/100 g pH-value..... 5.52 ± 0.05 Lactic acid ..... 1555 ± 176 mg/100 g	100 g
MUVA-FK-1207	Fresh cheese, 18% f.i.d.m. - Proximates Best before: 05/2012 Reference values Fat (SBR)..... 4.32 ± 0.07 g/100 g Dry matter (102 °C)..... 20.42 ± 0.18 g/100 g Protein (Kjeldahl) ..... 10.34 ± 0.08 g/100 g Lactic acid (enzyme) ..... 602.2 ± 19.0 mg/100 g	200 g
MUVA-FK-1208	Fresh cheese, 50% f.i.d.m. - Proximates Best before: 05/2012 Reference values Fat (SBR)..... 14.32 ± 0.08 g/100 g Dry matter (102 °C)..... 27.22 ± 0.27 g/100 g Protein (Kjeldahl) ..... 6.97 ± 0.12 g/100 g Lactic acid (enzyme) ..... 522.1 ± 16.6 mg/100 g	200 g
<b>New</b> MUVA-SK-0303	Processed cheese 45 % f.i.d.m. - Proximates Best before: 05/2013 Reference values Fat (SBR)..... 22.91 ± 0.13 g/100 g Dry matter (102 °C)..... 50.76 ± 0.24 g/100 g Protein (Kjeldahl) ..... 20.31 ± 0.12 g/100 g Sodium chloride ..... 1.89 ± 0.07 g/100 g pH value ..... 5.65 ± 0.02 Phosphorus ..... 0.97 ± 0.02 g/100 g	75 g
<b>New</b> MUVA-SK-0304	Processed cheese 55 % f.i.d.m. - Proximates Best before: 03/2013 Reference values Fat (SBR)..... 22.69 ± 0.39 g/100 g Dry matter (102 °C)..... 43.71 ± 0.72 g/100 g Protein (Kjeldahl) ..... 15.08 ± 0.17 g/100 g Sodium chloride ..... 1.46 ± 0.04 g/100 g pH value..... 5.84 ± 0.02 Citric acid ..... 142.9 ± 13.2 mg/100g Sodium ..... 11286 ± 607 mg/kg Potassium ..... 492 ± 74 mg/kg Ash ..... 492 ± 74 mg/kg Nitrate..... 4.7 ± 0.8 mg/kg	200 g

## MUVA reference materials

Code	Product	Unit
<b>New</b> MUVA-SK-0305	Processed cheese 38 % f.i.d.m. - Proximates Best before: 03/2014 Reference values Fat (SBR).....17.22 ± 0.39 g/100 g Dry matter (102 °C).....46.44 ± 0.41 g/100 g Protein (Kjeldahl).....22.58 ± 0.15 g/100 g Sodium chloride.....1.12 ± 0.05 g/100 g pH value.....5.57 ± 0.03 Citric acid ..... 108.5 ± 4.5 mg/100g Sodium ..... 10248 ± 932 mg/kg Potassium ..... 669 ± 107 mg/kg Ash..... 4.81 ± 0.03 g/100 g Nitrate ..... 4.1 ± 1.4 mg/kg	200 g
MUVA-M-0110	UHT milk 3.5% Fat (in sterilized bottle) Best before: 02/2012 Reference values Fat (Röse-Gottlieb) .....3.542 ± 0.008 g/100 g Protein (Kjeldahl).....3.356 ± 0.012 g/100 g Lactose (Monohydrate).....4.678 ± 0.044 g/100 g Freezing point ..... - 0.5155 ± 0.0012 °C Dry matter (102 °C)..... 12.35 ± 0.07 g/100 g	250 mL
<b>New</b> MUVA-M-0111	Skimmed UHT milk 0.06% Fat (in sterilized bottle) Best before: 02/2012 Reference values Fat (Röse-Gottlieb) .....0.062 ± 0.005 g/100 g Protein (Kjeldahl).....3.415 ± 0.014 g/100 g Lactose (Monohydrate).....4.659 ± 0.040 g/100 g Freezing point ..... - 0.4995 ± 0.0015 °C Dry matter (102 °C)..... 8.90 ± 0.03 g/100 g	250 mL
<b>New</b> MUVA-RO-0714	Shock frozen raw milk - Proximates Best before: 01/2012 Reference values Fat (Röse-Gottlieb) .....2.331 ± 0.010 g/100 g Protein (Kjeldahl).....3.550 ± 0.020 g/100 g Lactose (Monohydrate).....4.866 ± 0.023 g/100 g Freezing point ..... - 0.5241 ± 0.0011 °C pH value ..... 6.66 ± 0.02 Caseine ..... 2.782 ± 0.020 g/100 g NPN ..... 0.191 ± 0.011 g/100 g	40 mL
<b>New</b> MUVA-RO-0716	Shock frozen raw milk - Proximates Best before: 06/2012 Reference values Fat (Röse-Gottlieb) .....3.003 ± 0.010 g/100 g Dry matter ..... 11.67 ± 0.05 g/100 g Protein (Kjeldahl) .....3.383 ± 0.023 g/100 g Lactose (Monohydrate).....4.866 ± 0.031 g/100 g Freezing point ..... - 0.4921 ± 0.0009 °C Urea ..... 196 ± 18mg/l pH value ..... 6.68 ± 0.02	40 mL
<b>New</b> MUVA-RO-0717	Shock frozen raw milk - Proximates Best before: 01/2013 Reference values Fat (Röse-Gottlieb) .....4.264 ± 0.010 g/100 g Protein (Kjeldahl).....3.774 ± 0.018 g/100 g Casein.....2.956 ± 0.03 g/100 g Lactose (Monohydrate).....4.730 ± 0.054 g/100 g Freezing point ..... - 0.5238 ± 0.0010 °C pH value ..... 6.68 ± 0.02 NPN ..... 0.170 ± 0.019 g/100 g	40 mL
<b>New</b> MUVA-RO-0718	Shock frozen raw milk - Proximates Best before: 01/2013 Reference values Fat (Röse-Gottlieb) .....4.802 ± 0.013 g/100 g Protein (Kjeldahl).....3.453 ± 0.012 g/100 g Caseine.....2.71 ± 0.020 g/100 g Freezing point ..... - 0.5208 ± 0.0010 °C pH value ..... 6.68 ± 0.02 NPN ..... 0.167 ± 0.014 g/100 g	40 mL
<b>New</b> MUVA-S-0810	Nut-Nougat-cream - Proximates Best before: please enquire Reference values Fat (Weibull-Stoldt).....31.27 ± 0.61 g/100 g Protein (Kjeldahl).....7.27 ± 0.12 g/100 g Lactose (monohydrate).....4.29 ± 0.11 g/100 g Saccharose ..... 49.05 ± 0.69 g/100 g Theobromine..... 1795 ± 52 mg/kg	160 g
MUVA-RM 404	Dark chocolate - Proximates Best before: please enquire Reference values Fat (Weibull-Stoldt).....33.09 ± 0.32 g/100 g Protein (Kjeldahl).....5.91 ± 0.09 g/100 g Saccharose ..... 49.6 ± 1.0 g/100 g Theobromin (HPLC)..... 4873 ± 195 mg/kg	150 g
MUVA-RM 407	Dark chocolate - Proximates Best before: 10/2012 Reference values Fat (Weibull-Stoldt).....42.02 ± 0.22 g/100 g Milk fat .....1.49 ± 0.34 g/100 g Protein (Kjeldahl).....9.74 ± 0.13 g/100 g Saccharose ..... 24.41 ± 0.42 g/100 g Theobromin (HPLC)..... 7547 ± 145 mg/kg	150 g

## MUVA reference materials

Code	Product	Unit
<b>New</b> MUVA-S-0811	Milk chocolate - Proximates Best before: 06/2013 Reference value Fat (Weibull-Stoldt)..... 33.38 ± 0.16 g/100 g Milk fat ..... 6.02 ± 0.57 g/100 g Protein (Kjeldahl) ..... 7.41 ± 0.06 g/100 g Lactose (monohydrate)..... 9.14 ± 0.11 g/100 g	100 g Saccharose ..... 43.88 ± 0.51 g/100 g Theobromine ..... 1332 ± 47 mg/kg Dry matter ..... 99.29 ± 0.09 g/100 g
<b>New</b> MUVA-HO-1702	Blossom honey - Proximates Best before: 05/2013 Reference values Glucose..... 34.05 ± 0.36 g/100 g Fructose ..... 36.81 ± 0.40 g/100 g Hydroxymethylfurfural ..... 28.57 ± 3.37 mg/kg	60 g Ash ..... 0.11 ± 0.02 g/100g pH value..... 3.84 ± 0.07 Conductivity..... 0.24 ± 0.02 mS/cm
<b>New</b> MUVA-HO-1701	Honeydew honey - Proximates Best before: 05/2013 Reference values Glucose..... 24.51 ± 0.36 g/100 g Fructose ..... 32.58 ± 0.45 g/100 g Hydroxymethylfurfural ..... 18.21 ± 2.44 mg/kg	60 g Ash ..... 0.83 ± 0.09 g/100g pH value..... 4.67 ± 0.04 Conductivity ..... 0.24 ± 0.02 mS/cm
MUVA-RM 700	Boiled sausage - Proximates Best before: please enquire Reference values Fat..... 22.32 ± 0.48 g/100 g Water (103 °C)..... 60.66 ± 0.28 g/100 g Protein (Kjeldahl) ..... 13.02 ± 0.09 g/100 g Hydroxyproline ..... 0.22 ± 0.03 g/100 g Sodium chloride ..... 1.85 ± 0.19 g/100 g	48 g Nitrate..... 68.20 ± 4.84 mg/kg Calcium ..... 140 ± 42 mg/kg Phosphorus ..... 185 ± 16 mg/100 g Ash..... 2.77 ± 0.04 g/100 g
MUVA-RM 701	Boiled sausage - Proximates Best before: please enquire Reference values Fat..... 22.88 ± 2.01 g/100 g Water (103 °C)..... 60.79 ± 0.87 g/100 g Protein (Kjeldahl) ..... 12.35 ± 0.21 g/100 g Collagen..... 0.21 ± 0.02 g/100 g	48 g Sodium chloride ..... 2.38 ± 0.06 g/100 g Nitrate..... 24.88 ± 7.30 mg/kg Calcium ..... 199 ± 68 mg/kg Ash..... 3.42 ± 0.04 g/100 g
<b>New</b> MUVA-BU-1303	Sweet cream butter - Proximates Best before: please enquire Certified values Solids non-fat (102°C) ..... 1.72 ± 0.13 g/100 g Water ..... 15.78 ± 0.11 g/100 g	250 g pH-Value ..... 6.72 ± 0.03 Cholesterol..... 2380 ± 184 mg/ kg
<b>New</b> MUVA-BU-1304	Mild acid butter - Proximates Best before: please enquire Certified values Solids non-fat (102°C) ..... 1.83 ± 0.25 g/100 g Water (102°C)..... 15.84 ± 0.34 g/100 g	250 g pH-Value ..... 5.01 ± 0.04 Cholesterol..... 2432 ± 314 mg/ kg
<b>New</b> MUVA-BU-1305	Salted butter - Proximates Best before: 01/2013 Reference values Solids non-fat (102°C) ..... 2.79 ± 0.22 g/100 g Water ..... 16.00 ± 0.13 g/100 g pH-Value..... 5.02 ± 0.01	250 g Cholesterol..... 2217 ± 105 mg/ kg Sodium chloride ..... 1.20 ± 0.02 g/100 g
MUVA-RM 750	Infant food Best before: 08/2013 Reference values Saccharose..... 1.08 ± 0.32 g/100 g Fructose ..... 4.85 ± 0.40 g/100 g Glucose..... 12.51 ± 0.20 g/100 g	50 g Starch..... 16.54 ± 1.10 mg/100 g Vitamin C (HPLC) ..... 103.3 ± 10.9 mg/100 g Vitamin E..... 5.68 ± 0.68 mg/100 g
MUVA-RM 751	Infant food Best before: 08/2012 Reference values Saccharose..... 3.0 ± 0.48 g/100 g Fructose ..... 7.79 ± 1.18 g/100 g Glucose..... 6.28 ± 1.44 g/100 g	50 g Starch..... 10.25 ± 0.62 g/100 g Vitamin C (HPLC) ..... 150.6 ± 55.6 mg/100 g Vitamin E..... 2.63 ± 0.49 mg/100 g

## Meat and meat products

Code	Product	Unit
MUVA-RM 752	Dietary supplement Best before: 02/2013 Reference values Sodium .....2054 ± 108 mg/kg Potassium.....9653 ± 517 mg/kg Calcium.....7024 ± 320 mg/kg Magnesium .....2614 ± 232 mg/kg	60 g     Lead ..... 22.50 ± 3.83 mg/kg Zinc ..... 69.71 ± 5.11 mg/kg Phosphorus..... 819 ± 22 mg/100 g Chloride..... 455 ± 16 mg/100 g
MUVA-RM 753	Dietary supplement Best before: 08/2015 Reference values Sodium .....6398 ± 934 mg/kg Potassium.....14067 ± 2451 mg/kg Calcium.....7800 ± 610 mg/kg Magnesium .....1808 ± 135 mg/kg Fe.....228 ± 15 mg/kg	50 g     Zinc ..... 191.73 ± 13.44 mg/kg Phosphorus..... 6300 ± 211 mg/kg Chloride..... 10997 ± 1896 mg/kg Cu ..... 1.70 ± 0.12 mg/kg Mn ..... 1.43 ± 0.17 mg/kg
<b>New</b> MUVA-NEM-1601	Dietary supplement Best before: 08/2015 Reference values Sodium .....6398 ± 934 mg/kg Potassium.....14067 ± 2451 mg/kg Calcium.....7800 ± 610 mg/kg Magnesium .....1808 ± 135 mg/kg Fe.....228 ± 15 mg/kg	50 g     Zn ..... 191.73 ± 13.44 mg/kg Phosphorus..... 6300 ± 211 mg/kg Chloride..... 10997 ± 1896 mg/kg Cu ..... 1.70 ± 0.12 mg/kg Mn ..... 1.43 ± 0.17 mg/kg
<b>New</b> MUVA-NEM-1602	Dietary supplement Best before: 02/2015 Reference values Sodium .....2514 ± 92 mg/kg Potassium.....7221 ± 371 mg/kg Calcium.....5696 ± 420 mg/kg Magnesium .....523 ± 30 mg/kg	50 g     Phosphorus..... 55.22 ± 3.37 mg/kg Chloride..... 3711 ± 153 mg/kg Copper ..... 2.74 ± 0.18 mg/kg Manganese ..... 1.21 ± 0.07 mg/kg
<b>New</b> MUVA-R-0416	Cream 30 % - Proximates Best before: please enquire Fat (SBR).....30.08 ± 0.10 g/100 g Dry matter (102°C).....36.73 ± 0.17 g/100 g	100 mL    Protein (Kjeldahl) ..... 2.35 ± 0.02 g/100 g
<b>New</b> MUVA-R-0417	Cream 40 % - Proximates Best before: please enquire Fat (SBR).....40.50 ± 0.26 g/100 g Dry matter (102°C).....45.90 ± 0.21 g/100 g	100 mL    Protein (Kjeldahl) ..... 1.90 ± 0.02 g/100 g

## Meat and meat products

Code	Product	Unit																
ERM-BB501	Processed meat - Proximates, chloride, nitrate, hydroxyproline European Reference Material ERM-BB501 is a pork-based processed meat containing dry pork protein and pea starch. This material is sealed in retort pouches in 180g portions. Certified values Moisture .....618 g/kg Nitrogen .....23.0 g/kg Total fat.....151 g/kg Ash.....33.2 g/kg	180 g     Chloride..... 14.5 g/kg Hydroxyproline ..... 3.3 g/kg Nitrate (NO <sub>3</sub> ) ..... 0.209 g/kg																
<b>New</b> ERM-BB384	Pork muscle - Proximates and essential elements One set consists of two amber glass vials each containing about 18 g of lyophilised pork muscle filled under protective atmosphere (argon). <table style="margin-left: 40px; border: none;"> <thead> <tr> <th style="text-align: left;">Certified value</th> <th style="text-align: left;">Uncertainty</th> </tr> </thead> <tbody> <tr> <td>Kjeldahl nitrogen ..... 14.2 g/100 g</td> <td>.....0.4 g/100 g</td> </tr> <tr> <td>Total fat..... 8.99 g/100 g</td> <td>.....0.20 g/100 g</td> </tr> <tr> <td>Ash..... 4.51 g/100 g</td> <td>.....0.19 g/100 g</td> </tr> <tr> <td>Na ..... 1.86 mg/g</td> <td>.....0.15 mg/g</td> </tr> <tr> <td>Mg ..... 1.03 mg/g</td> <td>.....0.04 mg/g</td> </tr> <tr> <td>Ca ..... 0.164 mg/g</td> <td>.....0.021 mg/g</td> </tr> <tr> <td>P ..... 8.7 mg/g</td> <td>.....0.5 mg/g</td> </tr> </tbody> </table>	Certified value	Uncertainty	Kjeldahl nitrogen ..... 14.2 g/100 g	.....0.4 g/100 g	Total fat..... 8.99 g/100 g	.....0.20 g/100 g	Ash..... 4.51 g/100 g	.....0.19 g/100 g	Na ..... 1.86 mg/g	.....0.15 mg/g	Mg ..... 1.03 mg/g	.....0.04 mg/g	Ca ..... 0.164 mg/g	.....0.021 mg/g	P ..... 8.7 mg/g	.....0.5 mg/g	2 vials
Certified value	Uncertainty																	
Kjeldahl nitrogen ..... 14.2 g/100 g	.....0.4 g/100 g																	
Total fat..... 8.99 g/100 g	.....0.20 g/100 g																	
Ash..... 4.51 g/100 g	.....0.19 g/100 g																	
Na ..... 1.86 mg/g	.....0.15 mg/g																	
Mg ..... 1.03 mg/g	.....0.04 mg/g																	
Ca ..... 0.164 mg/g	.....0.021 mg/g																	
P ..... 8.7 mg/g	.....0.5 mg/g																	

## Meat and meat products

Code	Product	Unit
LGC7200	<p><b>Beef, raw - Meat species</b></p> <p>Rump steak from Scottish Aberdeen Angus cattle, aged 20 months, purchased from an organic farm. The cattle had been fed grass rich in clover. This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Beef - raw.....100 % Beef</p> <p>Indicative value for moisture</p>	30 g
LGC7201	<p><b>Beef, cooked - Meat species</b></p> <p>Rump steak from Scottish Aberdeen Angus cattle, aged 20 months, purchased from an organic farm. The cattle had been fed grass rich in clover.</p> <p>This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Beef - cooked.....100 % Beef</p> <p>Indicative value for moisture</p>	30 g
LGC7202	<p><b>Lamb, raw - Meat species</b></p> <p>Suffolk-cross leg of lamb, aged 9 months, was purchased from an organic meat supplier.</p> <p>This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Lamb - raw ..... 100 % Lamb</p> <p>Indicative value for moisture</p>	30 g
LGC7203	<p><b>Lamb, cooked - Meat species</b></p> <p>Suffolk-cross leg of lamb, aged 9 months, was purchased from an organic meat supplier.</p> <p>This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Lamb - cooked ..... 100 % Lamb</p> <p>Indicative value for moisture</p>	30 g
LGC7204	<p><b>Pork, raw - Meat species</b></p> <p>'Free range' Land Race/Large White Cross pork leg steak, aged approximately 5 months at slaughter, was purchased from an organic meat supplier.</p> <p>This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Pork - raw ..... 100 % Pork</p> <p>Indicative value for moisture</p>	30 g
LGC7205	<p><b>Pork, cooked - Meat species</b></p> <p>'Free range' Land Race/Large White Cross pork leg steak, aged approximately 5 months at slaughter, was purchased from an organic meat supplier.</p> <p>This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Pork - cooked..... 100 % Pork</p> <p>Indicative value for moisture</p>	30 g
LGC7206	<p><b>Chicken, raw - Meat species</b></p> <p>'Free range' Ross whole chickens, aged 42 to 45 days at slaughter, were purchased from an organic meat supplier.</p> <p>This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Chicken - raw..... 100 % Chicken</p> <p>Indicative value for moisture</p>	30 g
LGC7207	<p><b>Chicken, cooked - Meat species</b></p> <p>'Free range' Ross whole chickens, aged 42 to 45 days at slaughter, were purchased from an organic meat supplier.</p> <p>This material is intended for use as a reference standard for species identification analytical methods.</p> <p>The species content of the material was checked using both an immunoassay test and DNA analysis.</p> <p>Assessed value</p> <p>Chicken - cooked ..... 100 % Chicken</p> <p>Indicative value for moisture</p>	30 g

Code	Product	Unit
LGC7208	Turkey, raw - Meat species Organic turkeys were purchased from a local butcher's shop. This material is intended for use as a reference standard for species identification analytical methods. The species content of the material was checked using both an immunoassay test and DNA analysis. Assessed value Turkey - raw ..... 100 % Turkey Indicative value for moisture	30 g
LGC7209	Turkey, cooked - Meat species Organic turkeys were purchased from a local butcher's shop. This material is intended for use as a reference standard for species identification analytical methods. The species content of the material was checked using both an immunoassay test and DNA analysis. Assessed value Turkey - cooked ..... 100 % Turkey Indicative value for moisture	30 g
BCR-673	Clenbuterol in reconstituted bovine eye (blank) The material consists of the equivalent of 2.00 ± 0.01 g (0.5 %) wet bovine eye material in sealed glass vials. It is a greyish powder obtained after lyophilisation and has to be reconstituted before use. Compound ..... certified value Clenbuterol free base ..... < 0.50 µg/kg	vial
BCR-474/475	Bovine liver - Trenbolone Set of 2 x 2.8 g lyophilised liver powder Certified values <u>BCR-474</u> 17alpha-Trenbolone.. <0.5 µg/kg <u>BCR-475</u> 17alpha-Trenbolone.... 7.6 µg/kg	set
BCR-674	Clenbuterol in reconstituted bovine eye (positive) The material consists of the equivalent of 2.00 ± 0.01 g (0.5 %) wet bovine eye material in sealed glass vials. It is a greyish powder obtained after lyophilisation and has to be reconstituted before use. Compound ..... certified value Clenbuterol free base .....9 µg/kg	vial
BCR-185R	Bovine liver - Trace elements Certified values As..... 33.0 µg/kg      Mn ..... 11.07 mg/kg      Zn..... 138.6 mg/kg Cd ..... 544 µg/kg      Pb..... 172 µg/kg Cu ..... 277 mg/kg      Se..... 1680 µg/kg	15 g
<b>New</b> NIST-1577C	Bovine liver - Trace elements Standard Reference Material (SRM) 1577c consists of tissue derived from healthy steers. The material was collected and prepared under strict protocols designed to preserve the original composition, and to minimize contamination. NIST-1577c is intended primarily for use in evaluating the accuracy of analytical methods for selected elements in animal tissues and other biological materials. A unit of the SRM consists of one bottle containing 20 g of freeze-dried liver powder. Certified values for mass fractions (on a dry-mass basis) of selected elements Ag ..... 5.9 ± 1.6 µg/kg      Fe ..... 197.94 ± 0.65 mg/kg      Pb ..... 62.8 ± 1.0 µg/kg As..... 19.6 ± 1.4 µg/kg      K..... 1.023 ± 0.064 %      S ..... 0.749 ± 0.034 % Ca ..... 131 ± 10 mg/kg      Mg ..... 620 ± 42 mg/kg      Se ..... 2.031 ± 0.045 mg/kg Cd ..... 97.0* ± 1.4 µg/kg      Mn ..... 10.46 ± 0.47 mg/kg      Sr ..... 95.3 ± 4.2 µg/kg Co ..... 0.300 ± 0.018 mg/kg      Mo ..... 3.30 ± 0.13 mg/kg      V ..... 8.17 ± 0.66 µg/kg Cr ..... 53 ± 14 µg/kg      Na..... 0.2033 ± 0.0064 %      Zn..... 181.1 ± 1.0 mg/kg Cu ..... 275.2 ± 4.6 mg/kg      Ni..... 44.5 ± 9.2 µg/kg	20 g
NCS ZC71001	Beef liver - Trace metals Certified values Ca ..... 189 µg/g      K..... 1.05 %      P ..... 1.30 % Cl ..... 0.29 %      Mg ..... 668 µg/g      Rb ..... 23.6 µg/g Co ..... 0.254 µg/g      Mn ..... 8.92 µg/g      Se ..... 0.56 µg/g Cu ..... 91.6 µg/g      Mo ..... 3.76 µg/g      Sr ..... 0.53 µg/g Fe..... 346 µg/g      Na..... 0.222 % Indicative values for Al, Ba, Br, Cd, F, Hg, Rb, Pb, S, Ti	25 g

## Meat and meat products

Code	Product	Unit
<b>New</b> NIM-GBW10018	Chicken - Trace elements Certified values Ag ..... 0.016 ± 0.003 % As ..... 0.109 ± 0.013 mg/kg B ..... 0.76 ± 0.13 mg/kg Ba ..... 1.5 ± 0.4 mg/kg Bi ..... 1.3 ± 0.4 µg/kg Br ..... 1.6 ± 0.4 mg/kg Ca ..... 0.022 ± 0.002 % Ce ..... 0.06 ± 0.01 mg/kg Cl ..... 0.153 ± 0.015 % Cr ..... 0.59 ± 0.11 mg/kg Cs ..... 0.070 ± 0.013 mg/kg Cu ..... 1.46 ± 0.12 mg/kg Dy ..... 1.1 ± 0.4 µg/kg Fe ..... 31 ± 3 mg/kg Hg ..... 3.6 ± 1.5 µg/kg K ..... 1.46 ± 0.07 % La ..... 0.024 ± 0.004 mg/kg Li ..... 0.034 ± 0.007 mg/kg Mg ..... 0.128 ± 0.010 % Mn ..... 1.65 ± 0.07 mg/kg Mo ..... 0.11 ± 0.01 mg/kg N ..... 14.8 ± 0.5 % Na ..... 0.144 ± 0.009 mg/kg Nd ..... 0.0095 ± 0.0035 mg/kg Ni ..... 0.15 ± 0.03 mg/kg P ..... 0.96 ± 0.08 % Pb ..... 0.11 ± 0.02 mg/kg Pr ..... 2.8 ± 0.6 µg/kg Rb ..... 33 ± 2 mg/kg S ..... 0.86 ± 0.05 % Se ..... 0.49 ± 0.06 mg/kg Sm ..... 1.3 ± 0.5 µg/kg Sr ..... 0.64 ± 0.08 mg/kg Y ..... 0.007 ± 0.002 mg/kg Zn ..... 26 ± 1 mg/kg Indicative values for further elements	35 g
BCR-487	Pig liver - Vitamins Certified values B <sub>1</sub> (thiamin) ..... 8.6 mg/kg B <sub>2</sub> (riboflavin) ..... 106.8 mg/kg B <sub>6</sub> (total pyridoxine) ..... 19.3 mg/kg B <sub>12</sub> ..... 1.12 mg/kg Folate (total) ..... 13.3 mg/kg	15 g
<b>New</b> ERM-BB124	Pork muscle - Nitroimidazoles Nitroimidazoles in the reconstituted material Compound Certified value Uncertainty µg/kg µg/kg Ronidazole (RNZ) ..... 2.09 ..... 0.25 Metronidazole (MNZ) ..... 1.93 ..... 0.15 2-hydroxymethyl-1-methyl-5-nitroimidazole (HMMNI) ..... 0.69 ..... 0.09 Hydroxymetronidazole (MNZOH) ..... 6.2 ..... 0.9 Hydroxypronidazole (IPZOH) ..... 1.67 ..... 0.12 Dimetridazole (DMZ) ..... < 0.25	10 g
BCR-695	Pig liver - Chlortetracycline Certified value Chlortetracycline ..... < 0.004 mg/kg	vial
BCR-697	Pig muscle - Chlortetracycline Certified value Chlortetracycline ..... < 0.006 mg/kg	vial
BCR-706	Pig kidney - Chlortetracycline Certified value Chlortetracycline ..... < 0.005 mg/kg	vial
BCR-411	Bovine muscle - Diethylstilbestrol Certified value Diethylstilbestrol ..... >0.5 µg/L	5 g
BCR-412	Bovine muscle - Diethylstilbestrol Certified value Diethylstilbestrol ..... >0.1 µg/L	5 g
BCR-648-9	Bovine liver - Clenbuterol Set of 2 x 10 g lyophilised bovine liver Certified values <u>BCR-648</u> Clenbuterol ..... <0.5 µg/kg <u>BCR-649</u> Clenbuterol ..... 1.2 µg/kg	set
NIST-1546	Meat homogenate - Nutrients Certified values Certified Concentrations for Fatty Acids and Cholesterol Decanoic acid (C10:0) (Capric acid) ..... 0.171 ± 0.032 g/kg Dodecanoic acid (C12:0) (Lauric acid) ..... 0.133 ± 0.028 g/kg Tetradecanoic acid (C14:0) (Myristic acid) ..... 2.53 ± 0.19 g/kg Hexadecanoic acid (C16:0) (Palmitic acid) ..... 45.6 ± 3.9 g/kg Octadecenoic acid (C18:1) (Stearic acid) ..... 21.7 ± 2.9 g/kg (Z)-9-Octadecanoic acid (C18:0) (Oleic acid) ..... 82.0 ± 9.6 g/kg Eicosanoic acid (Arachidic acid) ..... 0.315 ± 0.063 g/kg Cholesterol ..... 0.750 ± 0.072 g/kg Certified Concentrations for Selected Elements ..... K 2370 ± 200 mg/kg Ca ..... 323 ± 28 mg/kg Na ..... 9990 ± 716 mg/kg Mg ..... 163 ± 11 mg/kg Zn ..... 18.3 ± 1.3 mg/kg P ..... 1530 ± 100 mg/kg Indicative values for additional fatty acids, proximates, calories, water-soluble vitamins, sucrose, minerals, trace elements, amino acids and additional constituents.	4 x 85 g



Code	Product	Unit
<b>New</b> NIM-GBW08552	Pork muscle - Trace elements Certified values Br ..... 6.2 µg/g      K ..... 1.4 %      P ..... 0.813 % Ca ..... 147 µg/g      Mg ..... 988 µg/g      Rb ..... 42.7 µg/g Cl ..... 0.187 %      Mn ..... 0.48 µg/g      Se ..... 0.49 µg/g Cu ..... 3.88 µg/g      N ..... 12.27 %      Zn ..... 94.2 µg/g Fe ..... 43.6 µg/g      Na ..... 0.202 % Indicative values for Ba, Co, Cr, Cs, Hg, Mo, Pb, Sr	10 g
BCR-163	Beef/pork fat blend - Fatty acids The entire fatty acid (methyl ester) profile was determined but certified values are only given for the major components (>2%) and indicative values are given for all minor components. <u>Methyl esters</u> (mass fraction fatty acid methyl ester/total fatty acid methyl ester) Certified values 14:0 n-Tetradecanoic acids ..... 2.29 g/100 g      18:1 n-Octadecenoic acids ..... 38.34 g/100 g 16:0 n-Hexadecanoic acid ..... 25.96 g/100 g      18:2 n-Octadecadienoic acids ..... 7.05 g/100 g 16:1 n-Hexadecanoic acids ..... 2.58 g/100 g      18:3 n-Octadecatrienoic acids ..... 0.86 g/100 g 18:0 n-Octadecenoic acids ..... 18.29 g/100 g <u>Sterols</u> (mass fraction in fat) Certified value Cholesterol ..... 133.6 mg/100 g Indicative values for additional methyl esters of fatty acids	2 amps.
ERM-BB444	Pork fat - PCBs (blank) Certified values PCB 28 ..... <2 µg/kg      PCB 118 ..... <2 µg/kg      PCB 180 ..... <2 µg/kg PCB 52 ..... <2 µg/kg      PCB 138 ..... <2 µg/kg      PCB sum ..... <14 µg/kg PCB 101 ..... <2 µg/kg      PCB 153 ..... <2 µg/kg Indicative value for 2,2',4,4'-Tetrabromodiphenyl ether (BDE 47)	5 g
ERM-BB445	Pork fat - PCBs (low level) Compound      Certified value      Uncertainty µg/kg      µg/kg PCB 28 ..... 14.8 ..... 1.3 PCB 52 ..... 12.9 ..... 0.9 PCB 101 ..... 12.5 ..... 1.2 PCB 118 ..... 12.7 ..... 1.3 PCB 138 ..... 14.6 ..... 1.6 PCB 153 ..... 13.1 ..... 1.1 PCB 180 ..... 12.6 ..... 0.9 PCB sum ..... 93 ..... 7 Indicative value for 2,2',4,4'-Tetrabromodiphenyl ether (BDE 47)	5 g
ERM-BB446	Pork fat - PCB (high level) Compound      Certified value      Uncertainty µg/kg      µg/kg PCB 28 ..... 29.6 ..... 2.1 PCB 52 ..... 25.5 ..... 1.8 PCB 101 ..... 30 ..... 4 PCB 118 ..... 30.2 ..... 2.7 PCB 138 ..... 32 ..... 4 PCB 153 ..... 30.8 ..... 2.4 PCB 180 ..... 29.8 ..... 2.5 PCB sum ..... 207 ..... 11 Indicative value for 2,2',4,4'-Tetrabromodiphenyl ether (BDE 47)	5 g
BCR-444	Porcine muscle - Chloramphenicol (blank) Certified value Chloramphenicol ..... <0.2 µg/kg	7 g
BCR-445	Porcine muscle - Chloramphenicol (positive) Certified value Chloramphenicol ..... 8.9 µg/kg	7 g
<b>New</b> ERM-BB130	Pork muscle - Chloramphenicol Certified value Chloramphenicol ..... 0.230 ± 0.021 µg/kg	bottle

## Fish and fish products

Code	Product	Unit
<b>Shellfish</b>		
BCR-668	Mussel tissue - Trace elements	10 g
	Certified values	
	Ce ..... 89 µg/kg	La ..... 80 µg/kg
	Dy ..... 8.9 µg/kg	Lu ..... 0.389 µg/kg
	Er ..... 4.5 µg/kg	Nd ..... 54 µg/kg
	Eu ..... 2.79 µg/kg	Pr ..... 12.3 µg/kg
	Gd ..... 13.0 µg/kg	Sm ..... 11.2 µg/kg
	Tb ..... 1.62 µg/kg	Th ..... 10.7 µg/kg
	Tm ..... 0.480 µg/kg	U ..... 56 µg/kg
	Y ..... 59 µg/kg	
	Indicative values for As, Cd, Co, Cr, Cs, Ho, Fe, Mo, Sc, Yb and Zn	
BCR-682	Mussel tissue - PCBs	70 g
	Certified values	
	PCB 28 ..... 0.30 µg/kg	PCB 138 ..... 4.6 µg/kg
	PCB 52 ..... 0.78 µg/kg	PCB 149 ..... 5.7 µg/kg
	PCB 118 ..... 2.6 µg/kg	PCB 153 ..... 9.2 µg/kg
	PCB 170 ..... 0.17 µg/kg	PCB 180 ..... 0.77 µg/kg
ERM-CE477	Mussel tissue - Butyltin compounds	14 g
	Compound	Certified value mg/kg
		Uncertainty mg/kg
	Tributyltin (TBT) .....	2.20 .....
	Dibutyltin (DBT) .....	1.54 .....
	Monobutyltin (MBT) .....	1.50 .....
<b>New</b> NIES15	Scallop - Tributyltin, Triphenyltin	20 g
	Certified values	
	TBT [Sn(C <sub>4</sub> H <sub>9</sub> ) <sup>3+</sup> ].....	0.404 ± 0.027 mg/kg
	TPT [Sn(C <sub>6</sub> H <sub>5</sub> ) <sup>3+</sup> ].....	0.0170 ± 0.0017 mg/kg
	Sn.....	0.179 ± 0.021 mg/kg
	Indicative values for further elements	
NIST-2976	Mussel tissue - Trace elements and methylmercury	25 g
	Certified values	
	As.....	13.3 mg/kg
	Cd.....	0.82 mg/kg
	Cu.....	4.02 mg/kg
	Fe.....	171 mg/kg
	Pb.....	1.19 mg/kg
	Se.....	1.80 mg/kg
	Zn.....	137 mg/kg
	Methylmercury .....	27.8 µg/kg
	Total mercury .....	61.0 µg/kg
	Indicative values for: Ag, Al, Br, Ca, Ce, Cl, Co, Cr, Cs, Eu, K, Mg, Mn, Na, Ni, P, Pb, Rb, S, Sc, Sn, Sr, Th, Tl	

Code	Product	Unit
<b>New</b> NIST-1974B	Mussel tissue (frozen) - PAHs, PCBs, Pesticides	5 x 8 - 10 g

Standard Reference Material NIST-1974b is a frozen mussel tissue homogenate intended for use in evaluating analytical methods for the determination of selected polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, and chlorinated pesticides in marine bivalve mollusk tissue and similar matrices. All of the constituents for which certified and reference values are provided in NIST-1974b were naturally present in the tissue material before processing. A unit of NIST-1974b consists of five bottles each containing approximately 8 g to 10 g (wet basis) of frozen tissue homogenate.

Certified Concentrations for Selected PAHs in NIST-1974b

	Mass Fractions in µg/kg	
	Wet-Mass Basis	Dry-Mass Basis
Naphthalene	2.43 ± 0.12	24.0 ± 1.2
Fluorene	0.494 ± 0.036	4.88 ± 0.36
Phenanthrene	2.58 ± 0.11	25.5 ± 1.1
Anthracene	0.527 ± 0.071	5.20 ± 0.71
1-Methylphenanthrene	0.98 ± 0.13	9.66 ± 1.3
2-Methylphenanthrene	1.28 ± 0.31	24.0 ± 1.2
3-Methylphenanthrene	1.27 ± 0.04	12.5 ± 0.4
Fluoranthene	17.1 ± 0.7	169 ± 7
Pyrene	18.04 ± 0.6	178 ± 6
Benz[a]anthracene	4.74 ± 0.53	46.8 ± 5.2
Chrysene	6.3 ± 1.0	62.2 ± 9.9
Triphenylene	4.33 ± 0.72	42.7 ± 7.1
Benzo[b]fluoranthene	6.46 ± 0.59	63.8 ± 5.8
Benzo[j]fluoranthene	2.99 ± 0.29	29.5 ± 2.9
Benzo[k]fluoranthene	3.16 ± 0.18	31.2 ± 1.8
Benzo[a]fluoranthene	0.634 ± 0.074	6.26 ± 0.73
Benzo[e]pyrene	10.3 ± 1.1	102 ± 11
Benzo[a]pyrene	2.80 ± 0.38	27.6 ± 3.8
Perylene	0.99 ± 0.14	9.8 ± 1.4
Benzo[ghi]perylene	3.12 ± 0.33	30.8 ± 3.3
Indeno[1,2,3-cd]pyrene	2.14 ± 0.11	21.1 ± 1.1
Dibenz[a,h]anthracene	0.327 ± 0.031	3.23 ± 0.31

Certified Concentrations for Selected PCB Congeners in NIST-1974b

	Mass Fractions in µg/kg	
	Wet-Mass Basis	Dry-Mass Basis
PCB 18	0.84 ± 0.13	8.30 ± 1.3
PCB 28	3.43 ± 0.25	33.9 ± 2.5
PCB 31	2.88 ± 0.23	28.4 ± 2.3
PCB 44	3.85 ± 0.20	38.0 ± 2.0
PCB 49	5.66 ± 0.23	55.9 ± 2.3
PCB 52	6.26 ± 0.37	61.8 ± 3.7
PCB 66	6.37 ± 0.37	62.9 ± 3.7
PCB 70	6.01 ± 0.22	59.3 ± 2.2
PCB 74	3.55 ± 0.23	35.0 ± 2.3
PCB 82	1.16 ± 0.14	11.5 ± 1.4
PCB 87	4.33 ± 0.36	42.7 ± 3.6
PCB 95	6.04 ± 0.36	59.6 ± 3.6
PCB 99	5.92 ± 0.27	58.4 ± 2.7
PCB 101	10.7 ± 1.1	106 ± 11
PCB 105	4.00 ± 0.18	39.5 ± 1.8
PCB 107	1.03 ± 0.12	10.2 ± 1.2
PCB 110	10.0 ± 0.7	99.1 ± 7.1
PCB 118	10.3 ± 0.4	102 ± 4
PCB 128	1.79 ± 0.12	17.7 ± 1.2
PCB 132	2.43 ± 0.25	24.0 ± 2.5
PCB 138	9.2 ± 1.4	91 ± 14
PCB 146	1.92 ± 0.16	19.0 ± 1.6
PCB 149	7.01 ± 0.28	69.2 ± 2.8
PCB 151	1.86 ± 0.16	18.4 ± 1.6
PCB 153	12.3 ± 0.8	121 ± 8
PCB 156	0.718 ± 0.080	7.09 ± 0.79
PCB 158	0.999 ± 0.096	9.86 ± 0.95
PCB 170	0.269 ± 0.034	2.66 ± 0.34
PCB 180	1.17 ± 0.10	11.5 ± 1.0
PCB 183	1.25 ± 0.03	12.3 ± 0.3
PCB 187	2.94 ± 0.15	29.0 ± 1.5

Certified Concentrations for Selected Chlorinated Pesticides in NIST-1974b

	Mass Fractions in µg/kg	
	Wet-Mass Basis	Dry-Mass Basis
cis-Chlordane	1.36 ± 0.10	13.4 ± 1.0
trans-Chlordane	1.14 ± 0.17	11.3 ± 1.7
trans-Nonachlor	1.30 ± 0.14	12.8 ± 1.4
2,4'-DDE	0.336 ± 0.044	3.32 ± 0.43
4,4'-DDE	4.15 ± 0.38 4	1.0 ± 3.8
2,4'-DDD	1.09 ± 0.16	10.8 ± 1.6
4,4'-DDD	3.34 ± 0.22	33.0 ± 2.2

Certified and Reference Concentrations for Total Mercury and Methylmercury in NIST1974b

	Mass Fraction in µg/kg	
	Wet-Mass Basis	Dry-Mass Basis
Total Mercury	17.0 ± 1.1	167 ± 11
Methylmercury	7.05 ± 0.44	69.6 ± 4.3

Indicative values for selected PAHs, PCB congeners and total PCBs, chlorinated pesticides and total extractable organics, additional trace elements

# Fish and fish products

Code	Product	Unit
New NIST-2974A	Mussel tissue - Organics	5 g

This Standard Reference Material® (SRM®) is intended for use in evaluating analytical methods for the determination of selected polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, chlorinated pesticides, polybrominated diphenyl ether (PBDE) congeners, hexabromocyclododecane (HBCD) isomers, methylmercury, inorganic mercury, and total mercury in marine bivalve mollusk tissue and similar matrices. All of the constituents for which certified and reference values are naturally present in the freeze-dried mussel tissue. A unit of NIST-2974A consists of one bottle containing approximately 5 g of freeze-dried mussel tissue.

### Certified Concentration Values for Selected PAHs in NIST-2974A

	Mass Fraction µg/kg (dry-mass basis)	Mass Fraction µg/kg (dry-mass basis)	
Phenanthrene	74.4 ± 4.7	Benzo[c]phenanthrene	23.2 ± 1.9
1-Methylphenanthrene	17.6 ± 1.6	Benzo[a]anthracene	31.1 ± 3.9
2-Methylphenanthrene	28.2 ± 2.6	Chrysene and Triphenylene	123.6 ± 2.9
3-Methylphenanthrene	24.1 ± 1.4	Benzo[b]fluoranthene	41.5 ± 2.6
9-Methylphenanthrene	15.9 ± 1.3	Benzo[j]fluoranthene	21.4 ± 1.1
4-H-Cyclopenta[def]phenanthrene	13.15 ± 0.71	Benzo[k]fluoranthene	18.95 ± 0.54
Fluoranthene	287 ± 34	Benzo[e]pyrene	58.9 ± 2.9
Pyrene	166 ± 21	Benzo[a]pyrene	9.73 ± 0.43
1-Methylpyrene	10.69 ± 0.83	Perylene	6.80 ± 0.34
4-Methylpyrene	19.77 ± 0.89	Benzo[ghi]perylene	23.7 ± 2.2
Benzo[ghi]fluoranthene	18.7 ± 1.7		

### Certified Concentration Values for Selected PCB Congeners in NIST-2974A

	Mass Fraction µg/kg (dry-mass basis)	
PCB 8	2,4'-Dichlorobiphenyl	2.01 ± 0.08
PCB 18	2,2',5'-Trichlorobiphenyl	4.03 ± 0.22
PCB 44	2,2',3,5'-Tetrachlorobiphenyl	16.24 ± 0.71
PCB 49	2,2',4,5'-Tetrachlorobiphenyl	17.1 ± 1.2
PCB 52	2,2',5,5'-Tetrachlorobiphenyl	22.42 ± 0.92
PCB 66	2,3',4,4'-Tetrachlorobiphenyl	20.6 ± 1.1
PCB 70	2,3',4',5'-Tetrachlorobiphenyl	15.45 ± 0.64
PCB 74	2,4,4',5'-Tetrachlorobiphenyl	9.02 ± 0.37
PCB 87	2,2',3,4,5'-Pentachlorobiphenyl	14.36 ± 0.56
PCB 95	2,2',3,5',6'-Pentachlorobiphenyl	23.72 ± 0.49
PCB 99	2,2',4,4',5'-Pentachlorobiphenyl	24.51 ± 0.54
PCB 101	2,2',4,5,5'-Pentachlorobiphenyl	39.84 ± 0.96
PCB 105	2,3,3',4,4'-Pentachlorobiphenyl	16.47 ± 0.43
PCB 110	2,3,3',4',6'-Pentachlorobiphenyl	35.88 ± 0.87
PCB 118	2,3',4,4',5'-Pentachlorobiphenyl	42.9 ± 2.1
PCB 128	2,2',3,3',4,4'-Hexachlorobiphenyl	8.24 ± 0.33
PCB 138	2,2',3,4,4',5'-Hexachlorobiphenyl	61.5 ± 2.3
PCB 146	2,2',3,4',5,5'-Hexachlorobiphenyl	8.07 ± 0.40
PCB 149	2,2',3,4',5,6'-Hexachlorobiphenyl	31.77 ± 0.95
PCB 151	2,2',3,5,5',6'-Hexachlorobiphenyl	5.99 ± 0.20
PCB 153	2,2',4,4',5,5'-Hexachlorobiphenyl	78.8 ± 2.5
PCB 156	2,3,3',4,4',5'-Hexachlorobiphenyl	5.80 ± 0.25
PCB 170	2,2',3,3',4,4',5'-Heptachlorobiphenyl	2.04 ± 0.08
PCB 177	2,2',3,3',4',5,6'-Heptachlorobiphenyl	5.48 ± 0.20
PCB 180	2,2',3,4,4',5,5'-Heptachlorobiphenyl	5.31 ± 0.16
PCB 183	2,2',3,4,4',5,6'-Heptachlorobiphenyl	7.06 ± 0.26
PCB 187	2,2',3,4',5,5',6'-Heptachlorobiphenyl	15.52 ± 0.48
PCB 194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	0.485 ± 0.040

### Certified Concentration Values for Selected Chlorinated Pesticides in NIST-2974A

	Mass Fraction µg/kg (dry-mass basis)	Mass Fraction µg/kg (dry-mass basis)	
Hexachlorobenzene	0.113 ± 0.007	cis-Chlordane	8.54 ± 0.17
4,4'-DDE	17.37 ± 0.82	trans-Chlordane	7.12 ± 0.15
4,4'-DDD	13.56 ± 0.58	cis-Nonachlor	1.91 ± 0.10
4,4'-DDT	6.78 ± 0.32	trans-Nonachlor	5.60 ± 0.39

### Certified Concentration Values for Selected PBDE Congeners in NIST-2974A

	Mass Fraction µg/kg (dry-mass basis)	
PBDE 28	2,4,4'-Tribromodiphenyl ether	0.905 ± 0.051
PBDE 33	2',3,4-Tribromodiphenyl ether	
PBDE 49	2,2',4,5'-Tetrabromodiphenyl ether	1.36 ± 0.06
PBDE 99	2,2',4,4',5'-Pentabromodiphenyl ether	4.78 ± 0.24
PBDE 153	2,2',4,4',5,5'-Hexabromodiphenyl ether	0.201 ± 0.014
PBDE 209	Decabromodiphenyl ether	1.99 ± 0.11

### Certified Concentration Value of Methylmercury, Inorganic Mercury, and Total Mercury in NIST-2974A

	Mass Fraction µg/kg (dry-mass basis)	Mass Fraction µg/kg (dry-mass basis)	
Methylmercury	69.06 ± 0.81	Total Mercury	195 ± 3
Inorganic Mercury	122 ± 3		

Reference values for selected PAHs, PCBs and PBDE Congeners.

Code	Product	Unit																																																				
IAEA-432	Mussel homogenate - Organic contaminants Recommended values	40 g																																																				
	<table border="0"> <tr> <td>HCB .....</td> <td>0.2 ± 0.1 ng/g</td> <td>1-Methylphenanthrene .....</td> <td>4.2 ± 2.8 ng/g</td> </tr> <tr> <td>pp' DDE .....</td> <td>2.1 ± 1.0 ng/g</td> <td>2-Methylphenanthrene .....</td> <td>9.4 ± 4.9 ng/g</td> </tr> <tr> <td>pp' DDD .....</td> <td>0.88 ± 0.49 ng/g</td> <td>Anthracene.....</td> <td>1.5 ± 1.1 ng/g</td> </tr> <tr> <td>PCB 49 .....</td> <td>0.29 ± 0.08 ng/g</td> <td>Chrysene.....</td> <td>5.5 ± 3.8 ng/g</td> </tr> <tr> <td>PCB 70 .....</td> <td>0.64 ± 0.35 ng/g</td> <td>Fluorene.....</td> <td>4.1 ± 2.2 ng/g</td> </tr> <tr> <td>PCB 101 .....</td> <td>1.2 ± 0.49 ng/g</td> <td>Fluoranthene.....</td> <td>12 ± 6.5 ng/g</td> </tr> <tr> <td>PCB 110 .....</td> <td>1.12 ± 0.4 ng/g</td> <td>Pyrene.....</td> <td>13 ± 6.0 ng/g</td> </tr> <tr> <td>PCB 118 .....</td> <td>1.09 ± 0.42 ng/g</td> <td>Benzo[b]fluoranthene.....</td> <td>4.8 ± 1.7 ng/g</td> </tr> <tr> <td>PCB 138 .....</td> <td>2.2 ± 0.84 ng/g</td> <td>Benzo[k]fluoranthene.....</td> <td>1.9 ± 1.1 ng/g</td> </tr> <tr> <td>PCB 149 .....</td> <td>1.4 ± 0.41 ng/g</td> <td>Benzo[a]anthracene.....</td> <td>3.8 ± 3.1 ng/g</td> </tr> <tr> <td>PCB 153 .....</td> <td>2.8 ± 0.99 ng/g</td> <td>Benzo[a]pyrene.....</td> <td>0.9 ± 0.5 ng/g</td> </tr> <tr> <td>PCB 180 .....</td> <td>0.2 ± 0.11 ng/g</td> <td>Benzo[e]pyrene.....</td> <td>4.5 ± 1.7 ng/g</td> </tr> <tr> <td>Phenanthrene .....</td> <td>27 ± 21 ng/g</td> <td></td> <td></td> </tr> </table>	HCB .....	0.2 ± 0.1 ng/g	1-Methylphenanthrene .....	4.2 ± 2.8 ng/g	pp' DDE .....	2.1 ± 1.0 ng/g	2-Methylphenanthrene .....	9.4 ± 4.9 ng/g	pp' DDD .....	0.88 ± 0.49 ng/g	Anthracene.....	1.5 ± 1.1 ng/g	PCB 49 .....	0.29 ± 0.08 ng/g	Chrysene.....	5.5 ± 3.8 ng/g	PCB 70 .....	0.64 ± 0.35 ng/g	Fluorene.....	4.1 ± 2.2 ng/g	PCB 101 .....	1.2 ± 0.49 ng/g	Fluoranthene.....	12 ± 6.5 ng/g	PCB 110 .....	1.12 ± 0.4 ng/g	Pyrene.....	13 ± 6.0 ng/g	PCB 118 .....	1.09 ± 0.42 ng/g	Benzo[b]fluoranthene.....	4.8 ± 1.7 ng/g	PCB 138 .....	2.2 ± 0.84 ng/g	Benzo[k]fluoranthene.....	1.9 ± 1.1 ng/g	PCB 149 .....	1.4 ± 0.41 ng/g	Benzo[a]anthracene.....	3.8 ± 3.1 ng/g	PCB 153 .....	2.8 ± 0.99 ng/g	Benzo[a]pyrene.....	0.9 ± 0.5 ng/g	PCB 180 .....	0.2 ± 0.11 ng/g	Benzo[e]pyrene.....	4.5 ± 1.7 ng/g	Phenanthrene .....	27 ± 21 ng/g			
HCB .....	0.2 ± 0.1 ng/g	1-Methylphenanthrene .....	4.2 ± 2.8 ng/g																																																			
pp' DDE .....	2.1 ± 1.0 ng/g	2-Methylphenanthrene .....	9.4 ± 4.9 ng/g																																																			
pp' DDD .....	0.88 ± 0.49 ng/g	Anthracene.....	1.5 ± 1.1 ng/g																																																			
PCB 49 .....	0.29 ± 0.08 ng/g	Chrysene.....	5.5 ± 3.8 ng/g																																																			
PCB 70 .....	0.64 ± 0.35 ng/g	Fluorene.....	4.1 ± 2.2 ng/g																																																			
PCB 101 .....	1.2 ± 0.49 ng/g	Fluoranthene.....	12 ± 6.5 ng/g																																																			
PCB 110 .....	1.12 ± 0.4 ng/g	Pyrene.....	13 ± 6.0 ng/g																																																			
PCB 118 .....	1.09 ± 0.42 ng/g	Benzo[b]fluoranthene.....	4.8 ± 1.7 ng/g																																																			
PCB 138 .....	2.2 ± 0.84 ng/g	Benzo[k]fluoranthene.....	1.9 ± 1.1 ng/g																																																			
PCB 149 .....	1.4 ± 0.41 ng/g	Benzo[a]anthracene.....	3.8 ± 3.1 ng/g																																																			
PCB 153 .....	2.8 ± 0.99 ng/g	Benzo[a]pyrene.....	0.9 ± 0.5 ng/g																																																			
PCB 180 .....	0.2 ± 0.11 ng/g	Benzo[e]pyrene.....	4.5 ± 1.7 ng/g																																																			
Phenanthrene .....	27 ± 21 ng/g																																																					
	Indicative values for pesticides, PCBs, petroleum hydrocarbons																																																					
<b>New</b> NRCCRM-DSP-MUS	Mussel tissue - Okadaic acid and Dinophysistoxin-1 A thermally sterilized mixed homogenate of mussel ( <i>Mytilus edulis</i> ) digestive gland tissue and a small amount of the dinoflagellate <i>Prorocentrum lima</i> . Certified values	4 g																																																				
	<table border="0"> <tr> <td>Okadaic acid (OA) .....</td> <td>10.1 µg/g</td> </tr> <tr> <td>Dinophysistoxin 1 (DTX1) .....</td> <td>1.3 µg/g</td> </tr> </table>	Okadaic acid (OA) .....	10.1 µg/g	Dinophysistoxin 1 (DTX1) .....	1.3 µg/g																																																	
Okadaic acid (OA) .....	10.1 µg/g																																																					
Dinophysistoxin 1 (DTX1) .....	1.3 µg/g																																																					
BCR-543	Mussel - dc-Saxitoxin Mussel material BCR-543 is intended to serve as an analytical blank or as a material enriched with the saxitoxin enrichment solution (BCR-663). As an analytical blank it may serve - to establish recovery values for a method of analysis at various levels of contamination - to check the specific background level of the laboratories methods. BCR-543 enriched with saxitoxin enrichment solution (BCR-663) may be used to validate the laboratory's own methods.	15 g																																																				
	<table border="0"> <thead> <tr> <th>Compound</th> <th>Certified value (mg/kg)</th> <th>Uncertainty (mg/kg)</th> </tr> </thead> <tbody> <tr> <td>Saxitoxin·2HCl .....</td> <td>&lt;0.07</td> <td></td> </tr> <tr> <td>Saxitoxin·2HCl .....</td> <td>0.48</td> <td>0.06</td> </tr> <tr> <td>DC-Saxitoxin·2HCl.....</td> <td>&lt;0.04</td> <td></td> </tr> </tbody> </table> <p>This reference material is a "dual usage" material and requires special export/ import documents under the authority of IRMM.</p>	Compound	Certified value (mg/kg)	Uncertainty (mg/kg)	Saxitoxin·2HCl .....	<0.07		Saxitoxin·2HCl .....	0.48	0.06	DC-Saxitoxin·2HCl.....	<0.04																																										
Compound	Certified value (mg/kg)	Uncertainty (mg/kg)																																																				
Saxitoxin·2HCl .....	<0.07																																																					
Saxitoxin·2HCl .....	0.48	0.06																																																				
DC-Saxitoxin·2HCl.....	<0.04																																																					
BCR-663	Saxitoxin in acetic acid This material is an acetic acid solution (0.2 mol/L), containing saxitoxin.2HCl.	Amp.																																																				
	<table border="0"> <thead> <tr> <th>Compound</th> <th>Certified value (mg/kg)</th> <th>Uncertainty (mg/kg)</th> </tr> </thead> <tbody> <tr> <td>Saxitoxin.2HCl .....</td> <td>9.8</td> <td>1.2</td> </tr> </tbody> </table> <p>This reference material is a "dual usage" material and requires special export/ import documents under the authority of IRMM.</p>	Compound	Certified value (mg/kg)	Uncertainty (mg/kg)	Saxitoxin.2HCl .....	9.8	1.2																																															
Compound	Certified value (mg/kg)	Uncertainty (mg/kg)																																																				
Saxitoxin.2HCl .....	9.8	1.2																																																				
NRCCRM-MUS-C	Mussel tissue - Domoic acid (amnesic toxin) A homogenised slurry of mussel tissue ( <i>Mytilus edulis</i> L.). Certified values	8 g																																																				
	<table border="0"> <tr> <td>Domoic acid.....</td> <td>41 µg/g</td> </tr> <tr> <td>C5'-Epidomoic acid.....</td> <td>3.2 µg/g</td> </tr> <tr> <td>Domoic acid + .....</td> <td>44 µg/g</td> </tr> <tr> <td>C5'-Epidomoic acid</td> <td></td> </tr> </table>	Domoic acid.....	41 µg/g	C5'-Epidomoic acid.....	3.2 µg/g	Domoic acid + .....	44 µg/g	C5'-Epidomoic acid																																														
Domoic acid.....	41 µg/g																																																					
C5'-Epidomoic acid.....	3.2 µg/g																																																					
Domoic acid + .....	44 µg/g																																																					
C5'-Epidomoic acid																																																						
NIST-1566b	Oyster Tissue - Trace elements and methyl mercury This Standard Reference Material® (SRM®) is intended primarily for use in evaluating analytical methods and instruments used for the determination of the concentrations of selected elements and proximates, selected fatty acids, total dietary fibre, as well as the calorific content in marine bivalve tissue, foods, or similar materials. A unit of NIST-1566b contains approximately 25 g of freeze-dried oyster tissue. Certified values	25 g																																																				
	<table border="0"> <tr> <td>Ca .....</td> <td>0.0838 ± 0.0020 %</td> <td>Pb.....</td> <td>0.308 ± 0.009 mg/kg</td> </tr> <tr> <td>Cl .....</td> <td>0.514 ± 0.010 %</td> <td>Mn .....</td> <td>18.5 ± 0.2 mg/kg</td> </tr> <tr> <td>Mg.....</td> <td>0.1085 ± 0.0023 %</td> <td>Hg (total).....</td> <td>0.0371 ± 0.0013 mg/kg</td> </tr> <tr> <td>K .....</td> <td>0.652 ± 0.009 %</td> <td>Methylmercury (as Hg).....</td> <td>0.0132 ± 0.0007 mg/kg</td> </tr> <tr> <td>Na .....</td> <td>0.3297 ± 0.0053 %</td> <td>Ni.....</td> <td>1.04 ± 0.09 mg/kg</td> </tr> <tr> <td>S .....</td> <td>0.6887 ± 0.0140 %</td> <td>Rb .....</td> <td>3.262 ± 0.145 mg/kg</td> </tr> <tr> <td>Al.....</td> <td>197.2 ± 6.0 mg/kg</td> <td>Se.....</td> <td>2.06 ± 0.15 mg/kg</td> </tr> <tr> <td>As.....</td> <td>7.65 ± 0.65 mg/kg</td> <td>Ag.....</td> <td>0.666 ± 0.009 mg/kg</td> </tr> <tr> <td>Cd .....</td> <td>2.48 ± 0.08 mg/kg</td> <td>Th.....</td> <td>0.0367 ± 0.0043 mg/kg</td> </tr> <tr> <td>Co .....</td> <td>0.371 ± 0.009 mg/kg</td> <td>V.....</td> <td>0.577 ± 0.023 mg/kg</td> </tr> <tr> <td>Cu .....</td> <td>71.6 ± 1.6 mg/kg</td> <td>Zn.....</td> <td>1.424 ± 46 mg/kg</td> </tr> <tr> <td>Fe.....</td> <td>205.8 ± 6.8 mg/kg</td> <td></td> <td></td> </tr> </table> <p>Indicative values for proximates, nitrogen, total dietary fiber, selected fatty acids (as triglycerides) and calories</p>	Ca .....	0.0838 ± 0.0020 %	Pb.....	0.308 ± 0.009 mg/kg	Cl .....	0.514 ± 0.010 %	Mn .....	18.5 ± 0.2 mg/kg	Mg.....	0.1085 ± 0.0023 %	Hg (total).....	0.0371 ± 0.0013 mg/kg	K .....	0.652 ± 0.009 %	Methylmercury (as Hg).....	0.0132 ± 0.0007 mg/kg	Na .....	0.3297 ± 0.0053 %	Ni.....	1.04 ± 0.09 mg/kg	S .....	0.6887 ± 0.0140 %	Rb .....	3.262 ± 0.145 mg/kg	Al.....	197.2 ± 6.0 mg/kg	Se.....	2.06 ± 0.15 mg/kg	As.....	7.65 ± 0.65 mg/kg	Ag.....	0.666 ± 0.009 mg/kg	Cd .....	2.48 ± 0.08 mg/kg	Th.....	0.0367 ± 0.0043 mg/kg	Co .....	0.371 ± 0.009 mg/kg	V.....	0.577 ± 0.023 mg/kg	Cu .....	71.6 ± 1.6 mg/kg	Zn.....	1.424 ± 46 mg/kg	Fe.....	205.8 ± 6.8 mg/kg							
Ca .....	0.0838 ± 0.0020 %	Pb.....	0.308 ± 0.009 mg/kg																																																			
Cl .....	0.514 ± 0.010 %	Mn .....	18.5 ± 0.2 mg/kg																																																			
Mg.....	0.1085 ± 0.0023 %	Hg (total).....	0.0371 ± 0.0013 mg/kg																																																			
K .....	0.652 ± 0.009 %	Methylmercury (as Hg).....	0.0132 ± 0.0007 mg/kg																																																			
Na .....	0.3297 ± 0.0053 %	Ni.....	1.04 ± 0.09 mg/kg																																																			
S .....	0.6887 ± 0.0140 %	Rb .....	3.262 ± 0.145 mg/kg																																																			
Al.....	197.2 ± 6.0 mg/kg	Se.....	2.06 ± 0.15 mg/kg																																																			
As.....	7.65 ± 0.65 mg/kg	Ag.....	0.666 ± 0.009 mg/kg																																																			
Cd .....	2.48 ± 0.08 mg/kg	Th.....	0.0367 ± 0.0043 mg/kg																																																			
Co .....	0.371 ± 0.009 mg/kg	V.....	0.577 ± 0.023 mg/kg																																																			
Cu .....	71.6 ± 1.6 mg/kg	Zn.....	1.424 ± 46 mg/kg																																																			
Fe.....	205.8 ± 6.8 mg/kg																																																					

## Fish and fish products

Code	Product	Unit																																																																								
NRCLUTS-1	<p>Non-defatted Lobster Hepatopancreas - Trace elements and methyl-mercury</p> <p>Prepared from edible grade lobster tomalley. Except for the addition of some water and a small quantity of antioxidant the sample is natural biological material containing 55 % lipids on a dry weight basis.</p> <p><u>As bottled</u></p> <p>Certified values</p> <table> <tr> <td>Ag .....</td> <td>0.580 mg/kg</td> <td>K.....</td> <td>948 mg/kg</td> </tr> <tr> <td>As.....</td> <td>2.83 mg/kg</td> <td>Mg.....</td> <td>89.5 mg/kg</td> </tr> <tr> <td>Ca.....</td> <td>203 mg/kg</td> <td>Mn.....</td> <td>1.20 mg/kg</td> </tr> <tr> <td>Cd.....</td> <td>2.12 mg/kg</td> <td>Ni.....</td> <td>0.200 mg/kg</td> </tr> <tr> <td>Co.....</td> <td>0.051 mg/kg</td> <td>Pb.....</td> <td>0.010 mg/kg</td> </tr> <tr> <td>Cr.....</td> <td>0.079 mg/kg</td> <td>Se.....</td> <td>0.641 mg/kg</td> </tr> <tr> <td>Cu.....</td> <td>15.9 mg/kg</td> <td>Sr.....</td> <td>2.46 mg/kg</td> </tr> <tr> <td>Fe.....</td> <td>11.6 mg/kg</td> <td>Zn.....</td> <td>12.4 mg/kg</td> </tr> <tr> <td>Hg.....</td> <td>0.0167 mg/kg</td> <td>Methylmercury (as Hg).....</td> <td>0.0094 mg/kg</td> </tr> </table> <p><u>Dry weight</u></p> <p>Certified values</p> <table> <tr> <td>Ag .....</td> <td>3.89 mg/kg</td> <td>K.....</td> <td>6360 mg/kg</td> </tr> <tr> <td>As.....</td> <td>19.0 mg/kg</td> <td>Mg.....</td> <td>601 mg/kg</td> </tr> <tr> <td>Ca.....</td> <td>1360 mg/kg</td> <td>Mn.....</td> <td>8.02 mg/kg</td> </tr> <tr> <td>Cd.....</td> <td>14.2 mg/kg</td> <td>Ni.....</td> <td>1.34 mg/kg</td> </tr> <tr> <td>Co.....</td> <td>0.34 mg/kg</td> <td>Pb.....</td> <td>0.069 mg/kg</td> </tr> <tr> <td>Cr.....</td> <td>0.53 mg/kg</td> <td>Se.....</td> <td>4.30 mg/kg</td> </tr> <tr> <td>Cu.....</td> <td>107 mg/kg</td> <td>Sr.....</td> <td>16.5 mg/kg</td> </tr> <tr> <td>Fe.....</td> <td>77.8 mg/kg</td> <td>Zn.....</td> <td>82.9 mg/kg</td> </tr> <tr> <td>Hg.....</td> <td>0.112 mg/kg</td> <td>Methylmercury (as Hg).....</td> <td>0.063 mg/kg</td> </tr> </table>	Ag .....	0.580 mg/kg	K.....	948 mg/kg	As.....	2.83 mg/kg	Mg.....	89.5 mg/kg	Ca.....	203 mg/kg	Mn.....	1.20 mg/kg	Cd.....	2.12 mg/kg	Ni.....	0.200 mg/kg	Co.....	0.051 mg/kg	Pb.....	0.010 mg/kg	Cr.....	0.079 mg/kg	Se.....	0.641 mg/kg	Cu.....	15.9 mg/kg	Sr.....	2.46 mg/kg	Fe.....	11.6 mg/kg	Zn.....	12.4 mg/kg	Hg.....	0.0167 mg/kg	Methylmercury (as Hg).....	0.0094 mg/kg	Ag .....	3.89 mg/kg	K.....	6360 mg/kg	As.....	19.0 mg/kg	Mg.....	601 mg/kg	Ca.....	1360 mg/kg	Mn.....	8.02 mg/kg	Cd.....	14.2 mg/kg	Ni.....	1.34 mg/kg	Co.....	0.34 mg/kg	Pb.....	0.069 mg/kg	Cr.....	0.53 mg/kg	Se.....	4.30 mg/kg	Cu.....	107 mg/kg	Sr.....	16.5 mg/kg	Fe.....	77.8 mg/kg	Zn.....	82.9 mg/kg	Hg.....	0.112 mg/kg	Methylmercury (as Hg).....	0.063 mg/kg	6 x 10 g
Ag .....	0.580 mg/kg	K.....	948 mg/kg																																																																							
As.....	2.83 mg/kg	Mg.....	89.5 mg/kg																																																																							
Ca.....	203 mg/kg	Mn.....	1.20 mg/kg																																																																							
Cd.....	2.12 mg/kg	Ni.....	0.200 mg/kg																																																																							
Co.....	0.051 mg/kg	Pb.....	0.010 mg/kg																																																																							
Cr.....	0.079 mg/kg	Se.....	0.641 mg/kg																																																																							
Cu.....	15.9 mg/kg	Sr.....	2.46 mg/kg																																																																							
Fe.....	11.6 mg/kg	Zn.....	12.4 mg/kg																																																																							
Hg.....	0.0167 mg/kg	Methylmercury (as Hg).....	0.0094 mg/kg																																																																							
Ag .....	3.89 mg/kg	K.....	6360 mg/kg																																																																							
As.....	19.0 mg/kg	Mg.....	601 mg/kg																																																																							
Ca.....	1360 mg/kg	Mn.....	8.02 mg/kg																																																																							
Cd.....	14.2 mg/kg	Ni.....	1.34 mg/kg																																																																							
Co.....	0.34 mg/kg	Pb.....	0.069 mg/kg																																																																							
Cr.....	0.53 mg/kg	Se.....	4.30 mg/kg																																																																							
Cu.....	107 mg/kg	Sr.....	16.5 mg/kg																																																																							
Fe.....	77.8 mg/kg	Zn.....	82.9 mg/kg																																																																							
Hg.....	0.112 mg/kg	Methylmercury (as Hg).....	0.063 mg/kg																																																																							
NRCTORT-2	<p>Lobster hepatopancreas - Trace elements and methyl-mercury</p> <p>Partially defatted lobster (<i>Homarus americanus</i>) hepatopancreas prepared from edible grade lobster tomalley.</p> <p>Certified values</p> <table> <tr> <td>As.....</td> <td>21.6 mg/kg</td> <td>Mo.....</td> <td>0.95 mg/kg</td> </tr> <tr> <td>Cd.....</td> <td>26.7 mg/kg</td> <td>Ni.....</td> <td>2.50 mg/kg</td> </tr> <tr> <td>Co.....</td> <td>0.51 mg/kg</td> <td>Pb.....</td> <td>0.35 mg/kg</td> </tr> <tr> <td>Cr.....</td> <td>0.77 mg/kg</td> <td>Se.....</td> <td>5.63 mg/kg</td> </tr> <tr> <td>Cu.....</td> <td>106 mg/kg</td> <td>Sr.....</td> <td>45.2 mg/kg</td> </tr> <tr> <td>Fe.....</td> <td>105 mg/kg</td> <td>V.....</td> <td>1.64 mg/kg</td> </tr> <tr> <td>Hg.....</td> <td>0.27 mg/kg</td> <td>Zn.....</td> <td>180 mg/kg</td> </tr> <tr> <td>Mn.....</td> <td>13.6 mg/kg</td> <td>Methylmercury (as Hg).....</td> <td>0.152 mg/kg</td> </tr> </table> <p>Indicative values for Sn</p>	As.....	21.6 mg/kg	Mo.....	0.95 mg/kg	Cd.....	26.7 mg/kg	Ni.....	2.50 mg/kg	Co.....	0.51 mg/kg	Pb.....	0.35 mg/kg	Cr.....	0.77 mg/kg	Se.....	5.63 mg/kg	Cu.....	106 mg/kg	Sr.....	45.2 mg/kg	Fe.....	105 mg/kg	V.....	1.64 mg/kg	Hg.....	0.27 mg/kg	Zn.....	180 mg/kg	Mn.....	13.6 mg/kg	Methylmercury (as Hg).....	0.152 mg/kg	35 g																																								
As.....	21.6 mg/kg	Mo.....	0.95 mg/kg																																																																							
Cd.....	26.7 mg/kg	Ni.....	2.50 mg/kg																																																																							
Co.....	0.51 mg/kg	Pb.....	0.35 mg/kg																																																																							
Cr.....	0.77 mg/kg	Se.....	5.63 mg/kg																																																																							
Cu.....	106 mg/kg	Sr.....	45.2 mg/kg																																																																							
Fe.....	105 mg/kg	V.....	1.64 mg/kg																																																																							
Hg.....	0.27 mg/kg	Zn.....	180 mg/kg																																																																							
Mn.....	13.6 mg/kg	Methylmercury (as Hg).....	0.152 mg/kg																																																																							
<b>Fish</b>																																																																										
LGC1706	<p>Malachite green oxalate</p> <p>The material is intended for the use as an analytical standard for the determination of malachite green oxalate in foodstuff especially fish</p> <p>Assessed value</p> <p>Purity..... 94.2 ± 1.4 mass%</p> <p>Indicative values for Monode -malachite green, 4-(Dimethylamino)benzophenone, Malachite green carbinol (MG-carbinol), Leucomalachite green (LMG).</p>	250 mg																																																																								
ERM-AC303	<p>Leucomalachite Green 4,4'-Benzylidenbis(N,N-dimethylaniline)</p> <p>Certified value</p> <p>Purity..... 98.8 ± 0.8%</p>	100 mg																																																																								
BCR-463	<p>Tuna fish - Total mercury and methyl-mercury</p> <p>Certified values</p> <p>Methylmercury..... 3.04 mg/kg</p> <p>Total mercury..... 2.85 mg/kg</p>	15 g																																																																								
ERM-CE464	<p>Tuna fish - Total mercury and methyl mercury</p> <p>Certified values</p> <p>Methylmercury..... 5.50 mg/kg</p> <p>Total mercury..... 5.24 mg/kg</p>	15 g																																																																								
BCR-349	<p>Cod liver oil - PCBs</p> <table> <thead> <tr> <th>Compound</th> <th>Certified value µg/kg</th> <th>Uncertainty µg/kg</th> </tr> </thead> <tbody> <tr> <td>PCB 28 .....</td> <td>68.....</td> <td>8</td> </tr> <tr> <td>PCB 52 .....</td> <td>149.....</td> <td>21</td> </tr> <tr> <td>PCB 101 .....</td> <td>372.....</td> <td>18</td> </tr> <tr> <td>PCB 118 .....</td> <td>460.....</td> <td>40</td> </tr> <tr> <td>PCB 153 .....</td> <td>940.....</td> <td>40</td> </tr> <tr> <td>PCB 180 .....</td> <td>282.....</td> <td>23</td> </tr> </tbody> </table>	Compound	Certified value µg/kg	Uncertainty µg/kg	PCB 28 .....	68.....	8	PCB 52 .....	149.....	21	PCB 101 .....	372.....	18	PCB 118 .....	460.....	40	PCB 153 .....	940.....	40	PCB 180 .....	282.....	23	2 g																																																			
Compound	Certified value µg/kg	Uncertainty µg/kg																																																																								
PCB 28 .....	68.....	8																																																																								
PCB 52 .....	149.....	21																																																																								
PCB 101 .....	372.....	18																																																																								
PCB 118 .....	460.....	40																																																																								
PCB 153 .....	940.....	40																																																																								
PCB 180 .....	282.....	23																																																																								

Code	Product	Unit
<b>New</b> ERM-BB350	Salmon oil - PCBs	2 g
	Compound	Certified value ng/g
		Uncertainty ng/kg
	2,4,4'-Trichlorobiphenyl (PCB 28)	21.3
	2,2',5,5'-Tetrachlorobiphenyl (PCB 52)	37.4
	2,4,4',5-Tetrachlorobiphenyl (PCB 74)	23
	2,2',4,4',5-Pentachlorobiphenyl (PCB 99)	62
	2,2',4,5,5'-Pentachlorobiphenyl (PCB 101)	111
	2,3,3',4,4'-Pentachlorobiphenyl (PCB 105)	25.8
	2,3,3',4',6-Pentachlorobiphenyl (PCB 110)	54.1
	2,3',4,4',5-Pentachlorobiphenyl (PCB 118)	84
	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)	137
	2,2',3,4',5',6-Hexachlorobiphenyl (PCB 149)	88
	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153)	220
	2,3,3',4,4',5-Hexachlorobiphenyl (PCB 156)	20.1
	2,2',3,3',4,5',6'-Heptachlorobiphenyl (PCB 177)	25.8
	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)	67
	2,2',3,4,4',5',6-Heptachlorobiphenyl (PCB 183)	22.5
	2,2',3,4',5,5',6-Heptachlorobiphenyl (PCB 187)	67
	2,2',3,3',4,4',5,5'-Octachlorobiphenyl (PCB 194)	23.4
	2,2',3,3',4,4',5,6'-Octachlorobiphenyl (PCB 196)	41
BCR-598	Cod liver oil - Organochlorine pesticides	5 g
	Compound	Certified value µg/kg
		Uncertainty µg/kg
	Hexachlorobenzene	55.7
	alpha-HCH	42
	beta-HCH	16
	gamma-HCH	23
	gamma-Chlordane	6.9
	alpha-Chlordane	24.4
	Oxychlordane	11
	trans-Nonachlor	39
	Dieldrin	59
	4,4'-DDE	0.61 x 10 <sup>3</sup>
	2,4'-DDD	30
	4,4'-DDD	0.40 x 10 <sup>3</sup>
	4,4'-DDT	0.179 x 10 <sup>3</sup>
BCR-719	Canned fresh chub - PCBs	70 g
	The material consists of approx. 70 g of minced sterilised muscle of chub to which butylhydroxy toluene (BHT) was added as an antioxidant.	
	Certified values	
	PCB 77	196 ng/kg
	PCB 81	13.6 ng/kg
	PCB 126	20.0 ng/kg
	PCB 169	1.80 ng/kg
BCR-718	Canned fresh herring - PCBs	70 g
	The material consists of approx. 70 g of minced sterilised muscle of herring to which butylhydroxy toluene (BHT) was added as an antioxidant.	
	Certified values	
	PCB 28	0.41 µg/kg
	PCB 52	1.00 µg/kg
	PCB 101	2.12 µg/kg
	PCB 105	0.63 µg/kg
	PCB 118	1.78 µg/kg
	PCB 128	0.62 µg/kg
	PCB 138	2.97 µg/kg
	PCB 149	2.58 µg/kg
	PCB 153	4.62 µg/kg
	PCB 156	0.19 µg/kg
	PCB 170	0.35 µg/kg
	PCB 180	0.795 µg/kg
BCR-627	Tuna fish tissue - Arsenic species	10 g
	Certified values	
	Arsenobetaine	52 µmol/kg
	Dimethylarsinic acid	2 µmol/kg
	total As	4.8 mg/kg
BCR-725	Salmon tissue - Flumequine and oxolinic acid	vial
		Certified value µg/kg
		Uncertainty µg/kg
	Flumequine	1170
	Oxolinic acid	600



# Fish and fish products

Code	Product	Unit
NIST-1947	Lake Michigan fish tissue - Organic contaminants	5 x 8 g

This Standard Reference Material® (SRM®) 1947 is a frozen fish tissue homogenate, which was prepared from fish collected from Lake Michigan, and is intended primarily for use in evaluating analytical methods for the determination of selected trace elements, methylmercury, total mercury, polychlorinated biphenyl (PCB) congeners, chlorinated pesticides, and polybrominated diphenyl ether (PBDE) congeners, proximates, caloric content and fatty acids in fish tissue and similar matrices. All of the constituents for which certified, reference, and information values are provided are naturally present in the fish tissue homogenate. A unit of NIST-1947 consists of five bottles, each containing approximately 8 g (wet basis) of frozen tissue homogenate.

Certified concentrations for selected elements and methylmercury

	Element Mass Fraction mg/kg (wet-mass basis)		Element Mass Fraction mg/kg (wet-mass basis)
As	0.732 ± 0.039	Rb	4.51 ± 0.09
Cu	0.411 ± 0.029	Se	0.475 ± 0.084
Fe	3.79 ± 0.42	Zn	2.66 ± 0.08
Hg	0.254 ± 0.005	Methylmercury	0.233 ± 0.010
Mn	0.076 ± 0.004		

Certified concentrations for selected PCB congeners

	Mass fraction µg/kg (dry mass basis)
PCB 28	14.1 ± 1.0
PCB 31	10.4 ± 1.4
PCB 44	20.4 ± 1.7
PCB 49	27.3 ± 3.8
PCB 52	36.4 ± 4.3
PCB 63	4.75 ± 0.60
PCB 66	69.4 ± 5.3
PCB 74	33.7 ± 3.1
PCB 87	27.9 ± 1.5
PCB 99	78.0 ± 6.0
PCB 101	90.8 ± 0.3
PCB 105	50.3 ± 3.7
PCB 107	17.1 ± 1.2
PCB 110	94.6 ± 4.3
PCB 118	112 ± 6
PCB 128	31.6 ± 2.1
PCB 132	20.8 ± 2.1
PCB 138	162.0 ± 6.9
PCB 146	40.5 ± 2.0
PCB 149	67.1 ± 3.7
PCB 153	201 ± 3
PCB 156	13.3 ± 0.9
PCB 158	11.3 ± 0.9
PCB 170	29.2 ± 2.4
PCB 174	18.6 ± 1.7
PCB 180	80.8 ± 5.0
PCB 183	23.3 ± 1.9
PCB 187	54.8 ± 2.6
PCB 193	6.04 ± 0.23
PCB 194	13.2 ± 0.9
PCB 195	4.95 ± 0.77
PCB 206	6.24 ± 0.8

Certified concentrations for selected chlorinated pesticides

	Mass fraction µg/kg (wet-mass basis)		Mass fraction µg/kg (wet-mass basis)
Hexachlorobenzene	7.48 ± 0.66	Mirex	5.09 ± 0.73
α-HCH	1.06 ± 0.12	2,4'-DDE	3.39 ± 0.28
Heptachlor epoxide	13.4 ± 0.8	4,4'-DDE	720 ± 43
Oxychlorodane	23.6 ± 1.5	2,4'-DDD	3.31 ± 0.16
trans-Chlordane	12.8 ± 1.2	4,4'-DDD	45.9 ± 3.6
cis-Nonachlor	54.1 ± 7.3	2,4'-DDT	15.7 ± 0.89
trans-Nonachlor	127 ± 6	4,4'-DDT	59.5 ± 6.7
Dieldrin	80.8 ± 3.8		

Certified concentrations for fat and selected polybrominated diphenyl ether (PBDE)

	Mass fraction µg/kg (wet-mass basis)
BDE 47	73.3 ± 2.9
BDE 49	4.01 ± 0.10
BDE 66	1.85 ± 0.13
BDE 99	19.2 ± 0.8
BDE 100	17.1 ± 0.6
BDE 153	3.83 ± 0.04
BDE 154	6.88 ± 0.52

Reference concentrations for PCBs, pesticides, PBDE congeners, pesticides, proximates and caloric content, fat and fatty acids.

Code	Product	Unit
NIST-1946	Lake Superior fish tissue - Organic contaminants	5 x 10 g

This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is a frozen fish tissue homogenate, which was prepared from lake trout (*Salvelinus namaycush* *namaycush*) collected from Lake Superior (U.S./Canada), and is intended primarily for use in evaluating analytical methods for the determination of polychlorinated biphenyl (PCB) congeners, chlorinated pesticides, fatty acids (including omega-3 fatty acids), extractable fat, methylmercury, total mercury, and selected trace elements in fish tissue and similar matrices.

Certified concentrations for selected PCB congeners

	Mass fraction µg/kg (dry mass basis)
PCB 44	2,2',3,5'-Tetrachlorobiphenyl..... 4.66 ± 0.86
PCB 49	2,2',4,5'-Tetrachlorobiphenyl..... 3.80 ± 0.39
PCB 52	2,2',5,5'-Tetrachlorobiphenyl..... 8.1 ± 1.0
PCB 66	2,3',4,4'-Tetrachlorobiphenyl..... 10.8 ± 1.9
PCB 70	2,3',4',5-Tetrachlorobiphenyl..... 14.9 ± 0.6
PCB 74	2,4,4',5-Tetrachlorobiphenyl..... 4.83 ± 0.51
PCB 77	3,3',4,4'-Tetrachlorobiphenyl..... 0.327 ± 0.025
PCB 87	2,2',3,4,5'-Pentachlorobiphenyl..... 9.4 ± 1.4
PCB 95	2,2',3,5',6-Pentachlorobiphenyl..... 11.4 ± 1.3
PCB 99	2,2',4,4',5-Pentachlorobiphenyl..... 25.6 ± 2.3
PCB 101	2,2',4,5,5'-Pentachlorobiphenyl..... 34.6 ± 2.6
PCB 105	2,3,3',4,4'-Pentachlorobiphenyl..... 19.9 ± 0.9
PCB 110	2,3,3',4',6-Pentachlorobiphenyl..... 22.8 ± 2.0
PCB 118	2,3',4,4',5-Pentachlorobiphenyl..... 52.1 ± 1.0
PCB 126	3,3',4,4',5-Pentachlorobiphenyl..... 0.380 ± 0.017
PCB 128	2,2',3,3',4,4'-Hexachlorobiphenyl..... 22.8 ± 1.9
PCB 138	2,2',3,4,4',5'-Hexachlorobiphenyl..... 115 ± 13
PCB 146	2,2',3,4',5,5'-Hexachlorobiphenyl..... 30.1 ± 3.5
PCB 149	2,2',3,4',5',6-Hexachlorobiphenyl..... 26.3 ± 1.3
PCB 153	2,2',4,4',5,5'-Hexachlorobiphenyl..... 170 ± 9
PCB 156	2,3,3',4,4',5-Hexachlorobiphenyl..... 9.52 ± 0.51
PCB 169	2,2',3,4,4',5'-Hexachlorobiphenyl..... 0.106 ± 0.014
PCB 170	2,2',3,3',4,4',5-Heptachlorobiphenyl..... 25.2 ± 2.2
PCB 180	2,2',3,4,4',5,5'-Heptachlorobiphenyl..... 74.4 ± 4.0
PCB 183	2,2',3,4,4',5',6-Heptachlorobiphenyl..... 21.9 ± 2.5
PCB 187	2,2',3,4',5,5',6-Heptachlorobiphenyl..... 55.2 ± 2.1
PCB 194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl..... 13.0 ± 1.3
PCB 195	2,2',3,3',4,4',5,6-Octachlorobiphenyl..... 5.30 ± 0.45
PCB 206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl..... 5.40 ± 0.43
PCB 209	Decachlorobiphenyl..... 1.30 ± 0.21

Certified concentrations for selected chlorinated pesticides

	Mass fraction µg/kg (wet- mass basis)	Mass fraction µg/kg (wet- mass basis)
Hexachlorobenzene	7.25 ± 0.83	trans-Nonachlor..... 99.6 ± 7.6
alpha-HCH	5.72 ± 0.65	Dieldrin..... 32.5 ± 3.5
gamma-HCH	1.14 ± 0.18	Mirex..... 6.47 ± 0.77
Heptachlor epoxide	5.50 ± 0.23	4,4'-DDE..... 373 ± 48
Oxychlorodane	18.9 ± 1.5	2,4'-DDD..... 2.20 ± 0.25
cis-Chlordane (alpha-Chlordane)	32.5 ± 1.8	4,4'-DDD..... 17.7 ± 2.8
trans-Chlordane	8.36 ± 0.91	4,4'-DDT..... 37.2 ± 3.5
cis-Nonachlor	59.1 ± 3.6	

Certified concentrations for fat and selected fatty acids

	Mass fraction (%) (wet- mass basis)
Fat (Extractable)	10.17 ± 0.48
Fat (Sum of Fatty Acids)	8.76 ± 0.17
	Mass fraction (%) (as the triglyceride) (wet- mass basis)
Tetradecanoic acid (C14:0)	0.316 ± 0.009
(Myristic acid)	
Hexadecanoic acid (C16:0)	1.22 ± 0.04
(Palmitic acid)	
(Z)-9-Hexadecenoic acid (C16:1)	0.816 ± 0.026
(Palmitoleic acid)	
Octadecanoic acid (C18:0)	0.263 ± 0.011
(Stearic acid)	
(Z)-9-Octadecenoic acid (C18:1)	2.64 ± 0.08
(Oleic acid)c	
(Z,Z)-9,12-Octadecadienoic acid (C18:2)	0.348 ± 0.023
(Linoleic acid)	
(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3)	0.221 ± 0.025
(Linolenic acid)	
Eicosanoic acid (C20:0)	0.0100 ± 0.0012
(Arachidic acid)	
(Z)-11-Eicosenoic acid (C20:1)	0.132 ± 0.012
(Z,Z)-11,14-Eicosadienoic acid (C20:2)	0.0990 ± 0.0043
(Z,Z,Z,Z)-5,8,11,14,17-Eicosapentaenoic acid (C20:5) (EPA)	0.296 ± 0.019
(Z,Z,Z,Z,Z)-7,10,13,16,19-Docosapentaenoic acid (C22:5) (DPA)	0.335 ± 0.026
(Z,Z,Z,Z,Z,Z)-4,7,10,13,16,19-Docosahexaenoic acid (C22:6) (DHA)	0.92 ± 0.10

Certified concentrations for methylmercury, total mercury, arsenic, and iron

	Mass fraction mg/kg (wet- mass basis)	Mass fraction mg/kg (wet- mass basis)
Methylmercury	0.394 ± 0.015	As..... 0.277 ± 0.010
Hg (Total)	0.433 ± 0.009	Fe..... 4.00 ± 0.32

Reference concentrations for PCBs, pesticides, fatty acids, proximates and caloric content.

## Fish and fish products

Code	Product	Unit
IAEA-406	Fish - Organic contaminants	35 g
	Recommended values	
	HCB ..... 1.5 ng/g      PCB 28 ..... 0.57 ng/g      PCB 153 ..... 3.7 ng/g p,p'-DDE ..... 9.2 ng/g      PCB 31 ..... 0.29 ng/g      PCB 156 ..... 0.27 ng/g p,p'-DDD ..... 2.8 ng/g      PCB 52 ..... 1.3 ng/g      PCB 170 ..... 0.54 ng/g o,p'-DDE ..... 0.76 ng/g      PCB 101 ..... 3.1 ng/g      PCB 180 ..... 1.2 ng/g Heptachlor ..... 0.32 ng/g      PCB 110 ..... 1.4 ng/g      Pyrene ..... 4.5 ng/g Aldrin ..... 0.75 ng/g      PCB 138 ..... 4 ng/g alpha-Chlordane ..... 2.8 ng/g      PCB 149 ..... 2 ng/g	
	Indicative values for PAHs, PCBs, pesticides	
IAEA-435	Tuna homogenate - Organic contaminants	30 g
	Recommended values	
	HCB ..... 2.6 ± 1.0 ng/g      PCB 183 ..... 11 ± 2.9 ng/g o,p'-DDD ..... 2.5 ± 0.52 ng/g      PCB 187 ..... 31 ± 10 ng/g PCB 28 ..... 1.4 ± 0.55 ng/g      PCB 194 ..... 3.9 ± 1.1 ng/g PCB 31 ..... 1.5 ± 0.66 ng/g      PCB 206 ..... 2.8 ± 1.4 ng/g PCB 66 ..... 5.0 ± 1.2 ng/g      PCB 209 ..... 2.0 ± 0.84 ng/g PCB 99 ..... 16 ± 4.1 ng/g      Phytane ..... 83 ± 40 ng/g PCB 105 ..... 6.7 ± 3.6 ng/g      Naphthalene ..... 7.8 ± 5.9 ng/g PCB 128 ..... 9.5 ± 4.7 ng/g      Phenanthrene ..... 8.4 ± 4.9 ng/g PCB 149 ..... 29 ± 7.1 ng/g      1-Methylphenanthrene ..... 4.8 ± 3.6 ng/g PCB 151 ..... 12 ± 2.7 ng/g      Chrysene ..... 2.8 ± 2.6 ng/g PCB 156 ..... 3.4 ± 1.3 ng/g      Acenaphthene ..... 3.4 ± 3.5 ng/g PCB 177 ..... 7.9 ± 4.2 ng/g	
	Indicative values for pesticides, PCBs, petroleum hydrocarbons.	

Code	Product	Unit
CIL-EDF-2524	Clean Fish (slurry) - Organic contaminants	10 g
	Reference values	
	Polychlorinated dioxins and furans	
	2,3,7,8-TCDD .....0.07 ± 0.06 ng/kg	1,2,3,7,8-PeCDF ..... 0.09 ± 0.06 ng/kg
	1,2,3,7,8-PeCDD .....0.15 ± 0.03 ng/kg	2,3,4,7,8-PeCDF ..... 0.21 ± 0.14 ng/kg
	1,2,3,4,7,8-HxCDD .....0.06 ± 0.03 ng/kg	Total-PeCDF ..... 1.22 ± 1.13 ng/kg
	1,2,3,6,7,8-HxCDD .....0.24 ± 0.14 ng/kg	1,2,3,4,7,8-HxCDF ..... 0.09 ± 0.14 ng/kg
	1,2,3,7,8,9-HxCDD .....0.07 ± 0.05 ng/kg	1,2,3,6,7,8-HxCDF ..... 0.08 ± 0.12 ng/kg
	1,2,3,4,6,7,8-HpCDD .....0.29 ± 0.54 ng/kg	2,3,4,6,7,8-HxCDF ..... 0.08 ± 0.05 ng/kg
	Total HpCDD .....0.23 ± 0.30 ng/kg	Total-HxCDF4 ..... 0.55 ± 1.31 ng/kg
	OCDD .....0.59 ± 0.82 ng/kg	1,2,3,4,6,7,8-HpCDF ..... 0.17 ± 0.28 ng/kg
	2,3,7,8-TCDF .....2.42 ± 0.74 ng/kg	OCDF .....0.24 ± 0.58 ng/kg
	Total TCDF .....2.49 ± 0.92 ng/kg	
	Polychlorinated biphenyls	
	2,2',5'-TriCB (#18) ..... 86.0 ± 60.4 ng/kg	
	2,4,4'-TriCB (#28) ..... 253 ± 244 ng/kg	
	3,4,4'-TriCB (#37) ..... 12.6 ± 4.52 ng/kg	
	2,2',3,5'-TetraCB (#44) ..... 274 ± 192 ng/kg	
	2,2',4,5'-TetraCB (#49) ..... 176 ± 41.6 ng/kg	
	2,2',5,5'-TetraCB (#52) ..... 653 ± 200 ng/kg	
	2,3',4,4'-TetraCB (#66) ..... 218 ± 212 ng/kg	
	2,4,4',5-TetraCB (#74) ..... 348 ± 398 ng/kg	
	3,3',4,4'-TetraCB (#77) ..... 8.82 ± 4.16 ng/kg	
	3,4,4',5-TetraCB (#81) ..... 1.27 ± 2.52 ng/kg	
	2,2',4,4',5-PentaCB (#99) ..... 588 ± 120 ng/kg	
	2,2',4,5,5'-PentaCB (#101) ..... 1,130 ± 274 ng/kg	
	2,3,3',4,4'-PentaCB (#105) ..... 280 ± 80.4 ng/kg	
	2,3,3',4',6-PentaCB (#110) ..... 789 ± 170 ng/kg	
	2,3,4,4',5-PentaCB (#114) ..... 18.6 ± 5.98 ng/kg	
	2,3',4,4',5-PentaCB (#118) ..... 692 ± 104 ng/kg	
	2',3,4,4',5-PentaCB (#123) ..... 11.4 ± 9.24 ng/kg	
	3,3',4,4',5-PentaCB (#126) ..... 2.14 ± 1.24 ng/kg	
	2,2',3,3',4,4'-HexaCB (#128) ..... 127 ± 62.2 ng/kg	
	2,2',3,4,4',5-HexaCB (#137) ..... 31.8 ± 26.8 ng/kg	
	2,2',3,4,4',5'-HexaCB (#138) ..... 1,110 ± 400 ng/kg	
	2,2',3,4,5,5'-HexaCB (#141) ..... 152 ± 119 ng/kg	
	2,2',3,4',5,5'-HexaCB (#146) ..... 261 ± 69.2 ng/kg	
	2,2',3,4',5',6-HexaCB (#149) ..... 608 ± 788 ng/kg	
	2,2',3,5,5',6-HexaCB (#151) ..... 279 ± 212 ng/kg	
	2,2',4,4',5,5'-HexaCB (#153) ..... 1,360 ± 516 ng/kg	
	2,3,3',4,4',5-HexaCB (#156) ..... 64.7 ± 18.4 ng/kg	
	2,3,3',4,4',5'-HexaCB (#157) ..... 19.2 ± 8.68 ng/kg	
	2,3,3',4,4',6-HexaCB (#158) ..... 73.2 ± 52.6 ng/kg	
	2,3',4,4',5,5'-HexaCB (#167) ..... 24.7 ± 17.1 ng/kg	
	3,3',4,4',5,5'-HexaCB (#169) ..... 0.65 ± 0.46 ng/kg	
	2,2',3,3',4,4',5-HeptaCB (#170) ..... 119 ± 42.0 ng/kg	
	2,2',3,3',4,5,5'-HeptaCB (#172) ..... 38.6 ± 12.0 ng/kg	
	2,2',3,3',4',5,6-HeptaCB (#177) ..... 126 ± 47.8 ng/kg	
	2,2',3,3',5,5',6-HeptaCB (#178) ..... 68.2 ± 5.80 ng/kg	
	2,2',3,4,4',5,5'-HeptaCB (#180) ..... 412 ± 182 ng/kg	
	2,2',3,4,4',5',6-HeptaCB (#183) ..... 125 ± 59.4 ng/kg	
	2,2',3,4',5,5',6-HeptaCB (#187) ..... 357 ± 222 ng/kg	
	2,3,3',4,4',5,5'-HeptaCB (#189) ..... 6.16 ± 2.72 ng/kg	
	2,2',3,3',4,4',5,5'-OctaCB (#194) ..... 48.1 ± 25.6 ng/kg	
	2,2',3,3',4,4',5',6-OctaCB (#196) ..... 44.8 ± 56.6 ng/kg	
	2,2',3,3',4,5,5',6'-OctaCB (#199) ..... 81.7 ± 67.4 ng/kg	
	2,2',3,3',4,4',5,5',6-NonaCB (#206) ..... 10.4 ± 2.06 ng/kg	
	DecaCB (#209) ..... 14.4 ± 1.08 ng/kg	
	Polybrominated diphenyl ethers	
	2,4,4'-TriBDE (#28) ..... 26.6 ± 45.8 ng/kg	2,2',4,4',6-PentaBDE (#100) ..... 113 ± 93.6 ng/kg
	2,2',4,4'-TetraBDE (#47) ..... 712 ± 818 ng/kg	2,2',4,4',5,5'-HexaBDE (#153) ..... 21.6 ± 14.7 ng/kg
	2,3',4,4'-TetraBDE (#66) ..... 23.4 ± 21.6 ng/kg	2,2',4,4',5,6'-HexaBDE (#154) ..... 30.9 ± 39.8 ng/kg
	2,2',4,4',5-PentaBDE (#99) ..... 184 ± 86.2 ng/kg	
	Polyaromatic hydrocarbons	
	Acenaphthene ..... 967 ± 604 ng/kg	Fluoranthene ..... 4.930 ± 1.310 ng/kg
	Acenaphthylene ..... 516 ± 290 ng/kg	Fluorene ..... 4.400 ± 3.530 ng/kg
	Anthracene ..... 592 ± 284 ng/kg	Naphthalene ..... 15.600 ± 15.800 ng/kg
	Benzo[b]fluoranthene ..... 794 ± 157 ng/kg	Phenanthrene ..... 12.000 ± 14.000 ng/kg
	Benzo[k]fluoranthene ..... 222 ± 7.60 ng/kg	Pyrene ..... 6.300 ± 1.630 ng/kg
	Chrysene ..... 720 ± 314 ng/kg	
	Pesticides	
	4,4'-DDE ..... 10.100 ± 2.440 ng/kg	alpha-Hexachlorocyclohexane ..... 267 ± 226 ng/kg
	4,4'-DDD ..... 1.640 ± 756 ng/kg	Lindane(gamma-HCH) ..... 390 ± 136 ng/kg
	4,4'-DDT ..... 976 ± 1.390 ng/kg	Hexachlorobenzene ..... 783 ± 360 ng/kg
	Dieldrin ..... 488 ± 74.6 ng/kg	cis-Nonachlor ..... 211 ± 126 ng/kg
	Endosulfan-I ..... 534 ± 378 ng/kg	trans-Nonachlor ..... 1.130 ± 542 ng/kg

# Fish and fish products

Code	Product	Unit	
CIL-EDF-2525	Naturally Contaminated Fish (slurry) - Organic contaminants	10 g	
	Reference values		
	Polychlorinated dioxins and furans		
2,3,7,8-TCDD	17.0 ± 3.90 ng/kg	1,2,3,7,8-PeCDF	4.58 ± 1.42 ng/kg
Total TCDD	16.8 ± 1.54 ng/kg	2,3,4,7,8-PeCDF	14.5 ± 4.04 ng/kg
1,2,3,7,8-PeCDD	3.71 ± 0.90 ng/kg	Total PeCDF	23.4 ± 6.66 ng/kg
Total PeCDD	3.68 ± 0.84 ng/kg	1,2,3,4,7,8-HxCDF	5.95 ± 1.52 ng/kg
1,2,3,4,7,8-HxCDD	0.33 ± 0.18 ng/kg	1,2,3,6,7,8-HxCDF	1.73 ± 0.54 ng/kg
1,2,3,6,7,8-HxCDD	2.03 ± 0.60 ng/kg	1,2,3,7,8,9-HxCDF	0.10 ± 0.20 ng/kg
1,2,3,7,8,9-HxCDD	0.30 ± 0.14 ng/kg	2,3,4,6,7,8-HxCDF	1.04 ± 0.30 ng/kg
Total HxCDD	2.52 ± 1.10 ng/kg	Total HxCDF	10.7 ± 6.18 ng/kg
1,2,3,4,6,7,8-HpCDD	0.48 ± 0.36 ng/kg	1,2,3,4,6,7,8-HpCDF	0.59 ± 0.44 ng/kg
Total HpCDD	0.56 ± 0.62 ng/kg	1,2,3,4,7,8,9-HpCDF	0.16 ± 0.32 ng/kg
OCDD	1.71 ± 1.38 ng/kg	Total HpCDF	1.13 ± 1.48 ng/kg
2,3,7,8-TCDF	24.3 ± 4.74 ng/kg	OCDF	0.38 ± 0.50 ng/kg
Total TCDF	27.7 ± 9.40 ng/kg		
	Polychlorinated biphenyls		
2,2',5'-TriCB (#18)	1,390 ± 970 ng/kg		
2,4,4'-TriCB (#28)	7,100 ± 1,260 ng/kg		
2,4',5'-TriCB (#31)	4,000 ± 71.6 ng/kg		
2,4',6'-TriCB (#32)	220 ± 216 ng/kg		
3,4,4'-TriCB (#37)	165 ± 123 ng/kg		
2,2',3,5'-TetraCB (#44)	14,200 ± 9,660 ng/kg		
2,2',4,4'-TetraCB (#47)	16,000 ± 6,560 ng/kg		
2,2',4,5'-TetraCB (#49)	13,600 ± 9,100 ng/kg		
2,2',5,5'-TetraCB (#52)	27,100 ± 12,100 ng/kg		
2,3',4,4'-TetraCB (#66)	56,500 ± 20,800 ng/kg		
2,3',4',5'-TetraCB (#70)	44,400 ± 3,860 ng/kg		
2,4,4',5'-TetraCB (#74)	23,100 ± 8,440 ng/kg		
3,3',4,4'-TetraCB (#77)	1,850 ± 834 ng/kg		
3,4,4',5'-TetraCB (#81)	161 ± 74.0 ng/kg		
2,2',3,4,5'-PentaCB (#87)	38,400 ± 24,000 ng/kg		
2,2',3',4,5'-PentaCB (#97)	29,800 ± 14,700 ng/kg		
2,2',4,4',5'-PentaCB (#99)	94,300 ± 25,200 ng/kg		
2,2',4,5,5'-PentaCB (#101)	82,700 ± 21,400 ng/kg		
2,3,3',4,4'-PentaCB (#105)	50,100 ± 15,700 ng/kg		
2,3,3',4',6'-PentaCB (#110)	84,900 ± 19,100 ng/kg		
2,3,4,4',5'-PentaCB (#114)	3,410 ± 1,550 ng/kg		
2,3',4,4',5'-PentaCB (#118)	122,000 ± 38,000 ng/kg		
2',3,4,4',5'-PentaCB (#123)	3,280 ± 2,020 ng/kg		
3,3',4,4',5'-PentaCB (#126)	628 ± 242 ng/kg		
2,2',3,3',4,4'-HexaCB (#128)	28,200 ± 9,460 ng/kg		
2,2',3,4,4',5'-HexaCB (#137)	7,250 ± 2,440 ng/kg		
2,2',3,4,4',5'-HexaCB (#138)	178,000 ± 27,800 ng/kg		
2,2',3,4,5,5'-HexaCB (#141)	22,040 ± 3,500 ng/kg		
2,2',3,4',5,5'-HexaCB (#146)	39,500 ± 17,000 ng/kg		
2,2',3,4',5',6'-HexaCB (#149)	69,800 ± 24,600 ng/kg		
2,2',3,5,5',6'-HexaCB (#151)	24,900 ± 11,100 ng/kg		
2,2',4,4',5,5'-HexaCB (#153)	226,000 ± 71,200 ng/kg		
2,3,3',4,4',5'-HexaCB (#156)	13,100 ± 2,620 ng/kg		
2,3,3',4,4',5'-HexaCB (#157)	3,380 ± 1,010 ng/kg		
2,3,3',4,4',6'-HexaCB (#158)	11,600 ± 1,870 ng/kg		
2,3',4,4',5,5'-HexaCB (#167)	7,060 ± 3,020 ng/kg		
3,3',4,4',5,5'-HexaCB (#169)	52.1 ± 14.0 ng/kg		
2,2',3,3',4,4',5'-HeptaCB (#170)	35,100 ± 12,700 ng/kg		
2,2',3,3',4,5,5'-HeptaCB (#172)	8,450 ± 1,600 ng/kg		
2,2',3,3',4',5,6'-HeptaCB (#177)	18,800 ± 4,140 ng/kg		
2,2',3,3',5,5',6'-HeptaCB (#178)	12,100 ± 1,840 ng/kg		
2,2',3,4,4',5,5'-HeptaCB (#180)	108,000 ± 23,600 ng/kg		
2,2',3,4,4',5',6'-HeptaCB (#183)	28,300 ± 6,740 ng/kg		
2,2',3,4',5,5',6'-HeptaCB (#187)	62,900 ± 21,600 ng/kg		
2,3,3',4,4',5,5'-HeptaCB (#189)	1,440 ± 498 ng/kg		
2,2',3,3',4,4',5,5'-OctaCB (#194)	12,700 ± 3,200 ng/kg		
2,2',3,3',4,4',5,6'-OctaCB (#195)	4,620 ± 1,450 ng/kg		
2,2',3,3',4,4',5',6'-OctaCB (#196)	7,720 ± 3,240 ng/kg		
2,2',3,3',4,5,6,6'-OctaCB (#199)	16,700 ± 2,400 ng/kg		
2,2',3,4,4',5,5',6'-OctaCB (#203)	13,800 ± 2,360 ng/kg		
2,2',3,3',4,4',5,5',6'-NonaCB (#206)	4,960 ± 768 ng/kg		
2,2',3,3',4,4',5,5',6',6'-NonaCB (#208)	2,370 ± 350 ng/kg		
DecaCB (#209)	3,510 ± 982 ng/kg		
	Brominated flame retardants		
2,4,4'-TriBDE (#28)6	312 ± 202 ng/kg		
2,2',4,4'-TetraBDE (#47)	9,080 ± 2,620 ng/kg		
2,2',4,5'-TetraBDE (#49)	524 ± 274 ng/kg		
2,3',4,4'-TetraBDE (#66)	262 ± 81.0 ng/kg		
2,2',4,4',5'-PentaBDE (#99)	2,280 ± 472 ng/kg		
2,2',4,4',6'-PentaBDE (#100)	1,720 ± 566 ng/kg		
2,2',4,4',5,5'-HexaBDE (#153)	2,030 ± 506 ng/kg		
2,2',4,4',5,6'-HexaBDE (#154)	2,550 ± 1,000 ng/kg		
2,2',3,4,4',5',6'-HeptaBDE (#183)	137 ± 47.8 ng/kg		
DecaBDE (#209)	545 ± 1,999 ng/kg		
	Pesticides		
Chlordane	33,400 ± 6,300 ng/kg	Lindane (gamma-HCH)	492 ± 216 ng/kg
4,4'-DDE	587,000 ± 140,000 ng/kg	Heptachlor	1,970 ± 1,110 ng/kg
4,4'-DDD	97,600 ± 33,200 ng/kg	Heptachlor Epoxide	8,210 ± 1,560 ng/kg
4,4'-DDT	9,100 ± 2,700 ng/kg	Hexachlorobenzene	18,100 ± 15,300 ng/kg
Dieldrin I	54,500 ± 17,300 ng/kg	Mirex	93,700 ± 23,200 ng/kg
Endosulfan I	1,310 ± 722 ng/kg	cis-Nonachlor	27,700 ± 6,400 ng/kg
Endosulfan II	10,100 ± 1,620 ng/kg	trans-Nonachlor	57,700 ± 51,000 ng/kg
Endrin	2,420 ± 434 ng/kg	Oxychlordane	18,100 ± 11,200 ng/kg
alpha-Hexachlorocyclohexane	1,400 ± 1,140 ng/kg	alpha-Chlordane	30,100 ± 19,000 ng/kg
beta-Hexachlorocyclohexane	834 ± 436 ng/kg	gamma-Chlordane	11,500 ± 7,240 ng/kg

Code	Product	Unit
CIL-EDF-2526	Fortified Fish (slurry) - Organic contaminants Reference values Polychlorinated dioxins and furans 2,3,7,8 TCDD ..... 19.8 ± 4.18 ng/kg Total TCDD ..... 19.0 ± 1.08 ng/kg 1,2,3,7,8-PeCDD ..... 39.9 ± 10.6 ng/kg Total PeCDD ..... 38.9 ± 13.7 ng/kg 1,2,3,4,7,8-HxCDD ..... 54.9 ± 7.80 ng/kg 1,2,3,6,7,8-HxCDD ..... 51.1 ± 19.3 ng/kg 1,2,3,7,8,9-HxCDD ..... 52.9 ± 18.1 ng/kg Total HxCDD ..... 149 ± 41.8 ng/kg 1,2,3,4,6,7,8-HpCDD ..... 70.7 ± 23.2 ng/kg Total HpCDD ..... 66.9 ± 32.2 ng/kg OCDD ..... 181 ± 53.4 ng/kg 2,3,7,8-TCDF ..... 18.7 ± 5.58 ng/kg Total TCDF ..... 19.0 ± 2.20 ng/kg Polychlorinated biphenyls 2,2',5-TricB (#18) ..... 100 ± 49.0 ng/kg 2,4,4'-TriCB (#28) ..... 245 ± 268 ng/kg 2,2',5,5'-TetraCB (#52) ..... 369 ± 124 ng/kg 3,3',4,4'-TetraCB (#77) ..... 451 ± 179 ng/kg 3,4,4',5-TetraCB (#81) ..... 3.00 ± 5.60 ng/kg 2,2',4,4',5-PentaCB (#99) ..... 215 ± 204 ng/kg 2,2',4,5,5'-PentaCB (#101) ..... 579 ± 362 ng/kg 2,3,3',4,4'-PentaCB (#105) ..... 108 ± 73.0 ng/kg 2,3,3',4',6-PentaCB (#110) ..... 288 ± 112 ng/kg 2,3,4,4',5-PentaCB (#114) ..... 7.73 ± 4.36 ng/kg 2,3',4,4',5-PentaCB (#118) ..... 348 ± 392 ng/kg Polychlorinated biphenyls 2,2',4,4',5,5'-HexaBDE (#153) ..... 7.48 ± 14.7 ng/kg 1,2,3,7,8-PeCDF ..... 39.0 ± 7.36 ng/kg 2,3,4,7,8-PeCDF ..... 37.8 ± 10.2 ng/kg Total PeCDF ..... 72.0 ± 14.9 ng/kg 1,2,3,4,7,8-HxCDF ..... 83.3 ± 23.0 ng/kg 1,2,3,6,7,8-HxCDF ..... 62.8 ± 19.6 ng/kg 1,2,3,7,8,9-HxCDF ..... 57.3 ± 10.9 ng/kg 2,3,4,6,7,8-HxCDF ..... 58.6 ± 14.2 ng/kg Total HxCDF ..... 243 ± 70.8 ng/kg 1,2,3,4,6,7,8-HpCDF ..... 81.6 ± 13.7 ng/kg 1,2,3,4,7,8,9-HpCDF ..... 76.7 ± 26.6 ng/kg Total HpCDF ..... 148 ± 23.0 ng/kg OCDF ..... 185 ± 57.4 ng/kg	10 g
CIL-EDF-4023	Set of three fish reference materials Clean Natural Matrix (EDF 2524) Contaminated Natural Matrix (EDF 2525) Fortified Natural Matrix (EDF 2526)	3 x 10 g
IAEA-MA-B3/R	Fish flesh - Radioactive isotopes Certified values <sup>137</sup> Cs ..... 14.2 Bq/kg <sup>40</sup> K ..... 272 Bq/kg	50 g
IAEA-414	Fish - Radioactive isotopes Recommended values <sup>40</sup> K ..... 481 Bq/kg <sup>234</sup> U ..... 1.22 Bq/kg <sup>238</sup> U ..... 1.11 Bq/kg <sup>137</sup> Cs ..... 5.18 Bq/kg <sup>235</sup> U ..... 0.050 Bq/kg <sup>239+240</sup> Pu ..... 0.120 Bq/kg <sup>232</sup> Th ..... 0.028 Bq/kg <sup>238</sup> Pu ..... 0.0230 Bq/kg <sup>241</sup> Am ..... 0.197 Bq/kg	100 g
NRCDOLE-4	Dogfish liver - Trace elements Certified values Ag ..... 0.93 ± 0.07 mg/kg As ..... 9.66 ± 0.62 mg/kg Cd ..... 24.3 ± 0.8 mg/kg Cu ..... 31.2 ± 1.1 mg/kg Fe ..... 1833 ± 75 mg/kg Hg ..... 2.58 ± 0.22 mg/kg Ni ..... 0.97 ± 0.11 mg/kg Pb ..... 0.16 ± 0.04 mg/kg Se ..... 8.3 ± 1.3 mg/kg Zn ..... 116 ± 6 mg/kg CH <sub>3</sub> Hg (as Hg) ..... 1.33 ± 0.12 mg/kg Indicative value for Cr, Sn, Methylmercury	25 g
NRCDOLE-3	Fish protein - Trace elements Certified values As ..... 6.88 mg/kg      Hg ..... 0.409 mg/kg Cd ..... 0.290 mg/kg      Ni ..... 1.28 mg/kg Cu ..... 15.5 mg/kg      Pb ..... 0.395 mg/kg Cr ..... 1.89 mg/kg      Sn ..... 0.066 mg/kg Fe ..... 347 mg/kg      Zn ..... 51.3 mg/kg	20 g
NRCFEBS-1	Otolith - Trace elements NRCFEBS-1 is a saggital otolith reference material procured from red snapper ( <i>Lutjanus campechanus</i> ). Certified values Ba ..... 5.09 ± 0.23 mg/kg      Mg ..... 23.6 ± 1.3 mg/kg      Sr ..... 2055 ± 79 mg/kg Ca ..... 38.3 ± 1.4 %      Mn ..... 0.686 ± 0.016 mg/kg Li ..... 0.305 ± 0.044 mg/kg      Na ..... 2594 ± 161 mg/kg Indicative values for Cd, Cu, Ni, Pb, Zn	1 g

## Fish and fish products

Code	Product	Unit
NRCCARP-2	<b>Fish (common carp) - Dioxins, furans and PCBs</b> Prepared from common carp ( <i>Cyprinus carpio</i> ) collected near the warm water discharge of the Consumer's Power Plant in Saginaw Bay, Lake Huron, Canada Certified values PCB18 ..... 27.3 µg/kg      PCB118 ..... 148 µg/kg      PCB194 ..... 10.9 µg/kg PCB28 ..... 34.0 µg/kg      PCB128 ..... 20.4 µg/kg      PCB206 ..... 4.4 µg/kg PCB44 ..... 86.6 µg/kg      PCB153 ..... 105 µg/kg PCB52 ..... 138 µg/kg      PCB180 ..... 53.3 µg/kg Reference Values 2,3,7,8-TCDF ..... 18.2 ng/kg      1,2,3,6,7,8-HxCDD ..... 5.8 ng/kg 1,2,3,7,8-PCDF ..... 5.6 ng/kg      1,2,3,7,8,9-HxCDD ..... 0.78 ng/kg 2,3,7,8-TCDD ..... 7.4 ng/kg      1,2,3,4,6,7,8-HpCDD ..... 6.4 ng/kg 1,2,3,7,8-PCDD ..... 5.3 ng/kg      OCDD ..... 9.4 ng/kg 1,2,3,4,7,8-HxCDD ..... 1.6 ng/kg Other reference concentrations for selected PCB congeners and pesticides are given in the certificate.	6 x 9 g
NIES22	<b>Fish otolith - Major and minor constituents and trace elements</b> Certified values Na ..... 0.223 ± 0.010 %      K ..... 282 ± 8 mg/kg      Sr ..... 0.236 ± 0.005 % Mg ..... 21 ± 1 mg/kg      Ca ..... 38.3 ± 0.5 %      Ba ..... 2.89 ± 0.08mg/kg Reference values for Cu, Zn, Cd, Pb	3 g
<b>New</b> BDS-BRM-04	<b>Fishoil - DR CALUX® TEQ (Low)</b> <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product ..... 3.7 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product ..... 0.35 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product ..... 1.85 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram ..... 2.2 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	20 mL
<b>New</b> BDS-BRM-05	<b>Fishoil - DR CALUX® TEQ (Middle)</b> <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product ..... 8.8 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product ..... 0.68 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product ..... 7.0 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram ..... 7.7 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	20 mL
<b>New</b> BDS-BRM-06	<b>Fishoil - DR CALUX® TEQ (High)</b> <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product ..... 16 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product ..... 6.2 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product ..... 8.6 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram ..... 14.8 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	20 mL
<b>New</b> BDS-BRM-04-06	<b>Fishoil - DR CALUX® TEQ (Kit)</b> Each kit consists of one unit of BDS-BRM-04 ..... Fishoil - CALUX® TEQ (Low) BDS-BRM-05 ..... Fishoil - CALUX® TEQ (Middle) BDS-BRM-06 ..... Fishoil - CALUX® TEQ (High)	kit



## Cereals and genetically modified crops

Code	Product	Unit																																																																		
<b>Wheat</b>																																																																				
<b>New</b> ERM-BC382	Wheat flour - Proximates and essential elements One unit contains about 37 g of wheat flour filled under argon in 100 mL amber glass vials.	vial																																																																		
	<table> <thead> <tr> <th></th> <th>Certified value</th> <th>Uncertainty</th> </tr> </thead> <tbody> <tr> <td>Kjeldahl nitrogen</td> <td>1.851 g/100 g</td> <td>0.017 g/100 g</td> </tr> <tr> <td>Total fat</td> <td>1.39 g/100 g</td> <td>0.17 g/100 g</td> </tr> <tr> <td>Ash</td> <td>0.60 g/100 g</td> <td>0.10 g/100 g</td> </tr> <tr> <td>Starch</td> <td>81.2 g/100 g</td> <td>1.7 g/100 g</td> </tr> <tr> <td>K</td> <td>1.88 mg/g</td> <td>0.08 mg/g</td> </tr> <tr> <td>Mg</td> <td>0.247 mg/g</td> <td>0.010 mg/g</td> </tr> <tr> <td>Ca</td> <td>0.210 mg/g</td> <td>0.018 mg/g</td> </tr> <tr> <td>P</td> <td>1.19 mg/g</td> <td>0.07 mg/g</td> </tr> </tbody> </table>		Certified value	Uncertainty	Kjeldahl nitrogen	1.851 g/100 g	0.017 g/100 g	Total fat	1.39 g/100 g	0.17 g/100 g	Ash	0.60 g/100 g	0.10 g/100 g	Starch	81.2 g/100 g	1.7 g/100 g	K	1.88 mg/g	0.08 mg/g	Mg	0.247 mg/g	0.010 mg/g	Ca	0.210 mg/g	0.018 mg/g	P	1.19 mg/g	0.07 mg/g																																								
	Certified value	Uncertainty																																																																		
Kjeldahl nitrogen	1.851 g/100 g	0.017 g/100 g																																																																		
Total fat	1.39 g/100 g	0.17 g/100 g																																																																		
Ash	0.60 g/100 g	0.10 g/100 g																																																																		
Starch	81.2 g/100 g	1.7 g/100 g																																																																		
K	1.88 mg/g	0.08 mg/g																																																																		
Mg	0.247 mg/g	0.010 mg/g																																																																		
Ca	0.210 mg/g	0.018 mg/g																																																																		
P	1.19 mg/g	0.07 mg/g																																																																		
NIST-1567a	Wheat flour - Trace elements Milled from a blend of Hard Red Spring and Hard Red Winter wheat. Certified values	80 g																																																																		
	<table> <tbody> <tr> <td>Al</td> <td>5.7 µg/g</td> <td>K</td> <td>0.133 %</td> <td>P</td> <td>0.134 %</td> </tr> <tr> <td>Ca</td> <td>0.191 %</td> <td>Mg</td> <td>0.040 %</td> <td>Rb</td> <td>0.68 µg/g</td> </tr> <tr> <td>Cd</td> <td>0.026 µg/g</td> <td>Mn</td> <td>9.4 µg/g</td> <td>S</td> <td>0.165 %</td> </tr> <tr> <td>Cu</td> <td>2.1 µg/g</td> <td>Mo</td> <td>0.48 µg/g</td> <td>Se</td> <td>1.1 µg/g</td> </tr> <tr> <td>Fe</td> <td>14.1 µg/g</td> <td>Na</td> <td>6.1 µg/g</td> <td>Zn</td> <td>11.6 µg/g</td> </tr> </tbody> </table> <p>Indicative values for As, Br, Cl, Co, Hg, I, Pb, Sn, U, V, W</p>	Al	5.7 µg/g	K	0.133 %	P	0.134 %	Ca	0.191 %	Mg	0.040 %	Rb	0.68 µg/g	Cd	0.026 µg/g	Mn	9.4 µg/g	S	0.165 %	Cu	2.1 µg/g	Mo	0.48 µg/g	Se	1.1 µg/g	Fe	14.1 µg/g	Na	6.1 µg/g	Zn	11.6 µg/g																																					
Al	5.7 µg/g	K	0.133 %	P	0.134 %																																																															
Ca	0.191 %	Mg	0.040 %	Rb	0.68 µg/g																																																															
Cd	0.026 µg/g	Mn	9.4 µg/g	S	0.165 %																																																															
Cu	2.1 µg/g	Mo	0.48 µg/g	Se	1.1 µg/g																																																															
Fe	14.1 µg/g	Na	6.1 µg/g	Zn	11.6 µg/g																																																															
<b>New</b> NIM-GBW10011	Wheat flour - Trace elements Certified values	35 g																																																																		
	<table> <tbody> <tr> <td>Ag</td> <td>0.0104 ± 0.0010 %</td> <td>K</td> <td>0.140 ± 0.006 %</td> <td>Pb</td> <td>0.065 ± 0.024 mg/kg</td> </tr> <tr> <td>As</td> <td>0.031 ± 0.005 mg/kg</td> <td>La</td> <td>0.006 ± 0.002 mg/kg</td> <td>Pr</td> <td>1.1 ± 0.4 µg/kg</td> </tr> <tr> <td>Ba</td> <td>2.4 ± 0.3 mg/kg</td> <td>Li</td> <td>0.024 ± 0.005 mg/kg</td> <td>Rb</td> <td>2.6 ± 0.2 mg/kg</td> </tr> <tr> <td>Ca</td> <td>0.034 ± 0.002 %</td> <td>Mg</td> <td>0.045 ± 0.007 %</td> <td>S</td> <td>0.178 ± 0.017 %</td> </tr> <tr> <td>Cd</td> <td>18 ± 4 µg/kg</td> <td>Mn</td> <td>5.4 ± 0.3 mg/kg</td> <td>Se</td> <td>0.053 ± 0.007 mg/kg</td> </tr> <tr> <td>Ce</td> <td>0.009 ± 0.002 mg/kg</td> <td>Mo</td> <td>0.48 ± 0.05 mg/kg</td> <td>Sm</td> <td>0.95 ± 0.28 µg/kg</td> </tr> <tr> <td>Cl</td> <td>0.086 ± 0.003 %</td> <td>N</td> <td>2.40 ± 0.06 %</td> <td>Sr</td> <td>2.5 ± 0.3 mg/kg</td> </tr> <tr> <td>Cr</td> <td>0.096 ± 0.014 mg/kg</td> <td>Na</td> <td>17 ± 5 mg/kg</td> <td>V</td> <td>0.034 ± 0.012 mg/kg</td> </tr> <tr> <td>Cu</td> <td>2.7 ± 0.2 mg/kg</td> <td>Nd</td> <td>0.0046 ± 0.0014 mg/kg</td> <td>Y</td> <td>0.023 ± 0.005 mg/kg</td> </tr> <tr> <td>Fe</td> <td>18.5 ± 3.1 mg/kg</td> <td>Ni</td> <td>0.06 ± 0.02 mg/kg</td> <td>Zn</td> <td>11.6 ± 0.7 mg/kg</td> </tr> <tr> <td>Gd</td> <td>-0.91 µg/kg</td> <td>P</td> <td>0.154 ± 0.007 %</td> <td></td> <td></td> </tr> </tbody> </table> <p>Indicative values for further elements</p>	Ag	0.0104 ± 0.0010 %	K	0.140 ± 0.006 %	Pb	0.065 ± 0.024 mg/kg	As	0.031 ± 0.005 mg/kg	La	0.006 ± 0.002 mg/kg	Pr	1.1 ± 0.4 µg/kg	Ba	2.4 ± 0.3 mg/kg	Li	0.024 ± 0.005 mg/kg	Rb	2.6 ± 0.2 mg/kg	Ca	0.034 ± 0.002 %	Mg	0.045 ± 0.007 %	S	0.178 ± 0.017 %	Cd	18 ± 4 µg/kg	Mn	5.4 ± 0.3 mg/kg	Se	0.053 ± 0.007 mg/kg	Ce	0.009 ± 0.002 mg/kg	Mo	0.48 ± 0.05 mg/kg	Sm	0.95 ± 0.28 µg/kg	Cl	0.086 ± 0.003 %	N	2.40 ± 0.06 %	Sr	2.5 ± 0.3 mg/kg	Cr	0.096 ± 0.014 mg/kg	Na	17 ± 5 mg/kg	V	0.034 ± 0.012 mg/kg	Cu	2.7 ± 0.2 mg/kg	Nd	0.0046 ± 0.0014 mg/kg	Y	0.023 ± 0.005 mg/kg	Fe	18.5 ± 3.1 mg/kg	Ni	0.06 ± 0.02 mg/kg	Zn	11.6 ± 0.7 mg/kg	Gd	-0.91 µg/kg	P	0.154 ± 0.007 %			
Ag	0.0104 ± 0.0010 %	K	0.140 ± 0.006 %	Pb	0.065 ± 0.024 mg/kg																																																															
As	0.031 ± 0.005 mg/kg	La	0.006 ± 0.002 mg/kg	Pr	1.1 ± 0.4 µg/kg																																																															
Ba	2.4 ± 0.3 mg/kg	Li	0.024 ± 0.005 mg/kg	Rb	2.6 ± 0.2 mg/kg																																																															
Ca	0.034 ± 0.002 %	Mg	0.045 ± 0.007 %	S	0.178 ± 0.017 %																																																															
Cd	18 ± 4 µg/kg	Mn	5.4 ± 0.3 mg/kg	Se	0.053 ± 0.007 mg/kg																																																															
Ce	0.009 ± 0.002 mg/kg	Mo	0.48 ± 0.05 mg/kg	Sm	0.95 ± 0.28 µg/kg																																																															
Cl	0.086 ± 0.003 %	N	2.40 ± 0.06 %	Sr	2.5 ± 0.3 mg/kg																																																															
Cr	0.096 ± 0.014 mg/kg	Na	17 ± 5 mg/kg	V	0.034 ± 0.012 mg/kg																																																															
Cu	2.7 ± 0.2 mg/kg	Nd	0.0046 ± 0.0014 mg/kg	Y	0.023 ± 0.005 mg/kg																																																															
Fe	18.5 ± 3.1 mg/kg	Ni	0.06 ± 0.02 mg/kg	Zn	11.6 ± 0.7 mg/kg																																																															
Gd	-0.91 µg/kg	P	0.154 ± 0.007 %																																																																	
BCR-121	Wholewheat flour - Vitamins Certified values	50 g																																																																		
	<table> <tbody> <tr> <td>B1 (thiamin)</td> <td>4.63 mg/kg</td> <td>Folate (total)</td> <td>0.5 mg/kg</td> </tr> <tr> <td>B6 (total pyridoxine)</td> <td>4.10 mg/kg</td> <td></td> <td></td> </tr> </tbody> </table>	B1 (thiamin)	4.63 mg/kg	Folate (total)	0.5 mg/kg	B6 (total pyridoxine)	4.10 mg/kg																																																													
B1 (thiamin)	4.63 mg/kg	Folate (total)	0.5 mg/kg																																																																	
B6 (total pyridoxine)	4.10 mg/kg																																																																			
BCR-563	Common wheat flour - Properties Certified parameters determined according to ISO and ICC standard: Protein content, Ash content, Falling number/s, Zeleny sedimentation, Chopin Alveograph, Brabender Farinograph, Brabender Extensograph.	360 g																																																																		
BCR-396	Wheat flour - Deoxynivalenol (DON) blank Certified value Deoxynivalenol ..... <0.05 mg/kg	150 g																																																																		
BCR-471	Wheat - Ochratoxin A (blank) Certified value Ochratoxin A ..... < 0.6 µg/kg	55 g																																																																		
<b>New</b> B-MYC0856	Wheat flour - Deoxynivalenol Certified values Deoxynivalenol .....877 ± 23 µg/kg	55 g																																																																		
NIST-RM 8441a	Wheat - Hardness Set of 50 x 20 g Determination of hardness of bulk or single kernel wheat. Ten separate lots of wheat of varying hardness. Five samples of each wheat.	set																																																																		

## Cereals and genetically modified crops

Code	Product	Unit
<b>Corn</b>		
BCR-377	Maize flour - Deoxynivalenol (blank) Certified value Deoxynivalenol..... <0.05 mg/kg	150 g
ERM-BC716	Maize - very low level ZON Compound Certified value Zearalenone.....<5 µg/kg	60 g
ERM-BC717	Maize - low level ZON Compound Certified value Uncertainty Zearalenone.....83 µg/kg..... 9 µg/kg	60 g
<b>New</b> B-MYC0851	Maize flour - Aflatoxins Certified values Aflatoxin B..... 1 7.4 ± 0.37 µg/kg Aflatoxin B2..... 0.7 ± 0.07 µg/kg Aflatoxin G1 ..... <LOD* Aflatoxin G2 ..... <LOD* Aflatoxins total (sum of B1,B2,G1and G2)..... 8.9 ± 0.26 µg/kg *The LOD for Aflatoxin G1 of the used method for in-house characterization of the material is 0.1 µg/kg, for Aflatoxin G2 the LOD is 0.1 µg/kg	55 g
<b>New</b> B-MYC0890	Maize flour check sample - Aflatoxins Indicative values Aflatoxin B1..... 8.30 ± 2.34 µg/kg Aflatoxin B2..... 0.65 ± 0.43 µg/kg Aflatoxin G1 ..... <LOD* Aflatoxin G2 ..... <LOD* Aflatoxins total (sum of B1,B2,G1 and G2)..... 8.96 ± 2.63 µg/kg * The LOD for Aflatoxin G1 of the used method is 0.1 µg/kg, for Aflatoxin G2 the LOD is 0.1 µg/kg	100 g
<b>New</b> B-MYC0891	Maize flour check sample - Aflatoxins Indicative values Aflatoxin B1..... 15.47 ± 3.93 µg/kg Aflatoxin B2..... 0.85 ± 0.34 µg/kg Aflatoxin G1 ..... <LOD* Aflatoxin G2 ..... <LOD* Aflatoxins total (sum of B1,B2,G1 and G2)..... 16.32 ± 4.05 µg/kg * The LOD for Aflatoxin G1 of the used method is 0.1 µg/kg, for Aflatoxin G2 the LOD is 0.1 µg/kg	100 g
<b>New</b> B-MYC0892	Maize flour check sample - Deoxynivalenol Indicative value Deoxynivalenol.....2010 ± 290 µg/kg	100 g
<b>New</b> B-MYC0893	Maize flour check sample - Fumonisinis Indicative values Fumonisin B1.....2630 ± 740 µg/kg Fumonisin B3 ..... 310 ± 210 µg/kg Fumonisin B2.....690 ± 340 µg/kg	100 g
<b>New</b> B-MYC0894	Maize flour check sample - Fumonisinis Indicative values Fumonisin B1.....270 ± 110 µg/kg Fumonisin B3 ..... <80 µg/kg Fumonisin B2..... <80 µg/kg	100 g
<b>New</b> B-MYC0895	Maize flour check sample - Zearalenone Indicative value Zearalenone.....177.3 ± 64.8 µg/kg	100 g
IC-INCT-CF-3	Corn flour - Trace elements Certified values B ..... 1.65 ± 0.33 mg/kg La..... 6.6 ± 1.2 ng/kg P ..... 2831 ± 97 mg/kg Br ..... 0.388 ± 0.046 mg/kg Sc ..... 2.13 ± 0.32 ng/kg Rb ..... 0.912 ± 0.042 mg/kg Cl ..... 397 ± 33 mg/kg Mg ..... 1066 ± 37 mg/kg S ..... 919 ± 121 mg/kg Cu ..... 1.63 ± 0.13 mg/kg Mn ..... 4.98 ± 0.22 mg/kg Zn ..... 20.09 ± 0.76 mg/kg Fe ..... 32.0 ± 1.4 mg/kg Mo ..... 152 ± 12 ng/kg K ..... 3157 ± 119 mg/kg Ni ..... 0.383 ± 0.039 mg/kg Indicative values for Al, As, Ba, Ca, Hg, Na, Pb, Sb	50 g

## Cereals and genetically modified crops

Code	Product	Unit
<b>New</b> NIM-GBW10012	Maize flour - Trace elements	35 g
	Certified values	
	Ag ..... 0.032 ± 0.003 %	Fe ..... 13.3 ± 1.5 mg/kg
	As ..... 0.028 ± 0.006 mg/kg	Gd ..... 4.3 ± 0.9 µg/kg
	B ..... 0.86 ± 0.11 mg/kg	Ho ..... 0.66 ± 0.15 µg/kg
	Ba ..... 0.45 ± 0.16 mg/kg	K ..... 0.129 ± 0.007 %
	Be ..... 1.7 ± 0.4 µg/kg	La ..... 0.057 ± 0.006 mg/kg
	Bi ..... 2.8 ± 0.9 µg/kg	Li ..... 0.038 ± 0.006 mg/kg
	Br ..... 0.46 ± 0.09 mg/kg	Mg ..... 0.018 ± 0.002 %
	Ca ..... 0.0055 ± 0.0008 %	Mn ..... 1.55 ± 0.08 mg/kg
	Cd ..... 4.1 ± 1.6 µg/kg	Mo ..... 0.045 ± 0.009 mg/kg
	Ce ..... 0.12 ± 0.02 mg/kg	N ..... 1.40 ± 0.07 %
	Cl ..... 0.050 ± 0.006 %	Nd ..... 0.022 ± 0.004 mg/kg
	Cs ..... 0.010 ± 0.004 mg/kg	Ni ..... 0.097 ± 0.014 mg/kg
	Cu ..... 0.66 ± 0.08 mg/kg	P ..... 0.061 ± 0.003 %
	Dy ..... 3.2 ± 0.8 µg/kg	Pb ..... 0.07 ± 0.02 mg/kg
	Er ..... 1.7 ± 0.4 µg/kg	Pr ..... 7 ± 1 µg/kg
	Rb ..... 2.1 ± 0.2 mg/kg	S ..... 0.123 ± 0.016 %
	Sc ..... 3.5 ± 0.9 µg/kg	Se ..... 0.021 ± 0.008 mg/kg
	Si ..... 0.008 ± 0.001 %	Sm ..... 3.2 ± 0.5 µg/kg
	Sr ..... 0.19 ± 0.05 mg/kg	Tb ..... 0.73 ± 0.24 µg/kg
	Th ..... 4.6 ± 1.5 µg/kg	Ti ..... 1.6 ± 0.5 mg/kg
	V ..... 0.30 ± 0.11 mg/kg	Y ..... 0.021 ± 0.004 mg/kg
	Yb ..... 1.6 ± 0.2 µg/kg	Zn ..... 2.9 ± 0.3 mg/kg
	Indicative values for further elements	

### Rye

<b>New</b> ERM-BC381	Rye flour - Proximates and essential elements	vial
	One unit contains about 37 g of rye flour filled under argon in a 100 mL amber glass vial.	
	Certified value      Uncertainty	
	Kjeldahl nitrogen ..... 1.562 g/100 g ..... 0.014 g/100 g	
	Total fat ..... 1.36 g/100 g ..... 0.16 g/100 g	
	Ash ..... 1.08 g/100 g ..... 0.11 g/100 g	
	Starch ..... 72.2 g/100 g ..... 1.9 g/100 g	
	K ..... 3.35 mg/g ..... 0.11 mg/g	
	Mg ..... 0.567 mg/g ..... 0.013 mg/g	
	Ca ..... 0.32 mg/g ..... 0.04 mg/g	
	P ..... 2.01 mg/g ..... 0.07 mg/g	

IAEA-V-8	Rye flour - Trace elements	50 g
	Certified values	
	Br ..... 0.38 mg/kg	Fe ..... 4.1 mg/kg
	Ca ..... 149 mg/kg	K ..... 1925 mg/kg
	Cl ..... 570 mg/kg	Mg ..... 121 mg/kg
	Cu ..... 0.95 mg/kg	Mn ..... 2.06 mg/kg
	P ..... 592 mg/kg	Rb ..... 0.48 mg/kg
	Zn ..... 2.53 mg/kg	
	Indicative values for Cd, Co, Na	

<b>New</b> B-MYC0852	Rye - Ergot alkaloids	55 g
	Certified values	
	Ergometrine ..... 595 ± 745 µg/kg	Ergotamine ..... 1349 ± 1156 µg/kg
	Ergometrinine ..... 335 ± 758 µg/kg	Ergotaminine ..... 464 ± 367 µg/kg
	Ergosine ..... 537 ± 260 µg/kg	Ergocornine ..... 614 ± 156 µg/kg
	Ergosinine ..... 331 ± 476 µg/kg	Ergocorninine ..... 362 ± 391 µg/kg
	alpha-Ergocryptine ..... 570 ± 52 µg/kg	Ergocristine ..... 923 ± 195 µg/kg
	alpha-Ergocryptinine ..... 477 ± 526 µg/kg	Ergocristinine ..... 462 ± 469 µg/kg

### Rice

BCR-465	Rice flour - Amylose (low level)	10 g
	Certified value	
	Amylose ..... 15.4 g/100 g	

BCR-466	Rice flour - Amylose (medium level)	10 g
	Certified value	
	Amylose ..... 23.1 g/100 g	

BCR-467	Rice flour - Amylose (high level)	10 g
	Certified value	
	Amylose ..... 27.7 g/100 g	

IRMM-804	Rice flour - Trace elements	15 g
	Compound      Certified value      Uncertainty	
	(mg/kg)      (mg/kg)	
	As ..... 0.049 ..... 0.004	
	Cd ..... 1.61 ..... 0.07	
	Cu ..... 2.74 ..... 0.24	
	Mn ..... 34.2 ..... 2.3	
	Pb ..... 0.42 ..... 0.07	
	Zn ..... 23.1 ..... 1.9	

## Cereals and genetically modified crops

Code	Product	Unit
NIST-1568a	Rice Flour - Trace elements Produced from 100% long grain rice from Arkansas. Certified values Al..... 4.4 µg/g      Hg..... 0.0058      P ..... 0.134 % As..... 0.29 µg/g      K..... 0.1280 %      Rb ..... 6.14 µg/g Ca ..... 0.0118 %      Mg ..... 0.056 %      S ..... 0.120 % Cd ..... 0.022 µg/g      Mn ..... 20.0 µg/g      Se ..... 0.38 µg/g Cu ..... 2.4 µg/g      Mo ..... 1.46 µg/g      Zn..... 19.4 µg/g Fe..... 7.4 µg/g      Na..... 6.1 µg/g Indicative values for Br, Cl, Co, I, Pb, Sb, Sn, U, V, W	80 g
<b>New</b> NIM-GBW10010	Rice - Trace elements Certified values Ag ..... 0.039 ± 0.004 %      Fe ..... 7.6 ± 1.9 mg/kg      P ..... 0.136 ± 0.006P % As..... 0.102 ± 0.008 mg/kg      Hg..... 5.3 ± 0.5 µg/kg      Pb ..... 0.08 ± 0.03 mg/kg B ..... 0.92 ± 0.14 mg/kg      K..... 0.138 ± 0.007 %      Pr ..... 1.1 ± 0.3 µg/kg Ba ..... 0.40 ± 0.09 mg/kg      La ..... 0.008 ± 0.003 mg/kg      Rb ..... 3.9 ± 0.3 mg/kg Be ..... 1.8 ± 0.4 µg/kg      Li..... 0.044 ± 0.007 mg/kg      S ..... 0.147 ± 0.024 % Br ..... 0.56 ± 0.13 mg/kg      Mg ..... 0.041 ± 0.006 %      Se ..... 0.061 ± 0.015 mg/kg Ca ..... 0.011 ± 0.001 %      Mn ..... 17 ± 1 mg/kg      Si..... 0.025 ± 0.003 % Cd ..... 87 ± 5 µg/kg      Mo ..... 0.53 ± 0.05 mg/kg      Sr ..... 0.30 ± 0.05 mg/kg Ce ..... 0.011 ± 0.002 mg/kg      N..... 1.61 ± 0.04 %      Y..... 0.052 ± 0.009 mg/kg Cl ..... 0.040 ± 0.004 %      Na..... 25 ± 8 mg/kg      Zn..... 23 ± 2 mg/kg Cs ..... 0.014 ± 0.005 mg/kg      Nb..... mg/kg Cu ..... 4.9 ± 0.3 mg/kg      Ni..... 0.27 ± 0.02 mg/kg Indicative values for further elements	35 g
<b>New</b> NMIJ CRM 7503-A	White rice flour - Arsenic compounds and trace elements Certified values Arsenite (As(III))..... 0.0711 ± 0.0029 mg/kg as As Arsenate (As(V))..... 0.0130 ± 0.0009 mg/kg as As Dimethylarsinic acid (DMAA) ..... 0.0133 ± 0.0009 mg/kg as As Mn ..... 9.2 ± 0.4 mg/kg      Cu..... 1.88 ± 0.07 mg/kg      As..... 0.098 ± 0.007 mg/kg Fe..... 5.42 ± 0.21 mg/kg      Zn ..... 20.7 ± 0.9 mg/kg      Cd ..... 0.194 ± 0.007 mg/kg	20 g
<b>Rapeseed</b>		
ERM-BC190	Rapeseed (colza) - Total glucosinolate and sulfur Certified values Total glucosinolate..... 23 mmol/kg      S..... 4.72 g/kg	20 g
ERM-BC366	Rapeseed (colza) - Total glucosinolate and sulfur Certified values Total glucosinolate..... 11.9 mmol/kg      S..... 3.31 g/kg	20 g
ERM-BC367	Rapeseed (colza) - Total glucosinolate and sulfur Certified values Total glucosinolate..... 99 mmol/kg      S..... 10.3 g/kg	20 g
BCR-446	Rapeseed - Oil content (low) Certified values "As is" oil ..... 39.49 g/100 g Moisture and volatiles ..... 7.01 g/100 g Dry basis oil ..... 42.48 g/100 g	153 g
BCR-447	Rapeseed - Oil content (medium) Certified values "As is" oil ..... 41.99 g/100 g Moisture and volatiles ..... 7.42 g/100 g Dry basis oil ..... 45.36 g/100 g	153 g
BCR-448	Rapeseed - Oil content (high) Certified values "As is" oil ..... 45.43 g/100 g Moisture and volatiles ..... 7.68 g/100 g Dry basis oil ..... 49.21 g/100 g	153 g
<b>Genetically modified crops</b>		
<b>New</b> ERM-BF410AK	ERM-BF410ak - ERM-BF410gk Dried soya seed powders with different mass fractions of genetically modified ("Roundup Ready™") soya beans, intended for the calibration of methods for the detection of genetically modified food. Soya seed powder – GTS 40-3-2 Soya (0%) Certified value GTS 40-3-2 Soya..... < 0.7 g/kg	1 g

## Cereals and genetically modified crops

Code	Product	Unit
<b>New</b> ERM-BF410BK	Soya seed powder – GTS 40-3-2 Soya (0.1%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> GTS 40-3-2 Soya.....1.0 ..... 0.5	1 g
ERM-BF410C	Genetically modified soya beans (0.5%) Roundup Ready™                      Certified value g/kg    Uncertainty g/kg Soya bean content.....5.0 ..... 1.0	1 g
<b>New</b> ERM-BF410DK	Soya seed powder - GTS 40-3-2 Soya (1%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> GTS 40-3-2 Soya.....10.0 ..... 1.0	1 g
<b>New</b> ERM-BF410GK	Soya seed powder - GTS 40-3-2 Soya (10 %) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> GTS 40-3-2 Soya.....100 ..... 7	1 g
ERM-BF425A - ERM-BF425D		
Dried soya seed powders with different mass fractions of genetically modified (“356043”)soya beans, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF425A	Genetically modified 356043 Soya seed (0%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg</div> 356043 Soya..... < 0.5	vial
ERM-BF425B	Genetically modified 356043 Soya seed (0.1%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> 356043 Soya.....1.0 ..... 0.4	vial
ERM-BF425C	Genetically modified 356043 Soya seed (1%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> 356043 Soya.....10.0 ..... 1.1	vial
ERM-BF425D	Genetically modified 356043 Soya seed (10%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> 356043 Soya.....100 ..... 9	vial
ERM-BF426A - ERM-BF426D		
Dried soya seed powders with different mass fractions of genetically modified (“305423”) soya beans, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF426A	Genetically modified 305423 Soya seed (0%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg</div> 305423 Soja..... < 0.8	vial
ERM-BF426B	Genetically modified 305423 Soya seed (0.5%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> 305423 Soya.....5 ..... 0.8	vial
ERM-BF426C	Genetically modified 305423 Soya seed (1%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> 305423 Soya.....10 ..... 1	vial
ERM-BF426D	Genetically modified 305423 Soya seed (10%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> 305423 Soya.....100 ..... 7	vial
ERM-BF411A - ERM-BF411F		
Dried maize powders with different mass fractions of genetically modified (“Bt-176”) maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF411A	Genetically Modified Bt-176 Maize (0%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg</div> Bt-176 maize content.....< 0.14	1 g
ERM-BF411B	Genetically Modified Bt-176 Maize (0.1%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> Bt-176 maize content.....1.00 ..... 0.29	1 g
ERM-BF411C	Genetically Modified Bt-176 Maize (0.5%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> Bt-176 maize content.....5.00 ..... 0.6	1 g
ERM-BF411D	Genetically Modified Bt-176 Maize (1%) <div style="text-align: right; margin-right: 20px;">Certified value g/kg    Uncertainty g/kg</div> Bt-176 maize content.....10.0 ..... 0.8	1 g

## Cereals and genetically modified crops

Code	Product	Unit
ERM-BF411E	Genetically Modified Bt-176 Maize (2%) Certified value g/kg      Uncertainty g/kg Bt-176 maize content ..... 20.0 ..... 1.1	1 g
ERM-BF411F	Genetically Modified Bt-176 Maize (5%) Certified value g/kg      Uncertainty g/kg Bt-176 maize content ..... 50.0 ..... 1.8	1 g
ERM-BF412A - ERM-BF412F Dried maize powders with different mass fractions of genetically modified ("Bt-11") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF412A	Genetically Modified Bt-11 Maize (0%) Certified value g/kg Bt-11 maize content ..... < 0.12	1 g
ERM-BF412B	Genetically Modified Bt-11 Maize (0.1%) Certified value g/kg      Uncertainty g/kg Bt-11 maize content ..... 0.98 ..... 0.29	1 g
ERM-BF412C	Genetically Modified Bt-11 Maize (0.5%) Certified value g/kg      Uncertainty g/kg Bt-11 maize content ..... 4.9 ..... 0.6	1 g
ERM-BF412D	Genetically Modified Bt-11 Maize (1%) Certified value g/kg      Uncertainty g/kg Bt-11 maize content ..... 9.8 ..... 0.9	1 g
ERM-BF412E	Genetically Modified Bt-11 Maize (2%) Certified value g/kg      Uncertainty g/kg Bt-11 maize content ..... 19.6 ..... 1.3	1 g
ERM-BF412F	Genetically Modified Bt-11 Maize (5%) Certified value g/kg      Uncertainty g/kg Bt-11 maize content ..... 48.9 ..... 2.1	1 g
ERM-BF413AK - ERM-BF413GK Dried maize powders with different mass fractions of genetically modified ("MON 810") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF413AK	Genetically modified MON-810 maize powder (blank) Certified value g/kg MON 810 maize mass fraction ..... < 0.9	1 g
ERM-BF413CK	Genetically modified MON-810 maize powder (0.5%) Certified value g/kg      Uncertainty g/kg MON 810 maize mass fraction ..... 4.9 ..... 1.0	1 g
ERM-BF413EK	Genetically modified MON-810 maize powder (2%) Certified value      Uncertainty MON 810 maize mass fraction ..... 19.8 g/kg ..... 1.5 g/kg MON 810 maize DNA copy number ratio ..... 0.77 % ..... 0.08 %	1 g
ERM-BF413GK	Genetically modified MON-810 maize powder (10%) Certified value g/kg      Uncertainty g/kg MON 810 maize mass fraction ..... 99.0 ..... 5	1 g
ERM-AD413	Plasmid DNA fragments of MON 810 maize Certified value      Uncertainty Fragment of 5' plant-P35S junction DNA / plasmid ..... 1 ..... negligible Fragment of <i>hmg</i> DNA / plasmid ..... 1 ..... negligible	vial
ERM-BF414A - ERM-BF414F Dried maize powders with different mass fractions of genetically modified ("GA21") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF414A	Genetically modified GA21 Maize (0%) Certified value g/kg GA21 maize content ..... < 0.8	vial
ERM-BF414B	Genetically modified GA21 Maize (0.1%) Certified value g/kg      Uncertainty g/kg GA21 maize content ..... 1.0 ..... 0.8	vial
ERM-BF414C	Genetically modified GA21 Maize (0.5%) Certified value g/kg      Uncertainty g/kg GA21 maize content ..... 4.9 ..... 1.0	vial

## Cereals and genetically modified crops

Code	Product	Unit
ERM-BF414D	Genetically modified GA21 Maize (1%)	vial
	Certified value g/kg      Uncertainty g/kg	
	GA21 maize content .....9.9 ..... 1.1	
ERM-BF414E	Genetically modified GA21 Maize (2%)	vial
	Certified value g/kg      Uncertainty g/kg	
	GA21 maize content .....17.2 ..... 1.2	
ERM-BF414F	Genetically modified GA21 Maize (5%)	vial
	Certified value g/kg      Uncertainty g/kg	
	GA21 maize content .....42.9 ..... 1.7	
ERM-BF415A - ERM-BF415F		
Dried maize powders with different mass fractions of genetically modified ("NK603") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF415A	Genetically modified NK603 Maize (0%)	vial
	Certified value g/kg	
	NK603 maize content .....< 0.4	
ERM-BF415B	Genetically modified NK603 Maize (0.1%)	vial
	Certified value g/kg      Uncertainty g/kg	
	NK603 maize content .....1.0 ..... 0.4	
ERM-BF415C	Genetically modified NK603 Maize (0.5%)	vial
	Certified value g/kg      Uncertainty g/kg	
	NK603 maize content .....4.9 ..... 0.5	
ERM-BF415D	Genetically modified NK603 Maize (1%)	vial
	Certified value g/kg      Uncertainty g/kg	
	NK603 maize content .....9.8 ..... 0.7	
ERM-BF415E	Genetically modified NK603 Maize (2%)	vial
	Certified value g/kg      Uncertainty g/kg	
	NK603 maize content .....19.6 ..... 0.9	
ERM-BF415F	Genetically modified NK603 Maize (5%)	vial
	Certified value g/kg      Uncertainty g/kg	
	NK603 maize content .....49.1 ..... 1.3	
ERM-BF416A - ERM-BF416D		
Dried maize powders with different mass fractions of genetically modified ("MON 863") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF416A	Genetically modified MON 863 Maize (0%)	vial
	Certified value <sup>1</sup> g/kg	
	MON 863 Maize .....< 1.0	
	1) No contamination was detected in the non-GM material when applying event-specific MON 863 realtime PCR with a detection limit of 0.8 g / kg. With a confidence level of 95 % the MON 863 mass fraction is below the certified value.	
ERM-BF416B	Genetically modified MON 863 Maize (0.1%)	vial
	Certified value g/kg      Uncertainty g/kg	
	MON 863 Maize .....1.0 ..... -0.3 ; +1.0	
ERM-BF416C	Genetically modified MON 863 Maize (1%)	vial
	Certified value g/kg      Uncertainty g/kg	
	MON 863 Maize .....9.8 ..... -0.7 ; +1.2	
ERM-BF416D	Genetically modified MON 863 Maize (10%)	vial
	Certified value g/kg      Uncertainty g/kg	
	MON 863 Maize .....98.5 ..... -2.2 ; +2.5	
ERM-BF417a - ERM-BF417D		
Dried maize powders with different mass fractions of genetically modified ("MON 863 x MON 810") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF417A	Stacked Genetically modified MON 863 x MON 810 Maize	vial
	Certified value <sup>1</sup> g/kg	
	MON 863 x MON 810 Maize .....< 1.0	
	1) No contamination was detected in the non-GM material when applying event-specific MON 863 realtime PCR with a detection limit of 0.8 g/kg and no contamination was detected when applying event-specific MON 810 realtime PCR with a detection limit of 1.1g /kg. With a confidence level of 95 % the MON 863 x MON 810 maize mass fraction is below the certified value.	



## Cereals and genetically modified crops

Code	Product	Unit
ERM-BF417B	Stacked Genetically modified MON 863 x MON 810 Maize Certified value g/kg      Uncertainty g/kg MON 863 x MON 810 Maize ..... 1.0.....-0.2 ; +1.0	vial
ERM-BF417C	Stacked Genetically modified MON 863 x MON 810 Maize Certified value g/kg      Uncertainty g/kg MON 863 x MON 810 Maize ..... 9.8.....-0.7 ; +1.2	vial
ERM-BF417D	Stacked Genetically modified MON 863 x MON 810 Maize Certified value g/kg      Uncertainty g/kg MON 863 x MON 810 Maize ..... 98.5.....-2.0 ; +2.4	vial
ERM-BF418A - ERM-BF418D Dried maize powders with different mass fractions of genetically modified ("1507") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF418A	Genetically modified 1507 Maize (0%) Certified value <sup>1</sup> g/kg 1507 maize ..... < 0.5 1) No contamination was detected in the non-GM material when applying event-specific 1507 real-time PCR with a detection limit of 0.4 g/kg. With a confidence level of 95 % the 1507 maize mass fraction is below the certified value.	vial
ERM-BF418B	Genetically modified 1507 Maize (0.1%) Certified value g/kg      Uncertainty g/kg 1507 maize ..... 1.0.....-0.2; +0.6	vial
ERM-BF418C	Genetically modified 1507 Maize (1%) Certified value g/kg      Uncertainty g/kg 1507 maize ..... 9.9.....-0.6; +0.8	vial
ERM-BF418D	Genetically modified 1507 Maize (10%) Certified value g/kg      Uncertainty g/kg 1507 maize ..... 98.6.....-1.7; +2.0	vial
ERM-BF420A - ERM-BF420C Dried maize powders with different mass fractions of genetically modified Event 3272 maize intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF420A	Genetically modified 3272 Maize (0%) Certified value g/kg Event 3272 maize ..... < 1.3	vial
ERM-BF420B	Genetically modified 3272 Maize (1%) Certified value g/kg      Uncertainty g/kg Event 3272 maize ..... 9.8..... 1.2	vial
ERM-BF420C	Genetically modified 3272 Maize (10%) Certified value g/kg      Uncertainty g/kg Event 3272 maize ..... 98..... 8	vial
ERM-BF423A- ERM-BF423D Dried maize powders with different mass fractions of genetically modified ("MIR604") maize, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF423A	Genetically modified MIR604 Maize (0%) Certified value <sup>1</sup> g/kg MIR604 maize ..... < 0.9 1) No contamination was detected in the non-GM material when applying event-specific MIR604 real-time PCR with a detection limit of 0.8 g/kg. With a confidence level of 95 % the MIR604 maize mass fraction is below the certified value.	vial
ERM-BF423B	Genetically modified MIR604 Maize (0.1%) Certified value g/kg      Uncertainty g/kg MIR604 maize ..... 1.0.....-0.3; +1.0	vial
ERM-BF423C	Genetically modified MIR604 Maize (1%) Certified value g/kg      Uncertainty g/kg MIR604 maize ..... 9.8.....-0.9; +1.3	vial
ERM-BF423D	Genetically modified MIR604 Maize (10%) Certified value g/kg      Uncertainty g/kg MIR604 maize ..... 98.5.....-2.6; +2.9	vial
ERM-BF424A - ERM-BF424D Dried maize powders with different mass fractions of genetically modified ("59122") maize, intended for the calibration of methods for the detection of genetically modified food.		

## Cereals and genetically modified crops

Code	Product	Unit
ERM-BF424A	Genetically modified 59122 Maize (0%) Certified value <sup>1</sup> g/kg 59122 maize ..... < 1.2 1) No contamination was detected in the non-GM material when applying event-specific 59122 real-time PCR with a detection limit of 1.0 g/kg. With a confidence level of 95 % the 59122 maize mass fraction is below the certified limit value. The certified value is traceable to the SI.	vial
ERM-BF424B	Genetically modified 59122 Maize (0.1%) Certified value g/kg      Uncertainty g/kg 59122 maize ..... 1.0 ..... -0.2; +1.2	vial
ERM-BF424C	Genetically modified 59122 Maize (1%) Certified value g/kg      Uncertainty g/kg 59122 maize ..... 9.9 ..... -0.8; +1.4	vial
ERM-BF424D	Genetically modified 59122 Maize (10%) Certified value g/kg      Uncertainty g/kg 59122 maize ..... 98.7 ..... -5.8; +5.9	vial
ERM-BF427A - ERM-BF427D		
Dried maize seed powders with different mass fractions of genetically modified ("98140") maize seed, intended for the calibration of methods for the detection of genetically modified food.		
<b>New</b> ERM-BF427A	Genetically modified 98140 Maize seed (blank) Certified value g/kg 98140 Maize ..... < 0.4	vial
<b>New</b> ERM-BF427B	Genetically modified 98140 Maize seed (0.5%) Certified value g/kg      Uncertainty g/kg 98140 Maize ..... 5 ..... 0.6	vial
<b>New</b> ERM-BF427C	Genetically modified 98140 Maize seed (2%) Certified value g/kg      Uncertainty g/kg 98140 Maize ..... 20 ..... 0.8	vial
<b>New</b> ERM-BF427D	Genetically modified 98140 Maize seed (10%) Certified value g/kg      Uncertainty g/kg 98140 Maize ..... 100 ..... 4	vial
ERM-BF421A- ERM-BF421B		
Dried potato powder powders with different mass fractions of genetically modified ("EH92-527-1") potato, intended for the calibration of methods for the detection of genetically modified food.		
ERM-BF421A	Genetically modified EH92-527-1 Potato (0%) ERM-BF421a is a blank material composed of milled, dried powder from solely "non-EH92-527-1" potatoes. The number fraction is calculated by counting the number of non-modified potatoes and the number of EH92-527-1 potatoes and expressing the result as a percentage. Each individual potato was tested for the presence of the genetic modification by staining a small potato piece for the presence of amylose (Lugol's test). The genetic identification is based on event-specific real-time PCR for EH92-527-1. Certified property      Certified value Number fraction of EH92-527-1 potatoes / total ..... 0 <sup>1</sup> number of potatoes [%] Genetic identity ..... Potato without the EH92-527-1 event <sup>2</sup> <sup>1</sup> Based on the experimental confirmation of the absence of the EH92-527-1 genetic modification in every individual potato used for the processing through colorimetric analysis of the amylose content in a surface slice. The uncertainty is considered zero. <sup>2</sup> Based on event-specific real-time PCR analysis. No uncertainty is applicable.	vial
ERM-BF421B	Genetically modified EH92-527-1 Potato (100%) ERM-BF421b is composed of milled, dried powder from purely EH92-527-1 potatoes and its genetic identity has been confirmed by nucleotide sequencing. The number fraction is calculated by counting the number of non-modified potatoes and the number of EH92-527-1 potatoes and expressing the result as a percentage. Each individual potato was tested for the presence of the genetic modification by staining a small potato piece for the presence of amylose (Lugol's test). The genetic identification is based on event-specific real-time PCR for EH92-527-1 and nucleotide sequencing around the junction region between the transgene insert and the potato genome. Certified property      Certified value Number fraction of EH92-527-1 potatoes / total ..... 100 <sup>1</sup> number of potatoes [%] Genetic identity ..... EH92-527-1 potato <sup>2</sup> <sup>1</sup> .Based on the experimental confirmation of the presence of the EH92-527-1 genetic modification in every individual potato used for the processing through colorimetric analysis of the amylose content in a cut tuber surface slice. The uncertainty is considered zero. <sup>2</sup> Based on event-specific real-time PCR analysis and nucleotide sequence analysis of the junction region between the transgene DNA insert and the potato genome in EH92-527-1. No uncertainty is applicable.	vial

## Cereals and genetically modified crops

Code	Product	Unit				
	<p><b>ERM-BF419A - ERM-BF419B</b></p> <p>Dried sugar beet powders with different mass fractions of genetically modified ("H7-1") sugar beet, intended for the calibration of methods for the detection of genetically modified food.</p>					
<b>ERM-BF419A</b>	<p><b>Genetically modified H7-1 Sugar Beet (blank)</b></p> <p>ERM-BF419a is available in glass bottles containing approximately 1 g of sugar beet powder closed under argon atmosphere. This reference material has been produced from non-modified sugar beet roots delivered by KWS (Einbeck, DE). According to Commission Regulation (EC) No 65/2004 the event H7-1 sugar beet corresponds to the unique identifier KM-ØØØH71-4.</p> <p>The certified H7-1 mass fraction is based on the mass fraction of non-modified sugar beet roots used for the processing of the CRM. All sugar beet roots used in the processing were individually tested by ELISA and event-specific rt-PCR.</p> <table> <tr> <td>Certified property</td> <td>Certified value<sup>1</sup></td> </tr> <tr> <td>H7-1 sugar beet .....</td> <td>0 g/kg</td> </tr> </table> <p>1) No contamination was detected in the non-GM material when applying event-specific H7-1 real-time PCR and ELISA targeting the 5-enolpyruvylshikimate-3-phosphate synthase protein on each individual sugar beet root used for processing. The certified value is traceable to the SI.</p>	Certified property	Certified value <sup>1</sup>	H7-1 sugar beet .....	0 g/kg	vial
Certified property	Certified value <sup>1</sup>					
H7-1 sugar beet .....	0 g/kg					
<b>ERM-BF419B</b>	<p><b>Genetically modified H7-1 Sugar Beet (level 1)</b></p> <p>ERM-BF419b is available in glass bottles containing approximately 1 g of sugar beet powder closed under argon atmosphere. This reference material has been produced from genetically modified sugar beet roots delivered by KWS (Einbeck, DE). According to Commission Regulation (EC) No 65/2004 the event H7-1 sugar beet corresponds to the unique identifier KM-ØØØH71-4.</p> <p>The certified H7-1 mass fraction is based on the mass fraction of modified sugar beet roots used for the processing of the CRM. All sugar beet roots used in the processing were individually tested by ELISA and event-specific rt-PCR.</p> <table> <tr> <td>Certified property</td> <td>Certified value<sup>1</sup></td> </tr> <tr> <td>H7-1 sugar beet .....</td> <td>1000 g/kg</td> </tr> </table> <p>1) No contamination was detected in the non-GM material when applying event-specific H7-1 real-time PCR and ELISA targeting the 5-enolpyruvylshikimate-3-phosphate synthase protein on each individual sugar beet root used for processing. The certified value is traceable to the SI.</p>	Certified property	Certified value <sup>1</sup>	H7-1 sugar beet .....	1000 g/kg	vial
Certified property	Certified value <sup>1</sup>					
H7-1 sugar beet .....	1000 g/kg					
	<p><b>ERM-BF422A- ERM-BF422D</b></p> <p>Dried cotton seed powders with different mass fractions of genetically modified ("281-24-236 x 3006-210-23") cotton seed, intended for the calibration of methods for the detection of genetically modified food.</p>					
<b>ERM-BF422A</b>	<p><b>Genetically modified 281-24-236 x 3006-210-23 Cotton seed (0%)</b></p> <table> <tr> <td>Certified value<sup>1</sup> g/kg</td> </tr> </table> <p>281-24-236 x 3006-210-23 Cotton seed ..... &lt; 0.5</p> <p>1) No contamination was detected in the non-GM material when applying real-time PCR methods targeting the 281-24-236 sequence and the 3006-210-23 sequence. The certified value is traceable to the SI.</p>	Certified value <sup>1</sup> g/kg	vial			
Certified value <sup>1</sup> g/kg						
<b>ERM-BF422B</b>	<p><b>Genetically modified 281-24-236 x 3006-210-23 Cotton seed (100%)</b></p> <table> <tr> <td>Certified value g/kg</td> </tr> </table> <p>281-24-236 x 3006-210-23 Cotton seed ..... &gt; 979</p>	Certified value g/kg	vial			
Certified value g/kg						
<b>ERM-BF422C</b>	<p><b>Genetically modified 281-24-236 x 3006-210-23 Cotton seed (1%)</b></p> <table> <tr> <td>Certified value g/kg</td> <td>Uncertainty g/kg</td> </tr> </table> <p>281-24-236 x 3006-210-23 Cotton seed ..... 10.0 ..... 1.7</p>	Certified value g/kg	Uncertainty g/kg	vial		
Certified value g/kg	Uncertainty g/kg					
<b>ERM-BF422D</b>	<p><b>Genetically modified 281-24-236 x 3006-210-23 Cotton seed (10%)</b></p> <table> <tr> <td>Certified value g/kg</td> <td>Uncertainty g/kg</td> </tr> </table> <p>281-24-236 x 3006-210-23 Cotton seed ..... 100 ..... 16</p>	Certified value g/kg	Uncertainty g/kg	vial		
Certified value g/kg	Uncertainty g/kg					
	<p><b>ERM-BF428A - ERM-BF428C</b></p> <p>Dried cotton seed powders with different mass fractions of genetically modified ("GHB119") cotton seed, intended for the calibration of methods for the detection of genetically modified food.</p>					
<b>New</b> <b>ERM-BF428A</b>	<p><b>Genetically modified GHB119 Cotton seed (blank)</b></p> <table> <tr> <td>Certified value g/kg</td> </tr> </table> <p>GHB119 cotton ..... &lt; 0.2</p>	Certified value g/kg	vial			
Certified value g/kg						
<b>New</b> <b>ERM-BF428B</b>	<p><b>Genetically modified GHB119 Cotton seed (1%)</b></p> <table> <tr> <td>Certified value g/kg</td> <td>Uncertainty g/kg</td> </tr> </table> <p>GHB119 cotton ..... 10 ..... 4</p>	Certified value g/kg	Uncertainty g/kg	vial		
Certified value g/kg	Uncertainty g/kg					
<b>New</b> <b>ERM-BF428C</b>	<p><b>Genetically modified GHB119 Cotton seed (10%)</b></p> <table> <tr> <td>Certified value g/kg</td> <td>Uncertainty g/kg</td> </tr> </table> <p>GHB119 cotton ..... 100 ..... 11</p>	Certified value g/kg	Uncertainty g/kg	vial		
Certified value g/kg	Uncertainty g/kg					
	<p><b>ERM-BF429A - ERM-BF429C</b></p> <p>Dried cotton seed powders with different mass fractions of genetically modified ("T304-40") cotton seed, intended for the calibration of methods for the detection of genetically modified food.</p>					
<b>New</b> <b>ERM-BF429A</b>	<p><b>Genetically modified T304-40 Cotton seed (blank)</b></p> <table> <tr> <td>Certified value g/kg</td> </tr> </table> <p>T304-40 cotton ..... &lt; 0.4</p>	Certified value g/kg	vial			
Certified value g/kg						

Code	Product	Unit
<b>New</b> ERM-BF429B	Genetically modified T304-40 Cotton seed (1%)	vial
	Certified value g/kg      Uncertainty g/kg	
	T304-40 cotton.....10 .....	1.3
<b>New</b> ERM-BF429C	Genetically modified T304-40 Cotton seed (10%)	vial
	Certified value g/kg      Uncertainty g/kg	
	T304-40 cotton.....100 .....	11

## Vegetable matter

Code	Product	Unit
<b>Fruit and vegetables</b>		
ERM-BC084	Tomato paste - Contaminant metals	50 g
	Certified values	
	Cd..... 0.112 mg/kg      Pb.....0.316 mg/kg      Sn ..... 225 mg/kg	
LGC7111	Potato powder - Sulfur dioxide	110 g
	Assessed value	
	Total sulfur dioxide.....212 ± 27 mg/kg	
<b>New</b> ERM-BC402	Potato powder - Iodine	110 g
	Certified value	
	Iodine..... 1.86 mg/kg	
LGC7162	Strawberry leaves - Trace elements	20 g
	The raw material was collected from a private farm in the Czech Republic. The mixture was cut and jet milled to pass a 250 µm nylon sieve. The resulting powder was homogenised, separated in 20 g portions and placed in 60 mL bottles.	
	Certified Values	
	Ca..... 1.53 g/100 g      Ba..... 107 mg/kg      Mo..... 0.32 mg/kg	
	Mg..... 0.377 g/100 g      Cd.....0.17 mg/kg      Hg..... 0.027 mg/kg	
	N..... 2.01 g/100 g      Co..... 0.47 mg/kg      Ni..... 2.6 mg/kg	
	P..... 0.260 g/100 g      Cr..... 2.15 mg/kg      Sr..... 64 mg/kg	
	K..... 1.96 g/100 g      Fe..... 818 mg/kg      Zn..... 24 mg/kg	
	S..... 0.174 g/100 g      Pb..... 1.8 mg/kg	
	As..... 0.28 mg/kg      Mn..... 171 mg/kg	
ERM-BC516	Apple - Dietary fibre	25 g
	Certified using five different methods of dietary fibre analysis	
	Certified values	
	AOAC 1990 .....16.46 g/100 g      AOAC 1992 MES-TRIS ..... 14.9 g/100 g	
	Englyst (GC) .....13.7 g/100 g      Englyst (colorimetry) ..... 13.4 g/100 g	
	Uppsala.....16.2 g/100g	
<b>New</b> NIM-GBW10019	Apple - Trace elements	35 g
	Certified values	
	Ag ..... 0.007 ± 0.001 %      I ..... 0.12 ± 0.04 mg/kg      Pr ..... 1.8 ± 0.3 µg/kg	
	As..... 0.020 ± 0.004 mg/kg      K.....0.77 ± 0.04 %      Rb ..... 5.0 ± 0.6 mg/kg	
	B ..... 19 ± 3 mg/kg      La ..... 0.014 ± 0.004 mg/kg      S ..... 0.063 ± 0.004 %	
	Ba ..... 2.5 ± 0.3 mg/kg      Li ..... 0.115 ± 0.009 mg/kg      Si..... 0.0050 ± 0.0013 %	
	Ca ..... 0.049 ± 0.001 %      Mg ..... 0.039 ± 0.006 %      Sm ..... 1.5 ± 0.5 µg/kg	
	Cd..... 5.8 ± 1.2 µg/kg      Mn ..... 2.7 ± 0.2 mg/kg      Sr..... 6.9 ± 0.5 mg/kg	
	Ce ..... 0.025 ± 0.005 mg/kg      Mo ..... 0.08 ± 0.02 mg/kg      Th..... 4.0 ± 0.3 µg/kg	
	Co ..... 0.026 ± 0.006 mg/kg      N ..... 0.31 ± 0.03 %      U ..... 8.2 ± 1.8 µg/kg	
	Cr..... 0.30 ± 0.06 mg/kg      Na..... 0.116 ± 0.009 mg/kg      Y ..... 0.008 ± 0.002 mg/kg	
	Cu ..... 2.5 ± 0.2 mg/kg      Ni ..... 0.14 ± 0.05 mg/kg      Zn..... 2.1 ± 0.4 mg/kg	
	Fe ..... 16 ± 2 mg/kg      P ..... 0.066 ± 0.004 %	
	Gd..... 0.95 ± 0.11 µg/kg      Pb..... 0.084 ± 0.032 mg/kg	
	Indicative values for further elements	
BCR-431	Brussels sprout - Vitamins	20 g
	Certified values	
	Vitamin C (total ascorbate) .....4830 mg/kg	
	Niacin..... 43 mg/kg	
IAEA-359	Cabbage - Trace elements	30 g
	Certified values	
	Al..... 0.1 mg/kg      Fe..... 148 mg/kg      Ni ..... 1.05 mg/kg	
	Ba ..... 11 mg/kg      Hg.....0.013 mg/kg      Se ..... 0.12 mg/kg	
	Ca ..... 18500 mg/kg      K..... 32500 mg/kg      Sr ..... 49.2 mg/kg	
	Cd..... 0.12 mg/kg      Mg ..... 2160 mg/kg      Zn..... 38.6 mg/kg	
	Cr..... 1.3 mg/kg      Mn ..... 31.9 mg/kg	
	Cu ..... 5.67 mg/kg      Na..... 580 mg/kg	

## Vegetable matter

Code	Product	Unit																																																									
<b>New</b> NIM-GBW10014	Cabbage - Trace elements Certified values	35 g																																																									
	<table border="0"> <tr> <td>Ag ..... 0.0166 ± 0.0022 %</td> <td>Fe ..... 98 ± 10 mg/kg</td> <td>Pb ..... 0.19 ± 0.03 mg/kg</td> </tr> <tr> <td>As ..... 0.062 ± 0.014 mg/kg</td> <td>Gd ..... 3.1 ± 0.5 µg/kg</td> <td>Pr ..... 4.0 ± 0.6 µg/kg</td> </tr> <tr> <td>B ..... 19.6 ± 1.7 mg/kg</td> <td>Hg ..... 10.9 ± 1.6 µg/kg</td> <td>Rb ..... 19.6 ± 1.0 mg/kg</td> </tr> <tr> <td>Ba ..... 12 ± 2 mg/kg</td> <td>I ..... 0.24 ± 0.03 mg/kg</td> <td>S ..... 0.72 ± 0.05 %</td> </tr> <tr> <td>Bi ..... 2.8 ± 0.7 µg/kg</td> <td>K ..... 1.55 ± 0.06 %</td> <td>Se ..... 0.20 ± 0.03 mg/kg</td> </tr> <tr> <td>Br ..... 6.0 ± 1.3 mg/kg</td> <td>La ..... 0.024 ± 0.003 mg/kg</td> <td>Si ..... 0.024 ± 0.005 %</td> </tr> <tr> <td>Ca ..... 0.70 ± 0.02 %</td> <td>Li ..... 0.54 ± 0.08 mg/kg</td> <td>Sm ..... 3.2 ± 0.7 µg/kg</td> </tr> <tr> <td>Cd ..... 35 ± 6 µg/kg</td> <td>Mg ..... 0.241 ± 0.015 %</td> <td>Sr ..... 48 ± 3 mg/kg</td> </tr> <tr> <td>Ce ..... 0.044 ± 0.004 mg/kg</td> <td>Mn ..... 18.7 ± 0.8 mg/kg</td> <td>Th ..... 9 ± 3 µg/kg</td> </tr> <tr> <td>Cl ..... 0.64 ± 0.07 %</td> <td>Mo ..... 0.71 ± 0.07 mg/kg</td> <td>U ..... 20 ± 3 µg/kg</td> </tr> <tr> <td>Co ..... 0.089 ± 0.014 mg/kg</td> <td>N ..... 2.8 ± 0.2 %</td> <td>Y ..... 0.015 ± 0.002 mg/kg</td> </tr> <tr> <td>Cr ..... 1.8 ± 0.3 mg/kg</td> <td>Na ..... 1.09 ± 0.06(%) mg/kg</td> <td>Yb ..... 1.4 ± 0.4 µg/kg</td> </tr> <tr> <td>Cs ..... 0.082 ± 0.012 mg/kg</td> <td>Nd ..... 0.015 ± 0.002 mg/kg</td> <td>Zn ..... 26 ± 2 mg/kg</td> </tr> <tr> <td>Cu ..... 2.7 ± 0.2 mg/kg</td> <td>Ni ..... 0.93 ± 0.10 mg/kg</td> <td></td> </tr> <tr> <td>Dy ..... 2.6 ± 0.7 µg/kg</td> <td>P ..... 0.46 ± 0.03 %</td> <td></td> </tr> </table>	Ag ..... 0.0166 ± 0.0022 %	Fe ..... 98 ± 10 mg/kg	Pb ..... 0.19 ± 0.03 mg/kg	As ..... 0.062 ± 0.014 mg/kg	Gd ..... 3.1 ± 0.5 µg/kg	Pr ..... 4.0 ± 0.6 µg/kg	B ..... 19.6 ± 1.7 mg/kg	Hg ..... 10.9 ± 1.6 µg/kg	Rb ..... 19.6 ± 1.0 mg/kg	Ba ..... 12 ± 2 mg/kg	I ..... 0.24 ± 0.03 mg/kg	S ..... 0.72 ± 0.05 %	Bi ..... 2.8 ± 0.7 µg/kg	K ..... 1.55 ± 0.06 %	Se ..... 0.20 ± 0.03 mg/kg	Br ..... 6.0 ± 1.3 mg/kg	La ..... 0.024 ± 0.003 mg/kg	Si ..... 0.024 ± 0.005 %	Ca ..... 0.70 ± 0.02 %	Li ..... 0.54 ± 0.08 mg/kg	Sm ..... 3.2 ± 0.7 µg/kg	Cd ..... 35 ± 6 µg/kg	Mg ..... 0.241 ± 0.015 %	Sr ..... 48 ± 3 mg/kg	Ce ..... 0.044 ± 0.004 mg/kg	Mn ..... 18.7 ± 0.8 mg/kg	Th ..... 9 ± 3 µg/kg	Cl ..... 0.64 ± 0.07 %	Mo ..... 0.71 ± 0.07 mg/kg	U ..... 20 ± 3 µg/kg	Co ..... 0.089 ± 0.014 mg/kg	N ..... 2.8 ± 0.2 %	Y ..... 0.015 ± 0.002 mg/kg	Cr ..... 1.8 ± 0.3 mg/kg	Na ..... 1.09 ± 0.06(%) mg/kg	Yb ..... 1.4 ± 0.4 µg/kg	Cs ..... 0.082 ± 0.012 mg/kg	Nd ..... 0.015 ± 0.002 mg/kg	Zn ..... 26 ± 2 mg/kg	Cu ..... 2.7 ± 0.2 mg/kg	Ni ..... 0.93 ± 0.10 mg/kg		Dy ..... 2.6 ± 0.7 µg/kg	P ..... 0.46 ± 0.03 %														
Ag ..... 0.0166 ± 0.0022 %	Fe ..... 98 ± 10 mg/kg	Pb ..... 0.19 ± 0.03 mg/kg																																																									
As ..... 0.062 ± 0.014 mg/kg	Gd ..... 3.1 ± 0.5 µg/kg	Pr ..... 4.0 ± 0.6 µg/kg																																																									
B ..... 19.6 ± 1.7 mg/kg	Hg ..... 10.9 ± 1.6 µg/kg	Rb ..... 19.6 ± 1.0 mg/kg																																																									
Ba ..... 12 ± 2 mg/kg	I ..... 0.24 ± 0.03 mg/kg	S ..... 0.72 ± 0.05 %																																																									
Bi ..... 2.8 ± 0.7 µg/kg	K ..... 1.55 ± 0.06 %	Se ..... 0.20 ± 0.03 mg/kg																																																									
Br ..... 6.0 ± 1.3 mg/kg	La ..... 0.024 ± 0.003 mg/kg	Si ..... 0.024 ± 0.005 %																																																									
Ca ..... 0.70 ± 0.02 %	Li ..... 0.54 ± 0.08 mg/kg	Sm ..... 3.2 ± 0.7 µg/kg																																																									
Cd ..... 35 ± 6 µg/kg	Mg ..... 0.241 ± 0.015 %	Sr ..... 48 ± 3 mg/kg																																																									
Ce ..... 0.044 ± 0.004 mg/kg	Mn ..... 18.7 ± 0.8 mg/kg	Th ..... 9 ± 3 µg/kg																																																									
Cl ..... 0.64 ± 0.07 %	Mo ..... 0.71 ± 0.07 mg/kg	U ..... 20 ± 3 µg/kg																																																									
Co ..... 0.089 ± 0.014 mg/kg	N ..... 2.8 ± 0.2 %	Y ..... 0.015 ± 0.002 mg/kg																																																									
Cr ..... 1.8 ± 0.3 mg/kg	Na ..... 1.09 ± 0.06(%) mg/kg	Yb ..... 1.4 ± 0.4 µg/kg																																																									
Cs ..... 0.082 ± 0.012 mg/kg	Nd ..... 0.015 ± 0.002 mg/kg	Zn ..... 26 ± 2 mg/kg																																																									
Cu ..... 2.7 ± 0.2 mg/kg	Ni ..... 0.93 ± 0.10 mg/kg																																																										
Dy ..... 2.6 ± 0.7 µg/kg	P ..... 0.46 ± 0.03 %																																																										
	Indicative values for further elements																																																										
ERM-BC515	Carrot - Dietary fibre Certified using five different methods of dietary fibre analysis Certified values	25 g																																																									
	<table border="0"> <tr> <td>AOAC 1990..... 31.1 g/100 g</td> <td>AOAC 1992 MES-TRIS..... 29.5 g/100 g</td> </tr> <tr> <td>Englyst (GC) ..... 27.1 g/100 g</td> <td>Englyst (colorimetry) ..... 25.2 g/100 g</td> </tr> <tr> <td>Uppsala..... 29.8 g/100 g</td> <td></td> </tr> </table>	AOAC 1990..... 31.1 g/100 g	AOAC 1992 MES-TRIS..... 29.5 g/100 g	Englyst (GC) ..... 27.1 g/100 g	Englyst (colorimetry) ..... 25.2 g/100 g	Uppsala..... 29.8 g/100 g																																																					
AOAC 1990..... 31.1 g/100 g	AOAC 1992 MES-TRIS..... 29.5 g/100 g																																																										
Englyst (GC) ..... 27.1 g/100 g	Englyst (colorimetry) ..... 25.2 g/100 g																																																										
Uppsala..... 29.8 g/100 g																																																											
IC-CS-CR-2	Carrot root powder - Trace elements (control sample) Prepared from carrot roots collected in a non-contaminated rural area of central Poland. Reference values	20 g																																																									
	<table border="0"> <tr> <td>As..... 0.050 mg/kg</td> <td>Hg..... 0.0043 mg/kg</td> <td>Zn..... 21.79 mg/kg</td> </tr> <tr> <td>Cd..... 0.196 mg/kg</td> <td>Pb..... 0.579 mg/kg</td> <td></td> </tr> </table>	As..... 0.050 mg/kg	Hg..... 0.0043 mg/kg	Zn..... 21.79 mg/kg	Cd..... 0.196 mg/kg	Pb..... 0.579 mg/kg																																																					
As..... 0.050 mg/kg	Hg..... 0.0043 mg/kg	Zn..... 21.79 mg/kg																																																									
Cd..... 0.196 mg/kg	Pb..... 0.579 mg/kg																																																										
IRMM-801	Cocoa butter - Triglyceride (TG) Certified values	Amp.																																																									
	<table border="0"> <thead> <tr> <th>Triglyceride</th> <th>Relative mass fraction g TG/100 g total TG</th> <th>Uncertainty g TG/100 g total TG</th> </tr> </thead> <tbody> <tr> <td>1,3-Dipalmitoyl-2-oleyl-glycero.....</td> <td>18.14.....</td> <td>0.26</td> </tr> <tr> <td>1-Palmitoyl-2-oleoyl-3-stearoyl-glycerol.....</td> <td>44.68.....</td> <td>0.30</td> </tr> <tr> <td>1,2-Dioleoyl-3-palmitoyl-glycerol.....</td> <td>2.26.....</td> <td>0.16</td> </tr> <tr> <td>1,3-Distearoyl-2-oleoyl-glycerol.....</td> <td>31.63.....</td> <td>0.29</td> </tr> <tr> <td>1,2-Dioleoyl-3-stearoyl-glycerol.....</td> <td>3.29.....</td> <td>0.17</td> </tr> </tbody> </table>	Triglyceride	Relative mass fraction g TG/100 g total TG	Uncertainty g TG/100 g total TG	1,3-Dipalmitoyl-2-oleyl-glycero.....	18.14.....	0.26	1-Palmitoyl-2-oleoyl-3-stearoyl-glycerol.....	44.68.....	0.30	1,2-Dioleoyl-3-palmitoyl-glycerol.....	2.26.....	0.16	1,3-Distearoyl-2-oleoyl-glycerol.....	31.63.....	0.29	1,2-Dioleoyl-3-stearoyl-glycerol.....	3.29.....	0.17																																								
Triglyceride	Relative mass fraction g TG/100 g total TG	Uncertainty g TG/100 g total TG																																																									
1,3-Dipalmitoyl-2-oleyl-glycero.....	18.14.....	0.26																																																									
1-Palmitoyl-2-oleoyl-3-stearoyl-glycerol.....	44.68.....	0.30																																																									
1,2-Dioleoyl-3-palmitoyl-glycerol.....	2.26.....	0.16																																																									
1,3-Distearoyl-2-oleoyl-glycerol.....	31.63.....	0.29																																																									
1,2-Dioleoyl-3-stearoyl-glycerol.....	3.29.....	0.17																																																									
NIST-1570a	Spinach leaves - Trace elements Certified values	60 g																																																									
	<table border="0"> <tr> <td>Al..... 310 mg/kg</td> <td>Cu ..... 12.2 mg/kg</td> <td>P ..... 0.518 %</td> </tr> <tr> <td>As ..... 0.068 mg/kg</td> <td>Hg ..... 0.030 mg/kg</td> <td>Se ..... 0.117 mg/kg</td> </tr> <tr> <td>B ..... 37.6 mg/kg</td> <td>K ..... 2.903 %</td> <td>Sr ..... 55.6 mg/kg</td> </tr> <tr> <td>Cd ..... 2.89 mg/kg</td> <td>Mn ..... 75.9 mg/kg</td> <td>Th ..... 0.48 mg/kg</td> </tr> <tr> <td>Ca ..... 1.527 %</td> <td>Na ..... 1.818 %</td> <td>V ..... 0.835 mg/kg</td> </tr> <tr> <td>Co ..... 0.39 mg/kg</td> <td>Ni ..... 2.14 mg/kg</td> <td>Zn ..... 30.9 mg/kg</td> </tr> </table>	Al..... 310 mg/kg	Cu ..... 12.2 mg/kg	P ..... 0.518 %	As ..... 0.068 mg/kg	Hg ..... 0.030 mg/kg	Se ..... 0.117 mg/kg	B ..... 37.6 mg/kg	K ..... 2.903 %	Sr ..... 55.6 mg/kg	Cd ..... 2.89 mg/kg	Mn ..... 75.9 mg/kg	Th ..... 0.48 mg/kg	Ca ..... 1.527 %	Na ..... 1.818 %	V ..... 0.835 mg/kg	Co ..... 0.39 mg/kg	Ni ..... 2.14 mg/kg	Zn ..... 30.9 mg/kg																																								
Al..... 310 mg/kg	Cu ..... 12.2 mg/kg	P ..... 0.518 %																																																									
As ..... 0.068 mg/kg	Hg ..... 0.030 mg/kg	Se ..... 0.117 mg/kg																																																									
B ..... 37.6 mg/kg	K ..... 2.903 %	Sr ..... 55.6 mg/kg																																																									
Cd ..... 2.89 mg/kg	Mn ..... 75.9 mg/kg	Th ..... 0.48 mg/kg																																																									
Ca ..... 1.527 %	Na ..... 1.818 %	V ..... 0.835 mg/kg																																																									
Co ..... 0.39 mg/kg	Ni ..... 2.14 mg/kg	Zn ..... 30.9 mg/kg																																																									
	Indicative values for Ba, Br, Ce, Cl, Cs, I, La, Mg, Mo, S, Sc, Sm, Sr, U																																																										
<b>New</b> NIM-GBW10015	Spinach - Trace elements Certified values	35 g																																																									
	<table border="0"> <tr> <td>Ag ..... 0.061 ± 0.006 %</td> <td>Gd ..... 54 ± 7 µg/kg</td> <td>S ..... 0.45 ± 0.04 %</td> </tr> <tr> <td>As ..... 0.23 ± 0.03 mg/kg</td> <td>Hg ..... 20 ± 3 µg/kg</td> <td>Sb ..... 0.043 ± 0.014 mg/kg</td> </tr> <tr> <td>B ..... 25 ± 2 mg/kg</td> <td>Ho ..... 8.1 ± 1.7 µg/kg</td> <td>Sc ..... -93 µg/kg</td> </tr> <tr> <td>Ba ..... 9.0 ± 0.8 mg/kg</td> <td>I ..... 0.36 ± 0.12 mg/kg</td> <td>Se ..... 0.092 ± 0.024 mg/kg</td> </tr> <tr> <td>Be ..... 17 ± 2 µg/kg</td> <td>K ..... 2.49 ± 0.11 %</td> <td>Si ..... 0.212 ± 0.024 %</td> </tr> <tr> <td>Bi ..... 13.5 ± 1.0 µg/kg</td> <td>La ..... 0.35 ± 0.04 mg/kg</td> <td>Sm ..... 56 ± 5 µg/kg</td> </tr> <tr> <td>Br ..... 10 ± 2 mg/kg</td> <td>Li ..... 1.46 ± 0.23 mg/kg</td> <td>Sr ..... 87 ± 5 mg/kg</td> </tr> <tr> <td>Ca ..... 0.66 ± 0.03 %</td> <td>Lu ..... 3.0 ± 0.9 µg/kg</td> <td>Tb ..... 7.2 ± 0.7 µg/kg</td> </tr> <tr> <td>Cd ..... 150 ± 25 µg/kg</td> <td>Mg ..... 0.552 ± 0.015 %</td> <td>Th ..... 114 ± 19 µg/kg</td> </tr> <tr> <td>Ce ..... 0.66 ± 0.05 mg/kg</td> <td>Mn ..... 41 ± 3 mg/kg</td> <td>Ti ..... -28 mg/kg</td> </tr> <tr> <td>Cl ..... 1.08 ± 0.07 %</td> <td>Mo ..... 0.47 ± 0.04 mg/kg</td> <td>Tl ..... -49 µg/kg</td> </tr> <tr> <td>Co ..... 0.22 ± 0.03 mg/kg</td> <td>N ..... 3.4 ± 0.2 %</td> <td>Tm ..... 3.1 ± 0.9 µg/kg</td> </tr> <tr> <td>Cr ..... 1.4 ± 0.2 mg/kg</td> <td>Na ..... 1.50 ± 0.06 mg/kg</td> <td>U ..... 89 ± 11 µg/kg</td> </tr> <tr> <td>Cs ..... 0.13 ± 0.02 mg/kg</td> <td>Nd ..... 0.28 ± 0.03 mg/kg</td> <td>V ..... 0.87 ± 0.23 mg/kg</td> </tr> <tr> <td>Cu ..... 8.9 ± 0.4 mg/kg</td> <td>Ni ..... 0.92 ± 0.12 mg/kg</td> <td>Y ..... 0.20 ± 0.04 mg/kg</td> </tr> <tr> <td>Dy ..... 41 ± 8 µg/kg</td> <td>P ..... 0.36 ± 0.02 %</td> <td>Yb ..... 19 ± 4 µg/kg</td> </tr> <tr> <td>Er ..... 17 ± 3 µg/kg</td> <td>Pb ..... 11.1 ± 0.9 mg/kg</td> <td>Zn ..... 35.3 ± 1.5 mg/kg</td> </tr> <tr> <td>Eu ..... 11.1 ± 1.4 µg/kg</td> <td>Pr ..... 75 ± 5 µg/kg</td> <td></td> </tr> <tr> <td>Fe ..... 540 ± 20 mg/kg</td> <td>Rb ..... 30 ± 2 mg/kg</td> <td></td> </tr> </table>	Ag ..... 0.061 ± 0.006 %	Gd ..... 54 ± 7 µg/kg	S ..... 0.45 ± 0.04 %	As ..... 0.23 ± 0.03 mg/kg	Hg ..... 20 ± 3 µg/kg	Sb ..... 0.043 ± 0.014 mg/kg	B ..... 25 ± 2 mg/kg	Ho ..... 8.1 ± 1.7 µg/kg	Sc ..... -93 µg/kg	Ba ..... 9.0 ± 0.8 mg/kg	I ..... 0.36 ± 0.12 mg/kg	Se ..... 0.092 ± 0.024 mg/kg	Be ..... 17 ± 2 µg/kg	K ..... 2.49 ± 0.11 %	Si ..... 0.212 ± 0.024 %	Bi ..... 13.5 ± 1.0 µg/kg	La ..... 0.35 ± 0.04 mg/kg	Sm ..... 56 ± 5 µg/kg	Br ..... 10 ± 2 mg/kg	Li ..... 1.46 ± 0.23 mg/kg	Sr ..... 87 ± 5 mg/kg	Ca ..... 0.66 ± 0.03 %	Lu ..... 3.0 ± 0.9 µg/kg	Tb ..... 7.2 ± 0.7 µg/kg	Cd ..... 150 ± 25 µg/kg	Mg ..... 0.552 ± 0.015 %	Th ..... 114 ± 19 µg/kg	Ce ..... 0.66 ± 0.05 mg/kg	Mn ..... 41 ± 3 mg/kg	Ti ..... -28 mg/kg	Cl ..... 1.08 ± 0.07 %	Mo ..... 0.47 ± 0.04 mg/kg	Tl ..... -49 µg/kg	Co ..... 0.22 ± 0.03 mg/kg	N ..... 3.4 ± 0.2 %	Tm ..... 3.1 ± 0.9 µg/kg	Cr ..... 1.4 ± 0.2 mg/kg	Na ..... 1.50 ± 0.06 mg/kg	U ..... 89 ± 11 µg/kg	Cs ..... 0.13 ± 0.02 mg/kg	Nd ..... 0.28 ± 0.03 mg/kg	V ..... 0.87 ± 0.23 mg/kg	Cu ..... 8.9 ± 0.4 mg/kg	Ni ..... 0.92 ± 0.12 mg/kg	Y ..... 0.20 ± 0.04 mg/kg	Dy ..... 41 ± 8 µg/kg	P ..... 0.36 ± 0.02 %	Yb ..... 19 ± 4 µg/kg	Er ..... 17 ± 3 µg/kg	Pb ..... 11.1 ± 0.9 mg/kg	Zn ..... 35.3 ± 1.5 mg/kg	Eu ..... 11.1 ± 1.4 µg/kg	Pr ..... 75 ± 5 µg/kg		Fe ..... 540 ± 20 mg/kg	Rb ..... 30 ± 2 mg/kg		
Ag ..... 0.061 ± 0.006 %	Gd ..... 54 ± 7 µg/kg	S ..... 0.45 ± 0.04 %																																																									
As ..... 0.23 ± 0.03 mg/kg	Hg ..... 20 ± 3 µg/kg	Sb ..... 0.043 ± 0.014 mg/kg																																																									
B ..... 25 ± 2 mg/kg	Ho ..... 8.1 ± 1.7 µg/kg	Sc ..... -93 µg/kg																																																									
Ba ..... 9.0 ± 0.8 mg/kg	I ..... 0.36 ± 0.12 mg/kg	Se ..... 0.092 ± 0.024 mg/kg																																																									
Be ..... 17 ± 2 µg/kg	K ..... 2.49 ± 0.11 %	Si ..... 0.212 ± 0.024 %																																																									
Bi ..... 13.5 ± 1.0 µg/kg	La ..... 0.35 ± 0.04 mg/kg	Sm ..... 56 ± 5 µg/kg																																																									
Br ..... 10 ± 2 mg/kg	Li ..... 1.46 ± 0.23 mg/kg	Sr ..... 87 ± 5 mg/kg																																																									
Ca ..... 0.66 ± 0.03 %	Lu ..... 3.0 ± 0.9 µg/kg	Tb ..... 7.2 ± 0.7 µg/kg																																																									
Cd ..... 150 ± 25 µg/kg	Mg ..... 0.552 ± 0.015 %	Th ..... 114 ± 19 µg/kg																																																									
Ce ..... 0.66 ± 0.05 mg/kg	Mn ..... 41 ± 3 mg/kg	Ti ..... -28 mg/kg																																																									
Cl ..... 1.08 ± 0.07 %	Mo ..... 0.47 ± 0.04 mg/kg	Tl ..... -49 µg/kg																																																									
Co ..... 0.22 ± 0.03 mg/kg	N ..... 3.4 ± 0.2 %	Tm ..... 3.1 ± 0.9 µg/kg																																																									
Cr ..... 1.4 ± 0.2 mg/kg	Na ..... 1.50 ± 0.06 mg/kg	U ..... 89 ± 11 µg/kg																																																									
Cs ..... 0.13 ± 0.02 mg/kg	Nd ..... 0.28 ± 0.03 mg/kg	V ..... 0.87 ± 0.23 mg/kg																																																									
Cu ..... 8.9 ± 0.4 mg/kg	Ni ..... 0.92 ± 0.12 mg/kg	Y ..... 0.20 ± 0.04 mg/kg																																																									
Dy ..... 41 ± 8 µg/kg	P ..... 0.36 ± 0.02 %	Yb ..... 19 ± 4 µg/kg																																																									
Er ..... 17 ± 3 µg/kg	Pb ..... 11.1 ± 0.9 mg/kg	Zn ..... 35.3 ± 1.5 mg/kg																																																									
Eu ..... 11.1 ± 1.4 µg/kg	Pr ..... 75 ± 5 µg/kg																																																										
Fe ..... 540 ± 20 mg/kg	Rb ..... 30 ± 2 mg/kg																																																										
	Indicative values for further elements																																																										
IAEA-330	Spinach - Radionuclides Certified values (dry mass basis)	100 g																																																									
	<table border="0"> <tr> <td><sup>40</sup>K ..... 1188 ± 30 Bq/kg</td> <td><sup>137</sup>Cs ..... 1235 ± 35 Bq/kg</td> <td><sup>238</sup>U ..... 0.95 ± 0.05 Bq/kg</td> </tr> <tr> <td><sup>90</sup>Sr ..... 20.1 ± 2.1 Bq/kg</td> <td><sup>234</sup>U ..... 1.02 ± 0.07 Bq/kg</td> <td></td> </tr> </table>	<sup>40</sup> K ..... 1188 ± 30 Bq/kg	<sup>137</sup> Cs ..... 1235 ± 35 Bq/kg	<sup>238</sup> U ..... 0.95 ± 0.05 Bq/kg	<sup>90</sup> Sr ..... 20.1 ± 2.1 Bq/kg	<sup>234</sup> U ..... 1.02 ± 0.07 Bq/kg																																																					
<sup>40</sup> K ..... 1188 ± 30 Bq/kg	<sup>137</sup> Cs ..... 1235 ± 35 Bq/kg	<sup>238</sup> U ..... 0.95 ± 0.05 Bq/kg																																																									
<sup>90</sup> Sr ..... 20.1 ± 2.1 Bq/kg	<sup>234</sup> U ..... 1.02 ± 0.07 Bq/kg																																																										

Code	Product	Unit
NIST-1573a	Tomato leaves - Trace elements Certified values Al..... 598 mg/kg      Cu.....4.70 mg/kg      P ..... 0.216 % As..... 0.112 mg/kg      Hg.....0.034 mg/kg      Rb ..... 14.89 mg/kg B ..... 33.3 mg/kg      K.....2.70 %      Sb ..... 0.063 mg/kg Cd..... 1.52 mg/kg      Mn .....246 mg/kg      Se ..... 0.054 mg/kg Ca..... 5.05 %      N.....3.03 %      V ..... 0.57 mg/kg Co ..... 0.57 mg/kg      Na.....136 mg/kg      Zn..... 82 mg/kg Cr..... 1.99 mg/kg      Ni..... 1.59 mg/kg Indicative values for Eu, Gd, Mg, Pb, S, Sc, Sm, Sr, Th, U	50 g
BCR-400	Red ceramic tile (Tomato paste colour) 100 mm x 100 mm A ceramic tile the colour of which is defined by Hunter L, a and b values. Each tile is individually certified. The tile is intended for the purpose of calibration and does not represent a standard tomato paste colour.	unit
BCR-383	Haricots verts (beans) - Major nutrients Certified values N (Kjeldahl).....1.1 g/100 g      Ca ..... 2.9 g/100 g Dietary fibre (AOAC 1985/1988).....11.9 g/100 g      K..... 7.8 g/100 g Ash at 550°C ..... 2.4 g/100g      Na ..... 0.08 g/100 g Indicative values for glucose, fructose, sucrose, starch and sugars, dietary fibre (Englyst)	100 g
ERM-BC514	Haricots beans - Dietary fibre Certified using five different methods of dietary fibre analysis Certified values AOAC 1990 .....25.6 g/100 g      AOAC 1992 MES-TRIS ..... 25.9 g/100 g Englyst (GC) .....19.8 g/100 g      Englyst (colorimetry) ..... 20.1 g/100 g Uppsala.....23.7 g/100 g	25 g
BCR-485	Mixed vegetables - Vitamins Certified values B <sub>1</sub> (thiamin)..... 3.07 mg/kg      trans- $\alpha$ -Carotene..... 10.5 mg/kg      total- $\beta$ -Carotene..... 25.6 mg/kg B <sub>6</sub> (total pyridoxine).... 4.8 mg/kg      trans- $\beta$ -Carotene ..... 23.7 mg/kg      Lutein ..... 12.5 mg/kg Folate (total)..... 3.15 mg/kg      total- $\alpha$ -Carotene ..... 9.8 mg/kg      Lutein+Zeaxanthin ... 22.3 mg/kg	25 g
ERM-BC517	Full fat soya - Dietary fibre Certified using five different methods of dietary fibre analysis Certified values AOAC 1990 .....12.6 g/100 g      AOAC 1992 MES-TRIS ..... 12.4 g/100 g Englyst (GC) .....11.9 g/100 g      Englyst (colorimetry) ..... 12.3 g/100 g Uppsala.....12.8 g/100 g	25 g
BCR-162R	Soya-maize oil blend - Fatty acids Certified values Fatty acid      Relative Mass Fraction in g FAME / 100 g total FAME 16:0 (n-Hexadecanoic acid)..... 10.74 $\pm$ 0.16 18:0 (n-Octadecanoic acid)..... 2.82 $\pm$ 0.04 9c-18:1 (n-Octadecenoic acid)..... 25.4 $\pm$ 0.4 9c,12c-18:2 (n-Octadecadienoic acid)..... 54.13 $\pm$ 0.25 9c,12c,15c-18:3 (n-Octadecatrienoic acid)..... 3.35 $\pm$ 0.05	5.5 g
<b>New</b> NIM-GBW10013	Soya bean - Trace elements Certified values As..... 0,035 $\pm$ 0,012 mg/kg      Er..... 1,0 $\pm$ 0,2 $\mu$ g/kg      Ni ..... 4,0 $\pm$ 0,3mg/kg B ..... 15,8 $\pm$ 1,5 mg/kg      Eu..... 1,3 $\pm$ 0,5 $\mu$ g/kg      P ..... 0,66 $\pm$ 0,03% Ba ..... 3,3 $\pm$ 0,4 mg/kg      Fe ..... 139 $\pm$ 4 mg/kg      Pb ..... 0,07 $\pm$ 0,02 mg/kg Be ..... 3,5 $\pm$ 0,6 $\mu$ g/kg      Gd ..... 3,3 $\pm$ 0,9 $\mu$ g/kg      Pr ..... 4,5 $\pm$ 0,5 $\mu$ g/kg Ca..... 0,153 $\pm$ 0,008 %      K.....1,86 $\pm$ 0,09 %      Rb ..... 14,2 $\pm$ 0,7 mg/kg Ce ..... 0,040 $\pm$ 0,006 mg/kg      La ..... 0,023 $\pm$ 0,004 mg/kg      S ..... 0,364 $\pm$ 0,027 % Cl ..... 0,008 $\pm$ 0,002 %      Li ..... 0,062 $\pm$ 0,014 mg/kg      Sm ..... 3,1 $\pm$ 0,3 $\mu$ g/kg Co ..... 0,125 $\pm$ 0,012 mg/kg      Mg ..... 0,230 $\pm$ 0,014 %      Sr ..... 9,9 $\pm$ 0,6 mg/kg Cr ..... 0,28 $\pm$ 0,04 mg/kg      Mn ..... 28 $\pm$ 1 mg/kg      Th..... 6,8 $\pm$ 1,4 $\mu$ g/kg Cs ..... 0,043 $\pm$ 0,006 mg/kg      Mo ..... 0,71 $\pm$ 0,04 mg/kg      Y ..... 0,022 $\pm$ 0,004 mg/kg Cu ..... 10,2 $\pm$ 0,5 mg/kg      N.....6,7 $\pm$ 0,3 %      Yb ..... 1,2 $\pm$ 0,4 $\mu$ g/kg Dy ..... 2,4 $\pm$ 0,6 $\mu$ g/kg      Nd.....0,016 $\pm$ 0,003 mg/kg      Zn..... 38 $\pm$ 2 mg/kg Indicative values for further elements	35 g
IC-INCT-SBF-4	Soya bean flour - Trace elements Certified values Al..... 45,5 $\pm$ 3,7 mg/kg      Cu..... 14,30 $\pm$ 0,46 mg/kg      P ..... 6555 $\pm$ 335 mg/kg B ..... 39,3 $\pm$ 4,0 mg/kg      Fe.....90,8 $\pm$ 4,0 mg/kg      Rb ..... 31,7 $\pm$ 1,7 mg/kg Ba ..... 7,30 $\pm$ 0,23 mg/kg      K.....2,423 $\pm$ 0,083 wt%      S ..... 4245 $\pm$ 471 mg/kg Br ..... 2,40 $\pm$ 0,17 mg/kg      La ..... 19,1 $\pm$ 2,4 ng/kg      Sr ..... 9,32 $\pm$ 0,46 mg/kg Ca ..... 2467 $\pm$ 170 mg/kg      Mg ..... 3005 $\pm$ 82 mg/kg      Th..... 7,08 $\pm$ 0,82 ng/kg Cl ..... 64,5 $\pm$ 4,7 mg/kg      Mn ..... 32,3 $\pm$ 1,1 mg/kg      Zn..... 52,3 $\pm$ 1,3 mg/kg Indicative values for Cd, Cr, Hg, Na, Pb, Sc, SM, Ti, V	50 g

## Vegetable matter

Code	Product	Unit
ERM-AD413	Plasmid DNA fragments of MON 810 maize	vial
	Certified value                      Uncertainty	
	Fragment of 5' plant-P35S junction DNA / plasmid ..... 1 ..... negligible	
	Fragment of <i>hmg</i> DNA / plasmid ..... 1 ..... negligible	
BCR-679	White cabbage - Trace elements	15 g
	Certified values	
	Cd ..... 1.66 mg/kg                      Hg ..... 6.3 µg/kg                      Sr ..... 11.8 mg/kg	
	Cu ..... 2.89 mg/kg                      Mo ..... 14.8 mg/kg                      Tl ..... 3.0 µg/kg	
	Fe ..... 55.0 mg/kg                      Ni ..... 27.0 mg/kg                      Zn ..... 79.7 mg/kg	
	Mn ..... 13.3 mg/kg                      Sb ..... 20.6 µg/kg	
<b>New</b> BCR-401R	Peanut butter (blank) - Aflatoxins	100 g
	Certified values	
	Aflatoxin B1 ..... <0.2 µg/kg                      Aflatoxin G1 ..... <0.2 µg/kg	
	Aflatoxin B2 ..... <0.2 µg/kg                      Aflatoxin G2 ..... <0.2 µg/kg	
<b>New</b> BCR-385R	Peanut butter - Aflatoxins (low level)	100 g
	Certified values	
	Aflatoxin B1 ..... 1.77 ± 0.30 µg/kg                      Aflatoxin G2 ..... 0.30 ± 0.12 µg/kg	
	Aflatoxin B2 ..... 0.48 ± 0.08 µg/kg                      Sum of Aflatoxin B1, B2, G1, G2 ..... 3.5 ± 0.5 µg/kg	
	Aflatoxin G1 ..... 0.90 ± 0.4 µg/kg	
BCR-262R	Defatted peanut meal (blank) - Aflatoxin B1	100 g
	Certified value	
	Aflatoxin B1 ..... <3 µg/kg	
BCR-263R	Defatted peanut meal - Aflatoxin B1, B2 and G1	100 g
	Certified values	
	Aflatoxin B1 ..... 17.1 ± 2.4 µg/kg                      Aflatoxin B2 ..... 3.0 ± 0.4 µg/kg                      Aflatoxin B3 ..... 3.0 ± 0.5 µg/kg	
BCR-264	Defatted peanut meal (high level) - Aflatoxin B1	150 g
	Certified value	
	Aflatoxin B1 ..... 206 µg/kg	
IC-INCT-TL-1	Tea leaves - Trace elements	50 g
	The material was prepared from black tea, usually packed in tea bags.	
	Certified values	
	Al ..... 0.229 wt %                      Eu ..... 0.050 mg/kg                      Sc ..... 0.266 mg/kg	
	As ..... 0.106 mg/kg                      Hg ..... 0.005 mg/kg                      Sm ..... 0.177 mg/kg	
	Ba ..... 43.2 mg/kg                      K ..... 1.70 wt %                      Sr ..... 20.8 mg/kg	
	Br ..... 12.3 mg/kg                      La ..... 1.00 mg/kg                      Tb ..... 0.026 mg/kg	
	Ca ..... 0.582 wt %                      Lu ..... 0.016 mg/kg                      Th ..... 0.034 mg/kg	
	Cd ..... 0.030 mg/kg                      Mg ..... 0.224 wt %                      Tl ..... 0.063 mg/kg	
	Cl ..... 573 mg/kg                      Mn ..... 0.157 wt %                      V ..... 1.97 mg/kg	
	Co ..... 0.387 mg/kg                      Na ..... 24.7 mg/kg                      Yb ..... 0.118 mg/kg	
	Cr ..... 1.91 mg/kg                      Ni ..... 6.12 mg/kg                      Zn ..... 34.7 mg/kg	
	Cs ..... 3.61 mg/kg                      Pb ..... 1.78 mg/kg	
	Cu ..... 20.4 mg/kg                      Rb ..... 81.5 mg/kg	
	Indicative values for B, Fe, Hf, Nd, P, Sb, Se, Ta, Ti and Tm	
<b>New</b> NIM-GBW10016	Tea - Trace elements	35 g
	Certified values	
	Ag ..... 0.094 ± 0.009 %                      F ..... 57 ± 15 mg/kg                      Pr ..... 42 ± 4 µg/kg	
	As ..... 0.09 ± 0.01 mg/kg                      Fe ..... 242 ± 18 mg/kg                      Rb ..... 117 ± 5 mg/kg	
	B ..... 14 ± 1 mg/kg                      Gd ..... 31 ± 5 µg/kg                      S ..... 0.30 ± 0.03 %	
	Ba ..... 9.6 ± 0.5 mg/kg                      Hg ..... 3.8 ± 0.8 µg/kg                      Sb ..... 0.022 ± 0.006 mg/kg	
	Be ..... 10 ± 2 µg/kg                      Ho ..... 5.4 ± 1.2 µg/kg                      Se ..... 0.098 ± 0.008 mg/kg	
	Bi ..... 18 ± 2 µg/kg                      K ..... 1.63 ± 0.07 %                      Si ..... 0.099 ± 0.008 %	
	Br ..... 2.7 ± 0.5 mg/kg                      La ..... 0.25 ± 0.02 mg/kg                      Sm ..... 29 ± 3 µg/kg	
	Ca ..... 0.326 ± 0.008 %                      Li ..... 0.14 ± 0.02 mg/kg                      Sr ..... 9.1 ± 1.2 mg/kg	
	Cd ..... 62 ± 4 µg/kg                      Lu ..... 3.0 ± 0.8 µg/kg                      Tb ..... 4.5 ± 0.7 µg/kg	
	Ce ..... 0.39 ± 0.05 mg/kg                      Mg ..... 0.186 ± 0.011 %                      Th ..... 38 ± 12 µg/kg	
	Cl ..... 0.044 ± 0.003 %                      Mn ..... 500 ± 20 mg/kg                      Tm ..... 2.6 ± 1.0 µg/kg	
	Co ..... 0.22 ± 0.02 mg/kg                      Mo ..... 0.040 ± 0.012 mg/kg                      U ..... 10 ± 2 µg/kg	
	Cr ..... 0.45 ± 0.10 mg/kg                      N ..... 5.1 ± 0.3 %                      V ..... 0.17 ± 0.03 mg/kg	
	Cs ..... 0.32 ± 0.06 mg/kg                      Na ..... 0.009 ± 0.001 mg/kg                      Y ..... 0.23 ± 0.03 mg/kg	
	Cu ..... 18.6 ± 0.7 mg/kg                      Nd ..... 0.15 ± 0.02 mg/kg                      Yb ..... 18 ± 4 µg/kg	
	Dy ..... 25 ± 6 µg/kg                      Ni ..... 3.4 ± 0.3 mg/kg                      Zn ..... 51 ± 2 mg/kg	
	Er ..... 14 ± 4 µg/kg                      P ..... 0.45 ± 0.03 %	
	Eu ..... 6.7 ± 1.4 µg/kg                      Pb ..... 1.5 ± 0.2 mg/kg	
	Indicative values for further elements	



Code	Product	Unit
IC-INCT-MPH-2	Mixed Polish herbs - Trace elements Fresh herbs collected in a non contaminated rural area were collected, mixed and processed as for drug production by Herbapol S.A. Certified values Al..... 670 mg/kg As..... 0.191 mg/kg Ba..... 32.5 mg/kg Br..... 7.71 mg/kg Ca..... 1.08 wt % Cd..... 0.199 mg/kg Ce..... 1.12 mg/kg Cl..... 0.284 wt % Co..... 0.210 mg/kg Cr..... 1.69 mg/kg Cs..... 0.076 mg/kg Cu..... 7.77 mg/kg Eu..... 0.016 mg/kg Hf..... 0.236 mg/kg Hg..... 0.018 mg/kg K..... 1.91 wt % La..... 0.571 mg/kg Lu..... 0.009 mg/kg Mg..... 0.292 wt % Mn..... 191 mg/kg Nd..... 0.457 mg/kg Ni..... 1.57 mg/kg Pb..... 2.16 mg/kg Rb..... 10.7 mg/kg S..... 0.241 wt % Sb..... 0.066 mg/kg Sc..... 0.123 mg/kg Sm..... 0.094 mg/kg Sr..... 37.6 mg/kg Ta..... 0.019 mg/kg Tb..... 0.014 mg/kg Th..... 0.154 mg/kg V..... 0.952 mg/kg Yb..... 0.053 mg/kg Indicative values for P, Fe, Mo, Na, Ti, Tl, U and W	50 g
IC-INCT-CS-M-1	Mushrooms ( <i>Suillus bovinus</i> ) - Trace elements Reference values As..... 0.344 ± 0.033 mg/kg Cd..... 0.273 ± 0.093 mg/kg Cu..... 9.12 ± 0.83 mg/kg Hg..... 0.174 ± 0.018 mg/kg Pb..... 0.476 ± 0.041 mg/kg Se..... 1.37 ± 0.11 mg/kg Zn..... 60.94 ± 4.62 mg/kg	25 g
<b>New</b> NIST-3250	<i>Serenoa repens</i> (Fruit) - Phytosterols and fatty acids This Standard Reference Material (SRM) is intended primarily for use in validating analytical methods for the determination of phytosterols and fatty acids in the fruit of <i>Serenoa repens</i> (saw palmetto) and similar matrices. A unit of NIST-3250 consists of five packets, each containing approximately 6 g of ground saw palmetto fruit. Certified concentration values for selected phytosterols in NIST-3250 Phytosterols Mass Fraction (mg/g, dry-mass basis) Campesterol ..... 0.1175 ± 0.0025 β-Sitosterol ..... 0.454 ± 0.018 Stigmasterol..... 0.0477 ± 0.0020 Certified concentration values for selected fatty acids (as triglycerides) in NIST-3250 Fatty acids Mass Fraction (%, dry-mass basis) Octanoic acid (C8:0)..... 0.1072 ± 0.0027 (Caprylic acid) Decanoic acid (C10:0)..... 0.1175 ± 0.0055 (Capric acid) Dodecanoic acid (C12:0)..... 2.962 ± 0.062 (Lauric acid) Tetradecanoic acid (C14:0) ..... 1.103 ± 0.065 (Myristic acid) Hexadecanoic acid (C16:0) ..... 0.869 ± 0.027 (Palmitic acid) (Z)-9-Hexadecenoic acid (C16:1 n-7) ..... 0.0158 ± 0.0010 (Palmitoleic acid) Octadecanoic acid (C18:0)..... 0.1791 ± 0.0054 (Stearic acid) (Z)-9-Octadecenoic acid (C18:1 n-9) ..... 3.24 ± 0.15 (Oleic acid) (Z)-11-Octadecenoic acid (C18:1 n-7)..... 0.0547 ± 0.0030 (Vaccenic acid) (Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6)..... 0.824 ± 0.055 (Linoleic acid) (Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3)..... 0.194 ± 0.025 (Linolenic acid) Eicosanoic acid (C20:0)..... 0.0097 ± 0.0002 (Arachidic acid) Docosanoic acid (C22:0) ..... 0.0066 ± 0.0002 (Behenic acid) Tetracosanoic acid (C24:0) ..... 0.0107 ± 0.0003 (Lignoceric acid) Reference concentration values for selected fatty acids (as triglycerides) and for free fatty acids	Each

# Vegetable matter

Code	Product	Unit																																																		
<b>New</b> NIST-3251	<p><b>Serenoa repens extract - Phytosterols, fatty acids, β-carotene, and gamma-tocopherol</b></p> <p>This Standard Reference Material (SRM) is intended primarily for use in validating analytical methods for the determination of phytosterols, fatty acids, β-carotene, and γ-tocopherol in extracts of <i>Serenoa repens</i> (saw palmetto) and similar matrices. This SRM can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3251 consists of five ampoules, each containing approximately 1 mL of saw palmetto extract.</p> <p>Certified concentration values for selected phytosterols in NIST-3251</p> <table border="0"> <tr> <td>Phytosterols</td> <td>Mass Fraction (mg/g)</td> </tr> <tr> <td>Campesterol .....</td> <td>0.533 ± 0.031</td> </tr> <tr> <td>β-Sitosterol.....</td> <td>1.666 ± 0.064</td> </tr> <tr> <td>Stigmasterol.....</td> <td>0.247 ± 0.040</td> </tr> </table> <p>Certified concentration values for selected fatty acids (as triglycerides) in NIST-3251</p> <table border="0"> <tr> <td>Fatty acids</td> <td>Mass Fraction (%)</td> </tr> <tr> <td>Octanoic acid (C8:0).....</td> <td>2.677 ± 0.032 (Caprylic acid)</td> </tr> <tr> <td>Decanoic acid (C10:0).....</td> <td>2.690 ± 0.055 (Capric acid)</td> </tr> <tr> <td>Dodecanoic acid (C12:0).....</td> <td>26.51 ± 0.66 (Lauric acid)</td> </tr> <tr> <td>Tridecanoic acid (C13:0).....</td> <td>0.069 ± 0.002</td> </tr> <tr> <td>Tetradecanoic acid (C14:0).....</td> <td>10.68 ± 0.16 (Myristic acid)</td> </tr> <tr> <td>Pentadecanoic acid (C15:0).....</td> <td>0.0518 ± 0.0018</td> </tr> <tr> <td>Hexadecanoic acid (C16:0).....</td> <td>8.55 ± 0.20 (Palmitic acid)</td> </tr> <tr> <td>Heptadecanoic acid (C17:0).....</td> <td>0.0640 ± 0.0024</td> </tr> <tr> <td>Octadecanoic acid (C18:0).....</td> <td>1.757 ± 0.021 (Stearic acid)</td> </tr> <tr> <td>(Z)-9-Octadecenoic acid (C18:1 n-9).....</td> <td>34.73 ± 0.43 (Oleic acid)</td> </tr> <tr> <td>(Z)-11-Octadecenoic acid (C18:1 n-7).....</td> <td>0.834 ± 0.020 (Vaccenic acid)</td> </tr> <tr> <td>(Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6).....</td> <td>6.018 ± 0.093 (Linoleic acid)</td> </tr> <tr> <td>(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3).....</td> <td>1.248 ± 0.027 (Linolenic acid)</td> </tr> <tr> <td>Eicosanoic acid (C20:0).....</td> <td>0.0936 ± 0.0033 (Arachidic acid)</td> </tr> <tr> <td>(Z)-11-Eicosenoic acid (C20:1 n-9).....</td> <td>0.1939 ± 0.0031 (Gondoic acid)</td> </tr> <tr> <td>Docosanoic acid (C22:0).....</td> <td>0.0646 ± 0.0016 (Behenic acid)</td> </tr> <tr> <td>Tetracosanoic acid (C24:0).....</td> <td>0.0929 ± 0.0028</td> </tr> </table> <p>Certified concentration values for total β-carotene and γ-tocopherol in NIST-3251</p> <table border="0"> <tr> <td></td> <td>Mass Fraction (μg/g)</td> </tr> <tr> <td>Total β-carotene.....</td> <td>46.8 ± 4.6</td> </tr> <tr> <td>γ-Tocopherol.....</td> <td>280 ± 13</td> </tr> </table> <p>Reference concentration value for cycloartenol, selected fatty acids (as triglycerides), selected free fatty acids, for β-carotene isomers and δ-tocopherol, brassicasterol and lupeol</p>	Phytosterols	Mass Fraction (mg/g)	Campesterol .....	0.533 ± 0.031	β-Sitosterol.....	1.666 ± 0.064	Stigmasterol.....	0.247 ± 0.040	Fatty acids	Mass Fraction (%)	Octanoic acid (C8:0).....	2.677 ± 0.032 (Caprylic acid)	Decanoic acid (C10:0).....	2.690 ± 0.055 (Capric acid)	Dodecanoic acid (C12:0).....	26.51 ± 0.66 (Lauric acid)	Tridecanoic acid (C13:0).....	0.069 ± 0.002	Tetradecanoic acid (C14:0).....	10.68 ± 0.16 (Myristic acid)	Pentadecanoic acid (C15:0).....	0.0518 ± 0.0018	Hexadecanoic acid (C16:0).....	8.55 ± 0.20 (Palmitic acid)	Heptadecanoic acid (C17:0).....	0.0640 ± 0.0024	Octadecanoic acid (C18:0).....	1.757 ± 0.021 (Stearic acid)	(Z)-9-Octadecenoic acid (C18:1 n-9).....	34.73 ± 0.43 (Oleic acid)	(Z)-11-Octadecenoic acid (C18:1 n-7).....	0.834 ± 0.020 (Vaccenic acid)	(Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6).....	6.018 ± 0.093 (Linoleic acid)	(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3).....	1.248 ± 0.027 (Linolenic acid)	Eicosanoic acid (C20:0).....	0.0936 ± 0.0033 (Arachidic acid)	(Z)-11-Eicosenoic acid (C20:1 n-9).....	0.1939 ± 0.0031 (Gondoic acid)	Docosanoic acid (C22:0).....	0.0646 ± 0.0016 (Behenic acid)	Tetracosanoic acid (C24:0).....	0.0929 ± 0.0028		Mass Fraction (μg/g)	Total β-carotene.....	46.8 ± 4.6	γ-Tocopherol.....	280 ± 13	5 x 1 mL
Phytosterols	Mass Fraction (mg/g)																																																			
Campesterol .....	0.533 ± 0.031																																																			
β-Sitosterol.....	1.666 ± 0.064																																																			
Stigmasterol.....	0.247 ± 0.040																																																			
Fatty acids	Mass Fraction (%)																																																			
Octanoic acid (C8:0).....	2.677 ± 0.032 (Caprylic acid)																																																			
Decanoic acid (C10:0).....	2.690 ± 0.055 (Capric acid)																																																			
Dodecanoic acid (C12:0).....	26.51 ± 0.66 (Lauric acid)																																																			
Tridecanoic acid (C13:0).....	0.069 ± 0.002																																																			
Tetradecanoic acid (C14:0).....	10.68 ± 0.16 (Myristic acid)																																																			
Pentadecanoic acid (C15:0).....	0.0518 ± 0.0018																																																			
Hexadecanoic acid (C16:0).....	8.55 ± 0.20 (Palmitic acid)																																																			
Heptadecanoic acid (C17:0).....	0.0640 ± 0.0024																																																			
Octadecanoic acid (C18:0).....	1.757 ± 0.021 (Stearic acid)																																																			
(Z)-9-Octadecenoic acid (C18:1 n-9).....	34.73 ± 0.43 (Oleic acid)																																																			
(Z)-11-Octadecenoic acid (C18:1 n-7).....	0.834 ± 0.020 (Vaccenic acid)																																																			
(Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6).....	6.018 ± 0.093 (Linoleic acid)																																																			
(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3).....	1.248 ± 0.027 (Linolenic acid)																																																			
Eicosanoic acid (C20:0).....	0.0936 ± 0.0033 (Arachidic acid)																																																			
(Z)-11-Eicosenoic acid (C20:1 n-9).....	0.1939 ± 0.0031 (Gondoic acid)																																																			
Docosanoic acid (C22:0).....	0.0646 ± 0.0016 (Behenic acid)																																																			
Tetracosanoic acid (C24:0).....	0.0929 ± 0.0028																																																			
	Mass Fraction (μg/g)																																																			
Total β-carotene.....	46.8 ± 4.6																																																			
γ-Tocopherol.....	280 ± 13																																																			
<b>New</b> NIST-3254	<p><b>Green tea (<i>Camellia sinensis</i>) leaves - Catechins and xanthines</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended primarily for use in validating analytical methods for the determination of catechins and xanthines in the leaves of <i>Camellia sinensis</i> (green tea) and similar matrices. NIST-3254 can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3254 consists of five packets, each containing approximately 3 g of leaf powder.</p> <p>Certified Mass Fraction Values for Selected Catechins and Xanthines in NIST-3254</p> <table border="0"> <tr> <td></td> <td>Mass Fraction (mg/g, dry-mass basis)</td> <td>Mass Fraction (mg/g, dry-mass basis)</td> </tr> <tr> <td>(-)-Epicatechin.....</td> <td>9.0 ± 1.6</td> <td>(-)-Gallocatechin gallate.....</td> <td>0.99 ± 0.21</td> </tr> <tr> <td>(-)-Epicatechin gallate.....</td> <td>12.7 ± 1.2</td> <td>Caffeine.....</td> <td>23.5 ± 1.8</td> </tr> <tr> <td>(-)-Epigallocatechin.....</td> <td>25.2 ± 4.5</td> <td>Theobromine.....</td> <td>0.463 ± 0.052</td> </tr> <tr> <td>(-)-Epigallocatechin gallate.....</td> <td>52.0 ± 2.2</td> <td></td> <td></td> </tr> </table> <p>Indicative values for (+)-Catechin, (-)-Gallocatechin, Gallic acid and L-theanine</p>		Mass Fraction (mg/g, dry-mass basis)	Mass Fraction (mg/g, dry-mass basis)	(-)-Epicatechin.....	9.0 ± 1.6	(-)-Gallocatechin gallate.....	0.99 ± 0.21	(-)-Epicatechin gallate.....	12.7 ± 1.2	Caffeine.....	23.5 ± 1.8	(-)-Epigallocatechin.....	25.2 ± 4.5	Theobromine.....	0.463 ± 0.052	(-)-Epigallocatechin gallate.....	52.0 ± 2.2			5 x 3 g																															
	Mass Fraction (mg/g, dry-mass basis)	Mass Fraction (mg/g, dry-mass basis)																																																		
(-)-Epicatechin.....	9.0 ± 1.6	(-)-Gallocatechin gallate.....	0.99 ± 0.21																																																	
(-)-Epicatechin gallate.....	12.7 ± 1.2	Caffeine.....	23.5 ± 1.8																																																	
(-)-Epigallocatechin.....	25.2 ± 4.5	Theobromine.....	0.463 ± 0.052																																																	
(-)-Epigallocatechin gallate.....	52.0 ± 2.2																																																			
<b>New</b> NIST-3255	<p><b>Green tea (<i>Camellia sinensis</i>) extract - Catechins and xanthines</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended primarily for use in validating analytical methods for the determination of catechins and xanthines in extracts of <i>Camellia sinensis</i> (green tea) and similar matrices. NIST-3255 can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3255 consists of five packets, each containing approximately 1 g of extract.</p> <p>Certified Mass Fraction Values for Selected Catechins and Xanthines in NIST-3255</p> <table border="0"> <tr> <td></td> <td>Mass Fraction (mg/g, dry-mass basis)</td> <td>Mass Fraction (mg/g, dry-mass basis)</td> </tr> <tr> <td>(+)-Catechin.....</td> <td>9.17 ± 0.93</td> <td>(-)-Gallocatechin.....</td> <td>22.0 ± 1.7</td> </tr> <tr> <td>(-)-Epicatechin.....</td> <td>47.3 ± 6.7</td> <td>(-)-Gallocatechin gallate.....</td> <td>39.0 ± 2.0</td> </tr> <tr> <td>(-)-Epicatechin gallate.....</td> <td>100.3 ± 7.8</td> <td>Caffeine.....</td> <td>36.9 ± 2.7</td> </tr> <tr> <td>(-)-Epigallocatechin.....</td> <td>81.8 ± 6.5</td> <td>Theobromine.....</td> <td>0.867 ± 0.076</td> </tr> <tr> <td>(-)-Epigallocatechin gallate.....</td> <td>422.0 ± 19.0</td> <td></td> <td></td> </tr> </table> <p>Indicative values for (-)-Epigallocatechin methylgallate, Gallic acid, L-theanine and Theophylline.</p>		Mass Fraction (mg/g, dry-mass basis)	Mass Fraction (mg/g, dry-mass basis)	(+)-Catechin.....	9.17 ± 0.93	(-)-Gallocatechin.....	22.0 ± 1.7	(-)-Epicatechin.....	47.3 ± 6.7	(-)-Gallocatechin gallate.....	39.0 ± 2.0	(-)-Epicatechin gallate.....	100.3 ± 7.8	Caffeine.....	36.9 ± 2.7	(-)-Epigallocatechin.....	81.8 ± 6.5	Theobromine.....	0.867 ± 0.076	(-)-Epigallocatechin gallate.....	422.0 ± 19.0			5 x 1 g																											
	Mass Fraction (mg/g, dry-mass basis)	Mass Fraction (mg/g, dry-mass basis)																																																		
(+)-Catechin.....	9.17 ± 0.93	(-)-Gallocatechin.....	22.0 ± 1.7																																																	
(-)-Epicatechin.....	47.3 ± 6.7	(-)-Gallocatechin gallate.....	39.0 ± 2.0																																																	
(-)-Epicatechin gallate.....	100.3 ± 7.8	Caffeine.....	36.9 ± 2.7																																																	
(-)-Epigallocatechin.....	81.8 ± 6.5	Theobromine.....	0.867 ± 0.076																																																	
(-)-Epigallocatechin gallate.....	422.0 ± 19.0																																																			

Code	Product	Unit												
<b>New</b> NIST-3256	Green tea-containing solid oral dosage form - Catechins, xanthines and toxic elements This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use in validating analytical methods for the determination of catechins, xanthines, and toxic elements in solid oral dosage forms containing green tea and in similar matrices. NIST-3256 can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3256 consists of five packets, each containing approximately 2.5 g of powdered material. Certified Mass Fraction Values for Selected Catechins, Gallic Acid, and Xanthines in NIST-3256	5 x 2.5 g												
	<table border="0"> <thead> <tr> <th>Mass Fraction (mg/g, dry-mass basis)</th> <th>Mass Fraction (mg/g, dry-mass basis)</th> </tr> </thead> <tbody> <tr> <td>(+)-Catechin.....2.63 ± 0.18</td> <td>(-)-Gallocatechin..... 7.55 ± 0.28</td> </tr> <tr> <td>(-)-Epicatechin.....12.0 ± 2.6</td> <td>Gallic acid ..... 13.10 ± 0.49</td> </tr> <tr> <td>(-)-Epicatechin gallate.....17.1 ± 2.6</td> <td>Caffeine..... 70.0 ± 2.6</td> </tr> <tr> <td>(-)-Epigallocatechin.....30.7 ± 5.7</td> <td>Theobromine..... 1.04 ± 0.15</td> </tr> <tr> <td>(-)-Epigallocatechin gallate .....71.1 ± 6.6</td> <td></td> </tr> </tbody> </table>	Mass Fraction (mg/g, dry-mass basis)	Mass Fraction (mg/g, dry-mass basis)	(+)-Catechin.....2.63 ± 0.18	(-)-Gallocatechin..... 7.55 ± 0.28	(-)-Epicatechin.....12.0 ± 2.6	Gallic acid ..... 13.10 ± 0.49	(-)-Epicatechin gallate.....17.1 ± 2.6	Caffeine..... 70.0 ± 2.6	(-)-Epigallocatechin.....30.7 ± 5.7	Theobromine..... 1.04 ± 0.15	(-)-Epigallocatechin gallate .....71.1 ± 6.6		
Mass Fraction (mg/g, dry-mass basis)	Mass Fraction (mg/g, dry-mass basis)													
(+)-Catechin.....2.63 ± 0.18	(-)-Gallocatechin..... 7.55 ± 0.28													
(-)-Epicatechin.....12.0 ± 2.6	Gallic acid ..... 13.10 ± 0.49													
(-)-Epicatechin gallate.....17.1 ± 2.6	Caffeine..... 70.0 ± 2.6													
(-)-Epigallocatechin.....30.7 ± 5.7	Theobromine..... 1.04 ± 0.15													
(-)-Epigallocatechin gallate .....71.1 ± 6.6														
	Certified Mass Fraction Values for Toxic Elements in NIST-3256 <table border="0"> <thead> <tr> <th>Mass Fraction mg/kg, dry-mass basis)</th> <th>Mass Fraction mg/kg, dry-mass basis)</th> </tr> </thead> <tbody> <tr> <td>Arsenic (As).....0.269 ± 0.019</td> <td>Lead (Pb) ..... 0.316 ± 0.030</td> </tr> <tr> <td>Cadmium (Cd).....0.025 ± 0.002</td> <td>Mercury (Hg) ..... 0.014 ± 0.002</td> </tr> </tbody> </table> Indicative values for (-)-Gallocatechin gallate, L-Theanine and Theophylline.	Mass Fraction mg/kg, dry-mass basis)	Mass Fraction mg/kg, dry-mass basis)	Arsenic (As).....0.269 ± 0.019	Lead (Pb) ..... 0.316 ± 0.030	Cadmium (Cd).....0.025 ± 0.002	Mercury (Hg) ..... 0.014 ± 0.002							
Mass Fraction mg/kg, dry-mass basis)	Mass Fraction mg/kg, dry-mass basis)													
Arsenic (As).....0.269 ± 0.019	Lead (Pb) ..... 0.316 ± 0.030													
Cadmium (Cd).....0.025 ± 0.002	Mercury (Hg) ..... 0.014 ± 0.002													

## Vegetable oils

BCR-459	Coconut oil - PAHs (blank) Compound	Certified value µg/kg	Compound	Certified value µg/kg	45 g
	Pyrene .....	<0.9	Benzo(a)pyrene.....	<0.3	
	Chrysene .....	<0.6	Benzo(ghi)perylene.....	<0.2	
	Benzo(k)fluoranthene .....	<0.2	Indeno(1,2,3-cd)pyrene.....	<0.2	
<b>New</b> CMI-CRM7007	Virgin olive oil - PAHs, Pesticides Certified values				2 x 50 mL
	Anthracene .....	3.72 ± 0.26 µg/kg	Dibenzo[a,h]anthracene.....	0.50 ± 0.06 µg/kg	
	Benzo[a]anthracene.....	4.78 ± 0.38 µg/kg	Fluoranthene.....	15.7 ± 1.2 µg/kg	
	Benzo[b]fluoranthene.....	3.18 ± 0.30 µg/kg	Indeno[1,2,3-cd]pyrene.....	2.44 ± 0.18 µg/kg	
	Benzo[k]fluoranthene.....	2.22 ± 0.19 µg/kg	Phenanthrene .....	42.3 ± 3.8 µg/kg	
	Benzo[ghi]perylene.....	2.19 ± 0.18 µg/kg	Pyrene.....	14.6 ± 1.2 µg/kg	
	Benzo[a]pyrene.....	2.47 ± 0.18 µg/kg	Chlorpyrifos-methyl.....	182 ± 13 µg/kg	
	Chrysene .....	6.21 ± 0.43 µg/kg	Endosulfan sulfate.....	186 ± 13 µg/kg	
	Indicative values for further PAHs				
<b>New</b> NIST-3278	Edible oils - Tocopherols This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use in validating analytical methods for the determination of tocopherols in edible oils and similar matrices. This SRM can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3278 consists of five ampoules of oil each containing approximately 1 mL of material under argon. Certified mass fraction values for tocopherols in NIST-3278				5 amps.
	alpha-Tocopherol.....	290.1 ± 6.5 µg/g	gamma-Tocopherol.....	111.5 ± 5.8 µg/g	
	beta-Tocopherol.....	11.38 ± 0.52 µg/g	delta-Tocopherol.....	28.8 ± 1.8 µg/g	

# Vegetable matter

Code	Product	Unit					
<b>New</b> NIST-3274	<b>Botanical oils - Omega-3 and omega-6 fatty acids</b> This Standard Reference Material® (SRM®) is intended primarily for use in validating analytical methods for the determination of fatty acids in botanical oils and similar matrices. This SRM can also be used for quality assurance when assigning values to in-house control materials. A unit of SRM 3274 consists of a total of four ampoules, one each of four seed oils (3274-1 Borage [Borago officinalis], 3274-2 Evening Primrose [Oenothera biennis], 3274-3 Flax [Linium usitatissimum], and 3274-4 Perilla [Perilla frutescens]). Each ampoule contains approximately 1.2 mL of oil under argon.	4 x 1.2 mL					
	Mass fraction (mg/g) <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th>3274-1 Borage</th> <th>3274-2 Evening Primrose</th> <th>3274-3 Flax</th> <th>3274-4 Perilla</th> </tr> </thead> </table>		3274-1 Borage	3274-2 Evening Primrose	3274-3 Flax	3274-4 Perilla	
	3274-1 Borage	3274-2 Evening Primrose	3274-3 Flax	3274-4 Perilla			
	Octanoic Acid (C8:0) ..... (0.021 ± 0.002) (Caprylic Acid) Decanoic Acid (C10:0).....(0.020 ± 0.011) (Capric Acid) Dodecanoic Acid (C12:0)..... (0.016 ± 0.001)..... (Lauric Acid) Tetradecanoic Acid (C14:0).....(0.62 ± 0.11)..... <b>0.363 ± 0.030</b> ..... <b>0.271 ± 0.008</b> .....(0.206 ± 0.025) (Myristic Acid) Pentadecanoic Acid (C15:0)..... <b>0.074 ± 0.008</b> ..... <b>0.099 ± 0.011</b> ..... <b>0.151 ± 0.016</b> .....(0.061 ± 0.009) Hexadecanoic Acid (C16:0)..... <b>110 ± 12</b> ..... <b>58.2 ± 6.1</b> ..... <b>44.8 ± 5.0</b> ..... <b>56.4 ± 5.5</b> (Palmitic Acid) (Z)-9-Hexadecenoic Acid (C16:1 n-7)..... <b>1.77 ± 0.14</b> ..... <b>0.402 ± 0.043</b> ..... <b>0.383 ± 0.031</b> ..... <b>0.776 ± 0.081</b> (Palmitoleic Acid) Heptadecanoic Acid (C17:0).....(0.500 ± 0.086)..... (0.188 ± 0.008) ..... (0.212 ± 0.011).....(0.159 ± 0.040) (Margaric Acid) Octadecanoic Acid (C18:0).....(33.1 ± 4.0)..... <b>18.30 ± 0.838</b> ..... <b>30.4 ± 2.4</b> ..... <b>20.9 ± 1.1</b> (Stearic Acid) (Z)-9-Octadecenoic Acid (C18:1 n-9) ..... <b>148.7 ± 8.7</b> ..... <b>68.9 ± 3.7</b> ..... <b>165.7 ± 6.2</b> ..... <b>166.8 ± 7.8</b> (Oleic Acid) (E)-9-Octadecenoic Acid (t-C18:1 n-9).....(0.117 ± 0.020)..... (Elaidic Acid) (Z)-11-Octadecenoic Acid (C18:1 n-7) ..... <b>5.76 ± 0.18</b> ..... <b>5.95 ± 0.37</b> ..... (5.61 ± 0.16).....(7.89 ± 0.22) (Vaccenic Acid) (Z,Z)-9,12-Octadecadienoic Acid (C18:2 n-6) ..... <b>374 ± 35</b> ..... <b>742 ± 24</b> ..... <b>171 ± 11</b> ..... <b>160 ± 14</b> (Linoleic Acid) (Z,Z,Z)-9,12,15-Octadecatrienoic Acid (C18:3 n-3).....(3.45 ± 0.63)..... (2.72 ± 0.51) ..... <b>579 ± 30</b> ..... <b>629 ± 28</b> (α-Linolenic Acid) (Z,Z,Z)-6,9,12-Octadecatrienoic Acid (C18:3 n-6)..... <b>251 ± 24</b> ..... <b>99.9 ± 4.1</b> ..... (1.55 ± 0.25).....(2.08 ± 0.48) (γ-Linolenic Acid) Eicosanoic Acid (C20:0) .....(2.13 ± 0.46)..... (2.71 ± 0.37) ..... (1.04 ± 0.15).....(1.21 ± 0.26) (Arachidic Acid) (Z)-11-Eicosenoic Acid (C20:1 n-9) ..... <b>1.84 ± 0.12</b> ..... (Gondoic Acid) (Z,Z,Z,Z)-5,8,11,14-Eicosatetraenoic Acid (C20:4 n-6) ..... (0.022 ± 0.002) ..... <b>0.633 ± 0.029</b> ..... (Arachidonic Acid) Heneicosanoic Acid (C21:0).....(2.36 ± 0.32)..... (0.132 ± 0.029) ..... (0.083 ± 0.004) Docosanoic Acid (C22:0)..... <b>1.509 ± 0.070</b> ..... (0.91 ± 0.25) ..... (0.62 ± 0.13).....(0.118 ± 0.004) (Behenic Acid) Tetracosanoic Acid (C24:0).....(0.334 ± 0.074)..... (0.369 ± 0.060) ..... (0.308 ± 0.059).....(0.096 ± 0.022) (Lignoceric Acid) (Z)-15-Tetracosenoic Acid (C24:1)..... <b>7.80 ± 0.61</b> ..... <b>0.084 ± 0.003</b>						
	( ) Indicative values Certified values in bold						

Code	Product	Unit				
<b>New</b> NIST-3275	<b>Fish oil - Omega-3 and omega-6 fatty acids</b> This Standard Reference Material (SRM®) is intended primarily for validation of methods for determining fatty acids in fish oils and similar materials. This SRM can also be used for quality assurance when assigning values to in-house reference materials. SRM 3275 consists of three individual oils: NIST-3275-1, a concentrate high in docosahexaenoic acid (DHA); NIST-3275-2, an anchovy oil high in DHA and eicosapentaenoic acid (EPA); and NIST-3275-3, a concentrate containing 60 % long-chain omega-3 fatty acids. A unit of NIST-3275 consists of two ampoules of each of the three oils, each ampoule containing approximately 1.2 mL of material.	4 x 1.2 mL				
	Certified mass fraction values for fatty acids as fatty acid methyl esters (FAMES) <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th>SRM 3275-1</th> <th>SRM 3275-2</th> <th>SRM 3275-3</th> </tr> </thead> </table>		SRM 3275-1	SRM 3275-2	SRM 3275-3	
	SRM 3275-1	SRM 3275-2	SRM 3275-3			
	Dodecanoic acid (C12:0; Lauric acid)..... 0.95 ± 0.12 Tetradecanoic acid (C14:0; Myristic acid) ..... 1.094 ± 0.053..... 3.45 ± 0.40 ..... 67.9 ± 1.5 Hexadecanoic acid (C16:0; Palmitic acid) ..... 5.25 ± 0.35 ..... 8.01 ± 0.44 ..... 186.9 ± 9.4 (Z)-9-Hexadecenoic acid (C16:1 n-7)..... 7.43 ± 0.24 ..... 5.83 ± 0.45 ..... 85.7 ± 3.1 (Palmitoleic acid) Octadecanoic acid (C18:0; Stearic acid) ..... 4.22 ± 0.13 ..... 12.94 ± 0.62 ..... 38.0 ± 5.7 (Z)-9-Octadecenoic acid (C18:1 n-9)..... 11.25 ± 0.93 ..... 22.1 ± 1.6 ..... 112.3 ± 2.6 (Oleic acid) (Z)-11-Octadecenoic acid (C18:1 n-7)..... 5.33 ± 0.35 ..... 9.24 ± 0.77 ..... 38.5 ± 2.2 (Vaccenic acid) ω-6 (Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6)..... 2.31 ± 0.19 ..... 3.00 ± 0.42 ..... 13.49 ± 0.45 (Linoleic acid) ω-3 (Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3) ..... 14.99 ± 0.37 ..... 9.08 ± 0.22 (α-Linolenic acid; ALA) Eicosanoic acid (C20:0; Arachidic acid) ..... 0.357 ± 0.027 ..... 1.14 ± 0.26 (Z)-11-Eicosenoic acid (C20:1 n-9) ..... 6.66 ± 0.69 ..... 2.92 ± 0.14 (Gondoic acid) ω-3 (Z,Z,Z,Z)-5,8,11,14,17-Eicosapentaenoic acid..... 113 ± 12 ..... 460 ± 34 ..... 199.1 ± 7.8 (C20:5 n-3; EPA) Docosanoic acid (C22:0; Behenic acid)..... 4.02 ± 0.24 ..... 1.396 ± 0.046 ..... 0.502 ± 0.047 ω-3 (Z,Z,Z,Z,Z)-4,7,10,13,16,19-Docosahexaenoic acid ..... 524 ± 42 ..... 267 ± 12 ..... 163.5 ± 7.2 (C22:6 n-3; DHA) (Z)-13-Docosenoic acid (C22:1 n-9; Erucic acid) ..... 3.43 ± 0.32 (Z,Z,Z,Z,Z)-7,10,13,16,19-Docosapentaenoic acid ..... 87.2 ± 6.7 ..... 81.5 ± 4.4 ..... 37.9 ± 2.9 (C22:5; DPA) Tetracosanoic acid (C24:0; Lignoceric acid) ..... 1.41 ± 0.13					
	Indicative values for further fatty acids as fatty acid methyl esters.					

Code	Product	Unit
BCR-537	Plastic film A - Overall migration in olive oil Total immersion in olive oil for 10 days at 40°C Certified value: 8.3 mg/dm <sup>2</sup>	film
BCR-538	Plastic film B - Overall migration in olive oil Single sided cell in olive oil for 10 days at 40°C Certified value: 5.7 mg/dm <sup>2</sup>	film
BCR-539	Plastic film C - Overall migration in olive oil Pouch in olive oil for 10 days at 40°C Certified value: 6.1 mg/dm <sup>2</sup>	film
BCR-593	Plastic film E 120 cm x 20 cm Directive 90/128/EEC on plastic materials and articles intended for food contact regulates the limits of overall migration of specific substances into foodstuff. BCR-593 has been prepared to check the performance of the standard test procedure of film thickness, required for the evaluation of migration tendency. Certified values Fat soluble fluorescent additive (1,4-diphenyl-1,3-butadiene) ..... 12.58 mg/kg Film thickness ..... 149.7 µm	film

## Food Authenticity

Isotopic analyses are now official or standard methods in Europe and beyond for routine use in food authenticity testing. Thus, the use of nuclear magnetic resonance (NMR) spectrometry based on the site-specific natural isotope fractionation (SNIF) is prescribed for instance by EC Regulation No. 2676/90 on analytical methods for wine quality control. These methods are based on the measurement of stable isotope content (deuterium, <sup>13</sup>C, <sup>18</sup>O, etc.) of the products or of a specific component such as an ingredient or target molecule of the product. The determinations, carried out using NMR and/or Isotopic Ratio Mass Spectrometry (IRMS), provide information on the botanical and geographical origin of the food product. In order to enable a clear comparison of results the following certified reference materials have been developed.

Code	Product	Unit
	BCR-123A and BCR-123B Quantitative analysis of deuterium in ethanol by NMR spectrometry based on the site-specific natural isotope fractionation (SNIF) is of considerable importance for the detection of wine enrichment. This technique is prescribed by EC regulation No. 2676/90 on analytical methods for wine quality control. BCR-123 consists of a set of 3 sealed NMR tubes containing forms of ethanol with a range of site specific isotopic ratios, to which tetramethylurea internal standard and the C <sub>6</sub> F <sub>6</sub> lock substance have been added.	
BCR-123A	Ethanol - D/H isotopic determination	3 tubes
BCR-123B	Ethanol - D/H isotopic determination	3 tubes
BCR-656	Ethanol from wine (96 % vol.) - Isotope ratios Certified values Parameter Value Uncertainty (D/H) <sub>I</sub> by <sup>2</sup> H-NMR ..... 102.84 ppm ..... 0.20 ppm (D/H) <sub>II</sub> by <sup>2</sup> H-NMR ..... 132.07 ppm ..... 0.30 ppm R by <sup>2</sup> H-NMR ..... 2.570 ..... 0.005 δ <sup>13</sup> C <sub>V<sub>PDB</sub></sub> by IRMS ..... -2.691% ..... 0.007% Alcoholic grade t <sub>D</sub> ..... 4.61% ..... 0.05% <sup>(1)</sup> <sup>(1)</sup> in w/w volume	25 mL
BCR-657	Sugar (glucose) - Carbon-13 isotope ratio Certified value Parameter Value Uncertainty δ <sup>13</sup> C <sub>V<sub>PDB</sub></sub> by IRMS ..... 1.076 ‰ ..... 0.004‰	1 g
BCR-658	Wine (7% vol) - Oxygen-18 isotope ratio Certified values Parameter Value Uncertainty δ <sup>18</sup> O <sub>V<sub>SMOW</sub></sub> of water from wine by IRMS ..... - 0.719‰ ..... 0.004‰	25 mL
BCR-659	Wine (12% vol) - Oxygen-18 isotope ratio Certified values Parameter Value Uncertainty δ <sup>18</sup> O <sub>V<sub>SMOW</sub></sub> of water from wine by IRMS ..... - 0.718‰ ..... ± 0.002‰	25 mL

## Food and drink products

Code	Product	Unit
BCR-660	Wine ethanol - Isotope ratios Certified values	450 mL
	Parameter	Value
	(D/H) <sub>i</sub> by <sup>2</sup> H-NMR.....	102.90 ppm..... 0.16 ppm
	(D/H) <sub>l</sub> by <sup>2</sup> H-NMR.....	131.35 ppm..... 0.23 ppm
	R by <sup>2</sup> H-NMR.....	2.567..... 0.005
	δ <sup>13</sup> C <sub>V</sub> PDB by IRMS.....	-2.672%..... 0.009%
	(D/H) <sub>w</sub> of water (IRMS).....	148.68 ppm..... 0.14 ppm
	Alcoholic grade t <sub>D</sub> .....	11.96%..... 0.06% <sup>(1)</sup>
	<sup>(1)</sup> in v/v %	
STA-003k	Tetramethylurea (TMU) - Isotopic ratio (D/H) Used as internal standard for the determination of D/H isotope ratios of ethanol by 2H-NMR method (SNIF-NMR®) according to the formula 5-1 of Regulation EEC 2676/90.	500 mL
	(D/H) by NMR.....	Certified value 141.9 x 10 <sup>-6</sup> ..... Uncertainty 0.9 x 10 <sup>-6</sup>

## Food and drink products

Code	Product	Unit
<b>Processed food</b>		
LGC7107	Madeira cake - Proximates Lemon Madeira cakes were prepared by a UK food company. Each cake, weighing approx. 160 g, was sealed in a can. Assessed values	160 g
	Moisture..... 25.9 g/100 g	Total fat..... 13.4 g/100 g
	Nitrogen..... 0.66 g/100 g	Ash..... 1.76 g/100 g
		Sucrose..... 28.1 g/100 g
		Lactose..... 0.9 g/100 g
	Indicative value for starch content	
LGC7105	Rice pudding - Proximates and elements This reference material is a rice pudding dessert, sealed in retort pouches in 200g portions. Assessed values	200 g
	Moisture..... 71.3 g/100 g	Sucrose..... 7.2 g/100 g
	N..... 0.17 g/100 g	Ca..... 78 mg/kg
	Total fat..... 8.4 g/100 g	K..... 558 mg/kg
	Ash..... 0.22 g/100 g	Mg..... 30 mg/kg
		Mn..... 0.7 mg/kg
		Na..... 344 mg/kg
		P..... 346 mg/kg
		Zn..... 1.5 mg/kg
LGC7017	Sugar confectionery - Sugars A commercial supply of sugar confectionery, ground and supplied as 15g units contained in 30ml amber glass bottle with tamper evident caps. Assessed values	15 g
	Glucose..... 9.7 g/100 g	Sucrose..... 52.6 g/100 g
	Fructose..... 2.3 g/100 g	Maltose..... 4.2 g/100 g
LGC7103	Sweet digestive biscuit - Proximates and elements Assessed values	50 g
	Nitrogen..... 1.06 g/100 g	Sucrose..... 16.6 g/100 g
	Total fat..... 20.9 g/100 g	Chloride..... 0.55 g/100 g
	Ash..... 2.08 g/100 g	K..... 1530 mg/kg
	Fructose..... 0.24 g/100 g	Mn..... 5.9 mg/kg
	Indicative values for Moisture, Glucose, Starch, Ca and Mg	
BCR-644	Artificial foodstuff - Free sugars and starch/glucose Sugar	50 g
	Mass fraction on dry mass basis (g/100 g)	Certified value
	Fructose..... 16.2.....	Uncertainty (g/100 g)
	Sucrose..... 10.81.....	1.1
	Lactose..... 15.85.....	0.25
	Starch/glucose..... 35.1.....	0.29
		1.2
BCR-645	Artificial foodstuff - Free sugars and starch/glucose Sugar	50 g
	Mass fraction on dry mass basis (g/100 g)	Certified value
	Sucrose..... 26.2.....	Uncertainty (g/100 g)
	Lactose..... 27.8.....	0.8
	Starch/glucose..... 25.2.....	0.6
		0.9
ERM-BD518	Bran breakfast cereal - Dietary fibre Certified using five different methods of dietary fibre analysis Certified values	25 g
	AOAC 1990..... 30.2 g/100 g	AOAC 1992 MES-TRIS..... 30.5 g/100 g
	Englyst (GC)..... 24.1 g/100 g	Englyst (colorimetry)..... 25.0 g/100 g
	Uppsala..... 27.6 g/100 g	

Code	Product	Unit																																				
ERM-BD272	Crispbread - Acrylamide Certified value Acrylamide .... 0.98 ± 0.09 mg/kg	68 g																																				
ERM-BD273	Toasted bread - Acrylamide The matrix material ERM-BD273, consists of 30 g of toasted bread powder of particle size smaller than 500 µm, stored in amber glass bottles under inert atmosphere and stored at a temperature of - 20 °C. Certified value Acrylamide ..... 425 ng/g	vial																																				
<b>New</b> ERM-BD274	Rusk - Acrylamide Certified value Acrylamide ..... 47 ± 7 µg/kg	48 g																																				
<b>New</b> ERM-BD272-274	Crispbread - Acrylamide; Rusk - Acrylamide Set of ERM-BD272 and ERM-BD274	set																																				
BCR-191	Brown bread - Trace elements Certified values Cd ..... 28.4 µg/kg      Fe ..... 40.7 mg/kg      Pb ..... 187 µg/kg Cu ..... 2.6 mg/kg      Mn ..... 20.3 mg/kg      Zn ..... 19.5 mg/kg Indicative values for As, Ca, Cl, Cr, Hg, K, Mg, Na, Ni, P, Se	40 g																																				
NIST-2384	Baking chocolate - Fat, fatty acids Standard Reference Material (SRM <sup>®</sup> ) 2384 is intended primarily for use in validating methods for determining proximates, fatty acids, calories, vitamins, elements, catechins, caffeine, theobromine, and acrylamide in baking chocolate and similar matrices. Certified values for fat Fat (Extractable) ..... 51.4 ± 1.1 %      Fat (Sum of fatty acids) ..... 50.3 ± 1.1 % Certified values for selected fatty acids <table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Mass fraction as the Triglyceride</th> <th style="text-align: center;">Mass fraction as the Fatty acid</th> </tr> </thead> <tbody> <tr> <td>Tetradecanoic acid (C14:0) ..... (Myristic acid)</td> <td style="text-align: center;">0.080 ± 0.005%</td> <td style="text-align: center;">0.076 ± 0.005%</td> </tr> <tr> <td>Hexadecanoic acid (C16:0) ..... (Palmitic acid)</td> <td style="text-align: center;">13.06 ± 0.27%</td> <td style="text-align: center;">12.44 ± 0.26%</td> </tr> <tr> <td>(Z)-9-Hexadecenoic acid (C16:1) ..... (Palmitoleic acid)</td> <td style="text-align: center;">0.133 ± 0.007%</td> <td style="text-align: center;">0.127 ± 0.007%</td> </tr> <tr> <td>Octadecanoic acid (C18:0) ..... (Stearic acid)</td> <td style="text-align: center;">18.01 ± 0.40%</td> <td style="text-align: center;">17.24 ± 0.38%</td> </tr> <tr> <td>(Z)-9-Octadecenoic acid (C18:1) ..... (Oleic acid)</td> <td style="text-align: center;">16.44 ± 0.36%</td> <td style="text-align: center;">15.73 ± 0.35%</td> </tr> <tr> <td>(Z)-11-Octadecenoic acid (C18:1) ..... (Vaccenic acid)</td> <td style="text-align: center;">0.180 ± 0.018%</td> <td style="text-align: center;">0.172 ± 0.017%</td> </tr> <tr> <td>(Z,Z)-9,12-Octadecadienoic acid (C18:2) ..... (Linoleic acid)</td> <td style="text-align: center;">1.524 ± 0.048%</td> <td style="text-align: center;">1.458 ± 0.046%</td> </tr> <tr> <td>(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3) ..... (Linolenic acid)</td> <td style="text-align: center;">0.097 ± 0.006%</td> <td style="text-align: center;">0.093 ± 0.006%</td> </tr> <tr> <td>Eicosanoic acid (C20:0) ..... (Arachidic acid)</td> <td style="text-align: center;">0.521 ± 0.013%</td> <td style="text-align: center;">0.501 ± 0.012%</td> </tr> <tr> <td>Docosanoic acid (C22:0) ..... (Behenic acid)</td> <td style="text-align: center;">0.091 ± 0.006%</td> <td style="text-align: center;">0.088 ± 0.006%</td> </tr> <tr> <td>Tetracosanoic acid (C24:0) ..... (Lignoceric acid)</td> <td style="text-align: center;">0.050 ± 0.002%</td> <td style="text-align: center;">0.050 ± 0.002%</td> </tr> </tbody> </table> Certified values for selected additional analytes Caffeine ..... 1 060 ± 50      (+)-Catechin ..... 245 ± 51 mg/kg Theobromine ..... 11600 ± 1 100 mg/kg      (-)-Epicatechin ..... 1220 ± 240 mg/kg Calcium ..... 840 ± 74 mg/kg      Catechin monomers ..... 1490 ± 220 mg/kg Iron ..... 132 ± 11 mg/kg Reference values for proximates and caloric content, fatty acids, trace elements, vitamins and other analytes.		Mass fraction as the Triglyceride	Mass fraction as the Fatty acid	Tetradecanoic acid (C14:0) ..... (Myristic acid)	0.080 ± 0.005%	0.076 ± 0.005%	Hexadecanoic acid (C16:0) ..... (Palmitic acid)	13.06 ± 0.27%	12.44 ± 0.26%	(Z)-9-Hexadecenoic acid (C16:1) ..... (Palmitoleic acid)	0.133 ± 0.007%	0.127 ± 0.007%	Octadecanoic acid (C18:0) ..... (Stearic acid)	18.01 ± 0.40%	17.24 ± 0.38%	(Z)-9-Octadecenoic acid (C18:1) ..... (Oleic acid)	16.44 ± 0.36%	15.73 ± 0.35%	(Z)-11-Octadecenoic acid (C18:1) ..... (Vaccenic acid)	0.180 ± 0.018%	0.172 ± 0.017%	(Z,Z)-9,12-Octadecadienoic acid (C18:2) ..... (Linoleic acid)	1.524 ± 0.048%	1.458 ± 0.046%	(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3) ..... (Linolenic acid)	0.097 ± 0.006%	0.093 ± 0.006%	Eicosanoic acid (C20:0) ..... (Arachidic acid)	0.521 ± 0.013%	0.501 ± 0.012%	Docosanoic acid (C22:0) ..... (Behenic acid)	0.091 ± 0.006%	0.088 ± 0.006%	Tetracosanoic acid (C24:0) ..... (Lignoceric acid)	0.050 ± 0.002%	0.050 ± 0.002%	5 x 91 g
	Mass fraction as the Triglyceride	Mass fraction as the Fatty acid																																				
Tetradecanoic acid (C14:0) ..... (Myristic acid)	0.080 ± 0.005%	0.076 ± 0.005%																																				
Hexadecanoic acid (C16:0) ..... (Palmitic acid)	13.06 ± 0.27%	12.44 ± 0.26%																																				
(Z)-9-Hexadecenoic acid (C16:1) ..... (Palmitoleic acid)	0.133 ± 0.007%	0.127 ± 0.007%																																				
Octadecanoic acid (C18:0) ..... (Stearic acid)	18.01 ± 0.40%	17.24 ± 0.38%																																				
(Z)-9-Octadecenoic acid (C18:1) ..... (Oleic acid)	16.44 ± 0.36%	15.73 ± 0.35%																																				
(Z)-11-Octadecenoic acid (C18:1) ..... (Vaccenic acid)	0.180 ± 0.018%	0.172 ± 0.017%																																				
(Z,Z)-9,12-Octadecadienoic acid (C18:2) ..... (Linoleic acid)	1.524 ± 0.048%	1.458 ± 0.046%																																				
(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3) ..... (Linolenic acid)	0.097 ± 0.006%	0.093 ± 0.006%																																				
Eicosanoic acid (C20:0) ..... (Arachidic acid)	0.521 ± 0.013%	0.501 ± 0.012%																																				
Docosanoic acid (C22:0) ..... (Behenic acid)	0.091 ± 0.006%	0.088 ± 0.006%																																				
Tetracosanoic acid (C24:0) ..... (Lignoceric acid)	0.050 ± 0.002%	0.050 ± 0.002%																																				



# Food and drink products

Code	Product	Unit																																																																			
NIST-2387	<p><b>Peanut butter - Fat, fatty acids, trace elements and tocopherols</b></p> <p>This Standard Reference Material® (SRM®) is intended primarily for use in validating methods for determining proximates, fatty acids, calories, vitamins, elements, amino acids, and aflatoxins in peanut butter and similar matrices.</p> <p>Certified concentrations for fat and selected fatty acids</p> <p style="text-align: center;">Mass fraction (%)</p> <p>Fat (extractable)..... 51.6 ± 1.4            Fat (sum of fatty acids) ..... 49.8 ± 1.9            Saturated fat ..... 10.4 ± 0.2            Monounsaturated fat ..... 24.4 ± 0.9            Polyunsaturated fat ..... 13.2 ± 0.4</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Mass fraction (%) (as the triglyceride)</th> <th style="text-align: center;">Mass fraction (%) (as the fatty acid)</th> </tr> </thead> <tbody> <tr> <td>Tetradecanoic acid (C14:0) ..... (Myristic acid)</td> <td style="text-align: center;">0.025 ± 0.002</td> <td style="text-align: center;">0.024 ± 0.002</td> </tr> <tr> <td>Hexadecanoic acid (C16:0) ..... (Palmitic acid)</td> <td style="text-align: center;">5.18 ± 0.15</td> <td style="text-align: center;">4.94 ± 0.15</td> </tr> <tr> <td>(Z)-9-Hexadecenoic acid (C16:1 n-7) ..... (Palmitoleic acid)</td> <td style="text-align: center;">0.046 ± 0.011</td> <td style="text-align: center;">0.044 ± 0.010</td> </tr> <tr> <td>Octadecanoic acid (C18:0) ..... (Stearic acid)</td> <td style="text-align: center;">2.23 ± 0.08</td> <td style="text-align: center;">2.13 ± 0.08</td> </tr> <tr> <td>(Z)-9-Octadecenoic acid (C18:1 n-9) ..... (Oleic acid)</td> <td style="text-align: center;">24.43 ± 0.94</td> <td style="text-align: center;">23.38 ± 0.90</td> </tr> <tr> <td>(Z)-11-Octadecenoic acid (C18:1 n-7) ..... (Vaccenic acid)</td> <td style="text-align: center;">0.266 ± 0.017</td> <td style="text-align: center;">0.255 ± 0.016</td> </tr> <tr> <td>(Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6) ..... (Linoleic acid)</td> <td style="text-align: center;">13.75 ± 0.43</td> <td style="text-align: center;">13.15 ± 0.41</td> </tr> <tr> <td>(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3) ..... (Linolenic acid)</td> <td style="text-align: center;">0.031 ± 0.001</td> <td style="text-align: center;">0.030 ± 0.001</td> </tr> <tr> <td>Eicosanoic acid (C20:0) ..... (Arachidic acid)</td> <td style="text-align: center;">0.739 ± 0.030</td> <td style="text-align: center;">0.710 ± 0.029</td> </tr> <tr> <td>(Z)-11-Eicosenoic acid (C20:1 n-9) ..... (Gondoic acid)</td> <td style="text-align: center;">0.669 ± 0.032</td> <td style="text-align: center;">0.643 ± 0.031</td> </tr> <tr> <td>Docosanoic acid (C22:0) ..... (Behenic acid)</td> <td style="text-align: center;">1.88 ± 0.08</td> <td style="text-align: center;">1.81 ± 0.08</td> </tr> <tr> <td>Tetracosanoic acid (C24:0).....</td> <td style="text-align: center;">0.808 ± 0.045</td> <td style="text-align: center;">0.781 ± 0.044</td> </tr> </tbody> </table> <p>Certified concentration values for elements and tocopherol</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Mass fraction (mg/kg)</th> <th colspan="2" style="text-align: center;">Mass fraction (mg/kg)</th> </tr> </thead> <tbody> <tr> <td>Ca ..... 411 ± 18</td> <td>K..... 6070 ± 200</td> <td>Na..... 4890 ± 140</td> <td>Zn..... 26.3 ± 1.1</td> </tr> <tr> <td>Cu ..... 4.93 ± 0.15</td> <td></td> <td></td> <td>δ -Tocopherol ..... 10 ± 3</td> </tr> <tr> <td>Fe ..... 16.4 ± 0.8</td> <td></td> <td></td> <td>γ - + β -Tocopherol..... 100 ± 19</td> </tr> <tr> <td>Mg ..... 1680 ± 70</td> <td></td> <td></td> <td>α -Tocopherol..... 108 ± 11</td> </tr> <tr> <td>Mn ..... 16.0 ± 0.6</td> <td></td> <td></td> <td></td> </tr> <tr> <td>P ..... 3378 ± 92</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Reference values for proximates, caloric content, fatty acids, amino acids, water-soluble vitamins, aflatoxins and acrylamide</p>		Mass fraction (%) (as the triglyceride)	Mass fraction (%) (as the fatty acid)	Tetradecanoic acid (C14:0) ..... (Myristic acid)	0.025 ± 0.002	0.024 ± 0.002	Hexadecanoic acid (C16:0) ..... (Palmitic acid)	5.18 ± 0.15	4.94 ± 0.15	(Z)-9-Hexadecenoic acid (C16:1 n-7) ..... (Palmitoleic acid)	0.046 ± 0.011	0.044 ± 0.010	Octadecanoic acid (C18:0) ..... (Stearic acid)	2.23 ± 0.08	2.13 ± 0.08	(Z)-9-Octadecenoic acid (C18:1 n-9) ..... (Oleic acid)	24.43 ± 0.94	23.38 ± 0.90	(Z)-11-Octadecenoic acid (C18:1 n-7) ..... (Vaccenic acid)	0.266 ± 0.017	0.255 ± 0.016	(Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6) ..... (Linoleic acid)	13.75 ± 0.43	13.15 ± 0.41	(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3) ..... (Linolenic acid)	0.031 ± 0.001	0.030 ± 0.001	Eicosanoic acid (C20:0) ..... (Arachidic acid)	0.739 ± 0.030	0.710 ± 0.029	(Z)-11-Eicosenoic acid (C20:1 n-9) ..... (Gondoic acid)	0.669 ± 0.032	0.643 ± 0.031	Docosanoic acid (C22:0) ..... (Behenic acid)	1.88 ± 0.08	1.81 ± 0.08	Tetracosanoic acid (C24:0).....	0.808 ± 0.045	0.781 ± 0.044	Mass fraction (mg/kg)		Mass fraction (mg/kg)		Ca ..... 411 ± 18	K..... 6070 ± 200	Na..... 4890 ± 140	Zn..... 26.3 ± 1.1	Cu ..... 4.93 ± 0.15			δ -Tocopherol ..... 10 ± 3	Fe ..... 16.4 ± 0.8			γ - + β -Tocopherol..... 100 ± 19	Mg ..... 1680 ± 70			α -Tocopherol..... 108 ± 11	Mn ..... 16.0 ± 0.6				P ..... 3378 ± 92				3 x 170 g
	Mass fraction (%) (as the triglyceride)	Mass fraction (%) (as the fatty acid)																																																																			
Tetradecanoic acid (C14:0) ..... (Myristic acid)	0.025 ± 0.002	0.024 ± 0.002																																																																			
Hexadecanoic acid (C16:0) ..... (Palmitic acid)	5.18 ± 0.15	4.94 ± 0.15																																																																			
(Z)-9-Hexadecenoic acid (C16:1 n-7) ..... (Palmitoleic acid)	0.046 ± 0.011	0.044 ± 0.010																																																																			
Octadecanoic acid (C18:0) ..... (Stearic acid)	2.23 ± 0.08	2.13 ± 0.08																																																																			
(Z)-9-Octadecenoic acid (C18:1 n-9) ..... (Oleic acid)	24.43 ± 0.94	23.38 ± 0.90																																																																			
(Z)-11-Octadecenoic acid (C18:1 n-7) ..... (Vaccenic acid)	0.266 ± 0.017	0.255 ± 0.016																																																																			
(Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6) ..... (Linoleic acid)	13.75 ± 0.43	13.15 ± 0.41																																																																			
(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3) ..... (Linolenic acid)	0.031 ± 0.001	0.030 ± 0.001																																																																			
Eicosanoic acid (C20:0) ..... (Arachidic acid)	0.739 ± 0.030	0.710 ± 0.029																																																																			
(Z)-11-Eicosenoic acid (C20:1 n-9) ..... (Gondoic acid)	0.669 ± 0.032	0.643 ± 0.031																																																																			
Docosanoic acid (C22:0) ..... (Behenic acid)	1.88 ± 0.08	1.81 ± 0.08																																																																			
Tetracosanoic acid (C24:0).....	0.808 ± 0.045	0.781 ± 0.044																																																																			
Mass fraction (mg/kg)		Mass fraction (mg/kg)																																																																			
Ca ..... 411 ± 18	K..... 6070 ± 200	Na..... 4890 ± 140	Zn..... 26.3 ± 1.1																																																																		
Cu ..... 4.93 ± 0.15			δ -Tocopherol ..... 10 ± 3																																																																		
Fe ..... 16.4 ± 0.8			γ - + β -Tocopherol..... 100 ± 19																																																																		
Mg ..... 1680 ± 70			α -Tocopherol..... 108 ± 11																																																																		
Mn ..... 16.0 ± 0.6																																																																					
P ..... 3378 ± 92																																																																					

Code	Product	Unit																		
<b>New</b> NIST-1849	<p>Infant/Adult nutritional powder (milk) - Trace elements, proximates and nutrients</p> <p>NIST-1849 is intended primarily for validation of methods for determining proximates, fatty acids, vitamins, elements, amino acids, and nucleotides in infant and adult nutritional formulas and similar materials. It can also be used for quality assurance when assigning values to in-house reference materials. This material is a milk-based, hybrid infant/adult nutritional powder prepared by a manufacturer of infant formula and adult nutritional products. A unit of NIST-1849 consists of 10 packets, each containing approximately 10 g of material.</p> <p>Certified concentrations for fatty acids as triglycerides</p> <p>Octanoic acid (C8:0).....0.638 ± 0.067% (Caprylic acid)</p> <p>Decanoic acid (C10:0).....0.473 ± 0.019% (Capric acid)</p> <p>Dodecanoic acid (C12:0).....3.712 ± 0.075% (Lauric acid)</p> <p>Tetradecanoic acid (C14:0).....1.521 ± 0.021% (Myristic acid)</p> <p>Pentadecanoic acid (C15:0).....0.0070 ± 0.0003%</p> <p>Hexadecanoic acid (C16:0).....2.50 ± 0.16 % (Palmitic acid)</p> <p>(Z)-9-Hexadecenoic acid (C16:1 n-7).....0.0262 ± 0.0016% (Palmitoleic acid)</p> <p>Octadecanoic acid (C18:0).....0.905 ± 0.056% (Stearic acid)</p> <p>(Z)-9-Octadecenoic acid.....10.63 ± 0.88% (C18:1 n-9) (Oleic acid)</p> <p>(Z)-11-Octadecenoic acid (C18:1 n-7).....0.203 ± 0.021% (Vaccenic acid)</p> <p>(Z,Z)-9,12-Octadecadienoic acid (C18:2 n-6).....6.02 ± 0.10% (Linoleic acid)</p> <p>(Z,Z,Z)-9,12,15-Octadecatrienoic acid (C18:3 n-3).....0.561 ± 0.043% (α-Linolenic acid)</p> <p>Eicosanoic acid (C20:0).....0.095 ± 0.003% (Arachidic acid)</p> <p>(Z,Z,Z,Z)-5,8,11,14-Eicosatetraenoic acid (C20:4 n-6).....0.206 ± 0.022% (Arachidonic acid)</p> <p>(Z,Z,Z,Z,Z)-4,7,10,13,16,19-Docosahexaenoic acid (C22:6).....0.067 ± 0.006% Tetracosanoic acid (C24:0).....0.039 ± 0.003% (Lignoceric acid)</p> <p>Certified concentrations for selected elements</p> <table border="0"> <tr> <td>Ca..... 4900 ± 130 mg/kg</td> <td>I..... 1.37 ± 0.41 mg/kg</td> <td>Na..... 4150 ± 140 mg/kg</td> </tr> <tr> <td>Cl..... 6280 ± 140 mg/kg</td> <td>K..... 8860 ± 130 mg/kg</td> <td>P..... 3782 ± 36 mg/kg</td> </tr> <tr> <td>Cr..... 1.09 ± 0.21 mg/kg</td> <td>Mg..... 1578 ± 69 mg/kg</td> <td>Zn..... 152.3 ± 5.1 mg/kg</td> </tr> <tr> <td>Cu..... 20.29 ± 0.43 mg/kg</td> <td>Mn..... 51.00 ± 0.53 mg/kg</td> <td></td> </tr> <tr> <td>Fe..... 177.1 ± 3.3 mg/kg</td> <td>Mo..... 1.62 ± 0.15 mg/kg</td> <td></td> </tr> </table> <p>Certified concentrations for selected vitamins</p> <p>Retinol (Vitamin A).....16.4 ± 1.3 mg/kg</p> <p>Cholecalciferol (Vitamin D3).....0.251 ± 0.027 mg/kg</p> <p>α-Tocopherol.....369 ± 16 mg/kg</p> <p>γ-Tocopherol.....189 ± 13 mg/kg</p> <p>δ-Tocopherol.....79.2 ± 2.4 mg/kg</p> <p>β-Tocopherol.....5.77 ± 0.79 mg/kg</p> <p>Phylloquinone (Vitamin K1).....2.20 ± 0.18 mg/kg</p> <p>Thiamine (Vitamin B1) hydrochloride.....15.8 ± 1.3 mg/kg</p> <p>Riboflavin (Vitamin B2).....17.4 ± 1.0 mg/kg</p> <p>Niacinamide.....97.5 ± 2.3 mg/kg</p> <p>Pantothenic acid.....64.8 ± 2.2 mg/kg</p> <p>Pyridoxine (Vitamin B6) hydrochloride.....14.2 ± 1.5 mg/kg</p> <p>Folic acid.....2.11 ± 0.13 mg/kg</p> <p>Biotin.....1.92 ± 0.25 mg/kg</p> <p>Indicative values for selected fatty acids as triglycerides, proximates, cholesterol, lactose, and calories, selected vitamins, Se, amino acids, taurine and nucleotides</p>	Ca..... 4900 ± 130 mg/kg	I..... 1.37 ± 0.41 mg/kg	Na..... 4150 ± 140 mg/kg	Cl..... 6280 ± 140 mg/kg	K..... 8860 ± 130 mg/kg	P..... 3782 ± 36 mg/kg	Cr..... 1.09 ± 0.21 mg/kg	Mg..... 1578 ± 69 mg/kg	Zn..... 152.3 ± 5.1 mg/kg	Cu..... 20.29 ± 0.43 mg/kg	Mn..... 51.00 ± 0.53 mg/kg		Fe..... 177.1 ± 3.3 mg/kg	Mo..... 1.62 ± 0.15 mg/kg		10 x 10 g			
Ca..... 4900 ± 130 mg/kg	I..... 1.37 ± 0.41 mg/kg	Na..... 4150 ± 140 mg/kg																		
Cl..... 6280 ± 140 mg/kg	K..... 8860 ± 130 mg/kg	P..... 3782 ± 36 mg/kg																		
Cr..... 1.09 ± 0.21 mg/kg	Mg..... 1578 ± 69 mg/kg	Zn..... 152.3 ± 5.1 mg/kg																		
Cu..... 20.29 ± 0.43 mg/kg	Mn..... 51.00 ± 0.53 mg/kg																			
Fe..... 177.1 ± 3.3 mg/kg	Mo..... 1.62 ± 0.15 mg/kg																			
NIST-1548a	<p>Typical diet - Trace elements</p> <p>A unit of NIST-1548a consists of two bottles, each containing approximately 6.5 g of the freeze-dried homogenate of mixed diet foods.</p> <p>Certified values</p> <table border="0"> <tr> <td>Al..... 72.4 mg/kg</td> <td>Cu.....2.32 mg/kg</td> <td>Ni..... 0.369 mg/kg</td> </tr> <tr> <td>As..... 0.20 mg/kg</td> <td>Fe..... 35.3 mg/kg</td> <td>P..... 3486 mg/kg</td> </tr> <tr> <td>Ca..... 1967 mg/kg</td> <td>I..... 0.759 mg/kg</td> <td>S..... 1928 mg/kg</td> </tr> <tr> <td>Cd..... 0.035 mg/kg</td> <td>Mg..... 580 mg/kg</td> <td>Se..... 0.245 mg/kg</td> </tr> <tr> <td>Cl..... 12078 mg/kg</td> <td>Mn..... 5.75 mg/kg</td> <td>Sn..... 17.2 mg/kg</td> </tr> <tr> <td>Cs..... 0.0098 mg/kg</td> <td>Na..... 8132 mg/kg</td> <td>Zn..... 24.6 mg/kg</td> </tr> </table> <p>Indicative values for Ash, carbohydrate, fat, N, protein, dietary fibre, calories, B, Ba, Br, Co, Hg, Mo, Sb, Sc, Si, Sr, Ti</p>	Al..... 72.4 mg/kg	Cu.....2.32 mg/kg	Ni..... 0.369 mg/kg	As..... 0.20 mg/kg	Fe..... 35.3 mg/kg	P..... 3486 mg/kg	Ca..... 1967 mg/kg	I..... 0.759 mg/kg	S..... 1928 mg/kg	Cd..... 0.035 mg/kg	Mg..... 580 mg/kg	Se..... 0.245 mg/kg	Cl..... 12078 mg/kg	Mn..... 5.75 mg/kg	Sn..... 17.2 mg/kg	Cs..... 0.0098 mg/kg	Na..... 8132 mg/kg	Zn..... 24.6 mg/kg	set (2)
Al..... 72.4 mg/kg	Cu.....2.32 mg/kg	Ni..... 0.369 mg/kg																		
As..... 0.20 mg/kg	Fe..... 35.3 mg/kg	P..... 3486 mg/kg																		
Ca..... 1967 mg/kg	I..... 0.759 mg/kg	S..... 1928 mg/kg																		
Cd..... 0.035 mg/kg	Mg..... 580 mg/kg	Se..... 0.245 mg/kg																		
Cl..... 12078 mg/kg	Mn..... 5.75 mg/kg	Sn..... 17.2 mg/kg																		
Cs..... 0.0098 mg/kg	Na..... 8132 mg/kg	Zn..... 24.6 mg/kg																		
NIST-1544	<p>Diet composite - Fatty acids and cholesterol</p> <p>Certified values</p> <table border="0"> <tr> <td>Cholesterol..... 0.1483 g/kg</td> <td>Palmitic acid.....5.77 g/kg</td> <td>Linoleic acid..... 6.56 g/kg</td> </tr> <tr> <td>Lauric acid..... 1.31 g/kg</td> <td>Stearic acid.....2.00 g/kg</td> <td></td> </tr> <tr> <td>Myristic acid..... 1.01 g/kg</td> <td>Oleic acid..... 11.64 g/kg</td> <td></td> </tr> </table> <p>Indicative values for protein, moisture, total fat, ash, carbohydrate, calories, remaining fatty acids, Ca, K, Na</p>	Cholesterol..... 0.1483 g/kg	Palmitic acid.....5.77 g/kg	Linoleic acid..... 6.56 g/kg	Lauric acid..... 1.31 g/kg	Stearic acid.....2.00 g/kg		Myristic acid..... 1.01 g/kg	Oleic acid..... 11.64 g/kg		4 x 15 g									
Cholesterol..... 0.1483 g/kg	Palmitic acid.....5.77 g/kg	Linoleic acid..... 6.56 g/kg																		
Lauric acid..... 1.31 g/kg	Stearic acid.....2.00 g/kg																			
Myristic acid..... 1.01 g/kg	Oleic acid..... 11.64 g/kg																			

## Food and drink products

Code	Product	Unit
NIES27	<b>Typical Japanese diet - Minor and trace elements</b> This certified reference material (CRM) is intended for use in the quality assurance of the analysis of minor and trace elements in the Japanese diet and in similar food matrices. Certified values Ca ..... 0.125 ± 0.004 %      Cd ..... 0.069 ± 0.009 mg/kg      Sn ..... 1.6 ± 0.1 mg/kg K ..... 0.550 ± 0.015 %      Cu ..... 2.8 ± 0.1 mg/kg      Sr ..... 4.9 ± 0.2 mg/kg Na ..... 1.00 ± 0.04 %      Mg ..... 576 ± 12 mg/kg      Zn ..... 20.9 ± 0.9 mg/kg As ..... 0.60 ± 0.04 mg/kg      Mn ..... 8.9 ± 0.2 mg/kg      U ..... 0.0029 ± 0.0004 mg/kg Ba ..... 1.1 ± 0.1 mg/kg      Se ..... 0.25 ± 0.02 mg/kg Reference values for Br, Cl, Co, Cs, I, Fe	18 g

## Drinks

LGC7140	<b>Soft drink - Colours</b> Known weights of three food colours were added to a diluted solution of commercial soft drink concentrate. Certified values Ponceau 4R (E124) ..... 18.7 mg/L      Tartrazine (E102) ..... 29.9 mg/L Sunset yellow (E110) ..... 19.6 mg/L	60 mL
<b>New</b> ERM-BD011	<b>Orange juice</b> This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 1.26      Refractive index ..... 1.3348	3 mL
<b>New</b> ERM-BD012	<b>Orange juice</b> This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 12.72      Refractive index ..... 1.3521	3 mL
<b>New</b> ERM-BD013	<b>Orange juice</b> This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 22.07      Refractive index ..... 1.3673	3 mL
<b>New</b> ERM-BD014	<b>Orange juice</b> This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 55.55      Refractive index ..... 1.4320	3 mL
<b>New</b> ERM-BD015	<b>Orange juice</b> This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 64.73      Refractive index ..... 1.4529	3 mL

**For refractive index standards see the listing of physical standards later in this catalogue.**

**LGC provides proficiency testing schemes for the soft drinks industry – see introduction “About proficiency testing (PT)” of this catalogue for further details.**

## Alcoholic beverage

ERM-BA006	<b>Brandy - Alcohol</b> European Reference Material ERM-BA006 is a commercial brandy available in 50mL portions contained in amber glass vials fitted with 20mm bromo-butyl stoppers and crimp caps. Certified values Apparent alcoholic strength ..... 37.83 % alcohol by volume, ABV Actual alcoholic strength ..... 40.12 % alcohol by volume, ABV Apparent density in air of the obscured spirit ..... 950.38 kg/m <sup>3</sup>	50 mL
LGC5100	<b>Whisky - Congeners</b> Whisky sourced from a commercial source is available in 10mL unit in amber glass vials using sealed septa with crimped caps. Certified values Methanol ..... 8.2 g/100 L      2-Methylbutan-1-ol ..... 19.6 g/100 L Propan-1-ol ..... 67.4 g/100 L      3-Methylbutan-1-ol ..... 51.4 g/100 L 2-Methylpropan-1-ol ..... 64.9 g/100 L      2+3-Methylbutan-1-ol ..... 70.1 g/100 L Indicative values for acetaldehyde, butan-1-ol, furfural, ethyl acetate	10 mL

Code	Product	Unit
	LGC5001 and LGC5003 LGC5001 and LGC5003 are wine certified reference materials obtained from a commercial source supplied in 250mL units. They are certified for alcoholic strengths ranging from 5% - 15%. The alcoholic strength was determined from the density of the distillate by reference to the laboratory alcohol tables issued by United Kingdom HM Customs and Excise (ref. RDC80/267).	
LGC5001	Wine - Alcohol (5%) Certified value Alcohol..... 5.04 mL/100 mL (at 20°C)	250 mL
LGC5003	Wine - Alcohol (15 %) Certified value Alcohol..... 14.66 % (at 20°C)	250 mL
LGC5004	Lager shandy - Alcohol This certified reference material for lager shandy is supplied in 150mL units and sealed in aluminium cans. Certified value Alcohol..... 1.02 mL/100 mL (at 20°C)	330 mL
ERM-BA005	Lager - Alcohol Alcohol..... 5.07 mL/100 mL (at 20°C)	330 mL
	LGC provides three proficiency testing schemes for the alcoholic beverage industry; BAPS (analysis of beer), MAPS (analysis of malted and unmalted barley) and DAPS (analysis of alcoholic beverages other than beer) – see section “About proficiency testing (PT)” of this catalogue for further details.	
BCR-651	Beer - Alcohol (low level) Certified value Ethanol..... 0.505 % (v/v)	10 mL
BCR-652	Beer - Alcohol (very low level) Certified value Ethanol..... 0.051 % (v/v)	10 mL
BCR-653	Wine - Alcohol (low level) Certified value Ethanol..... 0.539 % (v/v)	10 mL
	ERM-AC404 – ERM-AC407 European Reference Material ERM-AC404 – ERM-AC407 are Ethanol/ Water certified reference materials supplied in 50mL units in glass bottles and sealed with crimp cap. They are certified for alcoholic strength ranging from 5% - 70%.	
ERM-AC404	Ethanol/water - 5% Ethanol Certified value Ethanol..... 4.96 mL/100 mL at 20°C Density..... 990.05 kg/m <sup>3</sup> at 20°C	50 mL
ERM-AC405	Ethanol/water - 15% Ethanol Certified value Ethanol..... 14.99 mL/100mL at 20°C Density..... 977.94 kg/m <sup>3</sup> at 20°C	50 mL
ERM-AC406	Ethanol/water - 40% Ethanol Certified value Ethanol..... 40.04 mL/100 mL at 20°C Density..... 946.91 kg/m <sup>3</sup> at 20°C	50 mL
ERM-AC407	Ethanol/water - 70% Ethanol Certified value Ethanol..... 69.98 mL/100mL at 20°C Density..... 884.55 kg/m <sup>3</sup> at 20°C ABV: alcohol by volume	50 mL

# Food and drink products

Code Product Unit

## Food supplements

IRMM-311 Genomic DNA of *Bacillus licheniformis* DSM 5749 in agarose inserts for Pulsed Field Gel Electrophoresis (PFGE) vial

The intended use of this material is the taxonomic identification of the authorised probiotic feed additive *Bacillus licheniformis* DSM 5749 by pulsed field gel electrophoresis (PFGE). The material is supplied in a vial containing one agarose insert of undigested genomic DNA of *Bacillus licheniformis* DSM 5749. Certified values and uncertainties are provided for SfiI digested DNA fragments in the size interval 50 kb - 90 kb and requires the use of a specified analytical procedure.

SfiI digested DNA fragments in the size interval 50 kb – 90 kb	Band no	Fragment length	
		Certified value [kb]	Uncertainty [kb]
	1.....	89.6.....	4.7
	2.....	80.9.....	2.5
	3.....	75.3.....	2.7
	4.....	72.2.....	3.5
	5.....	66.9.....	1.9
	6.....	64.6.....	2.9
	7.....	60.3.....	1.3
	8.....	56.5.....	1.3
	9.....	53.9.....	1.3
	10.....	50.6.....	1.3

IRMM-312 Genomic DNA of *Bacillus subtilis* DSM 5750 in agarose inserts for Pulsed Field Gel Electrophoresis (PFGE) vial

The intended use of this material is the taxonomic identification of the authorised probiotic feed additive *Bacillus subtilis* DSM 5750 by pulsed field gel electrophoresis (PFGE). The material is supplied in a vial containing one agarose insert of undigested genomic DNA of *Bacillus subtilis* DSM 5750. Certified values and uncertainties are provided for SfiI digested DNA fragments in the size interval 15 kb - 97 kb and requires the use of a specified analytical procedure.

SfiI digested DNA fragments in the size interval 15 kb – 97 kb	Band no	Fragment length	
		Certified value [kb]	Uncertainty [kb]
	1.....	89.2.....	0.9
	2.....	81.4.....	0.8
	3.....	77.7.....	0.6
	4.....	62.5.....	1.8
	5.....	59.5.....	2.1
	6.....	44.0.....	2.4
	7.....	29.2.....	2.0
	8.....	23.6.....	1.3
	9.....	18.6.....	1.3

NRCSELM-1 Selenium enriched yeast 8 g

Certified values  
 Total selenium .....2059 ± 64 mg/kg      Methionine..... 5758 ± 277 mg/kg  
 Selenomethionine .....3431 ± 157 mg/kg

**New** NIST-3280 Multivitamin/Multielement tablets 150 tablets

A unit of NIST-3280 consists of five bottles, each containing 30 tablets. Each tablet weighs approximately 1.5 g.

Certified Concentration Values for Vitamins and Carotenoids

Folic acid.....	394 ± 22 µg/g	Ascorbic acid.....	42.2 ± 3.7 mg/g
Biotin.....	23.4 ± 3.2 µg/g	Thiamine hydrochloride.....	1.06 ± 0.12 mg/g
Ergocalciferol.....	9.13 ± 0.71 µg/g	Riboflavin.....	1.32 ± 0.17 mg/g
Phylloquinone.....	22.8 ± 2.2 µg/g	Niacinamide.....	14.10 ± 0.23 mg/g
Trans-β-carotene.....	420 ± 100 µg/g	Pantothenic acid.....	7.30 ± 0.96 mg/g
Total β-carotene.....	514 ± 87 µg/g	Pyridoxine hydrochloride.....	1.81 ± 0.17 mg/g
α-Tocopherol.....	21.4 ± 3.5 mg/g	Certified Concentration Values for Selected Elements	

Certified Concentration Values for Selected Elements

B.....	0.141 ± 0.007 mg/g	I.....	0.1327 ± 0.0066 mg/g	P.....	75.7 ± 3.2 mg/g
Ca.....	110.7 ± 5.3 mg/g	Fe.....	12.35 ± 0.91 mg/g	K.....	53.1 ± 7.0 mg/g
Cl.....	53.0 ± 2.3 mg/g	Mg.....	67.8 ± 4.0 mg/g	Zn.....	10.15 ± 0.81 mg/g
Cr.....	0.0937 ± 0.0027 mg/g	Mn.....	1.44 ± 0.11 mg/g		
Cu.....	1.40 ± 0.17 mg/g	Mo.....	0.0707 ± 0.0045 mg/g		

Indicative values for elements, vitamins and carotenoids

NIST-3246 Ginkgo biloba - Flavonoids, terpene, actones, elements 5 x 3 g

Standard Reference Material NIST-3246 is intended primarily for use in validating analytical methods for the determination of flavonoids, terpene lactones, and toxic elements in Ginkgo biloba and similar matrices.

Certified values

Quercetin.....	2.69 ± 0.31 mg/g	Ginkgolide B.....	0.470 ± 0.090 mg/g
Kaempferol.....	3.02 ± 0.41 mg/g	Cd.....	20.8 ± 1.0 ng/g
Isorhamnetin.....	0.517 ± 0.099 mg/g	Pb.....	995 ± 30 ng/g
Total Aglycones.....	6.22 ± 0.77 mg/g	Hg.....	23.08 ± 0.17 ng/g

Indicative values for selected terpene, lactone

Code	Product	Unit																								
NIST-3247	<p><b>Ginkgo biloba extract - Flavonoids, terpene , actones, elements</b></p> <p>Standard Reference Material NIST-3247 is intended primarily for use in validating analytical methods for the determination of flavonoids, terpene lactones, and toxic elements in Ginkgo biloba extracts and similar matrices.</p> <p>Certified values</p> <table> <tr> <td>Quercetin .....</td> <td>45.1 ± 4.6 mg/g</td> <td>Ginkgolide .....</td> <td>12.4 ± 1.4 mg/g</td> </tr> <tr> <td>Kaempferol .....</td> <td>40.8 ± 3.0 mg/g</td> <td>Ginkgolide .....</td> <td>3.9 ± 1.5 mg/g</td> </tr> <tr> <td>Isorhamnetin .....</td> <td>10.8 ± 1.3 mg/g</td> <td>Bilobalide .....</td> <td>28.5 ± 2.1 mg/g</td> </tr> <tr> <td>Total Aglycones .....</td> <td>96.8 ± 8.3 mg/g</td> <td>Total Terpene Lactones .....</td> <td>62.4 ± 5.7 mg/g</td> </tr> <tr> <td>Ginkgolide.....</td> <td>11.6 ± 1.7 mg/g</td> <td>Pb.....</td> <td>4.273 ± 0.031 ng/g</td> </tr> <tr> <td>Ginkgolide.....</td> <td>5.92 ± 0.45 mg/g</td> <td></td> <td></td> </tr> </table> <p>Indicative values for As and Cd</p>	Quercetin .....	45.1 ± 4.6 mg/g	Ginkgolide .....	12.4 ± 1.4 mg/g	Kaempferol .....	40.8 ± 3.0 mg/g	Ginkgolide .....	3.9 ± 1.5 mg/g	Isorhamnetin .....	10.8 ± 1.3 mg/g	Bilobalide .....	28.5 ± 2.1 mg/g	Total Aglycones .....	96.8 ± 8.3 mg/g	Total Terpene Lactones .....	62.4 ± 5.7 mg/g	Ginkgolide.....	11.6 ± 1.7 mg/g	Pb.....	4.273 ± 0.031 ng/g	Ginkgolide.....	5.92 ± 0.45 mg/g			5 x 1 g
Quercetin .....	45.1 ± 4.6 mg/g	Ginkgolide .....	12.4 ± 1.4 mg/g																							
Kaempferol .....	40.8 ± 3.0 mg/g	Ginkgolide .....	3.9 ± 1.5 mg/g																							
Isorhamnetin .....	10.8 ± 1.3 mg/g	Bilobalide .....	28.5 ± 2.1 mg/g																							
Total Aglycones .....	96.8 ± 8.3 mg/g	Total Terpene Lactones .....	62.4 ± 5.7 mg/g																							
Ginkgolide.....	11.6 ± 1.7 mg/g	Pb.....	4.273 ± 0.031 ng/g																							
Ginkgolide.....	5.92 ± 0.45 mg/g																									
NIST-3248	<p><b>Ginkgo-containing tablets - Flavonoids aglycones, terpene lactones</b></p> <p>Standard Reference Material NIST-3248 is intended primarily for use in validating analytical methods for the determination of flavonoids, terpene lactones, and toxic elements in ginkgo-containing tablets and similar matrices.</p> <p>Certified values</p> <table> <tr> <td>Quercetin .....</td> <td>7.56 ± 0.40</td> <td>Ginkgolide B .....</td> <td>1.12 ± 0.20</td> </tr> <tr> <td>Kaempferol .....</td> <td>7.19 ± 0.70</td> <td>Ginkgolide C .....</td> <td>2.36 ± 0.42</td> </tr> <tr> <td>Isorhamnetin .....</td> <td>1.90 ± 0.22</td> <td>Total Terpene Lactones .....</td> <td>11.8 ± 1.4</td> </tr> <tr> <td>Total Aglycones .....</td> <td>16.6 ± 1.2</td> <td>Pb.....</td> <td>0.7753 ± 0.0089 µg/g</td> </tr> </table> <p>Indicative values for detected terpene, lactones As, Cd and Hg</p>	Quercetin .....	7.56 ± 0.40	Ginkgolide B .....	1.12 ± 0.20	Kaempferol .....	7.19 ± 0.70	Ginkgolide C .....	2.36 ± 0.42	Isorhamnetin .....	1.90 ± 0.22	Total Terpene Lactones .....	11.8 ± 1.4	Total Aglycones .....	16.6 ± 1.2	Pb.....	0.7753 ± 0.0089 µg/g	5 x 1 g								
Quercetin .....	7.56 ± 0.40	Ginkgolide B .....	1.12 ± 0.20																							
Kaempferol .....	7.19 ± 0.70	Ginkgolide C .....	2.36 ± 0.42																							
Isorhamnetin .....	1.90 ± 0.22	Total Terpene Lactones .....	11.8 ± 1.4																							
Total Aglycones .....	16.6 ± 1.2	Pb.....	0.7753 ± 0.0089 µg/g																							
NIST-3249	<p><b>Ginkgo dietary supplement suite - Flavonoids, terpene , actones, elements</b></p> <p>Standard Reference Material NIST-3249 consists of two bottles each of three ginkgo-related SRMs<sup>®</sup>: NIST-3246 Ginkgo biloba (Leaves), NIST-3247 Ginkgo biloba extract, and NIST-3248 Ginkgo-containing tablets. These SRMs are intended primarily for use in validating analytical methods for the determination of flavonoids, terpene lactones, and toxic elements in Ginkgo-containing matrices. These SRMs<sup>®</sup> can also be used for quality assurance when assigning values to in-house control materials.</p>	2 each																								
NIST-3258	<p><b>Bitter Orange (Fruit) - Alkaloids</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended primarily for use in validating analytical methods for the determination of alkaloids in bitter orange-containing solid oral dosage forms and similar matrices. This SRM can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3258 consists of five packets, each containing approximately 5 g of ground fruit.</p> <p>Certified Concentration Values for Selected Alkaloids</p> <table> <thead> <tr> <th>Mass Fraction (mg/g, dry-basis)</th> <th>Mass Fraction (mg/g, dry-basis)</th> </tr> </thead> <tbody> <tr> <td>Synephrine.....</td> <td>9.10 ± 0.15</td> <td>Total Citrus Alkaloids.....</td> <td>9.41 ± 0.17</td> </tr> <tr> <td>N-Methyltyramine.....</td> <td>0.178 ± 0.012</td> <td></td> <td></td> </tr> </tbody> </table> <p>Indicative values for Octopamine</p>	Mass Fraction (mg/g, dry-basis)	Mass Fraction (mg/g, dry-basis)	Synephrine.....	9.10 ± 0.15	Total Citrus Alkaloids.....	9.41 ± 0.17	N-Methyltyramine.....	0.178 ± 0.012			5 x 5 g														
Mass Fraction (mg/g, dry-basis)	Mass Fraction (mg/g, dry-basis)																									
Synephrine.....	9.10 ± 0.15	Total Citrus Alkaloids.....	9.41 ± 0.17																							
N-Methyltyramine.....	0.178 ± 0.012																									
NIST-3259	<p><b>Bitter Orange Extract - Alkaloids</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended primarily for use in validating analytical methods for the determination of alkaloids in bitter orange-containing solid oral dosage forms and similar matrices. This SRM can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3259 consists of five packets, each containing approximately 1.2 g of extract.</p> <p>Certified Concentration Values for Selected Citrus Alkaloids</p> <table> <thead> <tr> <th>Mass Fraction (mg/g, dry-basis)</th> <th>Mass Fraction (mg/g, dry-basis)</th> </tr> </thead> <tbody> <tr> <td>Synephrine.....</td> <td>71.9 ± 2.3</td> <td>Tyramine .....</td> <td>0.800 ± 0.067</td> </tr> <tr> <td>N-methyltyramine.....</td> <td>5.23 ± 0.66</td> <td>Total Citrus Alkaloids .....</td> <td>77.5 ± 1.3</td> </tr> </tbody> </table> <p>Indicative values for Octopamine</p>	Mass Fraction (mg/g, dry-basis)	Mass Fraction (mg/g, dry-basis)	Synephrine.....	71.9 ± 2.3	Tyramine .....	0.800 ± 0.067	N-methyltyramine.....	5.23 ± 0.66	Total Citrus Alkaloids .....	77.5 ± 1.3	5 x 1.2 g														
Mass Fraction (mg/g, dry-basis)	Mass Fraction (mg/g, dry-basis)																									
Synephrine.....	71.9 ± 2.3	Tyramine .....	0.800 ± 0.067																							
N-methyltyramine.....	5.23 ± 0.66	Total Citrus Alkaloids .....	77.5 ± 1.3																							
NIST-3260	<p><b>Bitter Orange Containing Solid Oral Dosage Form - Alkaloids</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended primarily for use in validating analytical methods for the determination of alkaloids in bitter orange-containing solid oral dosage forms and similar matrices. This SRM can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3260 consists of five packets, each containing approximately 2.5 g of powdered material.</p> <p>Certified Concentration Values for Selected Alkaloids</p> <table> <thead> <tr> <th>Mass Fraction (mg/g, dry-basis)</th> <th>Mass Fraction (mg/g, dry-basis)</th> </tr> </thead> <tbody> <tr> <td>Synephrine.....</td> <td>18.19 ± 0.49</td> <td>Total Citrus Alkaloids .....</td> <td>19.57 ± 0.18</td> </tr> <tr> <td>Tyramine.....</td> <td>0.187 ± 0.022</td> <td>Caffeine.....</td> <td>64.3 ± 1.2</td> </tr> </tbody> </table> <p>Indicative values for Octopamine and N-methyltyramine</p>	Mass Fraction (mg/g, dry-basis)	Mass Fraction (mg/g, dry-basis)	Synephrine.....	18.19 ± 0.49	Total Citrus Alkaloids .....	19.57 ± 0.18	Tyramine.....	0.187 ± 0.022	Caffeine.....	64.3 ± 1.2	5 x 2.5 g														
Mass Fraction (mg/g, dry-basis)	Mass Fraction (mg/g, dry-basis)																									
Synephrine.....	18.19 ± 0.49	Total Citrus Alkaloids .....	19.57 ± 0.18																							
Tyramine.....	0.187 ± 0.022	Caffeine.....	64.3 ± 1.2																							
NIST-3261	<p><b>Bitter Orange Dietary Supplemental Suite - Alkaloids</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) consists of two packets each of three bitter orange-related SRMs: NIST-3258 Bitter Orange (Fruit), NIST-3259 Bitter Orange Extract, and NIST-3260 Bitter Orange-Containing Solid Oral Dosage Form. These SRMs are intended primarily for use in validating analytical methods for the determination of citrus alkaloids in bitter orange-containing matrices. These SRMs can also be used for quality assurance when assigning values to in-house control materials. The materials in the suite of bitter orange dietary supplement SRMs have been developed to cover a range of natural matrices and analyte levels.</p>	set																								

## Food and drink products

Code	Product	Unit
<b>New</b> NIST-3281	<b>Cranberry (Fruit) - Organic acids</b> A unit of NIST-3281 consists of five packets, each containing approximately 6 g of freeze-dried, powdered fruit. Certified values (dry-mass basis) Citric acid ..... 79.2 ± 6.4 mg/g      Quinic acid ..... 47.8 ± 6.8 mg/g Malic acid ..... 40.6 ± 2.3 mg/g      Shikimic acid ..... 2.09 ± 0.72 mg/g	5 x 6 g
<b>New</b> NIST-3282	<b>Low-calorie cranberry juice cocktail - Organic acids, Trace elements</b> A unit of NIST-3282 consists of five ampoules, each containing approximately 1.2 mL of liquid. Certified mass fraction values for organic acids Citric acid ..... 3.221 ± 0.053 mg/g      Quinic acid ..... 2.672 ± 0.048 mg/g Malic acid ..... 2.133 ± 0.042 mg/g Certified mass fraction values for elements Calcium ..... 26.3 ± 1.6 mg/kg      Manganese ..... 0.493 ± 0.016 mg/kg Copper ..... 0.23 ± 0.06 mg/kg      Potassium ..... 247 ± 12 mg/kg Magnesium ..... 12.97 ± 0.84 mg/kg      Sodium ..... 201 ± 20 mg/kg Indicative values for organic acids, anions, trace elements and sugars	5 x 1.2 mL
<b>New</b> NIST-3283	<b>Cranberry extract - Organic acids</b> A unit of NIST-3283 consists of five packets, each containing approximately 2.5 g of cranberry extract. Certified mass fraction values for organic acids (dry-mass basis) Citric acid ..... 18.7 ± 2.3 mg/g      Quinic acid ..... 16.6 ± 3.7 mg/g Malic acid ..... 9.9 ± 1.2 mg/g Indicative values for organic acids and anions	5 x 2.5 g
<b>New</b> NIST-3284	<b>Cranberry-containing solid oral dosage form - Organic acids</b> A unit of NIST-3284 consists of five packets, each containing approximately 2.5 g of powdered material. Certified mass fraction values for organic acids (dry-mass basis) Citric acid ..... 34.7 ± 4.8 mg/g      Quinic acid ..... 25.9 ± 3.5 mg/g Malic acid ..... 19.9 ± 1.9 mg/g Indicative values for organic acids and anions	5 x 2.5 g
<b>New</b> NIST-3285	<b>Mixed Berry-containing solid oral dosage form - Organic acids</b> This Standard Reference Material (SRM) is intended primarily for use in validating analytical methods for the determination of organic acids in solid oral dosage forms containing bilberries, blueberries, and cranberries and in similar matrices. This SRM can also be used for quality assurance when assigning values to in-house control materials. A unit of NIST-3285 consists of five packets, each containing approximately 2.5 g of powdered material. Certified values (dry-mass basis) Malic acid ..... 22.83 ± 0.53 mg/g      Quinic acid ..... 24.87 ± 0.42 mg/g Reference values for organic acids and anions	5 x 2.5 g
<b>New</b> NIST-3287	<b>Blueberry (Fruit) - Organic acids</b> A unit of NIST-3287 consists of five packets, each containing approximately 5 g of freeze-dried, powdered fruit. Certified values mass fraction values for organic acids (dry-mass basis) Citric acid ..... 24.33 ± 0.63 mg/g      Quinic acid ..... 25.53 ± 0.73 mg/g Malic acid ..... 1.711 ± 0.060 mg/g Certified mass fraction values for elements (dry-mass basis) Calcium (Ca) ..... 323 ± 16 mg/kg      Manganese (Mn) ..... 8.47 ± 0.59 mg/kg Copper (Cu) ..... 2.22 ± 0.16 mg/kg      Phosphorus (P) ..... 671 ± 21 mg/kg Iron (Fe) ..... 12.20 ± 0.74 mg/kg      Potassium (K) ..... 4490 ± 220 mg/kg Magnesium (Mg) ..... 313.7 ± 7.2 mg/kg      Zinc (Zn) ..... 6.49 ± 0.61 mg/kg Indicative values for organic acids, anions, proximates, sugars, total dietary fiber, sodium, calories, vitamins and amino acids	5 x 5 g
<b>New</b> NIST-3291	<b>Bilberry extract - Organic acids</b> A unit of NIST-3291 consists of five packets, each containing approximately 1 g of bilberry extract. Certified mass fraction values for organic acids (dry-mass basis) Citric acid ..... 22.9 ± 2.5 mg/g      Quinic acid ..... 12.2 ± 2.2 mg/g Malic acid ..... 5.9 ± 1.7 mg/g Indicative values for organic acids and anions	5 x 1 g

## Food allergens

NIST-RM 8445	<b>Spray-Dried Whole Egg for Allergen Detection</b> This Reference Material (RM) is intended primarily for the use in evaluating test kits for determination of the presence of allergenic egg proteins. The material provides a common matrix to the allergen research community, who may wish to conduct studies using a single broadly available material.	5 g
--------------	--	-----



## Animal food products

Code	Product	Unit
<b>New</b> LGC7173	Poultry feed - Proximates and elements Assessed values using Statutory Methods* Moisture ..... 12.3 ± 0.3 g/100 g      Oil..... 4.1 ± 0.7 g/100 g      Ash..... 6.4 ± 0.6 g/100 g Assessed values using data derived from a variety of methods Moisture ..... 12.0 ± 0.3 g/100 g      Ca..... 1.44 ± 0.15 g/100 g      K ..... 0.74 ± 0.06 g/100 g Nitrogen ..... 2.56 ± 0.19 g/100 g      Chloride..... 0.28 ± 0.06 g/100 g      Fe..... 145 ± 31 mg/kg Oil ..... 4.1 ± 0.7 g/100 g      Mg ..... 0.16 ± 0.02 g/100 g      Mn..... 131 ± 19 mg/kg Ash..... 6.5 ± 0.6 g/100 g      P..... 0.63 ± 0.03 g/100 g      Zn..... 91 ± 11 mg/kg Crude fibre ..... 4.1 ± 0.7 g/100 g      Na..... 0.17 ± 0.05 g/100 g *These values have been assigned using only data derived from laboratories reporting analysis according to "EEC method of analysis of the official control of feedingstuffs", as indicated into UK law in "The Feeding Stuffs (Sampling and Analysis) Regulations 1999".	45 g
<b>New</b> ERM-BE376	Compound feedingstuff - Aflatoxins ERM-BE376 is a compound feeding stuff mixed from contaminated copra, wheat, barley, soya, maize and a mineral / vitamin premix. Certified values Aflatoxin B1..... 12.9 ± 1.8 µg/kg      Aflatoxin B2.... 0.68 ± 0.10 µg/kg      Aflatoxin G1 ..... 5.2 ± 0.8 µg/kg	2 x 75 g
<b>New</b> ERM-BE375	Compound feedingstuff - Aflatoxins (very low level) ERM-BE376 is a compound feeding stuff mixed from contaminated copra, wheat, barley, soya, maize and a mineral / vitamin premix. Certified values Aflatoxin B1..... 2.6 ± 0.4 µg/kg      Aflatoxin G1..... 0.4 ± 0.1 µg/kg Aflatoxin B2.... 0.20 ± 0.04 µg/kg      Aflatoxin G2..... < 0.2 µg/kg	2 x 75 g
BCR-115	Animal feed - Pesticides Compound      Certified value      Uncertainty mg/kg      mg/kg HCB ..... 0.0194 ..... 0.0014 beta-HCH..... 0.023 ..... 0.003 gamma-HCH..... 0.0218 ..... 0.0020 Heptachlor ..... 0.019 ..... 0.0015 gamma-Chlordane..... 0.048 ..... 0.005 Dieldrin..... 0.018 ..... 0.003 alpha-Endosulfan..... 0.046 ..... 0.004 Endrin ..... 0.046 ..... 0.006 2,4'-DDT ..... 0.046 ..... 0.005 4,4'-DDE ..... 0.047 ..... 0.004	30 g
BCR-375	Compound feed - Aflatoxin B1 (blank) Certified value Aflatoxin B1..... <1 µg/kg	50 g
BCR-708	Synthetic dairy feed - Proximates and elements Property      Certified value      Uncertainty Crude protein..... 240 g/kg ..... 12 g/kg Crude oils and fats..... 65 g/kg ..... 8 g/kg Crude fibre ..... 93 g/kg ..... 14 g/kg Crude ash ..... 50 g/kg ..... 3 g/kg Ca ..... 4.8 g/kg ..... 0.5 g/kg Cu ..... 37 mg/kg ..... 4 mg/kg Mg..... 1.47 g/kg ..... 0.22 g/kg P ..... 4.7 g/kg ..... 0.4 g/kg	40 g
BCR-709	Synthetic feed for growing pigs feed - Proximates and elements Property      Certified value      Uncertainty Crude protein..... 199 g/kg ..... 5 g/kg Crude oils and fats..... 51 g/kg ..... 14 g/kg Crude fibre ..... 56 g/kg ..... 12 g/kg Crude ash ..... 42 g/kg ..... 4 g/kg Ca ..... 1.05 g/kg ..... 0.16 g/kg Cu ..... 173 mg/kg ..... 25 mg/kg Mg..... 1.89 g/kg ..... 0.30 g/kg P ..... 5.4 g/kg ..... 0.7 g/kg	40 g

## Animal food products

Code	Product	Unit																																														
IRMM-311	<p>Genomic DNA of <i>Bacillus licheniformis</i> DSM 5749 in agarose inserts for Pulsed Field Gel Electrophoresis (PFGE)</p> <p>The intended use of this material is the taxonomic identification of the authorised probiotic feed additive <i>Bacillus licheniformis</i> DSM 5749 by pulsed field gel electrophoresis (PFGE). The material is supplied in a vial containing one agarose insert of undigested genomic DNA of <i>Bacillus licheniformis</i> DSM 5749. Certified values and uncertainties are provided for Sfil digested DNA fragments in the size interval 50 kb - 90 kb and requires the use of a specified analytical procedure.</p> <table border="1"> <thead> <tr> <th rowspan="2">Sfil digested DNA fragments in the size interval 50 kb – 90 kb</th> <th rowspan="2">Band no</th> <th colspan="2">Fragment length</th> </tr> <tr> <th>Certified value [kb]</th> <th>Uncertainty [kb]</th> </tr> </thead> <tbody> <tr><td></td><td>1.....</td><td>89.6.....</td><td>4.7</td></tr> <tr><td></td><td>2.....</td><td>80.9.....</td><td>2.5</td></tr> <tr><td></td><td>3.....</td><td>75.3.....</td><td>2.7</td></tr> <tr><td></td><td>4.....</td><td>72.2.....</td><td>3.5</td></tr> <tr><td></td><td>5.....</td><td>66.9.....</td><td>1.9</td></tr> <tr><td></td><td>6.....</td><td>64.6.....</td><td>2.9</td></tr> <tr><td></td><td>7.....</td><td>60.3.....</td><td>1.3</td></tr> <tr><td></td><td>8.....</td><td>56.5.....</td><td>1.3</td></tr> <tr><td></td><td>9.....</td><td>53.9.....</td><td>1.3</td></tr> <tr><td></td><td>10.....</td><td>50.6.....</td><td>1.3</td></tr> </tbody> </table>	Sfil digested DNA fragments in the size interval 50 kb – 90 kb	Band no	Fragment length		Certified value [kb]	Uncertainty [kb]		1.....	89.6.....	4.7		2.....	80.9.....	2.5		3.....	75.3.....	2.7		4.....	72.2.....	3.5		5.....	66.9.....	1.9		6.....	64.6.....	2.9		7.....	60.3.....	1.3		8.....	56.5.....	1.3		9.....	53.9.....	1.3		10.....	50.6.....	1.3	vial
Sfil digested DNA fragments in the size interval 50 kb – 90 kb	Band no			Fragment length																																												
		Certified value [kb]	Uncertainty [kb]																																													
	1.....	89.6.....	4.7																																													
	2.....	80.9.....	2.5																																													
	3.....	75.3.....	2.7																																													
	4.....	72.2.....	3.5																																													
	5.....	66.9.....	1.9																																													
	6.....	64.6.....	2.9																																													
	7.....	60.3.....	1.3																																													
	8.....	56.5.....	1.3																																													
	9.....	53.9.....	1.3																																													
	10.....	50.6.....	1.3																																													
IRMM-312	<p>Genomic DNA of <i>Bacillus subtilis</i> DSM 5750 in agarose inserts for Pulsed Field Gel Electrophoresis (PFGE)</p> <p>The intended use of this material is the taxonomic identification of the authorised probiotic feed additive <i>Bacillus subtilis</i> DSM 5750 by pulsed field gel electrophoresis (PFGE). The material is supplied in a vial containing one agarose insert of undigested genomic DNA of <i>Bacillus subtilis</i> DSM 5750. Certified values and uncertainties are provided for Sfil digested DNA fragments in the size interval 15 kb - 97 kb and requires the use of a specified analytical procedure.</p> <table border="1"> <thead> <tr> <th rowspan="2">Sfil digested DNA fragments in the size interval 15 kb – 97 kb</th> <th rowspan="2">Band no</th> <th colspan="2">Fragment length</th> </tr> <tr> <th>Certified value [kb]</th> <th>Uncertainty [kb]</th> </tr> </thead> <tbody> <tr><td></td><td>1.....</td><td>89.2.....</td><td>0.9</td></tr> <tr><td></td><td>2.....</td><td>81.4.....</td><td>0.8</td></tr> <tr><td></td><td>3.....</td><td>77.7.....</td><td>0.6</td></tr> <tr><td></td><td>4.....</td><td>62.5.....</td><td>1.8</td></tr> <tr><td></td><td>5.....</td><td>59.5.....</td><td>2.1</td></tr> <tr><td></td><td>6.....</td><td>44.0.....</td><td>2.4</td></tr> <tr><td></td><td>7.....</td><td>29.2.....</td><td>2.0</td></tr> <tr><td></td><td>8.....</td><td>23.6.....</td><td>1.3</td></tr> <tr><td></td><td>9.....</td><td>18.6.....</td><td>1.3</td></tr> </tbody> </table>	Sfil digested DNA fragments in the size interval 15 kb – 97 kb	Band no	Fragment length		Certified value [kb]	Uncertainty [kb]		1.....	89.2.....	0.9		2.....	81.4.....	0.8		3.....	77.7.....	0.6		4.....	62.5.....	1.8		5.....	59.5.....	2.1		6.....	44.0.....	2.4		7.....	29.2.....	2.0		8.....	23.6.....	1.3		9.....	18.6.....	1.3	vial				
Sfil digested DNA fragments in the size interval 15 kb – 97 kb	Band no			Fragment length																																												
		Certified value [kb]	Uncertainty [kb]																																													
	1.....	89.2.....	0.9																																													
	2.....	81.4.....	0.8																																													
	3.....	77.7.....	0.6																																													
	4.....	62.5.....	1.8																																													
	5.....	59.5.....	2.1																																													
	6.....	44.0.....	2.4																																													
	7.....	29.2.....	2.0																																													
	8.....	23.6.....	1.3																																													
	9.....	18.6.....	1.3																																													
<b>New</b> BDS-BRM-01	<p>Feedingstuff - DR CALUX<sup>®</sup> TEQ (Low)</p> <p><b>DR CALUX<sup>®</sup> TEQ</b></p> <p>Expected value<sup>A</sup> (n=16)</p> <p>DR CALUX<sup>®</sup> TEQ per gram product..... 0.68 pg</p> <p><b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b></p> <p>PCDD/PCDF TEQ per gram product..... 0.12 pg</p> <p><b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b></p> <p>PCB TEQ per gram product ..... 0.25 pg</p> <p><b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b></p> <p>PCDD/PCDF/PCB TEQ per gram ..... 0.37 pg</p> <p><sup>A</sup> The average value is based in the robust mean as described in ISO 57328.  <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328.  <sup>C</sup> Based on quantified congeners and WHO-TEF's</p>	100 g																																														
<b>New</b> BDS-BRM-02	<p>Feedingstuff - DR CALUX<sup>®</sup> TEQ (Middle)</p> <p><b>DR CALUX<sup>®</sup> TEQ</b></p> <p>Expected value<sup>A</sup> (n=16)</p> <p>DR CALUX<sup>®</sup> TEQ per gram product..... 0.90 pg</p> <p><b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b></p> <p>PCDD/PCDF TEQ per gram product..... 0.31 pg</p> <p><b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b></p> <p>PCB TEQ per gram product ..... 0.43 pg</p> <p><b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b></p> <p>PCDD/PCDF/PCB TEQ per gram ..... 0.74 pg</p> <p><sup>A</sup> The average value is based in the robust mean as described in ISO 57328.  <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328.  <sup>C</sup> Based on quantified congeners and WHO-TEF's</p>	100 g																																														

## Purified genomic DNA (gDNA)

Code	Product	Unit
<b>New</b> BDS-BRM-03	Feedingstuff - DR CALUX® TEQ (High) <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product.....1.4 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product.....0.71 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product .....0.83 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram .....1.5 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	100 g

<b>New</b> BDS-BRM-01-03	Feedingstuff - DR CALUX® (Kit) Each kit consists of one unit of BDS-BRM-01 ..... Feedingstuff - CALUX® TEQ (Low) BDS-BRM-02 ..... Feedingstuff - CALUX® TEQ (Middle) BDS-BRM-03 ..... Feedingstuff - CALUX® TEQ (High)	kit
--------------------------	--	-----

## Purified genomic DNA (gDNA)

The stable genomic DNA (gDNA) standards (IRMM-447, 448, 449) have been developed for the verification and detection of food-borne pathogens by diagnostic polymerase chain reaction (PCR) within the European FOOD-PCR project. These standards support harmonisation and validation of different PCR methods by their use as taxonomic controls in PCR reactions.

Code	Product	Unit
IRMM-447	Genomic DNA of <i>Listeria monocytogenes</i> Freeze dried genomic DNA Certified identity: genomic DNA <i>Listeria monocytogenes</i> (strain 4B, NCTC 11994) Indicative value for the mass of genomic DNA per vial Dry ice shipment required	vial
IRMM-448	Genomic DNA <i>Campylobacter jejuni</i> (NCTC 11351) Indicative value Mass of genomic DNA per vial ..... 71 ng Dry ice shipment required	vial
<b>New</b> IRMM-449	Genomic DNA of <i>Escherichia coli</i> Freeze dried genomic DNA Certified identity: genomic DNA <i>Escherichia coli</i> O157, strain EDL 933 Indicative value for the mass of genomic DNA per vial Dry ice shipment required	vial
IRMM-311	Genomic DNA of <i>Bacillus licheniformis</i> DSM 5749 in agarose inserts for Pulsed Field Gel Electrophoresis (PFGE) The intended use of this material is the taxonomic identification of the authorised probiotic feed additive <i>Bacillus licheniformis</i> DSM 5749 by pulsed field gel electrophoresis (PFGE). The material is supplied in a vial containing one agarose insert of undigested genomic DNA of <i>Bacillus licheniformis</i> DSM 5749. Certified values and uncertainties are provided for SfiI digested DNA fragments in the size interval 50 kb - 90 kb and requires the use of a specified analytical procedure.	vial

SfiI digested DNA fragments in the size interval 50 kb – 90 kb	Band no	Fragment length	
		Certified value [kb]	Uncertainty [kb]
	1.....	89.6.....	4.7
	2.....	80.9.....	2.5
	3.....	75.3.....	2.7
	4.....	72.2.....	3.5
	5.....	66.9.....	1.9
	6.....	64.6.....	2.9
	7.....	60.3.....	1.3
	8.....	56.5.....	1.3
	9.....	53.9.....	1.3
	10.....	50.6.....	1.3

## Certified materials for microbiological properties

Code	Product	Unit																																										
IRMM-312	Genomic DNA of <i>Bacillus subtilis</i> DSM 5750 in agarose inserts for Pulsed Field Gel Electrophoresis (PFGE) The intended use of this material is the taxonomic identification of the authorised probiotic feed additive <i>Bacillus subtilis</i> DSM 5750 by pulsed field gel electrophoresis (PFGE). The material is supplied in a vial containing one agarose insert of undigested genomic DNA of <i>Bacillus subtilis</i> DSM 5750. Certified values and uncertainties are provided for Sfil digested DNA fragments in the size interval 15 kb - 97 kb and requires the use of a specified analytical procedure.	vial																																										
	<table border="1"> <thead> <tr> <th rowspan="2">Sfil digested DNA fragments in the size interval 15 kb – 97 kb</th> <th rowspan="2">Band no</th> <th colspan="2">Fragment length</th> </tr> <tr> <th>Certified value [kb]</th> <th>Uncertainty [kb]</th> </tr> </thead> <tbody> <tr> <td></td> <td>1.....</td> <td>89.2.....</td> <td>0.9</td> </tr> <tr> <td></td> <td>2.....</td> <td>81.4.....</td> <td>0.8</td> </tr> <tr> <td></td> <td>3.....</td> <td>77.7.....</td> <td>0.6</td> </tr> <tr> <td></td> <td>4.....</td> <td>62.5.....</td> <td>1.8</td> </tr> <tr> <td></td> <td>5.....</td> <td>59.5.....</td> <td>2.1</td> </tr> <tr> <td></td> <td>6.....</td> <td>44.0.....</td> <td>2.4</td> </tr> <tr> <td></td> <td>7.....</td> <td>29.2.....</td> <td>2.0</td> </tr> <tr> <td></td> <td>8.....</td> <td>23.6.....</td> <td>1.3</td> </tr> <tr> <td></td> <td>9.....</td> <td>18.6.....</td> <td>1.3</td> </tr> </tbody> </table>	Sfil digested DNA fragments in the size interval 15 kb – 97 kb	Band no	Fragment length		Certified value [kb]	Uncertainty [kb]		1.....	89.2.....	0.9		2.....	81.4.....	0.8		3.....	77.7.....	0.6		4.....	62.5.....	1.8		5.....	59.5.....	2.1		6.....	44.0.....	2.4		7.....	29.2.....	2.0		8.....	23.6.....	1.3		9.....	18.6.....	1.3	
Sfil digested DNA fragments in the size interval 15 kb – 97 kb	Band no			Fragment length																																								
		Certified value [kb]	Uncertainty [kb]																																									
	1.....	89.2.....	0.9																																									
	2.....	81.4.....	0.8																																									
	3.....	77.7.....	0.6																																									
	4.....	62.5.....	1.8																																									
	5.....	59.5.....	2.1																																									
	6.....	44.0.....	2.4																																									
	7.....	29.2.....	2.0																																									
	8.....	23.6.....	1.3																																									
	9.....	18.6.....	1.3																																									

## Certified materials for microbiological properties

Code	Product	Unit
<b>New</b> BCR-506	<i>Enterococcus faecium</i> (WR63) in milk powder BCR-506 consists of 0.26 g milk powder (with a tolerance interval of $\pm 5\%$ m/m), artificially contaminated with <i>Enterococcus faecium</i> (WR63), contained in a gelatin capsule. The entire capsule should be reconstituted according to the instruction for use. Colony forming particles of <i>Enterococcus faecium</i> (WR63) according to the procedure <u>Number of colony forming particles (cfp)</u> Certified value      Uncertainty interval [cfp/capsule]      [cfp/capsule] ISO 7899/2, 1984 KFA..... 76 ..... 71 - 81 ISO 7899/2, 1984 m-EA..... 72 ..... 63 - 82 ISO 6222, 1988 YA..... 109 ..... 102 - 117 Dry ice shipment required	10 caps.
<b>New</b> BCR-527	<i>Enterobacter cloacae</i> (WR3) in milk powder BCR-527 consists of 0.308 g milk powder, artificially contaminated with <i>Enterobacter cloacae</i> (WR3), contained in a gelatine capsule. Colony forming particles of <i>Enterobacter cloacae</i> (WR3) according to the procedure <u>Number of colony forming particles (cfp)</u> Certified value      Uncertainty interval [cfp/capsule]      [cfp/capsule] ISO 9308-1, 1990 LSA..... 34 ..... 29 - 40 Dry ice shipment required	10 caps.
<b>New</b> BCR-528	<i>Bacillus cereus</i> in milk powder BCR-528 consists of 0.317 g artificially contaminated with spray dried milk contained in an ochre/white gelatine capsule. The strain used for the contamination is <i>Bacillus cereus</i> (ATCC 9139). Colony forming particles of <i>Bacillus cereus</i> according to the procedure <u>Number of colony forming particles (cfp)</u> Certified value      Uncertainty interval [cfp/capsule]      [cfp/capsule] MEYP (ISO 7932) after 24 h incubation..... 53.4 ..... 51.7 – 55.2 MEYP (ISO 7932) after 48 h incubation..... 53.7 ..... 52.1 – 55.4 PEMBA (L 00.00 - 25) after 24 h incubation ..... 55.0 ..... 52.8 – 57.4 PEMBA (L 00.00 - 25) after 48 h incubation ..... 55.8 ..... 53.6 – 58.0 Indicative value for colony forming particles of <i>Bacillus cereus</i> according to the procedure SBA (Analysis no 67) after 24 h incubation Dry ice shipment required	10 caps.
<b>New</b> BCR-594	<i>Escherichia coli</i> in milk powder BCR-594 consists of 0.28 g milk powder (with a mass tolerance of $\pm 5\%$ ), artificially contaminated with <i>Escherichia coli</i> (WR1), contained in a gelatine capsule. Number of colony forming particles (z) of <i>Escherichia coli</i> (WR1) in 1 mL of suspension of reconstituted artificially contaminated milk powder. Colony forming particles of <i>Escherichia coli</i> according to the procedure Certified value      Uncertainty Relevant below      Relevant above the certified value      the certified value ISO 9308-1, 1990 T7A 30/37 ..... 56 ..... 8 ..... 10 ISO 9308-1, 1990 T7A 30/44 ..... 49 ..... 8 ..... 10 ISO 9380-1, 1990 LSA 30/37 ..... 40 ..... 7 ..... 8 ISO 9308-1, 1990 LSA 30/44 ..... 36 ..... 7 ..... 8 Dry ice shipment required	10 caps.

## Certified materials for microbiological properties

Code	Product	Unit																																
<b>New</b> BCR-595	<p><i>Listeria monocytogenes</i> in milk powder</p> <p>BCR-595 consists of 0.34 g artificially contaminated spray dried milk contained in an orange/white gelatine capsule. The strain used for the contamination is <i>Listeria monocytogenes</i> (Scott A strain).</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="2" style="text-align: center;"><u>Number of colony forming particles (cfp)</u></th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">Certified value</th> <th style="text-align: center;">Uncertainty interval</th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">[cfp/capsule]</th> <th style="text-align: center;">[cfp/capsule]</th> </tr> </thead> <tbody> <tr> <td>Colony forming particles of <i>Listeria monocytogenes</i> according to the procedure</td> <td style="text-align: right;">7.2</td> <td style="text-align: center;">6.8</td> <td style="text-align: center;">– 7.6</td> </tr> </tbody> </table> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="2" style="text-align: center;"><u>Fraction of negative capsules</u></th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">Certified value</th> <th style="text-align: center;">Uncertainty interval</th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">[%]</th> <th style="text-align: center;">[%]</th> </tr> </thead> <tbody> <tr> <td>Fraction of negative capsules of <i>Listeria monocytogenes</i> according to the procedure</td> <td style="text-align: right;">0.075</td> <td style="text-align: center;">0.05</td> <td style="text-align: center;">– 0.112</td> </tr> </tbody> </table> <p>Enumeration procedure ..... 1.2 ..... 0 - 2.3</p> <p>Presence/absence procedure according to IDF standard 143</p> <p>Dry ice shipment required</p>			<u>Number of colony forming particles (cfp)</u>				Certified value	Uncertainty interval			[cfp/capsule]	[cfp/capsule]	Colony forming particles of <i>Listeria monocytogenes</i> according to the procedure	7.2	6.8	– 7.6			<u>Fraction of negative capsules</u>				Certified value	Uncertainty interval			[%]	[%]	Fraction of negative capsules of <i>Listeria monocytogenes</i> according to the procedure	0.075	0.05	– 0.112	10 caps.
		<u>Number of colony forming particles (cfp)</u>																																
		Certified value	Uncertainty interval																															
		[cfp/capsule]	[cfp/capsule]																															
Colony forming particles of <i>Listeria monocytogenes</i> according to the procedure	7.2	6.8	– 7.6																															
		<u>Fraction of negative capsules</u>																																
		Certified value	Uncertainty interval																															
		[%]	[%]																															
Fraction of negative capsules of <i>Listeria monocytogenes</i> according to the procedure	0.075	0.05	– 0.112																															
<b>New</b> IRMM-351	<p><i>Escherichia coli</i> O157 in material spheres (Bioball® format)</p> <p>Each vial contains one material sphere of <i>Escherichia coli</i> O157 (NCTC 12900).</p> <p>Certified values</p> <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>cfu per material sphere on nutrient agar</td> <td style="text-align: right;">4 ± 2</td> </tr> <tr> <td>cfu per material sphere on enterohemolysin agar</td> <td style="text-align: right;">5 ± 2</td> </tr> </tbody> </table> <p>Recommendation: For application in presence/absence tests, analyse at least two vials of the CRM.</p> <p>Dry ice shipment required</p> <p>BioBall® - Trademark of BIOMERIEUX INDUSTRY</p>	cfu per material sphere on nutrient agar	4 ± 2	cfu per material sphere on enterohemolysin agar	5 ± 2	vial																												
cfu per material sphere on nutrient agar	4 ± 2																																	
cfu per material sphere on enterohemolysin agar	5 ± 2																																	
<b>New</b> IRMM-352	<p><i>Salmonella enteritidis</i> in material spheres (Bioball® format)</p> <p>Each vial contains one material sphere of <i>Salmonella enteritidis</i> (NCTC 12694).</p> <p>Certified values</p> <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>cfu per material sphere on nutrient agar</td> <td style="text-align: right;">5 ± 2</td> </tr> <tr> <td>cfu per material sphere on xylose lysine deoxycholate agar</td> <td style="text-align: right;">5 ± 2</td> </tr> </tbody> </table> <p>Recommendation: For application in presence/absence tests, analyse at least two vials of the CRM.</p> <p>Dry ice shipment required</p> <p>BioBall® - Trademark of BIOMERIEUX INDUSTRY</p>	cfu per material sphere on nutrient agar	5 ± 2	cfu per material sphere on xylose lysine deoxycholate agar	5 ± 2	vial																												
cfu per material sphere on nutrient agar	5 ± 2																																	
cfu per material sphere on xylose lysine deoxycholate agar	5 ± 2																																	
<b>New</b> IRMM-354	<p><i>Candida albicans</i> (NCPF 3179) in material spheres (Bioball® format)</p> <p>Each vial contains one material sphere of <i>Candida albicans</i> (NCPF 3179).</p> <p>IRMM-354 is intended to be used for the measurement of <i>Candida albicans</i> by colony counting on nutrient agar or OGYE agar according to ISO 7218 and ISO 13681 respectively.</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="2" style="text-align: center;">Number of colony forming units (cfu)</th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">Certified value</th> <th style="text-align: center;">Uncertainty</th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">[cfu]</th> <th style="text-align: center;">[cfu]</th> </tr> </thead> <tbody> <tr> <td>cfu per material sphere on<sup>1)</sup> nutrient agar (NA)</td> <td style="text-align: right;">917</td> <td style="text-align: center;">168</td> <td></td> </tr> <tr> <td>cfu per material sphere on Oxytetracyclin-Glucose-YeastExtract agar (OGYE)<sup>2)</sup></td> <td style="text-align: right;">912</td> <td style="text-align: center;">173</td> <td></td> </tr> </tbody> </table> <p>1) as defined by the procedure according to ISO 7218 [1]                  2) as defined by the procedure according to ISO 13681 [2]</p> <p>BioBall® - Trademark of BIOMERIEUX INDUSTRY</p>			Number of colony forming units (cfu)				Certified value	Uncertainty			[cfu]	[cfu]	cfu per material sphere on <sup>1)</sup> nutrient agar (NA)	917	168		cfu per material sphere on Oxytetracyclin-Glucose-YeastExtract agar (OGYE) <sup>2)</sup>	912	173		vial												
		Number of colony forming units (cfu)																																
		Certified value	Uncertainty																															
		[cfu]	[cfu]																															
cfu per material sphere on <sup>1)</sup> nutrient agar (NA)	917	168																																
cfu per material sphere on Oxytetracyclin-Glucose-YeastExtract agar (OGYE) <sup>2)</sup>	912	173																																
<b>New</b> IRMM-355	<p><i>Enterococcus faecalis</i> in material spheres (Bioball® format)</p> <p>Each vial contains one material sphere of <i>Enterococcus faecalis</i> (CIP 106877).</p> <p>This CRM is intended to be used for the measurement of <i>Enterococcus faecalis</i> by colony counting on horse blood agar or Slanetz and Bartley agar according to ISO 7218 [1] and ISO 7899-2 [2] respectively.</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="2" style="text-align: center;">Number of colony forming units (cfu)</th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">Certified value</th> <th style="text-align: center;">Uncertainty</th> </tr> <tr> <th colspan="2"></th> <th style="text-align: center;">[cfu]</th> <th style="text-align: center;">[cfu]</th> </tr> </thead> <tbody> <tr> <td>cfu per material sphere on<sup>1)</sup> horse blood agar</td> <td style="text-align: right;">917</td> <td style="text-align: center;">168</td> <td></td> </tr> <tr> <td>cfu per material sphere on Slanetz and Bartley agar<sup>2)</sup></td> <td style="text-align: right;">912</td> <td style="text-align: center;">173</td> <td></td> </tr> </tbody> </table> <p>1) as defined by the procedure according to ISO 7218 [1]                  2) as defined by the procedure according to ISO 13681 [2]</p> <p>BioBall® - Trademark of BIOMERIEUX INDUSTRY</p>			Number of colony forming units (cfu)				Certified value	Uncertainty			[cfu]	[cfu]	cfu per material sphere on <sup>1)</sup> horse blood agar	917	168		cfu per material sphere on Slanetz and Bartley agar <sup>2)</sup>	912	173		vial												
		Number of colony forming units (cfu)																																
		Certified value	Uncertainty																															
		[cfu]	[cfu]																															
cfu per material sphere on <sup>1)</sup> horse blood agar	917	168																																
cfu per material sphere on Slanetz and Bartley agar <sup>2)</sup>	912	173																																

## DR CALUX® TEQ reference materials

BioDetection Systems - DR CALUX® is a cell based screening technology which can be used as an alternative to instrumental chemical analysis, as described by the European Commission Directive EC/1883/2006 and EC/152/2009 ('screening methods should be used'). Instead of separating and measuring each individual dioxin and dioxin-like PCB, the DR CALUX® works by mimicking the toxic effect of dioxins/PCBs. A receptor cell which is highly specific to those dioxins/PCBs that exhibit toxicity is used in the test. And the DR CALUX® gives a luminescent signal which is a direct measure of the total TEQ value.

This DR CALUX® does not require extensive sample preparation or sophisticated instrumentation and is faster and significantly cheaper to use than conventional HRGC/HRMS. This system offers an attractive alternative screening method to give a result which can be readily checked against the EU regulated limits. By such a screening strategy, compliant samples (25% below the EU limits for food/feed) can be easily selected for no further instrumental analysis. CALUX (Chemical Activated Luciferase gene eXpression)

Code	Product	Unit
<b>New</b> BDS-BRM-01	Feedingstuff - DR CALUX® TEQ (Low) <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product..... 0.68 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product..... 0.12 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product ..... 0.25 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram ..... 0.37 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	100 g
<b>New</b> BDS-BRM-02	Feedingstuff - DR CALUX® TEQ (Middle) <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product..... 0.90 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product..... 0.31 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product ..... 0.43 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram ..... 0.74 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	100 g
<b>New</b> BDS-BRM-03	Feedingstuff - DR CALUX® TEQ (High) <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product..... 1.4 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product..... 0.71 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product ..... 0.83 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram ..... 1.5 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	100 g
<b>New</b> BDS-BRM-01-03	Feedingstuff - DR CALUX® (Kit) Each kit consists of one unit of BDS-BRM-01 ..... Feedingstuff - CALUX® TEQ (Low) BDS-BRM-02 ..... Feedingstuff - CALUX® TEQ (Middle) BDS-BRM-03 ..... Feedingstuff - CALUX® TEQ (High)	kit

Code	Product	Unit
<b>New</b> BDS-BRM-04	Fishoil - DR CALUX® TEQ (Low) <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product.....3.7 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product.....0.35 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product .....1.85 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram .....2.2 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	20 mL
<b>New</b> BDS-BRM-05	Fishoil - DR CALUX® TEQ (Middle) <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product.....8.8 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product.....0.68 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product .....7.0 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram .....7.7 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	20 mL
<b>New</b> BDS-BRM-06	Fishoil - DR CALUX® TEQ (High) <b>DR CALUX® TEQ</b> Expected value <sup>A</sup> (n=16) DR CALUX® TEQ per gram product.....16 pg <b>HRGC/MS PCDD/PCDF TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF TEQ per gram product.....6.2 pg <b>HRGC/MS PCB TEQ<sup>C</sup> (n=1)</b> PCB TEQ per gram product .....8.6 pg <b>HRGC/MS PCDD/PCDF/PCB TEQ<sup>C</sup> (n=1)</b> PCDD/PCDF/PCB TEQ per gram .....14.8 pg <sup>A</sup> The average value is based in the robust mean as described in ISO 57328. <sup>B</sup> Uncertainty is based on the robust standard deviation as described in ISO 57328. <sup>C</sup> Based on quantified congeners and WHO-TEF's	20 mL
<b>New</b> BDS-BRM-04-06	Fishoil - DR CALUX® TEQ (Kit) Each kit consists of one unit of BDS-BRM-04 ..... Fishoil - CALUX® TEQ (Low) BDS-BRM-05 ..... Fishoil - CALUX® TEQ (Middle) BDS-BRM-06 ..... Fishoil - CALUX® TEQ (High)	kit



We constantly add new products to our range, so please contact us to find out about new products and services and to make sure you are automatically kept up to date by subscribing to our free newsletter.

Just send an e-mail to: [askus@lgcstandards.com](mailto:askus@lgcstandards.com)



# Industrial reference materials



Standards

*Excellence through measurement*

# Metals reference materials



The use of reference materials and standards is an essential part of all production stages in the metals industry; from the acceptance of raw materials, through the production process, and finally verifying the end product.

LGC Standards and Breitländer (Germany) joined forces in 2008 to offer the widest range of analytical and industrial materials for laboratories around the world.

LGC Standards has a comprehensive metals database which acts as an important tool to find the most suitable standard for the customer based on their application. Developed over 30 years, it contains products from some 20 premier suppliers including NIST, IRMM and BAM, as well as the world's most respected private manufacturers of metals and metal standards. We continually seek to expand our portfolio to ensure we have the best fit for our customers needs, sourcing materials from across the world including unique suppliers in Asia, USA, Europe and India.

LGC Standards offers an extensive range of reference materials for use in industrial applications, from Setting-Up Samples (SUS) for daily process control, and custom standards designed to your own specification, to Certified Reference Materials (CRM) for method validation and calibration.

We supply a wide range of materials in the following ranges:

- Iron and steel products
- Non-ferrous metals and alloys
- Ores
- Bauxite and fluorspar
- Refractories and carbides
- Slags
- Coals
- Petrochemical standards
- Solid fuels
- Rocks, ceramic materials and minerals
- Cement
- Plastics
- Paint and industrial sludges
- Fertilizers



*Excellence through measurement*



## The use of reference materials

Reference materials are instrumental in ensuring the reliability of analytical measurements and so ensuring that decisions are based on reliable data. When choosing a matrix reference material for a particular application the analyst should consider the following factors before selecting a material:

- Matrix match and potential interferences
- Analytes
- Measurement range
- Measurement uncertainties
- Certification procedures used by the producer
- Documentation supplied with the material (e.g. certificate or report).



## Sourcing of reference materials

Through our network of offices and extensive experience in sourcing reference materials, we are able to provide a comprehensive list of materials.

Please request one of our metals catalogues for further information on the products available, by contacting your local LGC Standards office.




# ICP glassware and consumables from MEINHARD®

For the best performance and value, look no further than MEINHARD® accessories for your ICP.

## Superior sample introduction

- Available for an unrivalled range of ICP and ICP-MS instruments
- All nebulizers are offered in quartz, or borosilicate glass, for more demanding low-background measurements
- New high-purity quartz - TQH series. Designed primarily for ICP-MS use, providing the lowest possible elemental background as demanded by the semiconductor industry
- Nebulizers in Teflon PFA and polypropylene from Elemental Scientific. These microconcentric nebulizers are especially useful for small-volume samples and highly-corrosive solutions like HF
- High Efficiency Nebulizer - the top-rated glass microconcentric nebulizer. Especially well suited for microsample analysis. It exhibits detection limits comparable to those of a standard MEINHARD® nebulizer whilst consuming 25 times less sample.



Representative Detection Limits (µG/L)			
Nebulizer type	Ref. (1)	Meinhard Standard	High Efficiency Nebulizer
Solution Flow Rate (µL/min)	1900	200	200
Cu	5.4	3	3
Ni	15	5	5
Pb	42	20	20
As	53	30	30
Be	0.3	0.2	0.2

(1)R.K. Winge, V.A. Fassel, V.J. Peterson, and M.A. Floyd, "Inductively Coupled Plasma – Atomic Emission Spectroscopy, An Atlas of Spectral Information", Elsevier, New York (1985)

For further details, please go to:  
[www.lgcstandards.com](http://www.lgcstandards.com)

## Industrial reference materials

## Fertilizers

Code	Product	Unit
BCR-032	Moroccan phosphate rock - Trace elements Certified values Ca expressed as CaO .....518 g/kg Total P expressed as P <sub>2</sub> O <sub>5</sub> .....329.8 g/kg Carbonate Carbon expressed as CO <sub>2</sub> ..... 51.0 g/kg F .....40.4 g/kg Si expressed as SiO <sub>2</sub> .....20.9 g/kg Indicative values/Certified values As ..... 9.5 mg/kg B ..... 22.6 mg/kg Cd ..... 20.8 mg/kg Co ..... 0.59 mg/kg Cr .....257 mg/kg Cu .....33.7 mg/kg Hg .....55 mg/kg Mn ..... 18.8 mg/kg Ni ..... 34.6 mg/kg Ti ..... 171 mg/kg V ..... 153 mg/kg Zn .....253 mg/kg Total S expressed as SiO <sub>3</sub> ..... 18.4 g/kg Al expressed as Al <sub>2</sub> O <sub>3</sub> ..... 5.5 g/kg Mg expressed as MgO ..... 4.0 g/kg Fe espressa as Fe <sub>2</sub> O <sub>3</sub> ..... 2.3 g/kg	100 g
BCR-033	Super-phosphate - Constituents Certified values P <sub>2</sub> O <sub>5</sub> ..... 193.4 g/kg SO <sub>4</sub> ..... 428.0 g/kg CaO ..... 314.8 g/kg SiO <sub>2</sub> .....29.2 g/kg F ..... 16.5 g/kg Al <sub>2</sub> O <sub>3</sub> ..... 11.0 g/kg Fe <sub>2</sub> O <sub>3</sub> ..... 4.0 g/kg MgO ..... 2.1 g/kg	100 g
BCR-113	Potassium chloride - Elemental composition Certified values Ca ..... 1.03 g/kg Cl ..... 478.0 g/kg Water soluble K ..... 501.3 g/kg K .....502.5 g/kg Mg .....0.24 g/kg Na ..... 15.3 g/kg	100 g
BCR-114	Potassium sulphate - Elemental composition Certified values Ca ..... 9.4 g/kg Cl ..... 18.5 g/kg Water soluble K ..... 17.6g/kg K .....418.0 g/kg Na ..... 11.0 g/kg SO <sub>4</sub> ..... 533 g/kg	100 g
BCR-178	Calcium ammonium nitrate - Elemental composition Certified values Ca ..... 88.82 g/kg NH <sub>4</sub> -N ..... 130.44 g/kg NO <sub>3</sub> -N ..... 130.15 g/kg Total-N .....260.19 g/kg	100 g
BCR-179	Urea - Composition Certified values Total-N ..... 465.4 g/kg Uric-N .....460.9 g/kg Biuret ..... 10.37 g/kg	100 g
NIST-695	Multi-nutrient fertiliser - Elements Intended primarily for use in the evaluation of techniques employed in the analysis of multi-nutrient fertiliser materials and materials of a similar matrix. One unit of NIST-695 consists of approximately 70 g of jet-milled fertiliser. Certified values Major and minor constituent elements Ca ..... 2.26 ± 0.04 % Fe ..... 3.99 ± 0.08 % K ..... 11.65 ± 0.13 % Mg ..... 1.79 ± 0.05 % Mn ..... 0.305 ± 0.005 % Na ..... 0.405 ± 0.007 % Zn ..... 0.325 ± 0.005 % Trace elements As ..... 200 ± 5 mg/kg Ca ..... 16.9 ± 0.2 mg/kg Co ..... 65.3 ± 2.4 mg/kg Cr ..... 244 ± 6 mg/kg Cu ..... 1225 ± 9 mg/kg Hg ..... 1.955 ± 0.036 mg/kg Mo ..... 20.0 ± 0.3 mg/kg Ni ..... 135 ± 2 mg/kg Pb ..... 273 ± 17 mg/kg V ..... 122 ± 3 mg/kg Indicative values for further selected elements	70 g
NIST-120c	Phosphate rock, Florida - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.30 % Fe <sub>2</sub> O <sub>3</sub> ..... 1.08 % K <sub>2</sub> O ..... 0.147 % MnO .....0.027 % Na <sub>2</sub> O .....0.52 % TiO <sub>2</sub> .....0.103 % U <sub>3</sub> O <sub>8</sub> ..... 0.0135 % V <sub>2</sub> O <sub>3</sub> ..... 0.016 % Values for the AFPC-method-Dependent concentrations also available	90 g



## Rocks, ceramic materials and minerals

Code	Product	Unit
NIST-694	Phosphate rock, western - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.8 %      K <sub>2</sub> O ..... 0.51 %      SiO <sub>2</sub> ..... 11.2 % CaO ..... 43.6 %      MgO ..... 0.33 %      U ..... 0.01414 % CdO ..... 0.015 %      MnO ..... 0.0116 %      V <sub>2</sub> O <sub>5</sub> ..... 0.031 % F ..... 3.2 %      Na <sub>2</sub> O ..... 0.086 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.79 %      P <sub>2</sub> O <sub>5</sub> ..... 30.2 % Indicative values for, Cr <sub>2</sub> O <sub>3</sub> , ZnO, TiO <sub>2</sub>	90 g
NIST-193	Potassium nitrate - Nitrogen and potassium Certified values K ..... 38.66 %      N ..... 13.85 %	90 g
<b>New</b> NIST-200B	Potassium dihydrogen phosphate - Phosphorous and potassium This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is a highly purified and homogeneous lot of crystalline potassium dihydrogen phosphate (KH <sub>2</sub> PO <sub>4</sub> ). It is intended primarily for use as a working standard in the calibration and standardization of procedures employed in the fertilizer industry for the determination of potassium and phosphorus. A unit of NIST-200B consists of one bottle containing 90 g of crystalline potassium dihydrogen phosphate. Certified values Phosphorus ..... 22.769 % ± 0.010 %      Potassium ..... 28.735 % ± 0.018 % Indicative values for selected elements	90 g
<b>New</b> NIM-GBW06502	Ammonium dihydrogen phosphate - Nitrogen and phosphorous Certified values P ..... 26.85 %      N ..... 12.08 % Indicative values for Ca, Fe, Mg	30 g
<b>New</b> NIM-GBW06503	Potassium sulphate - Potassium Certified values K ..... 44.79 % Indicative values for Ca, Fe, Mg, Mn	40 g
<b>New</b> NIM-GBW06501	Urea - Nitrogen Certified values Biuret ..... 1.38%      N ..... 46.30% Indicative values for B, Ca, Fe, Mn	35 g

## Rocks, ceramic materials and minerals

Code	Product	Unit
NIST-1d	Limestone, Argillaceous - Constituents Certified values Na <sub>2</sub> O ..... 0.0109 %      P <sub>2</sub> O <sub>5</sub> ..... 0.0413 %      Mn ..... 0.0209 % MgO ..... 0.301 %      S ..... 0.1028 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.3191 % Al <sub>2</sub> O <sub>3</sub> ..... 0.526 %      K <sub>2</sub> O ..... 0.1358 %      ZnO ..... 0.0022 % SiO <sub>2</sub> ..... 4.080 %      CaO ..... 52.85 %      SrO ..... 0.0303 %	70 g
NIST-88b	Limestone, Dolomite - Constituents Collected near Skokie, Illinois, USA Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.336 %      K <sub>2</sub> O ..... 0.1030 %      P <sub>2</sub> O <sub>5</sub> ..... 0.0044 % CaO ..... 29.95 %      MgO ..... 21.03 %      SiO <sub>2</sub> ..... 1.13 % CO <sub>2</sub> ..... 46.37 %      MnO ..... 0.0160 %      SrO ..... 0.0076 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.277 %      Na <sub>2</sub> O ..... 0.0290 % Indicative values for TiO <sub>2</sub> , L.O.I.* * Loss On Ignition	75 g
NCS DC60107A	Limestone - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.22 %      MgO ..... 0.81 %      SO <sub>3</sub> ..... 0.018 % CaO ..... 54.03 %      MnO ..... 0.0067 %      TiO <sub>2</sub> ..... 0.010 % Cl ..... 0.0028 %      Na <sub>2</sub> O ..... 0.017 %      L.O.I.* ..... 43.12 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.11 %      P <sub>2</sub> O <sub>5</sub> ..... 0.0081 % K <sub>2</sub> O ..... 0.84 %      SiO <sub>2</sub> ..... 1.09 % Indicative value for CO <sub>2</sub> , free SiO <sub>2</sub> * Loss On Ignition	50 g



## Rocks, ceramic materials and minerals

Code	Product	Unit
NCS DC60108A	Limestone - Constituents	50 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 0.33 %	MgO ..... 2.25 %
	CaO ..... 51.61 %	MnO ..... 0.0089 %
	Cl ..... 0.0066 %	Na <sub>2</sub> O ..... 0.070 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.17 %	P <sub>2</sub> O <sub>5</sub> ..... 0.017 %
	K <sub>2</sub> O ..... 0.17 %	SiO <sub>2</sub> ..... 2.09 %
	Indicative value for free SiO <sub>2</sub> , CO <sub>2</sub>	
	* Loss On Ignition	
NCS DC14014A	Limestone - Constituents	50 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 0.093 %	MgO ..... 0.29 %
	CaO ..... 55.34 %	MnO ..... 0.005 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.085 %	P ..... 0.0011 %
	K <sub>2</sub> O ..... 0.020 %	S ..... 0.043 %
	Indicative value for Na <sub>2</sub> O	
	* Loss On Ignition	
<b>New</b> ECRM-B 752-1	Limestone - powder	100 g
	Year of issue: 1984	
	Certified values	
	SiO <sub>2</sub> ..... 0.70 %	Fe <sub>2</sub> O <sub>3</sub> ..... 0.045 %
	CaO ..... 55.4 %	K <sub>2</sub> O ..... 0.02 %
	MgO ..... 0.15 %	MnO ..... 0.010 %
	Al <sub>2</sub> O <sub>3</sub> ..... 0.12 %	Na <sub>2</sub> O ..... (0.02) %
	BaO ..... 0.006 %	P <sub>2</sub> O <sub>5</sub> ..... (0.0055) %
	S ..... 0.007 %	
	SrO ..... 0.019 %	
	TiO <sub>2</sub> ..... 0.009 %	
	L.O.I.* ..... 43.4 %	
	* Loss On Ignition	
BAS-BCS-CRM 513	Limestone 1 - Constituents	100 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 0.108 %	MgO ..... 0.182 %
	CaO ..... 55.59 %	MnO ..... 0.0095 %
	Cr <sub>2</sub> O <sub>3</sub> ..... 0.0012 %	Pb ..... 0.0009 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.0275 %	S ..... 0.0097 %
	K <sub>2</sub> O ..... 0.015 %	SiO <sub>2</sub> ..... 0.228 %
	SrO ..... 0.0176 %	
	Zn ..... 0.0014 %	
	LOI* ..... 43.61 %	
	*Loss On Ignition	
ECRM-B 782-1	Dolomite - powder	100 g
	Year of issue: 1996	
	Certified values	
	Si ..... 0.124 ± 0.003 %*	B ..... (0.0012) %
	SiO <sub>2</sub> ..... 0.266 ± 0.007 %*	Ba ..... (0.0007) %
	Ca ..... 21.68 ± 0.05 %*	Fe ..... 0.314 ± 0.005 %*
	CaO ..... 30.34 ± 0.07 %*	K ..... 0.0216 ± 0.0013 %*
	Mg ..... 12.84 ± 0.09 %*	K <sub>2</sub> O ..... 0.0260 ± 0.0016 %*
	MgO ..... 21.29 ± 0.15 %*	Mn ..... 0.063 ± 0.002 %*
	Al ..... 0.055 ± 0.003 %*	MnO ..... 0.081 ± 0.003 %*
	Al <sub>2</sub> O <sub>3</sub> ..... 0.104 ± 0.006 %*	Ni ..... (0.0004) %
	P ..... 0.0056 ± 0.0003 %*	
	P <sub>2</sub> O <sub>5</sub> ..... 0.0128 ± 0.0007 %*	
	Pb ..... 0.0027 ± 0.0002 %*	
	S ..... (0.0159) %	
	Ti ..... 0.0025 ± 0.0002 %*	
	TiO <sub>2</sub> ..... 0.0042 ± 0.0004 %*	
	Zn ..... 0.0066 ± 0.0003 %*	
	L.O.I.* ..... 47.25 ± 0.12 %*	
	(Values in parenthesis are indicative values)	
	* 95%-confidence interval	
	* Loss On Ignition	
NCS DC14021A	Dolomite - Constituents	70 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 0.024 %	MnO ..... 0.020 %
	CaO ..... 35.02 %	Na <sub>2</sub> O ..... 0.013 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.495 %	P ..... 0.0012 %
	MgO ..... 17.88 %	S ..... 0.0093 %
	SiO <sub>2</sub> ..... 0.049 %	
	L.O.I.* ..... 46.32 %	
	Indicative value for K <sub>2</sub> O	
	* Loss On Ignition	
NCS DC14019A	Dolomite - Constituents	70 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 0.017 %	MgO ..... 20.37 %
	CaO ..... 32.11 %	MnO ..... 0.032 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.224 %	Na <sub>2</sub> O ..... 0.023 %
	K <sub>2</sub> O ..... 0.0011 %	P ..... 0.0010 %
	S ..... 0.018 %	
	SiO <sub>2</sub> ..... 0.021 %	
	L.O.I.* ..... 46.89 %	
	* Loss On Ignition	
BAS-BCS-CRM 512	Dolomite 1 - Constituents	100 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 0.055 %	MgO ..... 21.59 %
	CaO ..... 30.61 %	MnO ..... 0.03 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.03 %	SiO <sub>2</sub> ..... 0.379 %
	SrO ..... 0.024 %	
	TiO <sub>2</sub> ..... 0.002 %	
	LOI* ..... 46.8 %	
	*Loss On Ignition	

## Rocks, ceramic materials and minerals

Code	Product	Unit
ECRM-F 702-1	Dolomite - powder Year of issue: 1971 Certified values Si..... 1.04 ± 0.03 % Ca ..... 21.48 ± 0.27 % Mg ..... 12.37 ± 0.33 % Al ..... 0.21 ± 0.04 % Fe ..... 0.440 ± 0.025 % Mn ..... 0.098 ± 0.006 % P ..... 0.024 ± 0.003 % S ..... 0.027 ± 0.010 % Ti ..... 0.013 ± 0.005 %	100 g
ECRM-F 701-1	Calcite - powder Year of issue: 1970 Certified values Si..... 0.93 ± 0.03 % Ca ..... 37.66 ± 0.22 % Mg ..... 0.36 ± 0.04 % Al ..... 0.29 ± 0.04 % C ..... (11.5) % Cr ..... (< 0.002) % Fe ..... 0.73 ± 0.05 % K ..... (0.090) % Mn ..... 0.022 ± 0.004 % Mo ..... (< 0.003) % Na ..... (0.020) % Ni ..... (0.003) % P ..... 0.022 ± 0.004 % Pb ..... (< 0.005) % S ..... 0.040 ± 0.010 % Ti ..... 0.018 ± 0.003 % Zn ..... (< 0.005) % L.O.I.* ..... 42.4 ± 0.22 % (Values in parenthesis are indicative values) * Loss On Ignition	100 g
ECRM-F 778-1	High carbon magnesia - powder Year of issue: 1986 Certified values Si..... 0.489 ± 0.019 % SiO <sub>2</sub> ..... 1.046 % Ca ..... 0.883 ± 0.024 % CaO ..... 1.236 % Mg ..... 48.87 ± 0.27 % MgO ..... 81.03 % Al ..... 0.297 ± 0.008 % Al <sub>2</sub> O <sub>3</sub> ..... 0.561 % B ..... 0.0012 ± 0.0001 % B <sub>2</sub> O <sub>3</sub> ..... 0.0039 % C ..... 14.00 ± 0.22 % Cr ..... 0.102 ± 0.004 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.149 % Fe ..... 0.67 ± 0.05 % K ..... (0.020) % Mn ..... 0.011 ± 0.001 % MnO ..... 0.014 % Na ..... (0.023) % Ni ..... (0.007) % P ..... (0.004) % Pb ..... (< 0.001) % TiO <sub>2</sub> ..... (0.008) % Zn ..... (< 0.002) % Zr ..... (< 0.002) % L.O.I.* ..... 15.38 ± 0.14 % (Values in parenthesis are indicative values) * Loss On Ignition	100 g
BAS-BCS-CRM 309	Sillimanite Certified values SiO <sub>2</sub> ..... 34.1 % Al <sub>2</sub> O <sub>3</sub> ..... 61.1 % TiO <sub>2</sub> ..... 1.92 % Fe <sub>2</sub> O <sub>3</sub> ..... 1.51 % MnO ..... (0.03) % CaO ..... 0.22 % MgO ..... 0.17 % Na <sub>2</sub> O ..... 0.34 % K <sub>2</sub> O ..... 0.46 % L.O.I. .... (0.1) % BaO ..... (0.006) % Li <sub>2</sub> O ..... (0.01) % SrO ..... (0.003) % (Values in parenthesis are indicative values)	100 g
BAS-BCS-CRM 313/1	High purity silica Certified values SiO <sub>2</sub> ..... 99.78 % Al <sub>2</sub> O <sub>3</sub> ..... 0.036 % TiO <sub>2</sub> ..... 0.017 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.012 % MnO ..... 0.00013 % CaO ..... 0.006 % MgO ..... 0.0013 % Na <sub>2</sub> O ..... 0.003 % K <sub>2</sub> O ..... 0.005 % ZrO <sub>2</sub> ..... (0.002) % L.O.I. .... (0.1) % Cr <sub>2</sub> O <sub>3</sub> ..... (<0.0002) % Li <sub>2</sub> O ..... (0.0005) % (Values in parenthesis are indicative values)	100 g
BAS-BCS-CRM 358	Zirconia Certified values SiO <sub>2</sub> ..... 0.2 % Al <sub>2</sub> O <sub>3</sub> ..... 0.08 % TiO <sub>2</sub> ..... 0.2 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.064 % CaO ..... 1.5 % MgO ..... 3.42 % Na <sub>2</sub> O ..... (<0.01) % K <sub>2</sub> O ..... (<0.01) % ZrO <sub>2</sub> ..... 92.7 % L.O.I. .... 0.08 % BaO ..... 0.1 % HfO <sub>2</sub> ..... 1.63 % SrO ..... 0.07 % ThO <sub>2</sub> ..... (0.0007) % U <sub>3</sub> O <sub>8</sub> ..... (0.008) % (Values in parenthesis are indicative values)	100 g
BAS-BCS-CRM 362	Mine tailings sample Certified values SiO <sub>2</sub> ..... 9.03 % Al <sub>2</sub> O <sub>3</sub> ..... 0.667 % TiO <sub>2</sub> ..... 0.047 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.483 % Mn <sub>3</sub> O <sub>4</sub> ..... 0.829 % CaO ..... 44.21 % MgO ..... 0.068 % Na <sub>2</sub> O ..... 0.084 % K <sub>2</sub> O ..... 0.14 % PbO ..... 2.63 % ZnO ..... 2.59 % P <sub>2</sub> O <sub>5</sub> ..... (0.014) % S ..... 1.48 % L.O.I. .... 32.81 % BaO ..... (2.02) % Cr <sub>2</sub> O <sub>3</sub> ..... (0.003) % SrO ..... 0.034 % C ..... (9.9) % Cd ..... 0.02 % Ni ..... (0.001) % (Values in parenthesis are indicative values)	100 g

## Rocks, ceramic materials and minerals

Code	Product	Unit
BAS-BCS-CRM 369	Magnesite-Chrome	100 g
	Certified values	
	SiO <sub>2</sub> ..... 2.59 %	CaO ..... 1.17 %
	Al <sub>2</sub> O <sub>3</sub> ..... 14.7 %	MgO ..... 53.5 %
	TiO <sub>2</sub> ..... 0.14 %	Na <sub>2</sub> O ..... 0.05 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 10.3 %	K <sub>2</sub> O ..... 0.03 %
	MnO ..... 0.11 %	BaO ..... (<0.01) %
	Cr <sub>2</sub> O <sub>3</sub> ..... 17.2 %	Li <sub>2</sub> O ..... 0.03 %
		SrO ..... (<0.01) %
		Ni ..... (0.15) %
	(Values in parenthesis are indicative values)	
BAS-BCS-CRM 370	Magnesite-Chrome	100 g
	Certified values	
	SiO <sub>2</sub> ..... 3.01 %	CaO ..... 1.54 %
	Al <sub>2</sub> O <sub>3</sub> ..... 12.3 %	MgO ..... 61.8 %
	TiO <sub>2</sub> ..... 0.13 %	Na <sub>2</sub> O ..... 0.06 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 7.23 %	K <sub>2</sub> O ..... 0.03 %
	MnO ..... 0.11 %	BaO ..... <0,01 %
	Cr <sub>2</sub> O <sub>3</sub> ..... 13.4 %	Li <sub>2</sub> O ..... 0.03 %
		SrO ..... <0.01 %
		Ni ..... 0.08 %
BAS-BCS-CRM 376/1	Feldspar 1 - Constituents	100 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 18.63%	Fe <sub>2</sub> O <sub>3</sub> ..... 0.085%
	BaO ..... 0.0210%	K <sub>2</sub> O ..... 11.59%
	CaO ..... 0.421%	PbO ..... 0.0090%
	SiO <sub>2</sub> ..... 65.77%	LOI* ..... 0.203%
	*Loss On Ignition	
BAS-BCS-CRM 375/1	Soda feldspar	100 g
	Certified values	
	SiO <sub>2</sub> ..... 69.26 %	K <sub>2</sub> O ..... 1.47 %
	Al <sub>2</sub> O <sub>3</sub> ..... 17.89 %	PbO ..... (0.0004) %
	TiO <sub>2</sub> ..... 0.313 %	ZnO ..... (0.0005) %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.291 %	P <sub>2</sub> O <sub>5</sub> ..... 0.226 %
	CaO ..... 0.78 %	ZrO <sub>2</sub> ..... (0.0107) %
	MgO ..... 0.18 %	L.O.I. .... 0.72 %
	Na <sub>2</sub> O ..... 8.89 %	BaO ..... (0.0106) %
	Cr <sub>2</sub> O <sub>3</sub> ..... (0.0018) %	HfO <sub>2</sub> ..... (0.0004) %
		SrO ..... (0.012) %
		ThO <sub>2</sub> ..... (0.0011) %
		U <sub>3</sub> O <sub>8</sub> ..... (0.0002) %
		Y <sub>2</sub> O <sub>3</sub> ..... (0.0023) %
	(Values in parenthesis are indicative values)	
BAS-BCS-CRM 376/1	Potash feldspar	100 g
	Certified values	
	SiO <sub>2</sub> ..... 65.77 %	CaO ..... 0.421 %
	Al <sub>2</sub> O <sub>3</sub> ..... 18.63 %	MgO ..... (0.03) %
	TiO <sub>2</sub> ..... (<0.01) %	Na <sub>2</sub> O ..... 3.00 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.085 %	K <sub>2</sub> O ..... 11.59 %
	Mn <sub>3</sub> O <sub>4</sub> ..... (0.004) %	PbO ..... 0.009 %
	P <sub>2</sub> O <sub>5</sub> ..... (0.02) %	ZrO <sub>2</sub> ..... (<0.01) %
		L.O.I. .... 0.203 %
		BaO ..... 0.021 %
		Cr <sub>2</sub> O <sub>3</sub> ..... 0.001 %
	(Values in parenthesis are indicative values)	
BAS-BCS-CRM 388	Zircon	100 g
	Certified values	
	SiO <sub>2</sub> ..... 32.7 %	MgO ..... (<0.05) %
	Al <sub>2</sub> O <sub>3</sub> ..... 0.291 %	Na <sub>2</sub> O ..... (<0.02) %
	TiO <sub>2</sub> ..... 0.232 %	K <sub>2</sub> O ..... (<0.03) %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.049 %	P <sub>2</sub> O <sub>5</sub> ..... 0.12 %
	CaO ..... (0.04) %	ZrO <sub>2</sub> ..... 64.9 %
	L.O.I. .... (0.2) %	HfO <sub>2</sub> ..... 1.3 %
		ThO <sub>2</sub> ..... 0.018 %
		U <sub>3</sub> O <sub>8</sub> ..... 0.034 %
		Y <sub>2</sub> O <sub>3</sub> ..... 0.136 %
	(Values in parenthesis are indicative values)	
NIST-70a	Potassium feldspar - Constituents	40 g
	Collected from the Kingman feldspar mine in Arizona, USA.	
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 17.9 %	K <sub>2</sub> O ..... 11.8 %
	BaO ..... 0.02 %	Na <sub>2</sub> O ..... 2.55 %
	CaO ..... 0.11 %	Rb <sub>2</sub> O ..... 0.06 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.075 %	SiO <sub>2</sub> ..... 67.12 %
	TiO <sub>2</sub> ..... 0.01 %	L.O.I.* ..... 0.40 %
	* Loss On Ignition	
NCS DC61102	Potassium feldspar - Constituents	50 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 18.63 %	K <sub>2</sub> O ..... 9.6 %
	CaO ..... 0.76 %	MgO ..... 0.054 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.19 %	Na <sub>2</sub> O ..... 3.69 %
	SiO <sub>2</sub> ..... 66.26 %	TiO <sub>2</sub> ..... 0.048 %
	L.O.I.* ..... 0.86 %	
	* Loss On Ignition	
BAS-BCS-CRM 389/1	High purity magnesia	100 g
	Certified values	
	SiO <sub>2</sub> ..... 0.274 %	MgO ..... 97.89 %
	Al <sub>2</sub> O <sub>3</sub> ..... 0.104 %	ZnO ..... (0.0029) %
	TiO <sub>2</sub> ..... 0.0051 %	P <sub>2</sub> O <sub>5</sub> ..... 0.0295 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.607 %	ZrO <sub>2</sub> ..... (0.0008) %
	MnO ..... 0.1 %	B <sub>2</sub> O <sub>3</sub> ..... 0.015 %
	CaO ..... 0.88 %	BaO ..... 0.0015 %
	Cr <sub>2</sub> O <sub>3</sub> ..... 0.004 %	SrO ..... 0.0007 %
		Y <sub>2</sub> O <sub>3</sub> ..... 0.0029 %
		Ni ..... 0.0012 %
	(Values in parenthesis are indicative values)	

## Rocks, ceramic materials and minerals

Code	Product	Unit
BAS-BCS-CRM 396	Low silica magnesite chrome	100 g
	Certified values	
	SiO <sub>2</sub> ..... 1.37 %	CaO..... 1.12 %
	Al <sub>2</sub> O <sub>3</sub> ..... 5.73 %	MgO..... 64.6 %
	TiO <sub>2</sub> ..... 0.26 %	Na <sub>2</sub> O..... (0.06) %
	Fe <sub>2</sub> O <sub>3</sub> ..... 10.9 %	K <sub>2</sub> O..... (0.03) %
	MnO..... 0.17 %	L.O.I..... (0.04) %
	(Values in parenthesis are indicative values)	
ECRM-D 777-1	Silica brick - powder	100 g
	Year of issue: 1983	
	Certified values	
	Si..... 44.44 ± 0.15 %	MgO..... 0.071 ± 0.012 %
	SiO <sub>2</sub> ..... 95.06 ± 0.32 %	Al..... 0.42 ± 0.02 %
	Ca..... 2.02 ± 0.08 %	Al <sub>2</sub> O <sub>3</sub> ..... 0.80 ± 0.04 %
	CaO..... 2.83 ± 0.10 %	Fe..... 0.23 ± 0.03 %
	Mg..... 0.043 ± 0.007 %	Fe <sub>2</sub> O <sub>3</sub> ..... 0.33 ± 0.04 %
		K..... 0.13 ± 0.02 %
		K <sub>2</sub> O..... 0.15 ± 0.02 %
		Na..... 0.02 %
		Ti..... 0.27 ± 0.02 %
ECRM-B 776-1	Firebrick - powder	100 g
	Year of issue: 1983	
	Certified values	
	Si..... 29.34 ± 0.18 %	BaO..... 0.122 ± 0.011 %
	SiO <sub>2</sub> ..... 62.76 ± 0.39 %	Cr..... 0.015 ± 0.002 %
	Ca..... 0.221 ± 0.013 %	Cr <sub>2</sub> O <sub>3</sub> ..... 0.022 ± 0.003 %
	CaO..... 0.310 ± 0.018 %	Fe..... 0.999 ± 0.017 %
	Mg..... 0.287 ± 0.010 %	Fe <sub>2</sub> O <sub>3</sub> ..... 1.43 ± 0.02 %
	MgO..... 0.476 ± 0.016 %	K..... 2.42 ± 0.05 %
	Al..... 15.50 ± 0.12 %	K <sub>2</sub> O..... 2.92 ± 0.07 %
	Al <sub>2</sub> O <sub>3</sub> ..... 29.28 ± 0.22 %	Li..... 0.009 ± 0.001 %
	Ba..... 0.109 ± 0.010 %	Li <sub>2</sub> O..... 0.019 ± 0.002 %
		Na..... 0.362 ± 0.015 %
		Na <sub>2</sub> O..... 0.488 ± 0.020 %
		P..... 0.027 ± 0.003 %
		P <sub>2</sub> O <sub>5</sub> ..... 0.062 ± 0.007 %
		Ti..... 0.969 ± 0.015 %
		TiO <sub>2</sub> ..... 1.62 ± 0.03 %
		Zr..... (0.030) %
		L.O.I.*..... (0.3) %
	(Values in parenthesis are indicative values)	
	* Loss On Ignition	
ECRM-D 779-1	Magnesite - powder	100 g
	Year of issue: 1991	
	Certified values	
	Si..... 0.182 ± 0.015 %	B..... 0.0116 ± 0.0012 %
	Ca..... 1.691 ± 0.023 %	Cr..... (0.0030) %
	Mg..... (54.57) %	Fe..... 3.73 ± 0.06 %
	Al..... 0.105 ± 0.007 %	K..... (0.0020) %
		Mn..... 0.503 ± 0.017 %
		Na..... (0.0058) %
		P..... 0.0267 ± 0.0026 %
		Ti..... 0.0081 ± 0.0012 %
	(Values in parenthesis are indicative values)	
ECRM-B 781-1	Silicon carbide refractory with 35.6% silicon and 48.3% carbon - powder	100 g
	Year of issue: 1993	
	Certified values	
	Si..... 35.56 ± 0.28 %	Cfrei..... (37.22) %
	Ca..... (0.0433) %	Fe..... (0.806) %
	Mg..... (0.0421) %	K..... (0.3765) %
	Al..... 4.39 ± 0.04 %	Mn..... (0.0274) %
	B..... (0.0149) %	Mo..... (0.0264) %
	C..... 48.25 ± 0.11 %	N..... (0.0282) %
		Na..... (0.0308) %
		Ni..... (0.0210) %
		P..... (0.0117) %
		Ti..... (0.0320) %
		V..... (0.0216) %
	(Values in parenthesis are indicative values)	
ECRM-B 783-1	Tungsten carbide - powder	100 g
	Year of issue: 2005	
	Certified values	
	C..... 6.188 ± 0.011+ %	Fe..... 0.0022 ± 0.0002+ %
	C <sub>free</sub> ..... (0.042) %	O..... (0.016) %
	(Values in parenthesis are indicative values)	
NCS DC60112	Gypsum - Constituents	50 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 0.34 %	H <sub>2</sub> O <sup>+</sup> ..... 0.39 %
	CaO..... 39.24 %	K <sub>2</sub> O..... 0.094 %
	Cl..... 0.033 %	MgO..... 1.74 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.16 %	Na <sub>2</sub> O..... 0.065 %
		SiO <sub>2</sub> ..... 1.68 %
		SO <sub>3</sub> ..... 51.91 %
		TiO <sub>2</sub> ..... 0.016 %
		L.O.I.*..... 4.55 %
	Indicative values for CO <sub>2</sub> , SrO	
	* Loss On Ignition	
NCS DC60113	Gypsum - Constituents	50 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 1.92 %	H <sub>2</sub> O <sup>+</sup> ..... 14.27 %
	CaO..... 28.50 %	K <sub>2</sub> O..... 0.38 %
	Cl..... 0.019 %	MgO..... 4.92 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.63 %	Na <sub>2</sub> O..... 0.021 %
		SiO <sub>2</sub> ..... 7.27 %
		SO <sub>3</sub> ..... 32.55 %
		TiO <sub>2</sub> ..... 0.10 %
	Indicative values for CO <sub>2</sub> , SrO, L.O.I.*	
	* Loss On Ignition	

## Rocks, ceramic materials and minerals

Code	Product	Unit
NCS DC60115	Gypsum - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.14 %      H <sub>2</sub> O <sup>+</sup> ..... 17.95 %      SiO <sub>2</sub> ..... 0.63 % CaO ..... 32.30 %      K <sub>2</sub> O ..... 0.026 %      SO <sub>3</sub> ..... 40.72 % Cl ..... 0.0032 %      MgO ..... 2.47 %      TiO <sub>2</sub> ..... 0.010 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.11 %      Na <sub>2</sub> O ..... 0.014 %      L.O.I.* ..... 23.60 % Indicative values for CO <sub>2</sub> , SrO * Loss On Ignition	50 g
NCS DC14022	Fluorspar - Constituents Certified values CaF <sub>2</sub> ..... 94.91 %      Na <sub>2</sub> O ..... 0.005 %      SiO <sub>2</sub> ..... 4.72 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.096 %      P ..... 0.0025 % K <sub>2</sub> O ..... 0.019 %      S ..... 0.029 % Indicative value for CaCO <sub>3</sub>	65 g
NCS DC14023	Fluorspar - Constituents Certified values CaF <sub>2</sub> ..... 90.87 %      Na <sub>2</sub> O ..... 0.005 %      SiO <sub>2</sub> ..... 8.35 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.124 %      P ..... 0.0031 % K <sub>2</sub> O ..... 0.026 %      S ..... 0.090 % Indicative value for CaCO <sub>3</sub>	65 g
NCS DC14024	Fluorspar - Constituents Certified values CaF <sub>2</sub> ..... 92.57 %      Na <sub>2</sub> O ..... 0.006 %      SiO <sub>2</sub> ..... 6.84 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.124 %      P ..... 0.0024 % K <sub>2</sub> O ..... 0.029 %      S ..... 0.043 % Indicative value for CaCO <sub>3</sub>	65 g
NCS DC14025	Fluorspar - Constituents Certified values CaF <sub>2</sub> ..... 85.21 %      Na <sub>2</sub> O ..... 0.005 %      SiO <sub>2</sub> ..... 14.15 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.209 %      P ..... 0.0013 % K <sub>2</sub> O ..... 0.044 %      S ..... 0.045 % Indicative value for CaCO <sub>3</sub>	65 g
<b>New</b> NCS DC14026A	Fluorspar - Constituents Certified values CaCO <sub>3</sub> ..... 0.44 %      K <sub>2</sub> O ..... 0.024 %      S ..... 0.011 % CaF <sub>2</sub> ..... 98.55 %      Na <sub>2</sub> O ..... 0.005 %      SiO <sub>2</sub> ..... 0.70 % Total Fe ..... 0.44 %      P ..... 0.0075 %	65 g
BAS-BCS-CRM 392	Fluorspar Certified values SiO <sub>2</sub> ..... 0.67 %      BaO ..... 0.37 %      Pb ..... 0.18 % CaF <sub>2</sub> ..... 97.2 %      S ..... 0.12 % CaO ..... 0.52 %      CO <sub>2</sub> ..... 0.48 %	100 g
NIST-79a	Fluorspar, customs grade - Calcium fluoride Certified value CaF <sub>2</sub> ..... 297.39 %	120 g
NIST-180	Fluorspar, high grade - Calcium fluoride Certified value CaF <sub>2</sub> ..... 98.80 %	120 g
NCS DC60116	Siliceous sandstone - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.84 %      K <sub>2</sub> O ..... 0.061 %      TiO <sub>2</sub> ..... 0.020 % CaO ..... 0.077 %      MgO ..... 0.066 %      L.O.I.* ..... 0.24 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.00034 %      Na <sub>2</sub> O ..... 0.021 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.093 %      SiO <sub>2</sub> ..... 98.51 % Indicative values for MnO, P <sub>2</sub> O <sub>5</sub> * Loss On Ignition	60 g
<b>New</b> NIM-GBW03113	Siliceous sandstone - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 2.36 %      K <sub>2</sub> O ..... 0.67 %      TiO <sub>2</sub> ..... 0.036 % CaO ..... 0.17 %      MgO ..... 0.098 %      L.O.I.* ..... 0.35 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.00054 %      Na <sub>2</sub> O ..... 0.25 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.21 %      SiO <sub>2</sub> ..... 95.74 % Indicative values for MnO, P <sub>2</sub> O <sub>5</sub> * Loss On Ignition	60 g

# Rocks, ceramic materials and minerals

Code	Product	Unit
NCS DC60118	Siliceous sandstone - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 5.48 %      K <sub>2</sub> O ..... 2.07 %      TiO <sub>2</sub> ..... 0.102 % CaO ..... 0.34 %      MgO ..... 0.16 %      L.O.I.* ..... 0.53 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.0012 %      Na <sub>2</sub> O ..... 1.09 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.48 %      SiO <sub>2</sub> ..... 89.54 % Indicative values for MnO, P <sub>2</sub> O <sub>5</sub> * Loss On Ignition	60 g
NCS DC60122	Kaolin - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 31.41 %      MgO ..... 0.12 %      SO <sub>3</sub> ..... 0.53 % CaO ..... 0.052 %      MnO ..... 0.0032 %      TiO <sub>2</sub> ..... 0.69 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.50 %      Na <sub>2</sub> O ..... 0.015 %      L.O.I.* ..... 11.94 % H <sub>2</sub> O <sup>+</sup> ..... 11.72 %      P <sub>2</sub> O <sub>5</sub> ..... 0.099 % K <sub>2</sub> O ..... 0.34 %      SiO <sub>2</sub> ..... 54.55 % Indicative values for CO <sub>2</sub> , FeO * Loss On Ignition	50 g
NCS DC60123	Kaolin - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 38.62 %      MgO ..... 0.068 %      SO <sub>3</sub> ..... 0.12 % CaO ..... 0.16 %      MnO ..... 0.0054 %      TiO <sub>2</sub> ..... 0.39 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.72 %      Na <sub>2</sub> O ..... 0.069 %      L.O.I.* ..... 15.00 % H <sub>2</sub> O <sup>+</sup> ..... 14.77 %      P <sub>2</sub> O <sub>5</sub> ..... 0.21 % K <sub>2</sub> O ..... 0.049 %      SiO <sub>2</sub> ..... 44.53 % * Loss On Ignition	50 g
NIST-278	Obsidian rock - Constituents Collected from Clear Lake, Newberry Crater, Oregon, USA. Certified values Al <sub>2</sub> O <sub>3</sub> ..... 14.15 %      MnO ..... 0.052 %      SiO <sub>2</sub> ..... 73.05 % CaO ..... 0.983 %      Na <sub>2</sub> O ..... 4.84 %      Sr ..... 63.5 mg/kg Cu ..... 5.9 mg/kg      Ni ..... 3.6 mg/kg      Th ..... 12.4 mg/kg FeO ..... 1.36 %      P <sub>2</sub> O <sub>5</sub> ..... 0.036 %      TiO <sub>2</sub> ..... 0.245 % Fe <sub>2</sub> O <sub>3</sub> ..... 2.04 %      Pb ..... 16.4 mg/kg      Tl ..... 0.54 mg/kg K <sub>2</sub> O ..... 4.16 %      Rb ..... 127.5 mg/kg      U ..... 4.58 mg/kg Indicative values for B, Ba, C (total Carbon), CO <sub>2</sub> , Ce, Co, Cr, Cs, Eu, F, Gd, Hf, Lu, MgO, Sb, Sc, Sm, Ta, Tb, Yb, Zn	35 g
NIST-688	Basalt rock - Constituents Collected from a Cenozoic basalt flow near Jackpot, Nevada, USA. Certified values Al <sub>2</sub> O <sub>3</sub> ..... 17.36 %      MnO ..... 0.167 %      SiO <sub>2</sub> ..... 48.4 % Cr ..... 332 mg/kg      Na <sub>2</sub> O ..... 2.15 %      Sr ..... 169.2 mg/kg FeO ..... 7.64 %      Pb ..... 3.3 mg/kg      Th ..... 0.33 mg/kg Fe <sub>2</sub> O <sub>3</sub> ..... 10.35 %      P <sub>2</sub> O <sub>5</sub> ..... 0.134 %      TiO <sub>2</sub> ..... 1.17 % K <sub>2</sub> O ..... 0.187 %      Rb ..... 1.91 mg/kg Indicative values for Ba, CO <sub>2</sub> , Ce, CaO, Co, Cu, Eu, F, Hf, Lu, MgO, Sm, Ni, Tb, Yb, V, Zn	60 g
NIST-120c	Phosphate rock, Florida - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.30 %      MnO ..... 0.027 %      U <sub>3</sub> O <sub>8</sub> ..... 0.0135 % Fe <sub>2</sub> O <sub>3</sub> ..... 1.08 %      Na <sub>2</sub> O ..... 0.52 %      V <sub>2</sub> O <sub>3</sub> ..... 0.016 % K <sub>2</sub> O ..... 0.147 %      TiO <sub>2</sub> ..... 0.103 % Values for the AFPC-method-Dependent concentrations also available	90 g
NIST-694	Phosphate rock, western - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.8 %      K <sub>2</sub> O ..... 0.51 %      SiO <sub>2</sub> ..... 11.2 % CaO ..... 43.6 %      MgO ..... 0.33 %      U ..... 0.01414 % CdO ..... 0.015 %      MnO ..... 0.0116 %      V <sub>2</sub> O <sub>5</sub> ..... 0.031 % F ..... 3.2 %      Na <sub>2</sub> O ..... 0.086 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.79 %      P <sub>2</sub> O <sub>5</sub> ..... 30.2 % Indicative values for, Cr <sub>2</sub> O <sub>3</sub> , ZnO, TiO <sub>2</sub>	90 g
NIST-2780	Hard rock mine waste - elements This Standard Reference Material (SRM <sup>®</sup> ) is intended for use in the evaluation of methods and for the calibration of apparatus used to determine heavy metals and other elements in hard rock mine waste and materials of a similar matrix. Certified values Al ..... 8.87 %      Mg ..... 0.533 %      Zn ..... 0.257 % Ca ..... 0.195 %      K ..... 3.38 %      As ..... 48.8 mg/kg Fe ..... 2.784 %      Na ..... 0.221 %      Cd ..... 12.10 mg/kg Pb ..... 0.577 %      S ..... 1.263 %      Hg ..... 0.710 mg/kg	50 g

## Rocks, ceramic materials and minerals

Code	Product	Unit
NCS DC79001	Phosphate rock - Constituents Certified values	50 g
	Al <sub>2</sub> O <sub>3</sub> ..... 0.58 %      I ..... 0.0052 %      P <sub>2</sub> O <sub>5</sub> ..... 36.89 %	
	CaO ..... 51.32 %      K <sub>2</sub> O ..... 0.17 %      SiO <sub>2</sub> ..... 3.26 %	
	CO <sub>2</sub> ..... 2.15 %      MgO ..... 0.43 %      SrO ..... 0.077 %	
	F ..... 3.54 %      MnO ..... 0.024 %      TiO <sub>2</sub> ..... 0.037 %	
	Fe <sub>2</sub> O <sub>3</sub> ..... 1.04 %      Na <sub>2</sub> O ..... 0.33 %	
NCS DC79002	Phosphate rock - Constituents Certified values	50 g
	Al <sub>2</sub> O <sub>3</sub> ..... 2.58 %      I ..... 0.0059 %      P <sub>2</sub> O <sub>5</sub> ..... 20.89 %	
	CaO ..... 40.72 %      K <sub>2</sub> O ..... 0.28 %      SiO <sub>2</sub> ..... 3.61 %	
	CO <sub>2</sub> ..... 18.46 %      MgO ..... 8.19 %      SrO ..... 0.16 %	
	F ..... 2.05 %      MnO ..... 0.015 %      TiO <sub>2</sub> ..... 0.14 %	
	Fe <sub>2</sub> O <sub>3</sub> ..... 1.08 %      Na <sub>2</sub> O ..... 0.059 %      Total S ..... 0.79 %	
IC-CTA-AC-1	Apatite concentrate Apatite concentrate originating from Kola Peninsula used as a raw material for the production of phosphoric acid. Certified values	50 g
	Ba ..... 767 mg/kg      Lu ..... 1.08 mg/kg      Th ..... 21.8 mg/kg	
	Ca ..... 32.7 wt. %      Mn ..... 317 mg/kg      Ti ..... 2927 mg/kg	
	Ce ..... 3326 mg/kg      Na ..... 3841 mg/kg      U ..... 4.4 mg/kg	
	Co ..... 2.72 mg/kg      Nd ..... 1087 mg/kg      V ..... 104 mg/kg	
	Cu ..... 54.0 mg/kg      Sc ..... 0.244 mg/kg      Y ..... 272 mg/kg	
	Eu ..... 46.7 mg/kg      Si ..... 0.57 wt. %      Yb ..... 11.4 mg/kg	
	Gd ..... 124 mg/kg      Sm ..... 162 mg/kg      Zn ..... 38.0 mg/kg	
	Hf ..... 1.13 mg/kg      Ta ..... 2.65 mg/kg	
	La ..... 2176 mg/kg      Tb ..... 13.9 mg/kg	
	Informational values for Al, Fe, Sr, Cr, Dy, Er, Ho, K, Mg, Ni, Pr and Zr.	
NCS DC72302	Ultrabasic rocks - Constituents Certified and indicative values for a wide range of constituent elements and oxides.	150 g
<b>New</b> NIM-GBW07127	Carbonate rock - Constituents Certified values	50 g
	Ag ..... 0.020±0.010 µg/g      Rb ..... 1.2±0.2 µg/g      Dy ..... 0.12±0.02 µg/g	
	As ..... 0.50±0.05 µg/g      Sc ..... 0.40±0.16 µg/g      Ho ..... 0.034±0.010 µg/g	
	Ba ..... 9.7±0.9 µg/g      Sb ..... 0.08±0.01 µg/g      Er ..... 0.09±0.02 µg/g	
	Be ..... 0.08±0.02 µg/g      Se ..... 0.014±0.003 µg/g      Tm ..... 0.018±0.006 µg/g	
	Bi ..... 0.015±0.004 µg/g      Sr ..... 227±12 µg/g      Yb ..... 0.11±0.02 µg/g	
	Cd ..... 0.10±0.03 µg/g      Ta ..... (0.06) µg/g      Lu ..... 0.019±0.003 µg/g	
	Cl ..... 34±15 µg/g      Te ..... 0.008±0.003 µg/g      Y ..... 1.2±0.2 µg/g	
	Co ..... 0.45±0.08 µg/g      Th ..... 0.25±0.07 µg/g      SiO <sub>2</sub> ..... 0.55±0.05 %	
	Cr ..... 4.8±1.2 µg/g      Ti ..... 66±6 µg/g      Al <sub>2</sub> O <sub>3</sub> ..... 0.17±0.02 %	
	Cs ..... 0.07±0.03 µg/g      Tl ..... 0.022±0.016 µg/g      Fe <sub>2</sub> O <sub>3</sub> (T) ..... 0.193±0.004 %	
	Cu ..... 2.2±0.5 µg/g      U ..... 0.59±0.07 µg/g      MgO ..... 6.76±0.08 %	
	F ..... 76±19 µg/g      V ..... 4.8±1.1 µg/g      CaO ..... 47.89±0.12 %	
	Ga ..... 0.3±0.2 µg/g      W ..... 0.17±0.05 µg/g      Na <sub>2</sub> O ..... 0.022±0.004 %	
	Ge ..... 0.11±0.06 µg/g      Zn ..... 8.1±2.0 µg/g      K <sub>2</sub> O ..... 0.043±0.002 %	
	Hf ..... 1.4±0.4 µg/g      Zr ..... 53.7±2.8 µg/g      TiO <sub>2</sub> ..... 0.011±0.001 %	
	Hg ..... 0.004±0.001 µg/g      La ..... 0.9±0.1 µg/g      MnO ..... 0.009±0.001 %	
	Li ..... 2.9±1.0 µg/g      Ce ..... 1.4±0.2 µg/g      P <sub>2</sub> O <sub>5</sub> ..... 0.008±0.001 %	
	Mn ..... 70±4 µg/g      Pr ..... 0.22±0.08 µg/g      SO <sub>3</sub> ..... 0.017±0.004 %	
	Mo ..... 0.35±0.07 µg/g      Nd ..... 0.66±0.08 µg/g      H <sub>2</sub> O <sup>+</sup> ..... 0.37±0.16 %	
	Nb ..... 0.3±0.1 µg/g      Sm ..... 0.15±0.03 µg/g      FeO ..... 0.15±0.01 %	
	Ni ..... 5.8±1.0 µg/g      Eu ..... 0.037±0.006 µg/g      CO <sub>2</sub> ..... 44.39±0.15 %	
	P ..... 35±3 µg/g      Gd ..... 0.13±0.03 µg/g      L.O.I ..... 43.92±0.20 %	
	Pb ..... 2.9±1.0 µg/g      Tb ..... 0.022±0.003 µg/g	
	Indicative values for C(org), Br, B, I, In, Sn	



# Rocks, ceramic materials and minerals

Code	Product	Unit			
NCS DC70302	Carbonate rock - Constituents	50 g			
Certified values					
Ag	0.021±0.016 µg/g	Rb	1.6±0.1 µg/g	Dy	0.15±0.02 µg/g
As	0.29±0.05 µg/g	Sc	0.5±0.2 µg/g	Ho	0.034±0.006 µg/g
Ba	11.6±0.9 µg/g	Sb	0.09±0.02 µg/g	Er	0.12±0.04 µg/g
Be	0.12±0.02 µg/g	Se	0.015±0.004 µg/g	Tm	0.020±0.007 µg/g
Bi	0.020±0.002 µg/g	Sr	191±10 µg/g	Yb	0.13±0.03 µg/g
Cd	0.09±0.02 µg/g	Ta	0.05±0.03 µg/g	Lu	0.022±0.004 µg/g
Cl	34±17 µg/g	Te	0.008±0.004 µg/g	Y	1.4±0.2 µg/g
Co	0.5±0.1 µg/g	Th	0.25±0.05 µg/g	SiO <sub>2</sub>	0.72±0.04 %
Cr	5.6±1.9 µg/g	Ti	132±24 µg/g	Al <sub>2</sub> O <sub>3</sub>	0.22±0.01 %
Cs	0.09±0.02 µg/g	Tl	0.023±0.009 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	0.205±0.004 %
Cu	2.2±0.6 µg/g	U	0.39±0.05 µg/g	MgO	11.62±0.10 %
F	91±19 µg/g	V	5.0±0.8 µg/g	CaO	41.95±0.14 %
Ga	0.33±0.05 µg/g	W	0.18±0.04 µg/g	Na <sub>2</sub> O	0.029±0.005 %
Ge	0.12±0.06 µg/g	Zn	9.5±2.3 µg/g	K <sub>2</sub> O	0.052±0.004 %
Hf	2.1±0.4 µg/g	Zr	76.8±2.5 µg/g	TiO <sub>2</sub>	0.022±0.004 %
Hg	0.015±0.001 µg/g	La	1.2±0.1 µg/g	MnO	0.009±0.001 %
Li	3.1±0.9 µg/g	Ce	1.9±0.4 µg/g	P <sub>2</sub> O <sub>5</sub>	0.014±0.003 %
Mn	70±5 µg/g	Pr	0.24±0.03 µg/g	SO <sub>3</sub>	0.013±0.003 %
Mo	0.26±0.08 µg/g	Nd	0.86±0.08 µg/g	H <sub>2</sub> O <sup>+</sup>	0.31±0.10 %
Nb	0.46±0.04 µg/g	Sm	0.19±0.03 µg/g	FeO	0.16±0.01 %
Ni	4.3±1.1 µg/g	Eu	0.052±0.007 µg/g	CO <sub>2</sub>	44.89±0.08 %
P	62±10 µg/g	Gd	0.16±0.03 µg/g	L.O.I.	44.75±0.18 %
Pb	3.9±1.0 µg/g	Tb	0.031±0.007 µg/g		
Indicative values for C(org), H <sub>2</sub> O <sup>-</sup> , Br, B, I, In, Sn					

Code	Product	Unit			
NCS DC70303	Carbonate rock - Constituents	50 g			
Certified values					
Ag	0.016±0.002 µg/g	Li	2.7±1.3 µg/g	V	4.0±1.3 µg/g
As	0.78±0.06 µg/g	Lu	0.13±0.02 µg/g	W	0.13±0.03 µg/g
Ba	8.0±1.8 µg/g	Mn	232±78 µg/g	Y	6.1±1.2 µg/g
Be	0.09±0.02 µg/g	Mo	0.18±0.08 µg/g	Yb	0.68±0.12 µg/g
Bi	0.011±0.001 µg/g	Nb	0.34±0.09 µg/g	Zn	6.4±1.4 µg/g
Br	0.4±0.1 µg/g	Nd	1.80±0.2 µg/g	Zr	443±22 µg/g
Cd	0.59±0.15 µg/g	P	99±15 µg/g	SiO <sub>2</sub>	0.30±0.03 %
Ce	2.2±0.3 µg/g	Pb	1.4±0.9 µg/g	Al <sub>2</sub> O <sub>3</sub>	0.15±0.01 %
Cl	50±6 µg/g	Pr	0.49±0.06 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	0.070±0.003 %
Cr	3.8±1.2 µg/g	Rb	0.6±0.2 µg/g	MgO	0.24±0.05 %
Cs	0.13±0.02 µg/g	Sb	0.15±0.02 µg/g	CaO	55.49±0.11 %
Cu	2.2±0.7 µg/g	Sc	0.50±0.09 µg/g	Na <sub>2</sub> O	0.014±0.004 %
Dy	0.51±0.08 µg/g	Se	0.007±0.003 µg/g	K <sub>2</sub> O	0.012±0.002 %
Er	0.50±0.10 µg/g	Sm	0.38±0.03 µg/g	TiO <sub>2</sub>	0.007±0.001 %
Eu	0.078±0.005 µg/g	Sr	87±5 µg/g	MnO	0.030±0.001 %
F	60±18 µg/g	Ta	0.04±0.02 µg/g	P <sub>2</sub> O <sub>5</sub>	0.023±0.004 %
Ga	0.3±0.1 µg/g	Tb	0.085±0.010 µg/g	SO <sub>3</sub>	0.011±0.004 %
Gd	0.39±0.05 µg/g	Te	0.009±0.003 µg/g	H <sub>2</sub> O <sup>+</sup>	0.23±0.06 %
Ge	0.10±0.06 µg/g	Th	0.54±0.06 µg/g	FeO	0.007±0.002 %
Hf	12.4±2.0 µg/g	Ti	42±6 µg/g	CO <sub>2</sub>	43.10±0.24 %
Hg	0.007±0.001 µg/g	Tl	0.04±0.02 µg/g	L.O.I.	43.30±0.19 %
Ho	0.13±0.03 µg/g	Tm	0.092±0.031 µg/g		
La	2.6±0.1 µg/g	U	0.66±0.1 µg/g		
Indicative values for C(org), H <sub>2</sub> O <sup>-</sup> , Co, Ni, B, I, In, Sn					

Code	Product	Unit			
NCS DC70304	Carbonate rock - Constituents	50 g			
Certified values					
As	0.17±0.05 µg/g	Lu	0.010±0.003 µg/g	W	0.13±0.03 µg/g
Ba	4.9±1.3 µg/g	Mn	31±5 µg/g	Y	0.7±0.1 µg/g
Be	0.06±0.02 µg/g	Mo	0.14±0.05 µg/g	Yb	0.063±0.014 µg/g
Bi	0.016±0.004 µg/g	Nb	0.3±0.1 µg/g	Zn	3.3±1.0 µg/g
Cd	0.05±0.02 µg/g	Nd	0.61±0.11 µg/g	Zr	6.3±2.9 µg/g
Ce	1.3±0.2 µg/g	Ni	50.5±3.1 µg/g	SiO <sub>2</sub>	1.08±0.05 %
Cl	28±11 µg/g	P	22±11 µg/g	Al <sub>2</sub> O <sub>3</sub>	0.18±0.02 %
Co	2.6±0.5 µg/g	Pb	1.7±0.8 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	0.222±0.003 %
Cr	54±18 µg/g	Pr	0.15±0.03 µg/g	MgO	1.42±0.04 %
Cs	0.10±0.04 µg/g	Rb	1.6±0.1 µg/g	CaO	54.08±0.09 %
Cu	2.1±0.7 µg/g	Sb	0.03±0.01 µg/g	Na <sub>2</sub> O	0.015±0.005 %
Dy	0.09±0.01 µg/g	Sc	0.4±0.1 µg/g	K <sub>2</sub> O	0.043±0.003 %
Er	0.06±0.02 µg/g	Sm	0.11±0.02 µg/g	TiO <sub>2</sub>	0.007±0.001 %
Eu	0.025±0.006 µg/g	Sr	173±9 µg/g	MnO	0.004±0.001 %
F	71±18 µg/g	Ta	0.03±0.01 µg/g	P <sub>2</sub> O <sub>5</sub>	0.005±0.002 %
Ga	0.3±0.1 µg/g	Tb	0.020±0.004 µg/g	SO <sub>3</sub>	0.014±0.005 %
Gd	0.10±0.02 µg/g	Te	0.009±0.002 µg/g	H <sub>2</sub> O <sup>+</sup>	0.14±0.04 %
Ge	0.12±0.07 µg/g	Th	0.24±0.07 µg/g	FeO	0.09±0.01 %
Hf	0.10±0.02 µg/g	Ti	42±6 µg/g	CO <sub>2</sub>	43.13±0.27 %
Hg	0.003±0.001 µg/g	Tm	0.021±0.013 µg/g	L.O.I.	42.64±0.11 %
Ho	0.022±0.005 µg/g	U	0.17±0.05 µg/g		
La	0.78±0.07 µg/g	V	3.6±1.2 µg/g		

## Rocks, ceramic materials and minerals

Code	Product	Unit
NCS DC70305	Carbonate rock - Constituents	50 g
	Certified values	
As.....	0.96±0.08 µg/g	Li .....3.1±0.7 µg/g
Ba.....	0.52±0.04 %	Lu .....0.015±0.004 µg/g
Be.....	0.08±0.02 µg/g	Mn .....93±8 µg/g
Bi.....	0.025±0.005 µg/g	Mo .....0.19±0.04 µg/g
Br.....	6.1±1.3 µg/g	Nb .....0.4±0.1 µg/g
Cd.....	0.02±0.01 µg/g	Nd .....1.10±0.07 µg/g
Ce.....	2.5±0.2 µg/g	Ni .....2.9±0.7 µg/g
Cl.....	343±24 µg/g	P .....155±10 µg/g
Co.....	0.52±0.24 µg/g	Pb .....2.9±0.7 µg/g
Cr.....	3.4±0.8 µg/g	Pr .....0.28±0.02 µg/g
Cs.....	0.13±0.04 µg/g	Rb .....2.6±0.2 µg/g
Cu.....	2.8±0.7 µg/g	Sb .....0.06±0.01 µg/g
Dy.....	0.17±0.02 µg/g	Sc .....0.4±0.2 µg/g
Er.....	0.10±0.01 µg/g	Se .....0.013±0.004 µg/g
Eu.....	0.14±0.07 µg/g	Sm .....0.26±0.04 µg/g
F.....	459±40 µg/g	Sr .....158±8 µg/g
Ga.....	0.31±0.03 µg/g	Ta .....0.06±0.05 µg/g
Gd.....	0.22±0.06 µg/g	Tb .....0.032±0.004 µg/g
Ge.....	0.12±0.09 µg/g	Te .....0.008±0.004 µg/g
Hf.....	0.13±0.07 µg/g	Th .....0.45±0.14 µg/g
Hg.....	0.006±0.001 µg/g	Ti .....78±12 µg/g
Ho.....	0.034±0.005 µg/g	Tl .....0.04±0.01 µg/g
La.....	1.3±0.1 µg/g	Tm .....0.017±0.004 µg/g
		U .....0.70±0.05 µg/g
		V .....5.1±1.2 µg/g
		W .....0.17±0.05 µg/g
		Y .....1.1±0.1 µg/g
		Yb .....0.10±0.02 µg/g
		Zn .....3.6±2.0 µg/g
		Zr .....4.9±1.6 µg/g
		SiO <sub>2</sub> .....1.15±0.05 %
		Al <sub>2</sub> O <sub>3</sub> .....0.29±0.02 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....0.17±0.01 %
		MgO .....20.14±0.15 %
		CaO .....30.93±0.13 %
		Na <sub>2</sub> O .....0.036±0.007 %
		K <sub>2</sub> O .....0.16±0.01 %
		TiO <sub>2</sub> .....0.013±0.002 %
		MnO .....0.012±0.001 %
		P <sub>2</sub> O <sub>5</sub> .....0.035±0.002 %
		SO <sub>3</sub> .....0.33±0.04 %
		H <sub>2</sub> O <sup>+</sup> .....0.39±0.12 %
		FeO .....0.07±0.01 %
		CO <sub>2</sub> .....45.58±0.14 %
		L.O.I. ....45.73±0.17 %
NCS DC70306	Carbonate rock - Constituents	50 g
	Certified values	
Ag.....	0.019±0.012 µg/g	Lu .....0.047±0.011 µg/g
As.....	3.7±0.2 µg/g	Mn .....689±46 µg/g
Ba.....	1.33%±0.11 %	Mo .....0.60±0.06 µg/g
Be.....	0.30±0.03 µg/g	Nb .....1.0±0.2 µg/g
Bi.....	0.058±0.006 µg/g	Nd .....3.42±0.32 µg/g
Cd.....	0.04±0.01 µg/g	Ni .....6.6±1.3 µg/g
Ce.....	8.1±0.4 µg/g	P .....527±27 µg/g
Cl.....	77±24 µg/g	Pb .....5.6±0.6 µg/g
Co.....	1.9±0.4 µg/g	Pr .....0.94±0.15 µg/g
Cr.....	8.1±1.3 µg/g	Rb .....10.6±0.6 µg/g
Cs.....	0.75±0.03 µg/g	Sb .....0.09±0.01 µg/g
Cu.....	8.3±1.1 µg/g	Sc .....1.1±0.2 µg/g
Dy.....	0.52±0.07 µg/g	Se .....0.018±0.004 µg/g
Er.....	0.31±0.06 µg/g	Sm .....0.74±0.10 µg/g
Eu.....	0.30±0.12 µg/g	Sr .....477±31 µg/g
F.....	835±99 µg/g	Ta .....0.11±0.04 µg/g
Ga.....	1.6±0.2 µg/g	Tb .....0.11±0.02 µg/g
Gd.....	0.69±0.29 µg/g	Te .....0.014±0.010 µg/g
Ge.....	0.16±0.08 µg/g	Th .....1.3±0.3 µg/g
Hf.....	0.3±0.1 µg/g	Ti .....288±18 µg/g
Ho.....	0.11±0.02 µg/g	Tl .....0.07±0.05 µg/g
La.....	4.1±0.5 µg/g	Tm .....0.052±0.009 µg/g
Li.....	5.1±1.1 µg/g	U .....0.94±0.07 µg/g
		V .....8.8±1.3 µg/g
		W .....0.19±0.05 µg/g
		Y .....3.1±0.5 µg/g
		Yb .....0.30±0.05 µg/g
		Zn .....13.7±2.2 µg/g
		Zr .....9.2±2.4 µg/g
		SiO <sub>2</sub> .....6.27±0.05 %
		Al <sub>2</sub> O <sub>3</sub> .....1.13±0.04 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....0.73±0.02 %
		MgO .....1.45±0.02 %
		CaO .....48.16±0.20 %
		Na <sub>2</sub> O .....0.05±0.01 %
		K <sub>2</sub> O .....0.40±0.02 %
		TiO <sub>2</sub> .....0.048±0.003 %
		MnO .....0.089±0.006 %
		P <sub>2</sub> O <sub>5</sub> .....0.121±0.006 %
		SO <sub>3</sub> .....0.98±0.08 %
		H <sub>2</sub> O <sup>+</sup> .....0.52±0.12 %
		FeO .....0.49±0.03 %
		CO <sub>2</sub> .....38.69±0.06 %
		L.O.I. ....39.07±0.13 %
NCS DC70308	Carbonate rock - Constituents	50 g
	Certified values	
Ag.....	0.035±0.013 µg/g	In .....(0.02) µg/g
As.....	5.5±0.3 µg/g	La .....0.9±0.1 µg/g
B.....	(2.3) µg/g	Li .....3.0±0.8 µg/g
Ba.....	10.6±1.2 µg/g	Lu .....0.035±0.006 µg/g
Be.....	0.15±0.02 µg/g	Mn .....209±8 µg/g
Bi.....	0.012±0.004 µg/g	Mo .....0.80±0.08 µg/g
Br.....	0.9±0.2 µg/g	Nb .....0.4±0.1 µg/g
Cd.....	0.39±0.12 µg/g	Nd .....0.89±0.07 µg/g
Ce.....	1.5±0.1 µg/g	Ni .....5.6±1.1 µg/g
Cl.....	123±25 µg/g	P .....40±9 µg/g
Co.....	0.5±0.1 µg/g	Pb .....7.8±1.9 µg/g
Cr.....	9.7±1.5 µg/g	Pr .....0.21±0.03 µg/g
Cs.....	0.10±0.02 µg/g	Rb .....1.1±0.3 µg/g
Cu.....	2.9±0.6 µg/g	Sb .....0.59±0.11 µg/g
Dy.....	0.20±0.03 µg/g	Sc .....0.5±0.2 µg/g
Er.....	0.15±0.03 µg/g	Se .....0.10±0.02 µg/g
Eu.....	0.049±0.006 µg/g	Sm .....0.21±0.01 µg/g
F.....	179±16 µg/g	Sn .....(0.9) µg/g
Ga.....	0.4±0.1 µg/g	Sr .....85±4 µg/g
Gd.....	0.19±0.02 µg/g	Ta .....0.030±0.009 µg/g
Ge.....	0.11±0.07 µg/g	Tb .....0.035±0.005 µg/g
Hf.....	3.1±0.5 µg/g	Te .....0.016±0.012 µg/g
Hg.....	0.031±0.002 µg/g	Th .....0.29±0.04 µg/g
Ho.....	0.046±0.005 µg/g	Ti .....54±6 µg/g
I.....	(0.2) µg/g	Tl .....0.02±0.01 µg/g
		Tm .....0.030±0.009 µg/g
		U .....1.13±0.07 µg/g
		V .....7.5±0.8 µg/g
		W .....0.13±0.03 µg/g
		Y .....1.8±0.1 µg/g
		Yb .....0.19±0.03 µg/g
		Zn .....35.7±2.9 µg/g
		Zr .....113±14 µg/g
		SiO <sub>2</sub> .....1.17±0.04 %
		Al <sub>2</sub> O <sub>3</sub> .....0.18±0.02 %
		Fe <sub>2</sub> O <sub>3</sub> (T).....0.448±0.009 %
		MgO .....14.96±0.07 %
		CaO .....38.08±0.12 %
		Na <sub>2</sub> O .....0.030±0.006 %
		K <sub>2</sub> O .....0.026±0.004 %
		TiO <sub>2</sub> .....0.009±0.001 %
		MnO .....0.027±0.001 %
		P <sub>2</sub> O <sub>5</sub> .....0.009±0.002 %
		SO <sub>3</sub> .....0.041±0.009 %
		H <sub>2</sub> O <sup>+</sup> .....0.42±0.18 %
		FeO .....0.05±0.01 %
		CO <sub>2</sub> .....45.62±0.15 %
		L.O.I. ....44.61±0.19 %

# Rocks, ceramic materials and minerals

Code	Product	Unit			
NCS DC70309	Carbonate rock - Constituents	50 g			
	Certified values				
Ag	0.045±0.020 µg/g	La	12.5±1.2 µg/g	U	1.04±0.06 µg/g
As	2.2±0.2 µg/g	Li	11.8±1.5 µg/g	V	38.5±1.9 µg/g
Ba	101±5 µg/g	Lu	0.091±0.020 µg/g	W	0.25±0.07 µg/g
Be	0.56±0.08 µg/g	Mn	318±8 µg/g	Y	8.0±0.9 µg/g
Bi	0.050±0.005 µg/g	Mo	0.60±0.07 µg/g	Yb	0.60±0.10 µg/g
Br	0.5±0.1 µg/g	Nb	6.5±1.3 µg/g	Zn	24.5±3.1 µg/g
Cd	0.15±0.03 µg/g	Nd	11.0±0.8 µg/g	Zr	47.0±7.6 µg/g
Ce	26.0±2.3 µg/g	Ni	19.2±1.8 µg/g	SiO <sub>2</sub>	11.07±0.07 %
Cl	96±46 µg/g	P	410±11 µg/g	Al <sub>2</sub> O <sub>3</sub>	3.03±0.04 %
Co	7.0±0.7 µg/g	Pb	5.9±1.2 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	1.77±0.04 %
Cr	34.0±4.3 µg/g	Pr	2.84±0.40 µg/g	MgO	1.36±0.03 %
Cs	1.98±0.12 µg/g	Rb	19.2±0.8 µg/g	CaO	43.76±0.09 %
Cu	18.7±1.3 µg/g	Sb	0.27±0.03 µg/g	Na <sub>2</sub> O	0.17±0.02 %
Dy	1.39±0.19 µg/g	Sc	3.5±0.7 µg/g	K <sub>2</sub> O	0.88±0.03 %
Er	0.75±0.14 µg/g	Se	0.24±0.03 µg/g	TiO <sub>2</sub>	0.430±0.008 %
Eu	0.53±0.04 µg/g	Sm	2.11±0.21 µg/g	MnO	0.041±0.002 %
F	454±31 µg/g	Sr	688±25 µg/g	P <sub>2</sub> O <sub>5</sub>	0.094±0.003 %
Ga	3.7±0.5 µg/g	Ta	0.45±0.06 µg/g	SO <sub>3</sub>	1.18±0.13 %
Gd	1.81±0.23 µg/g	Tb	0.29±0.04 µg/g	H <sub>2</sub> O <sup>+</sup>	0.97±0.39 %
Ge	0.28±0.11 µg/g	Te	0.023±0.008 µg/g	FeO	0.79±0.07 %
Hf	1.2±0.2 µg/g	Th	1.9±0.1 µg/g	CO <sub>2</sub>	35.52±0.55 %
Hg	0.026±0.002 µg/g	Ti	0.258±0.005 µg/g	L.O.I.	36.57±0.16 %
Ho	0.25±0.06 µg/g	Tm	0.099±0.02 µg/g		
NCS DC70310	Carbonate rock - Constituents	50 g			
	Certified values				
Ag	0.022±0.013 µg/g	P	542±24 µg/g	Eu	0.024±0.008 µg/g
As	1.3±0.1 µg/g	Pb	156±4 µg/g	Gd	0.087±0.026 µg/g
Ba	25.6±1.9 µg/g	Rb	0.34±0.08 µg/g	Tb	0.016±0.006 µg/g
Be	0.12±0.02 µg/g	Sc	0.3±0.2 µg/g	Dy	0.063±0.019 µg/g
Bi	0.020±0.003 µg/g	Sb	0.04±0.01 µg/g	Er	0.042±0.015 µg/g
Br	0.5±0.1 µg/g	Se	0.019±0.008 µg/g	Yb	0.043±0.015 µg/g
Cd	0.03±0.01 µg/g	Sr	243±12 µg/g	Lu	0.007±0.003 µg/g
Cl	90±18 µg/g	Ta	0.030±0.015 µg/g	Y	0.42±0.09 µg/g
Co	0.19±0.04 µg/g	Te	0.007±0.004 µg/g	SiO <sub>2</sub>	8.25±0.06 %
Cr	6.0±3.8 µg/g	Th	0.15±0.02 µg/g	Al <sub>2</sub> O <sub>3</sub>	0.10±0.02 %
Cs	0.08±0.02 µg/g	Ti	16±4 µg/g	Fe <sub>2</sub> O <sub>3</sub> (T)	0.057±0.003 %
Cu	1.8±0.5 µg/g	Tl	0.014±0.013 µg/g	MgO	18.00±0.11 %
F	581±49 µg/g	U	0.23±0.04 µg/g	CaO	33.07±0.09 %
Ga	0.24±0.05 µg/g	V	2.9±1.3 µg/g	Na <sub>2</sub> O	0.026±0.007 %
Ge	0.68±0.29 µg/g	W	0.22±0.05 µg/g	K <sub>2</sub> O	0.010±0.003 %
Hf	0.2±0.1 µg/g	Zn	10.5±1.5 µg/g	TiO <sub>2</sub>	0.003±0.001 %
Hg	0.003±0.001 µg/g	Zr	5.2±2.9 µg/g	MnO	0.027±0.001 %
Li	25.4±4.0 µg/g	La	0.8±0.1 µg/g	P <sub>2</sub> O <sub>5</sub>	0.124±0.006 %
Mn	209±8 µg/g	Ce	1.3±0.2 µg/g	H <sub>2</sub> O <sup>+</sup>	1.83±0.16 %
Mo	0.22±0.08 µg/g	Pr	0.13±0.01 µg/g	FeO	0.030±0.006 %
Nb	0.2±0.1 µg/g	Nd	0.48±0.13 µg/g	L.O.I.	39.73±0.27 %
Ni	1.6±0.5 µg/g	Sm	0.090±0.024 µg/g		
New NIM-GBW07103	Rock - Constituents	70 g			
	Certified values				
Ag	0.033±0.010 µg/g	Ho	2.05±0.22 µg/g	Th	54±4 µg/g
As	2.1±0.5 µg/g	La	54±5 µg/g	Ti	1720±100 µg/g
B	24±4 µg/g	Li	131±7 µg/g	Tl	1.93±0.55 µg/g
Ba	343±45 µg/g	Lu	1.15±0.12 µg/g	Tm	1.06±0.11 µg/g
Be	12.4±2.1 µg/g	Mn	463±27 µg/g	U	18.8±2.2 µg/g
Bi	0.53±0.09 µg/g	Mo	3.5±0.3 µg/g	V	24±3 µg/g
Cd	0.029±0.014 µg/g	Nb	40±4 µg/g	W	8.4±0.7 µg/g
Ce	108±11 µg/g	Nd	47±5 µg/g	Y	62±7 µg/g
Cl	127±19 µg/g	Ni	2.3±1.2 µg/g	Yb	7.4±0.7 µg/g
Co	3.4±1.0 µg/g	P	405±30 µg/g	Zn	28±4 µg/g
Cr	3.6±1.1 µg/g	Pb	31±4 µg/g	Zr	167±14 µg/g
Cs	38.4±1.5 µg/g	Pr	12.7±0.8 µg/g	SiO <sub>2</sub>	72.83±0.15 %
Cu	3.2±1.3 µg/g	Rb	466±26 µg/g	Al <sub>2</sub> O <sub>3</sub>	13.40±0.11 %
Dy	10.2±0.5 µg/g	S	380±43 µg/g	TFe <sub>2</sub> O <sub>3</sub>	2.14±0.08 %
Er	6.5±0.4 µg/g	Sb	0.21±0.09 µg/g	FeO	1.02±0.06 %
Eu	0.85±0.10 µg/g	Sc	6.1±0.6 µg/g	MgO	0.42±0.05 %
F	2350±200 µg/g	Sm	9.7±1.2 µg/g	CaO	1.55±0.07 %
Ga	19±2 µg/g	Sn	12.5±2.0 µg/g	Na <sub>2</sub> O	3.13±0.09 %
Gd	9.3±0.8 µg/g	Sr	106±9 µg/g	K <sub>2</sub> O	5.01±0.10 %
Ge	2.0±0.3 µg/g	Ta	7.2±0.7 µg/g	H <sub>2</sub> O <sup>+</sup>	0.60±0.07 %
Hf	6.3±0.8 µg/g	Tb	1.65±0.13 µg/g		
Hg	0.0041±0.0016 µg/g	Te	0.021±0.005 µg/g		

Code	Product	Unit
<b>New</b> NIM-GBW07104	Rock - Constituents	70 g
	Certified values	
Ag .....	0.071±0.014 µg/g	Ho.....0.34±0.03 µg/g
As.....	2.1±0.6 µg/g	In.....0.037±0.010 µg/g
B.....	4.7±1.2 µg/g	La.....22±3 µg/g
Ba.....	1020±70 µg/g	Li.....18.3±1.4 µg/g
Be.....	1.1±0.2 µg/g	Lu.....0.12±0.04 µg/g
Bi.....	0.081±0.025 µg/g	Mn.....604±27 µg/g
Cd.....	0.061±0.021 µg/g	Mo.....0.54±0.14 µg/g
Ce.....	40±4 µg/g	Nb.....6.8±2.2 µg/g
Cl.....	46±15 µg/g	Nd.....19±2 µg/g
Co.....	13.2±1.5 µg/g	Ni.....17±2 µg/g
Cr.....	32±5 µg/g	P.....1030±37 µg/g
Cs.....	2.3±0.9 µg/g	Pb.....11.3±2.8 µg/g
Cu.....	55±4 µg/g	Pr.....4.9±0.4 µg/g
Dy.....	1.85±0.20 µg/g	Rb.....38±5 µg/g
Er.....	0.85±0.16 µg/g	S.....192±25 µg/g
Eu.....	1.02±0.07 µg/g	Sb.....0.12±0.06 µg/g
F.....	280±39 µg/g	Sc.....9.5±1.1 µg/g
Ga.....	18.1±2.1 µg/g	Sm.....3.4±0.3 µg/g
Gd.....	2.7±0.4 µg/g	Sn.....0.79±0.26 µg/g
Ge.....	0.93±0.16 µg/g	Sr.....790±54 µg/g
Hf.....	2.9±0.5 µg/g	Ta.....0.40±0.09 µg/g
Hg.....	0.012±0.004 µg/g	Tb.....0.41±0.07 µg/g
		Te.....0.017±0.004 µg/g
		Th.....2.6±0.4 µg/g
		Ti.....3090±140 µg/g
		Tl.....0.16±0.06 µg/g
		Tm.....0.15±0.05 µg/g
		U.....0.90±0.28 µg/g
		V.....94±6 µg/g
		Y.....9.3±1.8 µg/g
		Yb.....0.89±0.20 µg/g
		Zn.....71±7 µg/g
		Zr.....99±16 µg/g
		SiO <sub>2</sub> .....60.62±0.22 %
		Al <sub>2</sub> O <sub>3</sub> .....16.17±0.18 %
		TFe <sub>2</sub> O <sub>3</sub> .....4.90±0.09 %
		FeO.....2.39±0.11 %
		MgO.....1.72±0.08 %
		CaO.....5.20±0.11 %
		Na <sub>2</sub> O.....3.86±0.11 %
		K <sub>2</sub> O.....1.89±0.07 %
		CO <sub>2</sub> .....3.47±0.08 %
		LOI.....4.44±0.13 %
<b>New</b> NIM-GBW07105	Rock - Constituents	70 g
	Certified values	
Ag.....	0.040±0.012 µg/g	La.....56±7 µg/g
B.....	3.5±1.4 µg/g	Li.....9.5±1.3 µg/g
Ba.....	527±40 µg/g	Lu.....0.19±0.07 µg/g
Be.....	2.5±0.6 µg/g	Mn.....1310±94 µg/g
Bi.....	0.048±0.026 µg/g	Mo.....2.6±0.3 µg/g
Cd.....	0.067±0.024 µg/g	Nb.....68±12 µg/g
Ce.....	105±12 µg/g	Nd.....54±5 µg/g
Cl.....	114±26 µg/g	Ni.....140±11 µg/g
Co.....	46.5±5.2 µg/g	P.....4130±190 µg/g
Cr.....	134±16 µg/g	Pb.....7±4 µg/g
Cu.....	49±4 µg/g	Pr.....13.2±1.6 µg/g
Dy.....	5.6±0.3 µg/g	Rb.....37±6 µg/g
Er.....	2.0±0.3 µg/g	S.....100±20 µg/g
Eu.....	3.2±0.3 µg/g	Sb.....0.08±0.05 µg/g
F.....	700±68 µg/g	Sc.....15.2±1.8 µg/g
Ga.....	24.8±1.3 µg/g	Se.....0.073±0.035 µg/g
Gd.....	8.5±0.7 µg/g	Sm.....10.2±0.7 µg/g
Ge.....	0.98±0.23 µg/g	Sn.....2.0±0.6 µg/g
Hf.....	6.5±0.8 µg/g	Sr.....1100±100 µg/g
Hg.....	0.006±0.003 µg/g	Ta.....4.3±0.6 µg/g
Ho.....	0.88±0.05 µg/g	Tb.....1.2±0.2 µg/g
		Th.....6.0±1.2 µg/g
		Ti.....14200±610 µg/g
		Tm.....0.28±0.04 µg/g
		U.....1.4±0.4 µg/g
		V.....167±17 µg/g
		W.....0.4±0.2 µg/g
		Y.....22±5 µg/g
		Yb.....1.5±0.5 µg/g
		Zn.....150±15 µg/g
		Zr.....277±30 µg/g
		SiO <sub>2</sub> .....44.64±0.16 %
		Al <sub>2</sub> O <sub>3</sub> .....13.83±0.20 %
		TFe <sub>2</sub> O <sub>3</sub> .....13.40±0.29 %
		FeO.....7.60±0.16 %
		MgO.....7.77±0.26 %
		CaO.....8.81±0.14 %
		Na <sub>2</sub> O.....3.38±0.07 %
		K <sub>2</sub> O.....2.32±0.08 %
		H <sub>2</sub> O <sup>+</sup> .....2.86±0.19 %
NCS DC73304	Rock - Constituents	70 g
	Certified values	
Ag.....	0.062±0.010 µg/g	La.....21±2 µg/g
As.....	9.1±1.8 µg/g	Li.....11.1±0.7 µg/g
B.....	34±8 µg/g	Lu.....0.30±0.04 µg/g
Ba.....	143±22 µg/g	Mn.....155±10 µg/g
Be.....	0.97±0.15 µg/g	Mo.....0.76±0.21 µg/g
Bi.....	0.18±0.04 µg/g	Nb.....5.9±1.3 µg/g
Cd.....	0.060±0.025 µg/g	Nd.....21±3 µg/g
Ce.....	48±6 µg/g	Ni.....16.6±1.6 µg/g
Cl.....	44±9 µg/g	P.....970±61 µg/g
Co.....	6.4±0.8 µg/g	Pb.....7.6±1.2 µg/g
Cr.....	20±4 µg/g	Pr.....5.4±0.7 µg/g
Cs.....	1.8±0.4 µg/g	Rb.....29±3 µg/g
Cu.....	19±2 µg/g	S.....860±40 µg/g
Dy.....	4.1±0.5 µg/g	Sb.....0.60±0.16 µg/g
Er.....	2.0±0.4 µg/g	Sc.....4.2±0.4 µg/g
Eu.....	1.02±0.12 µg/g	Se.....0.08±0.03 µg/g
F.....	183±28 µg/g	Sm.....4.7±0.4 µg/g
Ga.....	5.3±1.1 µg/g	Sn.....1.1±0.2 µg/g
Gd.....	4.5±0.5 µg/g	Sr.....58±7 µg/g
Ge.....	1.16±0.26 µg/g	Ta.....0.38±0.03 µg/g
Hf.....	6.6±0.6 µg/g	Tb.....0.79±0.13 µg/g
Hg.....	0.008±0.003 µg/g	Te.....0.038±0.009 µg/g
Ho.....	0.75±0.16 µg/g	Th.....7.0±0.6 µg/g
		Ti.....1580±120 µg/g
		Tl.....0.36±0.07 µg/g
		Tm.....0.32±0.05 µg/g
		U.....2.1±0.4 µg/g
		V.....33±4 µg/g
		W.....1.2±0.3 µg/g
		Y.....21.5±3.3 µg/g
		Yb.....1.9±0.2 µg/g
		Zn.....20±3 µg/g
		Zr.....214±13 µg/g
		SiO <sub>2</sub> .....90.36±0.20 %
		Al <sub>2</sub> O <sub>3</sub> .....3.52±0.13 %
		TFe <sub>2</sub> O <sub>3</sub> .....3.22±0.10 %
		FeO.....0.61±0.06 %
		MgO.....0.082±0.031 %
		CaO.....0.30±0.05 %
		Na <sub>2</sub> O.....0.061±0.021 %
		K <sub>2</sub> O.....0.65±0.04 %
		H <sub>2</sub> O <sup>+</sup> .....1.01±0.09 %
		Org.C.....(0.05) %
		LOI.....1.10±0.07 %

# Rocks, ceramic materials and minerals

Code	Product	Unit			
<b>New</b> NIM-GBW07107	Rock - Constituents	70 g			
	Certified values				
Ag	0.047±0.013 µg/g	Ho	0.98±0.06 µg/g	Tb	1.02±0.11 µg/g
As	1.4±0.4 µg/g	In	0.082±0.022 µg/g	Th	12.8±1.4 µg/g
B	154±17 µg/g	La	62±5 µg/g	Ti	3950±190 µg/g
Ba	450±45 µg/g	Li	44±2 µg/g	Tl	0.71±0.11 µg/g
Be	3.0±0.4 µg/g	Lu	0.41±0.07 µg/g	Tm	0.43±0.04 µg/g
Bi	0.23±0.04 µg/g	Mn	173±17 µg/g	U	1.5±0.3 µg/g
Cd	0.033±0.017 µg/g	Mo	0.35±0.14 µg/g	V	87±6 µg/g
Ce	109±12 µg/g	Nb	14.3±2.5 µg/g	W	0.79±0.20 µg/g
Co	21±2 µg/g	Nd	48±4 µg/g	Y	26±3 µg/g
Cr	99±8 µg/g	Ni	37±4 µg/g	Yb	2.6±0.4 µg/g
Cs	14±2 µg/g	P	690±53 µg/g	Zn	55±6 µg/g
Cu	42±3 µg/g	Pb	8.7±2.7 µg/g	Zr	96±13 µg/g
Dy	5.1±0.5 µg/g	Pr	13.6±2.1 µg/g	SiO <sub>2</sub>	59.23±0.25 %
Er	2.7±0.4 µg/g	Rb	205±12 µg/g	Al <sub>2</sub> O <sub>3</sub>	18.82±0.22 %
Eu	1.7±0.2 µg/g	Sb	0.17±0.10 µg/g	TFe <sub>2</sub> O <sub>3</sub>	7.60±0.13 %
F	1290±100 µg/g	Sc	18.5±1.8 µg/g	FeO	1.39±0.08 %
Ga	26±4 µg/g	Se	0.078±0.023 µg/g	MgO	2.01±0.07 %
Gd	6.7±0.6 µg/g	Sm	8.4±0.6 µg/g	CaO	0.60±0.06 %
Ge	3.1±0.4 µg/g	Sn	2.0±0.5 µg/g	Na <sub>2</sub> O	0.35±0.03 %
Hf	2.9±0.4 µg/g	Sr	90±11 µg/g	K <sub>2</sub> O	4.16±0.15 %
Hg	0.010±0.003 µg/g	Ta	1.0±0.4 µg/g	H <sub>2</sub> O <sup>+</sup>	5.6±0.4 %
NCS DC73306	Rock - Constituents	70 g			
	Certified values				
Ag	0.043±0.017 µg/g	I	(0.2) µg/g	Th	4.1±0.7 µg/g
As	4.7±0.9 µg/g	In	(0.042) µg/g	Ti	1960±130 µg/g
B	16±4 µg/g	La	15±5 µg/g	Tl	0.35±0.16 µg/g
Ba	120±18 µg/g	Li	20±4 µg/g	Tm	0.17±0.04 µg/g
Be	0.8±0.2 µg/g	Lu	0.14±0.04 µg/g	U	1.9±0.4 µg/g
Bi	0.16±0.05 µg/g	Mn	434±41 µg/g	V	36±9 µg/g
Cd	0.07±0.03 µg/g	Mo	0.38±0.08 µg/g	W	0.67±0.28 µg/g
Ce	25±4 µg/g	Nb	6.6±2.4 µg/g	Y	9.1±2.5 µg/g
Cl	83±25 µg/g	Nd	12.0±1.4 µg/g	Yb	0.90±0.16 µg/g
Co	9±2 µg/g	Ni	18±3 µg/g	Zn	52±6 µg/g
Cr	32±8 µg/g	P	226±48 µg/g	Zr	62±20 µg/g
Cs	3.2±0.8 µg/g	Pb	18±4 µg/g	SiO <sub>2</sub>	15.60±0.09 %
Cu	23±3 µg/g	Pr	3.4±0.4 µg/g	Al <sub>2</sub> O <sub>3</sub>	5.03±0.12 %
Dy	1.6±0.2 µg/g	Rb	32±5 µg/g	TFe <sub>2</sub> O <sub>3</sub>	2.52±0.10 %
Eu	0.51±0.07 µg/g	S	370±160 µg/g	FeO	1.64±0.09 %
F	406±44 µg/g	Sb	0.43±0.16 µg/g	MgO	5.19±0.18 %
Ga	7.1±1.1 µg/g	Sc	6.0±1.7 µg/g	CaO	35.67±0.39 %
Gd	1.9±0.2 µg/g	Se	0.09±0.02 µg/g	K <sub>2</sub> O	0.78±0.06 %
Ge	0.67±0.19 µg/g	Sm	2.4±0.3 µg/g	CO <sub>2</sub>	32.4±0.4 %
Hf	1.8±0.3 µg/g	Sr	913±84 µg/g	LOI	34.1±0.2 %
Hg	0.016±0.002 µg/g	Ta	0.42±0.09 µg/g		
Ho	0.33±0.06 µg/g	Tb	0.35±0.07 µg/g		
NCS DC71301	Rock - Constituents	100 g			
	Certified values				
As	6.27±0.45 µg/g	La	149±8 µg/g	W	1.24±0.12 µg/g
B	31.8±2.3 µg/g	Li	32.9±2.3 µg/g	Y	24.7±1.2 µg/g
Ba	251±12 µg/g	Lu	0.43±0.09 µg/g	Yb	2.56±0.10 µg/g
Be	17.2±1.5 µg/g	Mo	0.26±0.06 µg/g	Zn	112±3 µg/g
Bi	0.37±0.04 µg/g	Nb	66.9±4.0 µg/g	Al <sub>2</sub> O <sub>3</sub>	17.72±0.07 %
Br	1.21±0.41 µg/g	Nd	65.1±4.1 µg/g	SiO <sub>2</sub>	54.48±0.06 %
Cd	0.07±0.02 µg/g	Ni	1.75±0.36 µg/g	Ti O <sub>2</sub>	0.48±0.02 %
Ce	242±10 µg/g	Pb	196±10 µg/g	Fe <sub>2</sub> O <sub>3</sub>	6.04±0.05 %
Co	4.59±0.29 µg/g	Pr	22.5±1.8 µg/g	FeO	1.23±0.04 %
Cr	3.6±0.9 µg/g	Rb	130±5 µg/g	MnO	0.12±0.01 %
Cs	2.05±0.30 µg/g	Sb	0.15±0.02 µg/g	MgO	0.65±0.05 %
Cu	11.8±0.8 µg/g	Sc	2.22±0.24 µg/g	CaO	1.39±0.03 %
Dy	4.70±0.52 µg/g	Se	0.05±0.02 µg/g	Na <sub>2</sub> O	7.16±0.06 %
Er	2.48±0.18 µg/g	Sm	9.7±0.7 µg/g	K <sub>2</sub> O	7.48±0.07 %
Eu	2.35±0.09 µg/g	Sn	6.50±0.52 µg/g	H <sub>2</sub> O <sup>+</sup>	2.38±0.08 %
Ga	35.8±3.3 µg/g	Ta	1.96±0.16 µg/g	CO <sub>2</sub>	0.26±0.04 %
Gd	7.0±1.5 µg/g	Tb	1.02±0.07 µg/g	P <sub>2</sub> O <sub>5</sub>	0.018±0.003 %
Ge	0.95±0.11 µg/g	Te	0.012±0.005 µg/g	F	0.048±0.004 %
Hf	34.0±4.6 µg/g	Th	79.3±3.4 µg/g	S	0.011±0.003 %
Hg	0.005±0.003 µg/g	Tl	0.76±0.08 µg/g	Cl	0.059±0.004 %
Ho	0.96±0.12 µg/g	Tm	0.46±0.06 µg/g	Fe <sub>2</sub> O <sub>3</sub> TR	7.41±0.04 %
I	0.14±0.04 µg/g	U	14.6±1.0 µg/g	Fe <sub>2</sub> O <sub>3</sub> TC	7.40 %
In	0.15±0.03 µg/g	V	179±5 µg/g	Others	0.48 %

## Rocks, ceramic materials and minerals

Code	Product	Unit																																																																								
NCS DC71302	Rock - Constituents Certified values	100 g																																																																								
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Ag ..... 0.17±0.02 µg/g</td> <td style="width: 33%;">Li ..... 17.5±1.0 µg/g</td> <td style="width: 33%;">Yb ..... 3.15±0.10 µg/g</td> </tr> <tr> <td>As ..... 5.96±0.83 µg/g</td> <td>Lu ..... 0.49±0.04 µg/g</td> <td>Zn ..... 164±4 µg/g</td> </tr> <tr> <td>B ..... 10.8±1.3 µg/g</td> <td>Mo ..... 0.95±0.08 µg/g</td> <td>Zr ..... 335±18 µg/g</td> </tr> <tr> <td>Ba ..... 1053±27 µg/g</td> <td>Nb ..... 20.8±1.3 µg/g</td> <td>Al<sub>2</sub>O<sub>3</sub> ..... 16.1±0.1 %</td> </tr> <tr> <td>Be ..... 3.64±0.54 µg/g</td> <td>Nd ..... 47.2±2.5 µg/g</td> <td>SiO<sub>2</sub> ..... 63.06±0.09 %</td> </tr> <tr> <td>Bi ..... 0.09±0.03 µg/g</td> <td>Ni ..... 12.6±0.9 µg/g</td> <td>Ti O<sub>2</sub> ..... 0.80±0.02 %</td> </tr> <tr> <td>Cd ..... 0.61±0.08 µg/g</td> <td>Pb ..... 97.7±4.4 µg/g</td> <td>Fe<sub>2</sub>O<sub>3</sub> ..... 4.51±0.06 %</td> </tr> <tr> <td>Ce ..... 117±7 µg/g</td> <td>Pr ..... 13.2±0.6 µg/g</td> <td>FeO ..... 0.19±0.04 %</td> </tr> <tr> <td>Co ..... 7.9±0.4 µg/g</td> <td>Rb ..... 183±7 µg/g</td> <td>MnO ..... 0.089±0.002 %</td> </tr> <tr> <td>Cr ..... 7.7±1.1 µg/g</td> <td>Sb ..... 1.34±0.19 µg/g</td> <td>MgO ..... 0.84±0.05 %</td> </tr> <tr> <td>Cs ..... 7.16±0.45 µg/g</td> <td>Sc ..... 7.52±0.43 µg/g</td> <td>CaO ..... 2.47±0.03 %</td> </tr> <tr> <td>Cu ..... 9.1±0.8 µg/g</td> <td>Se ..... 0.03±0.02 µg/g</td> <td>Na<sub>2</sub>O ..... 3.06±0.04 %</td> </tr> <tr> <td>Dy ..... 5.32±0.20 µg/g</td> <td>Sm ..... 8.63±0.23 µg/g</td> <td>K<sub>2</sub>O ..... 5.17±0.04 %</td> </tr> <tr> <td>Er ..... 2.93±0.14 µg/g</td> <td>Sn ..... 3.12±0.26 µg/g</td> <td>H<sub>2</sub>O<sup>+</sup> ..... 1.79±0.10 %</td> </tr> <tr> <td>Eu ..... 1.96±0.07 µg/g</td> <td>Sr ..... 318±8 µg/g</td> <td>CO<sub>2</sub> ..... 1.03±0.03 %</td> </tr> <tr> <td>Ga ..... 19.8±1.1 µg/g</td> <td>Ta ..... 1.42±0.26 µg/g</td> <td>P<sub>2</sub>O<sub>5</sub> ..... 0.36±0.01 %</td> </tr> <tr> <td>Gd ..... 6.54±0.40 µg/g</td> <td>Tb ..... 0.99±0.07 µg/g</td> <td>F ..... 0.112±0.005 %</td> </tr> <tr> <td>Ge ..... 1.11±0.10 µg/g</td> <td>Th ..... 16.7±0.6 µg/g</td> <td>S ..... 0.023±0.003 %</td> </tr> <tr> <td>Hf ..... 7.5±1.1 µg/g</td> <td>Tl ..... 1.02±0.15 µg/g</td> <td>Cl ..... 0.016±0.002 %</td> </tr> <tr> <td>Hg ..... 0.014±0.003 µg/g</td> <td>Tm ..... 0.50±0.04 µg/g</td> <td>Others ..... 0.28 %</td> </tr> <tr> <td>Ho ..... 1.10±0.10 µg/g</td> <td>U ..... 3.04±0.28 µg/g</td> <td>O/F,S,Cl ..... 0.062 %</td> </tr> <tr> <td>I ..... 0.07±0.04 µg/g</td> <td>V ..... 64.3±2.9 µg/g</td> <td>Fe<sub>2</sub>O<sub>3</sub>TR ..... 4.77±0.03 %</td> </tr> <tr> <td>In ..... 0.11±0.03 µg/g</td> <td>W ..... 1.62±0.12 µg/g</td> <td>Fe<sub>2</sub>O<sub>3</sub> TC ..... 4.72 %</td> </tr> <tr> <td>La ..... 62.5±2.5 µg/g</td> <td>Y ..... 28.0±1.0 µg/g</td> <td></td> </tr> </table>	Ag ..... 0.17±0.02 µg/g	Li ..... 17.5±1.0 µg/g	Yb ..... 3.15±0.10 µg/g	As ..... 5.96±0.83 µg/g	Lu ..... 0.49±0.04 µg/g	Zn ..... 164±4 µg/g	B ..... 10.8±1.3 µg/g	Mo ..... 0.95±0.08 µg/g	Zr ..... 335±18 µg/g	Ba ..... 1053±27 µg/g	Nb ..... 20.8±1.3 µg/g	Al <sub>2</sub> O <sub>3</sub> ..... 16.1±0.1 %	Be ..... 3.64±0.54 µg/g	Nd ..... 47.2±2.5 µg/g	SiO <sub>2</sub> ..... 63.06±0.09 %	Bi ..... 0.09±0.03 µg/g	Ni ..... 12.6±0.9 µg/g	Ti O <sub>2</sub> ..... 0.80±0.02 %	Cd ..... 0.61±0.08 µg/g	Pb ..... 97.7±4.4 µg/g	Fe <sub>2</sub> O <sub>3</sub> ..... 4.51±0.06 %	Ce ..... 117±7 µg/g	Pr ..... 13.2±0.6 µg/g	FeO ..... 0.19±0.04 %	Co ..... 7.9±0.4 µg/g	Rb ..... 183±7 µg/g	MnO ..... 0.089±0.002 %	Cr ..... 7.7±1.1 µg/g	Sb ..... 1.34±0.19 µg/g	MgO ..... 0.84±0.05 %	Cs ..... 7.16±0.45 µg/g	Sc ..... 7.52±0.43 µg/g	CaO ..... 2.47±0.03 %	Cu ..... 9.1±0.8 µg/g	Se ..... 0.03±0.02 µg/g	Na <sub>2</sub> O ..... 3.06±0.04 %	Dy ..... 5.32±0.20 µg/g	Sm ..... 8.63±0.23 µg/g	K <sub>2</sub> O ..... 5.17±0.04 %	Er ..... 2.93±0.14 µg/g	Sn ..... 3.12±0.26 µg/g	H <sub>2</sub> O <sup>+</sup> ..... 1.79±0.10 %	Eu ..... 1.96±0.07 µg/g	Sr ..... 318±8 µg/g	CO <sub>2</sub> ..... 1.03±0.03 %	Ga ..... 19.8±1.1 µg/g	Ta ..... 1.42±0.26 µg/g	P <sub>2</sub> O <sub>5</sub> ..... 0.36±0.01 %	Gd ..... 6.54±0.40 µg/g	Tb ..... 0.99±0.07 µg/g	F ..... 0.112±0.005 %	Ge ..... 1.11±0.10 µg/g	Th ..... 16.7±0.6 µg/g	S ..... 0.023±0.003 %	Hf ..... 7.5±1.1 µg/g	Tl ..... 1.02±0.15 µg/g	Cl ..... 0.016±0.002 %	Hg ..... 0.014±0.003 µg/g	Tm ..... 0.50±0.04 µg/g	Others ..... 0.28 %	Ho ..... 1.10±0.10 µg/g	U ..... 3.04±0.28 µg/g	O/F,S,Cl ..... 0.062 %	I ..... 0.07±0.04 µg/g	V ..... 64.3±2.9 µg/g	Fe <sub>2</sub> O <sub>3</sub> TR ..... 4.77±0.03 %	In ..... 0.11±0.03 µg/g	W ..... 1.62±0.12 µg/g	Fe <sub>2</sub> O <sub>3</sub> TC ..... 4.72 %	La ..... 62.5±2.5 µg/g	Y ..... 28.0±1.0 µg/g		
Ag ..... 0.17±0.02 µg/g	Li ..... 17.5±1.0 µg/g	Yb ..... 3.15±0.10 µg/g																																																																								
As ..... 5.96±0.83 µg/g	Lu ..... 0.49±0.04 µg/g	Zn ..... 164±4 µg/g																																																																								
B ..... 10.8±1.3 µg/g	Mo ..... 0.95±0.08 µg/g	Zr ..... 335±18 µg/g																																																																								
Ba ..... 1053±27 µg/g	Nb ..... 20.8±1.3 µg/g	Al <sub>2</sub> O <sub>3</sub> ..... 16.1±0.1 %																																																																								
Be ..... 3.64±0.54 µg/g	Nd ..... 47.2±2.5 µg/g	SiO <sub>2</sub> ..... 63.06±0.09 %																																																																								
Bi ..... 0.09±0.03 µg/g	Ni ..... 12.6±0.9 µg/g	Ti O <sub>2</sub> ..... 0.80±0.02 %																																																																								
Cd ..... 0.61±0.08 µg/g	Pb ..... 97.7±4.4 µg/g	Fe <sub>2</sub> O <sub>3</sub> ..... 4.51±0.06 %																																																																								
Ce ..... 117±7 µg/g	Pr ..... 13.2±0.6 µg/g	FeO ..... 0.19±0.04 %																																																																								
Co ..... 7.9±0.4 µg/g	Rb ..... 183±7 µg/g	MnO ..... 0.089±0.002 %																																																																								
Cr ..... 7.7±1.1 µg/g	Sb ..... 1.34±0.19 µg/g	MgO ..... 0.84±0.05 %																																																																								
Cs ..... 7.16±0.45 µg/g	Sc ..... 7.52±0.43 µg/g	CaO ..... 2.47±0.03 %																																																																								
Cu ..... 9.1±0.8 µg/g	Se ..... 0.03±0.02 µg/g	Na <sub>2</sub> O ..... 3.06±0.04 %																																																																								
Dy ..... 5.32±0.20 µg/g	Sm ..... 8.63±0.23 µg/g	K <sub>2</sub> O ..... 5.17±0.04 %																																																																								
Er ..... 2.93±0.14 µg/g	Sn ..... 3.12±0.26 µg/g	H <sub>2</sub> O <sup>+</sup> ..... 1.79±0.10 %																																																																								
Eu ..... 1.96±0.07 µg/g	Sr ..... 318±8 µg/g	CO <sub>2</sub> ..... 1.03±0.03 %																																																																								
Ga ..... 19.8±1.1 µg/g	Ta ..... 1.42±0.26 µg/g	P <sub>2</sub> O <sub>5</sub> ..... 0.36±0.01 %																																																																								
Gd ..... 6.54±0.40 µg/g	Tb ..... 0.99±0.07 µg/g	F ..... 0.112±0.005 %																																																																								
Ge ..... 1.11±0.10 µg/g	Th ..... 16.7±0.6 µg/g	S ..... 0.023±0.003 %																																																																								
Hf ..... 7.5±1.1 µg/g	Tl ..... 1.02±0.15 µg/g	Cl ..... 0.016±0.002 %																																																																								
Hg ..... 0.014±0.003 µg/g	Tm ..... 0.50±0.04 µg/g	Others ..... 0.28 %																																																																								
Ho ..... 1.10±0.10 µg/g	U ..... 3.04±0.28 µg/g	O/F,S,Cl ..... 0.062 %																																																																								
I ..... 0.07±0.04 µg/g	V ..... 64.3±2.9 µg/g	Fe <sub>2</sub> O <sub>3</sub> TR ..... 4.77±0.03 %																																																																								
In ..... 0.11±0.03 µg/g	W ..... 1.62±0.12 µg/g	Fe <sub>2</sub> O <sub>3</sub> TC ..... 4.72 %																																																																								
La ..... 62.5±2.5 µg/g	Y ..... 28.0±1.0 µg/g																																																																									
NCS DC71303	Rock - Constituents Please ask for details	100 g																																																																								
NCS DC71304	Rock - Constituents Please ask for details	100 g																																																																								
NCS DC71305	Rock - Constituents Please ask for details	100 g																																																																								
NCS DC71306	Rock - Constituents Please ask for details	100 g																																																																								
NCS DC60106	Shale - Constituents Certified values	60 g																																																																								
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Al<sub>2</sub>O<sub>3</sub> ..... 14.82 %</td> <td style="width: 33%;">K<sub>2</sub>O ..... 3.76 %</td> <td style="width: 33%;">SiO<sub>2</sub> ..... 69.63 %</td> </tr> <tr> <td>CaO ..... 0.22 %</td> <td>MgO ..... 0.67 %</td> <td>SO<sub>3</sub> ..... 0.028 %</td> </tr> <tr> <td>Cl ..... 0.014 %</td> <td>MnO ..... 0.024 %</td> <td>TiO<sub>2</sub> ..... 0.68 %</td> </tr> <tr> <td>CO<sub>2</sub> ..... 0.13 %</td> <td>Na<sub>2</sub>O ..... 0.20 %</td> <td>L.O.I.* ..... 4.17 %</td> </tr> <tr> <td>Fe<sub>2</sub>O<sub>3</sub> ..... 5.67 %</td> <td>P<sub>2</sub>O<sub>5</sub> ..... 0.043 %</td> <td></td> </tr> </table> <p>Indicative values for FeO, H<sub>2</sub>O<sup>+</sup> * Loss On Ignition</p>	Al <sub>2</sub> O <sub>3</sub> ..... 14.82 %	K <sub>2</sub> O ..... 3.76 %	SiO <sub>2</sub> ..... 69.63 %	CaO ..... 0.22 %	MgO ..... 0.67 %	SO <sub>3</sub> ..... 0.028 %	Cl ..... 0.014 %	MnO ..... 0.024 %	TiO <sub>2</sub> ..... 0.68 %	CO <sub>2</sub> ..... 0.13 %	Na <sub>2</sub> O ..... 0.20 %	L.O.I.* ..... 4.17 %	Fe <sub>2</sub> O <sub>3</sub> ..... 5.67 %	P <sub>2</sub> O <sub>5</sub> ..... 0.043 %																																																											
Al <sub>2</sub> O <sub>3</sub> ..... 14.82 %	K <sub>2</sub> O ..... 3.76 %	SiO <sub>2</sub> ..... 69.63 %																																																																								
CaO ..... 0.22 %	MgO ..... 0.67 %	SO <sub>3</sub> ..... 0.028 %																																																																								
Cl ..... 0.014 %	MnO ..... 0.024 %	TiO <sub>2</sub> ..... 0.68 %																																																																								
CO <sub>2</sub> ..... 0.13 %	Na <sub>2</sub> O ..... 0.20 %	L.O.I.* ..... 4.17 %																																																																								
Fe <sub>2</sub> O <sub>3</sub> ..... 5.67 %	P <sub>2</sub> O <sub>5</sub> ..... 0.043 %																																																																									
NRCCACB-1	Calcium carbonate - Lead and cadmium Certified values	2.5 g																																																																								
	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Cd ..... 7.6 ± 1.1 ng/g</td> <td style="width: 50%;">Pb ..... 243 ± 14 ng/g</td> </tr> </table> <p>Indicative values for Ba, Sr, Ni, Zn, Mo</p>	Cd ..... 7.6 ± 1.1 ng/g	Pb ..... 243 ± 14 ng/g																																																																							
Cd ..... 7.6 ± 1.1 ng/g	Pb ..... 243 ± 14 ng/g																																																																									
BAS-BCS-CRM 395	Bauxite Certified values %	100 g																																																																								
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Fe<sub>2</sub>O<sub>3</sub> ..... 16.3 %</td> <td style="width: 33%;">Na<sub>2</sub>O ..... (0.02) %</td> <td style="width: 33%;">Pb ..... (0.0028) %</td> </tr> <tr> <td>SiO<sub>2</sub> ..... 1.24 %</td> <td>K<sub>2</sub>O ..... (0.02) %</td> <td>Sr ..... (0.0023) %</td> </tr> <tr> <td>Al<sub>2</sub>O<sub>3</sub> ..... 52.4 %</td> <td>Cr ..... (0.0453) %</td> <td>Zn ..... (0.0043) %</td> </tr> <tr> <td>TiO<sub>2</sub> ..... 1.93 %</td> <td>Cu ..... (0.0021) %</td> <td>L.O.I. .... 27.8 %</td> </tr> <tr> <td>CaO ..... 0.05 %</td> <td>Mn ..... (0.0042) %</td> <td></td> </tr> <tr> <td>MgO ..... 0.02 %</td> <td>Ni ..... (0.0034) %</td> <td></td> </tr> </table> <p>(Values in parenthesis are indicative values)</p>	Fe <sub>2</sub> O <sub>3</sub> ..... 16.3 %	Na <sub>2</sub> O ..... (0.02) %	Pb ..... (0.0028) %	SiO <sub>2</sub> ..... 1.24 %	K <sub>2</sub> O ..... (0.02) %	Sr ..... (0.0023) %	Al <sub>2</sub> O <sub>3</sub> ..... 52.4 %	Cr ..... (0.0453) %	Zn ..... (0.0043) %	TiO <sub>2</sub> ..... 1.93 %	Cu ..... (0.0021) %	L.O.I. .... 27.8 %	CaO ..... 0.05 %	Mn ..... (0.0042) %		MgO ..... 0.02 %	Ni ..... (0.0034) %																																																								
Fe <sub>2</sub> O <sub>3</sub> ..... 16.3 %	Na <sub>2</sub> O ..... (0.02) %	Pb ..... (0.0028) %																																																																								
SiO <sub>2</sub> ..... 1.24 %	K <sub>2</sub> O ..... (0.02) %	Sr ..... (0.0023) %																																																																								
Al <sub>2</sub> O <sub>3</sub> ..... 52.4 %	Cr ..... (0.0453) %	Zn ..... (0.0043) %																																																																								
TiO <sub>2</sub> ..... 1.93 %	Cu ..... (0.0021) %	L.O.I. .... 27.8 %																																																																								
CaO ..... 0.05 %	Mn ..... (0.0042) %																																																																									
MgO ..... 0.02 %	Ni ..... (0.0034) %																																																																									
NIST-69b	Bauxite, Arkansas - Constituents Certified values	60 g																																																																								
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Al<sub>2</sub>O<sub>3</sub> ..... 48.8 %</td> <td style="width: 33%;">MgO ..... 0.085 %</td> <td style="width: 33%;">TiO<sub>2</sub> ..... 1.90 %</td> </tr> <tr> <td>CaO ..... 0.13 %</td> <td>MnO ..... 0.110 %</td> <td>V<sub>2</sub>O<sub>5</sub> ..... 0.028 %</td> </tr> <tr> <td>Cr<sub>2</sub>O<sub>3</sub> ..... 0.011 %</td> <td>P<sub>2</sub>O<sub>5</sub> ..... 0.118 %</td> <td>ZnO ..... 0.0035 %</td> </tr> <tr> <td>Fe<sub>2</sub>O<sub>3</sub> ..... 7.14 %</td> <td>SO<sub>3</sub> ..... 0.551 %</td> <td>ZrO<sub>2</sub> ..... 0.29 %</td> </tr> <tr> <td>K<sub>2</sub>O ..... 0.068 %</td> <td>SiO<sub>2</sub> ..... 13.43 %</td> <td>LOI* ..... 27.2 %</td> </tr> </table> <p>Indicative values for Co, BaO, Na<sub>2</sub>O LOI* Loss on Ignition</p>	Al <sub>2</sub> O <sub>3</sub> ..... 48.8 %	MgO ..... 0.085 %	TiO <sub>2</sub> ..... 1.90 %	CaO ..... 0.13 %	MnO ..... 0.110 %	V <sub>2</sub> O <sub>5</sub> ..... 0.028 %	Cr <sub>2</sub> O <sub>3</sub> ..... 0.011 %	P <sub>2</sub> O <sub>5</sub> ..... 0.118 %	ZnO ..... 0.0035 %	Fe <sub>2</sub> O <sub>3</sub> ..... 7.14 %	SO <sub>3</sub> ..... 0.551 %	ZrO <sub>2</sub> ..... 0.29 %	K <sub>2</sub> O ..... 0.068 %	SiO <sub>2</sub> ..... 13.43 %	LOI* ..... 27.2 %																																																										
Al <sub>2</sub> O <sub>3</sub> ..... 48.8 %	MgO ..... 0.085 %	TiO <sub>2</sub> ..... 1.90 %																																																																								
CaO ..... 0.13 %	MnO ..... 0.110 %	V <sub>2</sub> O <sub>5</sub> ..... 0.028 %																																																																								
Cr <sub>2</sub> O <sub>3</sub> ..... 0.011 %	P <sub>2</sub> O <sub>5</sub> ..... 0.118 %	ZnO ..... 0.0035 %																																																																								
Fe <sub>2</sub> O <sub>3</sub> ..... 7.14 %	SO <sub>3</sub> ..... 0.551 %	ZrO <sub>2</sub> ..... 0.29 %																																																																								
K <sub>2</sub> O ..... 0.068 %	SiO <sub>2</sub> ..... 13.43 %	LOI* ..... 27.2 %																																																																								

## Clays

Code	Product	Unit
NIST-600	Bauxite, Australian - Constituents Certified values	90 g
	Al <sub>2</sub> O <sub>3</sub> ..... 40.0 %      MnO ..... 0.013 %      V <sub>2</sub> O <sub>5</sub> ..... 0.060 % CaO ..... 0.22 %      Na <sub>2</sub> O ..... 0.022 %      ZnO ..... 0.003 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.024 %      P <sub>2</sub> O <sub>5</sub> ..... 0.039 %      ZrO <sub>2</sub> ..... 0.060 % Fe <sub>2</sub> O <sub>3</sub> ..... 17.0 %      SO <sub>3</sub> ..... 0.155 %      LOI* ..... 20.5 % K <sub>2</sub> O ..... 0.23 %      SiO <sub>2</sub> ..... 20.3 % MgO ..... 0.055      TiO <sub>2</sub> ..... 1.31 % LOI* Loss on Ignition	
NIST-696	Bauxite, Surinam - Constituents Certified value	60 g
	Al <sub>2</sub> O <sub>3</sub> ..... 54.5 %      MgO ..... 0.012 %      TiO <sub>2</sub> ..... 2.64 % CaO ..... 0.018 %      MnO ..... 0.004 %      V <sub>2</sub> O <sub>5</sub> ..... 0.072 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.047 %      P <sub>2</sub> O <sub>5</sub> ..... 0.050 %      ZnO ..... 0.0014 % Fe <sub>2</sub> O <sub>3</sub> ..... 8.70 %      SiO <sub>2</sub> ..... 3.79 %      ZrO <sub>2</sub> ..... 0.14 % K <sub>2</sub> O ..... 0.009 %      SO <sub>3</sub> ..... 0.15 %      LOI* ..... 29.9 % Indicative values for Co, BaO, Na <sub>2</sub> O LOI* Loss on Ignition	
NIST-697	Bauxite, Dominican - Constituents Certified value	60 g
	Al <sub>2</sub> O <sub>3</sub> ..... 45.8 %      MgO ..... 0.18 %      TiO <sub>2</sub> ..... 2.52 % CaO ..... 0.71 %      MnO ..... 0.41 %      V <sub>2</sub> O <sub>5</sub> ..... 0.063 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.100 %      P <sub>2</sub> O <sub>5</sub> ..... 0.97 %      ZnO ..... 0.037 % Fe <sub>2</sub> O <sub>3</sub> ..... 20.0 %      SiO <sub>2</sub> ..... 6.81 %      ZrO <sub>2</sub> ..... 0.065 % K <sub>2</sub> O ..... 0.062 %      SO <sub>3</sub> ..... 0.077 %      LOI* ..... 22.1 % Indicative values for Co, BaO, Na <sub>2</sub> O LOI* Loss on Ignition	
NIST-698	Bauxite, Jamaican - Constituents Certified value	60 g
	Al <sub>2</sub> O <sub>3</sub> ..... 48.2 %      MgO ..... 0.058 %      TiO <sub>2</sub> ..... 2.38 % CaO ..... 0.62 %      MnO ..... 0.38 %      V <sub>2</sub> O <sub>5</sub> ..... 0.064 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.080 %      P <sub>2</sub> O <sub>5</sub> ..... 0.37 %      ZnO ..... 0.029 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.013 %      SiO <sub>2</sub> ..... 0.69 %      ZrO <sub>2</sub> ..... 0.0061 % K <sub>2</sub> O ..... 0.010 %      SO <sub>3</sub> ..... 0.143 %      LOI* ..... 27.3 % Indicative values for Co, BaO, Na <sub>2</sub> O LOI* Loss on Ignition	

## Clays

Code	Product	Unit
BCR-461	Clay - Fluorine Certified value	30 g
	F ..... 568 mg/kg ± 60 mg/kg	
NIST-97b	Flint clay - Constituent elements Collected from a stockpile near a mine on Anderson Creek, Pike Township, Clearfield County, Pennsylvania, USA.	60 g
	Certified values	
	Al ..... 20.76 %      K ..... 0.513 %      Na ..... 0.0492 % Ca ..... 0.0249 %      Li ..... 0.055 mg/kg      Si ..... 19.81 % Cr ..... 0.227 %      Mg ..... 0.113 %      Sr ..... 0.0084 % Fe ..... 0.831 %      Mn ..... 0.0047 %      Ti ..... 1.43 % Indicative values for Ba, Cs, Co, Eu, Hf, P, Rb, Sb, Sc, Th, Zn, Zr, LOI*	
NIST-98b	Plastic clay - Constituent elements Collected from the underclay of the Clarion coal bed at a plant in Clearfield County, Pennsylvania, USA.	60 g
	Certified values	
	Al ..... 14.3 %      K ..... 2.81 %      Na ..... 0.1496 % Ca ..... 0.0759 %      Li ..... 215 mg/kg      Si ..... 26.65 % Cr ..... 119 mg/kg      Mg ..... 0.358 %      Sr ..... 189 mg/kg Fe ..... 1.18 %      Mn ..... 116 mg/kg      Ti ..... 0.809 % Indicative values for Ba, Co, Cs, Eu, Hf, P, Rb, Sb, Sc, Th, Zn, Zr, LOI*	
NIST-679	Brick clay - Constituents Collected from an inactive clay pit in Beltsville, Maryland, USA.	75 g
	Certified values	
	Al ..... 11.01 %      Fe ..... 9.05 %      Na ..... 0.1304 % Ba ..... 432.2 µg/g      K ..... 2.433 %      Si ..... 24.34 % Ca ..... 0.1628 %      Li ..... 71.7 µg/g      Sr ..... 73.4 µg/g Cr ..... 109.7 µg/g      Mg ..... 0.7552 %      Ti ..... 0.577 % Indicative values for Ce, Co, Cs, Eu, Hf, Mn, P, Rb, Sc, Th, Zn	



Code	Product	Unit
BAS-BCS-CRM 348	Ball clay	100 g
	Certified values	
	SiO <sub>2</sub> ..... 51.1 %	MgO.....0.3 %
	Al <sub>2</sub> O <sub>3</sub> ..... 31.6 %	Na <sub>2</sub> O.....0.34 %
	TiO <sub>2</sub> .....1.08 %	K <sub>2</sub> O.....2.23 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 1.04 %	P <sub>2</sub> O <sub>5</sub> .....0.071 %
	CaO .....0.17 %	ZrO <sub>2</sub> .....(0.03) %
		S .....(0.1) %
		L.O.I. .... 11.8 %
		BaO.....(0.04) %
		Cr <sub>2</sub> O <sub>3</sub> .....0.016 %
		C .....(1.64) %
	(Values in parenthesis are indicative values)	
NCS DC60102	Clay - Constituents	50 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 26.27 %	MgO.....0.46 %
	CaO ..... 0.13 %	MnO.....0.052 %
	Cl ..... 0.0041 %	Na <sub>2</sub> O.....0.060 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 10.55 %	P <sub>2</sub> O <sub>5</sub> .....0.14 %
	K <sub>2</sub> O ..... 0.79 %	SiO <sub>2</sub> .....49.98 %
	Indicative values for CO <sub>2</sub> , FeO, H <sub>2</sub> O <sup>+</sup>	SO <sub>3</sub> ..... 0.49 %
	* Loss On Ignition	TiO <sub>2</sub> .....0.70 %
		L.O.I.* ..... 10.62 %
NCS DC60104	Clay - Constituents	50 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 31.32 %	MgO.....0.083 %
	CaO ..... 1.80 %	MnO.....0.020 %
	Cl ..... 0.0029 %	Na <sub>2</sub> O.....2.55 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 0.33 %	P <sub>2</sub> O <sub>5</sub> .....0.053 %
	K <sub>2</sub> O ..... 1.15 %	SiO <sub>2</sub> .....53.67 %
	Indicative values for CO <sub>2</sub> , FeO, H <sub>2</sub> O <sup>+</sup>	SO <sub>3</sub> .....0.023 %
		TiO <sub>2</sub> .....0.030 %
		L.O.I.* ..... 8.81 %
NCS DC60105	Clay - Constituents	60 g
	Certified values	
	Al <sub>2</sub> O <sub>3</sub> ..... 13.28 %	K <sub>2</sub> O.....2.50 %
	CaO ..... 3.23 %	MgO.....1.84 %
	Cl ..... 0.011 %	MnO.....0.088 %
	CO <sub>2</sub> ..... 1.66 %	Na <sub>2</sub> O.....1.81 %
	Fe <sub>2</sub> O <sub>3</sub> ..... 4.64 %	P <sub>2</sub> O <sub>5</sub> .....0.106 %
	Indicative values for FeO, H <sub>2</sub> O <sup>+</sup>	SiO <sub>2</sub> ..... 66.64 %
	* Loss On Ignition	SO <sub>3</sub> ..... 0.027 %
		TiO <sub>2</sub> .....0.66 %
		L.O.I.* ..... 5.10 %

## Petrochemical standards

### Conostan<sup>®</sup> Oil Analysis Standards

Reference standards for lubricant/oil analysis include: Element (metallo-organic) standards and associated blank oils and solvent (for ICP application), Particle Counting (contamination) and standards for Automatic Particle Counters.

The division of SCP science "CONOSTAN<sup>®</sup> Oil Analysis Standards" is the world's leading manufacturer and marketer of elements (metallo-organic) in oil standards and related spectroscopy products. Its leading position is derived from superior product chemistry, manufacturing technology, and blending techniques. CONOSTAN<sup>®</sup> products are used extensively in the calibration and operation of analytical instruments for the analysis of elements in oil and other organic fluids. CONOSTAN<sup>®</sup> is the only source of multi-element metallo-organic standards in the history of the National Institute of Standards & Technology (NIST), for example, NIST-1085b is CONOSTAN<sup>®</sup> S-21:300, Code CON-S214300 and CON-S218300. The variety of products afford convenience as reference and routine analytical materials for ICP, DCP, Rotating Disc Electrode (RDE), XRF, AA, and other analytical spectrometer techniques. CONOSTAN products are optimized for:

- **Compatibility:** 33 elements can be combined over an extensive concentration range
- **Solubility:** CONOSTAN<sup>®</sup> element standards are soluble in CONOSTAN<sup>®</sup> PremiSolv<sup>™</sup> ICP solvent, CONOSTAN<sup>®</sup> base oils, ketones, such as 4-methyl-2-pentanone (MIBK), as well as in paraffinic and aromatic hydrocarbons, such as mineral oil, xylene, and kerosene.
- **Volatility:** CONOSTAN<sup>®</sup> element standards are made in ultra-pure, highly processed hydrocarbon oil only; no solubilizers are used. These element standards are extremely stable to volatile loss.
- **Viscosity:** Viscosity range at room temperature is ideal for instrumental applications.
- **Instrumental Response:** Excellent analytical response over a wide range of analytical applications.
- **Shelf life:** All CONOSTAN<sup>®</sup> element standards and spectroscopy products have a one year minimum shelf life from the date of shipment.

### Single element standards in oil

Single-element CONOSTAN<sup>®</sup> standards are especially useful for atomic absorption and X-ray fluorescence determinations. The matrix oil for these standards is high purity hydrocarbon oil with a 17 cSt viscosity at 40°C and flash point of 175°C (20 Blank Oil). They are available at the following metal concentrations.

The 1000 and 5000 ppm standards can be used as a source of single-element calibration standard for your specific applications using all types of spectroscopic methods of analysis.

Cobalt 1000 & 5000 ppm, yttrium 1000 & 5000 ppm, and scandium 2000 ppm are often used as internal standards for inductively coupled plasma (ICP) analysis.

Stock concentrations are listed in the table below.

**Concentrations not listed in the table below are available as custom single element standards on request.**

Code	Product		Unit
CON-150-100-135	Aluminium in 20 blank oil, 1000 µg/g	Al:1000 ppm	50 g
CON-150-500-135	Aluminium in 20 blank oil, 5000 µg/g	Al:5000 ppm	50 g
CON-150-100-515	Antimony in 20 blank oil, 1000 µg/g	Sb:1000 ppm	50 g
CON-150-500-515	Antimony in 20 blank oil, 5000 µg/g	Sb:5000 ppm	50 g
CON-150-103-331	Arsenic in 20 blank oil, 100 µg/g	As:100 ppm	100 g
CON-150-100-565	Barium in 20 blank oil, 1000 µg/g	Ba:1000 ppm	50 g
CON-150-500-565	Barium in 20 blank oil, 5000 µg/g	Ba:5000 ppm	50 g
CON-150-100-045	Beryllium in 20 blank oil, 1000 µg/g	Be:1000 ppm	50 g
CON-150-500-045	Beryllium in 20 blank oil, 5000 µg/g	Be:5000 ppm	50 g
CON-150-100-835	Bismuth in 20 blank oil, 1000 µg/g	Bi:1000 ppm	50 g
CON-150-500-835	Bismuth in 20 blank oil, 5000 µg/g	Bi:5000 ppm	50 g
CON-150-100-055	Boron in 20 blank oil, 1000 µg/g	B:1000 ppm	50 g
CON-150-500-055	Boron in 20 blank oil, 5000 µg/g	B:5000 ppm	50 g
CON-150-100-485	Cadmium in 20 blank oil, 1000 µg/g	Cd:1000 ppm	50 g
CON-150-500-485	Cadmium in 20 blank oil, 5000 µg/g	Cd:5000 ppm	50 g
CON-150-100-205	Calcium in 20 blank oil, 1000 µg/g	Ca:1000 ppm	50 g
CON-150-500-205	Calcium in 20 blank oil, 5000 µg/g	Ca:5000 ppm	50 g
CON-150-100-245	Chromium in 20 blank oil, 1000 µg/g	Cr:1000 ppm	50 g
CON-150-500-245	Chromium in 20 blank oil, 5000 µg/g	Cr:5000 ppm	50 g

## Petrochemical standards

Code	Product		Unit
CON-150-100-275	Cobalt in 20 blank oil, 1000 µg/g	Co:1000 ppm	50 g
CON-150-500-275	Cobalt in 20 blank oil, 5000 µg/g	Co:5000 ppm	50 g
CON-150-100-295	Copper in 20 blank oil, 1000 µg/g	Cu:1000 ppm	50 g
CON-150-500-295	Copper in 20 blank oil, 5000 µg/g	Cu:5000 ppm	50 g
CON-150-100-495	Indium in 20 blank oil, 1000 µg/g	In:1000 ppm	50 g
CON-150-500-495	Indium in 20 blank oil, 5000 µg/g	In:5000 ppm	50 g
CON-150-100-265	Iron in 20 blank oil, 1000 µg/g	Fe:1000 ppm	50 g
CON-150-500-265	Iron in 20 blank oil, 5000 µg/g	Fe:5000 ppm	50 g
CON-150-100-575	Lanthanum in 20 blank oil, 1000 µg/g	La:1000 ppm	50 g
CON-150-500-575	Lanthanum in 20 blank oil, 5000 µg/g	La:5000 ppm	50 g
CON-150-100-825	Lead in 20 blank oil, 1000 µg/g	Pb:1000 ppm	50 g
CON-150-500-825	Lead in 20 blank oil, 5000 µg/g	Pb: 5000 ppm	50 g
CON-150-100-035	Lithium in 20 blank oil, 1000 µg/g	Li:1000 ppm	50 g
CON-150-500-035	Lithium in 20 blank oil, 5000 µg/g	Li:5000 ppm	50 g
CON-150-100-125	Magnesium in 20 blank oil, 1000 µg/g	Mg:1000 ppm	50 g
CON-150-500-125	Magnesium in 20 blank oil, 5000 µg/g	Mg:5000 ppm	50 g
CON-150-100-255	Manganese in 20 blank oil, 1000 µg/g	Mn:1000 ppm	50 g
CON-150-500-255	Manganese in 20 blank oil, 5000 µg/g	Mn:5000 ppm	50 g
CON-150-103-801	Mercury in 20 blank oil, 100 µg/g	Hg:100 ppm	100 g
CON-150-100-425	Molybdenum in 20 blank oil, 1000 µg/g	Mo:1000 ppm	50 g
CON-150-500-425	Molybdenum in 20 blank oil, 5000 µg/g	Mo:5000 ppm	50 g
CON-150-100-285	Nickel in 20 blank oil, 1000 µg/g	Ni:1000 ppm	50 g
CON-150-500-285	Nickel in 20 blank oil, 5000 µg/g	Ni:5000 ppm	50 g
CON-150-100-155	Phosphorus in 20 blank oil, 1000 µg/g	P:1000 ppm	50 g
CON-150-500-155	Phosphorus in 20 blank oil, 5000 µg/g	P:5000 ppm	50 g
CON-150-100-195	Potassium in 20 blank oil, 1000 µg/g	K:1000 ppm	50 g
CON-150-500-195	Potassium in 20 blank oil, 5000 µg/g	K:5000 ppm	50 g
CON-150-500-215	Scandium in 20 blank oil, 2000 µg/g	Sc:2000 ppm	50 g
CON-150-103-341	Selenium in 20 blank oil, 100 µg/g	Se:100 ppm	100 g
CON-150-100-145	Silicon in 20 blank oil, 1000 µg/g	Si:1000 ppm	50 g
CON-150-500-145	Silicon in 20 blank oil, 5000 µg/g	Si:5000 ppm	50 g
CON-150-100-475	Silver in 20 blank oil, 1000 µg/g	Ag:1000 ppm	50 g
CON-150-500-475	Silver in 20 blank oil, 5000 µg/g	Ag:5000 ppm	50 g
CON-150-100-115	Sodium in 20 blank oil, 1000 µg/g	Na:1000 ppm	50 g
CON-150-500-115	Sodium in 20 blank oil, 5000 µg/g	Na:5000 ppm	50 g
CON-150-100-385	Strontium in 20 blank oil, 1000 µg/g	Sr:1000 ppm	50 g
CON-150-500-385	Strontium in 20 blank oil, 5000 µg/g	Sr:5000 ppm	50 g
CON-150-100-505	Tin in 20 blank oil, 1000 µg/g	Sn:1000 ppm	50 g
CON-150-500-505	Tin in 20 blank oil, 5000 µg/g	Sn:5000 ppm	50 g
CON-150-100-225	Titanium in 20 blank oil, 1000 µg/g	Ti:1000 ppm	50 g
CON-150-500-225	Titanium in 20 blank oil, 5000 µg/g	Ti:5000 ppm	50 g
CON-150-100-745	Tungsten in 20 blank oil, 1000 µg/g	W:1000 ppm	50 g
CON-150-500-745	Tungsten in 20 blank oil, 5000 µg/g	W:5000 ppm	50 g
CON-150-100-235	Vanadium in 20 blank oil, 1000 µg/g	V:1000 ppm	50 g
CON-150-500-235	Vanadium in 20 blank oil, 5000 µg/g	V:5000 ppm	50 g
CON-150-100-395	Yttrium in 20 blank oil, 1000 µg/g	Y:1000 ppm	50 g
CON-150-500-395	Yttrium in 20 blank oil, 5000 µg/g	Y:5000 ppm	50 g
CON-150-100-305	Zinc in 20 blank oil, 1000 µg/g	Zn:1000 ppm	50 g
CON-150-500-305	Zinc in 20 blank oil, 5000 µg/g	Zn:5000 ppm	50 g

## Petrochemical standards

Code	Product	Unit
<b>Multi-element standards in oil</b>		
<p>Multi-element Conostan standards are especially useful for ICP, RDE, and DCP analysis of metals in oil. They are available in high purity hydrocarbon oil solutions and are blended to approximately 70 cSt viscosity at 40°C and flash point of 215°C (75 Blank Oil). They contain equal amounts of each element. <b>Concentrations not listed are available as custom multi-element standards on request. You may create your own S-21 and S-12 standards by adding additional elements to the stocked product standards, listed as follows.</b></p>		
CON-150-021-002	Multi-element standard in 75 blank oil: S-21:10 ppm	100 g
	Ag ..... 10 µg/g      Cu ..... 10 µg/g      P ..... 10 µg/g Al ..... 10 µg/g      Fe ..... 10 µg/g      Pb ..... 10 µg/g B ..... 10 µg/g      Mg ..... 10 µg/g      Si ..... 10 µg/g Ba ..... 10 µg/g      Mn ..... 10 µg/g      Sn ..... 10 µg/g Ca ..... 10 µg/g      Mo ..... 10 µg/g      Ti ..... 10 µg/g Cd ..... 10 µg/g      Na ..... 10 µg/g      V ..... 10 µg/g Cr ..... 10 µg/g      Ni ..... 10 µg/g      Zn ..... 10 µg/g	
CON-150-021-018	Multi-element standard in 75 blank oil: S-21:10 ppm	200 g
CON-150-021-008	Multi-element standard in 75 blank oil: S-21:30 ppm	100 g
	Ag ..... 30 µg/g      Cu ..... 30 µg/g      P ..... 30 µg/g Al ..... 30 µg/g      Fe ..... 30 µg/g      Pb ..... 30 µg/g B ..... 30 µg/g      Mg ..... 30 µg/g      Si ..... 30 µg/g Ba ..... 30 µg/g      Mn ..... 30 µg/g      Sn ..... 30 µg/g Ca ..... 30 µg/g      Mo ..... 30 µg/g      Ti ..... 30 µg/g Cd ..... 30 µg/g      Na ..... 30 µg/g      V ..... 30 µg/g Cr ..... 30 µg/g      Ni ..... 30 µg/g      Zn ..... 30 µg/g	
CON-150-021-027	Multi-element standard in 75 blank oil: S-21:30 ppm	200 g
CON-150-021-010	Multi-element standard in 75 blank oil: S-21:50 ppm	100 g
	Ag ..... 50 µg/g      Cu ..... 50 µg/g      P ..... 50 µg/g Al ..... 50 µg/g      Fe ..... 50 µg/g      Pb ..... 50 µg/g B ..... 50 µg/g      Mg ..... 50 µg/g      Si ..... 50 µg/g Ba ..... 50 µg/g      Mn ..... 50 µg/g      Sn ..... 50 µg/g Ca ..... 50 µg/g      Mo ..... 50 µg/g      Ti ..... 50 µg/g Cd ..... 50 µg/g      Na ..... 50 µg/g      V ..... 50 µg/g Cr ..... 50 µg/g      Ni ..... 50 µg/g      Zn ..... 50 µg/g	
CON-150-021-030	Multi-element standard in 75 blank oil: S-21:50 ppm	200 g
CON-150-021-003	Multi-element standard in 75 blank oil: S-21:100 ppm	100 g
	Ag ..... 100 µg/g      Cu ..... 100 µg/g      P ..... 100 µg/g Al ..... 100 µg/g      Fe ..... 100 µg/g      Pb ..... 100 µg/g B ..... 100 µg/g      Mg ..... 100 µg/g      Si ..... 100 µg/g Ba ..... 100 µg/g      Mn ..... 100 µg/g      Sn ..... 100 µg/g Ca ..... 100 µg/g      Mo ..... 100 µg/g      Ti ..... 100 µg/g Cd ..... 100 µg/g      Na ..... 100 µg/g      V ..... 100 µg/g Cr ..... 100 µg/g      Ni ..... 100 µg/g      Zn ..... 100 µg/g	
CON-150-021-019	Multi-element standard in 75 blank oil: S-21:100 ppm	200 g
CON-150-021-009	Multi-element standard in 75 blank oil: S-21:300 ppm	100 g
	Ag ..... 300 µg/g      Cu ..... 300 µg/g      P ..... 300 µg/g Al ..... 300 µg/g      Fe ..... 300 µg/g      Pb ..... 300 µg/g B ..... 300 µg/g      Mg ..... 300 µg/g      Si ..... 300 µg/g Ba ..... 300 µg/g      Mn ..... 300 µg/g      Sn ..... 300 µg/g Ca ..... 300 µg/g      Mo ..... 300 µg/g      Ti ..... 300 µg/g Cd ..... 300 µg/g      Na ..... 300 µg/g      V ..... 300 µg/g Cr ..... 300 µg/g      Ni ..... 300 µg/g      Zn ..... 300 µg/g	
CON-150-021-028	Multi-element standard in 75 blank oil: S-21:300 ppm	200 g
CON-150-021-011	Multi-element standard in 75 blank oil: S-21:500 ppm	100 g
	Ag ..... 500 µg/g      Cu ..... 500 µg/g      P ..... 500 µg/g Al ..... 500 µg/g      Fe ..... 500 µg/g      Pb ..... 500 µg/g B ..... 500 µg/g      Mg ..... 500 µg/g      Si ..... 500 µg/g Ba ..... 500 µg/g      Mn ..... 500 µg/g      Sn ..... 500 µg/g Ca ..... 500 µg/g      Mo ..... 500 µg/g      Ti ..... 500 µg/g Cd ..... 500 µg/g      Na ..... 500 µg/g      V ..... 500 µg/g Cr ..... 500 µg/g      Ni ..... 500 µg/g      Zn ..... 500 µg/g	
CON-150-021-031	Multi-element standard in 75 blank oil: S-21:500 ppm	200 g
CON-150-021-015	Multi-element standard in 75 blank oil: S-21:900 ppm	100 g
	Ag ..... 900 µg/g      Cu ..... 900 µg/g      P ..... 900 µg/g Al ..... 900 µg/g      Fe ..... 900 µg/g      Pb ..... 900 µg/g B ..... 900 µg/g      Mg ..... 900 µg/g      Si ..... 900 µg/g Ba ..... 900 µg/g      Mn ..... 900 µg/g      Sn ..... 900 µg/g Ca ..... 900 µg/g      Mo ..... 900 µg/g      Ti ..... 900 µg/g Cd ..... 900 µg/g      Na ..... 900 µg/g      V ..... 900 µg/g Cr ..... 900 µg/g      Ni ..... 900 µg/g      Zn ..... 900 µg/g	
CON-150-021-035	Multi-element standard in 75 blank oil: S-21:900 ppm	200 g

## Petrochemical standards

Code	Product	Unit
CON-150-012-001	Multi-element standard in 75 blank oil: S-12:10 ppm Ag ..... 10 µg/g      Fe ..... 10 µg/g      Pb ..... 10 µg/g Al ..... 10 µg/g      Mg ..... 10 µg/g      Si ..... 10 µg/g Cr ..... 10 µg/g      Na ..... 10 µg/g      Sn ..... 10 µg/g Cu ..... 10 µg/g      Ni ..... 10 µg/g      Ti ..... 10 µg/g	100 g
CON-150-012-009	Multi-element standard in 75 blank oil: S-12:10 ppm	200 g
CON-150-012-004	Multi-element standard in 75 blank oil: S-12:30 ppm Ag ..... 30 µg/g      Fe ..... 30 µg/g      Pb ..... 30 µg/g Al ..... 30 µg/g      Mg ..... 30 µg/g      Si ..... 30 µg/g Cr ..... 30 µg/g      Na ..... 30 µg/g      Sn ..... 30 µg/g Cu ..... 30 µg/g      Ni ..... 30 µg/g      Ti ..... 30 µg/g	100 g
CON-150-012-012	Multi-element standard in 75 blank oil: S-12:30 ppm	200 g
CON-150-012-006	Multi-element standard in 75 blank oil: S-12:50 ppm Ag ..... 50 µg/g      Fe ..... 50 µg/g      Pb ..... 50 µg/g Al ..... 50 µg/g      Mg ..... 50 µg/g      Si ..... 50 µg/g Cr ..... 50 µg/g      Na ..... 50 µg/g      Sn ..... 50 µg/g Cu ..... 50 µg/g      Ni ..... 50 µg/g      Ti ..... 50 µg/g	100 g
CON-150-012-014	Multi-element standard in 75 blank oil: S-12:50 ppm	200 g
CON-150-012-002	Multi-element standard in 75 blank oil: S-12:100 ppm Ag ..... 100 µg/g      Fe ..... 100 µg/g      Pb ..... 100 µg/g Al ..... 100 µg/g      Mg ..... 100 µg/g      Si ..... 100 µg/g Cr ..... 100 µg/g      Na ..... 100 µg/g      Sn ..... 100 µg/g Cu ..... 100 µg/g      Ni ..... 100 µg/g      Ti ..... 100 µg/g	100 g
CON-150-012-010	Multi-element standard in 75 blank oil: S-12:100 ppm	200 g
CON-150-012-005	Multi-element standard in 75 blank oil: S-12:300 ppm Ag ..... 300 µg/g      Fe ..... 300 µg/g      Pb ..... 300 µg/g Al ..... 300 µg/g      Mg ..... 300 µg/g      Si ..... 300 µg/g Cr ..... 300 µg/g      Na ..... 300 µg/g      Sn ..... 300 µg/g Cu ..... 300 µg/g      Ni ..... 300 µg/g      Ti ..... 300 µg/g	100 g
CON-150-012-013	Multi-element standard in 75 blank oil: S-12:300 ppm	200 g
CON-150-012-007	Multi-element standard in 75 blank oil: S-12:500 ppm Ag ..... 500 µg/g      Fe ..... 500 µg/g      Pb ..... 500 µg/g Al ..... 500 µg/g      Mg ..... 500 µg/g      Si ..... 500 µg/g Cr ..... 500 µg/g      Na ..... 500 µg/g      Sn ..... 500 µg/g Cu ..... 500 µg/g      Ni ..... 500 µg/g      Ti ..... 500 µg/g	100 g
CON-150-012-015	Multi-element standard in 75 blank oil: S-12:500 ppm	200 g
CON-150-012-008	Multi-element standard in 75 blank oil: S-12:900 ppm Ag ..... 900 µg/g      Fe ..... 900 µg/g      Pb ..... 900 µg/g Al ..... 900 µg/g      Mg ..... 900 µg/g      Si ..... 900 µg/g Cr ..... 900 µg/g      Na ..... 900 µg/g      Sn ..... 900 µg/g Cu ..... 900 µg/g      Ni ..... 900 µg/g      Ti ..... 900 µg/g	100 g
CON-150-012-016	Multi-element standard in 75 blank oil: S-12:900 ppm	200 g
	<b>AM Special</b> This multi-element standard is used in determination of additive elements in lubricant oils by ICP, RDE, and DCP analysis of metals in oil. [Concentrations not listed are available as custom multi-element standards on request. You may create your own AM Special standards by adding additional elements to the stocked product standards, listed as follows]	
CON-150-250-014	Multi-element standard AM-special in 75 blank oil: AM Special 900 ppm Ba ..... 900 µg/g      Mg ..... 900 µg/g      Zn ..... 900 µg/g Ca ..... 900 µg/g      P ..... 900 µg/g	100 g
CON-150-250-027	Multi-element standard AM-special in 75 blank oil: AM Special 900 ppm	200 g
CON-150-250-006	Multi-element standard AM-special in 75 blank oil: AM Special 1000 ppm Ba ..... 1000 µg/g      Mg ..... 1000 µg/g      Zn ..... 1000 µg/g Ca ..... 1000 µg/g      P ..... 1000 µg/g	100 g
CON-150-250-016	Multi-element standard AM-special in 75 blank oil: AM Special 1000 ppm	200 g

## Petrochemical standards

Code	Product	Unit
<b>Custom Multi-Element Standards in Mineral Oil</b>		
<p>Customised standards can be prepared if your spectrometric analysis of metals requires a specific combination of elements and concentrations. Custom standards allow testing for unusual combinations and concentrations of elements with minimal spectral interference and repeatable results. Both single element and multi-element custom standards are available. Any element available (All except S, Cl, As, Hg, and Se) can be combined to prepare multi-element custom standards. Create your own S-21, S-12, and AM Special standards by adding additional elements to the stocked product standards. Popular additions to S-21 are potassium, lithium, and antimony. Standards are designated, for example, by S-21+K+Sb:100 ppm, AM Special+Fe:900 ppm, S-12+Mo:100 ppm, etc. Custom standards are available in 100 g, 200 g, and 400 g. Custom standards can be shipped to customers within 5 - 7 days of receipt of an order.</p>		

### Sulfur in mineral oil

Sulfur and chlorine calibration standards are specifically designed for analysis of sulfur and chlorine in a wide variety of petroleum products by XRF, ICP and other analytical techniques. All standards are prepared on a weight/weight basis in high purity hydrocarbon oil with a 70 cSt viscosity at 40°C (75 Blank Oil). Stock concentrations are listed in the table below. Concentrations not listed are available as custom standards on request.

CON-150-400-025	Sulfur in mineral oil, blank	S:blank	100 g
CON-150-400-018	Sulfur in mineral oil, 50 µg/g	S:50 ppm; 0.005 wt%	100 g
CON-150-400-002	Sulphur in mineral oil, 100 µg/g	S:100 ppm; 0.01 wt%	100 g
CON-150-400-010	Sulfur in mineral oil, 250 µg/g	S:250 ppm; 0.025 wt%	100 g
CON-150-400-019	Sulfur in mineral oil, 500 µg/g	S:500 ppm; 0.05 wt%	100 g
CON-150-400-023	Sulfur in mineral oil, 750 µg/g	S:750 ppm; 0.075 wt%	100 g
CON-150-400-003	Sulphur in mineral oil, 1000 µg/g	S:1000 ppm; 0.1 wt%	100 g
CON-150-400-011	Sulfur in mineral oil, 2500 µg/g	S:2500 ppm; 0.25 wt%	100 g
CON-150-400-020	Sulfur in mineral oil, 5000 µg/g	S:5000 ppm; 0.5 wt%	100 g
CON-150-400-024	Sulfur in mineral oil, 7500 µg/g	S:7500 ppm; 0.75 wt%	100 g
CON-150-400-004	Sulphur in mineral oil, 10000 µg/g	S:10000 ppm; 1.0 wt%	100 g
CON-150-400-005	Sulphur in mineral oil, 15000 µg/g	S:15000 ppm; 1.5 wt%	100 g
CON-150-400-008	Sulfur in mineral oil, 20000 µg/g	S:20000 ppm; 2.0 wt%	100 g
CON-150-400-012	Sulfur in mineral oil, 25000 µg/g	S:25000 ppm; 2.5 wt%	100 g
CON-150-400-014	Sulfur in mineral oil, 30000 µg/g	S:30000 ppm; 3.0 wt%	100 g
CON-150-400-016	Sulfur in mineral oil, 40000 µg/g	S:40000 ppm; 4.0 wt%	100 g
CON-150-400-021	Sulfur in mineral oil, 50000 µg/g	S:50000 ppm; 5.0 wt%	100 g

### Sulfur in residual oil

<b>New</b>	CON-150-420-100	Sulfur in residual oil, 2500 µg/g	50 mL
<b>New</b>	CON-150-420-005	Sulfur in residual oil, 2500 µg/g	100 mL
<b>New</b>	CON-150-420-105	Sulfur in residual oil, 3500 µg/g	50 mL
<b>New</b>	CON-150-420-010	Sulfur in residual oil, 3500 µg/g	100 mL
<b>New</b>	CON-150-420-110	Sulfur in residual oil, 5000 µg/g	50 mL
<b>New</b>	CON-150-420-015	Sulfur in residual oil, 5000 µg/g	100 mL
<b>New</b>	CON-150-420-120	Sulfur in residual oil, 7500 µg/g	50 mL
<b>New</b>	CON-150-420-020	Sulfur in residual oil, 7500 µg/g	100 mL
<b>New</b>	CON-150-420-125	Sulfur in residual oil, 10000 µg/g	50 mL
<b>New</b>	CON-150-420-025	Sulfur in residual oil, 10000 µg/g	100 mL
<b>New</b>	CON-150-420-130	Sulfur in residual oil, 15000 µg/g	50 mL
<b>New</b>	CON-150-420-030	Sulfur in residual oil, 15000 µg/g	100 mL
<b>New</b>	CON-150-420-135	Sulfur in residual oil, 20000 µg/g	50 mL
<b>New</b>	CON-150-420-035	Sulfur in residual oil, 20000 µg/g	100 mL
<b>New</b>	CON-150-420-140	Sulfur in residual oil, 25000 µg/g	50 mL
<b>New</b>	CON-150-420-040	Sulfur in residual oil, 25000 µg/g	100 mL

	Code	Product	Unit
<b>New</b>	CON-150-420-145	Sulfur in residual oil, 30000 µg/g	50 mL
<b>New</b>	CON-150-420-045	Sulfur in residual oil, 30000 µg/g	100 mL
<b>New</b>	CON-150-420-150	Sulfur in residual oil, 35000 µg/g	50 mL
<b>New</b>	CON-150-420-050	Sulfur in residual oil, 35000 µg/g	100 mL
<b>New</b>	CON-150-420-155	Sulfur in residual oil, 40000 µg/g	50 mL
<b>New</b>	CON-150-420-055	Sulfur in residual oil, 40000 µg/g	100 mL
<b>New</b>	CON-150-420-160	Sulfur in residual oil, 50000 µg/g	50 mL
<b>New</b>	CON-150-420-060	Sulfur in residual oil, 50000 µg/g	100 mL

### Sulfur in Isooctane

<b>New</b>	CON-150-430-010	Sulfur in isooctane, set of 7 x 10 ml vials: 0, 0.5, 1.0, 2.5, 5.0, 7.5, 10 ppm	7 x 10 mL
<b>New</b>	CON-150-430-020	Sulfur in isooctane, set of 7 x 10 ml vials: 0, 5, 10, 25, 50, 100, 250 ppm	7 x 10 mL
<b>New</b>	CON-150-430-030	Sulfur in isooctane, set of 7 x 10 ml vials: 0, 50, 100, 250, 500, 750, 1000 ppm	7 x 10 mL
<b>New</b>	CON-150-430-100	Sulfur in isooctane, Set of 7	7 x 60 mL
<b>New</b>	CON-150-430-101	Sulfur in isooctane (blank)	60 mL
<b>New</b>	CON-150-430-108	Sulfur in isooctane, 5 µg/g	60 mL
<b>New</b>	CON-150-430-109	Sulfur in isooctane, 10 µg/g	60 mL
<b>New</b>	CON-150-430-102	Sulfur in isooctane, 50 µg/g	60 mL
<b>New</b>	CON-150-430-103	Sulfur in isooctane, 100 µg/g	60 mL
<b>New</b>	CON-150-430-104	Sulfur in isooctane, 250 µg/g	60 mL
<b>New</b>	CON-150-430-105	Sulfur in isooctane, 500 µg/g	60 mL
<b>New</b>	CON-150-430-106	Sulfur in isooctane, 750 µg/g	60 mL
<b>New</b>	CON-150-430-107	Sulfur in isooctane, 1000 µg/g	60 mL

### Chlorine in oil

	CON-150-200-008	Chlorine in oil, blank	Cl:blank	100 g
	CON-150-200-001	Chlorine in oil, 10 µg/g	Cl:10 ppm; 0.001 wt%	100 g
	CON-150-200-002	Chlorine in oil, 100 µg/g	Cl:100ppm; 0.01 wt%	100 g
	CON-150-200-005	Chlorine in oil, 500 µg/g	Cl:500 ppm; 0.05 wt%	100 g
	CON-150-200-003	Chlorine in oil, 1000 µg/g	Cl:1000 ppm; 0.1 wt%	100 g
	CON-150-200-006	Chlorine in oil, 5000 µg/g	Cl:5000 ppm; 0.5 wt%	100 g
	CON-150-200-004	Chlorine in oil, 10000 µg/g	Cl:10000 ppm; 1.0 wt%	100 g
	CON-150-200-007	Chlorine in oil, 50000 µg/g	Cl:50000 ppm; 5.0 wt%	100 g

### Blank and base oils

Blank oils are used for blending calibration standards for spectrometric analysis of metals in oil.

	CON-150-020-002	20 Blank oil		100 g
		<u>Viscosity</u>		
		40 °C (104 °F).....14-18 cSt	100 °C (212 °F) ..... 3-4 cSt	
		Any trace metal..... <0.10 ppm		
	CON-150-020-001	20 Blank oil		400 g
	CON-150-020-005	20 Blank oil		3.78 L
	CON-150-075-003	75 Blank oil		100 g
		<u>Viscosity</u>		
		40 °C (104 °F).....65-72 cSt	100 °C (212 °F) ..... 8.1-8.7 cSt	
		Any trace metal..... <0.10 ppm		
	CON-150-075-002	75 Blank oil		400 g
	CON-150-075-006	75 Blank oil		3.78 L
	CON-150-020-004	20 Base Oil		500 mL
	CON-150-020-003	20 Base Oil		3.76 L
	CON-150-075-005	75 Base Oil		500 mL
	CON-150-075-004	75 Base Oil		3.76 L



## Petrochemical standards

Code	Product	Unit
<b>Stabilizer</b>		
CON-150-010-001	Stabilizer for Conostan® Standards	50 g
<b>Sulfur in diesel fuel</b>		
CON-150-410-012	Sulfur in diesel fuel blank	100 g
CON-150-410-008	Sulfur in diesel fuel, 5 µg/g	100 g
CON-150-410-001	Sulfur in diesel fuel, 10 µg/g	100 g
CON-150-410-005	Sulfur in diesel fuel, 15 µg/g	100 g
CON-150-410-013	Sulfur in diesel fuel, 25 µg/g	100 g
CON-150-410-009	Sulfur in diesel fuel, 50 µg/g	100 g
CON-150-410-014	Sulfur in diesel fuel, 75 µg/g	100 g
CON-150-410-002	Sulfur in diesel fuel, 100 µg/g	100 g
CON-150-410-015	Sulfur in diesel fuel, 200 µg/g	100 g
CON-150-410-016	Sulfur in diesel fuel, 300 µg/g	100 g
CON-150-410-017	Sulfur in diesel fuel, 400 µg/g	100 g
CON-150-410-010	Sulfur in diesel fuel, 500 µg/g	100 g
CON-150-410-018	Sulfur in diesel fuel, 750 µg/g	100 g
CON-150-410-003	Sulfur in diesel fuel, 1000 µg/g	100 g
CON-150-410-019	Sulfur in diesel fuel, 1500 µg/g	100 g
CON-150-410-020	Sulfur in diesel fuel, 3000 µg/g	100 g
CON-150-410-011	Sulfur in diesel fuel, 5000 µg/g	100 g
CON-150-410-021	Sulfur in diesel fuel, 7500 µg/g	100 g
CON-150-410-004	Sulfur in diesel fuel, 10000 µg/g	100 g
CON-150-410-006	Sulfur in diesel fuel, 15000 µg/g	100 g
CON-150-410-007	Sulfur in diesel fuel, 20000 µg/g	100 g
CON-150-410-022	Sulfur in diesel fuel, 30000 µg/g	100 g
CON-150-410-023	Sulfur in diesel fuel, 40000 µg/g	100 g
<b>PremiSolv™ ICP solvent</b>		
<p>PremiSolv™ ICP solvent is a superior product vs. low odour kerosene or xylene for use as a diluent and "zero" point standard in ICP/DCP analysis of metals in oil and other organic fluids. PremiSolv™ ICP solvent features:</p> <ul style="list-style-type: none"> <li>• <b>Extremely low odour:</b> No sulfur/aromatic odor for increased worker comfort and less occupational exposure.</li> <li>• <b>Extremely low toxicity</b> compared to kerosene or xylene.</li> <li>• <b>Non-hazardous</b> for shipping/disposal.</li> <li>• Supplied with <b>certificate of analysis</b> listing the concentration of 33 different metals and sulfur.</li> </ul>		
CON-150-700-003	PremiSolv™ ICP solvent	3.78 L
CON-150-700-002	PremiSolv™ ICP solvent	5 x 3.78 L

Code Product Unit

**PartiStan™ particle standards- Compliant with ISO 11171:1999**

Automatic particle counters (APC), using a laser source, are used for measurement of contamination in lubrication products, especially hydraulic fluids. These products are necessary for instrument calibration and verification of performance, and may, also, be used for non-laser based particle counting instruments.

**PartiStan™ Particle Standard Features:**

- Traceable to NIST SRM 2806.
- ISO 11171 compliant, Per Annex F; uses ISO medium test dust.
- Certificate of analysis for 4-30 um(c) (micrometers, certified).
- Maintain conformance to ISO programs (ISO 4402 is obsolete).
- Independent of APC manufacturer.

**Routine Products Usage:**

- PartiStan™ 2806.
  - Sizing calibration (Clause 6, ISO 11171).
  - Verification fluid for APC performance.
- PartiStan™ SCF (Super Clean Fluid).
  - APC system cleaning.
  - Test sample dilution.
- PartiStan™ Calibration Kits - All fluids for ISO 11171 APC calibration.
- PartiStan™ UFTD.
  - Ultra fine test dust suspensions for ISO 11171 - Annexes A,B,C, & E.

CON-150-701-001	PartiStan™ 2806 - 2.8 mg/L ISO Medium Test Dust suspension in Super Clean Fluid	400 g
CON-150-701-002	PartiStan™ resolution standard	400 g
CON-150-701-003	PartiStan™ SCF - Super Clean Fluid	400 mL
CON-150-701-004	PartiStan™ SCF - Super Clean Fluid	1 gallon
CON-150-701-005	PartiStan™ UFTD - Ultra Fine test dust suspension in Super Clean Fluid	400/250 mL

**CONOSTAN D-Series® Element (metallo-organic) Standards: D-3, D-12, D-19 (JOAP)**

The CONOSTAN-D-Series® standards are specially designed for military laboratories required to conform to the JOAP (Joint Oil Analysis Program –U.S.) program for emission spectrometers. These standards **should not be used unless the laboratory instrument is JOAP certified**. Refer to and use CONOSTAN multi-element standards, otherwise.

**D-3 series (Note: U.S. Dept. Of Defense NSN # equivalent shown with product identity)**

CON-150-300-019	CONOSTAN D-Series® Standard: D-3:100 (NSN 9150-01-283-0249)	200 g
	B ..... 100 µg/g      Mo ..... 100 µg/g      Zn ..... 100 µg/g	

**D-12 series (Note: U.S. Dept. Of Defense NSN # equivalent shown with product identity)**

CON-150-300-005	CONOSTAN D-Series® Standard: D-12:5 ppm (NSN: 9150-01-307-3343)	200 g
	Ag ..... 5 µg/g      Fe ..... 5 µg/g      Pb ..... 5 µg/g Al ..... 5 µg/g      Mg ..... 5 µg/g      Si ..... 5 µg/g Cr ..... 5 µg/g      Na ..... 5 µg/g      Sn ..... 5 µg/g Cu ..... 5 µg/g      Ni ..... 5 µg/g      Ti ..... 5 µg/g	

CON-150-300-001	CONOSTAN D-Series® Standard: D-12:10 ppm (NSN: 9150-00-179-5145)	200 g
	Ag ..... 10 µg/g      Fe ..... 10 µg/g      Pb ..... 10 µg/g Al ..... 10 µg/g      Mg ..... 10 µg/g      Si ..... 10 µg/g Cr ..... 10 µg/g      Na ..... 10 µg/g      Sn ..... 10 µg/g Cu ..... 10 µg/g      Ni ..... 10 µg/g      Ti ..... 10 µg/g	

CON-150-300-003	CONOSTAN D-Series® Standard: D-12:30 ppm (NSN: 9150-00-179-5144)	200 g
	Ag ..... 30 µg/g      Fe ..... 30 µg/g      Pb ..... 30 µg/g Al ..... 30 µg/g      Mg ..... 30 µg/g      Si ..... 30 µg/g Cr ..... 30 µg/g      Na ..... 30 µg/g      Sn ..... 30 µg/g Cu ..... 30 µg/g      Ni ..... 30 µg/g      Ti ..... 30 µg/g	

CON-150-300-006	CONOSTAN D-Series® Standard: D-12:50 ppm (NSN: 9150-00-179-5143)	200 g
	Ag ..... 50 µg/g      Fe ..... 50 µg/g      Pb ..... 50 µg/g Al ..... 50 µg/g      Mg ..... 50 µg/g      Si ..... 50 µg/g Cr ..... 50 µg/g      Na ..... 50 µg/g      Sn ..... 50 µg/g Cu ..... 50 µg/g      Ni ..... 50 µg/g      Ti ..... 50 µg/g	

CON-150-300-002	CONOSTAN D-Series® Standard: D-12:100 ppm (NSN: 9150-00-179-5142)	200 g
	Ag ..... 100 µg/g      Fe ..... 100 µg/g      Pb ..... 100 µg/g Al ..... 100 µg/g      Mg ..... 100 µg/g      Si ..... 100 µg/g Cr ..... 100 µg/g      Na ..... 100 µg/g      Sn ..... 100 µg/g Cu ..... 100 µg/g      Ni ..... 100 µg/g      Ti ..... 100 µg/g	

## Petrochemical standards

Code	Product	Unit
CON-150-300-004	CONOSTAN D-Series® Standard: D-12:300 ppm (NSN: 9150-00-179-5141)	200 g
	Ag ..... 300 µg/g      Fe ..... 300 µg/g      Pb ..... 300 µg/g Al ..... 300 µg/g      Mg ..... 300 µg/g      Si ..... 300 µg/g Cr ..... 300 µg/g      Na ..... 300 µg/g      Sn ..... 300 µg/g Cu ..... 300 µg/g      Ni ..... 300 µg/g      Ti ..... 300 µg/g	
<b>D-19 series (Note: U.S. Dept. Of Defense NSN # equivalent shown with product identity)</b>		
CON-150-300-008	CONOSTAN D-Series® Standard (blank): D-19:0 (NSN:9150-00-179-5137)	100 g
CON-150-300-013	CONOSTAN D-Series® Standard: D-19:5 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 5 µg/g      Fe ..... 5 µg/g      Si ..... 5 µg/g Al ..... 5 µg/g      Mg ..... 5 µg/g      Sn ..... 5 µg/g B ..... 5 µg/g      Mn ..... 5 µg/g      Ti ..... 5 µg/g Ba ..... 5 µg/g      Mo ..... 5 µg/g      V ..... 5 µg/g Cd ..... 5 µg/g      Na ..... 5 µg/g      Zn ..... 5 µg/g Cr ..... 5 µg/g      Ni ..... 5 µg/g Cu ..... 5 µg/g      Pb ..... 5 µg/g	
CON-150-300-009	CONOSTAN D-Series® Standard: D-19:10 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 10 µg/g      Fe ..... 10 µg/g      Si ..... 10 µg/g Al ..... 10 µg/g      Mg ..... 10 µg/g      Sn ..... 10 µg/g B ..... 10 µg/g      Mn ..... 10 µg/g      Ti ..... 10 µg/g Ba ..... 10 µg/g      Mo ..... 10 µg/g      V ..... 10 µg/g Cd ..... 10 µg/g      Na ..... 10 µg/g      Zn ..... 10 µg/g Cr ..... 10 µg/g      Ni ..... 10 µg/g Cu ..... 10 µg/g      Pb ..... 10 µg/g	
CON-150-300-011	CONOSTAN D-Series® Standard: D-19:30 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 30 µg/g      Fe ..... 30 µg/g      Si ..... 30 µg/g Al ..... 30 µg/g      Mg ..... 30 µg/g      Sn ..... 30 µg/g B ..... 30 µg/g      Mn ..... 30 µg/g      Ti ..... 30 µg/g Ba ..... 30 µg/g      Mo ..... 30 µg/g      V ..... 30 µg/g Cd ..... 30 µg/g      Na ..... 30 µg/g      Zn ..... 30 µg/g Cr ..... 30 µg/g      Ni ..... 30 µg/g Cu ..... 30 µg/g      Pb ..... 30 µg/g	
CON-150-300-014	CONOSTAN D-Series® Standard: D-19:50 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 50 µg/g      Fe ..... 50 µg/g      Si ..... 50 µg/g Al ..... 50 µg/g      Mg ..... 50 µg/g      Sn ..... 50 µg/g B ..... 50 µg/g      Mn ..... 50 µg/g      Ti ..... 50 µg/g Ba ..... 50 µg/g      Mo ..... 50 µg/g      V ..... 50 µg/g Cd ..... 50 µg/g      Na ..... 50 µg/g      Zn ..... 50 µg/g Cr ..... 50 µg/g      Ni ..... 50 µg/g Cu ..... 50 µg/g      Pb ..... 50 µg/g	
CON-150-300-010	CONOSTAN D-Series® Standard: D-19:100 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 100 µg/g      Fe ..... 100 µg/g      Si ..... 100 µg/g Al ..... 100 µg/g      Mg ..... 100 µg/g      Sn ..... 100 µg/g B ..... 100 µg/g      Mn ..... 100 µg/g      Ti ..... 100 µg/g Ba ..... 100 µg/g      Mo ..... 100 µg/g      V ..... 100 µg/g Cd ..... 100 µg/g      Na ..... 100 µg/g      Zn ..... 100 µg/g Cr ..... 100 µg/g      Ni ..... 100 µg/g Cu ..... 100 µg/g      Pb ..... 100 µg/g	
CON-150-300-012	CONOSTAN D-Series® Standard: D-19:300 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 300 µg/g      Fe ..... 300 µg/g      Si ..... 300 µg/g Al ..... 300 µg/g      Mg ..... 300 µg/g      Sn ..... 300 µg/g B ..... 300 µg/g      Mn ..... 300 µg/g      Ti ..... 300 µg/g Ba ..... 300 µg/g      Mo ..... 300 µg/g      V ..... 300 µg/g Cd ..... 300 µg/g      Na ..... 300 µg/g      Zn ..... 300 µg/g Cr ..... 300 µg/g      Ni ..... 300 µg/g Cu ..... 300 µg/g      Pb ..... 300 µg/g	
CON-150-300-015	CONOSTAN D-Series® Standard: D-19:500 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 500 µg/g      Fe ..... 500 µg/g      Si ..... 500 µg/g Al ..... 500 µg/g      Mg ..... 500 µg/g      Sn ..... 500 µg/g B ..... 500 µg/g      Mn ..... 500 µg/g      Ti ..... 500 µg/g Ba ..... 500 µg/g      Mo ..... 500 µg/g      V ..... 500 µg/g Cd ..... 500 µg/g      Na ..... 500 µg/g      Zn ..... 500 µg/g Cr ..... 500 µg/g      Ni ..... 500 µg/g Cu ..... 500 µg/g      Pb ..... 500 µg/g	

Code	Product	Unit
CON-150-300-016	CONOSTAN D-Series® Standard: D-19:700 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 700 µg/g      Fe ..... 700 µg/g      Si ..... 700 µg/g Al ..... 700 µg/g      Mg ..... 700 µg/g      Sn ..... 700 µg/g B ..... 700 µg/g      Mn ..... 700 µg/g      Ti ..... 700 µg/g Ba ..... 700 µg/g      Mo ..... 700 µg/g      V ..... 700 µg/g Cd ..... 700 µg/g      Na ..... 700 µg/g      Zn ..... 700 µg/g Cr ..... 700 µg/g      Ni ..... 700 µg/g Cu ..... 700 µg/g      Pb ..... 700 µg/g	
CON-150-300-017	CONOSTAN D-Series® Standard: D-19:900 ppm (no NSN number; not offered by U.S. Dept. Of Defense; see CON-D19 Set, below)	100 g
	Ag ..... 900 µg/g      Fe ..... 900 µg/g      Si ..... 900 µg/g Al ..... 900 µg/g      Mg ..... 900 µg/g      Sn ..... 900 µg/g B ..... 900 µg/g      Mn ..... 900 µg/g      Ti ..... 900 µg/g Ba ..... 900 µg/g      Mo ..... 900 µg/g      V ..... 900 µg/g Cd ..... 900 µg/g      Na ..... 900 µg/g      Zn ..... 900 µg/g Cr ..... 900 µg/g      Ni ..... 900 µg/g Cu ..... 900 µg/g      Pb ..... 900 µg/g	
CON-150-300-018	CONOSTAN D-Series® Standards: D-19:Set (NSN: 9150-01-355-1178)	set
	Each set includes CON-D19/0A ..... 4 x 100 g      CON-D19/50A ..... 1 x 100 g      CON-D19/100A ..... 3 x 100 g CON-D19/5A ..... 1 x 100 g      CON-D19/500A ..... 1 x 100 g      CON-D19/300A ..... 2 x 100 g CON-D19/10A ..... 1 x 100 g      CON-D19/700A ..... 1 x 100 g CON-D19/30A ..... 1 x 100 g      CON-D19/900A ..... 1 x 100 g	

**Oils and liquid fuels**

ERM-EF213 – ERM-EF211		
Petroleum products containing Sulfur (S) in its natural forms, closely matching petrol fuels. The material is supplied in 19mL units in glass ampoules.		
ERM-EF213	Petrol - Sulfur Certified value S ..... 9.1 ± 0.8 mg/kg	Amp.
ERM-EF212	Petrol - Sulfur Certified value S ..... 20.2 ± 1.1 mg/kg	19 mL
ERM-EF211	Petrol - Sulfur Certified value S ..... 48.8 ± 1.7 mg/kg	Amp.
ERM-EF674 – ERM-EF673		
Petroleum products containing Sulfur (S) in its natural forms, closely matching diesel fuels. The material is supplied in 100mL units in glass bottles with tamper evident tops.		
ERM-EF673	Diesel - Sulfur Certified value S ..... 52.4 ± 1.3 mg/kg Indicative value for density	100 mL
ERM-EF672 - ERM-EF104		
The material is intended to control that gas oil does not contain more sulfur than allowed by Directive 1999/32/EEC so that maximum atmospheric sulfur emissions are not exceeded. It can be used to validate and/or calibrate analytical methods applied.		
ERM-EF674	Diesel - Sulfur Certified value S ..... 11.0 ± 0.9 mg/kg Indicative value for density	100 mL
ERM-EF672	Gas oil - Sulfur Certified value S ..... 0.0203 %	8 mL
ERM-EF671	Gas oil - Sulfur Certified value S ..... 0.0452 %	8 mL
ERM-EF104	Gas oil - Sulfur Certified value S ..... 0.1019 %	8 mL

## Petrochemical standards

Code	Product	Unit																					
BCR-106	Gas oil - Sulfur Certified value S ..... 0.502 %	25 g																					
BCR-107	Gas oil - Sulfur Certified value S ..... 1.040 %	25 g																					
ERM-EF317	Gas oil - Solvent Yellow 124 (SY124) Certified value      Uncertainty Solvent Yellow 124 (SY124) content ..... 0.141 mg/kg ..... 0.018 mg/kg	20 mL																					
ERM-EF318	Gas oil - Solvent Yellow 124 (SY124) Certified value      Uncertainty Solvent Yellow 124 (SY124) content ..... 7.0 mg/kg ..... 0.4 mg/kg	20 mL																					
NIST-2037	Solvent Red 24 diesel fuel dye This Standard Reference Material® (SRM®) is intended for the verification and calibration of spectrophotometers used to measure the concentration of Solvent Red dyes employed as colorants to mark "off-road" diesel fuel. NIST-2037 is certified for the purity of the Solvent Red 24 Dye (C <sub>24</sub> H <sub>20</sub> N <sub>4</sub> O, molecular mass 380.45) and for the second-derivative-based molecular absorption coefficients (extinction coefficients) of solutions of Solvent Red 24 Dye in p-xylene and in 97:3 (v:v) kerosene:p-xylene. Each unit of NIST-2037 consists of an amber 30 mL (1 oz), screw-capped bottle containing approximately 100 mg of solid Solvent Red 24 Dye. Certified values Mass Fraction (Purity) of Solvent Red 24 Dye <table border="1"> <thead> <tr> <th>Constituent</th> <th>Mass Fraction (%)</th> <th>95% Uncertainty Interval</th> </tr> </thead> <tbody> <tr> <td>Solvent Red 24 Dye</td> <td>98.0</td> <td>92.3 % to 100 %</td> </tr> </tbody> </table> Second-Derivative-Based Molecular Absorption Coefficients for Solutions of Solvent Red 24 Dye <table border="1"> <thead> <tr> <th></th> <th>Wavelength of Second Derivative Maximum (nm)</th> <th>Wavelength of Second Derivative Minimum (nm)</th> <th>Second-Derivative-Based Solvent Absorption Coefficients (L g<sup>-1</sup> cm<sup>-1</sup>)</th> <th>Second-Derivative-Based Solvent Absorption Coefficients (L mol<sup>-1</sup> cm<sup>-1</sup>)</th> </tr> </thead> <tbody> <tr> <td>p-Xylene</td> <td>534</td> <td>557</td> <td>0.088 ± 0.005</td> <td>33 ± 2</td> </tr> <tr> <td>Kerosene:p-Xylene</td> <td>531</td> <td>555</td> <td>0.101 ± 0.006</td> <td>39 ± 3</td> </tr> </tbody> </table>	Constituent	Mass Fraction (%)	95% Uncertainty Interval	Solvent Red 24 Dye	98.0	92.3 % to 100 %		Wavelength of Second Derivative Maximum (nm)	Wavelength of Second Derivative Minimum (nm)	Second-Derivative-Based Solvent Absorption Coefficients (L g <sup>-1</sup> cm <sup>-1</sup> )	Second-Derivative-Based Solvent Absorption Coefficients (L mol <sup>-1</sup> cm <sup>-1</sup> )	p-Xylene	534	557	0.088 ± 0.005	33 ± 2	Kerosene:p-Xylene	531	555	0.101 ± 0.006	39 ± 3	100 mg
Constituent	Mass Fraction (%)	95% Uncertainty Interval																					
Solvent Red 24 Dye	98.0	92.3 % to 100 %																					
	Wavelength of Second Derivative Maximum (nm)	Wavelength of Second Derivative Minimum (nm)	Second-Derivative-Based Solvent Absorption Coefficients (L g <sup>-1</sup> cm <sup>-1</sup> )	Second-Derivative-Based Solvent Absorption Coefficients (L mol <sup>-1</sup> cm <sup>-1</sup> )																			
p-Xylene	534	557	0.088 ± 0.005	33 ± 2																			
Kerosene:p-Xylene	531	555	0.101 ± 0.006	39 ± 3																			
SS99859-0	Gas oil - Sulfur ED X-ray ASTM D4294-IP336, Sulphur in the range 0.003 to 0.016 %m/m	50 mL																					
SS99867-0	Gas oil - Sulfur WD X-ray ASTM D2622, Sulfur in the range 0.001 to 0.013 %m/m	50 mL																					
BCR-420	Waste mineral oil - PCBs (low level) Certified values PCB 28 ..... 0.61 mg/kg      PCB 118 ..... 1.69 mg/kg      PCB 180 ..... 0.195 mg/kg PCB 101 ..... 1.45 mg/kg      PCB 153 ..... 0.92 mg/kg	7.5 g																					
BCR-449	Waste mineral oil - PCBs (high level) Certified values PCB 28 ..... 0.80 mg/kg      PCB 118 ..... 46.6 mg/kg      PCB 170 ..... 6.6 mg/kg PCB 52 ..... 31.4 mg/kg      PCB 128 ..... 12.5 mg/kg      PCB 180 ..... 10.4 mg/kg PCB 101 ..... 57.2 mg/kg      PCB 153 ..... 39.0 mg/kg PCB 105 ..... 17.4 mg/kg      PCB 156 ..... 6.9 mg/kg	50 g																					
BAMCRM5001	Transformer oil - PCBs Set (2 x 15 g) of a PCB-free transformer oil and a PCB-containing transformer oil. PCB-containing transformer oil: PCB 44 ..... 240 µg/kg      PCB 118 ..... 860 µg/kg      PCB 153 ..... 700 µg/kg PCB 52 ..... 790 µg/kg      PCB 138+163 ..... 800 µg/kg      PCB 180 ..... 110 µg/kg PCB 101+84 ..... 1430 µg/kg      PCB 149 ..... 650 µg/kg	kit																					
<b>New</b> RTC-CRM920-010	Transformer oil - PCBs Oil taken from an electrical transformer. The sample was certified by USEPA SW846, 3 <sup>rd</sup> edition Method 3540A/8081 and is suitable for use by these and other similar methods. Certified value Aroclor 1260 ..... 35.2 mg/kg	10 g																					
NIST-1818A	Lubricating base oil - Chlorine Set of 5 x 20 mL ampoules Certified values I Cl ..... 31.6 mg/kg II Cl ..... 60.0 mg/kg III Cl ..... 78.2 mg/kg IV C ..... 154.4 mg/kg V Cl ..... 234.0 mg/kg	set																					

## Petrochemical standards

Code	Product	Unit
NIST-2720	<b>Di-n-butyl sulfide - Sulfur</b> This Standard Reference Material® (SRM) is intended for use as an internal standard in X-ray fluorescence spectrometry (XRF) measurements of sulfur in oils and other liquid hydrocarbon matrices. Certified value of sulfur (mass fraction) .....21.91 % ± 0.15 %	5 x 4.5 mL
NIST-1819A	<b>Lubricating base oil - Sulfur</b> NIST-1819a consists of five lubricating base oils at different sulphur concentrations. Certified values I S ..... 423.5 mg/kg II S ..... 741.1 mg/kg III S ..... 4022 mg/kg IV S ..... 4689 mg/kg V S ..... 6135 mg/kg	set
SS99863-0	<b>Lube oil - Trace elements</b> ASTM-IP method ICP, Ca in the range 0.18 to 0.35 % m/m ASTM-IP method ICP, P in the range 0.08 to 0.16 %m/m ASTM-IP method ICP, Zn in the range 0.09 to 0.15 %m/m	50 mL
NIST-1848	<b>Lubricating oil additive package</b> This Standard Reference Material (SRM®) is intended primarily for use in the evaluation of methods and the calibration of equipment used in the analysis of lubricating oil additive packages, engine lubricating oils, and materials of a similar matrix. NIST-1848 consists of a typical additive package used in the manufacture of crankcase lubricating oil for gasoline engines. Certified values B ..... 0.137 ± 0.019 %      Mg .....0.821 ± 0.038 %      Zn..... 0.873 ± 0.022 % Ca ..... 0.359 ± 0.01 %      P .....0.788 ± 0.028 % Cl ..... 0.0927 ± 0.020 %      S .....2.3270 ± 0.043 % Indicative values for H, N, Si, total base number by ASTM D 2896, total base number by ASTM D 4739	100 g
NIST-1634C	<b>Fuel oil - Trace elements</b> Certified values As..... 0.1426 mg/kg      Ni..... 17.54 mg/kg      V ..... 28.19 mg/kg Co ..... 0.1510 mg/kg      Se..... 0.1020 mg/kg Indicative values for Ba, Cl, Na, S	100 mL
SS99860-0	<b>Fuel oil - Vanadium and nickel</b> ASTM-IP method IP288, V in the range 16 to 140 µg/g ASTM-IP method IP288, Ni in the range 7 to 45 µg/g	50 mL
SS99862-0	<b>Fuel oil - Sulfur ED X-ray</b> ASTM D4294-IP336, Sulfur in the range 0.981 to 2.572 %m/m	50 mL
SS99866-0	<b>Fuel oil - Sulfur WD X-ray</b> ASTM D2622, Sulfur in the range 0.9931 to 2.578 %m/m	50 mL
SS99898-0	<b>Gas oil - Aromatics HPLC</b> ASTM D6379, Aromatics- Di HPLC in the range 1.44 to 2.82 %m/m ASTM D6379, Aromatics- Mono HPLC in the range 15.2 to 21.2 %m/m ASTM D6379, Aromatics- Total HPLC in the range 16.9 to 22.82 %m/m	50 mL
SS99857-0	<b>Kerosene - Naphthalenes</b> ASTM D1840, Naphthalenes in the range 1.35 to 2.4 %vol	50 mL
NIST-1580	<b>Shale oil - PAHs</b> Set of 5 x 2 mL ampoules Certified values Benzo[a]pyrene..... 21 mg/kg      o-Cresol ..... 385 mg/kg      Pyrene ..... 104 mg/kg Benzo[e]pyrene..... 18 mg/kg      Phenol ..... 407 mg/kg      2,6-Dimethylphenol... 175 mg/kg Fluoranthene..... 54 mg/kg      Perylene ..... 3.4 mg/kg      Benzo[f]quinoline ..... 16 mg/kg	set
NIST-1582	<b>Petroleum crude oil - PAHs</b> Set of 5 x 2 mL Certified values Benzo[a]anthracene... 3.0 mg/kg      Fluoranthene ..... 2.5 mg/kg      Phenanthrene ..... 101 mg/kg Benzo[e]pyrene..... 1.1 mg/kg      Perylene ..... 31 mg/kg      Dibenzothiophene..... 33 mg/kg	set (5)
NIST-2721	<b>Crude oil (light-sour) - Sulfur and mercury</b> Certified values S ..... 1.5832 %      Hg..... 41.7 ng/kg	5 x 10 mL
NIST-2722	<b>Crude oil (heavy-sweet) - Sulfur and mercury</b> Certified values S ..... 0.21037 %      Hg..... 129 ng/kg	5 x 10 mL
NIST-1616b	<b>Kerosene - Sulfur</b> Certified value S ..... 8.41 mg/kg	100 mL

## Petrochemical standards

Code	Product	Unit
NIST-2298	Gasoline (High-Octane) - Sulfur Certified value S ..... 4.7 µg/g Indicative value for the density	5 x 20 mL
NIST-2299	Gasoline (Reformulated) - Sulfur Certified value S ..... 13.6 µg/g Indicative value for the density	5 x 20 mL
SS99868-0	Gasoline - Sulfur UVF ASTM D5453, Sulfur in the range 2.2 to 129 mg/kg	50 mL
SS99858-0	Kerosene - Sulfur ED X-ray ASTM D4294-IP336, Sulphur in the range 0.0032 to 0.07 %m/m	50 mL
NIST-1619B	Residual fuel oil - Sulfur Certified value S ..... 0.6960 %      Hg ..... 3.46 ng/kg	100 mL
NIST-1621E	Residual fuel oil - Sulfur Certified value S ..... 0.9480 %	100 mL
NIST-1622E	Residual fuel oil - Sulfur Certified value S ..... 2.1468 %	100 mL
NIST-2717A	Residual fuel oil - Sulfur Certified value S ..... 2.9957 %	100 mL
NIST-1620C	Residual fuel oil - Sulfur Certified value S ..... 4.561 %	100 mL
NIST-2770	Diesel fuel oil - Sulfur NIST-2770 is a commercial "No. 2-D" distillate fuel oil as defined by ASTM D 975-97 Standard Specification for Diesel Fuel Oils. A unit of NIST-2770 consists of 10 amber ampoules, each containing approximately 10 mL of diesel fuel sealed under an argon atmosphere. Certified value S ..... 41.57 mg/kg	10 x 10 mL
<b>New</b> NIST-2771	Diesel fuel blend stock - Sulfur Certified value Sulfur (S).....0.102 ± 0.014 mg/kg	100 mL
NIST-1624d	Diesel fuel oil - Sulphur NIST-1624d is a commercial "No. 2-D" distillate fuel oil as defined by ASTM D 975-97 Standard Specification for Diesel Fuel Oils. A unit of NIST-1624d consists of 10 amber ampoules, each containing approximately 10 mL of diesel fuel sealed under an argon atmosphere. Certified value S ..... 3882 mg/kg	100 mL
IRMM-441 and IRMM-442 High purity n-heptane and isooctane intended for use as a primary standard in the octane rating of motor and aviation fuels as specified in ASTM test methods (see Volume 05.04, Annual Book of ASTM Standards) and in evaluating ASTM methods for chemical analysis of fuels by gas chromatography (D2268).		
IRMM-441	n-Heptane <u>n-Heptane</u> Certified value: Purity by difference 99.985% <u>Impurities</u> Certified values Total organics (other than n-Heptane)..... 0.012 %      Water ..... 0.003 % Isooctane ..... 0.007 %      Pb.....<0.5 µg/L	100 mL
IRMM-442	Isooctane <u>Isooctane</u> Certified value: Purity by difference 99.985% <u>Impurities</u> Certified values Total organics (other than Isooctane)..... 0.011%      Water ..... 0.004%, n-Heptane ..... 0.002 %      Pb.....<1 µg/L	100 mL



## Petrochemical standards

Code	Product	Unit
NIST-1815a	n-Heptane Certified purity..... 99.987 %	100 mL
NIST-1816A	Isooctane (2,2,4-Trimethylpentane) Certified purity..... 99.987 %	100 mL
NIST-2724b	Diesel fuel oil - Sulfur and mercury This Standard Reference Material® (SRM®) is intended for use in the evaluation of methods and the calibration of instruments used in the determination of total sulfur and mercury in fuel oils or materials of similar matrix. NIST-2724B is a commercial "No. 2-D" distillate fuel oil as defined by ASTM D 975-96a Standard Specification for Diesel Fuel Oils. Certified value S ..... 0.04265 % Hg ..... 0.034 ng/kg	10 x 10 mL
NIST-2890	Water saturated octanol NIST-2890 is a solution of water saturated 1-octanol which is certified for its water content. Certified values Water ..... 47.3 mg/g      Water ..... 39.24 mg/mL	5 x 2 mL
NIST-RM 8505	Crude oil - Vanadium Reference value V ..... 390 mg/kg	275 mL
NIST-RM 8506A	Transformer oil - Water A unit of NIST-RM 8506a consists of five ampoules with each ampoule containing 9.5 mL of petroleum electrical insulating oil. The first coulometric value is the NIST result corrected for the coulometrically detected material present in the oil that reacts with iodine but is not water (interfering substances). Because the correction is new, two additional uncorrected values determined by the coulometric method in ASTM Standard D 1533-99 are provided: the NIST result and a consensus result obtained from an interlaboratory study conducted among 14 laboratories from industry. The volumetric reference value, which has not been corrected for interfering substances, is significantly different from the coulometric results. Applying the coulometrically determined correction for interfering substances does not resolve this difference. The basis of the difference between coulometric and volumetric results in this material has not been fully resolved. Reference values for water content NIST coulometric mass concentration of water, ASTM method minus interferences ..... 12.1 mg/kg ± 1.9 mg/kg NIST coulometric mass concentration of water, ASTM method ..... 18.3 mg/kg ± 1.9 mg/kg Consensus coulometric mass concentration of water, ASTM method: ..... 21.2 mg/kg ± 1.7 mg/kg NIST volumetric mass concentration of water, modified ASTM method: ..... 34.5 mg/kg ± 2.2 mg/kg	set
NIST-RM 8509	Methanol - Water Set of 5 x 5 mL Reference value Water ..... 93 mg/kg Indicative values for Ag, Al, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, S, Si, Sn, Ti, V, Zn	set
NIST-RM 8510	Methanol - Water Set of 5 x 5 mL Reference value Water ..... 325 mg/kg	set
NIST-1083	Oil (base oil) - Wear metals Indicative values for Ag, Al, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, S, Si, Sn, Ti, V, Zn	150 mL
NIST-1084A	Oil - Wear metals Set of 5 x approx. 1.6 g of the oil blend Certified values Ag ..... 101.4 mg/kg      Mg ..... 99.5 mg/kg      Sn ..... 97.2 mg/kg Cr ..... 98.3 mg/kg      Mo ..... 100.3 mg/kg      Ti ..... 100.4 mg/kg Cu ..... 100.0 mg/kg      Ni ..... 99.7 mg/kg      V ..... 95.9 mg/kg Fe ..... 98.9 mg/kg      Pb ..... 101.1 mg/kg Indicative values for Al, S, Si	set
<b>New</b> NIST-1085B	Oil - Wear metals This Standard Reference Material® (SRM®) is intended primarily for use in the evaluation of methods and in the calibration of apparatus used in the analysis of engine lubricating oils and other materials of similar matrix for metal content. A unit of NIST-085b consists of 10 ampoules: five 5 mL amber borosilicate ampoules, each containing approximately 1.2 g of a blend of 21 constituent elements in a base oil at a nominal concentration of 300 mg/kg; and five ampoules, each containing approximately 1.2 g of a matching base oil intended for use as an analytical blank and for matrix matching. Certified values for elements in NIST-1085b Cadmium (Cd) ..... 302.9 ± 5.1 mg/kg      Nickel (Ni) ..... 295.9 ± 7.4 mg/kg Chromium (Cr) ..... 302.9 ± 3.9 mg/kg      Silver (Ag) ..... 304.6 ± 8.9 mg/kg Copper (Cu) ..... 295.6 ± 8.5 mg/kg      Sodium (Na) ..... 305.2 ± 7.0 mg/kg Lead (Pb) ..... 297.7 ± 6.8 mg/kg      Vanadium (V) ..... 297.8 ± 4.6 mg/kg Magnesium (Mg) ..... 297.3 ± 4.1 mg/kg      Zinc (Zn) ..... 296.8 ± 6.8 mg/kg Indicative values for further elements.	set (5)

## Petrochemical standards

Code	Product	Unit
NIST-1829	Reference fuel - Alcohols Certified values Methanol ..... 0.335 %      Methanol and t-butanol ..... 10.33 + 6.63 % Ethanol ..... 11.39 %	set (6)
NIST-1837	Reference fuel - Methanol and t-butanol Certified values Methanol and t-butanol ..... 10.33 + 6.63 %	set
NIST-1838	Reference fuel - Ethanol Certified value Ethanol ..... 11.39 %	5 x 20 mL
NIST-1839	Reference fuel - Methanol Certified value Methanol ..... 0.335 %	set
NIST-2286	Ethanol in gasoline - Oxygen and oxygenate Set of 3 x 20 mL Certified values Oxygenate ..... 5.73 %      Oxygen ..... 2.02 %	set (3)
NIST-2287	Ethanol in gasoline - Oxygen and oxygenate Set of 3 x 20 mL Certified values Oxygenate ..... 10.07 %      Oxygen ..... 3.53 %	set (3)
NIST-2288	t-Amyl methyl ether in gasoline - Oxygen and oxygenate Set of 3 x 20 mL Certified values Oxygenate ..... 12.78 %      Oxygen ..... 2.02 %	set (3)
NIST-2289	t-Amyl methyl ether in gasoline - Oxygen and oxygenate Set of 3 x 20 mL Certified values Oxygenate ..... 17.30 %      Oxygen ..... 2.73 %	set (3)
NIST-2290	Ethyl t-butyl ether in gasoline - Oxygen and oxygenate Set of 3 x 20 mL Certified values Oxygenate ..... 12.78 %      Oxygen ..... 2.01 %	set (3)
NIST-2291	Ethyl-t-butyl ether in gasoline - Oxygen and oxygenate Set of 3 x 20 mL Certified values Oxygenate ..... 17.18 %      Oxygen ..... 2.70 %	set (3)
NIST-2293	Methyl t-butyl ether in gasoline - Oxygen and oxygenate A unit of NIST-2292 consists of two 20 mL ampoules of the methyl-t-butyl ether in reference gasoline solution each containing 18 mL, and one 20 mL ampoule containing 18 mL of the reference gasoline, intended for use as a measurement blank. Certified values Oxygenate ..... 14.86 %      Oxygen ..... 2.71 %	set (3)
NIST-2294	Reformulated gasoline - Sulfur, benzene, MTBE and toluene Certified values S (total) ..... 40.9 mg/kg      MTBE ..... 10.97 % Benzene ..... 1.03 %      Toluene ..... 8.29 % Indicative values for a wide range of additional constituents	2 x 20 mL
NIST-2295	Reformulated gasoline - Sulfur, benzene, MTBE and toluene Certified values S (total) ..... 308 mg/kg      MTBE ..... 14.54 % Benzene ..... 0.99 %      Toluene ..... 7.89 % Indicative values for a wide range of additional constituents	2 x 20 mL
NIST-2296	Reformulated gasoline - Sulfur, benzene, MTBE and toluene Certified values S (total) ..... 40.0 mg/kg      ETBE ..... 13.02 % Benzene ..... 1.0 %      Toluene ..... 8.02 % Indicative values for a wide range of additional constituents	2 x 20 mL

Code	Product	Unit
NIST-2297	Reformulated gasoline - Sulfur, benzene, MTBE and toluene Certified values S (total) ..... 303.7 mg/kg      MTBE ..... 9.91 % Benzene ..... 1.04 %      Toluene ..... 8.27 % Indicative values for a wide range of additional constituents	2 x 20 mL
SS99865-0	Gasoline - Benzene ASTM D3606, Benzene in the range 0.4 to 0.9 %vol	5 x 5 mL
SS99869-0	Gas oil - Aromatics HPLC ASTM D6591, Aromatics in the range 0.6 to 3.6 %m/m	50 mL
SS99905-0	Kerosene (Jet turbine fuel) - Boiling range distribution Test Name      ASTM-IP Method      Sample result      Amount/test SIMDIS IBP ..... D2887-IP406 ..... 102.4 °C ..... 1 mL SIMDIS 10% ..... D2887-IP406 ..... 150.5 °C ..... 1 mL SIMDIS 50% ..... D2887-IP406 ..... 193.5 °C ..... 1 mL SIMDIS 90% ..... D2887-IP406 ..... 246.8 °C ..... 1 mL SIMDIS 95% ..... D2887-IP406 ..... 256.4 °C ..... 1 mL SIMDIS FBP ..... D2887-IP406 ..... 288.8 °C ..... 1 mL	10 mL
SS99906-0	Gas oil - Boiling range distribution Test Name      ASTM-IP Method      Range      Amount/test SIMDIS IBP ..... D2887-IP406 ..... 160 to 190 °C ..... 1 mL SIMDIS 10% ..... D2887-IP406 ..... 200 to 242 °C ..... 1 mL SIMDIS 50% ..... D2887-IP406 ..... 260 to 290 °C ..... 1 mL SIMDIS 90% ..... D2887-IP406 ..... 320 to 350 °C ..... 1 mL SIMDIS 95% ..... D2887-IP406 ..... 335 to 368 °C ..... 1 mL SIMDIS FBP ..... D2887-IP406 ..... 350 to 385 °C ..... 1 mL	10 mL

### Multi-test verification materials (MTVMs)

The Multi-Test Verification Materials (MTVMs) are unique because, unlike most other reference materials, they enable a laboratory to use a single sample to validate different tests and instrumentation. Each unit is supplied with data for multiple types of internationally accepted test methods.

SS99850-0	SETA MTVM Kerosine (Jet turbine fuel) Test Name      ASTM-IP Method      Range      Amount/test Distillation IBP ..... D86-IP123 ..... 140-180 °C ..... 100 mL Distillation 10 % ..... D86-IP123 ..... 159-188 °C ..... 100 mL Distillation 50 % ..... D86-IP123 ..... 192-218 °C ..... 100 mL Distillation 90 % ..... D86-IP123 ..... 220-247 °C ..... 100 mL Distillation FBP ..... D86-IP123 ..... 244-268 °C ..... 100 mL Distillation residue ..... D86-IP123 ..... 1.1-1.3 %vol ..... 100 mL Distillation loss ..... D86-IP123 ..... 0.4-0.7 %vol ..... 100 mL Flashpoint ..... IP170 ..... 35-60 °C ..... 85 mL Freezing point ..... D2386-IP16 ..... -62 to -44 °C ..... 25 mL Aromatics FIA ..... D1319-IP156 ..... 18.1-22.7 %vol ..... 0.75 mL Smoke point ..... D1322 ..... 20-25 mm ..... 20 mL Acid number ..... D3242-IP354 ..... <0.100 mg KOH/g ..... 100 mL Mercaptans ..... D3227-IP342 .. 0.0003 to 0.0100% (m/m) ..... 40 mL	500 mL
SS99851-0	SETA MTVM Gas oil Test Name      ASTM-IP Method      Range      Amount/test Density at 15 °C ..... D1298-IP160 ..... 0.83-0.854 kg/L ..... 200 mL Distillation IBP ..... D86-IP123 ..... 160-190 °C ..... 100 mL Distillation 10 % ..... D86-IP123 ..... 200-242 °C ..... 100 mL Distillation 50 % ..... D86-IP123 ..... 260-290 °C ..... 100 mL Distillation 90 % ..... D86-IP123 ..... 320-350 °C ..... 100 mL Distillation 95 % ..... D86-IP123 ..... 335-368 °C ..... 100 mL Distillation FBP ..... D86-IP123 ..... 350-385 °C ..... 100 mL Distillation residue ..... D86-IP123 ..... 1.25-1.42 %vol ..... 100 mL Distillation loss ..... D86-IP123 ..... 0.26-0.55 %vol ..... 100 mL Flashpoint ..... D93-IP34 ..... 56-80 °C ..... 75 mL Cloud point ..... D2500-IP219 ..... -17 to -4 °C ..... up to 38 mL CFPP ..... IP309 ..... -30.0 to -o °C ..... 45 mL Pour point ..... D97-IP15 ..... -33 to -6 °C ..... up to 38 mL Kin. Visc. (40 °C) ..... D445-IP71 ..... 2.3-3.5 mm <sup>2</sup> /s ..... up to 40 mL Lubricity HFRR ..... D6079; IP450 ..... 271 to 512 μm ..... 2 mL Water Karl Fischer ..... D1744; IP438 ..... 23.4 to 63.9 mg/kg ..... 5 mL	500 mL
SS99852-0	SETA MTVM Fuel oil Test Name      ASTM-IP Method      Range      Amount/test Density at 15 °C ..... D1298-IP160 ..... 0.94-0.994 kg/L ..... 200 mL Pour point ..... D97-IP15 ..... -14 to 17 °C ..... up to 38 mL Kin. Visc. (50 °C) ..... D445-IP71 ..... 150-1800 mm <sup>2</sup> /s ..... up to 500 mL Kin. Visc. (100 °C) ..... D445-IP71 ..... 20-95 mm <sup>2</sup> /s ..... up to 500 mL Micro carbon ..... D4530; IP398 ..... 0.10 to 30.0 % (m/m) ..... 2 mL Flash point ..... D93 (b) - IP34(b); ..... 92.3 to 121.6 °C ..... 75 mL	500 mL

## Biodiesel standards

Code	Product	Unit																																																				
SS99853-0	SETA MTVM lubricating oil	500 mL																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Kin. Visc. (40 °C)</td> <td>D445-IP71</td> <td>70-160 mm<sup>2</sup>/s</td> <td>up to 40 mL</td> </tr> <tr> <td>Kin. Visc. (100 °C)</td> <td>D445-IP71</td> <td>10-19 mm<sup>2</sup>/s</td> <td>up to 40 mL</td> </tr> <tr> <td>Viscosity index</td> <td>D2270-IP226</td> <td>139-180</td> <td>up to 80 mL</td> </tr> <tr> <td>Pour point</td> <td>D97-IP15</td> <td>-49.1 to -33.9 °C</td> <td>38 mL</td> </tr> <tr> <td>Flash point</td> <td>D93-IP34</td> <td>196-213 °C</td> <td>75 mL</td> </tr> <tr> <td>Cold cranking sim.</td> <td>D5293;IP383</td> <td>3062-6896 mPa.s</td> <td>5 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Kin. Visc. (40 °C)	D445-IP71	70-160 mm <sup>2</sup> /s	up to 40 mL	Kin. Visc. (100 °C)	D445-IP71	10-19 mm <sup>2</sup> /s	up to 40 mL	Viscosity index	D2270-IP226	139-180	up to 80 mL	Pour point	D97-IP15	-49.1 to -33.9 °C	38 mL	Flash point	D93-IP34	196-213 °C	75 mL	Cold cranking sim.	D5293;IP383	3062-6896 mPa.s	5 mL																									
Test Name	ASTM-IP Method	Range	Amount/test																																																			
Kin. Visc. (40 °C)	D445-IP71	70-160 mm <sup>2</sup> /s	up to 40 mL																																																			
Kin. Visc. (100 °C)	D445-IP71	10-19 mm <sup>2</sup> /s	up to 40 mL																																																			
Viscosity index	D2270-IP226	139-180	up to 80 mL																																																			
Pour point	D97-IP15	-49.1 to -33.9 °C	38 mL																																																			
Flash point	D93-IP34	196-213 °C	75 mL																																																			
Cold cranking sim.	D5293;IP383	3062-6896 mPa.s	5 mL																																																			
SS99854-0	SETA MTVM motor gasoline	500 mL																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Motor octane no.</td> <td>D2700</td> <td>83-90</td> <td></td> </tr> <tr> <td>Research octane no.</td> <td>D2699</td> <td>96-101</td> <td></td> </tr> <tr> <td>Density at 15 °C</td> <td>D1298-IP160</td> <td>0.71-0.763 kg/L</td> <td>200 mL</td> </tr> <tr> <td>Distillation IBP</td> <td>D86-IP123</td> <td>32.0-39.0 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 70 °C</td> <td>D86-IP123</td> <td>15-36 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation 100 °C</td> <td>D86-IP123</td> <td>36-58 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation 150 °C</td> <td>D86-IP123</td> <td>75-90 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation FBP</td> <td>D86-IP123</td> <td>175-205 °C</td> <td>100mL</td> </tr> <tr> <td>Aromatics FIA</td> <td>D1319-IP156</td> <td>19-42 %vol</td> <td>0.75 mL</td> </tr> <tr> <td>Olefins FIA</td> <td>D1319-IP156</td> <td>1.5-15 %vol</td> <td>0.75 mL</td> </tr> <tr> <td>Saturates FIA</td> <td>D1319-IP156</td> <td>42-72 %vol</td> <td>0.75 mL</td> </tr> <tr> <td>Vapour Pressure</td> <td>D5191; IP394</td> <td>50 to 85 kPa</td> <td>3 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Motor octane no.	D2700	83-90		Research octane no.	D2699	96-101		Density at 15 °C	D1298-IP160	0.71-0.763 kg/L	200 mL	Distillation IBP	D86-IP123	32.0-39.0 °C	100 mL	Distillation 70 °C	D86-IP123	15-36 %vol	100 mL	Distillation 100 °C	D86-IP123	36-58 %vol	100 mL	Distillation 150 °C	D86-IP123	75-90 %vol	100 mL	Distillation FBP	D86-IP123	175-205 °C	100mL	Aromatics FIA	D1319-IP156	19-42 %vol	0.75 mL	Olefins FIA	D1319-IP156	1.5-15 %vol	0.75 mL	Saturates FIA	D1319-IP156	42-72 %vol	0.75 mL	Vapour Pressure	D5191; IP394	50 to 85 kPa	3 mL	
Test Name	ASTM-IP Method	Range	Amount/test																																																			
Motor octane no.	D2700	83-90																																																				
Research octane no.	D2699	96-101																																																				
Density at 15 °C	D1298-IP160	0.71-0.763 kg/L	200 mL																																																			
Distillation IBP	D86-IP123	32.0-39.0 °C	100 mL																																																			
Distillation 70 °C	D86-IP123	15-36 %vol	100 mL																																																			
Distillation 100 °C	D86-IP123	36-58 %vol	100 mL																																																			
Distillation 150 °C	D86-IP123	75-90 %vol	100 mL																																																			
Distillation FBP	D86-IP123	175-205 °C	100mL																																																			
Aromatics FIA	D1319-IP156	19-42 %vol	0.75 mL																																																			
Olefins FIA	D1319-IP156	1.5-15 %vol	0.75 mL																																																			
Saturates FIA	D1319-IP156	42-72 %vol	0.75 mL																																																			
Vapour Pressure	D5191; IP394	50 to 85 kPa	3 mL																																																			
SS99856-0	SETA MTVM bitumen	500 mL																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Softening point</td> <td>IP58</td> <td>37-54 °C</td> <td>7.5 mL</td> </tr> <tr> <td>Needle penetration</td> <td>IP49</td> <td>41-200 Pen</td> <td>130 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Softening point	IP58	37-54 °C	7.5 mL	Needle penetration	IP49	41-200 Pen	130 mL																																									
Test Name	ASTM-IP Method	Range	Amount/test																																																			
Softening point	IP58	37-54 °C	7.5 mL																																																			
Needle penetration	IP49	41-200 Pen	130 mL																																																			

## Biodiesel standards

### Biodiesel standards

Code	Product	Unit
<b>New</b> NIST-2772	<p><b>B100 Biodiesel (Soy-based)</b></p> <p>This Standard Reference Material (SRM) is a commercial 100 % biodiesel produced from soy. NIST-2772 is intended for use in evaluating analytical methods for the determination of selected chemical and physical properties in pure biodiesel (B100). A unit of NIST-2772 consists of five 10-mL ampoules, each containing approximately 10 mL of biodiesel.</p> <p>Certified concentration values for fatty acid methyl esters</p> <p>Tetradecanoic acid, methyl ester (C14:0).....0.755 ± 0.089 g/kg (Myristic acid, methyl ester)</p> <p>Hexadecanoic acid, methyl ester (C16:0).....107 ± 2 g/kg (Palmitic acid, methyl ester)</p> <p>(Z)-9-Hexadecenoic acid, methyl ester (C16:1 n-7).....1.32 ± 0.18 g/kg (Palmitoleic acid, methyl ester)</p> <p>Octadecanoic acid, methyl ester (C18:0).....43.0 ± 2.7 g/kg (Stearic acid, methyl ester)</p> <p>(Z)-9-Octadecenoic acid, methyl ester (C18:1 n-9).....233 ± 6 g/kg (Oleic acid, methyl ester)</p> <p>(Z)-11-Octadecenoic acid, methyl ester (C18:1 n-7).....14.3 ± 1.5 g/kg (Vaccenic acid, methyl ester)</p> <p>(Z,Z)-9,12-Octadecadienoic acid, methyl ester (C18:2 n-6).....523 ± 17 g/kg (Linoleic acid, methyl ester)</p> <p>(Z,Z,Z)-9,12,15-Octadecatrienoic, methyl ester (C18:3 n-3).....78.2 ± 2 g/kg (Linolenic acid, methyl ester)</p> <p>Eicosanoic acid, methyl ester (C20:0) .....3.66 ± 0.52 g/kg (Arachidic acid, methyl ester)</p> <p>Certified concentration value for water</p> <p>Water .....0.018 ± 0.002 %</p> <p>Certified value for density at 20 °C and kinematic viscosity at 20 °C, 30 °C, and 40 °C</p> <p>Density at 20 °C.....0.88132 ± 0.00006 g/cm<sup>3</sup></p> <p>Kinematic Viscosity at 20 °C .....6.4310 ± 0.0098 mm<sup>2</sup>/s</p> <p>Kinematic Viscosity at 30 °C .....5.0532 ± 0.0069 mm<sup>2</sup>/s</p> <p>Kinematic Viscosity at 40 °C .....4.0843 ± 0.0057 mm<sup>2</sup>/s</p> <p>Indicative values for fatty acid methyl esters and for additional chemical and physical properties, trace elements, glycerides, and ethanol.</p>	5 x 10 mL

Code	Product	Unit																																																																																					
<b>New</b> NIST-2773	<b>B100 Biodiesel (Animal-based)</b> This Standard Reference Material (SRM) is a commercial 100 % biodiesel produced from animal feedstocks. NIST-2773 is intended for use in evaluating analytical methods for the determination of selected chemical and physical properties in pure biodiesel (B100). A unit of NIST-2773 consists of five 10-mL ampoules, each containing approximately 10 mL of biodiesel. Certified concentration values for fatty acid methyl esters Dodecanoic acid, methyl ester (C12:0).....0.470 ± 0.017 g/kg (Lauric acid, methyl ester) Tetradecanoic acid, methyl ester (C14:0).....9.20 ± 0.45 g/kg (Myristic acid, methyl ester) Pentadecanoic acid, methyl ester (C15:0).....0.305 ± 0.013 g/kg Hexadecanoic acid, methyl ester (C16:0).....184 ± 6 g/kg (Palmitic acid, methyl ester) (Z)-9-Hexadecenoic acid, methyl ester (C16:1 n-7).....23.3± 0.9 g/kg (Palmitoleic acid, methyl ester) Octadecanoic acid, methyl ester (C18:0).....87.8 ± 4.2 g/kg (Stearic acid, methyl ester) (Z)-9-Octadecenoic acid, methyl ester (C18:1 n-9) .....343 ± 8 g/kg (Oleic acid, methyl ester) (Z)-11-Octadecenoic acid, methyl ester (C18:1 n-7) .....19.4 ± 0.7 g/kg (Vaccenic acid, methyl ester) (Z,Z)-9,12-Octadecadienoic acid, methyl ester (C18:2 n-6) .....226 ± 5 g/kg (Linoleic acid, methyl ester) (Z,Z,Z)-9,12,15-Octadecatrienoic acid, methyl ester (C18:3 n-3) .....25.0 ± 1.0 g/kg (Linolenic acid, methyl ester) Eicosanoic acid, methyl ester (C20:0) .....2.28 ± 0.12 g/kg (Arachidic acid, methyl ester) (Z)-5,8,11,14-Eicosatetraenoic acid, methyl ester (C20:4 n-6).....2.53 ± 0.09 g/kg (Arachidonic acid, methyl ester) Docosanoic acid, methyl ester (C22:0).....1.66 ± 0.06 g/kg (Behenic acid, methyl ester) Certified concentration value for water Water .....0.046 ± 0.002 % Certified concentration value for sulfur Sulfur .....7.39 ± 0.39 mg/kg Certified value for density at 20 °C and kinematic viscosity at 20 °C, 30 °C, and 40 °C Density at 20 °C ..... 0.87628 ± 0.00010 g/cm <sup>3</sup> Kinematic Viscosity at 20 °C .....7.147 ± 0.021 mm <sup>2</sup> /s Kinematic Viscosity at 30 °C .....5.543 ± 0.010 mm <sup>2</sup> /s Kinematic Viscosity at 40 °C .....4.428 ± 0.009 mm <sup>2</sup> /s Indicative values for fatty acid methyl esters and for additional chemical and physical properties, trace elements, glycerides, and ethanol.	5 x 10 mL																																																																																					
SS99908-0	<b>SETA BIO MTVM Gas oil</b> A unique secondary reference material that provides traceable validation of different test parameters from one sample. Internationally tested by a statistically significant number of laboratories to determine certified values. Supplied with traceable certification. - ULSD EN590 Biofuel - 5% FAME (EN 14214) in Diesel - Covers major specification tests - A highly cost effective solution to laboratory verification requirements - Verification to ASTM/CEN/ISO/IP and equivalent test procedures - Cross-checks instrument performance using real Bio product - Ideal assistance for operator training <table border="1"> <thead> <tr> <th>Test Name</th> <th>Method</th> <th>Sample Result</th> <th>Units</th> <th>Amount/ test</th> </tr> </thead> <tbody> <tr> <td>Density @ 15°C</td> <td>D1298-IP160</td> <td>0.8404</td> <td>kg/L</td> <td>200 mL</td> </tr> <tr> <td>Distillation IBP</td> <td>D86-IP123</td> <td>173.6</td> <td>°C</td> <td>1100 mL</td> </tr> <tr> <td>Distillation 10%</td> <td>D86-IP123</td> <td>204.7</td> <td>°C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 50%</td> <td>D86-IP123</td> <td>260.7</td> <td>°C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 90%</td> <td>D86-IP123</td> <td>327.2</td> <td>°C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 95%</td> <td>D86-IP123</td> <td>346.2</td> <td>°C</td> <td>100 mL</td> </tr> <tr> <td>Distillation FBP</td> <td>D86-IP123</td> <td>358.1</td> <td>°C</td> <td>100 mL</td> </tr> <tr> <td>Distillation Residue</td> <td>D86-IP123</td> <td>1.3</td> <td>%vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation Loss</td> <td>D86-IP123</td> <td>0.6</td> <td>%vol</td> <td>100 mL</td> </tr> <tr> <td>Flash Point</td> <td>D93-IP34</td> <td>66.6</td> <td>°C</td> <td>75 mL</td> </tr> <tr> <td>Cloud Point</td> <td>D2500-IP219</td> <td>-6.3</td> <td>°C</td> <td>Up to 38 mL</td> </tr> <tr> <td>CFPP</td> <td>IP309</td> <td>-19.7</td> <td>°C</td> <td>45 mL</td> </tr> <tr> <td>Pour Point</td> <td>D97-IP15</td> <td>-28.3</td> <td>°C</td> <td>Up to 38 mL</td> </tr> <tr> <td>Kin Visc. @ 40°C</td> <td>D445-IP71</td> <td>2.567</td> <td>mm<sup>2</sup>/s</td> <td>Up to 40 mL</td> </tr> <tr> <td>Lubricity HFRR</td> <td>D6079; IP450</td> <td>207.1</td> <td>µm</td> <td>2 mL</td> </tr> <tr> <td>Water Karl Fischer</td> <td>D1744; IP438</td> <td>60.138</td> <td>mg/kg</td> <td>5 mL</td> </tr> </tbody> </table>	Test Name	Method	Sample Result	Units	Amount/ test	Density @ 15°C	D1298-IP160	0.8404	kg/L	200 mL	Distillation IBP	D86-IP123	173.6	°C	1100 mL	Distillation 10%	D86-IP123	204.7	°C	100 mL	Distillation 50%	D86-IP123	260.7	°C	100 mL	Distillation 90%	D86-IP123	327.2	°C	100 mL	Distillation 95%	D86-IP123	346.2	°C	100 mL	Distillation FBP	D86-IP123	358.1	°C	100 mL	Distillation Residue	D86-IP123	1.3	%vol	100 mL	Distillation Loss	D86-IP123	0.6	%vol	100 mL	Flash Point	D93-IP34	66.6	°C	75 mL	Cloud Point	D2500-IP219	-6.3	°C	Up to 38 mL	CFPP	IP309	-19.7	°C	45 mL	Pour Point	D97-IP15	-28.3	°C	Up to 38 mL	Kin Visc. @ 40°C	D445-IP71	2.567	mm <sup>2</sup> /s	Up to 40 mL	Lubricity HFRR	D6079; IP450	207.1	µm	2 mL	Water Karl Fischer	D1744; IP438	60.138	mg/kg	5 mL	500 mL
Test Name	Method	Sample Result	Units	Amount/ test																																																																																			
Density @ 15°C	D1298-IP160	0.8404	kg/L	200 mL																																																																																			
Distillation IBP	D86-IP123	173.6	°C	1100 mL																																																																																			
Distillation 10%	D86-IP123	204.7	°C	100 mL																																																																																			
Distillation 50%	D86-IP123	260.7	°C	100 mL																																																																																			
Distillation 90%	D86-IP123	327.2	°C	100 mL																																																																																			
Distillation 95%	D86-IP123	346.2	°C	100 mL																																																																																			
Distillation FBP	D86-IP123	358.1	°C	100 mL																																																																																			
Distillation Residue	D86-IP123	1.3	%vol	100 mL																																																																																			
Distillation Loss	D86-IP123	0.6	%vol	100 mL																																																																																			
Flash Point	D93-IP34	66.6	°C	75 mL																																																																																			
Cloud Point	D2500-IP219	-6.3	°C	Up to 38 mL																																																																																			
CFPP	IP309	-19.7	°C	45 mL																																																																																			
Pour Point	D97-IP15	-28.3	°C	Up to 38 mL																																																																																			
Kin Visc. @ 40°C	D445-IP71	2.567	mm <sup>2</sup> /s	Up to 40 mL																																																																																			
Lubricity HFRR	D6079; IP450	207.1	µm	2 mL																																																																																			
Water Karl Fischer	D1744; IP438	60.138	mg/kg	5 mL																																																																																			
SS99904-0	<b>SETA BIO STVM Gas oil</b> Biodiesel Single Test Verification Material. Aromatics HPLC, ASTM D6591-IP391; EN 12916	50 mL																																																																																					
SS99903-0	<b>SETA BIO STVM Gas oil</b> Biodiesel Single Test Verification Material. Sulfur WD X-Ray, ASTM D2622	50 mL																																																																																					

## Biodiesel standards

Code	Product	Unit
SS99902-0	SETA BIO STVM Gas oil Biodiesel Single Test Verification Material. Sulfur ED X-Ray, ASTM D4294 – IP336, EN ISO 8754	50 mL

## CONOSTAN® Biodiesel standards

A new line of CONOSTAN® biodiesel standards for the analysis of metals and sulfur in biodiesel fuel. Manufactured in accordance to ASTM methods D7039, D6751, D5453 and EN14214 for ICP and XRF analysis. Complete with a certificate of analysis.

### Metals in Biodiesel

<b>New</b>	CON-150-441-000	Metals in Biodiesel, Blank Matrix	100g
<b>New</b>	CON-150-441-005	Metals in Biodiesel, P, Na, Mg, K, Ca 2.5ppm	100g
<b>New</b>	CON-150-441-010	Metals in Biodiesel, P, Na, Mg, K, Ca 5ppm	100g
<b>New</b>	CON-150-441-015	Metals in Biodiesel, P, Na, Mg, K, Ca 10ppm	100g
<b>New</b>	CON-150-441-020	Metals in Biodiesel, P, Na, Mg, K, Ca 15ppm	100g
<b>New</b>	CON-150-441-025	Metals in Biodiesel, P, Na, Mg, K, Ca 20ppm	100g
<b>New</b>	CON-150-441-030	Metals in Biodiesel, Na, K 2.5ppm	100g
<b>New</b>	CON-150-441-035	Metals in Biodiesel, Na, K 5ppm	100g
<b>New</b>	CON-150-441-040	Metals in Biodiesel, Na, K 10ppm	100g
<b>New</b>	CON-150-441-045	Metals in Biodiesel, Na, K 15ppm	100g
<b>New</b>	CON-150-441-050	Metals in Biodiesel, Na, K 20ppm	100g
<b>New</b>	CON-150-441-055	Metals in Biodiesel, Na, K 25ppm	100g
<b>New</b>	CON-150-441-060	Metals in Biodiesel, Na, K 50ppm	100g
<b>New</b>	CON-150-441-065	Metals in Biodiesel, Ca, Mg 2.5ppm	100g
<b>New</b>	CON-150-441-070	Metals in Biodiesel, Ca, Mg 5ppm	100g
<b>New</b>	CON-150-441-075	Metals in Biodiesel, Ca, Mg 10ppm	100g
<b>New</b>	CON-150-441-080	Metals in Biodiesel, Ca, Mg 15ppm	100g
<b>New</b>	CON-150-441-085	Metals in Biodiesel, Ca, Mg 20ppm	100g
<b>New</b>	CON-150-441-090	Metals in Biodiesel, Ca, Mg 25ppm	100g
<b>New</b>	CON-150-441-095	Metals in Biodiesel, Ca, Mg 50ppm	100g

### Sulfur in Biodiesel

<b>New</b>	CON-150-440-000	Sulfur in B5 Bd Std, Blank Matrix	100g
<b>New</b>	CON-150-440-005	Sulfur in B5 Biodiesel Std, 5ppm	100g
<b>New</b>	CON-150-440-010	Sulfur in B5 Biodiesel Std, 10ppm	100g
<b>New</b>	CON-150-440-015	Sulfur in B5 Biodiesel Std, 15ppm	100g
<b>New</b>	CON-150-440-020	Sulfur in B5 Biodiesel Std, 30ppm	100g
<b>New</b>	CON-150-440-025	Sulfur in B5 Biodiesel Std, 50ppm	100g
<b>New</b>	CON-150-440-030	Sulfur in B5 Biodiesel Std, 75ppm	100g
<b>New</b>	CON-150-440-035	Sulfur in B5 Biodiesel Std, 100ppm	100g
<b>New</b>	CON-150-440-040	Sulfur in B5 Biodiesel Std, 200ppm	100g
<b>New</b>	CON-150-440-045	Sulfur in B5 Biodiesel Std, 500ppm	100g
<b>New</b>	CON-150-440-050	Sulfur in B20 Bd Std, Blank Matrix	100g
<b>New</b>	CON-150-440-055	Sulfur in B20 Biodiesel Std, 5ppm	100g
<b>New</b>	CON-150-440-060	Sulfur in B20 Biodiesel Std, 10ppm	100g
<b>New</b>	CON-150-440-065	Sulfur in B20 Biodiesel Std, 15ppm	100g
<b>New</b>	CON-150-440-070	Sulfur in B20 Biodiesel Std, 30ppm	100g
<b>New</b>	CON-150-440-075	Sulfur in B20 Biodiesel Std, 50ppm	100g
<b>New</b>	CON-150-440-080	Sulfur in B20 Biodiesel Std, 75ppm	100g
<b>New</b>	CON-150-440-085	Sulfur in B20 Biodiesel Std, 100ppm	100g
<b>New</b>	CON-150-440-090	Sulfur in B20 Biodiesel Std, 200ppm	100g
<b>New</b>	CON-150-440-095	Sulfur in B20 Biodiesel Std, 500ppm	100g
<b>New</b>	CON-150-440-100	Sulfur in B100 Bd Std, Blank Matrix	100g
<b>New</b>	CON-150-440-105	Sulfur in B100 Biodiesel Std, 5ppm	100g



	Code	Product	Unit
<b>New</b>	CON-150-440-110	Sulfur in B100 Biodiesel Std, 10ppm	100g
<b>New</b>	CON-150-440-115	Sulfur in B100 Biodiesel Std, 15ppm	100g
<b>New</b>	CON-150-440-120	Sulfur in B100 Biodiesel Std, 30ppm	100g
<b>New</b>	CON-150-440-125	Sulfur in B100 Biodiesel Std, 50ppm	100g
<b>New</b>	CON-150-440-130	Sulfur in B100 Biodiesel Std, 75ppm	100g
<b>New</b>	CON-150-440-135	Sulfur in B100 Biodiesel Std, 100ppm	100g
<b>New</b>	CON-150-440-140	Sulfur in B100 Biodiesel Std, 200ppm	100g
<b>New</b>	CON-150-440-145	Sulfur in B100 Biodiesel Std, 500ppm	100g

**Biodiesel fuel calibration standards (ASTM D6584, EN 14105:2003)**

Oil companies and vehicle manufacturers are actively working with biofuel extender producers to have agreed standards for esterified vegetable oils suitable for blending with conventional diesel to ensure that the product meets the technical requirements of modern diesel engines. The minimum test requirements for biodiesel blend extenders are specified in ASTM D6751 in USA and EN14214 within Europe. All road fuels are subject to strict quality controls, these are vital to maintain standards and provide authorities with the ability to assess safety risks and environmental pollution. In 1997 the European committee for standardisation was given the task to develop a uniform standard for fatty acid methyl esters (FAME). The result was the EN14214 specification. This standard was introduced in 2004 and is valid for all member states of the European Union. In particular this standard gives engine and automobile makers the ability to give warranties to those vehicles which run on biodiesel. At present a limit of 5% FAME is allowed in diesel and this 5% must conform to the EN14214 standard.

Both ASTM D-6751 and EN 14214 specify the use of ASTM Method D-6584 for glycerin determination.

**ASTM D 6584 standard solutions**

This test method covers the quantitative determination of free and total glycerin in B-100 methyl esters by gas chromatography. The range of detection for free glycerin is 0.005 to 0.05 mass %, and total glycerin from 0.05 to 0.5 mass %. This procedure is not applicable to vegetable oil methyl esters obtained from lauric oils, such as coconut oil and palm kernel oil.

U-RGO-310-1	ASTM D-6584 Standard Solution 1 Solvent: Pyridine Diolein..... 50 µg/mL      Monoolein..... 100 µg/mL Glycerol..... 5 µg/mL      Triolein ..... 50 µg/mL	1 mL
U-RGO-310	ASTM D-6584 Standard Solution 1	4 x 1 mL
U-RGO-311-1	ASTM D-6584 Standard Solution 2 Solvent: Pyridine Diolein..... 100 µg/mL      Monoolein..... 100 µg/mL Glycerol..... 15 µg/mL      Triolein ..... 100 µg/mL	1 mL
U-RGO-311	ASTM D-6584 Standard Solution 2	4 x 1 mL
U-RGO-312-1	ASTM D-6584 Standard Solution 3 Solvent: Pyridine Diolein..... 200 µg/mL      Monoolein..... 200 µg/mL Glycerol..... 25 µg/mL      Triolein ..... 200 µg/mL	1 mL
U-RGO-312	ASTM D-6584 Standard Solution 3	4 x 1 mL
U-RGO-313-1	ASTM D-6584 Standard Solution 4 Solvent: Pyridine Diolein..... 315 µg/mL      Monoolein..... 350 µg/mL Glycerol..... 35 µg/mL      Triolein ..... 350 µg/mL	1 mL
U-RGO-313	ASTM D-6584 Standard Solution 4	4 x 1 mL
U-RGO-314-1	ASTM D-6584 Standard Solution 5 Solvent: Pyridine Diolein..... 500 µg/mL      Monoolein..... 500 µg/mL Glycerol..... 50 µg/mL      Triolein ..... 500 µg/mL	1 mL
U-RGO-314	ASTM D-6584 Standard Solution 5	4 x 1 mL

**Individual standards for biodiesel testing**

U-RGO-220	Monoolein 5000 µg/mL in Pyridine	2 mL
U-RGO-230	Diolein 5000 µg/mL in Pyridine	2 mL
U-RGO-210	Glycerin 500 µg/mL in Pyridine	2 mL
U-RGO-240	Triolein 5000 µg/mL in Pyridine	2 mL



## ASTM Methods for petrochemical analysis

Code	Product	Unit
U-RGO-250	Monopalmitin 5000 µg/mL in Pyridine	2 mL

### Internal standards

U-RGO-260	1,2,4-Butanetriol 1000 µg/mL in pyridine (ASTM Method D-6584)	5 mL
U-RGO-270	Tricaprin 8000 µg/mL in pyridine (ASTM Method D-6584)	2 mL

### Derivatizing agent

U-RGO-200	MSTFA (N-methyl-N-(trimethylsilyl) trifluoroacetamide)	5 g
-----------	--	-----

### EN 14105:2003 standard solutions

#### Free and total glycerol and mono-, di-, tri-glyceride content

Method EN 14105 is used to determine glycerin and total glycerine in fatty acid methyl esters (FAME) used in biodiesel products. Samples are derivatized, then analyzed by high temperature gas chromatography (HTGC). It is similar to ASTM D6584.

U-RGO-300-1	EN 14105:2003 Standard Solution 1 Solvent: Pyridine Butanetriol..... 80 µg/mL      Glycerol .....5 µg/mL      Tricaprin ..... 800 µg/mL 1,3-Diolein..... 50 µg/mL      Monoolein .....250 µg/mL      Tiolein ..... 50 µg/mL	1 mL
U-RGO-300	EN 14105:2003 Standard Solution 1	4 x 1 mL
U-RGO-301-1	EN 14105:2003 Standard Solution 2 Solvent: Pyridine Butanetriol..... 80 µg/mL      Glycerol .....20 µg/mL      Tricaprin ..... 800 µg/mL 1,3-Diolein..... 200 µg/mL      Monoolein .....600 µg/mL      Tiolein ..... 150 µg/mL	1 mL
U-RGO-301	EN 14105:2003 Standard Solution 2	4 x 1 mL
U-RGO-280	Monoglycerine Stock Solution Solvent: Pyridine Monoolein ..... 10000 µg/mL      Monopalmitin ..... 10000 µg/mL      Monostearin ..... 10000 µg/mL	1 mL
U-RGO-302-1	EN 14105:2003 Standard Solution 3 Solvent: Pyridine Butanetriol..... 80 µg/mL      Glycerol .....35 µg/mL      Tricaprin ..... 800 µg/mL 1,3-Diolein..... 350 µg/mL      Monoolein .....950 µg/mL      Tiolein ..... 300 µg/mL	1 mL
U-RGO-302	EN 14105:2003 Standard Solution 3	4 x 1 mL
U-RGO-303-1	EN 14105:2003 Standard Solution 4 Solvent: Pyridine Butanetriol..... 80 µg/mL      Glycerol .....50 µg/mL      Tricaprin ..... 800 µg/mL 1,3-Diolein..... 500 µg/mL      Monoolein .....1250 µg/mL      Tiolein ..... 400 µg/mL	1 mL
U-RGO-303	EN 14105:2003 Standard Solution 4	4 x 1 mL

## ASTM Methods for petrochemical analysis

### ASTM Method D2887

#### Boiling range distribution of petroleum fractions

Method D2887 covers the determination of the boiling range distribution of petroleum products. The test method is applicable to petroleum products and fractions having a final boiling point of 538°C (1000°F) or lower at atmospheric pressure as measured by this test method. The test method is limited to samples having a boiling range greater than 55°C (100°F), and having a vapor pressure sufficiently low to permit sampling at ambient temperature.

Code	Product	Unit
U-ASTM-120-1	ASTM Method D2887 Column Test Mix 1% (w/v) in n-Octane Each analyte at 1 % (w/v) in n-Octane n-Hexadecane      n-Octadecane	1 mL
U-ASTM-120	ASTM Method D2887 Column Test Mixture	4 x 1 mL
U-ASTM-110-1	ASTM Method D2887 Column Test Mixture n-Hexane ..... 6 % (w/w)      n-Dodecane ..... 12 % (w/w)      n-Octacosane ..... 1 % (w/w) n-Heptane ..... 6 % (w/w)      n-Tetradecane ..... 12 % (w/w)      n-Dotriacontane ..... 1 % (w/w) n-Octane ..... 8 % (w/w)      n-Hexadecane ..... 10 % (w/w)      n-Hexatriacontane..... 1 % (w/w) n-Nonane ..... 8 % (w/w)      n-Octadecane ..... 5 % (w/w)      n-Tetracontane ..... 1 % (w/w) n-Decane ..... 12 % (w/w)      n-Eicosane ..... 2 % (w/w)      n-Tetratetracontane ... 1 % (w/w) n-Undecane ..... 12 % (w/w)      n-Tetracosane ..... 2 % (w/w)	1 mL

## ASTM Methods for petrochemical analysis

Code	Product	Unit
U-ASTM-110	ASTM Method D2887 Column Test Mixture	4 x 1 mL

### ASTM Method D3710

#### Boiling range distribution of gasoline and gasoline fractions

Method D3710 covers the determination of the boiling range distribution of gasoline and gasoline components. The test method is applicable to petroleum products and fractions with a final boiling point of 500°F (260°C) or lower.

U-ASTM-100-1	ASTM Method D3710 Calibration Mixture	1 mL																		
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">2-Methylbutane ..... 10 % (v/v)</td> <td style="width: 33%;">Toluene ..... 12 % (v/v)</td> <td style="width: 33%;">n-Dodecane ..... 4 % (v/v)</td> </tr> <tr> <td>n-Pentane ..... 8 % (v/v)</td> <td>n-Octane ..... 5 % (v/v)</td> <td>n-Tridecane ..... 2 % (v/v)</td> </tr> <tr> <td>2-methylpentane ..... 6 % (v/v)</td> <td>p-Xylene ..... 14 % (v/v)</td> <td>n-Tetradecane ..... 2 % (v/v)</td> </tr> <tr> <td>n-Hexane ..... 6 % (v/v)</td> <td>n-Propylbenzene ..... 5 % (v/v)</td> <td>n-Pentadecane ..... 2 % (v/v)</td> </tr> <tr> <td>2,4-Dimethylpentane.... 6 % (v/v)</td> <td>n-Decane ..... 4 % (v/v)</td> <td></td> </tr> <tr> <td>n-Heptane ..... 10 % (v/v)</td> <td>n-Butylbenzene ..... 4 % (v/v)</td> <td></td> </tr> </table>	2-Methylbutane ..... 10 % (v/v)	Toluene ..... 12 % (v/v)	n-Dodecane ..... 4 % (v/v)	n-Pentane ..... 8 % (v/v)	n-Octane ..... 5 % (v/v)	n-Tridecane ..... 2 % (v/v)	2-methylpentane ..... 6 % (v/v)	p-Xylene ..... 14 % (v/v)	n-Tetradecane ..... 2 % (v/v)	n-Hexane ..... 6 % (v/v)	n-Propylbenzene ..... 5 % (v/v)	n-Pentadecane ..... 2 % (v/v)	2,4-Dimethylpentane.... 6 % (v/v)	n-Decane ..... 4 % (v/v)		n-Heptane ..... 10 % (v/v)	n-Butylbenzene ..... 4 % (v/v)		
2-Methylbutane ..... 10 % (v/v)	Toluene ..... 12 % (v/v)	n-Dodecane ..... 4 % (v/v)																		
n-Pentane ..... 8 % (v/v)	n-Octane ..... 5 % (v/v)	n-Tridecane ..... 2 % (v/v)																		
2-methylpentane ..... 6 % (v/v)	p-Xylene ..... 14 % (v/v)	n-Tetradecane ..... 2 % (v/v)																		
n-Hexane ..... 6 % (v/v)	n-Propylbenzene ..... 5 % (v/v)	n-Pentadecane ..... 2 % (v/v)																		
2,4-Dimethylpentane.... 6 % (v/v)	n-Decane ..... 4 % (v/v)																			
n-Heptane ..... 10 % (v/v)	n-Butylbenzene ..... 4 % (v/v)																			

U-ASTM-100	ASTM Method D3710 Calibration Mixture	4 x 1 mL
------------	---------------------------------------	----------

### ASTM Method E1387

#### Saponification number (empirical) of synthetic and natural waxes

Method E1387 covers the determination of the saponification number of synthetic waxes and natural waxes.

U-ASTM-130-1	ASTM E1387-90 Column Resolution Check Mixture	1 mL																
	2000 µg/mL of each analyte in Methylene chloride (Dichloromethane) <table style="width: 100%; border: none; margin-top: 5px;"> <tr> <td style="width: 33%;">n-Hexane</td> <td style="width: 33%;">n-Tetradecane</td> <td style="width: 33%;">Toluene</td> <td style="width: 33%;">p-Xylene</td> </tr> <tr> <td>n-Octane</td> <td>n-Hexadecane</td> <td>1,2,4-Trimethylbenzene</td> <td></td> </tr> <tr> <td>n-decane</td> <td>n-Octadecane</td> <td>2-Ethyltoluene</td> <td></td> </tr> <tr> <td>n-Dodecane</td> <td>n-Eicosane</td> <td>3-Ethyltoluene</td> <td></td> </tr> </table>	n-Hexane	n-Tetradecane	Toluene	p-Xylene	n-Octane	n-Hexadecane	1,2,4-Trimethylbenzene		n-decane	n-Octadecane	2-Ethyltoluene		n-Dodecane	n-Eicosane	3-Ethyltoluene		
n-Hexane	n-Tetradecane	Toluene	p-Xylene															
n-Octane	n-Hexadecane	1,2,4-Trimethylbenzene																
n-decane	n-Octadecane	2-Ethyltoluene																
n-Dodecane	n-Eicosane	3-Ethyltoluene																

U-ASTM-130	ASTM E1387-90 Column Resolution Check Mixture	4 x 1 mL
------------	---	----------

### ASTM Method D4815

#### MTBE, ETBE, TAME, DIPE, tertiary-Amyl alcohol and C1 to C4 alcohols in gasoline

Method D4815 covers the determination of ethers and alcohols in gasolines by gas chromatography.

U-RGO-422-1	ASTM D4815 Quantitative Peak ID Mixture	1 mL																
	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Methanol ..... 7.30 % (w/w)</td> <td style="width: 50%;">n-Butyl alcohol ..... 7.30 % (w/w)</td> </tr> <tr> <td>Ethyl alcohol (Ethanol)..... 7.30 % (w/w)</td> <td>tert-Amyl methyl ether (TAME) ..... 7.30 % (w/w)</td> </tr> <tr> <td>Isopropyl alcohol (Isopropanol)..... 7.30 % (w/w)</td> <td>1,2-Dimethoxyethane (DME)..... 6.00 % (w/w)</td> </tr> <tr> <td>tert-Butanol ..... 7.30 % (w/w)</td> <td>Benzene ..... 5.00 % (w/w)</td> </tr> <tr> <td>1-Propanol ..... 7.30 % (w/w)</td> <td>Methylcyclopentane ..... 4.00 % (w/w)</td> </tr> <tr> <td>sec-Butanol (2-Butanol)..... 7.30 % (w/w)</td> <td>tert-Dutylmethyl ether (MTBE) ..... 4.00 % (w/w)</td> </tr> <tr> <td>Isobutyl alcohol ..... 7.30 % (w/w)</td> <td>Isopropyl ether ..... 4.00 % (w/w)</td> </tr> <tr> <td>tert-Pentanol (tert-Amyl alcohol)..... 7.30 % (w/w)</td> <td>tert-Butyl ethyl ether (ETBE) ..... 4.00 % (w/w)</td> </tr> </table>	Methanol ..... 7.30 % (w/w)	n-Butyl alcohol ..... 7.30 % (w/w)	Ethyl alcohol (Ethanol)..... 7.30 % (w/w)	tert-Amyl methyl ether (TAME) ..... 7.30 % (w/w)	Isopropyl alcohol (Isopropanol)..... 7.30 % (w/w)	1,2-Dimethoxyethane (DME)..... 6.00 % (w/w)	tert-Butanol ..... 7.30 % (w/w)	Benzene ..... 5.00 % (w/w)	1-Propanol ..... 7.30 % (w/w)	Methylcyclopentane ..... 4.00 % (w/w)	sec-Butanol (2-Butanol)..... 7.30 % (w/w)	tert-Dutylmethyl ether (MTBE) ..... 4.00 % (w/w)	Isobutyl alcohol ..... 7.30 % (w/w)	Isopropyl ether ..... 4.00 % (w/w)	tert-Pentanol (tert-Amyl alcohol)..... 7.30 % (w/w)	tert-Butyl ethyl ether (ETBE) ..... 4.00 % (w/w)	
Methanol ..... 7.30 % (w/w)	n-Butyl alcohol ..... 7.30 % (w/w)																	
Ethyl alcohol (Ethanol)..... 7.30 % (w/w)	tert-Amyl methyl ether (TAME) ..... 7.30 % (w/w)																	
Isopropyl alcohol (Isopropanol)..... 7.30 % (w/w)	1,2-Dimethoxyethane (DME)..... 6.00 % (w/w)																	
tert-Butanol ..... 7.30 % (w/w)	Benzene ..... 5.00 % (w/w)																	
1-Propanol ..... 7.30 % (w/w)	Methylcyclopentane ..... 4.00 % (w/w)																	
sec-Butanol (2-Butanol)..... 7.30 % (w/w)	tert-Dutylmethyl ether (MTBE) ..... 4.00 % (w/w)																	
Isobutyl alcohol ..... 7.30 % (w/w)	Isopropyl ether ..... 4.00 % (w/w)																	
tert-Pentanol (tert-Amyl alcohol)..... 7.30 % (w/w)	tert-Butyl ethyl ether (ETBE) ..... 4.00 % (w/w)																	

U-RGO-422	ASTM D4815 Quantitative Peak ID Mixture	4 x 1 mL
-----------	---	----------

U-RGO-711-1	ASTM Surrogate Base Gasoline	1 mL														
	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Benzene ..... 1 % (v/v)</td> <td style="width: 50%;">n-Octane ..... 15 % (v/v)</td> </tr> <tr> <td>n-Decane ..... 10 % (v/v)</td> <td>1,2,4,5-Tetramethylbenzene (Durene) ..... 5 % (w/v)</td> </tr> <tr> <td>n-Dodecane ..... 5 % (v/v)</td> <td>Toluene ..... 9 % (v/v)</td> </tr> <tr> <td>Ethylbenzene ..... 5 % (v/v)</td> <td>1,2,4-Trimethylbenzene ..... 5 % (v/v)</td> </tr> <tr> <td>n-Heptane ..... 15 % (v/v)</td> <td>o-Xylene ..... 5 % (v/v)</td> </tr> <tr> <td>n-Hexane ..... 10 % (v/v)</td> <td>m-Xylene ..... 5 % (v/v)</td> </tr> <tr> <td>2,2,4-Trimethylpentane (iso-Octane) ..... 10 % (v/v)</td> <td></td> </tr> </table>	Benzene ..... 1 % (v/v)	n-Octane ..... 15 % (v/v)	n-Decane ..... 10 % (v/v)	1,2,4,5-Tetramethylbenzene (Durene) ..... 5 % (w/v)	n-Dodecane ..... 5 % (v/v)	Toluene ..... 9 % (v/v)	Ethylbenzene ..... 5 % (v/v)	1,2,4-Trimethylbenzene ..... 5 % (v/v)	n-Heptane ..... 15 % (v/v)	o-Xylene ..... 5 % (v/v)	n-Hexane ..... 10 % (v/v)	m-Xylene ..... 5 % (v/v)	2,2,4-Trimethylpentane (iso-Octane) ..... 10 % (v/v)		
Benzene ..... 1 % (v/v)	n-Octane ..... 15 % (v/v)															
n-Decane ..... 10 % (v/v)	1,2,4,5-Tetramethylbenzene (Durene) ..... 5 % (w/v)															
n-Dodecane ..... 5 % (v/v)	Toluene ..... 9 % (v/v)															
Ethylbenzene ..... 5 % (v/v)	1,2,4-Trimethylbenzene ..... 5 % (v/v)															
n-Heptane ..... 15 % (v/v)	o-Xylene ..... 5 % (v/v)															
n-Hexane ..... 10 % (v/v)	m-Xylene ..... 5 % (v/v)															
2,2,4-Trimethylpentane (iso-Octane) ..... 10 % (v/v)																

U-RGO-711	ASTM Surrogate Base Gasoline	4 x 1 mL
-----------	------------------------------	----------

### ASTM Method D-5453

#### Standard test method for determination of total sulfur in light hydrocarbons, spark ignition engine fuel, diesel engine fuel, and engine oil by ultraviolet fluorescence

#### ASTM D5453 - Total sulfur by UV fluorescence (low) (Solvent: Toluene)

<b>New</b>	U-PANAL0211	ASTM D5453 - Total sulfur by UV fluorescence kit (low)	6 x 2 mL
------------	-------------	--	----------

Each kit contains:

Description.	Concentration
Ampoule 1 ... Toluene.....	Solvent blank
Ampoule 2 ... Butylsulfide (as S) in Toluene.....	1.0 mg/L
Ampoule 3 ... Butylsulfide (as S) in Toluene.....	2.5 mg/L
Ampoule 4 ... Butylsulfide (as S) in Toluene.....	5.0 mg/L
Ampoule 5 ... Butylsulfide (as S) in Toluene.....	7.5 mg/L
Ampoule 6 ... Butylsulfide (as S) in Toluene.....	10.0 mg/L

<b>New</b>	U-PANAL0211-1	ASTM D5453 - Toluene (blank)	2 mL
------------	---------------	------------------------------	------

<b>New</b>	U-PANAL0211-2	ASTM D5453 - Butyl sulfide (as S) - 1 mg/L in Toluene	2 mL
------------	---------------	---	------

## ASTM Methods for petrochemical analysis

	Code	Product	Unit
<b>New</b>	U-PANAL0211-3	ASTM D5453 - Butyl sulfide (as S) - 2.5 mg/L in Toluene	2 mL
<b>New</b>	U-PANAL0211-4	ASTM D5453 - Butyl sulfide (as S) - 5 mg/L in Toluene	2 mL
<b>New</b>	U-PANAL0211-5	ASTM D5453 - Butyl sulfide (as S) - 7.5 mg/L in Toluene	2 mL
<b>New</b>	U-PANAL0211-6	ASTM D5453 - Butyl sulfide (as S) - 10 mg/L in Toluene	2 mL

### ASTM D5453 - Total sulfur by UV fluorescence (medium) (Solvent: Toluene)

<b>New</b>	U-PANAL0212	ASTM D5453 - Total sulfur by UV fluorescence kit (medium) Each kit contains:	6 x 2 mL														
		<table border="1"> <thead> <tr> <th>Description .</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1.... Toluene.....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2.... Butylsulfide (as S) in Toluene.....</td> <td>5.0 mg/L</td> </tr> <tr> <td>Ampoule 3.... Butylsulfide (as S) in Toluene.....</td> <td>25 mg/L</td> </tr> <tr> <td>Ampoule 4.... Butylsulfide (as S) in Toluene .....</td> <td>50 mg/L</td> </tr> <tr> <td>Ampoule 5.... Butylsulfide (as S) in Toluene.....</td> <td>100 mg/L</td> </tr> <tr> <td>Ampoule 6.... Butylsulfide (as S) in Toluene.....</td> <td>200 mg/L</td> </tr> </tbody> </table>	Description .	Concentration	Ampoule 1.... Toluene.....	Solvent blank	Ampoule 2.... Butylsulfide (as S) in Toluene.....	5.0 mg/L	Ampoule 3.... Butylsulfide (as S) in Toluene.....	25 mg/L	Ampoule 4.... Butylsulfide (as S) in Toluene .....	50 mg/L	Ampoule 5.... Butylsulfide (as S) in Toluene.....	100 mg/L	Ampoule 6.... Butylsulfide (as S) in Toluene.....	200 mg/L	
Description .	Concentration																
Ampoule 1.... Toluene.....	Solvent blank																
Ampoule 2.... Butylsulfide (as S) in Toluene.....	5.0 mg/L																
Ampoule 3.... Butylsulfide (as S) in Toluene.....	25 mg/L																
Ampoule 4.... Butylsulfide (as S) in Toluene .....	50 mg/L																
Ampoule 5.... Butylsulfide (as S) in Toluene.....	100 mg/L																
Ampoule 6.... Butylsulfide (as S) in Toluene.....	200 mg/L																
<b>New</b>	U-PANAL0212-1	ASTM D5453 - Toluene (blank)	2 mL														
<b>New</b>	U-PANAL0212-2	ASTM D5453 - Butyl sulfide (as S) - 5 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0212-3	ASTM D5453 - Butyl sulfide (as S) - 25 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0212-4	ASTM D5453 - Butyl sulfide (as S) - 50 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0212-5	ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0212-6	ASTM D5453 - Butyl sulfide (as S) - 200 mg/L in Toluene	2 mL														

### ASTM D5453 - Total sulfur by UV fluorescence (high) (Solvent: Toluene)

<b>New</b>	U-PANAL0213	ASTM D5453 - Total sulfur by UV fluorescence kit (high) Each kit contains:	6 x 2 mL														
		<table border="1"> <thead> <tr> <th>Description .</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1.... Toluene.....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2.... Butylsulfide (as S) in Toluene.....</td> <td>100 mg/L</td> </tr> <tr> <td>Ampoule 3.... Butylsulfide (as S) in Toluene.....</td> <td>250 mg/L</td> </tr> <tr> <td>Ampoule 4.... Butylsulfide (as S) in Toluene.....</td> <td>500 mg/L</td> </tr> <tr> <td>Ampoule 5.... Butylsulfide (as S) in Toluene.....</td> <td>750 mg/L</td> </tr> <tr> <td>Ampoule 6.... Butylsulfide (as S) in Toluene.....</td> <td>1000 mg/L</td> </tr> </tbody> </table>	Description .	Concentration	Ampoule 1.... Toluene.....	Solvent blank	Ampoule 2.... Butylsulfide (as S) in Toluene.....	100 mg/L	Ampoule 3.... Butylsulfide (as S) in Toluene.....	250 mg/L	Ampoule 4.... Butylsulfide (as S) in Toluene.....	500 mg/L	Ampoule 5.... Butylsulfide (as S) in Toluene.....	750 mg/L	Ampoule 6.... Butylsulfide (as S) in Toluene.....	1000 mg/L	
Description .	Concentration																
Ampoule 1.... Toluene.....	Solvent blank																
Ampoule 2.... Butylsulfide (as S) in Toluene.....	100 mg/L																
Ampoule 3.... Butylsulfide (as S) in Toluene.....	250 mg/L																
Ampoule 4.... Butylsulfide (as S) in Toluene.....	500 mg/L																
Ampoule 5.... Butylsulfide (as S) in Toluene.....	750 mg/L																
Ampoule 6.... Butylsulfide (as S) in Toluene.....	1000 mg/L																
<b>New</b>	U-PANAL0213-1	ASTM D5453 - Toluene (blank)	2 mL														
<b>New</b>	U-PANAL0213-2	ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0213-3	ASTM D5453 - Butyl sulfide (as S) - 250 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0213-4	ASTM D5453 - Butyl sulfide (as S) - 500 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0213-5	ASTM D5453 - Butyl sulfide (as S) - 750 mg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0213-6	ASTM D5453 - Butyl sulfide (as S) - 1000 mg/L in Toluene	2 mL														

### ASTM D5453 - Total sulfur by UV fluorescence (low) (Solvent: Isooctane)

	U-PANAL0214	ASTM D5453 - Total sulfur by UV fluorescence kit (low) Each kit contains:	6 x 2 mL														
		<table border="1"> <thead> <tr> <th>Description .</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1.... Isooctane .....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2.... Butylsulfide (as S) in Isooctane .....</td> <td>1.0 mg/L</td> </tr> <tr> <td>Ampoule 3.... Butylsulfide (as S) in Isooctane .....</td> <td>2.5 mg/L</td> </tr> <tr> <td>Ampoule 4.... Butylsulfide (as S) in Isooctane .....</td> <td>5.0 mg/L</td> </tr> <tr> <td>Ampoule 5.... Butylsulfide (as S) in Isooctane .....</td> <td>7.5 mg/L</td> </tr> <tr> <td>Ampoule 6.... Butylsulfide (as S) in Isooctane .....</td> <td>10.0 mg/L</td> </tr> </tbody> </table>	Description .	Concentration	Ampoule 1.... Isooctane .....	Solvent blank	Ampoule 2.... Butylsulfide (as S) in Isooctane .....	1.0 mg/L	Ampoule 3.... Butylsulfide (as S) in Isooctane .....	2.5 mg/L	Ampoule 4.... Butylsulfide (as S) in Isooctane .....	5.0 mg/L	Ampoule 5.... Butylsulfide (as S) in Isooctane .....	7.5 mg/L	Ampoule 6.... Butylsulfide (as S) in Isooctane .....	10.0 mg/L	
Description .	Concentration																
Ampoule 1.... Isooctane .....	Solvent blank																
Ampoule 2.... Butylsulfide (as S) in Isooctane .....	1.0 mg/L																
Ampoule 3.... Butylsulfide (as S) in Isooctane .....	2.5 mg/L																
Ampoule 4.... Butylsulfide (as S) in Isooctane .....	5.0 mg/L																
Ampoule 5.... Butylsulfide (as S) in Isooctane .....	7.5 mg/L																
Ampoule 6.... Butylsulfide (as S) in Isooctane .....	10.0 mg/L																
	U-PANAL0214-1	ASTM D5453 - Isooctane (blank)	2 mL														
	U-PANAL0214-2	ASTM D5453 - Butyl sulfide (as S) - 1.0 mg/L in Isooctane	2 mL														
	U-PANAL0214-3	ASTM D5453 - Butyl sulfide (as S) - 2.5 mg/L in Isooctane	2 mL														
	U-PANAL0214-4	ASTM D5453 - Butyl sulfide (as S) - 5.0 mg/L in Isooctane	2 mL														
	U-PANAL0214-5	ASTM D5453 - Butyl sulfide (as S) - 7.5 mg/L in Isooctane	2 mL														
	U-PANAL0214-6	ASTM D5453 - Butyl sulfide (as S) - 10 mg/L in Isooctane	2 mL														

Code	Product	Unit
<b>ASTM D5453 - Total sulfur by UV fluorescence (medium) (Solvent: Isooctane)</b>		
U-PANAL0215	ASTM D5453 - Total sulfur by UV fluorescence kit (medium) Each kit contains: <b>Description.</b> Ampoule 1 ... Isooctane ..... Solvent blank Ampoule 2 ... Butylsulfide (as S) in Isooctane .....5.0 mg/L Ampoule 3 ... Butylsulfide (as S) in Isooctane .....25 mg/L Ampoule 4 ... Butylsulfide (as S) in Isooctane .....50 mg/L Ampoule 5 ... Butylsulfide (as S) in Isooctane .....100 mg/L Ampoule 6 ... Butylsulfide (as S) in Isooctane .....200 mg/L <b>Concentration</b>	6 x 2 mL
<b>New</b>	U-PANAL0215-1 ASTM D5453 - Isooctane (blank)	2 mL
<b>New</b>	U-PANAL0215-2 ASTM D5453 - Butyl sulfide (as S) - 5 mg/L in Isooctane	2 mL
	U-PANAL0215-3 ASTM D5453 - Butyl sulfide (as S) - 25 mg/L in Isooctane	2 mL
	U-PANAL0215-4 ASTM D5453 - Butyl sulfide (as S) - 50 mg/L in Isooctane	2 mL
	U-PANAL0215-5 ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Isooctane	2 mL
	U-PANAL0215-6 ASTM D5453 - Butyl sulfide (as S) - 200 mg/L in Isooctane	2 mL
<b>ASTM D5453 - Total sulfur by UV fluorescence (high) (Solvent: Isooctane)</b>		
U-PANAL0216	ASTM D5453 - Total sulfur by UV fluorescence kit (high) Each kit contains: <b>Description.</b> Ampoule 1 ... Isooctane ..... Solvent blank Ampoule 2 ... Butylsulfide (as S) in Isooctane .....100 mg/L Ampoule 3 ... Butylsulfide (as S) in Isooctane .....250 mg/L Ampoule 4 ... Butylsulfide (as S) in Isooctane .....500 mg/L Ampoule 5 ... Butylsulfide (as S) in Isooctane .....750 mg/L Ampoule 6 ... Butylsulfide (as S) in Isooctane .....1000 mg/L <b>Concentration</b>	6 x 2 mL
<b>New</b>	U-PANAL0216-1 ASTM D5453 - Isooctane (blank)	2 mL
<b>New</b>	U-PANAL0216-2 ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Isooctane	2 mL
	U-PANAL0216-3 ASTM D5453 - Butyl sulfide (as S) - 250 mg/L in Isooctane	2 mL
	U-PANAL0216-4 ASTM D5453 - Butyl sulfide (as S) - 500 mg/L in Isooctane	2 mL
	U-PANAL0216-5 ASTM D5453 - Butyl sulfide (as S) - 750 mg/L in Isooctane	2 mL
	U-PANAL0216-6 ASTM D5453 - Butyl sulfide (as S) - 1000 mg/L in Isooctane	2 mL
<b>ASTM D3120, D3246 &amp; D3961 sulfur by oxidative microcoulometry</b>		
<b>New</b>	U-PANAL0217 ASTM D3120, D3246, D3961 Sulfur by oxidatative microcoulometry kit Each kit contains: <b>Description.</b> Ampoule 1 ... Isooctane ..... Solvent blank Ampoule 2 ... Butylsulfide (as S) in Isooctane .....1.0 mg/L Ampoule 3 ... Butylsulfide (as S) in Isooctane .....10 mg/L Ampoule 4 ... Butylsulfide (as S) in Isooctane .....40 mg/L Ampoule 5 ... Butylsulfide (as S) in Isooctane .....75 mg/L Ampoule 6 ... Butylsulfide (as S) in Isooctane .....100 mg/L <b>Concentration</b>	6 x 2 mL
<b>New</b>	U-PANAL0217-1 ASTM D3120, D3246 and D3961 - Isooctane (blank)	2 mL
<b>New</b>	U-PANAL0217-2 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 1 mg/L in Isooctane	2 mL
<b>New</b>	U-PANAL0217-3 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 10 mg/L in Isooctane	2 mL
<b>New</b>	U-PANAL0217-4 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 40 mg/L in Isooctane	2 mL
<b>New</b>	U-PANAL0217-5 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 75 mg/L in Isooctane	2 mL
<b>New</b>	U-PANAL0217-6 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 100 mg/L in Isooctane	2 mL

## ASTM Methods for petrochemical analysis

Code	Product	Unit
------	---------	------

### ASTM Method D4629

#### Trace nitrogen in liquid petroleum hydrocarbons

Method D4629 covers the determination of trace total nitrogen in liquid petroleum hydrocarbons by syringe/inlet oxidative combustion and chemiluminescence detection.

#### ASTM D4629 - Trace nitrogen by chemiluminescence kit (low)

<b>New</b>	U-PANAL0218	ASTM D4629 Trace nitrogen by chemiluminescence kit (low)	6 x 2 mL
------------	-------------	--	----------

Each kit contains:

Description .	Concentration
Ampoule 1.... Isooctane .....	Solvent blank
Ampoule 2.... Pyridine (as N) in Isooctane.....	1 mg/L
Ampoule 3.... Pyridine (as N) in Isooctane.....	2 mg/L
Ampoule 4.... Pyridine (as N) in Isooctane.....	5 mg/L
Ampoule 5.... Pyridine (as N) in Isooctane.....	10 mg/L
Ampoule 6.... Pyridine (as N) in Isooctane.....	20 mg/L

<b>New</b>	U-PANAL0218-1	ASTM D4629 - Isooctane (blank)	2 mL
------------	---------------	--------------------------------	------

<b>New</b>	U-PANAL0218-2	ASTM D4629 - Pyridine (as N) - 1 mg/L in Isooctane	2 mL
------------	---------------	--	------

<b>New</b>	U-PANAL0218-3	ASTM D4629 - Pyridine (as N) - 2 mg/L in Isooctane	2 mL
------------	---------------	--	------

<b>New</b>	U-PANAL0218-4	ASTM D4629 - Pyridine (as N) - 5 mg/L in Isooctane	2 mL
------------	---------------	--	------

<b>New</b>	U-PANAL0218-5	ASTM D4629 - Pyridine (as N) - 10 mg/L in Isooctane	2 mL
------------	---------------	---	------

<b>New</b>	U-PANAL0218-6	ASTM D4629 - Pyridine (as N) - 20 mg/L in Isooctane	2 mL
------------	---------------	---	------

#### ASTM D4629 - Trace nitrogen by chemiluminescence (medium)

<b>New</b>	U-PANAL0219	ASTM D4629 Trace nitrogen by chemiluminescence kit (medium)	6 x 2 mL
------------	-------------	---	----------

Each kit contains:

Description .	Concentration
Ampoule 1.... Isooctane .....	Solvent blank
Ampoule 2.... Pyridine (as N) in Isooctane.....	50 mg/L
Ampoule 3.... Pyridine (as N) in Isooctane.....	100 mg/L
Ampoule 4.... Pyridine (as N) in Isooctane.....	200 mg/L
Ampoule 5.... Pyridine (as N) in Isooctane.....	500 mg/L
Ampoule 6.... Pyridine (as N) in Isooctane.....	1000 mg/L

<b>New</b>	U-PANAL0219-1	ASTM D4629 - Isooctane (blank)	2 mL
------------	---------------	--------------------------------	------

<b>New</b>	U-PANAL0219-2	ASTM D4629 - Pyridine (as N) - 50 mg/L in Isooctane	2 mL
------------	---------------	---	------

<b>New</b>	U-PANAL0219-3	ASTM D4629 - Pyridine (as N) - 100 mg/L in Isooctane	2 mL
------------	---------------	--	------

<b>New</b>	U-PANAL0219-4	ASTM D4629 - Pyridine (as N) - 200 mg/L in Isooctane	2 mL
------------	---------------	--	------

<b>New</b>	U-PANAL0219-5	ASTM D4629 - Pyridine (as N) - 500 mg/L in Isooctane	2 mL
------------	---------------	--	------

<b>New</b>	U-PANAL0219-6	ASTM D4629 - Pyridine (as N) - 1000 mg/L in Isooctane	2 mL
------------	---------------	---	------

#### ASTM D4629 - Trace nitrogen by chemiluminescence (high)

<b>New</b>	U-PANAL0220	ASTM D4629 Trace nitrogen by chemiluminescence kit	6 x 2 mL
------------	-------------	--	----------

Each kit contains:

Description .	Concentration
Ampoule 1.... Isooctane .....	Solvent blank
Ampoule 2.... Pyridine (as N) in Isooctane.....	500 mg/L
Ampoule 3.... Pyridine (as N) in Isooctane.....	1000 mg/L
Ampoule 4.... Pyridine (as N) in Isooctane.....	2000 mg/L
Ampoule 5.... Pyridine (as N) in Isooctane.....	5000 mg/L
Ampoule 6.... Pyridine (as N) in Isooctane.....	10000 mg/L

<b>New</b>	U-PANAL0220-1	ASTM D4629 - Isooctane (blank)	2 mL
------------	---------------	--------------------------------	------

<b>New</b>	U-PANAL0220-2	ASTM D4629 - Pyridine (as N) - 500 mg/L in Isooctane	2 mL
------------	---------------	--	------

<b>New</b>	U-PANAL0220-3	ASTM D4629 - Pyridine (as N) - 1000 mg/L in Isooctane	2 mL
------------	---------------	---	------

<b>New</b>	U-PANAL0220-4	ASTM D4629 - Pyridine (as N) - 2000 mg/L in Isooctane	2 mL
------------	---------------	---	------

<b>New</b>	U-PANAL0220-5	ASTM D4629 - Pyridine (as N) - 5000 mg/L in Isooctane	2 mL
------------	---------------	---	------

<b>New</b>	U-PANAL0220-6	ASTM D4629 - Pyridine (as N) - 10000 mg/L in Isooctane	2 mL
------------	---------------	--	------

Code Product Unit

**ASTM D5762 - Trace nitrogen by chemiluminescence**

**New** U-PANAL0221 ASTM D5762 Trace Nitrogen by Chemiluminescence kit 6 x 2 mL

Each kit contains:

Description.	Concentration
Ampoule 1 ... Toluene.....	Solvent blank
Ampoule 2 ... Acridine (as N) in Toluene.....	1 mg/L
Ampoule 3 ... Acridine (as N) in Toluene.....	5 mg/L
Ampoule 4 ... Acridine (as N) in Toluene.....	10 mg/L
Ampoule 5 ... Acridine (as N) in Toluene.....	50 mg/L
Ampoule 6 ... Acridine (as N) in Toluene.....	100 mg/L

**New** U-PANAL0221-1 ASTM D5762 - Toluene (blank) 2 mL

**New** U-PANAL0221-2 ASTM D5762 - Pyridine (as N) - 1 mg/L in Toluene 2 mL

**New** U-PANAL0221-3 ASTM D5762 - Pyridine (as N) - 5 mg/L in Toluene 2 mL

**New** U-PANAL0221-4 ASTM D5762 - Pyridine (as N) - 10 mg/L in Toluene 2 mL

**New** U-PANAL0221-5 ASTM D5762 - Pyridine (as N) - 50 mg/L in Toluene 2 mL

**New** U-PANAL0221-6 ASTM D5762 - Pyridine (as N) - 100 mg/L in Toluene 2 mL

**ASTM D4929 (B) organic chloride in crude oil**

**New** U-PANAL0223 ASTM D4929 (B) Organic chloride in crude Oil kit 6 x 2 mL

Each kit contains:

Description.	Concentration
Ampoule 1 ... Isooctane.....	Solvent blank
Ampoule 2 ... Chlorobenzene (as Cl) in Isooctane.....	5 mg/L
Ampoule 3 ... Chlorobenzene (as Cl) in Isooctane.....	10 mg/L
Ampoule 4 ... Chlorobenzene (as Cl) in Isooctane.....	25 mg/L
Ampoule 5 ... Chlorobenzene (as Cl) in Isooctane.....	50 mg/L
Ampoule 6 ... Chlorobenzene (as Cl) in Isooctane.....	100 mg/L

**ASTM D5808 organic chlorine in hydrocarbons**

**Organic chloride in aromatic hydrocarbons**

Method D5808 covers the determination of organic chloride in aromatic hydrocarbons and related chemicals by microcoulometry.

**New** U-PANAL0224 ASTM D5808 Organic chloride in hydrocarbons kit 6 x 2 mL

Each kit contains:

Description.	Concentration
Ampoule 1 ... Methanol.....	Solvent blank
Ampoule 2 ... Trichlorophenol (as Cl) in Isooctane.....	1 mg/L
Ampoule 3 ... Trichlorophenol (as Cl) in Isooctane.....	5 mg/L
Ampoule 4 ... Trichlorophenol (as Cl) in Isooctane.....	10 mg/L
Ampoule 5 ... Trichlorophenol (as Cl) in Isooctane.....	15 mg/L
Ampoule 6 ... Trichlorophenol (as Cl) in Isooctane.....	25 mg/L

**Viscosity oil standards**

PSL2700V01 - PSL2700V19

These standards are calibrated by the PSL Calibration ISO 17025 Accredited Laboratory. The standards will be supplied complete with UKAS calibration certificates and have direct traceability to NIST and other international laboratories. Uncertainties of measurement are stated on the calibration certificates. Long shelf lives are provided by using stable base oils. The viscosity oil standards are suitable for the calibration and verification of the following:

- Glass Capillary viscometers
- Automated Kinematic Viscometer Systems
- Rotational/Cone & Plate Viscometers
- Low Temperature Viscometer Systems
- Cold Cranking Simulators
- Flow Cups

PSL2700V01 N4 - Viscosity oil standard 500 mL

Kinematic viscosity (nominal)

0.47 mm<sup>2</sup>/s,cSt (20 °C)    0.45 mm<sup>2</sup>/s,cSt (25 °C)    0.40 mm<sup>2</sup>/s,cSt (40 °C)

Dynamic viscosity (nominal)

0.31 mPa.s,cP (20 °C)    0.29 mPa.s,cP (25 °C)    0.26 mPa.s,cP (40 °C)



## ASTM Methods for petrochemical analysis

Code	Product	Unit
PSL2700V02	N8 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	1. mm <sup>2</sup> /s,cSt (20 °C)      0.89 mm <sup>2</sup> /s,cSt (25 °C)      0.75 mm <sup>2</sup> /s,cSt (40 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	0.77 mPa.s,cP (20 °C)      0.72 mPa.s,cP (25 °C)      0.56 mPa.s,cP (40 °C)	
PSL2700V03	N1.0 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	1.3 mm <sup>2</sup> /s,cSt (20 °C)      1.2 mm <sup>2</sup> /s,cSt (25 °C)      0.97 mm <sup>2</sup> /s,cSt (40 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	1.0 mPa.s,cP (20 °C)      0.93 mPa.s,cP (25 °C)      0.76 mPa.s,cP (40 °C)	
<b>New</b> PSL2700-V03A	N2 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	2.9 mm <sup>2</sup> /s,cSt (20 °C)      2.6 mm <sup>2</sup> /s,cSt (25 °C)      2.0 mm <sup>2</sup> /s,cSt (40 °C)      1.7 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	2.2 mPa.s,cP (20 °C)      2.0 mPa.s,cP (25 °C)      1.5 mPa.s,cP (40 °C)      1.3 mPa.s,cP (50 °C)	
PSL2700V04	S3 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	5.0 mm <sup>2</sup> /s,cSt (20 °C)      2.9 mm <sup>2</sup> /s,cSt (40 °C)      1.3 mm <sup>2</sup> /s,cSt (100 °C)	
	4.4 mm <sup>2</sup> /s,cSt (25 °C)      2.6 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	4.1 mPa.s,cP (20 °C)      2.4 mPa.s,cP (40 °C)      0.98 mPa.s,cP (100 °C)	
	3.6 mPa.s,cP (25 °C)      2.1 mPa.s,cP (50 °C)	
PSL2700V05	S6 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	11 mm <sup>2</sup> /s,cSt (20 °C)      5.7 mm <sup>2</sup> /s,cSt (40 °C)      1.9 mm <sup>2</sup> /s,cSt (100 °C)	
	8.9 mm <sup>2</sup> /s,cSt (25 °C)      4.6 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	8.8 mPa.s,cP (20 °C)      4.8 mPa.s,cP (40 °C)      1.5 mPa.s,cP (100 °C)	
	7.4 mPa.s,cP (25 °C)      3.7 mPa.s,cP (50 °C)	
PSL2700V06	N10 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	21 mm <sup>2</sup> /s,cSt (20 °C)      10 mm <sup>2</sup> /s,cSt (40 °C)      2.7 mm <sup>2</sup> /s,cSt (100 °C)	
	17 mm <sup>2</sup> /s,cSt (25 °C)      7.5 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	17 mPa.s,cP (20 °C)      9.0 mPa.s,cP (40 °C)      2.1 mPa.s,cP (100 °C)	
	14 mPa.s,cP (25 °C)      6.2 mPa.s,cP (50 °C)	
PSL2700V07	S20 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	47 mm <sup>2</sup> /s,cSt (20 °C)      18 mm <sup>2</sup> /s,cSt (40 °C)      4.0 mm <sup>2</sup> /s,cSt (100 °C)	
	37 mm <sup>2</sup> /s,cSt (25 °C)      13 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	40 mPa.s,cP (20 °C)      16 mPa.s,cP (40 °C)      3.2 mPa.s,cP (100 °C)	
	31 mPa.s,cP (25 °C)      11 mPa.s,cP (50 °C)	
PSL2700V08	N35 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	95 mm <sup>2</sup> /s,cSt (20 °C)      32 mm <sup>2</sup> /s,cSt (40 °C)      5.8 mm <sup>2</sup> /s,cSt (100 °C)	
	72 mm <sup>2</sup> /s,cSt (25 °C)      23 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	82 mPa.s,cP (20 °C)      27 mPa.s,cP (40 °C)      4.7 mPa.s,cP (100 °C)	
	62 mPa.s,cP (25 °C)      19 mPa.s,cP (50 °C)	
PSL2700V09	S60 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	160 mm <sup>2</sup> /s,cSt (20 °C)      54 mm <sup>2</sup> /s,cSt (40 °C)      7.7 mm <sup>2</sup> /s,cSt (100 °C)	
	120 mm <sup>2</sup> /s,cSt (25 °C)      35 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	140 mPa.s,cP (20 °C)      47 mPa.s,cP (40 °C)      6.3 mPa.s,cP (100 °C)	
	104 mPa.s,cP (25 °C)      30 mPa.s,cP (50 °C)	
PSL2700V10	N100 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	320 mm <sup>2</sup> /s,cSt (20 °C)      97 mm <sup>2</sup> /s,cSt (40 °C)      11.0 mm <sup>2</sup> /s,cSt (100 °C)	
	230 mm <sup>2</sup> /s,cSt (25 °C)      59 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	280 mPa.s,cP (20 °C)      84 mPa.s,cP (40 °C)      9.1 mPa.s,cP (100 °C)	
	200 mPa.s,cP (25 °C)      51 mPa.s,cP (50 °C)	



## ASTM Methods for petrochemical analysis

Code	Product	Unit
PSLN140	N140 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	400 mm <sup>2</sup> /s,cSt (20 °C)    140 mm <sup>2</sup> /s,cSt (40 °C)	18.0 mm <sup>2</sup> /s,cSt (100 °C)
	300 mm <sup>2</sup> /s,cSt (25 °C)    90 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
350 mPa.s,cP (20 °C)    120 mPa.s,cP (40 °C)	15.0 mPa.s,cP (100 °C)	
260 mPa.s,cP (25 °C)    77 mPa.s,cP (50 °C)		
PSL2700V11	S200 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	660 mm <sup>2</sup> /s,cSt (20 °C)    180 mm <sup>2</sup> /s,cSt (40 °C)	17 mm <sup>2</sup> /s,cSt (100 °C)
	460 mm <sup>2</sup> /s,cSt (25 °C)    110 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
590 mPa.s,cP (20 °C)    150 mPa.s,cP (40 °C)	14 mPa.s,cP (100 °C)	
410 mPa.s,cP (25 °C)    91 mPa.s,cP (50 °C)		
<b>New</b> PSL2700V11A	N230 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	860 mm <sup>2</sup> /s,cSt (20 °C)    230 mm <sup>2</sup> /s,cSt (40 °C)	21 mm <sup>2</sup> /s,cSt (100 °C)
	600 mm <sup>2</sup> /s,cSt (25 °C)    145 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
770 mPa.s,cP (20 °C)    190 mPa.s,cP (40 °C)	17.0 mPa.s,cP (100 °C)	
535 mPa.s,cP (25 °C)    120 mPa.s,cP (50 °C)		
PSL2700V12	N350 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	1400 mm <sup>2</sup> /s,cSt (20 °C)    310 mm <sup>2</sup> /s,cSt (40 °C)	24 mm <sup>2</sup> /s,cSt (100 °C)
	920 mm <sup>2</sup> /s,cSt (25 °C)    180 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
1200 mPa.s,cP (20 °C)    270 mPa.s,cP (40 °C)	20 mPa.s,cP (100 °C)	
790 mPa.s,cP (25 °C)    150 mPa.s,cP (50 °C)		
PSL2700V12A	N415 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	1900 mm <sup>2</sup> /s,cSt (20 °C)    415 mm <sup>2</sup> /s,cSt (40 °C)	34 mm <sup>2</sup> /s,cSt (100 °C)
	1240 mm <sup>2</sup> /s,cSt (25 °C)    240 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
1630 mPa.s,cP (20 °C)    360 mPa.s,cP (40 °C)	28.0 mPa.s,cP (100 °C)	
1065 mPa.s,cP (25 °C)    200 mPa.s,cP (50 °C)		
PSL2700V13	S600 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	2400 mm <sup>2</sup> /s,cSt (20 °C)    520 mm <sup>2</sup> /s,cSt (40 °C)	35 mm <sup>2</sup> /s,cSt (100 °C)
	1600 mm <sup>2</sup> /s,cSt (25 °C)    290 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
2100 mPa.s,cP (20 °C)    450 mPa.s,cP (40 °C)	29 mPa.s,cP (100 °C)	
1400 mPa.s,cP (25 °C)    240 mPa.s,cP (50 °C)		
<b>New</b> PSL2700-V13A	N730 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	3390 mm <sup>2</sup> /s,cSt (20 °C)    730 mm <sup>2</sup> /s,cSt (40 °C)	49 mm <sup>2</sup> /s,cSt (100 °C)
	2260 mm <sup>2</sup> /s,cSt (25 °C)    410 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
2970 mPa.s,cP (20 °C)    630 mPa.s,cP (40 °C)	40.0 mPa.s,cP (100 °C)	
1980 mPa.s,cP (25 °C)    340 mPa.s,cP (50 °C)		
PSL2700V14	N1000 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	4800 mm <sup>2</sup> /s,cSt (20 °C)    940 mm <sup>2</sup> /s,cSt (40 °C)	55 mm <sup>2</sup> /s,cSt (100 °C)
	3100 mm <sup>2</sup> /s,cSt (25 °C)    520 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
4100 mPa.s,cP (20 °C)    800 mPa.s,cP (40 °C)	45 mPa.s,cP (100 °C)	
2700 mPa.s,cP (25 °C)    450 mPa.s,cP (50 °C)		
PSLN1300	N1300 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	6760 mm <sup>2</sup> /s,cSt (20 °C)    1320 mm <sup>2</sup> /s,cSt (40 °C)	77 mm <sup>2</sup> /s,cSt (100 °C)
	4365 mm <sup>2</sup> /s,cSt (25 °C)    730 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
5775 mPa.s,cP (20 °C)    1120 mPa.s,cP (40 °C)	63.0 mPa.s,cP (100 °C)	
3800 mPa.s,cP (25 °C)    630 mPa.s,cP (50 °C)		

## Solid fuels

Code	Product	Unit
PSL2700V15	S2000 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 8600 mm <sup>2</sup> /s,cSt (20 °C)    1700 mm <sup>2</sup> /s,cSt (40 °C)    81 mm <sup>2</sup> /s,cSt (100 °C) 5600 mm <sup>2</sup> /s,cSt (25 °C)    880 mm <sup>2</sup> /s,cSt (50 °C) <u>Dynamic viscosity (nominal)</u> 7500 mPa.s,cP (20 °C)    1500 mPa.s,cP (40 °C)    68 mPa.s,cP (100 °C) 4800 mPa.s,cP (25 °C)    760 mPa.s,cP (50 °C)	500 mL
PSL2700V16	N4000 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 18000 mm <sup>2</sup> /s,cSt (20 °C)    3400 mm <sup>2</sup> /s,cSt (40 °C)    130 mm <sup>2</sup> /s,cSt (100 °C) 11000 mm <sup>2</sup> /s,cSt (25 °C)    1700 mm <sup>2</sup> /s,cSt (50 °C) <u>Dynamic viscosity (nominal)</u> 16000 mPa.s,cP (20 °C)    2900 mPa.s,cP (40 °C)    112 mPa.s,cP (100 °C) 10000 mPa.s,cP (25 °C)    1500 mPa.s,cP (50 °C)	500 mL
PSL2700V17	S8000 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 35000 mm <sup>2</sup> /s,cSt (20 °C)    6700 mm <sup>2</sup> /s,cSt (40 °C)    220 mm <sup>2</sup> /s,cSt (100 °C) 22000 mm <sup>2</sup> /s,cSt (25 °C)    3200 mm <sup>2</sup> /s,cSt (50 °C) <u>Dynamic viscosity (nominal)</u> 31000 mPa.s,cP (20 °C)    5900 mPa.s,cP (40 °C)    190 mPa.s,cP (100 °C) 20000 mPa.s,cP (25 °C)    2700 mPa.s,cP (50 °C)	500 mL
PSL2700V18	N15000 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 65000 mm <sup>2</sup> /s,cSt (20 °C)    13000 mm <sup>2</sup> /s,cSt (40 °C)    370 mm <sup>2</sup> /s,cSt (100 °C) 41000 mm <sup>2</sup> /s,cSt (25 °C)    5800 mm <sup>2</sup> /s,cSt (50 °C) <u>Dynamic viscosity (nominal)</u> 58000 mPa.s,cP (20 °C)    11000 mPa.s,cP (40 °C)    320 mPa.s,cP (100 °C) 37000 mPa.s,cP (25 °C)    5100 mPa.s,cP (50 °C)	500 mL
PSL2700V19	S30000-Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 82000 mm <sup>2</sup> /s,cSt (25 °C)    23000 mm <sup>2</sup> /s,cSt (40 °C)    11000 mm <sup>2</sup> /s,cSt (50 °C)    670 mm <sup>2</sup> /s,cSt (100 °C) <u>Dynamic viscosity (nominal)</u> 74000 mPa.s,cP (25 °C)    21000 mPa.s,cP (40 °C)    9900 mPa.s,cP (50 °C)    580 mPa.s,cP (100 °C)	500 mL

## Solid fuels

Code	Product	Unit
BCR-331	Low volatile steam coal - Sulfur Certified value S ..... 4.99 g/kg	20 g
BCR-332	High volatile industrial coal - Sulfur Certified value S ..... 9.61 g/kg	20 g
BCR-333	Coking steam coal - Sulfur Certified value S ..... 13.44 g/kg	20 g
BCR-334	Anthracite - Sulfur Certified value S ..... 16.09 g/kg	20 g
BCR-335	Flame coal - Sulfur Certified value S ..... 50.8 g/kg	20 g
BCR-336	High volatile steam coal - Sulfur Certified value S ..... 32.90 g/kg	20 g
BCR-460	Coal - Fluorine Certified value F ..... 225 mg/kg Indicative value for Cl	40 g

## Solid fuels

Code	Product	Unit
NCS FC82007	Coal - Fluorine Certified value F..... 248±12 µg/g	50 g
NCS FC82008	Coal - Fluorine Certified value F..... 864±16 µg/g	50 g
NCS FC82009	Coal - Fluorine Certified value F..... 1496±20 µg/g	50 g
NIST-2682b	Coal (sub-bituminous) - Sulphur, mercury and heat of combustion Certified values S ..... 0.4917 %      Hg ..... 108.8 µg/kg Indicative values for chlorine, ash content, gross calorific value	50 g
<b>New</b> NIST-2692C	Coal (bituminous) - Sulfur, mercury Certified values (dry mass basis) S ..... 1.064 ± 0.013 %      Hg ..... 0.1790 ± 0.00.69 µg/g Reference values (dry mass basis) Chlorine (Cl)..... 1338 ± 22 µg/g      Ash Content (mass fraction) ..... 7.499 ± 0.024%	50 g
NIST-2693	Coal (bituminous) - Sulfur and mercury Certified values S ..... 0.4571 %      Hg..... 37.3 µg/kg      Cl ..... 369.6 mg/kg	50 g
NCS FC28003G	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 70.95 %      Ash ..... 24.38 % H ..... 0.76 %      Volatile matter ..... 5.39 % N ..... 0.30 %      Relative density (20°C) ..... 2.04 Total S ..... 0.39 %      Calorific value ..... 23.93 MJ/kg	50 g
<b>New</b> NIM-GBW11104F	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 79.17 %      Ash ..... 13.85 % H ..... 2.15 %      Volatile matter ..... 6.97 % N ..... 1.14 %      Relative density (20°C) ..... 1.65 Total S ..... 1.14 %      Calorific value ..... 29.54 MJ/kg	50 g
<b>New</b> NIM-GBW11108G	Coal (bitumite) - Elements and properties Coal type: Bitumite Certified values C ..... 68.29 %      Ash ..... 14.66 % H ..... 4.22 %      Volatile matter ..... 34.56 % N ..... 1.21 %      Relative density (20°C) ..... 1.48 Total S ..... 1.84 %      Calorific value ..... 27.61 MJ/kg	50 g
<b>New</b> NCS FC28007H	Coal (bitumite) - Elements and properties Coal type: Bitumite Certified values C ..... 68.77 %      Ash ..... 14.77 % H ..... 4.25 %      Volatile matter ..... 34.46 % N ..... 1.20 %      Relative density (20°C) ..... 1.47 Total S ..... 1.83 %      Calorific value ..... 27.42 MJ/kg	50 g
<b>New</b> NIM-GBW11112D	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 72.26 %      Ash ..... 20.52 % H ..... 1.81 %      Volatile matter ..... 6.17 % N ..... 0.85 %      Density (20°C)..... 1.79 Total S ..... 2.26 %      Gross calorific value..... 26.52 MJ/kg	50 g
<b>New</b> NCS FC28012C	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 70.35 %      Ash ..... 19.67 % H ..... 2.86 %      Volatile matter ..... 10.84 % N ..... 1.09 %      Relative density (20°C) ..... 1.60 S ..... 3.07 %      Gross calorific value..... 27.29 MJ/kg	50 g

## Solid fuels

Code	Product	Unit
<b>New</b> NCS FC28005E	Coal (anthracite) - Elements and properties Coal type: Anthracite Certified values C ..... 77.83 %      Ash ..... 14.25 % H ..... 2.76 %      Volatile matter ..... 8.82 % N ..... 0.85 %      Relative density (20 °C) ..... 1.57 Total S ..... 1.76 %      Calorific value ..... 29.58 MJ/kg	50 g
NCS FC28101	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 90.27 %      Ash ..... 3.95 % H ..... 3.01 %      Volatile matter ..... 6.64 % N ..... 0.60 %      Relative density (20 °C) ..... 1.47 Total S ..... 0.20 %      Calorific value ..... 34.34 MJ/kg	50 g
NCS FC28102	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 87.47 %      Ash ..... 6.46 % H ..... 2.86 %      Volatile matter ..... 7.90 % N ..... 0.60 %      Relative density (20 °C) ..... 1.5 Total S ..... 0.19 %      Calorific value ..... 33.1 MJ/kg	50 g
NCS FC28103	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 81.55 %      Ash ..... 10.51 % H ..... 3.33 %      Volatile matter ..... 9.45 % N ..... 1.30 %      Relative density (20 °C) ..... 1.47 Total S ..... 0.36 %      Calorific value ..... 31.8 MJ/kg	50 g
NCS FC28104	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 81.60 %      Ash ..... 10.09 % H ..... 3.52 %      Volatile matter ..... 11 % N ..... 1.34 %      Relative density (20 °C) ..... 1.45 Total S ..... 0.41 %      Calorific value ..... 32.04 MJ/kg	50 g
NCS FC28105	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 81.54 %      Ash ..... 9.61 % H ..... 3.70 %      Volatile matter ..... 12.21 % N ..... 1.16 %      Relative density (20 °C) ..... 1.43 Total S ..... 1.06 %      Calorific value ..... 32.31 MJ/kg	50 g
NCS FC28106	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 79.09 %      Ash ..... 8.56 % H ..... 4.95 %      Volatile matter ..... 31.92 % N ..... 1.38 %      Relative density (20 °C) ..... 1.35 Total S ..... 1.72 %      Calorific value ..... 32.98 MJ/kg	50 g
NCS FC28107	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 79.80 %      Ash ..... 10.41 % H ..... 3.80 %      Volatile matter ..... 15.30 % N ..... 1.10 %      Relative density (20 °C) ..... 1.43 Total S ..... 0.66 %      Calorific value ..... 31.64 MJ/kg	50 g
NCS FC28108	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 72.94 %      Ash ..... 13.68 % H ..... 4.46 %      Volatile matter ..... 30.84 % N ..... 1.26 %      Relative density (20 °C) ..... 1.42 Total S ..... 0.57 %      Calorific value ..... 29.9 MJ/kg	50 g

## Solid fuels

Code	Product	Unit
NCS FC28109	Coal - Elements and properties Coal type: Anthracite Certified values C ..... 79.42 %      Ash ..... 11.98 % H ..... 3.28 %      Volatile matter ..... 11.30 % N ..... 1.09 %      Relative density (20 °C) ..... 1.49 Total S ..... 0.58 %      Calorific value ..... 30.66 MJ/kg	50 g
NCS FC28110	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 75.96 %      Ash ..... 8.42 % H ..... 4.56 %      Volatile matter ..... 32.94 % N ..... 1.33 %      Relative density (20 °C) ..... 1.41 Total S ..... 0.87 %      Calorific value ..... 30.92 MJ/kg	50 g
NCS FC28111	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 60.24 %      Ash ..... 25.19 % H ..... 3.73 %      Volatile matter ..... 28.39 % N ..... 1.04 %      Relative density (20 °C) ..... 1.57 Total S ..... 1.28 %      Calorific value ..... 24.35 MJ/kg	50 g
NCS FC28112	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 78.78 %      Ash ..... 8.08 % H ..... 5.01 %      Volatile matter ..... 33.70 % N ..... 1.31 %      Relative density (20 °C) ..... 1.33 Total S ..... 2.10 %      Calorific value ..... 32.82 MJ/kg	50 g
NCS FC28113	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 74.80 %      Ash ..... 7.06 % H ..... 4.47 %      Volatile matter ..... 33.40 % N ..... 1.02 %      Relative density (20 °C) ..... 1.41 Total S ..... 0.27 %      Calorific value ..... 30.03 MJ/kg	50 g
NCS FC28114	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 76.36 %      Ash ..... 4.66 % H ..... 4.54 %      Volatile matter ..... 33.07 % N ..... 1.08 %      Relative density (20 °C) ..... 1.4 Total S ..... 0.20 %      Calorific value ..... 30.73 MJ/kg	50 g
NCS FC28115	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 77.44 %      Ash ..... 6.38 % H ..... 4.42 %      Volatile matter ..... 32.22 % N ..... 1.21 %      Relative density (20 °C) ..... 1.41 Total S ..... 0.42 %      Calorific value ..... 31.05 MJ/kg	50 g
NCS FC28116	Coal - Elements and properties Coal type: Bitumite Certified values C ..... 78.68 %      Ash ..... 6.08 % H ..... 4.59 %      Volatile matter ..... 32.34 % N ..... 1.34 %      Relative density (20 °C) ..... 1.39 Total S ..... 0.54 %      Calorific value ..... 31.82 MJ/kg	50 g
NCS FC59001	Coke - Sulphur, ash and volatile matter Certified values Total Sulfur ..... 0.63±0.03 %      Ash ..... 7.22±0.06 %      Volatile matter ..... 1.39±0.08 %	60 g
NCS FC82004	Coal - Chlorine Certified value Cl ..... 0.010±0.002 %	50 g
NCS FC82005	Coal - Chlorine Certified value Cl ..... 0.057±0.003 %	50 g

## Solid fuels

Code	Product	Unit
NCS FC82006	Coal - Chlorine Certified value Cl ..... 0.110±0.006 %	50 g
<b>New</b> NCS FC28001N	Coal (bitumite) - Elements and properties Coal type: Bitumite Certified values C ..... 52.61%      Ash ..... 35.58 % H ..... 3.45 %      Volatile matter ..... 24.31 % N ..... 1.00 %      Relative density (20°C) ..... 1.65 Total S ..... 0.47 %      Calorific value ..... 21.15 MJ/kg	50 g
NCS FC82002	Coal - Arsenic and Phosphorus Certified value As ..... 34±2 µg/g      P ..... 0.007±0.001%	50 g
NCS FC82003	Coal - Arsenic and Phosphorus Certified value As ..... 51±3 µg/g      P ..... 0.092±0.005%	50 g
NCS FC62001	Bituminous Coal Certified values M <sub>ad</sub> ..... 4.51%      V <sub>ad</sub> ..... 22.89%      S <sub>t,d</sub> ..... 1.53% A <sub>ad</sub> ..... 21.17%      V <sub>d</sub> ..... 23.97%      Q <sub>gr,ad</sub> ..... 23.91 MJ/kg A <sub>d</sub> ..... 22.17%      S <sub>t,ad</sub> ..... 1.46%      Q <sub>gr,d</sub> ..... 25.04 MJ/kg M <sub>ad</sub> , A <sub>ad</sub> , V <sub>ad</sub> , S <sub>t,ad</sub> and Q <sub>gr,ad</sub> mean moisture, ash, volatile material, total sulfur and calorific value of air dried sample; A <sub>d</sub> , V <sub>d</sub> , S <sub>t,d</sub> and Q <sub>gr,d</sub> mean ash, volatile material, total sulfur and calorific value of dried sample.	20 g
NCS FC62002	Bituminous Coal Certified values M <sub>ad</sub> ..... 2.27%      V <sub>ad</sub> ..... 4.21%      S <sub>t,d</sub> ..... 2.95% A <sub>ad</sub> ..... 25.82%      V <sub>d</sub> ..... 4.31%      Q <sub>gr,ad</sub> ..... 23.48 MJ/kg A <sub>d</sub> ..... 26.42%      S <sub>t,ad</sub> ..... 2.88%      Q <sub>gr,d</sub> ..... 24.02 MJ/kg M <sub>ad</sub> , A <sub>ad</sub> , V <sub>ad</sub> , S <sub>t,ad</sub> and Q <sub>gr,ad</sub> mean moisture, ash, volatile material, total sulfur and calorific value of air dried sample; A <sub>d</sub> , V <sub>d</sub> , S <sub>t,d</sub> and Q <sub>gr,d</sub> mean ash, volatile material, total sulfur and calorific value of dried sample.	20 g
NIST-2775	Foundry coke - Sulfur Certified value S ..... 0.5816 % Indicative values for ash, volatile matter, carbon, hydrogen and nitrogen	50 g
NIST-2776	Foundry coke - Sulfur, ash and volatile matter Certified values S ..... 0.825 ± 0.016 % Indicative values for ash, volatile matter, carbon, hydrogen, nitrogen	50 g
NIST-2718	Green petroleum coke - Trace elements Certified values Al ..... 16.5 mg/kg      Fe ..... 290 mg/kg      S ..... 47032 mg/kg Ca ..... 174 mg/kg      Ni ..... 139.1 mg/kg      V ..... 302 mg/kg Indicative values for C, Co, H, N, Na, Si, Ash, Volatile matter, Gross calorific value	50 g
NIST-2719	Calcinated petroleum coke - Trace elements Certified values Al ..... 58.9 mg/kg      Fe ..... 201.6 mg/kg      S ..... 8877 mg/kg Ca ..... 57.7 mg/kg      Ni ..... 204 mg/kg      V ..... 58.6 mg/kg Indicative values for C, Co, H, N, Na, Si, Ash, Volatile content, Gross calorific value	50 g
NJV 94-1	Energy peat (Carex) - Trace elements Milled peat from Sweden with an approximate composition of 80:20 Carex: Sphagnum. Certified values Al ..... 0.090 %      Fe ..... 0.39 %      Pb ..... 2.4 mg/kg Ca ..... 1.02 %      Mg ..... 0.077 %      S ..... 0.29 % Cd ..... 0.062 mg/kg      Mn ..... 0.0036 %      Zn ..... 9 mg/kg Cl ..... 0.028 %      N ..... 2.09 %      Ash ..... 4.07 % Cu ..... 2.0 mg/kg      P ..... 0.045 %      Calorific value ..... 22.3 MJ/kg Indicative values for As, C, Cr, H, K, Na, Si, Ti, Volatile matter	50 g
NJV 94-2	Energy peat (sphagnum) - Trace elements Sod peat from Sweden with an approximate composition of 90:10 Sphagnum: Peat wool. Certified values Al ..... 0.095 %      Fe ..... 0.13 %      Pb ..... 10.1 mg/kg Ca ..... 0.12 %      Mg ..... 0.11 %      S ..... 0.217 % Cd ..... 0.16 mg/kg      Mn ..... 0.0008 %      Zn ..... 9 mg/kg Cl ..... 0.061 %      N ..... 1.10 %      Ash ..... 1.57 % Cu ..... 1.7 mg/kg      P ..... 0.024 %      Calorific value ..... 21.8 MJ/kg Indicative values for C, Cr, H, K, Na, Si, Ti, Volatile matter	50 g

Code	Product	Unit
NJV 94-3	Energy forest (salix) - Trace elements Salix cultivated in Sweden. Certified values Ca ..... 0.44 %      Mg ..... 0.034 %      Zn ..... 75 mg/kg Cd ..... 1.8 mg/kg      Mn ..... 0.006 %      Ash ..... 1.56 % Cu ..... 4.0 mg/kg      N ..... 0.37 %      Calorific value ..... 19.5 MJ/kg Fe ..... 0.0026 %      P ..... 0.05 % K ..... 0.20 %      S ..... 0.028 % Indicative values for Al, C, Cl, H, Na, Si, Pb, Volatile matter	50 g
NJV 94-4	Energy grass (phalaris arudinaceae L.) - Trace elements Spring harvested reed canary grass (Phalaris arudinaceae L.) from Sweden. Certified values Al ..... 0.18 %      Fe ..... 0.106 %      S ..... 0.132 % As ..... 0.4 mg/kg      K ..... 0.38 %      Si ..... 2.1 % Ca ..... 0.21 %      Mg ..... 0.088 %      Zn ..... 42 mg/kg Cd ..... 0.09 mg/kg      Mn ..... 0.016 %      Ash ..... 6.87 % Cl ..... 0.058 %      N ..... 1.04 %      Calorific value ..... 18.5 MJ/kg Cr ..... 3.4 mg/kg      P ..... 0.109 % Cu ..... 6.8 mg/kg      Pb ..... 2.1 mg/kg Indicative values for C, H, Na, Ti, Volatile matter	50 g
NJV 94-5	Wood fuel - Trace elements Pine wood waste from a saw mill in Sweden with a composition of approximately 70:30 bark: chip Certified values Al ..... 0.026 %      Fe ..... 0.007 %      Pb ..... 0.68 mg/kg As ..... 0.8 mg/kg      K ..... 0.09 %      S ..... 0.018 % Ca ..... 0.35 %      Mg ..... 0.030 %      Zn ..... 38 mg/kg Cd ..... 0.27 mg/kg      Mn ..... 0.021 %      Ash ..... 1.22 % Cr ..... 0.8 mg/kg      Na ..... 0.004 %      Calorific value ..... 20.6 MJ/kg Cu ..... 2.2 mg/kg      P ..... 0.021 % Indicative values for C, Cl, H, N, Si, Ti, Volatile matter	50 g

## Cement

Code	Product	Unit
NIST-634a	Portland cement - Constituents Certified values SiO <sub>2</sub> ..... 20.493 %      CaO ..... 65.07 %      K <sub>2</sub> O ..... 0.3572 % Al <sub>2</sub> O <sub>3</sub> ..... 5.015 %      MgO ..... 1.0057 %      TiO <sub>2</sub> ..... 0.2463 % Fe <sub>2</sub> O <sub>3</sub> ..... 3.362 %      SO <sub>3</sub> ..... 2.780 %      P <sub>2</sub> O <sub>5</sub> ..... 0.1767 % Indicative values for Na <sub>2</sub> O, Cr <sub>2</sub> O <sub>3</sub> , ZnO, Mn <sub>2</sub> O <sub>3</sub> , SrO	100 g
<b>New</b> NIST-1880B	Portland cement - Constituents Certified values SiO <sub>2</sub> ..... 20.42 ± 0.36 %      SO <sub>3</sub> ..... 2.710 ± 0.099 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.1981 ± 0.0020 % Al <sub>2</sub> O <sub>3</sub> ..... 5.183 ± 0.073 %      Na <sub>2</sub> O ..... 0.0914 ± 0.0052 %      Cl ..... 0.01830 ± 0.00057 % Fe <sub>2</sub> O <sub>3</sub> ..... 3.681 ± 0.023 %      K <sub>2</sub> O ..... 0.646 ± 0.014 %      Cr <sub>2</sub> O <sub>3</sub> ..... 0.01927 ± 0.00042 % CaO ..... 64.16 ± 0.40 %      TiO <sub>2</sub> ..... 0.236 ± 0.012 % MgO ..... 1.176 ± 0.020 %      P <sub>2</sub> O <sub>5</sub> ..... 0.2443 ± 0.0027 % Reference values for LOI*, ZnO, sulfide sulfur, insoluble residue, CaO (free), SrO, and fluoride * Loss on Ignition	4 x 5 g
NIST-1881a	Portland cement - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 7.060 %      MgO ..... 2.981 %      SO <sub>3</sub> ..... 3.366 % CaO ..... 57.58 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.013 %      SrO ..... 0.036 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.0588 %      Na <sub>2</sub> O ..... 0.199 %      TiO <sub>2</sub> ..... 0.3663 % Fe <sub>2</sub> O <sub>3</sub> ..... 3.09 %      P <sub>2</sub> O <sub>5</sub> ..... 0.1459 %      ZnO ..... 0.0489 K <sub>2</sub> O ..... 1.228 %      SiO <sub>2</sub> ..... 22.26 % Indicative values for Cl, F, LOI*, Insoluble residue * Loss on Ignition	4 x 5 g
NIST-1882a	Calcium aluminate cement (formally orange) - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 39.14 %      MgO ..... 0.51 %      SrO ..... 0.024 % CaO ..... 39.29 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.060 %      TiO <sub>2</sub> ..... 1.786 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.113 %      Na <sub>2</sub> O ..... 0.021 %      ZnO ..... 0.004 % Fe <sub>2</sub> O <sub>3</sub> ..... 14.67 %      P <sub>2</sub> O <sub>5</sub> ..... 0.070 %      LOI* ..... 0.20 % K <sub>2</sub> O ..... 0.051 %      SiO <sub>2</sub> ..... 4.01 % Indicative value for Total * Loss on Ignition	4 x 5 g



# Cement

Code	Product	Unit
NIST-1883a	Calcium aluminate cement (formally silver) - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 70.04 %      K <sub>2</sub> O ..... 0.014 %      SiO <sub>2</sub> ..... 0.24 % % CaO ..... 29.52 %      MgO ..... 0.19 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.078 %      Na <sub>2</sub> O ..... 0.30 % Indicative values for Cr <sub>2</sub> O <sub>3</sub> , P <sub>2</sub> O <sub>5</sub> , SrO, TiO <sub>2</sub> , LOI*, Total * Loss on Ignition	4 x 5 g
<b>New</b> NIST-1884B	Portland cement - Constituents This Standard Reference Material® (SRM®) is intended primarily for the evaluation or calibration of methods for analysis of cements and materials of similar matrix. A unit of SRM 1884b consists of five sealed vials, each containing approximately 4.5 g of portland cement ground to pass through a 75 µm (No. 200) sieve. Certified values for NIST1884b SiO <sub>2</sub> ..... 19.30 ± 0.18 %      SO <sub>3</sub> ..... 4.034 ± 0.067 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.0750 ± 0.0013 % Al <sub>2</sub> O <sub>3</sub> ..... 4.851 ± 0.021 %      Na <sub>2</sub> O ..... 0.278 ± 0.010 %      Cr <sub>2</sub> O <sub>3</sub> ..... 0.00791 ± 0.00070 % Fe <sub>2</sub> O <sub>3</sub> ..... 2.937 ± 0.020 %      K <sub>2</sub> O ..... 0.957 ± 0.018 %      SrO ..... 0.0258 ± 0.0038 % CaO ..... 61.31 ± 0.36 %      TiO <sub>2</sub> ..... 0.2651 ± 0.0084 % MgO ..... 4.74 ± 0.13 %      P <sub>2</sub> O <sub>5</sub> ..... 0.0965 ± 0.0033 % Indicative values for LOI, ZnO, Cl, sulfide sulfur, insoluble residue, free CaO, fluoride (F)	4 x 5 g
NIST-1885a	Portland cement - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 4.026 %      MgO ..... 4.033 %      SO <sub>3</sub> ..... 2.830 % CaO ..... 62.39 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.0478 %      SrO ..... 0.638 % Cr <sub>2</sub> O <sub>3</sub> ..... 0.0195 %      Na <sub>2</sub> O ..... 1.068 %      TiO <sub>2</sub> ..... 0.195 % Fe <sub>2</sub> O <sub>3</sub> ..... 1.929 %      P <sub>2</sub> O <sub>5</sub> ..... 0.1220 % K <sub>2</sub> O ..... 0.206 %      SiO <sub>2</sub> ..... 20.909 % Indicative values for ZnO, F, LOI*, Total, Insoluble residues, free CaO * Loss on Ignition	4 x 5 g
NIST-1886A	Portland cement (cranberry) - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 3.99 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.013 %      SrO ..... 0.11 % CaO ..... 67.43 %      Na <sub>2</sub> O ..... 0.02 %      TiO <sub>2</sub> ..... 0.19 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.31 %      P <sub>2</sub> O <sub>5</sub> ..... 0.025 %      LOI* ..... 1.73 % K <sub>2</sub> O ..... 0.16 %      SiO <sub>2</sub> ..... 22.53 % MgO ..... 1.60 %      SO <sub>3</sub> ..... 2.04 % Indicative values for Cl, Cr <sub>2</sub> O <sub>3</sub> , F, ZnO, Total * Loss on Ignition	4 x 5 g
NIST-1887a	Portland cement - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 6.202 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.1186 %      SrO ..... 0.322 % CaO ..... 60.90 %      Na <sub>2</sub> O ..... 0.4778 %      TiO <sub>2</sub> ..... 0.2658 % Fe <sub>2</sub> O <sub>3</sub> ..... 2.861 %      P <sub>2</sub> O <sub>5</sub> ..... 0.306 %      ZnO ..... 0.0667 % K <sub>2</sub> O ..... 1.100 %      SiO <sub>2</sub> ..... 18.637 % MgO ..... 2.835 %      SO <sub>3</sub> ..... 4.622 % Indicative values for Cl, F, LOI*, Total, Insoluble residues, free CaO * Loss on Ignition	4 x 5 g
<b>New</b> NIST-1888B	Portland cement - Constituents Certified values SiO <sub>2</sub> ..... 20.42 ± 0.23 %      K <sub>2</sub> O ..... 0.658 ± 0.017 % Al <sub>2</sub> O <sub>3</sub> ..... 4.277 ± 0.036 %      TiO <sub>2</sub> ..... 0.2316 ± 0.0076 % Fe <sub>2</sub> O <sub>3</sub> ..... 3.062 ± 0.053 %      P <sub>2</sub> O <sub>5</sub> ..... 0.07307 ± 0.00081 % CaO ..... 63.13 ± 0.29 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.0652 ± 0.0022 % MgO ..... 3.562 ± 0.057 %      Cl ..... 0.0143 ± 0.0015 % SO <sub>3</sub> ..... 2.634 ± 0.017 %      SrO ..... 0.1009 ± 0.0030 % Na <sub>2</sub> O ..... 0.1364 ± 0.0044 % Reference values for Cr <sub>2</sub> O <sub>3</sub> , ZnO, Sulfide Sulfur, Insoluble Residue, Free CaO, Fluoride, LOI at different temperatures	4 x 5 g
NIST-1889a	Portland cement - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 3.89 %      Mn <sub>2</sub> O <sub>3</sub> ..... 0.2588 %      SrO ..... 0.042 % CaO ..... 65.34 %      Na <sub>2</sub> O ..... 0.195 %      TiO <sub>2</sub> ..... 0.227 % Fe <sub>2</sub> O <sub>3</sub> ..... 1.937 %      P <sub>2</sub> O <sub>5</sub> ..... 0.110 %      ZnO ..... 0.0048 % K <sub>2</sub> O ..... 0.605 %      SiO <sub>2</sub> ..... 20.66 % MgO ..... 0.814 %      SO <sub>3</sub> ..... 2.69 % Indicative values for Cl, F, LOI*, Total, Insoluble residues, free CaO * Loss on Ignition	4 x 5 g
<b>New</b> NIST-2686A	Portland cement clinker - Major phases Major phases in cement clinker Certified values Alite ..... 63.53 %      Ferrite ..... 10.8 %      Periclase ..... 3.4 % Belite ..... 18.8 %      Aluminate ..... 2.46 %      Alkali sulfates ..... 0.86 % Informational values for elemental constituents expressed as the chemical forms.	set (4)

Code	Product	Unit												
NIST-2688	Portland cement clinker - Major phases Major phases in cement clinker Certified values for phase abundance Alite..... 64.95 %      Ferrite..... 12.2 % Belite..... 17.45 %      Aluminat..... 4.99 % Informational values for elemental constituents expressed as the chemical forms.	3 x 10 g												
NIST-2687	Portland cement clinker - Major phases Major phases in cement clinker Certified values Alite..... 71.24 %      Ferrite..... 2.81 %      Arcanite..... 0.92 % Belite..... 12.57 %      Aluminat..... 11.87 % Informational values for elemental constituents expressed as the chemical forms.	3 x 10 g												
NIST-114q	Portland cement fineness standard This Standard Reference Material® (SRM®) is intended for use in calibrating fineness testing equipment according to ASTM Standard Methods. The SRM unit consists of 20 glass vials with plastic caps containing powdered cement (each vial is contained in a sealed foil bag). Each vial contains approximately 5 g of cement.  <table border="1"> <thead> <tr> <th>Measurand</th> <th>ASTM Method</th> <th>Certified Value and Expanded Uncertainty</th> </tr> </thead> <tbody> <tr> <td>Specific Surface Area (Blaine)</td> <td>C 204-96a</td> <td>3818 cm<sup>2</sup>/g ± 78 cm<sup>2</sup>/g</td> </tr> <tr> <td>Specific Surface Area (Wagner)</td> <td>C 115-96a</td> <td>2183 cm<sup>2</sup>/g ± 160 cm<sup>2</sup>/g</td> </tr> <tr> <td>Sieve Residue (45 µm residue)</td> <td>C 430-96</td> <td>0.79 % ± 0.19 %</td> </tr> </tbody> </table>	Measurand	ASTM Method	Certified Value and Expanded Uncertainty	Specific Surface Area (Blaine)	C 204-96a	3818 cm <sup>2</sup> /g ± 78 cm <sup>2</sup> /g	Specific Surface Area (Wagner)	C 115-96a	2183 cm <sup>2</sup> /g ± 160 cm <sup>2</sup> /g	Sieve Residue (45 µm residue)	C 430-96	0.79 % ± 0.19 %	set (20)
Measurand	ASTM Method	Certified Value and Expanded Uncertainty												
Specific Surface Area (Blaine)	C 204-96a	3818 cm <sup>2</sup> /g ± 78 cm <sup>2</sup> /g												
Specific Surface Area (Wagner)	C 115-96a	2183 cm <sup>2</sup> /g ± 160 cm <sup>2</sup> /g												
Sieve Residue (45 µm residue)	C 430-96	0.79 % ± 0.19 %												
NIST-46h	Portland cement - Turbidity and Fineness This Standard Reference Material (SRM®) is intended for use in calibrating fineness testing equipment according to ASTM Standard Methods. A unit of NIST-46h contains 10 glass vials of approximately 5 g of powdered cement. Measurand.....ASTM Method .....Certified Value and Expanded Uncertainty Sieve Residue (45 µm residue).....C 430-96(2003) <sup>(a)</sup> .....7.43 % ± 0.79 % <sup>(a)</sup> Standard Test Method for Fineness of Hydraulic Cement by the 45 µm (No. 325) Sieve.	10 x 5 g												
BAS-BCS-CRM 353	Sulphate resist portland cement Certified values SiO <sub>2</sub> ..... 20.5 %      Mn <sub>2</sub> O <sub>3</sub> .....0.23 %      P <sub>2</sub> O <sub>5</sub> .....0.077 % Al <sub>2</sub> O <sub>3</sub> ..... 3.77 %      CaO..... 64.8 %      SO <sub>3</sub> ..... 2.25 % TiO <sub>2</sub> ..... 0.16 %      MgO..... 2.42 %      SrO..... 0.23 % Fe <sub>2</sub> O <sub>3</sub> ..... 4.82 %      Na <sub>2</sub> O (Acid Sol).....0.1 %      Cl.....(0.01) % Cr <sub>2</sub> O <sub>3</sub> .....(0.02) %      K <sub>2</sub> O (Acid Sol).....0.49 % (Values in parenthesis are indicative values)	100 g												
BAS-BCS-CRM 354	White Portland Cement Certified values SiO <sub>2</sub> ..... 21.8 %      Mn <sub>2</sub> O <sub>3</sub> .....0.057 %      P <sub>2</sub> O <sub>5</sub> ..... 0.12 % Al <sub>2</sub> O <sub>3</sub> ..... 4.85 %      CaO..... 70 %      SO <sub>3</sub> ..... 2.25 % TiO <sub>2</sub> ..... 0.04 %      MgO.....0.42 %      SrO..... 0.11 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.3 %      Na <sub>2</sub> O (Acid Sol).....0.1 %      Cl..... 0.005 % Cr <sub>2</sub> O <sub>3</sub> .....(0.003 %)      K <sub>2</sub> O (Acid Sol).....0.11 % (Values in parenthesis are indicative values)	100 g												

## Glass and ceramics

Code	Product	Unit																					
IRMM-435	Pharmaceutical glass - Leaching This material is intended for performance checks of the complete procedure of autoclave leaching of the inner walls of glass containers and subsequent determination of alkali and/or sodium release by titration and/or flame spectrometry.  <table border="1"> <thead> <tr> <th></th> <th>Certified value</th> <th>Uncertainty</th> </tr> </thead> <tbody> <tr> <td>Volume of titration solution ..... 0.38 mL.....</td> <td>0.38 mL</td> <td>0.04 mL</td> </tr> <tr> <td>0.01 mol/L HCl per 50 mL of leachate<sup>1)</sup></td> <td></td> <td></td> </tr> <tr> <td>Sodium release per volume..... 1.41 mg/L.....</td> <td>1.41 mg/L</td> <td>0.14 mg/L</td> </tr> <tr> <td>of leachate<sup>1)</sup></td> <td></td> <td></td> </tr> <tr> <td>Release of Na<sub>2</sub>O per volume..... 1.91 mg/L.....</td> <td>1.91 mg/L</td> <td>0.19 mg/L</td> </tr> <tr> <td>of leachate<sup>1)</sup></td> <td></td> <td></td> </tr> </tbody> </table> <sup>1)</sup> As determined according to the adapted method for alkali release based on the European Pharmacopoeia method and ISO 4802		Certified value	Uncertainty	Volume of titration solution ..... 0.38 mL.....	0.38 mL	0.04 mL	0.01 mol/L HCl per 50 mL of leachate <sup>1)</sup>			Sodium release per volume..... 1.41 mg/L.....	1.41 mg/L	0.14 mg/L	of leachate <sup>1)</sup>			Release of Na <sub>2</sub> O per volume..... 1.91 mg/L.....	1.91 mg/L	0.19 mg/L	of leachate <sup>1)</sup>			20 vials
	Certified value	Uncertainty																					
Volume of titration solution ..... 0.38 mL.....	0.38 mL	0.04 mL																					
0.01 mol/L HCl per 50 mL of leachate <sup>1)</sup>																							
Sodium release per volume..... 1.41 mg/L.....	1.41 mg/L	0.14 mg/L																					
of leachate <sup>1)</sup>																							
Release of Na <sub>2</sub> O per volume..... 1.91 mg/L.....	1.91 mg/L	0.19 mg/L																					
of leachate <sup>1)</sup>																							

## Glass and ceramics

Code	Product	Unit
BCR-126A	<b>Lead glass - Constituents</b> Specially selected glass with a composition that displays many typical analytical problems. Size: 100 x 100 x 10 mm Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.128 cg/g      Na <sub>2</sub> O ..... 3.58 cg/g BaO ..... 1.036 cg/g      PbO ..... 23.98 cg/g CaO ..... 1.033 cg/g      Sb <sub>2</sub> O <sub>3</sub> ..... 0.290 cg/g Fe <sub>2</sub> O <sub>3</sub> ..... 0.0055 cg/g      SiO <sub>2</sub> ..... 57.80 cg/g K <sub>2</sub> O ..... 10.00 cg/g      ZnO ..... 1.020 cg/g Li <sub>2</sub> O ..... 0.495 cg/g      Density (20°C) ..... 2.9905 g/cm <sup>3</sup> MgO ..... 0.512 cg/g      Refractive index (20°C) at 589.3nm ..... 1.55967	300 g
BCR-664	<b>Glass - Trace elements</b> Size: 50 x 50 x 7 mm Certified values As ..... 5.9 mg/kg      Cl ..... 68.4 mg/kg      Pb ..... 53.1 mg/kg Ba ..... 29.1 mg/kg      Co ..... 2.77 mg/kg      Sb ..... 24.3 mg/kg Cd ..... 5.7 mg/kg      Cr ..... 2.65 mg/kg      Se ..... 8.6 mg/kg	plate
BCR-301 (RM)	<b>Mullite</b> High crystallinity. Vitreous phase 0.03 g/g. No other phase detected. Impurities: CaO, Fe <sub>2</sub> O <sub>3</sub> , K <sub>2</sub> O, MgO, Na <sub>2</sub> O, TiO <sub>2</sub> Values for lattice spacing and relative intensity at five different reflections. Available in granular form to be ground by the user.	50 g
BAM-S004	<b>Glass - hexavalent chromium</b> The certified reference material BAM-S004 consists of container glass for cosmetics. It was crushed into pieces < 10 mm sizes and contains a powdered fraction. Certified values Cr-(VI) ..... 94 ± 5 mg/kg      Al <sub>2</sub> O <sub>3</sub> ..... (2.15) %      K <sub>2</sub> O ..... (0.16) % Cr-total ..... 471 ± 25 mg/kg      BaO ..... (1.2) %      Cr <sub>2</sub> O <sub>3</sub> ..... (0.07) % SiO <sub>2</sub> ..... (70.9) %      MgO ..... (0.90) %      Fe <sub>2</sub> O <sub>3</sub> ..... (0.06) % Na <sub>2</sub> O ..... (14.5) %      ZnO ..... (0.33) %      CuO ..... (0.04) % CaO ..... (9.4) %      SO <sub>2</sub> ..... (0.17) % (Values in parenthesis are indicative values)	50 g
BAM-S005A	<b>Multielement glass for XRF analysis (soda lime glass) - disc 39 mm x 5 mm (26 g - 30 g)</b> Certified values Arsenic (III) oxide ..... 132 ± 8 mg/kg      Tin (IV) oxide ..... 100 ± 7 mg/kg Barium oxide ..... 115 ± 9 mg/kg      Sulfur trioxide ..... 1942 ± 85 mg/kg Cadmium oxide ..... 62 ± 4 mg/kg      Strontium oxide ..... 151 ± 7 mg/kg Cerium (IV) oxide ..... 105 ± 6 mg/kg      Titanium (IV) oxide ..... 164 ± 9 mg/kg Chloride ..... 247 ± 33 mg/kg      Vanadium (V) oxide ..... 350 ± 22 mg/kg Cobalt oxide ..... 49.4 ± 2.4 mg/kg      Zinc oxide ..... 203 ± 10 mg/kg Chromium (III) oxide ..... 15.6 ± 2.4 mg/kg      Zirconium (IV) oxide ..... 842 ± 125 mg/kg Copper (II) oxide ..... 112 ± 5 mg/kg      Silicon (IV) oxide ..... (71) % Iron (III) oxide ..... 422 ± 11 mg/kg      Sodium oxide ..... (13.7) % Manganese (II) oxide ..... 124 ± 5 mg/kg      Calcium oxide ..... (10.5) % Molybdenum (VI) oxide ..... 343 ± 12 mg/kg      Magnesium oxide ..... (2.3) % Nickel (II) oxide ..... 59.0 ± 2 mg/kg      Aluminium oxide ..... (1.1) % Lead (II) oxide ..... 202 ± 8 mg/kg      Potassium oxide ..... (0.7) % Antimony (III) oxide ..... 132 ± 7 mg/kg Selenium ..... 19.6 ± 1.7 mg/kg (Values in parenthesis are indicative values)	disc
BAM-S005B	<b>Multielement glass for XRF analysis (soda lime glass) - disc 39 mm x 5 mm (26 g - 30 g)</b> Certified values Arsenic (III) oxide ..... 132 ± 8 mg/kg      Selenium ..... 19.6 ± 1.2 mg/kg Barium oxide ..... 115 ± 5 mg/kg      Tin (IV) oxide ..... 100 ± 7 mg/kg Cadmium oxide ..... 62 ± 3 mg/kg      Sulfur trioxide ..... 1942 ± 57 mg/kg Cerium (IV) oxide ..... 105 ± 5 mg/kg      Strontium oxide ..... 151 ± 7 mg/kg Chloride ..... 247 ± 24 mg/kg      Titanium (IV) oxide ..... 163 ± 7 mg/kg Cobalt oxide ..... 49.4 ± 2.3 mg/kg      Vanadium (V) oxide ..... 349 ± 22 mg/kg Chromium (III) oxide ..... 15.2 ± 1.2 mg/kg      Zinc oxide ..... 203 ± 6 mg/kg Copper (II) oxide ..... 112 ± 4 mg/kg      Zirconium (IV) oxide ..... 842 ± 76 mg/kg Iron (III) oxide ..... 422 ± 10 mg/kg      Silicon (IV) oxide ..... (71) % Manganese (II) oxide ..... 124 ± 5 mg/kg      Sodium oxide ..... (13.7) % Molybdenum (VI) oxide ..... 343 ± 12 mg/kg      Calcium oxide ..... (10.5) % Nickel (II) oxide ..... 59.0 ± 1.9 mg/kg      Magnesium oxide ..... (2.3) % Lead (II) oxide ..... 202 ± 7 mg/kg      Aluminium oxide ..... (1.1) % Antimony (III) oxide ..... 132 ± 6 mg/kg      Potassium oxide ..... (0.7) % (Values in parenthesis are indicative values)	disc
NIST-89	<b>Lead-barium glass - Constituents</b> Certified values Cl ..... 0.05 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.049 %      PbO ..... 17.50 % Al <sub>2</sub> O <sub>3</sub> ..... 0.18 %      K <sub>2</sub> O ..... 8.40 %      SiO <sub>2</sub> ..... 63.35 % As <sub>2</sub> O <sub>3</sub> ..... 0.03 %      MgO ..... 0.03 %      SO <sub>3</sub> ..... 0.03 % As <sub>2</sub> O <sub>5</sub> ..... 0.36 %      MnO ..... 0.088 %      TiO <sub>2</sub> ..... 0.01 % BaO ..... 1.40 %      Na <sub>2</sub> O ..... 5.70 %      ZrO <sub>2</sub> ..... 0.005 % CaO ..... 0.21 %      P <sub>2</sub> O <sub>5</sub> ..... 0.23 %      LOI* ..... 0.32 %	45 g

Code	Product	Unit
NIST-92	Low boron soda-lime powder - Boron Certified value B <sub>2</sub> O <sub>3</sub> ..... 0.70 % Indicative values for CaO, K <sub>2</sub> O, MgO, Na <sub>2</sub> O, SiO <sub>2</sub> , ZnO, LOI*	45 g
NIST-93a	Borosilicate glass - Constituents 32 x 6 mm wafer Certified values Cl ..... 0.060 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.028 %      Na <sub>2</sub> O ..... 3.98 % Al <sub>2</sub> O <sub>3</sub> ..... 2.28 %      FeO ..... 0.016 %      SiO <sub>2</sub> ..... 80.8 % B <sub>2</sub> O <sub>3</sub> ..... 12.56 %      K <sub>2</sub> O ..... 0.014 %      TiO <sub>2</sub> ..... 0.014 % CaO ..... 0.01 %      MgO ..... 0.005 %      ZrO <sub>2</sub> ..... 0.042 %	unit
NIST-1411	Soft borosilicate glass - Constituents Set of 10 platelets (32 x 32 x 3 mm) Certified values Al <sub>2</sub> O <sub>3</sub> ..... 5.68 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.050 %      SiO <sub>2</sub> ..... 58.04 % B <sub>2</sub> O <sub>3</sub> ..... 10.94 %      K <sub>2</sub> O ..... 2.97 %      SrO ..... 0.09 % BaO ..... 5.00 %      MgO ..... 0.33 %      TiO <sub>2</sub> ..... 0.02 % CaO ..... 2.18 %      Na <sub>2</sub> O ..... 10.14 %      ZnO ..... 3.85 %	set (10)
NCS DC61104	Borosilicate glass - Constituents Certified values F ..... 0.54 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.34 %      SiO <sub>2</sub> ..... 53.98 % Al <sub>2</sub> O <sub>3</sub> ..... 14.50 %      K <sub>2</sub> O ..... 0.59 %      TiO <sub>2</sub> ..... 0.19 % B <sub>2</sub> O <sub>3</sub> ..... 8.87 %      MgO ..... 4.40 %      LOI* ..... 0.26 % CaO ..... 16.54 %      Na <sub>2</sub> O ..... 0.096 %	50 g
NIST-81a	Glass sand - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.66 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.082 %      ZrO <sub>2</sub> ..... 0.034 % Cr <sub>2</sub> O <sub>3</sub> ..... 46 mg/kg      TiO <sub>2</sub> ..... 0.12 %	75 g
NIST-165a	Glass sand (low iron) - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.059 %      TiO <sub>2</sub> ..... 0.011 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.012 %      ZrO <sub>2</sub> ..... 0.006 %	75 g
NIST-1413	Glass sand (high alumina) - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 9.90 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.24 %      Na <sub>2</sub> O ..... 1.75 % BaO ..... 0.12 %      K <sub>2</sub> O ..... 3.94 %      SiO <sub>2</sub> ..... 82.77 % CaO ..... 0.74 %      MgO ..... 0.06 %      TiO <sub>2</sub> ..... 0.11 %	75 g
<b>New</b> SGTSAND6	Standard sand 6 - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.60 %      K <sub>2</sub> O ..... 0.40 %      SiO <sub>2</sub> ..... 98.66 % CaO ..... < 0.02 %      MgO ..... < 0.02 %      TiO <sub>2</sub> ..... 0.024 % Fe <sub>2</sub> O <sub>3</sub> (total Fe) ..... 0.032 %      Na <sub>2</sub> O ..... < 0.02 %      LOI* ..... 0.14 % *Loss on ignition	200 g
<b>New</b> SGTSAND8	Standard sand 8 - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 2.07 %      K <sub>2</sub> O ..... < 1.06 %      SiO <sub>2</sub> ..... 95.63 % CaO ..... 0.06 %      MgO ..... 0.12 %      TiO <sub>2</sub> ..... 0.073 % Fe <sub>2</sub> O <sub>3</sub> (total Fe) ..... 0.26 %      Na <sub>2</sub> O ..... 0.20 %      LOI* ..... 0.48 % *Loss on ignition	200 g
NIST-620	Soda-lime flat glass - Constituents Set of 3 platelets (35 x 35 x 3 mm) Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.80 %      K <sub>2</sub> O ..... 0.41 %      SO <sub>3</sub> ..... 0.28 % As <sub>2</sub> O <sub>3</sub> ..... 0.056 %      MgO ..... 3.69 %      TiO <sub>2</sub> ..... 0.018 % CaO ..... 7.11 %      Na <sub>2</sub> O ..... 14.39 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.043 %      SiO <sub>2</sub> ..... 72.08 %	set (3)
NIST-621	Soda-lime container glass - Constituents Set of 3 discs (38 x 5 mm) Certified values Al <sub>2</sub> O <sub>3</sub> ..... 2.76 %      Fe <sub>2</sub> O <sub>3</sub> ..... 0.040 %      SO <sub>3</sub> ..... 0.13 % As <sub>2</sub> O <sub>3</sub> ..... 0.030 %      K <sub>2</sub> O ..... 2.01 %      SiO <sub>2</sub> ..... 71.13 % BaO ..... 0.12 %      Na <sub>2</sub> O ..... 12.74 %      TiO <sub>2</sub> ..... 0.014 % CaO ..... 10.71 %      MgO ..... 0.27 %      ZrO <sub>2</sub> ..... 0.007 %	set (3)

## Glass and ceramics

Code	Product	Unit
NIST-1830	Soda-lime float glass - Constituents Set of 3 platelets (38 x 38 x 6 mm) Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.12 %      K <sub>2</sub> O ..... 0.04 %      SO <sub>3</sub> ..... 0.26 % CaO ..... 8.56 %      MgO ..... 3.90 %      TiO <sub>2</sub> ..... 0.011 % FeO ..... 0.032 %      Na <sub>2</sub> O ..... 13.75 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.121 %      SiO <sub>2</sub> ..... 73.07 %	3 platelets
NIST-1831	Soda lime sheet glass - Constituents Set of 3 platelets (37 x 37 x 3 mm) Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.21 %      K <sub>2</sub> O ..... 0.33 %      SO <sub>3</sub> ..... 0.25 % CaO ..... 8.20 %      MgO ..... 3.51 %      TiO <sub>2</sub> ..... 0.019 % FeO ..... 0.025 %      Na <sub>2</sub> O ..... 13.32 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.087 %      SiO <sub>2</sub> ..... 73.08 %	3 platelets
NIST-1834	Fused ore glass - Constituents 30 x 3 mm disc Certified values Al ..... 20.71 %      K ..... 0.42 %      Sr ..... 0.153 % Ba ..... 0.062 %      Mg ..... 0.088 %      Ti ..... 1.11 % Ca ..... 0.0955 %      P ..... 0.152 % Fe ..... 0.32 %      Si ..... 20.19 % Indicative values for B, Cr, Li, Na, Zr	disc
<b>New</b> SGTGLASS4-D	Fluoride opal glass - Constituents Reference: Glass Technol., 1962, 3 (1), 9-16, 'the chemical analysis of a fluoride glass described as Standard Glass No. 4'. Certified values F ..... 4.96 %      K <sub>2</sub> O ..... 0.57 %      TiO <sub>2</sub> ..... 0.041 % Al <sub>2</sub> O <sub>3</sub> ..... 3.02 %      MgO ..... <0.05 %      ZnO ..... 3.28 % B <sub>2</sub> O <sub>3</sub> ..... 0.19 %      Na <sub>2</sub> O ..... 15.45 %      Loss at 550 °C ..... 0.22 % CaO ..... 4.24 %      SO <sub>3</sub> (total S) ..... <0.05 % Fe <sub>2</sub> O <sub>3</sub> (total Fe) ..... 0.099 %      SiO <sub>2</sub> ..... 69.49 %	disc
<b>New</b> SGTGLASS4-P	Fluoride opal glass - Constituents Glass pieces	25 g
<b>New</b> SGTGLASS6-P	Soda-lime-silica glass - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.70 %      K <sub>2</sub> O ..... <0.1 %      SO <sub>3</sub> (total S) ..... 0.20 % CaO ..... 9.97 %      MgO ..... <0.1 %      SiO <sub>2</sub> ..... 73.06 % Fe <sub>2</sub> O <sub>3</sub> (total Fe) ..... 0.034 %      Na <sub>2</sub> O ..... 14.65 %      TiO <sub>2</sub> ..... 0.02 %	25 g
<b>New</b> SGTGLASS7-D	Soda - lime - silica glass - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.50 %      Na <sub>2</sub> O ..... 13.90 %      TiO <sub>2</sub> ..... 0.042 % CaO ..... 11.03 %      MgO ..... 0.14 %      Loss at 550 °C ..... 0.07 % Fe <sub>2</sub> O <sub>3</sub> (total Fe) ..... 0.044 %      SO <sub>3</sub> (total S) ..... 0.19 % K <sub>2</sub> O ..... 0.43 %      SiO <sub>2</sub> ..... 72.64 %	disc
<b>New</b> SGTGLASS7-P	Soda - lime - silica glass - Constituents Glass pieces	25 g
<b>New</b> SGTGLASS8-P	Lead oxide - potassium oxide - silica glass - Constituents Certified values Al <sub>2</sub> O <sub>3</sub> ..... 0.05 %      Fe <sub>2</sub> O <sub>3</sub> (total Fe) ..... 0.010 %      PbO ..... 30.59 % As <sub>2</sub> O <sub>3</sub> (total As) ..... 0.32 %      K <sub>2</sub> O ..... 11.85 %      SiO <sub>2</sub> ..... 56.34 % B <sub>2</sub> O <sub>3</sub> ..... 0.36 %      MgO ..... <0.02 %      TiO <sub>2</sub> ..... 0.02 % CaO ..... <0.02 %      Na <sub>2</sub> O ..... 0.23 %      Loss at 550 °C ..... 0.21 %	25 g
<b>New</b> SGTGLASS10-D	Amber soda - lime - silica container glass - Constituents 40 mm diameter disc Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.62 %      K <sub>2</sub> O ..... 0.35 %      SO <sub>3</sub> ..... 0.05 % BaO ..... 0.02 %      MgO ..... 1.81 %      TiO <sub>2</sub> ..... 0.097 % CaO ..... 10.7 %      Na <sub>2</sub> O ..... 12.2 %      Cr <sub>3</sub> O <sub>3</sub> ..... 0.020 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.325 %      SiO <sub>2</sub> ..... 72.7 %	disc
<b>New</b> SGTGLASS10-P	Amber soda - lime - silica container glass - Constituents Glass pieces	25 g
<b>New</b> SGTGLASS11-D	Green soda - lime - silica container glass - Constituents 40 mm diameter disc Certified values Al <sub>2</sub> O <sub>3</sub> ..... 1.83 %      K <sub>2</sub> O ..... 0.69 %      SO <sub>3</sub> ..... 0.06 % BaO ..... 0.03 %      MgO ..... 2.14 %      TiO <sub>2</sub> ..... 0.068 % CaO ..... 10.3 %      Na <sub>2</sub> O ..... 13.6 %      Cr <sub>2</sub> O <sub>3</sub> ..... 0.205 % Fe <sub>2</sub> O <sub>3</sub> ..... 0.342 %      SiO <sub>2</sub> ..... 70.7 %	disc

Code	Product	Unit
<b>New</b> SGTGLASS11-P	Green soda - lime- silica container glass - Constituents Glass pieces	25 g
NIST-607	Potassium feldspar - Trace elements Certified values Rb ..... 523.90 mg/kg      Sr ..... 65.485 mg/kg	5 g
NIST-610	NIST-610 and NIST-611 NIST-610 and NIST-611 are the same material and therefore have the same certified values. NIST-610 consists of glass 3 mm thick and NIST-611 is 1 mm thick. Glass - Trace elements Certified values Fe ..... 458 mg/kg      Pb ..... 426 mg/kg      Th ..... 457.2 mg/kg Mn ..... 485 mg/kg      Rb ..... 425.7 mg/kg      U ..... 461.5 mg/kg Ni ..... 458.7 mg/kg      Sr ..... 515.5 mg/kg Indicative values for Ag, Au, Co, Cu, K, Ti, Tl, Zn	6 wafers
NIST-611	Glass - Trace elements	6 wafers
NIST-612	NIST-612 and NIST-613 NIST-612 and NIST-613 are the same material and therefore have the same certified values. NIST-612 consists of glass 3 mm thick and NIST-613 is 1 mm thick. Glass - Trace elements Certified value Ag ..... 22.0 mg/kg      Pb ..... 38.57 mg/kg      Th ..... 37.9 mg/kg Fe ..... 51 mg/kg      Rb ..... 31.4 mg/kg      U ..... 37.38 mg/kg Ni ..... 38.8 mg/kg      Sr ..... 78.4 mg/kg Indicative values for Au, B, Ba, Ce, Co, Cu, Dy, Er, Eu, Gd, K, La, Mn, Nd, Sm, Ti, Tl, Zn	6 wafers
NIST-613	Glass - Trace elements	6 wafers
NIST-614	NIST-614 and NIST-615 NIST-614 and NIST-615 are the same material and therefore have the same certified values. NIST-614 consists of wafers of glass 3 mm thick and NIST-615 is 1 mm thick. Glass - Trace elements Certified values Ag ..... 0.42 mg/kg      Pb ..... 2.32 mg/kg      Th ..... 0.748 mg/kg Cu ..... 1.37 mg/kg      Rb ..... 0.855 mg/kg      U ..... 0.823 mg/kg K ..... 30 mg/kg      Sr ..... 78.4 mg/kg Indicative values for Au, B, Cd, Co, Eu, Fe, Ga, La, Ni, Sb, Sc, Ti, Tl	6 wafers
NIST-615	Glass - Trace elements	6 wafers
NIST-616	NIST-616 and NIST-617 NIST-616 and NIST-617 are the same material and therefore have the same certified values. NIST-616 consists of wafers of glass 3 mm thick and NIST-617 is 1 mm thick. Glass - Trace elements Certified values K ..... 29 mg/kg      Sr ..... 41.72 mg/kg      U ..... 0.0721 mg/kg Pb ..... 1.85 mg/kg      Th ..... 0.0252 mg/kg Indicative values for Au, B, Cu, Fe, Ga, La, Rb, Sb, Sc, Ti, Tl	6 wafers
NIST-617	Glass - Trace elements	6 wafers
NIST-1872	Synthetic glass - Lead and germanium NIST-1872 consists of three different lead-germanate glasses in rod form approximately 2 x 2 x 20 mm. <u>K-453</u> Certified values Ge ..... 28.43 %      Pb ..... 54.21 % Indicative value for O <u>K-491</u> Certified values Ge ..... 26.10 %      Pb ..... 54.69 % Indicative values for Al, Ce, Fe, O, Si, Ta, Ti, Zr <u>K-968</u> Certified values Ge ..... 25.93 %      Pb ..... 54.74 % Indicative values for Ba, Cr, Eu, Mg, Ni, O, P, Si, Th, Ti, U, Zr	set (3)

## Plastics

Code	Product	Unit
NIST-2066	<p><b>K-411 glass microspheres</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended for use as a standard for the quantitative microanalysis of particles and for the development of particle matrix correction procedures. The elements present in these microspheres, common to many classes of particles, are silicon, calcium, magnesium, iron, and oxygen. NIST-2066 consists of approximately 50 mg of glass microspheres of known composition and size (1 µm to 40 µm) with minimal microheterogeneity.</p> <p>Certified concentration in mass fraction of microspheres larger than 2 µm</p> <p>Silicon ..... 0.256 ± 0.017 kg/kg      Magnesium 0.092 ± 0.014 kg/kg            Calcium ..... 0.112 ± 0.023 kg/kg      Iron ..... 0.112 ± 0.023 kg/kg</p> <p>Indicative value for oxygen kg/kg</p>	50 mg

## Plastics

Code	Product	Unit
	<p>The "Packaging-Directive" – EC-Directive 94/62/EEC – regulates the amount of metals such as Cd, Cr, Hg and Pb in plastics. The materials VDA 001-4 as well as ERM-EC680 and ERM-EC681 were produced to facilitate the implementation of this directive and to allow the effective introduction of QA-systems for elemental analysis of plastic materials.</p>	
VDA 001-4	<p><b>Polyethylene - Cadmium</b></p> <p>Four polyethylene reference materials have been certified by IRMM on behalf of Verband der Automobilindustrie e.V. (VDA).</p> <p>Certified values</p> <p><u>Sicolen Yellow 09/16493</u>            Cd ..... 40.9 ± 1.2 mg/kg</p> <p><u>Sicolen Orange 28/16494</u>            Cd ..... 75.9 ± 2.1 mg/kg</p> <p><u>Sicolen Red 39/16495</u>            Cd ..... 198 ± 5 mg/kg</p> <p><u>Sicolen Bordeaux 49/16496</u>            Cd ..... 407 ± 12 mg/kg</p>	4 bottles
ERM-EC680K	<p><b>Polyethylene - Trace elements (low level)</b></p> <p>Certified values</p> <p>As ..... 4.1 mg/kg      Cl ..... 102.2 mg/kg      Pb ..... 13.6 mg/kg            Br ..... 96 mg/kg      Cr ..... 20.2 mg/kg      S ..... 76 mg/kg            Cd ..... 19.6 mg/kg      Hg ..... 4.64 mg/kg      Sb ..... 10.1 mg/kg</p>	100 g
ERM-EC681K	<p><b>Polyethylene - Trace elements (high level)</b></p> <p>Certified values</p> <p>As ..... 29.1 mg/kg      Cl ..... 0.8 g/kg      Pb ..... 98 mg/kg            Br ..... 0.77 g/kg      Cr ..... 100 mg/kg      S ..... 0.63 g/kg            Cd ..... 137 mg/kg      Hg ..... 23.7 mg/kg      Sb ..... 99 mg/kg</p>	100 g
<b>New</b> NIST-2855	<p><b>Polyethylene - Additive elements</b></p> <p>This Standard Reference Material (SRM) is intended for the calibration or evaluation of methods for elemental analysis of polymers. A unit of SRM 2855 consists of one bottle of Level I low-density polyethylene, one bottle of Level II high-density polyethylene, and one bottle of Level III high-density polyethylene. Each bottle contains approximately 80 g of material in pellet form.</p> <p>Certified values for NIST-2855 Level II and Level III</p> <p>Level II</p> <p>Na ..... 16.0 ± 1.5mg/kg      Ca ..... 37.6 ± 5.1mg/kg      Zn ..... 415 ± 20mg/kg            P ..... 22.0 ± 1.5mg/kg      Ti ..... 10.4 ± 0.3mg/kg            S ..... 21.0 ± 1.4mg/kg      Cr ..... 2.4 ± 0.5mg/kg</p> <p>Level III</p> <p>Na ..... 16.4 ± 1.3mg/kg      Ca ..... 77.2 ± 2.4mg/kg      Zn ..... 807 ± 15mg/kg            P ..... 41.6 ± 2.9mg/kg      Ti ..... 10.4 ± 0.3mg/kg            S ..... 41.2 ± 3.1mg/kg      Cr ..... 2.4 ± 0.5mg/kg</p> <p>Indicative values for Level I: Na, Si, P, S, Ca, Ti, Cr, Zn, Br, Cd, Hg and Pb            Indicative values for Level II and Level III: Br, Cd, Hg and Pb</p>	300 mg
FLX-PVC-SET	<p><b>PVC - Trace elements</b></p> <p>Set of 3 samples. Milled powder and granules up to 5 mm diameter.</p> <p>Certified values</p> <p>FLX-PVC1</p> <p>Pb ..... 8 ± 2 mg/kg      Cd ..... &lt;1mg/kg</p> <p>FLX-PVC2</p> <p>Pb ..... 89 ± 6 mg/kg      Cd ..... 35 ± 3 mg/kg</p> <p>FLX-PVC3</p> <p>Pb ..... 837 ± 52 mg/kg      Cd ..... 85 ± 6 mg/kg</p> <p>Indicative values for Ca and Zn</p>	3 x 21 g



Code	Product	Unit																								
BCR-712	PET bottle material - Chemical inertness Refillable PET bottle material with respect to chemical inertness behaviour according to a pr-CEN standard method.	tin can																								
	<table border="1"> <thead> <tr> <th>Compound</th> <th>Certified value in mg/dm<sup>2</sup></th> <th>Uncertainty in mg/dm<sup>2</sup></th> </tr> </thead> <tbody> <tr> <td>Toluene.....</td> <td>7.3</td> <td>0.6</td> </tr> <tr> <td>Phenol.....</td> <td>4.1</td> <td>0.5</td> </tr> <tr> <td>Limonene.....</td> <td>3.9</td> <td>0.5</td> </tr> <tr> <td>Menthol.....</td> <td>1.78</td> <td>0.18</td> </tr> <tr> <td>Phenylcyclohexane.....</td> <td>3.5</td> <td>0.4</td> </tr> <tr> <td>Benzophenone.....</td> <td>5.6</td> <td>0.6</td> </tr> </tbody> </table>	Compound	Certified value in mg/dm <sup>2</sup>	Uncertainty in mg/dm <sup>2</sup>	Toluene.....	7.3	0.6	Phenol.....	4.1	0.5	Limonene.....	3.9	0.5	Menthol.....	1.78	0.18	Phenylcyclohexane.....	3.5	0.4	Benzophenone.....	5.6	0.6				
Compound	Certified value in mg/dm <sup>2</sup>	Uncertainty in mg/dm <sup>2</sup>																								
Toluene.....	7.3	0.6																								
Phenol.....	4.1	0.5																								
Limonene.....	3.9	0.5																								
Menthol.....	1.78	0.18																								
Phenylcyclohexane.....	3.5	0.4																								
Benzophenone.....	5.6	0.6																								
<b>New</b> ERM-EC590	Polyethylene - Polybrominated biphenylether and biphenyls Certified values	20 g																								
	<table border="1"> <tbody> <tr> <td>Br.....</td> <td>2.13 ± 0.09 g/kg</td> </tr> <tr> <td>2,2',4,4'-TetraBDE (BDE-47).....</td> <td>0.23 ± 0.04 g/kg</td> </tr> <tr> <td>2,2',3,4,4'-PentaBDE (BDE-99).....</td> <td>0.302 ± 0.03 g/kg</td> </tr> <tr> <td>2,2',4,4',6-PentaBDE (BDE-100).....</td> <td>0.63 ± 0.005 g/kg</td> </tr> <tr> <td>2,2',4,4',5,5'-HexaBDE (BDE-153).....</td> <td>0.047 ± 0.006 g/kg</td> </tr> <tr> <td>2,2',4,4',5,6'-HexaBDE (BDE-154).....</td> <td>0.026 ± 0.0026 g/kg</td> </tr> <tr> <td>2,2',3,4,4',5,6'-HeptaBDE (BDE-183).....</td> <td>0.132 ± 0.012 g/kg</td> </tr> <tr> <td>2,2',3,3',4,4',6,6'-OctaBDE + 2,2',3,4,4',5,6,6'-OctaBDE (BDE-197+204).....</td> <td>0.076 ± 0.010 g/kg</td> </tr> <tr> <td>DecaBDE (BDE-209).....</td> <td>0.65 ± 0.10 g/kg</td> </tr> <tr> <td>DecaBB (BB-209).....</td> <td>0.63 ± 0.10 g/kg</td> </tr> </tbody> </table> Indicative value for Sb	Br.....	2.13 ± 0.09 g/kg	2,2',4,4'-TetraBDE (BDE-47).....	0.23 ± 0.04 g/kg	2,2',3,4,4'-PentaBDE (BDE-99).....	0.302 ± 0.03 g/kg	2,2',4,4',6-PentaBDE (BDE-100).....	0.63 ± 0.005 g/kg	2,2',4,4',5,5'-HexaBDE (BDE-153).....	0.047 ± 0.006 g/kg	2,2',4,4',5,6'-HexaBDE (BDE-154).....	0.026 ± 0.0026 g/kg	2,2',3,4,4',5,6'-HeptaBDE (BDE-183).....	0.132 ± 0.012 g/kg	2,2',3,3',4,4',6,6'-OctaBDE + 2,2',3,4,4',5,6,6'-OctaBDE (BDE-197+204).....	0.076 ± 0.010 g/kg	DecaBDE (BDE-209).....	0.65 ± 0.10 g/kg	DecaBB (BB-209).....	0.63 ± 0.10 g/kg					
Br.....	2.13 ± 0.09 g/kg																									
2,2',4,4'-TetraBDE (BDE-47).....	0.23 ± 0.04 g/kg																									
2,2',3,4,4'-PentaBDE (BDE-99).....	0.302 ± 0.03 g/kg																									
2,2',4,4',6-PentaBDE (BDE-100).....	0.63 ± 0.005 g/kg																									
2,2',4,4',5,5'-HexaBDE (BDE-153).....	0.047 ± 0.006 g/kg																									
2,2',4,4',5,6'-HexaBDE (BDE-154).....	0.026 ± 0.0026 g/kg																									
2,2',3,4,4',5,6'-HeptaBDE (BDE-183).....	0.132 ± 0.012 g/kg																									
2,2',3,3',4,4',6,6'-OctaBDE + 2,2',3,4,4',5,6,6'-OctaBDE (BDE-197+204).....	0.076 ± 0.010 g/kg																									
DecaBDE (BDE-209).....	0.65 ± 0.10 g/kg																									
DecaBB (BB-209).....	0.63 ± 0.10 g/kg																									
<b>New</b> ERM-EC591	Polypropylene - Polybrominated biphenylether and biphenyls Certified values	20 g																								
	<table border="1"> <tbody> <tr> <td>Br.....</td> <td>2.08 ± 0.07 g/kg</td> </tr> <tr> <td>2,4,4'-TriBDE (BDE-28).....</td> <td>0.0025 ± 0.0004 g/kg</td> </tr> <tr> <td>2,2',4,4'-TetraBDE (BDE-47).....</td> <td>0.245 ± 0.023 g/kg</td> </tr> <tr> <td>2,2',3,4,4'-PentaBDE (BDE-99).....</td> <td>0.32 ± 0.04 g/kg</td> </tr> <tr> <td>2,2',4,4',6-PentaBDE (BDE-100).....</td> <td>0.066 ± 0.007 g/kg</td> </tr> <tr> <td>2,2',4,4',5,5'-HexaBDE (BDE-153).....</td> <td>0.044 ± 0.006 g/kg</td> </tr> <tr> <td>2,2',4,4',5,6'-HexaBDE (BDE-154).....</td> <td>0.026 ± 0.004 g/kg</td> </tr> <tr> <td>2,2',3,4,4',5,6'-HeptaBDE (BDE-183).....</td> <td>0.087 ± 0.008 g/kg</td> </tr> <tr> <td>2,2',3,3',4,4',6,6'-OctaBDE + 2,2',3,4,4',5,6,6'-OctaBDE (BDE-197+204).....</td> <td>0.052 ± 0.009 g/kg</td> </tr> <tr> <td>DecaBDE (BDE-209).....</td> <td>0.78 ± 0.09 g/kg</td> </tr> <tr> <td>DecaBB (BB-209).....</td> <td>0.74 ± 0.08 g/kg</td> </tr> </tbody> </table> Indicative value for Sb	Br.....	2.08 ± 0.07 g/kg	2,4,4'-TriBDE (BDE-28).....	0.0025 ± 0.0004 g/kg	2,2',4,4'-TetraBDE (BDE-47).....	0.245 ± 0.023 g/kg	2,2',3,4,4'-PentaBDE (BDE-99).....	0.32 ± 0.04 g/kg	2,2',4,4',6-PentaBDE (BDE-100).....	0.066 ± 0.007 g/kg	2,2',4,4',5,5'-HexaBDE (BDE-153).....	0.044 ± 0.006 g/kg	2,2',4,4',5,6'-HexaBDE (BDE-154).....	0.026 ± 0.004 g/kg	2,2',3,4,4',5,6'-HeptaBDE (BDE-183).....	0.087 ± 0.008 g/kg	2,2',3,3',4,4',6,6'-OctaBDE + 2,2',3,4,4',5,6,6'-OctaBDE (BDE-197+204).....	0.052 ± 0.009 g/kg	DecaBDE (BDE-209).....	0.78 ± 0.09 g/kg	DecaBB (BB-209).....	0.74 ± 0.08 g/kg			
Br.....	2.08 ± 0.07 g/kg																									
2,4,4'-TriBDE (BDE-28).....	0.0025 ± 0.0004 g/kg																									
2,2',4,4'-TetraBDE (BDE-47).....	0.245 ± 0.023 g/kg																									
2,2',3,4,4'-PentaBDE (BDE-99).....	0.32 ± 0.04 g/kg																									
2,2',4,4',6-PentaBDE (BDE-100).....	0.066 ± 0.007 g/kg																									
2,2',4,4',5,5'-HexaBDE (BDE-153).....	0.044 ± 0.006 g/kg																									
2,2',4,4',5,6'-HexaBDE (BDE-154).....	0.026 ± 0.004 g/kg																									
2,2',3,4,4',5,6'-HeptaBDE (BDE-183).....	0.087 ± 0.008 g/kg																									
2,2',3,3',4,4',6,6'-OctaBDE + 2,2',3,4,4',5,6,6'-OctaBDE (BDE-197+204).....	0.052 ± 0.009 g/kg																									
DecaBDE (BDE-209).....	0.78 ± 0.09 g/kg																									
DecaBB (BB-209).....	0.74 ± 0.08 g/kg																									
<b>New</b> NCS RC76001	Polypropylene - Pb, Hg, Cr, Cd (for X-ray Fluorescence (XRF) analysis) Each set include one blank and two different content level. The minimum package is 30 grams.	set																								
	Certified values Low level <table border="1"> <tbody> <tr> <td>Lead, Pb.....</td> <td>98 ± 6 mg/kg</td> <td>Chromium, Cr.....</td> <td>98 ± 4 mg/kg</td> </tr> <tr> <td>Mercury, Hg.....</td> <td>91 ± 8 mg/kg</td> <td>Cadmium, Cd.....</td> <td>9.3 ± 0.7 mg/kg</td> </tr> </tbody> </table> High level <table border="1"> <tbody> <tr> <td>Lead, Pb.....</td> <td>985 ± 35 mg/kg</td> <td>Chromium, Cr.....</td> <td>978 ± 24 mg/kg</td> </tr> <tr> <td>Mercury, Hg.....</td> <td>918 ± 70 mg/kg</td> <td>Cadmium, Cd.....</td> <td>94 ± 4 mg/kg</td> </tr> </tbody> </table>	Lead, Pb.....	98 ± 6 mg/kg	Chromium, Cr.....	98 ± 4 mg/kg	Mercury, Hg.....	91 ± 8 mg/kg	Cadmium, Cd.....	9.3 ± 0.7 mg/kg	Lead, Pb.....	985 ± 35 mg/kg	Chromium, Cr.....	978 ± 24 mg/kg	Mercury, Hg.....	918 ± 70 mg/kg	Cadmium, Cd.....	94 ± 4 mg/kg									
Lead, Pb.....	98 ± 6 mg/kg	Chromium, Cr.....	98 ± 4 mg/kg																							
Mercury, Hg.....	91 ± 8 mg/kg	Cadmium, Cd.....	9.3 ± 0.7 mg/kg																							
Lead, Pb.....	985 ± 35 mg/kg	Chromium, Cr.....	978 ± 24 mg/kg																							
Mercury, Hg.....	918 ± 70 mg/kg	Cadmium, Cd.....	94 ± 4 mg/kg																							
<b>New</b> NCS RS76001	Polypropylene - Pb, Hg, Cr, Cd (for X-ray Fluorescence (XRF) analysis) Set of 4 slices with size 40 mm x 4 mm each (Low level, medium level, high level, blank)	set																								
	Certified values Low level <table border="1"> <tbody> <tr> <td>Lead, Pb.....</td> <td>98 ± 3 mg/kg</td> <td>Chromium, Cr.....</td> <td>98 ± 3 mg/kg</td> </tr> <tr> <td>Mercury, Hg.....</td> <td>93 ± 2 mg/kg</td> <td>Cadmium, Cd.....</td> <td>9.3 ± 0.2 mg/kg</td> </tr> </tbody> </table> Medium level <table border="1"> <tbody> <tr> <td>Lead, Pb.....</td> <td>453 ± 13 mg/kg</td> <td>Chromium, Cr.....</td> <td>251 ± 6 mg/kg</td> </tr> <tr> <td>Mercury, Hg.....</td> <td>388 ± 9 mg/kg</td> <td>Cadmium, Cd.....</td> <td>37 ± 1 mg/kg</td> </tr> </tbody> </table> High level <table border="1"> <tbody> <tr> <td>Lead, Pb.....</td> <td>981 ± 17 mg/kg</td> <td>Chromium, Cr.....</td> <td>983 ± 24 mg/kg</td> </tr> <tr> <td>Mercury, Hg.....</td> <td>922 ± 24 mg/kg</td> <td>Cadmium, Cd.....</td> <td>92 ± 2 mg/kg</td> </tr> </tbody> </table>	Lead, Pb.....	98 ± 3 mg/kg	Chromium, Cr.....	98 ± 3 mg/kg	Mercury, Hg.....	93 ± 2 mg/kg	Cadmium, Cd.....	9.3 ± 0.2 mg/kg	Lead, Pb.....	453 ± 13 mg/kg	Chromium, Cr.....	251 ± 6 mg/kg	Mercury, Hg.....	388 ± 9 mg/kg	Cadmium, Cd.....	37 ± 1 mg/kg	Lead, Pb.....	981 ± 17 mg/kg	Chromium, Cr.....	983 ± 24 mg/kg	Mercury, Hg.....	922 ± 24 mg/kg	Cadmium, Cd.....	92 ± 2 mg/kg	
Lead, Pb.....	98 ± 3 mg/kg	Chromium, Cr.....	98 ± 3 mg/kg																							
Mercury, Hg.....	93 ± 2 mg/kg	Cadmium, Cd.....	9.3 ± 0.2 mg/kg																							
Lead, Pb.....	453 ± 13 mg/kg	Chromium, Cr.....	251 ± 6 mg/kg																							
Mercury, Hg.....	388 ± 9 mg/kg	Cadmium, Cd.....	37 ± 1 mg/kg																							
Lead, Pb.....	981 ± 17 mg/kg	Chromium, Cr.....	983 ± 24 mg/kg																							
Mercury, Hg.....	922 ± 24 mg/kg	Cadmium, Cd.....	92 ± 2 mg/kg																							
NMIJ CRM 8102-A	ABS resin - Cd, Cr, Pb (low concentration) - pellets Certified values	25 g																								
	<table border="1"> <tbody> <tr> <td>Cd.....</td> <td>10.77 mg/kg</td> <td>Cr.....</td> <td>27.87 mg/kg</td> <td>Pb.....</td> <td>108.9 mg/kg</td> </tr> </tbody> </table>	Cd.....	10.77 mg/kg	Cr.....	27.87 mg/kg	Pb.....	108.9 mg/kg																			
Cd.....	10.77 mg/kg	Cr.....	27.87 mg/kg	Pb.....	108.9 mg/kg																					
NMIJ CRM 8103-A	ABS resin - Cd, Cr, Pb (high concentration) - pellets Certified values	25 g																								
	<table border="1"> <tbody> <tr> <td>Cd.....</td> <td>106.9 mg/kg</td> <td>Cr.....</td> <td>269.5 mg/kg</td> <td>Pb.....</td> <td>1084 mg/kg</td> </tr> </tbody> </table>	Cd.....	106.9 mg/kg	Cr.....	269.5 mg/kg	Pb.....	1084 mg/kg																			
Cd.....	106.9 mg/kg	Cr.....	269.5 mg/kg	Pb.....	1084 mg/kg																					
NMIJ CRM 8112-A	ABS resin - Cd, Cr, Hg, Pb (low concentration) - pellets Certified values	25 g																								
	<table border="1"> <tbody> <tr> <td>Cd.....</td> <td>9.383 mg/kg</td> <td>Hg.....</td> <td>94.10 mg/kg</td> </tr> <tr> <td>Cr.....</td> <td>94.47 mg/kg</td> <td>Pb.....</td> <td>94.98 mg/kg</td> </tr> </tbody> </table>	Cd.....	9.383 mg/kg	Hg.....	94.10 mg/kg	Cr.....	94.47 mg/kg	Pb.....	94.98 mg/kg																	
Cd.....	9.383 mg/kg	Hg.....	94.10 mg/kg																							
Cr.....	94.47 mg/kg	Pb.....	94.98 mg/kg																							

## Plastics

Code	Product	Unit
NMIJ CRM 8113-A	ABS resin - Cd, Cr, Hg, Pb (high concentration) - pellets Certified values Cd ..... 93.93 mg/kg      Hg.....941.5 mg/kg Cr ..... 943.6 mg/kg      Pb.....945.0 mg/kg	25 g
NMIJ CRM 8115-A	ABS resin - Cd, Cr, Hg, Pb (low concentration) - disc (30 mm x 2 mm) Certified values Cd ..... 9.341 mg/kg      Hg.....93.81 mg/kg Cr ..... 94.27 mg/kg      Pb.....94.21 mg/kg	disc
NMIJ CRM 8116-A	ABS resin - Cd, Cr, Hg, Pb (high concentration) - disc (30 mm x 2 mm) Certified values Cd ..... 93.67 mg/kg      Hg.....938.7 mg/kg Cr ..... 943.7 mg/kg      Pb.....940.6 mg/kg	disc
<b>New</b> JSAC 0601-3	Plastics (polyester) - Pb, Cd, Cr, Hg Certified values Cd ..... 5.0 µg/g      Hg.....1.31 µg/g Cr ..... 11.3 µg/g      Pb.....12.2 µg/g	50 g
<b>New</b> JSAC 0602-3	Plastics (polyester) - Pb, Cd, Cr, Hg Certified values Cd ..... 50.6 mg/kg      Hg.....12.1 mg/kg Cr ..... 112.5 mg/kg      Pb.....112.1 mg/kg	50 g
JSAC 0611-15	Plastics (polyester) for fluorescent X-ray Analysis - Pb, Cd, Cr (40 mm x 4 mm) Set of discs Certified values JSAC 0611 (for blank analysis) Pb ..... < 1 mg/kg      Cd.....< 1 mg/kg      Cr ..... < 1 mg/kg JSAC 0612 Pb ..... 26.1 mg/kg      Cd.....4.5 mg/kg      Cr ..... 25.5 mg/kg JSAC 0613 Pb ..... 54.6 mg/kg      Cd.....10.0 mg/kg      Cr ..... 52.0 mg/kg JSAC 0614 Pb ..... 106.8 mg/kg      Cd.....23.8 mg/kg      Cr ..... 98.6 mg/kg JSAC 0615 Pb ..... 202.2 mg/kg      Cd.....43.4 mg/kg      Cr ..... 212.8 mg/kg	set
JSAC 0621-25	Plastics (polyester) for fluorescent X-ray analysis - Mercury (40 mm x 4 mm) Set of discs Certified values JSAC 0621(for blank test) JSAC 0622 Hg ..... 10.0 mg/kg JSAC 0623 Hg ..... 49.0 mg/kg JSAC 0624 Hg ..... 121.1 mg/kg JSAC 0625 Hg ..... 244.4 mg/kg	set
JSAC 0631-32	Plastics (polyester) for fluorescent X-ray analysis - Pb, Cd, Cr, Hg (40 mm x 4 mm) Set of discs Certified values JSAC 0631 Pb ..... 24.5 mg/kg      Cr.....25.8 mg/kg Cd ..... 22.5 mg/kg      Hg.....19.7 mg/kg JSAC 0632 Pb ..... 92.9 mg/kg      Cr.....93.3 mg/kg Cd ..... 46.1 mg/kg      Hg.....59.4 mg/kg	set

Code	Product	Unit																																																								
JSAC 0651-55	Plastics (polyester) for fluorescent X-ray analysis - Bromine (40 mm x 4 mm) Set of discs Certified values JSAC 0651(for blank test) Br < 1 mg/kg (reference value) JSAC 0652 Br ..... 105.8 mg/kg JSAC 0653 Br ..... 292.6 mg/kg JSAC 0654 Br ..... 595 mg/kg JSAC 0655 Br ..... 993 mg/kg	set																																																								
JSM P 700-1	Plastic (polyethylene) - Trace elements Certified values Cd ..... 5 µg/g      Cr ..... 4.9 µg/g      Cl ..... (0.004) % Pb ..... 5 µg/g      As ..... 9.1 µg/g      S ..... (0.006) % Hg ..... 5.3 µg/g      Br ..... (0.002) % Values in parenthesis are non certified	50 g																																																								
JSM P 701-1	Plastic (polyethylene) - Trace elements Certified values Cd ..... 113.5 µg/g      Cr ..... 114.8 µg/g      Cl ..... (0.06) % Pb ..... 111.3 µg/g      As ..... 187.3 µg/g      S ..... (0.04) % Hg ..... 111.6 µg/g      Br ..... (0.05) % Values in parenthesis are non certified	50 g																																																								
JSM P 710-1	Plastic (polyethylene) - Trace elements (30 mm x 30 mm x 3 mm) Certified values  <table border="1"> <thead> <tr> <th>Item no.</th> <th>Cd µg/g</th> <th>Pb µg/g</th> <th>Hg µg/g</th> <th>Cr µg/g</th> <th>As µg/g</th> <th>Br %</th> </tr> </thead> <tbody> <tr> <td>a.....</td> <td>&lt;1</td> <td>&lt;1</td> <td>&lt;1</td> <td>&lt;1</td> <td>&lt;1</td> <td>(&lt;0.001)</td> </tr> <tr> <td>b.....</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>9</td> <td>(0.0029)</td> </tr> <tr> <td>c.....</td> <td>50</td> <td>50</td> <td>51</td> <td>52</td> <td>86</td> <td>(0.035)</td> </tr> <tr> <td>d.....</td> <td>114</td> <td>111</td> <td>112</td> <td>115</td> <td>187</td> <td>(0.05)</td> </tr> <tr> <td>e.....</td> <td>264</td> <td>270</td> <td>254</td> <td>265</td> <td>478</td> <td>(0.15)</td> </tr> <tr> <td>f.....</td> <td>522</td> <td>532</td> <td>546</td> <td>515</td> <td>907</td> <td>(0.27)</td> </tr> <tr> <td>g.....</td> <td>1.11x10<sup>3</sup></td> <td>1.12x10<sup>3</sup></td> <td>1.09x10<sup>3</sup></td> <td>1.10x10<sup>3</sup></td> <td>1.95x10<sup>3</sup></td> <td>(0.62)</td> </tr> </tbody> </table> Values in parenthesis are non certified	Item no.	Cd µg/g	Pb µg/g	Hg µg/g	Cr µg/g	As µg/g	Br %	a.....	<1	<1	<1	<1	<1	(<0.001)	b.....	5	5	5	5	9	(0.0029)	c.....	50	50	51	52	86	(0.035)	d.....	114	111	112	115	187	(0.05)	e.....	264	270	254	265	478	(0.15)	f.....	522	532	546	515	907	(0.27)	g.....	1.11x10 <sup>3</sup>	1.12x10 <sup>3</sup>	1.09x10 <sup>3</sup>	1.10x10 <sup>3</sup>	1.95x10 <sup>3</sup>	(0.62)	set (7)
Item no.	Cd µg/g	Pb µg/g	Hg µg/g	Cr µg/g	As µg/g	Br %																																																				
a.....	<1	<1	<1	<1	<1	(<0.001)																																																				
b.....	5	5	5	5	9	(0.0029)																																																				
c.....	50	50	51	52	86	(0.035)																																																				
d.....	114	111	112	115	187	(0.05)																																																				
e.....	264	270	254	265	478	(0.15)																																																				
f.....	522	532	546	515	907	(0.27)																																																				
g.....	1.11x10 <sup>3</sup>	1.12x10 <sup>3</sup>	1.09x10 <sup>3</sup>	1.10x10 <sup>3</sup>	1.95x10 <sup>3</sup>	(0.62)																																																				
<b>New</b> NMIJ CRM 8108-B	Polybrominated diphenyl ethers in polystyrene - disc (30 mm x 2 mm) Certified values Decabromodiphenyl ether (BDE-209).....312 ± 16 mg/kg	5 discs																																																								
<b>New</b> BAM-H010	Acrylonitrile-Butadiene-Styrene-Copolymerisate (ABS) - Pb, Br, Cd, Cr (granulate) Granular material Certified values Lead (Pb)..... 479 ± 17 µg/g      Cadmium (Cd).....93 ± 5 µg/g Bromine (Br) ..... 240 ± 21 µg/g      Chromium (Cr) .....470 ±36 µg/g Indicative value for Mercury (Hg)	100 g																																																								
<b>New</b> BAM-H010-D1	Acrylonitrile-Butadiene-Styrene-Copolymerisate (ABS) - Pb, Br, Cd, Cr (disc 40 mm x 1 mm)	disc																																																								
<b>New</b> BAM-H010-D2	Acrylonitrile-Butadiene-Styrene-Copolymerisate (ABS) - Pb, Br, Cd, Cr (disc 40 mm x 2 mm)	disc																																																								
<b>New</b> BAM-H010-D3	Acrylonitrile-Butadiene-Styrene-Copolymerisate (ABS) - Pb, Br, Cd, Cr (disc 40 mm x 6 mm)	disc																																																								
<b>New</b> BAM-H010-D1-D2-D3	Acrylonitrile-Butadiene-Styrene-Copolymerisate (ABS) - Pb, Br, Cd, Cr (set of discs) Set of disc 40 mm x 1 mm (BAM-H010-D) disc 40 mm x 2 mm (BAM-H010-D2) disc 40 mm x 6 mm (BAM-H010-D3)	set of discs																																																								

## Paint and industrial sludges

Code	Product	Unit
NIST-2579a	Set of six lead paint films (NIST-2570 - NIST-2575) - Lead A unit of NIST-2579a consists of a set of six coated polyester sheets, approximately 7.6 cm wide and 10.2 cm long. Five of the six sheets, NIST-2571 to NIST-2575, are coated with a single, uniform paint layer. The units are color coded and each color indicates a different level of lead content. The paint layer and white polyester sheet are approximately 0.04 mm and 0.2 mm thick, respectively. The sixth sheet, NIST-2570, is coated with a lead-free, lacquer layer of the same thickness as the lead paint samples and is included as a blank. All sheets are over-coated with a clear, thin, plastic laminate to protect the surface from abrasion.	set (6)
	NIST-2570 - NIST-2576 These items consist of one Mylarä sheet per unit. Each sheet, 7.6 cm x 10.2 cm, is coated with a single uniform paint layer for use with portable x-ray fluorescence analysers.	
NIST-2570	Lead paint film (white/blank) - Lead Certified value Pb ..... <0.01 mg/cm <sup>2</sup>	2 sheets
NIST-2571	Lead paint film (yellow) - Lead A unit of NIST-2571 consists of a white polyester sheet, approximately 7.6 cm wide, 10.2 cm long, and 0.2 mm thick, coated with a single, yellow-colored paint layer, approximately 0.04 mm thick. A blank, SRM 2570, is also provided. Certified value Pb ..... 3.58 mg/cm <sup>2</sup>	2 sheets
NIST-2572	Lead paint film (orange) - Lead A unit of NIST-2572 consists of a white polyester sheet, approximately 7.6 cm wide, 10.2 cm long, and 0.2 mm thick, coated with a single, orange-colored paint layer, approximately 0.04 mm thick. A blank, NIST-2570, is also provided. Certified value Pb ..... 1.527 mg/cm <sup>2</sup>	2 sheets
NIST-2573	Lead paint film (red) - Lead A unit of NIST-2573 consists of a white polyester sheet, approximately 7.6 cm wide, 10.2 cm long, and 0.2 mm thick, coated with a single, red-colored paint layer, approximately 0.04 mm thick. A blank, NIST-2570, is also provided. Certified value Pb ..... 1.040 mg/cm <sup>2</sup>	2 sheets
NIST-2574	Lead paint film (gold) - Lead A unit of NIST-2574 consists of a white polyester sheet, approximately 7.6 cm wide, 10.2 cm long, and 0.2 mm thick, coated with a single, gold-colored paint layer, approximately 0.04 mm thick. A blank, NIST-2570, is also provided. Certified value Pb ..... 0.714 mg/cm <sup>2</sup>	2 sheets
NIST-2575	Lead paint film (green) - Lead A unit of NIST-2575 consists of a white polyester sheet, approximately 7.6 cm wide, 10.2 cm long, and 0.2 mm thick, coated with a single, green-colored paint layer, approximately 0.04 mm thick. A blank, NIST-2570, is also provided. Certified value Pb ..... 0.307 mg/cm <sup>2</sup>	2 sheets
NIST-2576	Lead paint film (blue) - Lead A unit of NIST-2576 consists of a white polyester sheet, approximately 7.6 cm wide, 10.2 cm long, and 0.2 mm thick, coated with a single, blue-colored paint layer, approximately 0.04 mm thick. A blank, NIST-2570, is also provided. Certified value Pb ..... 5.59 mg/cm <sup>2</sup>	2 sheets
NIST-2589	Powdered paint - Lead NIST-2589 is composed of paint collected from the interior surface of housing. Certified value Pb ..... 9.99 % ± 1.6 %	35 g
NIST-2580	Powdered paint - Lead Certified value Pb ..... 4.34 %	30 g
NIST-2581	Powdered paint - Lead Certified value Pb ..... 0.449 %	35 g
NIST-2582	Powdered paint - Lead Certified value Pb ..... 209 mg/kg	20 g

## Paint and industrial sludges

Code	Product	Unit
NIST-RM 8680	Paint on fiberboard - Lead 10.2 x 15.2 x 1.3 cm sheet Indicative value for Pb	sheet
RTC-CRM017-020	Powdered paint - Lead The value was determined by USEPA SW-846 Methods 3050, 3051, 6010, and 7420 and NIOSH 7082. The sample is traceable to NIST by analysis, and is suitable for use by these and other similar methods. Certified value Pb ..... 7418 mg/kg	20 g
RTC-CRM050-020	Black powder paint - Lead Certified value Pb ..... <0.01 mg/kg	20 g
RTC-CRM013-050	Paint chips/waste - Trace elements The values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010. The sample is suitable for other 3000-series metals digestion procedure and 7000-series spectroscopic methods. Certified values Cd ..... 38 mg/kg      Cr ..... 618 mg/kg      Pb ..... 643 mg/kg	50 g
RTC-CRM006-050	Paint sludge - Trace elements Certified values Al ..... 73 mg/kg      Cr ..... 11 mg/kg      Na ..... 91 mg/kg Ba ..... 9970 mg/kg      Fe ..... 64 mg/kg      Pb ..... 753 mg/kg Ca ..... 111 mg/kg      K ..... 8710 mg/kg      Zn ..... 737431 mg/kg Cd ..... 32 mg/kg      Mg ..... 47 mg/kg Indicative values for B, Cu, Mn, Ni, Se, Sn, Sr, Ti, Tl	50 g
NIST-2586	Soil containing lead from paint - Trace elements Soil collected from urban areas where the principal source of lead is believed to be from old lead-based house paint. Certified values As ..... 8.7 mg/kg      Cr ..... 301 mg/kg Cd ..... 2.71 mg/kg      Pb ..... 432 mg/kg Indicative values for a wide range of additional elements	55 g
NIST-2587	Soil containing lead from paint - Trace elements Soil collected from a suburban garden known to have been contaminated by lead-based house paint. Certified values As ..... 13.7 mg/kg      Cr ..... 92 mg/kg Cd ..... 1.92 mg/kg      Pb ..... 3242 mg/kg Indicative values for a wide range of additional elements	55 g
RTC-CRM009-100	Electroplating sludge no. 1 - Trace metals The Reference Values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010. The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Reference values Ag ..... 8.9 mg/kg      Cu ..... 121000 mg/kg Cr ..... 50.3 mg/kg      Ni ..... 343 mg/kg	100 g
RTC-CRM010-100	Electroplating sludge no. 2 - Trace metals The values were determined by USEPA SW846 (3rd edition) Methods 3050 and 6010, except for Mercury (Method 7471). The sample is suitable for other 3000-series metals digestion procedures and 7000-series spectroscopic methods. Certified values Ag ..... 56 mg/kg      Cr ..... 79 mg/kg      Mn ..... 17 mg/kg Al ..... 692 mg/kg      Cu ..... 63169 mg/kg      Ni ..... 194 mg/kg Ba ..... 175 mg/kg      Fe ..... 2,699 mg/kg      Zn ..... 183 mg/kg Ca ..... 563 mg/kg      Pb ..... 119344 mg/kg Indicative values for Hg, Mg, Mo, Na	100 g
RTC-CRM011-100	Electroplating sludge no. 3 - Trace metals Certified values Cr ..... 59225 mg/kg      Ni ..... 41975 mg/kg Cu ..... 108 mg/kg      Pb ..... 269 mg/kg Indicative values for a further 21 elements	100 g
RTC-CRM101-100	API separator sludge - PAHs Polynuclear aromatic hydrocarbons (PAH) contaminated oily sludge from a refinery located in the Western United States. The values were determined by USEPA SW846 (3rd edition) Methods 3540, 3550 and 8270. Sample is suitable for use by these and other similar methods. Certified values Chrysene ..... 10.6 mg/kg      Phenanthrene ..... 169 mg/kg 2-Methylnaphthalene ..... 250 mg/kg      Phenol ..... (30.09) mg/kg Fluorene ..... 68.4 mg/kg      Pyrene ..... 17 mg/kg Naphthalene ..... 89.5 mg/kg	100 g

## Standards for the semiconductor industry

Code	Product	Unit
NIST-2841	Semiconductor thin film Al mole fraction x near 0.20  This Standard Reference Material (SRM <sup>®</sup> ) is intended for use as a reference standard for analytical methods that measure the composition of thin films, such as electron microprobe analysis (EMPA), photoluminescence (PL), auger electron spectroscopy (AES) and X-ray photoelectron spectroscopy (XPS). A unit of NIST-2841 consists of an epitaxial layer of Al <sub>x</sub> Ga <sub>1-x</sub> As with certified Al mole fraction x grown on a GaAs substrate mounted to a stainless steel disc by the use of adhesive tape. Each unit is sealed in a Mylar envelope containing a nitrogen atmosphere.	disc
NIST-1994	Standard silicon single crystal wafer for crystalline orientation  This Standard Reference Material (SRM <sup>®</sup> ) is intended for use in the calibration of instruments (X-ray diffractometers) used to measure the crystal orientation of wafers relative to the crystal surface. The SRM unit consists of a 100-mm diameter silicon wafer. The crystal orientation of the (001) silicon crystal planes relative to the surface normal has been measured both parallel and perpendicular to an edge flat that is manufactured into the wafer.	unit
<b>New</b> NIST-1995	Standard sapphire single crystal wafer for crystalline orientation  This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is intended for use in the calibration of instruments (X-ray diffractometers) used to measure the crystal orientation of wafers relative to the crystal surface. NIST-1995 consists of a 50 mm diameter sapphire wafer. Certified values for crystal orientation. Please ask for details.	50-mm wafer

## High tech ceramics

Code	Product	Unit
NIST-2842	Semiconductor thin film: Al <sub>x</sub> Ga <sub>1-x</sub> As epitaxial layers Al mole fraction x near 0.30  This Standard Reference Material (SRM <sup>®</sup> ) is intended for use as a reference standard for analytical methods that measure the composition of thin films, such as electron microprobe analysis (EMPA), photoluminescence (PL), auger electron spectroscopy (AES) and X-ray photoelectron spectroscopy (XPS). A unit of NIST-2842 consists of an epitaxial layer of Al <sub>x</sub> Ga <sub>1-x</sub> As with certified Al mole fraction x grown on a GaAs substrate mounted to a stainless steel disc by the use of adhesive tape. Each unit is sealed in a Mylar envelope containing a nitrogen atmosphere.	disc
ERM-ED101	Silicon nitride powder (BAM-S001) Certified values Al..... 469 ± 12 mg/kg      Mg ..... 4.3 ± 0.4 mg/kg      N ..... 38.1 ± 0.2 % Ca ..... 14.1 ± 0.5 mg/kg      Na ..... 7.59 ± 0.27 mg/kg      O ..... (1.91 ± 0.07) % Co ..... 43.5 ± 0.8 mg/kg      W ..... 41.3 ± 1.3 mg/kg      β-phase ..... 7.43 ± 0.09 % Fe ..... 79.5 ± 1.3 mg/kg      C ..... 0.162 ± 0.024 % (Values in parenthesis are indicative values)	50 g
BAM-S003	Silicon carbide powder Certified values Al ..... 372 ± 20 mg/kg      Mn ..... 1.44 ± 0.17 mg/kg      O ..... 910 ± 35 mg/kg B ..... 63 ± 7 mg/kg      Na ..... 17.7 ± 0.8 mg/kg      N ..... (93 ± 22) mg/kg Ca ..... 29.4 ± 1.8 mg/kg      Ni ..... 32.9 ± 2.7 mg/kg      SiO <sub>2 free</sub> ..... (600 ± 148) mg/kg Cr ..... 3.5 ± 0.4 mg/kg      Ti ..... 79 ± 4 mg/kg      Si <sub>free</sub> ..... (481 ± 223) mg/kg Cu ..... 1.5 ± 0.4 mg/kg      V ..... 41.4 ± 2.8 mg/kg      C <sub>total</sub> ..... 29.89 ± 0.07 % Fe ..... 149 ± 10 mg/kg      Zr ..... 25.2 ± 2.0 mg/kg Mg ..... 6.3 ± 0.6 mg/kg      C <sub>free</sub> ..... 493 ± 79 mg/kg (Values in parenthesis are indicative values)	bottle
NIST-154c	Titanium dioxide - Purity  This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is intended primarily for use in the evaluation of techniques employed in the assay of titanium dioxide in the paint and ceramic industries. Certified value Titanium dioxide ..... 99.951 % Informational values for impurities	90 g
BAS-BCS-CRM 201A	Nepheline Syenite SiO <sub>2</sub> ..... (57.3) %      MgO ..... (0.025) %      Mn <sub>2</sub> O <sub>3</sub> ..... (0.007) % Al <sub>2</sub> O <sub>3</sub> ..... (23.54) %      Na <sub>2</sub> O ..... (7.53) %      SrO ..... (0.43) % TiO <sub>2</sub> ..... (0.05) %      K <sub>2</sub> O ..... (8.9) %      L.O.I. ..... (0.76) % Fe <sub>2</sub> O <sub>3</sub> ..... (0.12) %      P <sub>2</sub> O <sub>5</sub> ..... (0.025) % CaO ..... (1.07) %      BaO ..... (0.37) % (Values in parenthesis are indicative values)	100 g
BAS-BCS-CRM 202A	Plaster (Gypsum) SiO <sub>2</sub> ..... (1.38) %      CaO ..... (37.4) %      P <sub>2</sub> O <sub>5</sub> ..... (<0.01) % Al <sub>2</sub> O <sub>3</sub> ..... (0.33) %      MgO ..... (0.39) %      SrO ..... (0.33) % TiO <sub>2</sub> ..... (0.03) %      Na <sub>2</sub> O ..... (<0.03) %      SO <sub>3</sub> ..... (53) % Fe <sub>2</sub> O <sub>3</sub> ..... (0.1) %      K <sub>2</sub> O ..... (0.1) % (Values in parenthesis are indicative values)	100 g

Code	Product	Unit
BAS-BCS-CRM 203A	Talc SiO <sub>2</sub> .....(59.7) %      CaO ..... (0.25) %      P <sub>2</sub> O <sub>5</sub> ..... (0.13) % Al <sub>2</sub> O <sub>3</sub> .....(0.3) %      MgO ..... (32.08) %      L.O.I. ....(6.78) % TiO <sub>2</sub> .....(<0.01) %      Na <sub>2</sub> O ..... (0.02) % Fe <sub>2</sub> O <sub>3</sub> .....(0.22) %      K <sub>2</sub> O ..... (0.005) % (Values in parenthesis are indicative values)	100 g
BAS-BCS-CRM 204A	Zircon SiO <sub>2</sub> .....(37,6) %      CaO ..... (0.15) %      P <sub>2</sub> O <sub>5</sub> .....(0.77) % Al <sub>2</sub> O <sub>3</sub> .....(0.74) %      MgO ..... (0.012) %      SnO <sub>2</sub> .....(1.69) % TiO <sub>2</sub> .....(2.22) %      Na <sub>2</sub> O ..... (0.014) %      ZrO <sub>2</sub> +HfO <sub>2</sub> .....(53.8) % Fe <sub>2</sub> O <sub>3</sub> .....(0.18) %      K <sub>2</sub> O ..... (0.017) %      L.O.I. ....(0.5) % (Values in parenthesis are indicative values)	100 g

## Miscellaneous

Code	Product	Unit
NIST-2556	Used auto catalyst - recycled pellet Certified values Pb ..... 6228 mg/kg      Pt ..... 697.4 mg/kg Pd ..... 326.0 mg/kg      Rh ..... 51.2 mg/kg	70 g
NIST-2557	Used auto catalyst - recycled monolith Certified values Pb ..... 1131 mg/kg      Pt ..... 1131 mg/kg Pd ..... 233.2 mg/kg      Rh ..... 135.1 mg/kg	70 g
NIST-RM 8495	Northern softwood bleached kraft pulp - Properties (RM) Properties of fibres and paper sheets	10 sheets
<b>New</b> ERM-EB503	Pt, and Pd in unused automobile catalyst - powder Certified values Pt ..... 1880 ± 30 mg/kg      Pd ..... 2780 ± 80 mg/kg Indicative value for Rh	100 g
ERM-EB504	Pt, Pd and Rh in used automobile catalyst - powder Certified values Pt ..... 1777 ± 15 mg/kg      Pd ..... 279 ± 6 mg/kg      Rh ..... 338 ± 4 mg/kg	250 g
NIST-RM 8496	Eucalyptus hardwood bleached kraft pulp - Properties (RM) Properties of fibres and paper sheets	10 sheets
ERM-EG001	Antimony implanted in silicon - chip (1 cm x 1 cm x 0.05 cm) (BAM-L001/IRMM-302) Compound      Certified value      Uncertainty Areal density of Sb atoms /10 <sup>16</sup> cm <sup>-2</sup> .....4.81 ..... 0.06 Isotope amount ratio n( <sup>121</sup> Sb) /n( <sup>123</sup> Sb) .....1.435 ..... 0.006	chip
	IBPO disperse dye samples Samples of potentially sensitising disperse dyes from the Institute of Dyes and Organic Products (IBPO) in Poland provided with a certificate of analysis including TLC and VIS spectroscopy results. Intended for use in testing textile products eco-labeled according to the ecological criteria established in Commission Decision 2002/371/EC	
IBPO201	C.I. Disperse Blue 7, C.I. No. 62500 (technical)	1 g
IBPO204	C.I. Disperse Yellow 1, C.I. No. 10345 (technical)	1 g
IBPO205	C.I. Disperse Yellow 9, C.I. No. 10375 (technical)	1 g
IBPO206	C.I. Disperse Yellow 49 (technical)	1 g
IBPO207	C.I. Disperse Red 11, C.I. No. 62015 (technical)	1 g
IBPO208	C.I. Disperse Red 17, C.I. No. 11210 (technical)	1 g
IBPO210	Disperse Blue 35 (technical) C.I. none, contains 4 dye components - violet blue (main component)	1 g
IBPO211	Disperse Orange 11 (technical) C.I. 60700, contains 5 dye components - orange (main component)	1 g
IBPO212	Disperse Orange 1 (technical) C.I. 11080, contains three dye components - orange (main component)	1 g
<b>New</b> IBPO213	Disperse Orange 61	1 g
FL-32944-10MG	Disperse Red 1-D3, C.I. No. 11110 OEKANAL®	10 mg
FL-32946-10MG	Disperse Yellow 3-D3 OEKANAL®	10 mg



## Miscellaneous matrix reference materials

Code	Product	Unit
ERM-AC316	Solvent Yellow 124 (SY124, Sudan 455, Somalia Yellow, T10) The fuel dye Solvent Yellow 124 (SY124) was introduced as a common marker in the European Union in 2002 to distinguish low duty fuels from higher taxed road fuels. ERM-AC316 is a solvent-free certified reference material for SY124 to be used to help accurately determine the amount of SY124 in solutions, thus enabling the appropriate quantity of marker to be added. Certified purity..... 95 %	200 mg
<b>New</b> NIST-RM 8395	Tissue Engineering Reference Scaffold This Reference Material (RM) is intended to provide a common tissue-engineering scaffold for measurement comparisons. A unit consists of one free-form fabricated poly( $\epsilon$ -caprolactone) scaffold approximately 20 mm in external diameter, 5 mm in external height, 200 $\mu$ m in strut diameter, 200 $\mu$ m in strut spacing, and 47 % porosity. Reference values for strut diameter, strut spacing, and porosity are provided	1 scaffold
<b>New</b> NIST-RM 8396	Tissue Engineering Reference Scaffold This Reference Material (RM) is intended to provide a common tissue-engineering scaffold for measurement comparisons. A unit consists of one free-form fabricated poly( $\epsilon$ -caprolactone) scaffold approximately 20 mm in external diameter, 5 mm in external height, 200 $\mu$ m in strut diameter, 300 $\mu$ m in strut spacing, and 60 % porosity. Reference values for strut diameter, strut spacing, and porosity are provided.	1 scaffold
<b>New</b> NIST-RM 8397	Tissue Engineering Reference Scaffold This Reference Material (RM) is intended to provide a common source tissue-engineering scaffold for measurement comparisons. A unit consists of one free-form fabricated poly( $\epsilon$ -caprolactone) scaffold approximately 20 mm in external diameter, 5 mm in external height, 200 $\mu$ m in strut diameter, 450 $\mu$ m in strut spacing, and 69 % porosity. Reference values for strut diameter, strut spacing, and porosity are provided.	1 scaffold

## Miscellaneous matrix reference materials

### Forensic matrix reference materials

Code	Product	Unit
NIST-2460	Standard bullet Standard Reference Material (SRM <sup>®</sup> ) NIST-2460 is a bullet signature standard comprising bullet profile signatures of six land engraved areas (LEAs) from fired bullets. This SRM is intended primarily for use as a check standard for crime laboratories to help verify that the computerized optical equipment for bullet imaging and profiling is operating properly. A unit of NIST-2460 consists of an SRM standard bullet that is mounted on a blue stub.	Each
<b>New</b> NIST-2905	Trace particulate explosive simulants Standard Reference Material (SRM) 2905 is a surrogate for explosives residues and is intended for use in evaluating analytical equipment used for the detection of trace explosives, which may include those based on ion mobility spectrometry. NIST-2905 consists of four non-explosive materials prepared from inert particles having a diameter of approximately 20 $\mu$ m to 30 $\mu$ m that are coated with trace levels of explosives. Two materials contain military-grade trinitrotoluene (TNT) with nominal concentrations of 0.01 % and 0.1 % mass fractions, and two materials contain Composition C-4 plastic explosive with nominal concentrations of 0.01 % and 0.1 % mass fractions. The Composition C-4 materials contain the explosives hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX). Certified concentrations are provided for TNT, RDX, and HMX. A unit of NIST-2905 consists of four individual plastic squeeze bottles each containing approximately 1 g of the trace particulate explosives materials. Certified concentrations for RDX and HMX in NIST-2905, 0.01 % Composition C-4 (nominal) Explosive            Mass Fraction RDX ..... 0.0777 $\pm$ 0.0009 mg/g            HMX.....0.00866 $\pm$ 0.00008 mg/g Certified Concentrations for RDX and HMX in NIST2905, 0.1 % Composition C-4 (nominal) Explosive            Mass Fraction RDX ..... 0.687 $\pm$ 0.014 mg/g            HMX.....0.0757 $\pm$ 0.0009 mg/g Certified Concentrations for TNT in NIST-2905, 0.01 % TNT (nominal) Explosive            Mass Fraction TNT ..... 0.097 $\pm$ 0.001 mg/g Certified Concentrations for TNT in NIST-2905, 0.1 % TNT (nominal) Explosive            Mass Fraction TNT ..... 0.976 $\pm$ 0.007 mg/g	150 g

Code	Product	Unit																		
<b>Miscellaneous matrix reference materials</b>																				
NIST-RM 8480	<p>Secondary ferrite number standard - Low range</p> <p>This Reference Material (RM) is intended for the calibration of instruments used to measure weld metal ferrite content in accordance with American National Standards Institute (ANSI), American Welding Society (AWS) and International Standards Organisation (ISO) normative standards ANSI/AWS A4.2 and ISO 8249. The ferrite content is measured in terms of a method defined quantity, the Ferrite Number (FN). NIST measurements were made in accordance with ANSI/AWS A4.2. Description and Source of Material: Each RM unit is a set of eight individually measured specimens. Each specimen is approximately 10 mm × 12 mm × 20 mm, and has an identification number scribed on one of the 12 mm × 20 mm faces. The measurement surface is the face opposite the surface that contains the identification number. RM 8480 comprises eight specimens having FN values ranging from 0 FN to 30 FN. The related RM 8481 Secondary Ferrite Number Standard - High Range, comprises eight specimens having FN values ranging from 30 FN to 120 FN.</p> <p>The RM was made from centrifugal castings of chromium-nickel steel alloys. The ferrite content was varied by adjusting the composition of the alloy. The cast specimens approximate the ferrite distribution in a weld deposit and have a solidification structure similar to that of welds. Like the ferrite in welds, the magnetic response of the ferritic (magnetic) phase varies with alloy composition. The homogeneity of the cast material was demonstrated to be sufficient for use as secondary FN standards.</p>	set																		
NIST-2696	<p>Silica Fume</p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended primarily for use in evaluating chemical and instrumental methods of analysis of silica fume used in conjunction with product specifications.</p> <p>Certified values</p> <table> <tbody> <tr> <td>SiO<sub>2</sub> .....</td> <td>95.61 ± 0.37%</td> <td>MgO.....</td> <td>0.235 ± 0.024%</td> <td>ZnO .....</td> <td>0.051 ± 0.005%</td> </tr> <tr> <td>Al<sub>2</sub>O<sub>3</sub> .....</td> <td>0.2080 ± 0.0071%</td> <td>K<sub>2</sub>O .....</td> <td>0.652 ± 0.028%</td> <td></td> <td></td> </tr> <tr> <td>CaO .....</td> <td>0.426 ± 0.016%</td> <td>Mn<sub>2</sub>O<sub>3</sub>.....</td> <td>0.032 ± 0.004%</td> <td></td> <td></td> </tr> </tbody> </table>	SiO <sub>2</sub> .....	95.61 ± 0.37%	MgO.....	0.235 ± 0.024%	ZnO .....	0.051 ± 0.005%	Al <sub>2</sub> O <sub>3</sub> .....	0.2080 ± 0.0071%	K <sub>2</sub> O .....	0.652 ± 0.028%			CaO .....	0.426 ± 0.016%	Mn <sub>2</sub> O <sub>3</sub> .....	0.032 ± 0.004%			70 g
SiO <sub>2</sub> .....	95.61 ± 0.37%	MgO.....	0.235 ± 0.024%	ZnO .....	0.051 ± 0.005%															
Al <sub>2</sub> O <sub>3</sub> .....	0.2080 ± 0.0071%	K <sub>2</sub> O .....	0.652 ± 0.028%																	
CaO .....	0.426 ± 0.016%	Mn <sub>2</sub> O <sub>3</sub> .....	0.032 ± 0.004%																	
LGCQC4001	<p>Composite foam material with TBT</p> <p>Indicative value</p> <p>Tributyl tin (as Sn).....33 mg/kg</p>	2 g																		

We constantly add new products to our range, so please contact us to find out about new products and services and to make sure you are automatically kept up to date by subscribing to our free newsletter.

Just send an e-mail to: [askus@lgcstandards.com](mailto:askus@lgcstandards.com)

# Customised standards and CERTAN<sup>®</sup>



*Excellence through measurement*

# CERTAN®

## The ampoule in a bottle

Unopened glass ampoules are ideal for storing volatile standards, but once opened they are no longer suitable for storage. The alternative use of screw cap bottles can result in evaporation through the thread. There is also a risk of contamination from the cap.

The CERTAN® bottle is a sample container with a capillary-opening. It has been specifically developed for use with organic reference solutions. Using the CERTAN® bottle makes the problems of storing volatile solutions a thing of the past. The bottles come in a range of sizes to meet your needs.

### Advantages of CERTAN®

- Minimal change in concentration, even when open
- Totally secure, free of losses
- Less risk of contamination
- Aliquots easily removed using a standard GC syringe
- Proven usability from -30°C to +50°C
- Almost impossible to spill.



### Applications for CERTAN®

- Supply of standard solutions
- Long term storage for solutions from ampoules
- Storage of stock solution
- Archiving of production samples
- Holding challenging samples, such as BTEX aromatics
- Transport and storage of ring-test samples.

For further information on these products or to receive any one of our catalogues, please contact your local office or visit our website.



*Excellence through measurement*

## CERTAN® - The ampoule in the bottle

Unopened glass ampoules are ideal for storing volatile standards, but once opened they are no longer suitable for storage. The alternative use of screw cap bottles can result in evaporation through the thread. There is also a risk of contamination from the cap.

The CERTAN® bottle is a sample container with a capillary-opening. It has been specifically developed for use with organic reference solutions. Using the CERTAN® bottle makes the problems of storing volatile solutions a thing of the past.

### CERTAN® the solution for solutions!



### CERTAN® Advantages

- Minimal change in concentration even when open
- Totally secure, free of losses
- Less risk of contamination
- Aliquots easily removed using a standard GC syringe
- Proven usability from -30°C to +50°C
- Almost impossible to spill.

### CERTAN® Application Examples

- Supply of standard solutions
- Long term storage for solutions from ampoules
- Storage of working stock
- Archiving of production samples
- Storage of difficult samples, such as BTEX aromatics
- Transport and storage of ring-test samples.

### CERTAN® Principle

The properties of the patented CERTAN® capillary bottle depend on the unique way in which the glass bottle, capillary and screw cap closures have been engineered. The 1.2 mm diameter and 28 mm long capillary works as a re-condensation zone for any vapourised solvent. The reduced surface area inside the cap ensures a more efficient sealing of the bottle. It also minimises the chance of contamination from the cap insert. The CERTAN® bottle combines the advantages of a sealed ampoule with the flexibility of a screw cap bottle or a septum vial. Both cap and insert have been manufactured in materials which have been tested to ensure they retain their sealing properties, even with critical solvents such as diethylether.




### CERTAN® Cleaning Protocol

The CERTAN® bottle can be easily cleaned using the following method:

A 0.53 mm quartz capillary is inserted into the CERTAN® bottle which is then inverted over a solvent container similar to a wash bottle. (See illustration below). Dry nitrogen from a standard gas cylinder pressurises the container forcing the cleaning solvent up the capillary tube spraying the inside of the bottle and cleaning the bottle thoroughly. The capillary of the CERTAN® bottle itself is cleaned by the action of the cleaning solvent draining through. Tests using different cleaning solvents showed that toluene was the most effective solvent for cleaning the CERTAN® bottle.

Once the cleaning process is complete the CERTAN® bottle should be dried by flushing with nitrogen and then placing in a suitable flameproof oven at 400 °C for at least two hours.

Please note that the CERTAN® capillary bottles are gamma-irradiated to give the brown colour. However, at elevated temperatures this colour will disappear leaving no residues.



### Advice

The process used to manufacture the CERTAN® bottle, ensures that as far as possible the bottles are free of any chemical contamination. However it is good practice to rinse the bottles out with the same solvent used for the standard. The bottle should also be checked for minute glass particles which may occasionally be found, these can be easily flushed out using dry nitrogen which has been passed through an activated charcoal filter. In the same way the bottle can be dried after rinsing with the appropriate solvent.

Care should be taken when removing aliquots from the CERTAN® bottle, ensuring that no droplets adhere to the end of the needle. Prior to opening a full CERTAN® bottle, check to see if a small column of the solution has migrated into the capillary, if so this can be returned to the bottle easily by a quick flick of the wrist, as you would mercury in clinical thermometer. When replacing the cap on a CERTAN® bottle, it should be firmly tightened so that the top of the capillary leaves a clear indentation on the insert of the cap. We also recommend that with new CERTAN® bottles the cap should be re-tightened after 30 minutes to take up any slack caused by the initial indentation on the insert. The CERTAN® bottle is manufactured using high quality Duran glass, and is robust in its construction. However, care should be taken when handling to avoid dropping onto hard surfaces.



**CERTAN®-The ampoule in the bottle**

Code	Product	Unit
DE-CE 01	CERTAN® capillary bottle (10 x 1.5 mL)	set
DE-CE 05	CERTAN® capillary bottle (5 x 4.5 mL)	set
DE-CE 10	CERTAN® capillary bottle (5 x 10 mL)	set

**Accessories**

**Racks for CERTAN®**

DE-MIG 13	10 place rack for CER 01	unit
DE-MIG 17	10 place rack for CER 05	unit
DE-ENG 416	Plastic shipping container for single CER 01/CER 05 bottle	unit
DE-ENG 484	Plastic shipping container for single CER 10 bottle	unit

**CERTAN® wash-bottle**

DE-WB 1000	CERTAN® wash bottle incl. capillary	each
------------	-------------------------------------	------

**Syringes**

SGE 2250-7	10 µL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 3250-7	25 µL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 4250-7	50 µL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 5250-7	100 µL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 7250-7	500 µL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 8100-7	1 mL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 8500-7	2.5 mL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 8700-7	5 mL GC gas tight syringe with removable needle (50 mm + 70 mm)	each
SGE 8900-7	10 mL GC gas tight syringe with removable needle (50 mm + 70 mm)	each

### eVol® hand-held automated analytical syringe

eVol® is the coupling of two precision devices: a digitally controlled electronic drive and an XCHANGE® enabled analytical syringe.

For further information please see section “Chromatography products”.



# Custom Solutions



Excellence through measurement

## Organic contaminants quotation request form

Customised standards solutions - you tell us the components, solvent, concentration and quantity you need. LGC Standards works in close co-operation with ULTRA Scientific and other suppliers to provide the products our customers need. So why not request a free quotation for a standard individually prepared to your specification? A certificate detailing the concentration of each component accompanies all organic custom standards and there is the option of ordering an additional DATApak<sup>®</sup> with full analytical and gravimetric data.

*New!* In response to our customer's requirements we also offer customised standard solutions produced in accordance with ISO Guide 34.

Please fax back this form to your local office (see list of offices on the inside front cover).



ANALYTE	CONCENTRATION
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	

## SOLVENT

## CONTAINER & QUANTITY

CERTAN® capillary bottle	1.5 mL	<input type="checkbox"/>	4.5 mL	<input type="checkbox"/>	10 mL	<input type="checkbox"/>
Ampoule	1.5 mL	<input type="checkbox"/>				
Bottle with screw cap	10 mL	<input type="checkbox"/>				

We recommend that all standard solutions are packed in CERTAN® capillary bottles as this ensures the concentration over a long term storage period.

## TYPE OF ANALYSIS

Gravimetric validation  
Each standard is prepared by ULTRA Scientific according to their ISO 9001 registered quality system. Every component in the standard is guaranteed to be within the manufactured tolerance limits ( $\pm 0.5\%$ ). The gravimetric preparation data is reviewed by ULTRA's ISO 17025 accredited laboratory. A certificate accompanies each standard documenting the true gravimetric concentration.

Quantitative validation  
Each standard is prepared as per a gravimetric validation. In addition to the certificate of analysis, a DATApak® is provided which includes gravimetric data and extensive instrumental analysis results.

ISO 34  
Produced in accordance with ISO/IEC 17025 and ISO Guide 34.

Title                      First name                      Last name

Company / organisation

Address / street

Postcode      City                      Country

Phone

Fax

Email

Custom standards - exactly what you want!

# Custom Solutions



Excellence through measurement

## Inorganic standards quotation request form

ULTRA Scientific is recognized as a leading player in the chemical standards industry. Although the ULTRA range includes hundreds of inorganic standards, sometimes it is not possible to find exactly the one you need. If this happens why not request a custom standard that is individually prepared to your specification? Each inorganic custom standard comes with a certificate detailing the exact gravimetric concentration. There is also the option of ordering an additional DATApak<sup>®</sup> with full analytical and gravimetric data.

*New!* In response to our customer's requirements we also offer customised standard solutions produced in accordance with ISO Guide 34.

Please fax back this form to your local office (see list of offices on the inside front cover).



ANALYTE

CONCENTRATION

1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		

## QUANTITY

1 x 500 ml

More than one:

x 500 ml

## TYPE OF ANALYSIS

Gravimetric validation

Each standard is prepared by ULTRA Scientific according to their ISO 9001 registered quality system. Every component in the standard is guaranteed to be within the manufactured tolerance limits ( $\pm 0.2\%$ ). The gravimetric preparation data is reviewed by ULTRA's ISO 17025 accredited laboratory. A certificate accompanies each standard documenting the true gravimetric concentration.

Quantitative validation

Each standard is prepared as per a gravimetric validation. In addition to the certificate of analysis, a DATApak<sup>®</sup> is provided which includes gravimetric data and extensive instrumental analysis results.

ISO 34

Produced in accordance with ISO/IEC 17025 and ISO Guide 34.

Title

First name

Last name

Company / organisation

Address / street

Postcode

City

Country

Phone

Fax

Email

Custom standards - exactly what you want!

# Custom Solutions



Excellence through measurement

## CONOSTAN® elements in oil quotation request form

If your spectrometric analysis of metals in oil requires a combination or concentration not stocked as a standard item, custom blends are readily available.

Request a quotation by filling in the details below and on the other side.

Please fax back this form to your local office (see list of offices on the inside front cover).



ELEMENT      CONCENTRATION      ELEMENT      CONCENTRATION      ELEMENT      CONCENTRATION

Al - Aluminium		Fe - Iron		Sb - Antimony	
Ag - Silver		Hg - Mercury		Sc - Scandium	
As - Arsenic		In - Indium		Se - Selenium	
B - Boron		K - Potassium		Si - Silicon	
Ba - Barium		La - Lanthanum		Sn - Tin	
Be - Beryllium		Li - Lithium		Sr - Strontium	
Bi - Bismuth		Mg - Magnesium		Ti - Titanium	
Ca - Calcium		Mn - Manganese		V - Vanadium	
Cd - Cadmium		Mo - Molybdenum		W - Tungsten	
Ce - Cerium		Na - Sodium		Y - Yttrium	
Co - Cobalt		Ni - Nickel		Zn - Zinc	
Cr - Chromium		P - Phosphorus			
Cu - Copper		Pb - Lead			



We constantly add new products to our range, so please contact us to find out about new products and services and to make sure you are automatically kept up to date by subscribing to our free newsletter.

Just send an e-mail to: [askus@lgcstandards.com](mailto:askus@lgcstandards.com)

# Food specific standards



# Genuine ATCC® cultures and bioproducts



LGC Standards is the exclusive distributor of ATCC® cultures and bioproducts in Europe. We are committed to providing authentic, high-quality ATCC cultures to support quality control and research activities across the food and environmental industries.

With a local stock of all key quality control strains and a wide selection of other cultures, LGC Standards is able to offer:

- Faster delivery of ATCC products
- Expert technical support
- Expedited handling of special forms and paperwork to meet import regulations
- Reduced shipping costs

For further information or to receive a copy of the application based microbial Quality Control catalogue, please contact your local office or visit our website.

**Quality control strains**

**Nucleic acids**

**Microbial media and supplements**

**Cryopreservation products**

**Animal and plant viruses**

[www.lgcstandards-atcc.org](http://www.lgcstandards-atcc.org)

## Natural products and food constituents

### Phytochemical from ChromaDex

The following list of phytochemicals (sugars, carotenoids, amino acids, vitamins, tea related polyphenols, stevia related compounds and caffeine related compounds) is an extract from the extensive ChromaDex product range.

ChromaDex offers several different grades of reference standards. If you require information about the different grades of the listed compounds to check their suitability for your application, or to get the complete list of available products, please contact any of the LGC Standards offices listed on the inside cover.

### Sugars

Code	Product	Unit
CDX-00001045-100	2-Acetamido-2-deoxy-D-galactopyranose	100 mg
CDX-00001180-100	N-Acetyl-beta-D-galactosamine	100 mg
CDX-00001190-100	N-Acetyl-DL-glucosamine	100 mg
CDX-00001190-250	N-Acetyl-DL-glucosamine	250 mg
CDX-00001240-010	N-Acetyl-D-mannosamine	10 mg
CDX-00001240-050	N-Acetyl-D-mannosamine	50 mg
CDX-00001265-010	N-Acetylneuraminic acid	10 mg
CDX-00001265-025	N-Acetylneuraminic acid	25 mg
CDX-00001572-025	D-(+)-Allose	25 mg
CDX-00001572-100	D-(+)-Allose	100 mg
CDX-00001634-025	D-Altrose	25 mg
CDX-00001664-050	4-Aminophenyl-1-thio-beta-D-galactopyranoside	50 mg
CDX-00001665-001	Amylopectine	1 g
CDX-00001666-001	1,4-Anhydroerythritol	1 g
CDX-00001682-001	Arabinic acid	1 g
CDX-00001945-001	D-(-)-Arabinose	1 g
CDX-00001945-005	D-(-)-Arabinose	5 g
CDX-00001950-001	DL-Arabinose	1 g
CDX-00001950-010	DL-Arabinose	10 g
CDX-00001955-001	D-(+)-Arabitol	1 g
CDX-00001955-010	D-(+)-Arabitol	10 g
CDX-00001960-001	L-(-)-Arabitol	1 g
CDX-00001960-005	L-(-)-Arabitol	5 g
CDX-00001960-010	L-(-)-Arabitol	10 g
CDX-00002430-001	6-Bromo-2-naphthyl-beta-D-glucofuranoside	1 g
CDX-00002430-100	6-Bromo-2-naphthyl-beta-D-glucofuranoside	100 mg
CDX-00003112-010	Chitobiose	10 mg
CDX-00003335-001	D-(+)-Cellobiose	1 g
CDX-00003420-001	Chitin	1 g
CDX-00003420-005	Chitin	5 g
CDX-00003423-001	Chitosan	1 g
CDX-00003425-001	alpha-Chloralose	1 g
CDX-00003425-250	alpha-Chloralose	250 mg
CDX-00003592-001	Chondroitin sulfate XRM	1 g
CDX-00003592-005	Chondroitin hydrogensulfate	5 g
CDX-00003593-001	Chondroitin sulfate sodium salt	1 g
CDX-00003593-005	Chondroitin sulfate sodium salt	5 g
CDX-00003594-001	Chondroitin sulfate A sodium salt	1 g
CDX-00003596-025	Chondroitin sulfate B sodium salt	25 mg

## Natural products and food constituents

Code	Product	Unit
CDX-00003597-001	Chondroitin sulfate C sodium salt	1 g
CDX-00003607-001	Chondroitin sulfate sodium salt bovine	1 g
CDX-00003607-002	Chondroitin	2 g
CDX-00004165-001	2-Deoxy-D-glucose	1 g
CDX-00004165-100	2-Deoxy-D-glucose	100 mg
CDX-00004171-001	2-Deoxy-D-galactose	1 g
CDX-00004205-001	2-Deoxy-D-ribose	1 g
CDX-00004248-001	Dextrose	1 g
CDX-00004248-500	Dextrose	500 mg
CDX-00004430-001	D-(+)-Digitoxose	1 g
CDX-00004430-100	D-(+)-Digitoxose	100 mg
CDX-00005447-001	4,6-O-Ethylidene-alpha-D-glucopyranoside	1 g
CDX-00006244-001	D-(-)-Fructose	1 g
CDX-00006244-005	D-(-)-Fructose	5 g
CDX-00006260-001	D-Fructose-1,6-diphosphate barium salt	1 g
CDX-00006285-001	D-(+)-Fucose	1 g
CDX-00006285-100	D-(+)-Fucose	100 mg
CDX-00006290-100	L-Fucose	100 mg
CDX-00006290-500	L-Fucose	500 mg
CDX-00007010-001	Galactan	1 g
CDX-00007010-005	Galactan	5 g
CDX-00007015-001	D-Galactono-1,4-lactone	1 g
CDX-00007020-001	D-Galactosamine HCl	1 g
CDX-00007020-100	D-Galactosamine HCl	100 mg
CDX-00007021-001	D-(+)-Galactose	1 g
CDX-00007026-001	D-Galacturonic acid	1 g
CDX-00007026-250	D-Galacturonic acid	250 mg
CDX-00007047-005	1,3,6-Tri-O-galloyl-beta-D-glucose	5 mg
CDX-00007047-010	1,3,6-Tri-O-galloyl-beta-D-glucose	10 mg
CDX-00007110-010	Gentianose	10 mg
CDX-00007120-001	beta-Gentiobiose octaacetate	1 g
CDX-00007240-050	alpha-D-Glucoheptose	50 mg
CDX-00007245-001	D-(+)-Gluconic acid D-lactone	1 g
CDX-00007245-005	D-(+)-Gluconic acid D-lactone	5 g
CDX-00007256-001	D-(+)-Glucosamine HCl	1 g
CDX-00007256-500	D-(+)-Glucosamine HCl	500 mg
CDX-00007257-001	D-Glucosamine sulfate potassium salt	1 g
CDX-00007257-500	D-Glucosamine sulfate potassium salt	500 mg
CDX-00007258-001	Glucosamine sulfate	1 g
CDX-00007258-005	Glucosamine sulfate	5 g
CDX-00007260-010	L-Glucose	10 mg
CDX-00007260-100	L-Glucose	100 mg
CDX-00007261-001	D-(+)-Glucose	1 g
CDX-00007261-005	D-(+)-Glucose	5 g
CDX-00007265-001	beta-D-(+)-Glucose	1 g
CDX-00007285-001	alpha-D-Glucose pentaacetate	1 g
CDX-00007290-001	alpha-D-Glucose pentaacetate	1 g
CDX-00007295-100	D-Glucosaminic acid	100 mg
CDX-00007425-001	L-Gluconolactone	1 g
CDX-00008345-010	Hyaluronic acid potassium salt	10 mg
CDX-00009131-100	myo-Inositol	100 mg

## Natural products and food constituents

Code	Product	Unit
CDX-00009131-250	myo-Inositol	250 mg
CDX-00009305-010	Isomaltose	10 mg
CDX-00009305-100	Isomaltose	100 mg
CDX-00009475-001	Isopropyl-beta-D-thiogalactopyranoside	1 g
CDX-00009475-100	Isopropyl-beta-D-thiogalactopyranoside	100 mg
CDX-00009490-001	1,2-O-Isopropylidene-D-glucofuranose	1 g
CDX-00009495-001	1,2-Isopropylidene-D-xylofuranose	1 g
CDX-00011060-010	1-Thio-beta-D-glucose sodium salt	10 mg
CDX-00011060-100	1-Thio-beta-D-glucose sodium salt	100 mg
CDX-00011520-005	Kojibiose	5 mg
CDX-00012005-001	alpha-Lactose	1 g
CDX-00012020-100	Laminarin	100 mg
CDX-00012160-010	Levoglucosan	10 mg
CDX-00012160-100	Levoglucosan	100 mg
CDX-00013055-001	D-Maltose	1 g
CDX-00013057-100	D-(+)-Maltotriose	100 mg
CDX-00013057-500	D-(+)-Maltotriose	500 mg
CDX-00013100-010	Mannan	10 mg
CDX-00013100-100	Mannan	100 mg
CDX-00013102-001	D-Mannitol	1 g
CDX-00013102-250	D-Mannitol	250 mg
CDX-00013115-025	D-Mannosamine HCl	25 mg
CDX-00013121-001	D-(+)-Mannose	1 g
CDX-00013121-005	D-(+)-Mannose	5 g
CDX-00013176-001	D-Melezitose dihydrate	1 g
CDX-00013221-100	meso-Erythritol	100 mg
CDX-00013440-001	Methyl-beta-D-arabinopyranoside	1 g
CDX-00013440-100	Methyl-beta-D-arabinopyranoside	100 mg
CDX-00013445-001	Methyl-beta-D-arabinopyranoside	1 g
CDX-00013445-100	Methyl-beta-D-arabinopyranoside	100 mg
CDX-00013455-001	Methyl-4,6-O-benzylidene-alpha-D-glucofuranoside	1 g
CDX-00013560-001	Methyl-alpha-D-galactopyranoside	1 g
CDX-00013565-001	3-O-Methyl-alpha-D-glucofuranose	1 g
CDX-00013570-001	Methyl-beta-D-glucofuranoside	1 g
CDX-00013595-001	Methyl-alpha-D-mannopyranoside	1 g
CDX-00013595-005	Methyl-alpha-D-mannopyranoside	5 g
CDX-00013735-001	4-Methylumbelliferyl-beta-D-galactopyranoside	1 g
CDX-00013735-250	4-Methylumbelliferyl-beta-D-galactopyranoside	250 mg
CDX-00013745-001	4-Methylumbelliferyl-beta-D-glucofuranoside	1 g
CDX-00013745-100	4-Methylumbelliferyl-beta-D-galactopyranoside	100 mg
CDX-00013840-001	4-Methylumbelliferyl-beta-D-Xylopyranoside	1 g
CDX-00013899-001	Muic acid	1 g
CDX-00014035-050	Naphthol-As-Bi-n-acetyl-beta-D-glucosaminide	50 mg
CDX-00014035-250	Naphthol-As-Bi-n-acetyl-beta-D-glucosaminide	250 mg
CDX-00014260-025	Neohesperidose	25 mg
CDX-00014260-100	Neohesperidose	100 mg
CDX-00014265-100	Neohesperidose heptaacetate	100 mg
CDX-00014265-500	Neohesperidose heptaacetate	500 mg
CDX-00014365-010	4-Nitrophenyl-alpha-L-fucopyranoside	10 mg
CDX-00014370-010	4-Nitrophenyl-beta-L-fucopyranoside	10 mg
CDX-00014375-001	4-Nitrophenyl-alpha-D-galactopyranoside	1 g

## Natural products and food constituents

Code	Product	Unit
CDX-00014375-100	4-Nitrophenyl-alpha-D-galactopyranoside	100 mg
CDX-00014380-001	2-Nitrophenyl-beta-D-galactopyranoside	1 g
CDX-00014380-100	2-Nitrophenyl-beta-D-galactopyranoside	100 mg
CDX-00014385-001	3-Nitrophenyl-beta-D-galactopyranoside	1 g
CDX-00014390-001	4-Nitrophenyl-beta-D-galactopyranoside	1 g
CDX-00014390-100	4-Nitrophenyl-beta-D-galactopyranoside	100 mg
CDX-00014405-001	2-Nitrophenyl-beta-D-glucopyranoside	1 g
CDX-00014405-100	2-Nitrophenyl-beta-D-glucopyranoside	100 mg
CDX-00014410-100	3-Nitrophenyl-beta-D-glucopyranoside	100 mg
CDX-00014415-001	4-Nitrophenyl-beta-D-glucopyranoside	1 g
CDX-00014415-100	4-Nitrophenyl-beta-D-glucopyranoside	100 mg
CDX-00014435-001	4-Nitrophenyl-alpha-D-mannopyranoside	1 g
CDX-00014435-100	4-Nitrophenyl-alpha-D-mannopyranoside	100 mg
CDX-00014480-050	2-Nitrophenyl-beta-D-xylopyranoside	50 mg
CDX-00014480-250	2-Nitrophenyl-beta-D-xylopyranoside	250 mg
CDX-00014485-001	2-Nitrophenyl-beta-D-xylopyranoside	1 g
CDX-00014485-100	2-Nitrophenyl-beta-D-xylopyranoside	100 mg
CDX-00015050-001	N-Octyl-beta-D-glucopyranoside	1 g
CDX-00015050-100	N-Octyl-beta-D-glucopyranoside	100 mg
CDX-00016040-010	Palatinose	10 mg
CDX-00016040-025	Palatinose	25 mg
CDX-00016550-001	Phenyl-beta-D-galactopyranoside	1 g
CDX-00016550-100	Phenyl-beta-D-galactopyranoside	100 mg
CDX-00016559-100	Phenyl-alpha-D-glucopyranoside	100 mg
CDX-00016560-001	Phenyl-beta-D-glucopyranoside	1 g
CDX-00016839-010	D-Pinitol	10 mg
CDX-00016839-025	D-Pinitol	25 mg
CDX-00016950-001	Polygalacturonic acid	1 g
CDX-00016950-005	Polygalacturonic acid	5 g
CDX-00018010-001	D-(+)-Raffinose	1 g
CDX-00018211-001	L-(+)-Rhamnose	1 g
CDX-00018211-250	L-(+)-Rhamnose	250 mg
CDX-00018291-001	D-(-)-Ribose	1 g
CDX-00019115-050	Sedoheptulose anhydride	50 mg
CDX-00019115-250	Sedoheptulose anhydride	250 mg
CDX-00019330-050	alpha-D-Sophorose	50 mg
CDX-00019380-001	Sucrose	1 g
CDX-00019380-100	Sucrose	100 mg
CDX-00019383-100	Sucralose	100 mg
CDX-00020010-100	D-Tagatose	100 mg
CDX-00020015-050	D-Talose	50 mg
CDX-00020015-250	D-Talose	250 mg
CDX-00020140-001	1,2,3,4-Tetra-O-acetyl-beta-D-glucopyranose	1 g
CDX-00020140-100	1,2,3,4-Tetra-O-acetyl-beta-D-glucopyranose	100 mg
CDX-00020345-001	D-(+)-Trehalose	1 g
CDX-00024900-001	L-Xylose	1 g
CDX-00024901-001	D-(+)-Xylose	1 g
CDX-00024905-001	DL-Xylose	1 g
CDX-00024905-100	DL-Xylose	100 mg



## Natural products and food constituents

Code	Product	Unit
<b>Carotenoids</b>		
CDX-00001600-00A	Alloxanthin	2.5 mL
CDX-00001885-00A	Antheraxanthin	2.5 mL
CDX-00002320-005	Bixin	5 mg
CDX-00002320-010	Bixin	10 mg
CDX-00002320-050	Bixin	50 mg
CDX-00003116-00A	Canthaxanthin	2.5 mL
CDX-00003140-001	Capsanthin in Chloroform (3 mg/ml)	1 mg
CDX-00003140-005	Capsanthin in Chloroform (3 mg/ml)	5 mg
CDX-00003204-001	alpha-Carotene	1.5 mL
CDX-00003204-005	alpha-Carotene	7.5 mL
CDX-00003204-010	alpha-Carotene	15 mL
CDX-00003205-00A	alpha-Carotene	2.5 mL
CDX-00003211-005	beta-Carotene	5 mg
CDX-00003211-010	beta-Carotene	10 mg
CDX-00003211-025	beta-Carotene	25 mg
CDX-00003211-100	beta-Carotene	100 mg
CDX-00003885-010	trans-Crocetin	10 mg
CDX-00003889-005	Crocin	5 mg
CDX-00003890-001	Crocin	1 g
CDX-00003891-00A	Crocoxanthin	2.5 mL
CDX-00003900-001	beta-Cryptoxanthin	1 mg
CDX-00003900-005	beta-Cryptoxanthin	5 mg
CDX-00004004-00A	Diadinoxanthin in Ethanol (~ 1mg/L)	2.5 mL
CDX-00004340-00A	Diatoxanthin in Ethanol (~0.7 mg/L)	2.5 mL
CDX-00005026-00A	Echinenone in Ethanol (~ 0.9 mg/L)	2.5 mL
CDX-00006292-00A	Fucoxanthin	2.5 mL
CDX-00008080-005	Helenien	5 mg
CDX-00011054-010	Astaxanthin	10 mg
CDX-00012453-001	Lutein	1 g
CDX-00012453-005	Lutein	5 mg
CDX-00012453-010	Lutein	10 mg
CDX-00012453-025	Lutein	25 mg
CDX-00012453-100	Lutein	100 mg
CDX-00012550-005	Lycopene	5 mg
CDX-00012550-010	Lycopene	10 mg
CDX-00012550-025	Lycopene	25 mg
CDX-00012550-100	Lycopene	100 mg
CDX-00014288-00A	Neoxanthin in Ethanol (1.491 mg/L)	2.5 mL
CDX-00014501-005	Norbixin	5 mg
CDX-00014501-010	Norbixin	10 mg
CDX-00016135-00A	Peridinin	2.5 mL
CDX-00016780-005	Physalien	5 mg
CDX-00022535-00A	Violaxanthin	2.5 mL
CDX-00026504-005	Zeaxanthin	5 mg
CDX-00026504-010	Zeaxanthin	10 mg
CDX-00026504-025	Zeaxanthin	25 mg
<b>Amino acids</b>		
CDX-00001006-010	L-Abrine	10 mg
CDX-00001006-050	L-Abrine	50 mg

## Natural products and food constituents

Code	Product	Unit
CDX-00001006-500	L-Abrine	500 mg
CDX-00001110-010	N-Acetyl-L-arginine	10 mg
CDX-00001110-100	N-Acetyl-L-arginine	100 mg
CDX-00001140-001	N-Acetyl-L-cysteine	1 g
CDX-00001170-001	N-Acetyl-DL-O-fluorophenylalanine	1 g
CDX-00001175-001	N-Acetyl-DL-O-fluorophenylalanine	1 g
CDX-00001200-001	N-Acetyl-L-glutamine	1 g
CDX-00001200-005	N-Acetyl-L-glutamine	5 g
CDX-00001200-025	N-Acetyl-L-glutamine	25 mg
CDX-00001235-010	N-Acetyl-DL-Leucine	10 mg
CDX-00001235-100	N-Acetyl-DL-Leucine	100 mg
CDX-00001245-010	N-Acetyl-DL-methionine	10 mg
CDX-00001245-100	N-Acetyl-DL-methionine	100 mg
CDX-00001295-010	N-Acetyl-serotonin	10 mg
CDX-00001295-100	N-Acetyl-serotonin	100 mg
CDX-00001320-001	N-Acetyl-L-tyrosine-ethylester	1 g
CDX-00001322-100	N-Acetyl-L-tyrosine	100 mg
CDX-00001322-250	N-Acetyl-L-tyrosine	250 mg
CDX-00001325-010	N-Acetyl-DL-valine	10 mg
CDX-00001325-100	N-Acetyl-DL-valine	100 mg
CDX-00001435-010	S-Adenosyl-L-methionine chloride	10 mg
CDX-00001435-025	S-Adenosyl-L-methionine chloride	25 mg
CDX-00001436-005	S-Adenosyl-L-methionine iodide	5 mg
CDX-00001436-010	S-Adenosyl-L-methionine iodide	10 mg
CDX-00001437-010	S-Adenosyl-L-methionine p-toluenesulfonate	10 mg
CDX-00001437-025	S-Adenosyl-L-methionine p-toluenesulfonate	25 mg
CDX-00001438-010	S-Adenosyl-L-methionine p-toluenesulfonate	10 mg
CDX-00001500-001	D-Alanine	1 g
CDX-00001500-250	D-Alanine	250 mg
CDX-00001501-001	DL-Alanine	1 g
CDX-00001501-005	DL-Alanine	5 g
CDX-00001502-001	L-Alanine	1 g
CDX-00001502-005	L-Alanine	5 g
CDX-00001502-100	L-Alanine	100 mg
CDX-00001515-100	Albizzin	100 mg
CDX-00001595-100	DL-Allothreonine	100 mg
CDX-00001981-050	L-Arginine	50 mg
CDX-00001981-100	L-Arginine	100 mg
CDX-00001985-001	DL-Arginine	1 g
CDX-00001990-001	D-Arginine	1 g
CDX-00001990-100	D-Arginine	100 mg
CDX-00001996-010	Arcaïne sulfate	10 mg
CDX-00002231-250	Betaine	250 mg
CDX-00003102-025	L-Canavanine sulfate	25 mg
CDX-00003102-100	L-Canavanine sulfate	100 mg
CDX-00003194-001	L-Carnitine	1 g
CDX-00003194-100	L-Carnitine	100 mg
CDX-00003195-001	DL-Carnitine chloride	1 g
CDX-00003195-005	DL-Carnitine chloride	5 g
CDX-00003201-100	L-Carnosine	100 mg
CDX-00003201-250	L-Carnosine	250 mg

## Natural products and food constituents

Code	Product	Unit
CDX-00003480-100	3-Chloro-L-tyrosine	100 mg
CDX-00003680-001	L-Citrulline	1 g
CDX-00003680-005	L-Citrulline	5 g
CDX-00003681-001	DL-Citrulline	1 g
CDX-00003681-100	DL-Citrulline	100 mg
CDX-00003855-001	Creatine hydrate	1 g
CDX-00003857-010	Creatine	10 mg
CDX-00003857-025	Creatine	25 mg
CDX-00003860-001	Creatine phosphate disodium salt	1 g
CDX-00003871-010	Creatinine	10 mg
CDX-00003871-025	Creatinine	25 mg
CDX-00003875-001	Creatinine HCl	1 g
CDX-00003981-005	S-Allyl-L-cysteine	5 mg
CDX-00003981-025	S-Allyl-L-cysteine	25 mg
CDX-00004330-100	2,6-Diaminopimelic acid	100 mg
CDX-00004640-001	beta-DL-(3,4-Dihydroxyphenyl)-alanine	1 g
CDX-00004640-250	beta-DL-3-(3,4-Dihydroxyphenyl)-alanine	250 mg
CDX-00004671-025	Di-Iodo-L-tyrosine dihydrate	25 mg
CDX-00004671-100	Di-Iodo-L-tyrosine dihydrate	100 mg
CDX-00007307-001	L-Glutamic acid	1 g
CDX-00007307-250	L-Glutamic acid	250 mg
CDX-00007310-001	L-Glutamine	1 g
CDX-00007310-100	L-Glutamine	100 mg
CDX-00007341-001	Glycine	1 g
CDX-00007341-250	Glycine	250 mg
CDX-00008255-001	L-Histidine	1 g
CDX-00008255-100	L-Histidine	100 mg
CDX-00008255-250	L-Histidine	250 mg
CDX-00008260-001	D-Histidine	1 g
CDX-00008260-100	D-Histidine	100 mg
CDX-00008260-250	D-Histidine	250 mg
CDX-00008261-001	DL-Histidine	1 g
CDX-00008261-250	DL-Histidine	250 mg
CDX-00008265-100	L-Histidinol dihydrochloride	100 mg
CDX-00008290-100	DL-Homocysteic acid	100 mg
CDX-00008294-010	DL-Homocysteine	10 mg
CDX-00008294-025	DL-Homocysteine	25 mg
CDX-00008300-001	DL-Homocysteine thiolactone hydrochloride	1 g
CDX-00008305-001	DL-Homocystine	1 g
CDX-00008323-100	L-Homophenylalanine	100 mg
CDX-00008504-005	4-Hydroxyisoleucine	5 mg
CDX-00008504-010	4-Hydroxyisoleucine	10 mg
CDX-00008520-010	3-Hydroxy-DL-kynurenine	10 mg
CDX-00008687-001	L-Hydroxyproline	1 g
CDX-00008687-100	L-Hydroxyproline	100 mg
CDX-00008695-001	trans-4-Hydroxy-L-proline	1 g
CDX-00008695-250	trans-4-Hydroxy-L-proline	250 mg
CDX-00008726-010	5-Hydroxytryptophan	10 mg
CDX-00008726-050	5-Hydroxytryptophan	50 mg
CDX-00009259-100	L-Isoleucine	100 mg
CDX-00011040-001	L-Asparagine	1 g

## Natural products and food constituents

Code	Product	Unit
CDX-00011040-100	L-Asparagine	100 mg
CDX-00011041-005	DL-Asparagine	5 g
CDX-00011041-100	DL-Asparagine	100 mg
CDX-00011042-005	D-Asparagine	5 g
CDX-00011042-100	D-Asparagine	100 mg
CDX-00011045-001	Aspartame	1 g
CDX-00011045-250	Aspartame	250 mg
CDX-00011050-001	D-Aspartic acid	1 g
CDX-00011050-100	D-Aspartic acid	100 mg
CDX-00011051-005	L-Aspartic acid	5 g
CDX-00011051-100	L-Aspartic acid	100 mg
CDX-00011052-005	DL-Aspartic acid	5 g
CDX-00011052-100	DL-Aspartic acid	100 mg
CDX-00012125-001	L-Leucine	1 g
CDX-00012125-100	L-Leucine	100 mg
CDX-00012600-001	L-Lysine HCl	1 g
CDX-00012600-005	L-Lysine HCl	5 g
CDX-00012605-001	L-(+)-Lysine	1 g
CDX-00012605-100	L-(+)-Lysine	100 mg
CDX-00012610-001	DL-Lysine dihydrochloride	1 g
CDX-00012610-005	DL-Lysine dihydrochloride	5 g
CDX-00012610-100	DL-Lysine dihydrochloride	100 mg
CDX-00013170-010	Melatonin	10 mg
CDX-00013170-050	Melatonin	50 mg
CDX-00013170-100	Melatonin	100 mg
CDX-00013250-001	DL-Methionine	1 g
CDX-00013255-025	L-Methionine	25 mg
CDX-00013255-100	L-Methionine	100 mg
CDX-00013270-100	DL-Methionine sulfoxide	100 mg
CDX-00013275-010	Methotrexate	10 mg
CDX-00013275-025	Methotrexate	25 mg
CDX-00013415-025	5-Methoxytryptamine	25 mg
CDX-00014520-001	D-Norleucine	1 g
CDX-00014520-005	D-Norleucine	5 g
CDX-00014525-001	L-Norleucine (Aminocaproic acid)	1 g
CDX-00014525-005	L-Norleucine (Aminocaproic acid)	5 g
CDX-00014525-100	L-Norleucine (Aminocaproic acid)	100 mg
CDX-00014535-001	L-Norvaline	1 g
CDX-00014535-100	L-Norvaline	100 mg
CDX-00014540-001	DL-Norvaline	1 g
CDX-00014540-100	DL-Norvaline	100 mg
CDX-00015390-100	L-Ornithine HCl	100 mg
CDX-00016255-100	L-Proline	100 mg
CDX-00016500-001	DL-Phenylalanine	1 g
CDX-00016503-100	L-Phenylalanine	100 mg
CDX-00016503-250	L-Phenylalanine	250 mg
CDX-00019164-001	L-serine	1 g
CDX-00019164-100	L-serine	100 mg
CDX-00019170-001	Serotonin creatine sulfate	1 g
CDX-00019170-100	Serotonin creatine sulfate	100 mg
CDX-00019180-100	Serotonin hydrochloride	100 mg

## Natural products and food constituents

Code	Product	Unit
CDX-00020056-100	Taurine	100 mg
CDX-00020056-250	Taurine	250 mg
CDX-00020249-010	L-Theanine	10 mg
CDX-00020249-025	L-Theanine	25 mg
CDX-00020260-001	L-Threonine	1 g
CDX-00020260-100	L-Threonine	100 mg
CDX-00020285-001	DL-Threonine (Allo-Free)	1 g
CDX-00020510-005	Tryptamine hydrochloride	5 g
CDX-00020510-025	Tryptamine hydrochloride	25 g
CDX-00020521-050	DL-Tryptophan	50 mg
CDX-00020521-100	DL-Tryptophan	100 mg
CDX-00020530-001	D-Tryptophan	1 g
CDX-00020530-100	D-Tryptophan	100 mg
CDX-00020540-001	L-(-)-Tryptophan	1 g
CDX-00020540-100	L-(-)-Tryptophan	100 mg
CDX-00020595-001	Tyramine	1 g
CDX-00020595-100	Tyramine	100 mg
CDX-00020601-050	Tyramine HCl	50 mg
CDX-00020601-100	Tyramine HCl	100 mg
CDX-00020610-001	DL-Tyrosine	1 g
CDX-00020610-250	DL-Tyrosine	250 mg
CDX-00020619-010	L-Tyrosine	10 mg
CDX-00020619-100	L-Tyrosine	100 mg
CDX-00020621-001	D-Tyrosine	1 g
CDX-00020621-100	D-Tyrosine	100 mg
CDX-00020621-250	D-Tyrosine	250 mg
CDX-00022101-001	L-Valine	1 g
CDX-00022101-100	L-Valine	100 mg
CDX-00031015-010	L-Cystathionine	10 mg
CDX-00031015-025	L-Cystathionine	25 mg
CDX-00031030-001	L-Cysteine	1 g
CDX-00031030-100	L-Cysteine	100 mg
CDX-00031035-001	L-Cysteine HCl	1 g
CDX-00031035-100	L-Cysteine HCl	100 mg
CDX-00031040-001	L-Cystine	1 g
CDX-00031040-100	L-Cystine	100 mg

### Vitamins

CDX-00003035-001	Calcitriol	1 mg
CDX-00003035-500	Calcitriol	0.5 mg
CDX-00003040-010	Calcium folinate (Folinic acid)	10 mg
CDX-00003040-050	Calcium folinate (Folinic acid)	50 mg
CDX-00004200-100	4-Deoxypyridoxine HCl	100 mg
CDX-00006170-250	Folic acid (Vitamin M)	250 mg
CDX-00013480-025	Methylcobalamin	25 mg
CDX-00013516-025	Methyl folate	25 mg
CDX-00013516-100	Methyl folate	100 mg
CDX-00014303-001	Niacin	1 g
CDX-00014303-010	Niacin	10 mg
CDX-00014303-250	Niacin	250 mg
CDX-00016323-100	2,2,5,7,8-Pentamethyl-6-hydroxychroman	100 mg

## Natural products and food constituents

Code	Product	Unit
CDX-00018110-100	13-cis-Retinoic acid	100 mg
CDX-00018120-005	9-cis-Retinoic acid	5 mg
CDX-00018285-001	Riboflavin-5'-phosphate	1 g
CDX-00020313-050	D-gamma-tocopherol	50 mg
CDX-00020313-250	D-gamma-tocopherol	250 mg
CDX-00020314-050	D-delta-tocopherol	50 mg
CDX-00020314-250	D-delta-tocopherol	250 mg
CDX-00020317-001	DL-alpha-tocopherol	1 g
CDX-00020317-250	DL-alpha-tocopherol	250 mg
CDX-00022713-001	Vitamin A acetate (Retinol acetate)	1 g
CDX-00022713-250	Vitamin A acetate (Retinol acetate)	250 mg
CDX-00022714-010	Vitamin A (Retinol)	10 mg
CDX-00022714-050	Vitamin A (Retinol)	50 mg
CDX-00022714-100	Vitamin A (Retinol)	100 mg
CDX-00022717-001	Vitamin A palmitate (Retinol palmitate)	1 g
CDX-00022717-250	Vitamin A palmitate (Retinol palmitate)	250 mg
CDX-00022719-001	Vitamin B1 (Thiamine)	1 g
CDX-00022719-050	Vitamin B1 (Thiamine)	50 mg
CDX-00022719-250	Vitamin B1 (Thiamine)	250 mg
CDX-00022720-001	Vitamin B2 (Riboflavin)	1 g
CDX-00022720-250	Vitamin B2 (Riboflavin)	250 mg
CDX-00022724-001	Vitamin B3 (Niacinamide)	1 g
CDX-00022724-250	Vitamin B3 (Niacinamide)	250 mg
CDX-00022728-001	Vitamin B5 (Calcium pantothenate)	1 g
CDX-00022728-250	Vitamin B5 (Calcium pantothenate)	250 mg
CDX-00022729-001	Vitamin B5 (Calcium pantothenate)	1 g
CDX-00022730-001	Vitamin B6 (Pyridoxine)	1 g
CDX-00022730-250	Vitamin B6 (Pyridoxine)	250 mg
CDX-00022731-001	Vitamin B6 (Pyridoxine)	1 g
CDX-00022731-250	Vitamin B6 (Pyridoxine)	250 mg
CDX-00022742-001	Vitamin B12 (Cyanocobalamin)	1 g
CDX-00022742-250	Vitamin B12 (Cyanocobalamin)	250 mg
CDX-00022750-001	Vitamin D2 (Ergocalciferol)	1 g
CDX-00022750-250	Vitamin D2 (Ergocalciferol)	250 mg
CDX-00022774-001	Vitamin D3 (Cholecalciferol)	1 g
CDX-00022774-100	Vitamin D3 (Cholecalciferol)	100 mg
CDX-00022774-250	Vitamin D3 (Cholecalciferol)	250 mg
CDX-00022801-010	Vitamin E (D Form)	10 mg
CDX-00022801-025	Vitamin E (D Form)	25 mg
CDX-00022803-001	Vitamin E (Tocopherol)	1 g
CDX-00022803-250	Vitamin E (Tocopherol)	250 mg
CDX-00022804-001	Vitamin E acetate (DL-alpha-Tocopherol acetate)	1 g
CDX-00022804-250	Vitamin E acetate (DL-alpha-Tocopherol acetate)	250 mg
CDX-00022807-001	Vitamin E Succinate (Tocopherol Succinate)	1 g
CDX-00022807-100	Vitamin E succinate (Tocopherol succinate)	100 mg
CDX-00022807-250	Vitamin E Succinate (Tocopherol Succinate)	250 mg
CDX-00022809-100	Vitamin H (Biotin)	100 mg
CDX-00022809-250	Vitamin H (Biotin)	250 mg
CDX-00022811-001	Vitamin H1 (4-Aminobenzoic acid) (PABA)	1 g
CDX-00022811-250	Vitamin H1 (4-Aminobenzoic acid) (PABA)	250 mg
CDX-00022815-001	Vitamin K1 (Phytonadione)	1 g

## Natural products and food constituents

Code	Product	Unit
CDX-00022816-001	Vitamin K1 (Phytonadione)	1 g
CDX-00022816-250	Vitamin K1 (Phytonadione)	250 mg
CDX-00022821-025	Vitamin K2 (Menaquinone)	25 mg
CDX-00022821-050	Vitamin K2 (Menaquinone)	50 mg
CDX-00022821-250	Vitamin K2 (4-Menaquinone)	250 mg
CDX-00022825-001	Vitamin K3 (Menadione)	1 g
CDX-00022825-250	Vitamin K3 (Menadione)	250 mg
CDX-00022826-050	Vitamin K5	50 mg

### Tea related polyphenols

CDX-00003315-005	(-)-Catechin gallate	5 mg
CDX-00003300-005	(-)-Catechin	5 mg
CDX-00003310-010	(+)-Catechin	10 mg
CDX-00003310-025	(+)-Catechin	25 mg
CDX-00003290-010	DL-Catechin	10 mg
CDX-00005135-005	(-)-Epicatechin gallate	5 mg
CDX-00005135-010	(-)-Epicatechin gallate	10 mg
CDX-00005135-025	(-)-Epicatechin gallate	25 mg
CDX-00005125-005	(-)-Epicatechin	5 mg
CDX-00005125-010	(-)-Epicatechin	10 mg
CDX-00005125-025	(-)-Epicatechin	25 mg
CDX-00005125-050	(-)-Epicatechin	50 mg
CDX-00005130-005	(+)-Epicatechin	5 mg
CDX-00005150-005	(-)-Epigallocatechin gallate	5 mg
CDX-00005150-010	(-)-Epigallocatechin gallate	10 mg
CDX-00005150-025	(-)-Epigallocatechin gallate	25 mg
CDX-00005150-050	(-)-Epigallocatechin gallate	50 mg
CDX-00005145-010	(-)-Epigallocatechin	10 mg
CDX-00005145-025	(-)-Epigallocatechin	25 mg
CDX-00005145-050	(-)-Epigallocatechin	50 mg
CDX-00030330-005	Green Tea BRM	5 g
CDX-00030331-005	Green Tea XRM	5 g
CDX-00020252-005	Theaflavine	5 mg
CDX-00020252-010	Theaflavine	10 mg
CDX-00020254-005	Theaflavine-3,3'-digallate	5 mg
CDX-00020254-010	Theaflavine-3,3'-digallate	10 mg
CDX-00020253-005	Theaflavine-3-gallate	5 mg
CDX-00020253-010	Theaflavine-3-gallate	10 mg

### Stevia related compounds

CDX-00004949-005	Dulcoside A	5 mg
CDX-00009591-010	Isosteviol	10 mg
CDX-00009591-050	Isosteviol	50 mg
CDX-00018226-001	Rebaudioside A	1 g
CDX-00018226-010	Rebaudioside A	10 mg
CDX-00018226-050	Rebaudioside A	50 mg
CDX-00018227-005	Rebaudioside B	5 mg
CDX-00018227-010	Rebaudioside B	10 mg
CDX-00018227-025	Rebaudioside B	25 mg
CDX-00018228-005	Rebaudioside C	5 mg
CDX-00018228-010	Rebaudioside C	10 mg
CDX-00018229-001	Rebaudioside D	1 mg



## Natural products and food constituents

Code	Product	Unit
CDX-00030120-005	Stevia Leaf RGBRM	5 g
CDX-00030121-005	Stevia Leaf XRM	5 g
CDX-00019352-010	Steviol	10 mg
CDX-00019352-025	Steviol	25 mg
CDX-00019349-010	Steviolbioside	10 mg
CDX-00019349-050	Steviolbioside	50 mg
CDX-00019351-010	Stevioside	10 mg
CDX-00019351-050	Stevioside	50 mg

### Caffeine related compounds

CDX-00003032-100	Caffeine	100 mg
CDX-00003032-200	Caffeine	200 mg
CDX-00020248-100	Theobromine	100 mg
CDX-00020248-200	Theobromine	200 mg
CDX-00020255-250	Theophylline	250 mg
CDX-00020256-100	Theophylline	100 mg
CDX-00020256-200	Theophylline	200 mg

### Lipid standards

U-FLSA-098	Arachidonic acid (99%)	100 mg
U-FLSA-101	Arachidonic acid (90%)	100 mg
U-FLSA-107	Arachidonic acid methyl ester (99%)	100 mg
U-FLSA-110	Arachidonic acid methyl ester (90%)	100 mg
U-FLSA-115	Butanedioic acid (Succinic acid)	1 g
U-FLSA-132	Butanedioic acid dimethyl ester	1 g
U-FLSA-002	Butanoic acid (Butyric acid)	1 g
U-FLSA-017	Butanoic acid methyl ester	1 g
U-FLSA-121	Decanedioic acid (Sebacic acid)	500 mg
U-FLSA-138	Decanedioic acid dimethyl ester	500 mg
U-FLSA-005	Decanoic acid (Capric acid)	1 g
U-FLSA-020	Decanoic acid methyl ester	1 g
U-FLSA-100	Docosahexenoic acid	100 mg
U-FLSA-109	Docosahexenoic acid methyl ester	100 mg
U-FLSA-011	Docosanoic acid (Behenic acid)	1 g
U-FLSA-026	Docosanoic acid methyl ester	1 g
U-FLMS-018	1-Docosanol (Behenyl Alcohol)	100 mg
U-FLSA-006	Dodecanoic acid (Lauric acid)	1 g
U-FLSA-021	Dodecanoic acid methyl ester	1 g
U-FLSA-091	11,14-Eicosadienoic acid	100 mg
U-FLSA-094	11,14-Eicosadienoic acid methyl ester	100 mg
U-FLSA-010	Eicosanoic acid (Arachidic acid)	1 g
U-FLSA-025	Eicosanoic acid methyl ester	1 g
U-FLMS-016	1-Eicosanol (Arachidyl Alcohol)	500 mg
U-FLSA-097	11,14,17-Eicosatrienoic acid	100 mg
U-FLSA-106	11,14,17-Eicosatrienoic acid methyl ester	100 mg
U-FLSA-072	11-Eicosenoic acid	100 mg
U-FLSA-086	11-Eicosenoic acid methyl ester	100 mg
U-FLSA-066	Elaidic acid	100 mg
U-FLSA-080	Elaidic acid methyl ester	100 mg
U-FLSA-073	Erucic acid	100 mg
U-FLSA-087	Erucic acid methyl ester	100 mg
U-FLSA-113	Ethanedioic acid (Oxalic acid)	1 g

## Natural products and food constituents

Code	Product	Unit
U-FLSA-130	Ethanedioic acid dimethyl ester	1 g
U-FLSA-001	Ethanoic acid (Acetic acid)	1 g
U-FLSA-016	Ethanoic acid methyl ester	1 g
U-FLSA-036	Hendecanoic acid (Undecylic acid)	100 mg
U-FLSA-051	Hendecanoic acid methyl ester	100 mg
U-FLSA-041	Heneicosanoic acid	100 mg
U-FLSA-056	Heneicosanoic acid methyl ester	100 mg
U-FLMS-017	1-Heneicosanol	100 mg
U-FLSA-059	Heptacosanoic acid methyl ester	50 mg
U-FLMS-023	1-Heptacosanol	50 mg
U-FLSA-039	Heptadecanoic acid (Margaric acid)	100 mg
U-FLSA-054	Heptadecanoic acid methyl ester	100 mg
U-FLMS-013	1-Heptadecanol	100 mg
U-FLSA-118	Heptanedioic acid (Pimelic acid)	1 g
U-FLSA-135	Heptanedioic acid dimethyl ester	1 g
U-FLSA-034	Heptanoic acid (Heptylic acid)	100 mg
U-FLSA-049	Heptanoic acid methyl ester	100 mg
U-FLSA-013	Hexacosanoic acid (Cerotic acid)	100 mg
U-FLSA-028	Hexacosanoic acid methyl ester	100 mg
U-FLMS-022	1-Hexacosanol (Ceretyl Alcohol)	50 mg
U-FLSA-008	Hexadecanoic acid (Palmitic acid)	1 g
U-FLSA-023	Hexadecanoic acid methyl ester	1 g
U-FLMS-012	1-Hexadecanol (Cetyl Alcohol)	1 g
U-FLSA-117	Hexanedioic acid (Adipic acid)	1 g
U-FLSA-134	Hexanedioic acid dimethyl ester	1 g
U-FLSA-003	Hexanoic acid (Caproic acid)	1 g
U-FLSA-018	Hexanoic acid methyl ester	1 g
U-FLSA-147	homo gamma-Linolenic acid	100 mg
U-FLSA-148	homo gamma-Linolenic acid methyl ester	100 mg
U-FLSA-089	Linoleic acid	100 mg
U-FLSA-092	Linoleic acid methyl ester	100 mg
U-FLSA-090	Linolelaidic acid	100 mg
U-FLSA-093	Linolelaidic acid methyl ester	100 mg
U-FLSA-095	Linolenic acid	100 mg
U-FLSA-104	Linolenic acid methyl ester	100 mg
U-FLSA-096	gamma Linolenic acid	100 mg
U-FLSA-105	gamma-Linolenic acid methyl ester	100 mg
U-FLSA-031	Methanoic acid (Formic acid)	1 g
U-FLSA-046	Methanoic acid methyl ester	1 g
U-FLBA-021	2-Methylbutanoic acid (Anteisovaleric acid)	50 mg
U-FLBA-030	2-Methylbutanoic acid methyl ester	50 mg
U-FLBA-034	10-Methyldodecanoic acid methyl ester	50 mg
U-FLBA-038	18-Methyleicosanoic acid methyl ester	25 mg
U-FLBA-004	10-Methylhendecanoic acid (Isolauric acid)	50 mg
U-FLBA-014	10-Methylhendecanoic acid methyl ester	50 mg
U-FLBA-007	16-Methylheptadecanoic acid (Isostearic acid)	10 mg
U-FLBA-017	16-Methylheptadecanoic acid methyl ester	10 mg
U-FLBA-002	6-Methylheptanoic acid (Isocaprylic acid)	50 mg
U-FLBA-012	6-Methylheptanoic acid methyl ester	50 mg
U-FLBA-027	14-Methylhexadecanoic acid (Anteisomargaric acid)	10 mg
U-FLBA-036	14-Methylhexadecanoic acid methyl ester	10 mg

## Natural products and food constituents

Code	Product	Unit
U-FLBA-022	4-Methylhexanoic acid (Anteisoheptylic acid)	50 mg
U-FLBA-031	4-Methylhexanoic acid methyl ester	50 mg
U-FLBA-008	18-Methylnonadecanoic acid (Isoarachidic acid)	25 mg
U-FLBA-018	18-Methylnonadecanoic acid methyl ester	25 mg
U-FLBA-003	8-Methylnonanoic acid (Isocapric acid)	50 mg
U-FLBA-013	8-Methylnonanoic acid methyl ester	50 mg
U-FLBA-028	16-Methyloctadecanoic acid (Anteisononadecylic acid)	25 mg
U-FLBA-037	16-Methyloctadecanoic acid methyl ester	25 mg
U-FLBA-032	6-Methyloctanoic acid methyl ester	50 mg
U-FLBA-006	14-Methylpentadecanoic acid (Isopalmitic acid)	10 mg
U-FLBA-016	14-Methylpentadecanoic acid methyl ester	10 mg
U-FLBA-001	4-Methylpentanoic acid (Isocaproic acid)	50 mg
U-FLBA-011	4-Methylpentanoic acid methyl ester	50 mg
U-FLBA-026	12-Methyltetradecanoic acid (Anteisopentadecylic acid)	10 mg
U-FLBA-035	12-Methyltetradecanoic acid methyl ester	10 mg
U-FLBA-015	12-Methyltridecanoic acid methyl ester	10 mg
U-FLSA-062	Myristoleic acid	100 mg
U-FLSA-076	Myristoleic acid methyl ester	100 mg
U-FLSA-074	Nervonic acid	100 mg
U-FLSA-088	Nervonic acid methyl ester	100 mg
U-FLSA-040	Nonadecanoic acid (Nonadecylic acid)	100 mg
U-FLSA-055	Nonadecanoic acid methyl ester	100 mg
U-FLMS-015	1-Nonadecanol	100 mg
U-FLSA-120	Nonanedioic acid (Azelaic acid)	500 mg
U-FLSA-137	Nonanedioic acid dimethyl ester	500 mg
U-FLSA-035	Nonanoic acid (Pelargonic acid)	100 mg
U-FLSA-050	Nonanoic acid methyl ester	100 mg
U-FLSA-014	Octacosanoic acid (Montanic acid)	100 mg
U-FLSA-029	Octacosanoic acid methyl ester	100 mg
U-FLMS-024	1-Octacosanol	50 mg
U-FLSA-127	Octadecanedioic acid	50 mg
U-FLSA-144	Octadecanedioic acid dimethyl ester	50 mg
U-FLSA-009	Octadecanoic acid (Stearic acid)	1 g
U-FLSA-024	Octadecanoic acid methyl ester	1 g
U-FLMS-014	1-Octadecanol (Stearyl Alcohol)	1 g
U-FLSA-067	cis-11-Octadecenoic acid	100 mg
U-FLSA-081	cis-11-Octadecenoic acid methyl ester	100 mg
U-FLSA-068	trans-11-Octadecenoic acid (Vaccenic acid)	100 mg
U-FLSA-082	trans-11-Octadecenoic acid methyl ester	100 mg
U-FLSA-119	Octanedioic acid (Suberic acid)	500 mg
U-FLSA-136	Octanedioic acid dimethyl ester	500 mg
U-FLSA-004	Octanoic acid (Caprylic acid)	1 g
U-FLSA-019	Octanoic acid methyl ester	1 g
U-FLSA-065	Oleic acid	100 mg
U-FLSA-079	Oleic acid methyl ester	100 mg
U-FLSA-064	Palmitelaidic acid	100 mg
U-FLSA-078	Palmitelaidic acid methyl ester	100 mg
U-FLSA-063	Palmitoleic acid	100 mg
U-FLSA-077	Palmitoleic acid methyl ester	100 mg
U-FLSA-058	Pentacosanoic acid methyl ester	50 mg
U-FLMS-021	1-Pentacosanol	50 mg

## Natural products and food constituents

Code	Product	Unit
U-FLSA-038	Pentadecanoic acid (Pentadecylic acid)	100 mg
U-FLSA-053	Pentadecanoic acid methyl ester	100 mg
U-FLSA-033	Pentanoic acid (Valeric acid)	100 mg
U-FLSA-048	Pentanoic acid methyl ester	100 mg
U-FLSA-071	Petroselinic acid	100 mg
U-FLSA-085	Petroselinic acid methyl ester	100 mg
U-FLBA-042	Phytanic acid (3,7,11,15-Tetramethylhexadecanoic acid)	25 mg
U-FLBA-043	Phytanic acid methyl ester (Methyl-3,7,11,15-tetramethylhexadecanoate)	25 mg
U-FLMS-035	Phytol (tech) (3,7,11,15-Tetramethyl-2-hexadecen-1-ol)	1 g
U-FLSA-114	Propanedioic acid (Malonic acid)	1 g
U-FLSA-131	Propanedioic acid dimethyl ester	1 g
U-FLSA-032	Propanoic acid (Propionic acid) E 280	1 g
U-FLSA-047	Propanoic acid methyl ester	1 g
U-FLSA-070	Ricinelaidic acid	100 mg
U-FLSA-084	Ricinelaidic acid methyl ester	100 mg
U-FLSA-069	Ricinoleic acid	100 mg
U-FLSA-083	Ricinoleic acid methyl ester	100 mg
U-FLSA-012	Tetracosanoic acid (Lignoceric acid)	100 mg
U-FLSA-027	Tetracosanoic acid methyl ester	100 mg
U-FLMS-020	1-Tetracosanol (Lignoceryl Alcohol)	50 mg
U-FLSA-125	Tetradecanedioic acid	100 mg
U-FLSA-142	Tetradecanedioic methyl ester	100 mg
U-FLSA-007	Tetradecanoic acid (Myristic acid)	1 g
U-FLSA-022	Tetradecanoic acid methyl ester	1 g
U-FLMS-010	1-Tetradecanol (Myristyl Alcohol)	1 g
U-FLSA-015	Triacotanoic acid (Mellisic acid)	100 mg
U-FLSA-030	Triacotanoic acid methyl ester	100 mg
U-FLMS-026	1-Triacotanol (Melissyl Alcohol)	50 mg
U-FLSA-057	Tricosanoic acid methyl ester	100 mg
U-FLMS-019	1-Tricosanol	100 mg
U-FLSA-037	Tridecanoic acid (Tridecylic acid)	100 mg
U-FLSA-052	Tridecanoic acid methyl ester	100 mg
U-FLPK-001	Unsaturated fatty acids & methyl esters Each kit contains 25 mg each of twenty compounds. cis-9-Tetradecenoic acid (Myristoleic acid) cis-9-Hexadecenoic acid (Palmitoleic acid) trans-9-Hexadecenoic acid (Palmitelaidic acid) cis-9-Octadecenoic acid (Oleic acid) trans-9-Octadecenoic acid (Elaidic acid) cis-9-cis-12-Octadecadienoic acid (Linoleic acid) trans-9-trans-12-Octadecadienoic acid (Linolelaidic acid) cis-9-cis-12-cis-15-Octadecenoate acid (Linolenic acid) cis-11-Eicosenoic acid (Gondonic acid) cis-13-Docosenoic acid (Erucic acid) Methyl cis-9-Tetradecanoate (Methyl myristoleate) Methyl cis-9-Hexadecenoate (Methyl palmitoleate) Methyl trans-9-Hexadecenoate (Methyl palmitelaidate) Methyl cis-9-Octadecenoate (Methyl oleate) trans-9-Octadecenoate (Methyl eleidate) Methyl cis-9-cis-12-Octadecadienoate (Methyl linoleate) Methyl trans-9-cis-12-Octadecadienoate (Methyl linelaidate) Methyl cis-9-cis-12-cis-15-Octadecatrienoate (Methyl linolenate) Methyl cis-11-Eicosenoate (Methyl gondonate) Methyl cis-13-Docosenoate (Methyl erucate)	kit

## Natural products and food constituents

Code	Product	Unit	
U-FLPK-003	<b>Fatty acids and methyl esters kit</b> Each kit contains 25 mg each of sixteen compounds. Nonanoic acid Undecanoic acid Tridecanoic acid Pentadecanoic acid Heptadecanoic acid Nonadecanoic acid Heneicosanoic acid Tricosanoic acid	Methyl nonanoate Methyl undecanoate Methyl tridecanoate Methyl pentadecanoate Methyl heptadecanoate Methyl nondecanoate Methyl heneicosanoate Methyl tricosanoate	kit
U-FLPK-004	<b>Fatty acids and methyl esters kit</b> Each kit contains 100 mg each of twenty compounds. Hexanoic acid (Caproic acid) Octanoic acid (Caprylic acid) Decanoic acid (Capric acid) Dodecanoic acid (Lauric acid) Tetradecanoic acid (Myristic acid) Hexadecanoic acid (Palmitic acid) Octadecanoic acid (Stearic acid) Eicosanoic acid (Arachidic acid) Docosanoic acid (Behenic acid) Tetracosanoic acid (Lignoceric acid) (25 mg)	Hexanoic acid methyl ester Octanoic acid methyl ester Decanoic acid methyl ester Dodecanoic acid methyl ester Tetradecanoic acid methyl ester Hexadecanoic acid methyl ester Octadecanoic acid methyl ester Eicosanoic acid methyl ester Docosanoic acid methyl ester Tetracosanoic acid methyl ester (25 mg)	kit
U-FLPK-005	<b>Volatile fatty acids</b> Each kit contains 1 gm each of ten compounds plus 5 mL of a mixture. Methanoic acid (Formic acid) Acetic acid Propanoic acid (Propionic acid) Butanoic acid (Butyric acid) Isobutyric acid Pentanoic acid (Valeric acid)	Isovaleric acid Hexanoic acid (Caproic acid) Heptanoic acid Octanoic acid (Caprylic acid) 0.1% C1-C5 Acids test solution in H <sub>2</sub> O (5 mL)	kit

Code	Product	Unit																																																																																																																																																															
<b>New</b> NIST-2377	Fatty acid methyl esters in 2,2,4-trimethylpentane This Standard Reference Material (SRM <sup>®</sup> ) is a solution of 26 fatty acid methyl esters (FAMES) in 2,2,4-trimethylpentane. This SRM is intended primarily for use in the calibration of chromatographic instrumentation used for the determination of FAMES. Certified Mass Fraction Values of FAMES	5 x 1.2mL																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>FAME</th> <th>CAS Registry No.</th> <th>Mass Fraction (mg/g)</th> </tr> </thead> <tbody> <tr><td>Octanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Caprylic acid methyl ester)</td><td>111-11-5</td><td>7.286 ± 0.054</td></tr> <tr><td>Decanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Capric acid methyl ester)</td><td>110-42-9</td><td>7.499 ± 0.058</td></tr> <tr><td>Dodecanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Lauric acid methyl ester)</td><td>111-82-0</td><td>7.93 ± 0.11</td></tr> <tr><td>Tetradecanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Myristic acid methyl ester)</td><td>124-10-7</td><td>7.11 ± 0.13</td></tr> <tr><td>Hexadecanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Palmitic acid methyl ester)</td><td>112-39-0</td><td>7.38 ± 0.32</td></tr> <tr><td>Octadecanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Stearic acid methyl ester)</td><td>112-61-8</td><td>7.68 ± 0.12</td></tr> <tr><td>Eicosanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Arachidic methyl ester)</td><td>1120-28-1</td><td>3.66 ± 0.21</td></tr> <tr><td>Docosanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Behenic acid methyl ester)</td><td>929-77-1</td><td>4.28 ± 0.10</td></tr> <tr><td>Tetracosanoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Lignoceric acid methyl ester)</td><td>2442-49-1</td><td>1.807 ± 0.081</td></tr> <tr><td>9-Tetradecenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Myristoleic acid methyl ester)</td><td>56219-06-8</td><td>1.894 ± 0.033</td></tr> <tr><td>9-Hexadecenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Palmitoleic acid methyl ester)</td><td>1120-25-8</td><td>5.031 ± 0.039</td></tr> <tr><td>9-Octadecenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Oleic acid methyl ester)</td><td>112-62-9</td><td>7.01 ± 0.31</td></tr> <tr><td>9-trans-Octadecenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Elaidic acid methyl ester)</td><td>1937-62-8</td><td>2.02 ± 0.18</td></tr> <tr><td>11-Octadecenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Vaccenic acid methyl ester)</td><td>1937-63-9</td><td>2.31 ± 0.14</td></tr> <tr><td>11-trans-Octadecenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(trans-Vaccenic acid methyl ester)</td><td>6198-58-9</td><td>2.368 ± 0.047</td></tr> <tr><td>9,12-Octadecadienoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Linoleic acid methyl ester)</td><td>112-63-0</td><td>7.33 ± 0.14</td></tr> <tr><td>9-trans,12-trans-Octadecadienoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Linoelaidic acid methyl ester)</td><td>2566-97-4</td><td>2.046 ± 0.015</td></tr> <tr><td>9,12,15-Octadecatrienoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(alpha-Linolenic acid methyl ester)</td><td>301-00-8</td><td>4.26 ± 0.26</td></tr> <tr><td>6,9,12-Octadecatrienoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(gamma-Linolenic acid methyl ester)</td><td>16326-32-2</td><td>1.796 ± 0.052</td></tr> <tr><td>11-Eicosenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Gondolic acid methyl ester)</td><td>2390-09-2</td><td>1.919 ± 0.081</td></tr> <tr><td>5,8,11,14-Eicosatetraenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Arachidonic acid methyl ester)</td><td>2566-89-4</td><td>1.511 ± 0.063</td></tr> <tr><td>5,8,11,14,17-Eicosapentaenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(EPA methyl ester)</td><td>2734-47-6</td><td>1.526 ± 0.068</td></tr> <tr><td>7,10,13,16,19-Docosapentaenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(DPA methyl ester)</td><td>108698-02-8</td><td>1.426 ± 0.030</td></tr> <tr><td>4,7,10,13,16,19-Docosahexaenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(DHA methyl ester)</td><td>2566-90-7</td><td>1.621 ± 0.082</td></tr> <tr><td>13-Docosenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Erucic acid methyl ester)</td><td>1120-34-9</td><td>2.204 ± 0.083</td></tr> <tr><td>15-Tetracosenoic acid methyl ester</td><td></td><td></td></tr> <tr><td>(Nervonic acid methyl ester)</td><td>2733-88-2</td><td>1.74 ± 0.011</td></tr> </tbody> </table>	FAME	CAS Registry No.	Mass Fraction (mg/g)	Octanoic acid methyl ester			(Caprylic acid methyl ester)	111-11-5	7.286 ± 0.054	Decanoic acid methyl ester			(Capric acid methyl ester)	110-42-9	7.499 ± 0.058	Dodecanoic acid methyl ester			(Lauric acid methyl ester)	111-82-0	7.93 ± 0.11	Tetradecanoic acid methyl ester			(Myristic acid methyl ester)	124-10-7	7.11 ± 0.13	Hexadecanoic acid methyl ester			(Palmitic acid methyl ester)	112-39-0	7.38 ± 0.32	Octadecanoic acid methyl ester			(Stearic acid methyl ester)	112-61-8	7.68 ± 0.12	Eicosanoic acid methyl ester			(Arachidic methyl ester)	1120-28-1	3.66 ± 0.21	Docosanoic acid methyl ester			(Behenic acid methyl ester)	929-77-1	4.28 ± 0.10	Tetracosanoic acid methyl ester			(Lignoceric acid methyl ester)	2442-49-1	1.807 ± 0.081	9-Tetradecenoic acid methyl ester			(Myristoleic acid methyl ester)	56219-06-8	1.894 ± 0.033	9-Hexadecenoic acid methyl ester			(Palmitoleic acid methyl ester)	1120-25-8	5.031 ± 0.039	9-Octadecenoic acid methyl ester			(Oleic acid methyl ester)	112-62-9	7.01 ± 0.31	9-trans-Octadecenoic acid methyl ester			(Elaidic acid methyl ester)	1937-62-8	2.02 ± 0.18	11-Octadecenoic acid methyl ester			(Vaccenic acid methyl ester)	1937-63-9	2.31 ± 0.14	11-trans-Octadecenoic acid methyl ester			(trans-Vaccenic acid methyl ester)	6198-58-9	2.368 ± 0.047	9,12-Octadecadienoic acid methyl ester			(Linoleic acid methyl ester)	112-63-0	7.33 ± 0.14	9-trans,12-trans-Octadecadienoic acid methyl ester			(Linoelaidic acid methyl ester)	2566-97-4	2.046 ± 0.015	9,12,15-Octadecatrienoic acid methyl ester			(alpha-Linolenic acid methyl ester)	301-00-8	4.26 ± 0.26	6,9,12-Octadecatrienoic acid methyl ester			(gamma-Linolenic acid methyl ester)	16326-32-2	1.796 ± 0.052	11-Eicosenoic acid methyl ester			(Gondolic acid methyl ester)	2390-09-2	1.919 ± 0.081	5,8,11,14-Eicosatetraenoic acid methyl ester			(Arachidonic acid methyl ester)	2566-89-4	1.511 ± 0.063	5,8,11,14,17-Eicosapentaenoic acid methyl ester			(EPA methyl ester)	2734-47-6	1.526 ± 0.068	7,10,13,16,19-Docosapentaenoic acid methyl ester			(DPA methyl ester)	108698-02-8	1.426 ± 0.030	4,7,10,13,16,19-Docosahexaenoic acid methyl ester			(DHA methyl ester)	2566-90-7	1.621 ± 0.082	13-Docosenoic acid methyl ester			(Erucic acid methyl ester)	1120-34-9	2.204 ± 0.083	15-Tetracosenoic acid methyl ester			(Nervonic acid methyl ester)	2733-88-2	1.74 ± 0.011	
FAME	CAS Registry No.	Mass Fraction (mg/g)																																																																																																																																																															
Octanoic acid methyl ester																																																																																																																																																																	
(Caprylic acid methyl ester)	111-11-5	7.286 ± 0.054																																																																																																																																																															
Decanoic acid methyl ester																																																																																																																																																																	
(Capric acid methyl ester)	110-42-9	7.499 ± 0.058																																																																																																																																																															
Dodecanoic acid methyl ester																																																																																																																																																																	
(Lauric acid methyl ester)	111-82-0	7.93 ± 0.11																																																																																																																																																															
Tetradecanoic acid methyl ester																																																																																																																																																																	
(Myristic acid methyl ester)	124-10-7	7.11 ± 0.13																																																																																																																																																															
Hexadecanoic acid methyl ester																																																																																																																																																																	
(Palmitic acid methyl ester)	112-39-0	7.38 ± 0.32																																																																																																																																																															
Octadecanoic acid methyl ester																																																																																																																																																																	
(Stearic acid methyl ester)	112-61-8	7.68 ± 0.12																																																																																																																																																															
Eicosanoic acid methyl ester																																																																																																																																																																	
(Arachidic methyl ester)	1120-28-1	3.66 ± 0.21																																																																																																																																																															
Docosanoic acid methyl ester																																																																																																																																																																	
(Behenic acid methyl ester)	929-77-1	4.28 ± 0.10																																																																																																																																																															
Tetracosanoic acid methyl ester																																																																																																																																																																	
(Lignoceric acid methyl ester)	2442-49-1	1.807 ± 0.081																																																																																																																																																															
9-Tetradecenoic acid methyl ester																																																																																																																																																																	
(Myristoleic acid methyl ester)	56219-06-8	1.894 ± 0.033																																																																																																																																																															
9-Hexadecenoic acid methyl ester																																																																																																																																																																	
(Palmitoleic acid methyl ester)	1120-25-8	5.031 ± 0.039																																																																																																																																																															
9-Octadecenoic acid methyl ester																																																																																																																																																																	
(Oleic acid methyl ester)	112-62-9	7.01 ± 0.31																																																																																																																																																															
9-trans-Octadecenoic acid methyl ester																																																																																																																																																																	
(Elaidic acid methyl ester)	1937-62-8	2.02 ± 0.18																																																																																																																																																															
11-Octadecenoic acid methyl ester																																																																																																																																																																	
(Vaccenic acid methyl ester)	1937-63-9	2.31 ± 0.14																																																																																																																																																															
11-trans-Octadecenoic acid methyl ester																																																																																																																																																																	
(trans-Vaccenic acid methyl ester)	6198-58-9	2.368 ± 0.047																																																																																																																																																															
9,12-Octadecadienoic acid methyl ester																																																																																																																																																																	
(Linoleic acid methyl ester)	112-63-0	7.33 ± 0.14																																																																																																																																																															
9-trans,12-trans-Octadecadienoic acid methyl ester																																																																																																																																																																	
(Linoelaidic acid methyl ester)	2566-97-4	2.046 ± 0.015																																																																																																																																																															
9,12,15-Octadecatrienoic acid methyl ester																																																																																																																																																																	
(alpha-Linolenic acid methyl ester)	301-00-8	4.26 ± 0.26																																																																																																																																																															
6,9,12-Octadecatrienoic acid methyl ester																																																																																																																																																																	
(gamma-Linolenic acid methyl ester)	16326-32-2	1.796 ± 0.052																																																																																																																																																															
11-Eicosenoic acid methyl ester																																																																																																																																																																	
(Gondolic acid methyl ester)	2390-09-2	1.919 ± 0.081																																																																																																																																																															
5,8,11,14-Eicosatetraenoic acid methyl ester																																																																																																																																																																	
(Arachidonic acid methyl ester)	2566-89-4	1.511 ± 0.063																																																																																																																																																															
5,8,11,14,17-Eicosapentaenoic acid methyl ester																																																																																																																																																																	
(EPA methyl ester)	2734-47-6	1.526 ± 0.068																																																																																																																																																															
7,10,13,16,19-Docosapentaenoic acid methyl ester																																																																																																																																																																	
(DPA methyl ester)	108698-02-8	1.426 ± 0.030																																																																																																																																																															
4,7,10,13,16,19-Docosahexaenoic acid methyl ester																																																																																																																																																																	
(DHA methyl ester)	2566-90-7	1.621 ± 0.082																																																																																																																																																															
13-Docosenoic acid methyl ester																																																																																																																																																																	
(Erucic acid methyl ester)	1120-34-9	2.204 ± 0.083																																																																																																																																																															
15-Tetracosenoic acid methyl ester																																																																																																																																																																	
(Nervonic acid methyl ester)	2733-88-2	1.74 ± 0.011																																																																																																																																																															

Please ask for information on the following product groups:

Conjugated PUFAs  
 Oxylipins  
 Hydroxy fatty acids  
 Epoxy fatty acids  
 Methyl branched fatty acids  
 Glycerides - Mono-/Di-/Tri-  
 Fatty alcohols  
 Wax esters  
 Phospholipids - natural/semisynthetic  
 Sphingolipids  
 Gangliosides and related compounds  
 Polyprenols

## Amino acids

### Amino acids

Code	Product	Unit																																										
NIST-2389	Amino acids mixture This material is a solution of 17 amino acids in a 0.1 mol/L aqueous solution of hydrochloric acid. It is intended primarily for the use in calibration of chromatographic instrumentation for the determination of amino acids. A unit of consists of five 2 mL ampoules each containing approximately 1.2 mL of the solution.	5 x 2 mL																																										
	<table border="0"> <thead> <tr> <th>Amino acid</th> <th>concentration mmol/L</th> <th>Amino acid</th> <th>concentration mmol/L</th> </tr> </thead> <tbody> <tr> <td>Alanine.....</td> <td>2.51 ± 0.09</td> <td>Lysine.....</td> <td>2.47 ± 0.10</td> </tr> <tr> <td>Arginine.....</td> <td>2.94 ± 0.14</td> <td>Methionine.....</td> <td>2.43 ± 0.09</td> </tr> <tr> <td>Aspartic acid.....</td> <td>2.50 ± 0.09</td> <td>Phenylalanine.....</td> <td>2.44 ± 0.08</td> </tr> <tr> <td>Cystine.....</td> <td>1.16 ± 0.04</td> <td>Proline.....</td> <td>2.44 ± 0.09</td> </tr> <tr> <td>Glutamic acid.....</td> <td>2.47 ± 0.08</td> <td>Serine.....</td> <td>2.43 ± 0.09</td> </tr> <tr> <td>Glycine.....</td> <td>2.45 ± 0.08</td> <td>Threonine.....</td> <td>2.39 ± 0.08</td> </tr> <tr> <td>Histidine.....</td> <td>2.83 ± 0.11</td> <td>Tyrosine.....</td> <td>2.47 ± 0.09</td> </tr> <tr> <td>Isoleucine.....</td> <td>2.39 ± 0.07</td> <td>Valine.....</td> <td>2.44 ± 0.08</td> </tr> <tr> <td>Leucine.....</td> <td>2.48 ± 0.09</td> <td></td> <td></td> </tr> </tbody> </table>	Amino acid	concentration mmol/L	Amino acid	concentration mmol/L	Alanine.....	2.51 ± 0.09	Lysine.....	2.47 ± 0.10	Arginine.....	2.94 ± 0.14	Methionine.....	2.43 ± 0.09	Aspartic acid.....	2.50 ± 0.09	Phenylalanine.....	2.44 ± 0.08	Cystine.....	1.16 ± 0.04	Proline.....	2.44 ± 0.09	Glutamic acid.....	2.47 ± 0.08	Serine.....	2.43 ± 0.09	Glycine.....	2.45 ± 0.08	Threonine.....	2.39 ± 0.08	Histidine.....	2.83 ± 0.11	Tyrosine.....	2.47 ± 0.09	Isoleucine.....	2.39 ± 0.07	Valine.....	2.44 ± 0.08	Leucine.....	2.48 ± 0.09					
Amino acid	concentration mmol/L	Amino acid	concentration mmol/L																																									
Alanine.....	2.51 ± 0.09	Lysine.....	2.47 ± 0.10																																									
Arginine.....	2.94 ± 0.14	Methionine.....	2.43 ± 0.09																																									
Aspartic acid.....	2.50 ± 0.09	Phenylalanine.....	2.44 ± 0.08																																									
Cystine.....	1.16 ± 0.04	Proline.....	2.44 ± 0.09																																									
Glutamic acid.....	2.47 ± 0.08	Serine.....	2.43 ± 0.09																																									
Glycine.....	2.45 ± 0.08	Threonine.....	2.39 ± 0.08																																									
Histidine.....	2.83 ± 0.11	Tyrosine.....	2.47 ± 0.09																																									
Isoleucine.....	2.39 ± 0.07	Valine.....	2.44 ± 0.08																																									
Leucine.....	2.48 ± 0.09																																											
U-WRK-145	Amino Acids ULTRAKit® for <b>qualitative</b> measurements 1% w/v of each analyte in Water	kit																																										
	<table border="0"> <tbody> <tr> <td>L-Alanine.....</td> <td>2 mL</td> <td>L-Isoleucine.....</td> <td>2 mL</td> <td>L-Serine.....</td> <td>2 mL</td> </tr> <tr> <td>Arginine.....</td> <td>2 mL</td> <td>L-Lysine.....</td> <td>2 mL</td> <td>Sarcosine.....</td> <td>2 mL</td> </tr> <tr> <td>Creatine.....</td> <td>2 mL</td> <td>L-Leucine.....</td> <td>2 mL</td> <td>L-Tryptophan.....</td> <td>2 mL</td> </tr> <tr> <td>L-Glutamic.....</td> <td>2 mL</td> <td>L-Methionine.....</td> <td>2 mL</td> <td>L-Threonine.....</td> <td>2 mL</td> </tr> <tr> <td>Glycine.....</td> <td>2 mL</td> <td>L-Norleucine.....</td> <td>2 mL</td> <td>L-Valine.....</td> <td>2 mL</td> </tr> <tr> <td>L-Histidine.....</td> <td>2 mL</td> <td>L-Proline.....</td> <td>2 mL</td> <td></td> <td></td> </tr> <tr> <td>Hydroxy-L-proline.....</td> <td>2 mL</td> <td>L-Phenylalanine.....</td> <td>2 mL</td> <td></td> <td></td> </tr> </tbody> </table>	L-Alanine.....	2 mL	L-Isoleucine.....	2 mL	L-Serine.....	2 mL	Arginine.....	2 mL	L-Lysine.....	2 mL	Sarcosine.....	2 mL	Creatine.....	2 mL	L-Leucine.....	2 mL	L-Tryptophan.....	2 mL	L-Glutamic.....	2 mL	L-Methionine.....	2 mL	L-Threonine.....	2 mL	Glycine.....	2 mL	L-Norleucine.....	2 mL	L-Valine.....	2 mL	L-Histidine.....	2 mL	L-Proline.....	2 mL			Hydroxy-L-proline.....	2 mL	L-Phenylalanine.....	2 mL			
L-Alanine.....	2 mL	L-Isoleucine.....	2 mL	L-Serine.....	2 mL																																							
Arginine.....	2 mL	L-Lysine.....	2 mL	Sarcosine.....	2 mL																																							
Creatine.....	2 mL	L-Leucine.....	2 mL	L-Tryptophan.....	2 mL																																							
L-Glutamic.....	2 mL	L-Methionine.....	2 mL	L-Threonine.....	2 mL																																							
Glycine.....	2 mL	L-Norleucine.....	2 mL	L-Valine.....	2 mL																																							
L-Histidine.....	2 mL	L-Proline.....	2 mL																																									
Hydroxy-L-proline.....	2 mL	L-Phenylalanine.....	2 mL																																									

## Food additives

### Colour standards

Code	Product	Unit
<b>New</b> NIM-GBW(E)100192	Allura Red (E 129) 100 µg/mL in Water	5 mL
<b>New</b> NIM-GBW(E)100002A	Amaranth colour 0.5 mg/mL in Water	10 mL
<b>New</b> NIM-GBW(E)100005A	Brilliant Blue 0.5 mg/mL in Water	10 mL
<b>New</b> NIM-GBW(E)100191	Erythrosine (E 127) 100 µg/mL in Water	5 mL
<b>New</b> NIM-GBW(E)100004A	Ponceau 4R 0.5 mg/mL in Water	10 mL
<b>New</b> NIM-GBW(E)100003A	Sunset Yellow 0.5 mg/mL in Water	10 mL
<b>New</b> NIM-GBW(E)100001A	Tartrazine 0.5 mg/mL in Water	10 mL

#### IBPO colour standards

Colour standards from the Institute of Dyes and Organic Products (IBPO) in Poland. The IBPO is accredited by PCA (Polish Centre for Accreditation) according to the standard PN-EN 17025.

Colour standards with E code

Food colours are usually mixtures containing several major constituents: the main coloring compound, inorganic salt and volatiles. Apart from main colour they often also contain isomeric dyes and dye intermediates. The following standards of colours from IBPO, used in the food industry, are arranged by E code for easy reference. Each colour reference standard is supplied with a detailed certificate of analysis which includes dye content value, determined by spectrophotometry, and values of impurities.

IBPO008	Tartrazine (E 102)	1 g
IBPO007	Quinoline Yellow (E 104)	1 g
IBPO009	Sunset Yellow FCF (E 110)	1 g
IBPO003	Azorubin (E 122)	1 g
IBPO005	Amaranth (E 123)	1 g
IBPO004	Ponceau 4R (E 124)	1 g
IBPO011	Erythrosine (E 127)	1 g
IBPO013	Red 2 G (E 128)	1 g
IBPO014	Allura Red AC (E 129)	1 g
IBPO012	Patent Blue V (E 131)	1 g



## Food additives

Code	Product	Unit
IBPO002	Indigotine (E 132)	1 g
IBPO015	Brilliant Blue FCF (E 133)	1 g
IBPO016	Brilliant Green BS (E 142)	1 g
IBPO010	Brilliant Black PN (E 151)	1 g
IBPO017	Brown HT(E 155)	1 g
	Dyes used for cosmetics	
IBPO006	Cosmetic Red A ( Acid Red 33 ) C.I. 17200	1 g
	Sudan dyes	
IBPO018	Sudan I C.I. 12055	1 g
IBPO019	Sudan II (Solvent orange 7) C.I. 12140	1 g
IBPO020	Sudan III (Solvent Red 23) C.I. 26100	1 g
IBPO021	Sudan IV (Solvent Red 24) C.I. 26105	1 g
IBPO022	Sudan Orange G (Solvent Orange 1) C.I. 11920	250 mg
IBPO023	Sudan Red 7B (Solvent Red 19) C.I. 26050	250 mg
IBPO027	Sudan Red 1 (Solvent Red G) C.I. 12150	1 g
	Other food dyes	
IBPO024	C.I. Pigment Red 1 (Para Red BS) C.I. 12070	1 g
IBPO025	Basic Violet 10 (Rhodamine B) C.I. 45170	1 g
IBPO026	Acid Orange 7 (Orange II) C.I. 15510	1 g
IBPO028	Solvent Yellow 56 C.I.11021	1 g
IBPO029	Solvent Yellow 2 (Butter yellow) C.I.11020	1 g

### Preservatives

	IPO F 170	Sorbic acid E 200 Certified purity..... 99.9%	250 mg
<b>New</b>	NIM-GBW(E)100007	Sorbic acid 1.0 mg/mL in Water	10 mL
	LGC7305	Potassium sorbate E 202 Certified purity..... 99.8 %	500 mg
	IPO F 010	Benzoic acid E 210 Certified purity..... 99.9%	250 mg
<b>New</b>	NIM-GBW(E)100006	Benzoic acid 1.0 mg/mL in Water	10 mL
	IPO F 022	Sodium benzoate (E 211)	250 mg
	IPO F 070	Ethyl-4-hydroxybenzoate (Ethylparaben) E 214 Certified purity..... 99.4%	250 mg
	IPO F 080	Propyl-4-hydroxybenzoate (Propylparaben) E 216 Certified purity..... 98.9%	250 mg

## Food additives

Code	Product	Unit
IPO F 075	Methyl-4-hydroxybenzoate (Methylparaben) E 218 Certified purity..... 99.9%	250 mg
IPO 054	Biphenyl (PCB 0) E 230 Certified purity..... 99.6%	250 mg
IPO 735	Thiabendazole E 233 Certified purity..... 98.8%	250 mg
IPO F 016	Hexamethylenetetraamine (E 239)	1 mL
U-FLSA-032	Propanoic acid (Propionic acid) E 280	1 g
IPO F 005	Propionic acid E 280, in preparation, available in April/June 2005	1 mL
IPO F 013	Fumaric acid (E 297)	250 mg
U-FLPK-002	Antimicrobial food additives kit Each kit contains 1 g each of thirteen compounds. Acetic acid Benzoic acid Butyl paraben Octanoic acid (Caprylic acid) Ethyl paraben Methyl paraben Potassium sorbate	kit
	Propanoic acid (Propionic acid) Propyl paraben Sodium benzoate Sodium nitrate Sodium nitrite Sorbic acid	

## Antioxidants

IPO F 009	Adipic acid (E 355)	250 mg
IPO F 014	Ascorbic acid (E 300)	250 mg
IPO F 015	Butylated hydroxyanisole (BHA) (E 320)	250 mg
IPO F 018	2,6-Di-tert-butyl-4-methylphenol (BHT) E 321 Certified purity..... 99.9%	250 mg
ERM-AC301	2-t-Butyl-4-methoxyphenol (BHA) E 320 Certified purity..... 99.2%	500 mg
IPO F 011	Citric acid (E 330)	250 mg
LGC7300	2,6-Di-tert-butyl-4-methylphenol (BHT) E 321 Certified purity..... 99.8%	500 mg
CIL-DLM-2943-1.2	2,6-Di-(tert-butyl)-4-methylphenol (BHT) (D <sub>21</sub> , 98%) 100 µg/mL in Nonane	1.2 mL
IPO F 021	Dodecyl gallate (E312)	250 mg
IPO F 007	D-(-)-Isoascorbic acid (E 315)	250 mg
IPO F 006	Octyl gallate E 311, in preparation, available in April/June 2005	250 mg
IPO F 003	Propyl gallate E 310 Certified purity..... 99.6%	250 mg
IPO F 012	Succinic acid (E 363)	250 mg
IPO F 008	L-(+)-Tartaric acid (E 334)	250 mg
U-FLPK-007	Antioxidant food additives kit Each kit contains 1 g each of thirteen compounds. Ascorbic acid Ascorbyl palmitate BHA (2 & 3-t-Butyl-4-methoxyphenol) BHT (2,6-di-tert-Butyl-4-methylphenol) t-Butylhydroquinone Ethoxyquin (1,2-Dihydro-6-ethoxy-2,2,4-trimethylquinoline) Erythorbic acid (Isoascorbic acid) Dilaurel thiodipropionate 4-Hydroxymethyl-2,6-di-t-butylphenol L-Glycine Propyl gallate Thiodipropionic acid THBP (2,4,5-Trihydroxybutyrophenone)	kit







## Mycotoxins

	Code	Product	Unit
	B-MYC0400-1	Fumonisin B1 50 µg/mL in Acetonitrile/water (1:1)	1 mL
<b>New</b>	B-MYC0400-2	Fumonisin B1 50 µg/mL in Acetonitrile/water (1:1)	2 mL
	B-MYC0400-5	Fumonisin B1 50 µg/mL in Acetonitrile/water (1:1)	5 mL
	B-MYC0400-C	Fumonisin B1	5 mg
	B-MYC0405-C	Fumonisin B1	10 mg
	B-MYC0410-1.2	Fumonisin B1 ( <sup>13</sup> C <sub>34</sub> ) 25 µg/mL in Acetonitrile/water (1:1) CERTAN®	1.2 mL
	B-MYC0420-1	Fumonisin B2 50 µg/mL in Acetonitrile/water (1:1)	1 mL
<b>New</b>	B-MYC0420-2	Fumonisin B2 50 µg/mL in Acetonitrile/water (1:1)	2 mL
	B-MYC0420-5	Fumonisin B2 50 µg/mL in Acetonitrile/water (1:1)	5 mL
	B-MYC0423-1.2	Fumonisin B2 (U- <sup>13</sup> C <sub>34</sub> ) 10 µg/mL in Acetonitrile/water (1:1) CERTAN®	1.2 mL
	B-MYC0425-1	Fumonisin B3 50 µg/mL in Acetonitrile/water (1:1)	1 mL
	B-MYC0430-1.2	Fumonisin B3 (U- <sup>13</sup> C <sub>34</sub> ) 10 µg/mL in Acetonitrile/water (1:1) CERTAN®	1.2 mL
	B-MYC0450-1	Fusarenon X 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	B-MYC0450-2	Fusarenon X 100 µg/mL in Acetonitrile	2 mL
	B-MYC0450	Fusarenon X 100 µg/mL in Acetonitrile	5 mL
	B-MYC0450-C	Fusarenon X	5 mg
	B-MYC0455-C	Fusarenon X	10 mg
	B-MYC1600-1	Glitoxin 100 µg/mL in Acetonitrile	1 mL
	B-MYC0560-1	HT-2 Toxin (HT-2) 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	B-MYC0560-2	HT-2 Toxin (HT-2) 100 µg/mL in Acetonitrile	2 mL
	B-MYC0560-5	HT-2 Toxin (HT-2) 100 µg/mL in Acetonitrile	5 mL
	B-MYC0565-1.2	HT-2 Toxin ( <sup>13</sup> C <sub>22</sub> ) 25 µg/mL in Acetonitrile CERTAN®	1.2 mL
	B-MYC1800-1	Monoliformin 100 µg/mL in Acetonitrile	1 mL
	B-MYC0457-1	Mycophenolic acid 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	B-MYC0457-2	Mycophenolic acid 100 µg/mL in Acetonitrile	2 mL
	B-MYC0457-5	Mycophenolic acid 100 µg/mL in Acetonitrile	5 mL
<b>New</b>	B-MYC0458-1.2	Mycophenolic acid ( <sup>13</sup> C <sub>17</sub> ) 100 µg/mL in Acetonitrile CERTAN®	1.2 mL
	B-MYC0460-1	Neosolaniol (NEO) 100 µg/mL in Acetonitrile Used as internal standard (IS) in mycotoxin analysis	1 mL
<b>New</b>	B-MYC0460-2	Neosolaniol (NEO) 100 µg/mL in Acetonitrile	2 mL
	B-MYC0460-5	Neosolaniol (NEO) 100 µg/mL in Acetonitrile	5 mL
	B-MYC0465-C	Neosolaniol	5 mg
	B-MYC0470-C	Neosolaniol	10 mg
	B-MYC0480-1	Nivalenol 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	B-MYC0480-2	Nivalenol 100 µg/mL in Acetonitrile	2 mL
	B-MYC0480-5	Nivalenol 100 µg/mL in Acetonitrile	5 mL
	IRMM-316	Nivalenol in Acetonitrile The material is provided in amber glass ampoules filled with 4 mL. Certified value Nivalenol .....24.0 ± 1.1 µg/g	Amp.
	B-MYC0480-C	Nivalenol hydrate	5 mg
	B-MYC0485-C	Nivalenol hydrate	10 mg
	B-MYC0490-1	Ochratoxin A 10 µg/mL in Acetonitrile	1 mL
<b>New</b>	B-MYC0490-2	Ochratoxin A 10 µg/mL in Acetonitrile	2 mL
	B-MYC0490-5	Ochratoxin A 10 µg/mL in Acetonitrile	5 mL
	B-MYC0490-C	Ochratoxin A	5 mg
	B-MYC0495-C	Ochratoxin A	10 mg
	B-MYC0495-1.2	Ochratoxin A ( <sup>13</sup> C <sub>20</sub> ) 10 µg/mL in Acetonitrile CERTAN®	1.2 mL
	B-MYC2000-1	Ochratoxin B 10 µg/mL in Acetonitrile	1 mL
	B-MYC2050-1	Ochratoxin-alpha 10 µg/mL in Acetonitrile	1 mL
	B-MYC0500-1	Patulin 100 µg/mL in Acetonitrile	1 mL

## Mycotoxins

	Code	Product	Unit
<b>New</b>	B-MYC0500-2	Patulin 100 µg/mL in Acetonitrile	2 mL
	B-MYC0500-5	Patulin 100 µg/mL in Acetonitrile	5 mL
<b>New</b>	B-MYC0505-C	Patulin	5 mg
	B-MYC2300-1	Paxilline 100 µg/mL in Acetonitrile	1 mL
	B-MYC2350-1	Penicillic acid 100 µg/mL in Acetonitrile	1 mL
	B-MYC0520-1	Sterigmatocystin 50 µg/mL in Acetonitrile	1 mL
<b>New</b>	B-MYC0520-2	Sterigmatocystin 50 µg/mL in Acetonitrile	2 mL
	B-MYC0520-5	Sterigmatocystin 50 µg/mL in Acetonitrile	5 mL
<b>New</b>	B-MYC0525-C	Sterigmatocystin	5 mg
	B-MYC0575-1	T-2 Tetraol 50 µg/mL in Acetonitrile	1 mL
	B-MYC0540-1	T-2 Toxin (T-2) 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	B-MYC0540-2	T-2 Toxin (T-2) 100 µg/mL in Acetonitrile	2 mL
	B-MYC0540-5	T-2 Toxin (T-2) 100 µg/mL in Acetonitrile	5 mL
	B-MYC0540-C	T-2 Toxin (T-2)	5 mg
	B-MYC0545-C	T-2 Toxin (T-2)	10 mg
	B-MYC0550-1.2	T-2 Toxin (T-2) (U- <sup>13</sup> C <sub>24</sub> ) 25 µg/mL in Acetonitrile CERTAN®	1.2 mL
	B-MYC0570-1	T-2 Triol 50 µg/mL in Acetonitrile	1.2 mL
	B-MYC2500-1	Verruculogen 100 µg/mL in Acetonitrile	1 mL
	B-MYC2600-1	Wortmannin 100 µg/mL in Acetonitrile	1 mL
	B-MYC0580-1	Zearalanone 10 µg/mL in Acetonitrile	1 mL
	B-MYC1200-1	alpha-Zearalanol (Zeranol) 10 µg/mL in Acetonitrile	1 mL
	B-MYC1220-1	beta-Zearalanol (Taleranol) 10 µg/mL in Acetonitrile	1 mL
	B-MYC1240-1	alpha-Zearalenol 10 µg/mL in Acetonitrile	1 mL
	NMIAP1795	alpha-Zearalenol	5 mg
			
	B-MYC1260-1	beta-Zearalenol 10 µg/mL in Acetonitrile	1 mL
	NMIAP1796	beta-Zearalenol	5 mg
			
<b>New</b>	B-MYC0600-1	Zearalenone 100 µg/mL in Acetonitrile	1 mL
	B-MYC0600-5	Zearalenone 100 µg/mL in Acetonitrile	5 mL
	B-MYC0600-C	Zearalenone	5 mg
	B-MYC0605-C	Zearalenone	10 mg
	ERM-AC699	Zearalenone in Acetonitrile The material is provided in amber glass ampoules filled with 4 mL.	Amp.
		Compound                      Certified value                      Uncertainty	
		Zearalenone..... 9.95 µg/mL..... 0.30 µg/mL	
	B-MYC0610-1.2	Zearalenone (U- <sup>13</sup> C <sub>18</sub> ) 25 µg/mL in Acetonitrile CERTAN®	1.2 mL

## Multicomponent standard solutions

	B-MYC0300-1	Aflatoxin Mixture Solvent: Acetonitrile Aflatoxin B1..... 2 µg/mL      Aflatoxin G1..... 2 µg/mL Aflatoxin B2..... 0.5 µg/mL      Aflatoxin G2..... 0.5 µg/mL	1 mL
<b>New</b>	B-MYC0300-2	Aflatoxin Mixture	2 mL
	B-MYC0300-5	Aflatoxin Mixture	5 mL
	B-MYC0305-1	Aflatoxin Mixture 0.25 µg/mL of each analyte in Acetonitrile Aflatoxin B1                      Aflatoxin B2                      Aflatoxin G1                      Aflatoxin G2	1 mL
<b>New</b>	B-MYC0305-2	Aflatoxin Mixture	2 mL
	B-MYC0305-6	Aflatoxin Mixture	6 mL
	B-MYC0440-1	Fumonisin Mixture 50 µg/mL of each analyte in Acetonitrile/water (1:1) Fumonisin B1                      Fumonisin B2	1 mL

## Mycotoxins

Code	Product	Unit
<b>New</b> B-MYC0440-2	Fumonisin Mixture	2 mL
B-MYC0440-5	Fumonisin Mixture	5 mL
B-MYC0700-1	B-Trichothecene Mixture 100 µg/mL of each analyte in Acetonitrile 3-Acetyl-deoxynivalenol (3-AcDON) 15-Acetyl-deoxynivalenol (15-AcDON)	1 mL
	Deoxynivalenol (DON) Nivalenol	
<b>New</b> B-MYC0700-2	B-Trichothecene Mixture	2 mL
B-MYC0700-5	B-Trichothecene Mixture	5 mL
B-MYC0750-1	A + B-Trichothecenes and Zearalenone Mixture 10 µg/mL of each analyte in Acetonitrile 3-Acetyl-deoxynivalenol (3-AcDON) Deoxynivalenol (DON) Nivalenol Fusarenon X	1 mL
	HT-2 Toxin T-2 Toxin Diacetoxyscirpenol Zearalenone	
<b>New</b> B-MYC0750-2	A + B-Trichothecenes and Zearalenone Mixture	2 mL
B-MYC0750-5	A + B-Trichothecenes and Zearalenone Mixture	5 mL



## Mycotoxins

Code	Product	Unit
<b>Mycotoxin matrix reference materials</b>		
ERM-BD282	Whole milk powder - Aflatoxin M1 (zero level) Compound Certified value µg/kg Aflatoxin M1 ..... < 0.002	30 g
ERM-BD283	Whole milk powder - Aflatoxin M1 (low level) Compound Certified value µg/kg Aflatoxin M1 ..... 0.111 ..... 0.018	30 g
ERM-BD284	Whole milk powder - Aflatoxin M1 (high level) Compound Certified value µg/kg Aflatoxin M1 ..... 0.44 ..... 0.06	30 g
BCR-262R	Defatted peanut meal (blank) - Aflatoxin B1 Certified value Aflatoxin B1 ..... <3 µg/kg	100 g
BCR-263R	Defatted peanut meal - Aflatoxin B1, B2 and G1 Certified values Aflatoxin B1 ..... 17.1 ± 2.4 µg/kg      Aflatoxin B2 ..... 3.0 ± 0.4 µg/kg      Aflatoxin B3 ..... 3.0 ± 0.5 µg/kg	100 g
BCR-396	Wheat flour - Deoxynivalenol (DON) blank Certified value Deoxynivalenol ..... <0.05 mg/kg	150 g
BCR-471	Wheat - Ochratoxin A (blank) Certified value Ochratoxin A ..... < 0.6 µg/kg	55 g
<b>New</b> B-MYC0856	Wheat flour - Deoxynivalenol Certified values Deoxynivalenol ..... 877 ± 23 µg/kg	55 g
BCR-377	Maize flour - Deoxynivalenol (blank) Certified value Deoxynivalenol ..... <0.05 mg/kg	150 g
ERM-BC716	Maize - very low level ZON Compound Certified value Zearalenone ..... <5 µg/kg	60 g
ERM-BC717	Maize - low level ZON Compound Certified value Zearalenone ..... 83 µg/kg ..... 9 µg/kg	60 g
<b>New</b> B-MYC0851	Maize flour - Aflatoxins Certified values Aflatoxin B ..... 1 7.4 ± 0.37 µg/kg Aflatoxin B2 ..... 0.7 ± 0.07 µg/kg Aflatoxin G1 ..... <LOD* Aflatoxin G2 ..... <LOD* Aflatoxins total (sum of B1,B2,G1and G2) ..... 8.9 ± 0.26 µg/kg *The LOD for Aflatoxin G1 of the used method for in-house characterization of the material is 0.1 µg/kg, for Aflatoxin G2 the LOD is 0.1 µg/kg	55 g
BCR-375	Compound feed - Aflatoxin B1 (blank) Certified value Aflatoxin B1 ..... <1 µg/kg	50 g
B-MYC0880	Wheat flour check sample - Ochratoxin A Indicative value Ochratoxin A ..... 2.7 ± 1.0 µg/kg	100 g
<b>New</b> B-MYC0890	Maize flour check sample - Aflatoxins Indicative values Aflatoxin B1 ..... 8.30 ± 2.34 µg/kg Aflatoxin B2 ..... 0.65 ± 0.43 µg/kg Aflatoxin G1 ..... <LOD* Aflatoxin G2 ..... <LOD* Aflatoxins total (sum of B1,B2,G1 and G2) ..... 8.96 ± 2.63 µg/kg * The LOD for Aflatoxin G1 of the used method is 0.1 µg/kg, for Aflatoxin G2 the LOD is 0.1 µg/kg	100 g

## Ergot alkaloids

Code	Product	Unit
<b>New</b> B-MYC0891	Maize flour check sample - Aflatoxins Indicative values Aflatoxin B1..... 15.47± 3.93 µg/kg Aflatoxin B2..... 0.85 ± 0.34 µg/kg Aflatoxin G1 ..... <LOD* Aflatoxin G2 ..... <LOD* Aflatoxins total (sum of B1,B2,G1 and G2)..... 16.32 ± 4.05 µg/kg * The LOD for Aflatoxin G1 of the used method is 0.1 µg/kg, for Aflatoxin G2 the LOD is 0.1 µg/kg	100 g
<b>New</b> B-MYC0892	Maize flour check sample - Deoxynivalenol Indicative value Deoxynivalenol .....2010 ± 290 µg/kg	100 g
<b>New</b> B-MYC0893	Maize flour check sample - Fumonisinis Indicative values Fumonisin B1.....2630 ± 740 µg/kg      Fumonisin B3..... 310 ± 210 µg/kg Fumonisin B2.....690 ± 340 µg/kg	100 g
<b>New</b> B-MYC0894	Maize flour check sample - Fumonisinis Indicative values Fumonisin B1.....270 ± 110 µg/kg      Fumonisin B3..... <80 µg/kg Fumonisin B2.....<80 µg/kg	100 g
<b>New</b> B-MYC0895	Maize flour check sample - Zearalenone Indicative value Zearalenone.....177.3 ± 64.8 µg/kg	100 g

## Ergot alkaloids

### Single compounds

Code	Product	Unit
B-MYC3100-5	Ergocornine - Dried down standard Concentration after reconstitution..... 100 µg/mL	0.5 mg (5 mL)
<b>New</b> B-MYC3150-5	Ergocorninine - Dried down standard Concentration after reconstitution..... 25 µg/mL	125 mg
B-MYC3200-5	Ergocristine - Dried down standard Concentration after reconstitution..... 100 µg/mL	0.5 mg (5 mL)
<b>New</b> B-MYC3250-5	Ergocristinine - Dried down standard Concentration after reconstitution..... 25 µg/mL	0.125 mg
B-MYC3300-5	Ergocryptine - Dried down standard Concentration after reconstitution..... 100 µg/mL	0.5 mg (5 mL)
<b>New</b> B-MYC3350-5	Ergocryptinine - Dried down standard Concentration after reconstitution..... 25 µg/mL	0.125 mg
B-MYC3400-5	Ergometrine - Dried down standard DRUG PRECURSOR Concentration after reconstitution..... 100 µg/mL	0.5 mg (5 mL)
<b>New</b> B-MYC3450-5	Ergometrinine - Dried down standard DRUG PRECURSOR	0.125 mg
B-MYC3500-5	Ergosine - Dried down standard Concentration after reconstitution..... 100 µg/mL	0.5 mg (5 mL)
<b>New</b> B-MYC3550-5	Ergosinine - Dried down standard Concentration after reconstitution..... 25 µg/mL	0.125 mg
B-MYC3600-5	Ergotamine - Dried down standard DRUG PRECURSOR Concentration after reconstitution..... 100 µg/mL	0.5 mg (5 mL)
<b>New</b> B-MYC3650-5	Ergotaminine - Dried down standard DRUG PRECURSOR Concentration after reconstitution..... 25 µg/mL	0.125 mg

## Shellfish toxins

Code	Product	Unit
<b>Multicomponent standard solutions</b>		
B-MYC3900-5	Ergotalkaloid Mix 6 - Dried down standard DRUG PRECURSOR 100 µg/mL of each analyte in an appropriate solvent after reconstitution	5 mL
	Ergocornine Ergocristine	Ergocryptine Ergometrine
		Ergosine Ergotamine

## Ergot alkaloid matrix reference materials

<b>New</b>	B-MYC0852	Rye - Ergot alkaloids	55 g
		Certified values	
		Ergometrine .....595 ± 745 µg/kg	Ergotamine..... 1349 ± 1156 µg/kg
		Ergometrinine .....335 ± 758 µg/kg	Ergotaminine..... 464 ± 367 µg/kg
		Ergosine.....537 ± 260 µg/kg	Ergocornine..... 614 ± 156 µg/kg
		Ergosinine.....331 ± 476 µg/kg	Ergocorninine..... 362 ± 391 µg/kg
		alpha-Ergocryptine.....570 ± 52 µg/kg	Ergocristine ..... 923 ± 195 µg/kg
		alpha-Ergocryptinine.....477 ± 526 µg/kg	Ergocristinine ..... 462 ± 469 µg/kg

## Shellfish toxins

Not all hazardous substances found in foodstuffs are anthropogenic, and the shellfish toxins are a case in point. These toxins, which are produced by algae, accumulate in various seafoods, and are generally classified as follows:

Paralytic shellfish poisoning (PSP) toxins are the most common and dangerous family of marine biotoxins found around the world. PSP toxins are produced by microscopic algae in seawater that periodically form dense blooms and then die off. The toxin, a mixture of tetrahydropurines, named Saxitoxins has been known for centuries and has caused respiratory paralysis.

Okadaic acid (OA) and the dinophysistoxins (DTX) are the principal toxin associated with diarrhetic shellfish poisoning (DSP). These are less dangerous than the PSP toxins.

Domoic acid is known to be the toxin responsible for incidents of amnesic shellfish poisoning (ASP), in humans and sea animals on the east and west coasts of North America. Monitoring programs have shown that the causative organisms, diatoms of the Pseudonitzshia species, are found worldwide and that shellfish contamination occurs in many countries.

## Diarrhetic shellfish poisons (DSP) and other lipophilic toxins

Code	Product	Unit
NRCCRM-OA-C	Okadaic acid solution in methanol Each ampoule contains approximately 0.5 mL of solution with 17.7 ± 1.8 µmoles/L (at 20 °C)/14.3 ± 1.5 µg/mL (at 20 °C)/18.1 ± 1.8 µg/g of Okadaic acid in methanol.	0.5 mL
<b>New</b>	NRCCRM-DSP-MUSMussel tissue - Okadaic acid and Dinophysistoxin-1 A thermally sterilized mixed homogenate of mussel ( <i>Mytilus edulis</i> ) digestive gland tissue and a small amount of the dinoflagellate <i>Prorocentrum lima</i> . Certified values Okadaic acid (OA) ..... 10.1 µg/g Dinophysistoxin 1 (DTX1) ..... 1.3 µg/g	4 g
NRCCRM-SPX1	13-Desmethyl Spirolide C solution Each ampoule contains approximately 0.5 mL of solution with 10.2 ± 0.5 µmoles/L at 20°C (8.9 µg/g) of 13-Desmethyl Spirolide C in methanol with 0.05% trifluoroacetic acid (TFA).	0.5 mL
NRCCRM-GYM	Gymnodimine (GYM) Each ampoule contains approximately 0.5 mL of solution with 10.0 ± 0.5 µmoles/L at 20°C (6.4 ± 0.3 µg/g) of Gymnodimine (GYM) in methanol with 0.05% trifluoroacetic acid (TFA).	0.5 mL
NRCCRM-PTX2	Pectenotoxin-2 (PTX2) solution Each ampoule contains approximately 0.5 mL of solution with 10.0 ± 0.4 µmoles/L at 20°C (10.9 ± 0.4 µg/g) of Pectenotoxin-2 (PTX2) in methanol.	0.5 mL
NRCCRM-YTX	Yessotoxin (YTX) Each ampoule contains approximately 0.5 mL of solution with 4.5 µmol/L (5.3 µg/mL) YTX in methanol.	0.5 mL
NRCCRM-AZA1	Azaspiracid-1 solution Each ampoule contains approximately 0.5 mL of solution with 1.47 ± 0.08 µmol/L AZA1 in methanol.	0.5 mL
<b>New</b>	NRCCRM-AZA2 Azaspiracid-2 solution Each ampoule contains approximately 0.5 mL of solution with 1.5 ± 0.06 µmol/L AZA2 in methanol.	0.5 mL
<b>New</b>	NRCCRM-AZA3 Azaspiracid-3 solution Each ampoule contains approximately 0.5 mL of solution with 1.25 ± 0.05 µmol/L AZA3 in methanol.	0.5 mL



## Miscellaneous food related standards

Code	Product	Unit
CHE 100	Acetone	2 mL
CIL-ULM-6721-1.2	Acrylamide (unlabelled) (+100 ppm Hydroquinone 100 µg/mL in Methanol)	1.2 mL
CIL-CLM-813-1.2	Acrylamide (1,2,3- <sup>13</sup> C <sub>3</sub> ,99%) (+100 ppm Hydroquinone) 1000 µg/mL in Methanol	1.2 mL
IPO F 004	Benzyl alcohol	250 mg
CHE 123	Ethyl acetate	2 mL
CHE 111	n-Hexane	2 mL
IPO F 165	Nicotinic acid	250 mg
CIL-CDLM-7279-S	N-Nitrosodimethylamine ( <sup>13</sup> C <sub>2</sub> ,99%;D <sub>6</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL

## Tobacco related standards

Code	Product	Unit
ERM-AC802	Nicotine	0.6 mL
IPO 505	Nicotine	500 mg
DE-SAL-0100	Nicotine salicylate (in accordance to ISO/DIS 13276)	1 g
DE-SAL-0200	Nicotinehydrogen-L-tartrate (in accordance to ISO/DIS 13276)	1 g
DE-SAL-4100	1,3 Propanediol 99 % (GC)	1 g
DE-SAL-4200	1,2-Propanediol 99.5 % (GC)	1 g
DE-SAL-4300	1,2,3-Propanetriol (Glycerol) 99 % (HPLC)	1 g
IPO F 010	Benzoic acid E 210 Certified purity.....99.9%	250 mg
CIL-DLM-122-1	Benzoic acid (ring-D <sub>5</sub> ,98%)	1 g
CIL-DLM-122-5	Benzoic acid (ring-D <sub>5</sub> ,99%)	5 g
IPO F 170	Sorbic acid E 200 Certified purity.....99.9%	250 mg
CIL-ULM-7309-1.2	4-Methylumbelliferone (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-6023-1.2	4-Methylumbelliferone (2,3,4-methyl- <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-7168-1.2	NAB (Nitrosoanabasine) (unlabelled) 0.5 mg/mL in Acetonitrile	1.2 mL
CIL-ULM-7207-1.2	NAT (Nitrosoanatabine) (unlabelled) 2000 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4555-1.2	NNK (Nicotine-derived nitrosamine ketone) (1,2',3',4',5',6'- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane/Ethanol (9:1)	1.2 mL
CIL-CLM-4557-1.2	NNN (N-Nitrosornicotine) (2,2',3,4,5,6- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane/Ethanol (9:1)	1.2 mL

# Contaminant standards









# HPLC COSMOSIL columns from Nacalai Tesque



LGC Standards, in partnership with Nacalai Tesque, offers a range of high performance liquid chromatography (HPLC) Cosmosil columns. Cosmosil HPLC columns are based on high purity spherical silica gels giving excellent separation and reproducibility. Each Cosmosil HPLC column is tested prior to sale and supplied with an inspection report.

Nacalai Tesque is an ISO 9001:2000 certified and registered manufacturer of products for research fields including Molecular Biology, Proteomics and Liquid Chromatography. Nacalai Tesque's Quality Control Systems assure that every product conforms to strict regulations and customer requirements.

## COSMOSIL specialities

	Cholesterol	ω18AP	PYE	HILIC	Protein-R	Sugar-D
Packing Material	High Purity Porous Spherical Silica					
Average Particle Size	5 µm					
Average Pore Size	approx. 120 Å			approx. 300 Å		
Stationary Phase						
Key Interaction	Hydrophobic Interaction Molecular Sieve Separation	Hydrophobic Interaction π-π Interaction	Hydrophobic Interaction π-π Interaction Dipole-dipole Interaction Charge-charge Interaction	Hydrophobic Interaction	Hydrophobic Interaction	Hydrophobic Interaction
Column Content	approx. 20%	approx. 15%	approx. 10%	---	---	---
Features	Specialty for steroidal compounds under the same conditions as C <sub>18</sub>	Stronger π-π interaction than phenyl column	The most powerful π-π interaction	Suitable for highly polar compounds regardless of their weight	High recovery with small amount	High stability Low absorption Suitable for bioassay analysis

Please contact your local LGC Standards office for further information.

**Cosmosil ODS and speciality columns include:**

**COSMOSIL 5C18-MS-II**

**COSMOSIL 5C18-AR-II**

**COSMOSIL 5C18-PAQ**

**COSMOSIL Cholester**

**COSMOSIL $\pi$ NAP**

**COSMOSIL PYE**

**COSMOSIL HILIC**

**COSMOSIL Protein-R**

**COSMOSIL Sugar-D**

[www.lgcstandards.com](http://www.lgcstandards.com)



Excellence through measurement



## Pesticides

	Code	Product	Unit
<b>Single compounds</b>			
	FL-31732-100MG	Abamectin PESTANAL®	100 mg
<b>New</b>	U-PST-1870M100A01	Abamectin 100 µg/mL in Methanol	1 mL
	IPO 001	Acephate	250 mg
	FL-45315-250MG	Acephate PESTANAL®	250 mg
<b>New</b>	U-PST-1210	Acephate	100 mg
<b>New</b>	U-PST-1210M100A01	Acephate 100 µg/mL in Methanol	1 mL
	CIL-DLM-6000-1.2	Acephate (D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	IPO 008	Acetamiprid	100 mg
	FL-33674-100MG	Acetamiprid PESTANAL®	100 mg
	FL-33379-100MG	Acetochlor PESTANAL®	100 mg
<b>New</b>	U-PST-1880M100A01	Acetochlor 100 µg/mL in Methanol	1 mL
	FL-34145-10MG	Acetochlor ESA sodium salt PESTANAL®	10 mg
	FL-34144-10MG	Acetochlor OA PESTANAL®	10 mg
	FL-36681-1G	Acetonchloroform PESTANAL®	1 g
<b>New</b>	FL-32820-100MG	Acibenzolar-S-methyl PESTANAL®	100 mg
<b>New</b>	U-PST-1755	Acifluorfen	100 mg
<b>New</b>	U-PST-1755M100A01	Acifluorfen 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1755B100A01	Acifluorfen 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
	FL-34311-50MG	Acifluorfen PESTANAL®	50 mg
	FL-36792-250MG	Aclonifen PESTANAL®	250 mg
	IPO 010	Acrinathrin	100 mg
	FL-46415-100MG	Acrinathrin PESTANAL®	100 mg
<b>New</b>	U-PST-2060	Acrinathrin	10 mg
<b>New</b>	U-PST-2060C100A01	Acrinathrin 100 µg/mL in Cyclohexane	1 mL
	IPO 003	Alachlor	250 mg
	CERERA-053	Alachlor	250 mg
	FL-45316-250MG	Alachlor PESTANAL®	250 mg
<b>New</b>	U-PST-625	Alachlor	100 mg
<b>New</b>	U-PST-625M100A01	Alachlor 100 µg/mL in Methanol	1 mL
	U-EPA-1068	Alachlor 5000 µg/mL in Methanol	1 mL
	CIL-CLM-3727-1.2	Alachlor (ring- <sup>13</sup> C <sub>6</sub> ,98%) 100 µg/mL in Nonane (Chemical purity 96%)	1.2 mL
	CIL-CLM-3687-1.2	Alachlor acetylcysteine adduct (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-34147-10MG	Alachlor ESA sodium salt PESTANAL®	10 mg
	FL-34146-10MG	Alachlor OA PESTANAL®	10 mg
<b>New</b>	FL-32872-100MG	Alanycarb PESTANAL®	100 mg
		Alar see Daminozide	
	IPO 002	Aldicarb	250 mg
	CERERA-054	Aldicarb	250 mg
	FL-33386-100MG	Aldicarb PESTANAL®	100 mg
<b>New</b>	U-PST-940	Aldicarb	100 mg
<b>New</b>	U-PST-940A100A01	Aldicarb 100 µg/mL in Acetonitrile	1 mL

## Pesticides

	Code	Product	Unit
	FL-33387-100MG	Aldicarb-sulfone PESTANAL®	100 mg
<b>New</b>	U-PST-1215	Aldicarb-sulfone	10 mg
<b>New</b>	U-PST-1215A100A01	Aldicarb-sulfone 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1215M100A01	Aldicarb-sulfone 100 µg/mL in Methanol	1 mL
	FL-31258-100MG	Aldicarb-sulfoxide PESTANAL®	100 mg
<b>New</b>	U-PST-1760A100A01	Aldicarb-sulfoxide 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1760M100A01	Aldicarb-sulfoxide 100 µg/mL in Methanol	1 mL
		Aldoxycarb see Aldicarb-sulfone	
	IPO 004	Aldrin	250 mg
	CERERA-006	Aldrin	100 mg
<b>New</b>	U-PST-010	Aldrin	10 mg
<b>New</b>	U-PST-010I100A01	Aldrin 100 µg/mL in Isooctane	1 mL
	FL-36666-25MG	Aldrin (HHDN)	25 mg
	U-EPA-1067	Aldrin 5000 µg/mL in Methanol	1 mL
	CIL-CLM-4725-1.2	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-33396-100MG	Allethrin mixture of stereo isomers PESTANAL®	100 mg
<b>New</b>	U-PST-020	Allethrin	100 mg
	FL-45318-100MG	Allidochlor PESTANAL®	100 mg
<b>New</b>	U-PST-867	Allidochlor	100 mg
	FL-45319-250MG	Alloxydim-sodium PESTANAL®	250 mg
	U-EPA-1191	Allyl alcohol 5000 µg/mL in Methanol	1 mL
	FL-36682-1G	Allyl iso-thiocyanate stabilised PESTANAL®	1 g
	FL-45321-250MG	Ametryn PESTANAL®	250 mg
<b>New</b>	U-PST-024	Ametryn	100 mg
<b>New</b>	U-PST-024M100A01	Ametryn 100 µg/mL in Methanol	1 mL
	FL-33588-100MG	Amidosulfuron PESTANAL®	100 mg
	FL-31189-250MG	2-Aminobenzimidazole PESTANAL®	250 mg
	FL-45322-250MG	Aminocarb PESTANAL®	250 mg
<b>New</b>	U-PST-660	Aminocarb (Metacil)	100 mg
	FL-32999-25MG	Aminoethoxyvinyl glycine hydrochloride PESTANAL®	25 mg
	FL-36683-1G	2-Aminophenol PESTANAL®	1 g
	FL-36684-1G	3-Aminophenol PESTANAL®	1 g
	FL-35837-1G	4-Aminophenol PESTANAL®	1 g
	FL-36685-1G	2-Aminopyridine PESTANAL®	1 g
	FL-36687-1G	4-Aminopyridine PESTANAL®	1 g
	IPO 020	Amitraz	250 mg
	FL-45323-250MG	Amitraz PESTANAL®	250 mg
<b>New</b>	U-PST-1895A100A01	Amitraz 100 µg/mL in Acetonitrile	1 mL
	FL-45324-250MG	Amitrole PESTANAL®	250 mg
<b>New</b>	U-PST-030	Amitrole	100 mg
	IPO 006	Anilazine	250 mg
	FL-31464-250MG	Anilazine PESTANAL®	250 mg
	FL-45326-250MG	Aniline PESTANAL®	250 mg
	U-EPA-1069	Aniline 5000 µg/mL in Methanol	1 mL
	FL-37876-100MG	Anilofos PESTANAL®	100 mg
	IPO 007	Anthraquinone	250 mg
	FL-31466-250MG	Anthraquinone PESTANAL®	250 mg

## Pesticides

	Code	Product	Unit
	FL-45328-250MG	Antu PESTANAL®	250 mg
	U-PP-400-1	Aramite 100 µg/mL in Methanol	1 mL
	U-PP-400	Aramite 100 µg/mL in Methanol	4 x 1 mL
	CERERA-015S	Aramite 2000 µg/mL in Hexane	1.2 mL
	FL-45329-250MG	Asulam PESTANAL®	250 mg
	FL-31206-250MG	Atraton PESTANAL®	250 mg
<b>New</b>	U-PST-1220	Atraton	25 mg
	IPO 005	Atrazine	250 mg
	CERERA-055	Atrazine	250 mg
	FL-45330-250MG	Atrazine PESTANAL®	250 mg
<b>New</b>	U-PST-005	Atrazine	100 mg
	U-EPA-1176A	Atrazine 1000 µg/mL in Acetone	1 mL
	CIL-DLM-1149-5	Atrazine (ethylamine-D <sub>5</sub> ,98%)	5 mg
	CIL-CLM-3737-1.2	Atrazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1149-1.2	Atrazine (ethylamine-D <sub>5</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	IPO UCI 006	Atrazine-desethyl	250 mg
	FL-36629-250MG	Atrazine-desethyl PESTANAL®	250 mg
<b>New</b>	U-EPA-1178A	Atrazine-desethyl 1000 µg/mL in Acetone	1 mL
<b>New</b>	CIL-CLM-8313-1.2	Atrazine-desethyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	IPO UCI 007	Atrazine-desethyl-desisopropyl	250 mg
	FL-36667-250MG	Atrazine-desethyl-desisopropyl PESTANAL®	250 mg
	CIL-CLM-7528-1.2	Atrazine-desethyl-desisopropyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-45613-250MG	Atrazine-desethyl-desisopropyl-2-hydroxy PESTANAL®	250 mg
	FL-45490-100MG	Atrazine-desethyl-2-hydroxy PESTANAL®	100 mg
<b>New</b>	CIL-CLM-8315-1.2	Atrazine-desethylhydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
	IPO UCI 008	Atrazine-desisopropyl	250 mg
	FL-36628-250MG	Atrazine-desisopropyl PESTANAL®	250 mg
<b>New</b>	CIL-CLM-8312-1.2	Atrazine-desisopropyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-31523-100MG	Atrazine-desisopropyl-2-hydroxy PESTANAL®	100 mg
<b>New</b>	CIL-CLM-8314-1.2	Atrazine-desisopropylhydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	IPO UCI 009	Atrazine-2-hydroxy	250 mg
	FL-36631-250MG	Atrazine-2-hydroxy PESTANAL®	250 mg
<b>New</b>	CIL-CLM-8310-1.2	Atrazine-hydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
	CIL-CLM-3894-1.2	Atrazine mercapturate (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7346-1.2	Atrazine mercapturate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8311-1.2	Atrazinethiol (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-45331-250MG	Azamethiphos PESTANAL®	250 mg
	FL-45332-250MG	Azinphos-ethyl PESTANAL®	250 mg
<b>New</b>	U-PST-1225M100A01	Azinphos-ethyl 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-560M100A01	Azinphos-methyl (Guthion) 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-560	Azinphos Methyl (Guthion)	100 mg
	FL-45333-250MG	Azinphos-methyl PESTANAL®	250 mg
	IPO 040	Aziprotryne	250 mg
	FL-45334-250MG	Aziprotryne PESTANAL®	250 mg
	FL-36689-1G	Azobenzene PESTANAL®	1 g
	FL-45335-250MG	Azocyclotin PESTANAL®	250 mg
		Azolamid see Isocarbamid	
	IPO 041	Azoxystrobin	100 mg
	FL-31697-100MG	Azoxystrobin PESTANAL®	100 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-1905A100A01	Azoxystrobin 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1905M100A01	Azoxystrobin 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1910M100A01	Baythroid 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1230	Barban	100 mg
		Baysan see Climbazol Baytan see Triadimenol	
	IPO 047	Benalaxyl	250 mg
	FL-31222-250MG	Benalaxyl PESTANAL®	250 mg
<b>New</b>	U-PST-2075M100A01	Benalaxyl 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-32900-10MG	Benalaxyl-M PESTANAL®	10 mg
	IPO 048	Benazolin	250 mg
	FL-31038-100MG	Benazolin PESTANAL®	100 mg
	FL-31227-250MG	Benazolin-ethyl ester	250 mg
	FL-45336-250MG	Bendiocarb PESTANAL®	250 mg
<b>New</b>	U-PST-1235A100A01	Bendiocarb 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1235	Bendiocarb	100 mg
	U-EPA-1171	Bendiocarb 1000 µg/mL in Methanol	1 mL
<b>New</b>	CIL-CLM-7140	Bendiocarb ( <sup>13</sup> C <sub>3</sub> ,99%)	on request
<b>New</b>	U-PST-1240	Benefin	100 mg
	FL-45337-250MG	Benfluralin PESTANAL®	250 mg
<b>New</b>	FL-32866-100MG	Beflubutamid PESTANAL®	100 mg
<b>New</b>	U-PST-2775A100A01	Benfuracarb 100 µg/mL in Acetonitrile	1 mL
	FL-31637-100MG	Benfuresate PESTANAL®	100 mg
	FL-45338-250MG	Benodanil PESTANAL®	250 mg
<b>New</b>	U-PST-2780M100A01	Benodanil 100 µg/mL in Methanol	1 mL
	IPO UCI 050	Benomyl	250 mg
	FL-45339-250MG	Benomyl PESTANAL®	250 mg
<b>New</b>	U-PST-1245	Benomyl	25 mg
<b>New</b>	U-PST-1245A100A01	Benomyl 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1245M100A01	Benomyl 100 µg/mL in Methanol	1 mL
	FL-46001-250MG	Benoxacor PESTANAL®	250 mg
	FL-37897-100MG	Bensulfuron-methyl PESTANAL®	100 mg
	FL-31469-250MG	Bensulide PESTANAL®	250 mg
<b>New</b>	U-PST-1250	Bensulide	25 mg
	U-EPA-1169	Bensulide 1000 µg/mL in Methanol	1 mL
	CIL-DLM-7152	Bensulide (isoproxy-D <sub>14</sub> ,98%)	on request
	FL-33863-100MG	Bensultap PESTANAL®	100 mg
	IPO 050	Bentazone	250 mg
<b>New</b>	U-PST-1255	Bentazone	100 mg
<b>New</b>	U-PST-1255A100A01	Bentazone 100 µg/mL in Acetone	1 mL
<b>New</b>	U-PST-1255M100A01	Bentazon 100 µg/mL in Methanol	1 mL
	U-EPA-1174	Bentazone 1000 µg/mL in Methanol	1 mL
<b>New</b>	FL-32965-10MG	Bentazone-D7 PESTANAL®	10 mg

## Pesticides

	Code	Product	Unit
	SL35100	Bentazone (isopropyl-D <sub>7</sub> ,98%)	1.5 mL
	IPO 051	Bentazone-methyl	100 mg
<b>New</b>	FL-33006-10MG	Benthiavalicarb isopropyl PESTANAL®	10 mg
	FL-37872-25MG	Bentranil PESTANAL®	25 mg
	FL-33397-100MG	Benzoximate PESTANAL®	100 mg
	FL-31476-100MG	Benzoylprop-ethyl PESTANAL®	100 mg
<b>New</b>	U-PST-1260	Benzoylprop Ethyl	10 mg
	IPO 052	Benzthiazuron	100 mg
	FL-36563-100MG	Benzthiazuron PESTANAL®	100 mg
		BHC see HCH	
<b>New</b>	FL-32504-50MG	Bifenazate PESTANAL®	50 mg
	IPO 053	Bifenthrin	100 mg
	FL-34314-100MG	Bifenthrin PESTANAL®	100 mg
<b>New</b>	U-PST-1915M100A01	Bifenthrin 100 µg/mL in Methanol	1 mL
	FL-31484-250MG	Binapacryl PESTANAL®	250 mg
	FL-31489-250MG	Bioallethrin PESTANAL®	250 mg
		S-Bioallethrin see Esbiol	
	FL-31496-250MG	Bioresmethrin PESTANAL®	250 mg
		BIPC see Chlorbufam	
	IPO 054	Biphenyl (PCB 0) E 230 Certified purity..... 99.6%	250 mg
	FL-35800-1G	Biphenyl PESTANAL®	1 g
	FL-36759-1G	2,2'-Bipyridine PESTANAL®	1 g
	FL-36690-1G	4,4'-Bipyridine anhydrous PESTANAL®	1 g
	FL-36735-1G	Bis-(2-ethylhexyl) phthalate PESTANAL®	1 g
	FL-34238-100MG	Bismerthiazol PESTANAL®	100 mg
<b>New</b>	FL-32967-100MG	Bispyribac sodium PESTANAL®	100 mg
	IPO 056	Bitertanol	250 mg
	FL-45349-250MG	Bitertanol mixture of diastereo isomers PESTANAL®	250 mg
<b>New</b>	U-PST-2070A100A01	Bitertanol (Baycor) 100 µg/mL in Acetonitrile	1 mL
	FL-33875-100MG	Boscalid (Nicobifen) PESTANAL®	100 mg
		Brestan see Fentin-acetate	
	FL-46036-100MG	Brodifacoum PESTANAL®	100 mg
	IPO 059	Bromacil	250 mg
	FL-45350-250MG	Bromacil PESTANAL®	250 mg
<b>New</b>	U-PST-1265	Bromacil	100 mg
<b>New</b>	U-PST-1265M100A01	Bromacil 100 µg/mL in Methanol	1 mL
	FL-46035-100MG	Bromadiolone PESTANAL®	100 mg
<b>New</b>	U-PST-1270	Bromadiolone	10 mg
	IPO 060	Bromfenvinphos	100 mg
	FL-45816-100MG	Bromfenvinphos-ethyl mixture of cis and trans isomers PESTANAL®	100 mg
<b>New</b>	IPO 049	Bromfenvinphos (methyl)	100 mg
	FL-45815-100MG	Bromfenvinphos-methyl PESTANAL®	100 mg
	FL-36523-250MG	4-Bromo-3-chloroaniline PESTANAL®	250 mg
	FL-33398-100MG	Bromocyclen PESTANAL®	100 mg
	FL-45352-250MG	Bromofenoxim PESTANAL®	250 mg
	IPO 061	Bromophos-ethyl	250 mg
	FL-33399-100MG	Bromophos-ethyl PESTANAL®	100 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-2085M100A01	Bromophos-ethyl 100 µg/mL in Methanol	1 mL
	IPO 062	Bromophos-methyl	250 mg
	FL-33400-100MG	Bromophos-methyl PESTANAL®	100 mg
<b>New</b>	U-PST-2815M100A01	Bromophos-methyl 100 µg/mL in Methanol	1 mL
	FL-45358-250MG	Bromopyrazone PESTANAL®	250 mg
	FL-45355-250MG	Bromoxynil PESTANAL®	250 mg
<b>New</b>	U-PST-1050	Bromoxynil	100 mg
<b>New</b>	U-PST-1050M100A01	Bromoxynil 100 µg/mL in Methanol	1 mL
	CIL-CLM-3741-1.2	Bromoxynil (ring- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	2 x 1.2 mL
	FL-45356-250MG	Bromoxynil-octanoate PESTANAL®	250 mg
	IPO 063	Bromopropylate	250 mg
	FL-45357-250MG	Bromopropylate PESTANAL®	250 mg
<b>New</b>	U-PST-2090A100A01	Bromopropylate 100 µg/mL in Acetonitrile	1 mL
	FL-31644-100MG	Bromuconazole PESTANAL®	100 mg
	FL-32053-250MG	Bronopol PESTANAL®	250 mg
	FL-37892-100MG	Buminafos PESTANAL®	100 mg
	IPO 070	Bupirimate	250 mg
	FL-31510-250MG	Bupirimate PESTANAL®	250 mg
<b>New</b>	U-PST-2100A100A01	Bupirimate 100 µg/mL in Acetonitrile	1 mL
	FL-37886-100MG	Buprofezin PESTANAL®	100 mg
<b>New</b>	U-PST-2105A100A01	Buprofezin (Buprofezin) 100 µg/mL in Acetonitrile	1 mL
	FL-37887-100MG	Butachlor PESTANAL®	100 mg
<b>New</b>	U-PST-1275	Butachlor	100 mg
	U-PST-1275K100A01	Butachlor 100 µg/mL in Acetone	1 mL
<b>New</b>	U-PST-1275M100A01	Butachlor 100 µg/mL in Methanol	1 mL
	FL-33659-100MG	Butafenacil PESTANAL®	100 mg
	FL-36121-100MG	Butocarboxim PESTANAL®	100 mg
	FL-45719-100MG	Butocarboxim-sulfoxide PESTANAL®	100 mg
	FL-36122-100MG	Butoxycarboxim PESTANAL®	100 mg
<b>New</b>	U-PST-2825M100A01	Butocarboxim 100 µg/mL in Methanol	1 mL
	FL-36528-250MG	Butralin PESTANAL®	250 mg
	FL-36510-100MG	Buturon PESTANAL®	100 mg
<b>New</b>	U-PST-2835M100A01	Buturon 100 µg/mL in Methanol	1 mL
	FL-45363-250MG	Butylate PESTANAL®	250 mg
<b>New</b>	U-PST-1280	Butylate	100 mg
<b>New</b>	U-PST-1280K100A01	Butylate 100 µg/mL in Acetone	1 mL
	FL-31533-250MG	Cacodylic acid sodium salt PESTANAL®	250 mg
<b>New</b>	FL-32505-50MG	Cadusafos PESTANAL®	50 mg
	IPO UCI 100	Captafol	250 mg
	FL-45365-250MG	Captafol PESTANAL®	250 mg
<b>New</b>	U-PST-410	Captafol	100 mg
	IPO 088	Captan	250 mg
	FL-32054-250MG	Captan PESTANAL®	250 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-090	Captan	100 mg
<b>New</b>	U-PST-090M100A01	Captan 100 µg/mL in Methanol	1 mL
	IPO 093	Carbaryl	250 mg
	FL-32055-250MG	Carbaryl PESTANAL®	250 mg
<b>New</b>	U-PST-100	Carbaryl	100 mg
<b>New</b>	U-PST-100A100A01	Carbaryl 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-100M100A01	Carbaryl 100 µg/mL in Methanol	1 mL
	CIL-CLM-4682-1.2	Carbaryl (ring- <sup>13</sup> C <sub>6</sub> , 99%) 100 µg/mL in Nonane	1.2 mL
	IPO 095	Carbendazim	250 mg
	FL-45368-250MG	Carbendazim (BCM) PESTANAL®	250 mg
<b>New</b>	U-PST-1285	Carbendazim	25 mg
<b>New</b>	U-PST-1285A100A01	Carbendazim 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1285M100A01	Carbendazim 100 µg/mL in Methanol	1 mL
	FL-45369-250MG	Carbetamide PESTANAL®	250 mg
	IPO 097	Carbofuran	250 mg
	FL-32056-250MG	Carbofuran PESTANAL®	250 mg
<b>New</b>	U-PST-1295	Carbofuran	100 mg
<b>New</b>	U-PST-1295A100A01	Carbofuran 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1295M100A01	Carbofuran 100 µg/mL in Methanol	1 mL
	CIL-CLM-1911-1.2	Carbofuran (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in p-Dioxane	1.2 mL
	FL-37896-10MG	Carbofuran, 3-hydroxy PESTANAL®	10 mg
	U-PP-510-1	Carbofuran, 3-hydroxy 100 µg/mL in Methanol	1 mL
	U-PP-510	Carbofuran, 3-hydroxy 100 µg/mL in Methanol	4 x 1 mL
	FL-34079-10MG	Carfentrazone ethyl PESTANAL®	10 mg
	FL-37895-10MG	Carbofuran-3-keto PESTANAL®	10 mg
<b>New</b>	CIL-CLM-1859-1.2	Carbofuran phenol (ring- <sup>13</sup> C <sub>6</sub> ,99%) 200 µg/mL in Methanol	2 x 1.2 mL
	FL-31461-250MG	Carbophenothion PESTANAL®	250 mg
<b>New</b>	U-PST-990	Carbophenothion	100 mg
<b>New</b>	U-PST-990M100A01	Carbophenothion 100 µg/mL in Methanol	1 mL
	NMIAP1727	Carbophenothion sulfone	25 mg
	NMIAP1726	Carbophenothion sulfoxide	25 mg
	FL-32005-250MG	Carbosulfan PESTANAL®	250 mg
<b>New</b>	U-PST-2655M100A01	Carbosulfan 100 µg/mL in Methanol	1 mL
	IPO 100	Carboxin	250 mg
	FL-45371-250MG	Carboxin PESTANAL®	250 mg
<b>New</b>	U-PST-1305	Carboxin	100 mg
<b>New</b>	U-PST-1305M100A01	Carboxin 100 µg/mL in Methanol	1 mL
	FL-31682-100MG	Carpropamid (mixture of isomers) PESTANAL®	100 mg
	FL-45995-100MG	Cartap hydrochloride PESTANAL®	100 mg
		CCC see Chlormequat	
		CDEC see Sulfallate	
	FL-45372-250MG	Chinomethionate PESTANAL®	250 mg
<b>New</b>	U-PST-2845I100A01	Chinomethionate 100 µg/mL in Isooctane	1 mL
		Chinonamid see Quinonamid	
	FL-45373-250MG	alpha-Chloralose PESTANAL®	250 mg
	FL-33392-100MG	Chloramben PESTANAL®	100 mg
<b>New</b>	U-PST-025	Chloramben	100 mg



## Pesticides

	Code	Product	Unit
	FL-45374-250MG	p-Chloranil PESTANAL®	250 mg
<b>New</b>	FL-32510-25MG	Chlorantraniliprole PESTANAL®	25 mg
	FL-36123-100MG	Chlorbenside PESTANAL®	100 mg
<b>New</b>	U-PST-2850M100A01	Chlorbenside 100 µg/mL in Methanol	1 mL
	FL-46032-100MG	Chlorbenside-sulfoxide PESTANAL®	100 mg
	FL-45320-250MG	Chlorbicyclen PESTANAL®	250 mg
	IPO 101	Chlorbromuron	250 mg
	FL-45377-250MG	Chlorbromuron PESTANAL®	250 mg
<b>New</b>	U-PST-2110A100A01	Chlorbromuron 100 µg/mL in Acetonitrile	1 mL
	FL-45301-250MG	Chlorbufam PESTANAL®	250 mg
<b>New</b>	U-PST-2115M100A01	Chlorbufam 100 µg/mL in Methanol	1 mL
	CERERC-005	Chlordane technical	100 mg
	FL-45378-250MG	Chlordane technical mixture PESTANAL®	250 mg
<b>New</b>	U-PST-110	Chlordane	100 mg
	U-PP-151-1	Chlordane 100 µg/mL in Hexane	1 mL
	U-PP-150-1	Chlordane 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1111100A01	alpha-Chlordane 100 µg/mL in Isooctane	1 mL
	NIST-3068	Total Chlordane in Methanol Certified value Total Chlordane .....22.35 ± 0.67 mg/kg	5 x 1.2 mL
	U-EPA-1086	Chlordane (tech) 5000 µg/mL in Methanol	1 mL
	IPO 104	cis-Chlordane (alpha isomer)	20 mg
<b>New</b>	U-PST-111	cis-Chlordane (alpha-isomer)	10 mg
	CIL-CLM-8087-1.2	cis-Chlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CERERC-003	cis-Chlordane	25 mg
	NMIAP1624	cis-Chlordane	25 mg
<b>New</b>	U-PP-470-1	cis-Chlordane 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-112	trans-Chlordane (gamma-isomer)	10 mg
	CERERC-004	trans-Chlordane	25 mg
	NMIAP1625	trans-Chlordane	25 mg
<b>New</b>	U-PP-480-1	trans-Chlordane (gamma isomer) 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-112I100A01	trans-Chlordane (gamma-isomer) 100 µg/mL in Isooctane	1 mL
	CIL-CLM-4792-1.2	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	NMIAP1622	oxy-Chlordane	1 mg
	CERSCO-004	oxy-Chlordane	25 mg
<b>New</b>	U-PP-540-1	oxy-Chlordane 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PP-541-1	oxy-Chlordane 100 µg/mL in Hexane	1 mL
	CIL-CLM-4729-1.2	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-45379-250MG	Chlordecone PESTANAL®	250 mg
	CERERK-001	Chlordecone (Kepone®)	100 mg
<b>New</b>	U-PST-620	Chlordecone (Kepone®)	10 mg
	U-PP-440A-1	Chlordecone (Kepone®) 100 µg/mL in Toluene	1 mL
	U-PP-440A	Chlordecone (Kepone®) 100 µg/mL in Toluene	4 x 1 mL
	CIL-CLM-4814-1.2	Chlordecone (Kepone®) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-31517-250MG	Chlordene (mixture of cis and trans isomers) PESTANAL®	250 mg
<b>New</b>	U-PST-1310	Chlordene	25 mg
<b>New</b>	U-PST-1310M100A01	Chlordene 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1310I100A01	Chlordene 100 µg/mL in Isooctane	1 mL

## Pesticides

	Code	Product	Unit
	CIL-CLM-4758-1.2	Chlordene ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-31099-250MG	Chlordimeform PESTANAL <sup>®</sup>	250 mg
	FL-35914-250MG	Chlordimeform hydrochloride PESTANAL <sup>®</sup>	250 mg
	FL-34318-100MG	Chlorfenac PESTANAL <sup>®</sup>	100 mg
	FL-37913-100MG	Chlorfenapyr PESTANAL <sup>®</sup>	100 mg
<b>New</b>	U-PST-2120M100A01	Chlorfenapyr 100 µg/mL in Methanol	1 mL
	FL-34319-50MG	Chlorfenethol PESTANAL <sup>®</sup>	50 mg
	FL-45381-250MG	Chlorfenprop-methyl PESTANAL <sup>®</sup>	250 mg
	FL-36124-100MG	Chlorfenson PESTANAL <sup>®</sup>	100 mg
	IPO 107	Chlorfenvinphos	250 mg
	FL-36551-250MG	Chlorfenvinphos mixture of cis and trans isomers PESTANAL <sup>®</sup>	250 mg
<b>New</b>	U-PST-1325	Chlorfenvinphos	25 mg
<b>New</b>	U-PST-1325M100A01	Chlorfenvinphos 100 µg/mL in Methanol	1 mL
	FL-36530-250MG	Chlorfluazuron PESTANAL <sup>®</sup>	250 mg
	NMIAP1489	Chlorfluazuron	100 mg
	FL-45721-100MG	Chlorflurenol PESTANAL <sup>®</sup>	100 mg
	FL-45302-250MG	Chlorflurenol-methyl PESTANAL <sup>®</sup>	250 mg
	IPO 113	Chloridazon	250 mg
	FL-45385-250MG	Chloridazon PESTANAL <sup>®</sup>	250 mg
<b>New</b>	U-PST-2125A100A01	Chloridazon 100 µg/mL in Acetonitrile	1 mL
	IPO 111	iso-Chloridazon	100 mg
<b>New</b>	FL-32874-100MG	Chlorimuron ethyl PESTANAL <sup>®</sup>	100 mg
	FL-45386-250MG	Chlormephos PESTANAL <sup>®</sup>	250 mg
	IPO UCI 112	Chlormequat chloride (CCC)	250 mg
	FL-45387-250MG	Chlormequat chloride (CCC) PESTANAL <sup>®</sup>	250 mg
<b>New</b>	U-PST-2870M100A01	Chlormequat chloride 100 µg/mL in Methanol	1 mL
	FL-36544-1G	Chloroacetic acid PESTANAL <sup>®</sup>	1 g
	U-EPA-1204	Chloroacetic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
	FL-31215-1G	2-Chloroaniline PESTANAL <sup>®</sup>	1 g
	FL-35824-1G	3-Chloroaniline PESTANAL <sup>®</sup>	1 g
	FL-35823-1G	4-Chloroaniline PESTANAL <sup>®</sup>	1 g
	IPO 087	Chlorobenzene	250 mg
	FL-45376-250MG	Chlorobenzilate PESTANAL <sup>®</sup>	250 mg
	U-PST-120	Chlorobenzilate	100 mg
<b>New</b>	U-PP-410A-1	Chlorobenzilate 100 µg/mL in Hexane	1 mL
		2-Chloro-4,6-diamino-1,3,5-triazine see Atrazine-desethyl-desisopropyl	
	FL-33673-100MG	6-Chlorobenzoxazol-2(3H)-one PESTANAL <sup>®</sup>	100 mg
	FL-35991-1G	5-Chloro-2,4-dimethoxyaniline PESTANAL <sup>®</sup>	1 g
	FL-36693-1G	2-Chloroethanol PESTANAL <sup>®</sup>	1 g
<b>New</b>	CIL-CLM-6759	4-Chloro-2-hydroxymethylphenoxyacetic acid (HMCPA) (ring- <sup>13</sup> C <sub>6</sub> ,99%)	on request
<b>New</b>	CIL-CLM-6758	4-Chloro-2-methylphenoxyacetic acid (MCPA) (ring- <sup>13</sup> C <sub>6</sub> ,99%)	on request
	FL-36761-1G	3-Chloro-4-methylaniline PESTANAL <sup>®</sup>	1 g
	FL-46282-250MG	4-Chloro-2-methylaniline OEKANAL <sup>®</sup>	250 mg
	FL-35833-1G	4-Chloro-2-methylphenol PESTANAL <sup>®</sup>	1 g
	FL-36125-100MG	Chloroneb PESTANAL <sup>®</sup>	100 mg
<b>New</b>	U-PST-1330	Chloroneb	100 mg
<b>New</b>	U-PST-1330M100A01	Chloroneb 100 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
	FL-36746-1G	2-Chlorophenol PESTANAL®	1 g
	FL-36747-1G	3-Chlorophenol PESTANAL®	1 g
	FL-35826-1G	4-Chlorophenol PESTANAL®	1 g
	CIL-CLM-1913-1.2	4-Chlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
	FL-45391-250MG	4-Chlorophenoxy acetic acid PESTANAL®	250 mg
	FL-34321-250MG	Chloropicrin PESTANAL®	250 mg
	IPO 110	Chlorothalonil	250 mg
	FL-36791-250MG	Chlorothalonil PESTANAL®	250 mg
<b>New</b>	U-PST-1340	Chlorothalonil	100 mg
<b>New</b>	U-PST-1340M100A01	Chlorothalonil 100 µg/mL in Methanol	1 mL
	FL-45398-250MG	Chlorthiamid PESTANAL®	250 mg
	U-HC-320-1	2-Chlorotoluene 100 µg/mL in Methanol	1 mL
	U-HC-320	2-Chlorotoluene 100 µg/mL in Methanol	4 x 1 mL
	FL-36696-1G	3-Chlorotoluene PESTANAL®	1 g
	FL-36697-1G	4-Chlorotoluene PESTANAL®	1 g
	U-HC-330-1	4-Chlorotoluene 100 µg/mL in Methanol	1 mL
	U-HC-330	4-Chlorotoluene 100 µg/mL in Methanol	4 x 1 mL
	IPO 114	Chlorotoluron	250 mg
	FL-45400-250MG	Chlorotoluron PESTANAL®	250 mg
<b>New</b>	U-PST-2130A100A01	Chlorotoluron 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2130M100A01	Chlorotoluron 100 µg/mL in Methanol	1 mL
	CIL-DLM-3760-0.01	Chlorotoluron (N,N-dimethyl-D <sub>6</sub> ,98%)	0.01 g
	IPO 102	Chloroxuron	250 mg
	FL-45389-250MG	Chloroxuron PESTANAL®	250 mg
	FL-33363-25MG	Chloroxynil PESTANAL®	25 mg
	FL-45390-250MG	Chlorphacinon PESTANAL®	250 mg
		Chlorphenamidin see Chlordimeform	
	IPO 094	Chlorpropham	250 mg
	FL-45393-250MG	Chlorpropham PESTANAL®	250 mg
<b>New</b>	U-PST-1345	Chlorpropham	100 mg
<b>New</b>	U-PST-1345A100A01	Chlorpropham 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1345M100A01	Chlorpropham 100 µg/mL in Methanol	1 mL
	FL-45394-250MG	Chlorpropylat PESTANAL®	250 mg
<b>New</b>	FL-32979-10MG	N-(6-Chloro-3-pyridylmethyl)-N'-cyano-acetamidine PESTANAL®	10 mg
	IPO 141	Chlorpyrifos (ethyl)	250 mg
	FL-45395-250MG	Chlorpyrifos PESTANAL®	250 mg
<b>New</b>	U-PST-480	Chlorpyrifos	100 mg
	NMIAP1666	Chlorpyrifos	250 mg
<b>New</b>	U-PST-480M100A01	Chlorpyrifos 100 µg/mL in Methanol	1 mL
	CIL-DLM-4360-1.2	Chlorpyrifos (diethyl-D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 090	Chlorpyrifos-methyl	250 mg
	FL-45396-250MG	Chlorpyrifos-methyl PESTANAL®	250 mg
<b>New</b>	U-PST-1350	Chlorpyrifos methyl	100 mg
<b>New</b>	U-PST-1350M100A01	Chlorpyrifos-methyl 100 µg/mL in Methanol	1 mL
	CIL-DLM-7153	Chlorpyrifos methyl (dimethyl-D <sub>6</sub> ,98%)	on request
	IPO 143	Chlorsulfuron	100 mg
	FL-34322-100MG	Chlorsulfuron PESTANAL®	100 mg

## Pesticides

	Code	Product	Unit
	IPO 103	Chlorthal-dimethyl	250 mg
	FL-45397-250MG	Chlorthal-dimethyl PESTANAL®	250 mg
	FL-35030-25MG	Chlorthion PESTANAL®	25 mg
	FL-36126-100MG	Chlorthiophos mixture of isomers PESTANAL®	100 mg
		Chlortoluron see Chlorotoluron	
		Cimectocarb-ethyl see Trinexapac-ethyl	
	FL-46336-100MG	Cindon-ethyl PESTANAL®	100 mg
	FL-34237-50MG	Cinmethylin PESTANAL®	50 mg
	FL-37893-100MG	Cinosulfuron PESTANAL®	100 mg
		Coumafen see Warfarin	
<b>New</b>	U-PST-1925A100A01	Clethodim 100 µg/mL in Acetonitrile	1 mL
	FL-36127-100MG	Climbazol PESTANAL®	100 mg
	FL-36763-250MG	Clofentezine PESTANAL®	250 mg
<b>New</b>	U-PST-2145A100A01	Clofentezine 100 µg/mL in Acetonitrile	1 mL
	FL-46120-100MG	Clomazone PESTANAL®	100 mg
	IPO 096	Clopyralid	250 mg
	FL-36758-250MG	Clopyralid PESTANAL®	250 mg
	FL-36529-250MG	Clopyralid ((2-Hydroxyethyl) ammonium) PESTANAL®	250 mg
<b>New</b>	U-PST-1995M100A01	Clopyralid (Lontrel) 100 µg/mL in Methanol	1 mL
	FL-34239-25MG	Cloquintocet PESTANAL®	25 mg
	FL-31678-250MG	Cloquintocet-mexyl PESTANAL®	250 mg
	FL-34093-100MG	Closantel PESTANAL®	100 mg
	IPO 082	Clothianidin	250 mg
	FL-33589-100MG	Clothianidin PESTANAL®	100 mg
<b>New</b>	FL-32716-50MG	Codlemone PESTANAL®	50 mg
	FL-45402-250MG	Coumachlor PESTANAL®	250 mg
	FL-34324-10MG	Coumafuryl PESTANAL®	10 mg
	IPO 092	Coumaphos	250 mg
	FL-45403-250MG	Coumaphos PESTANAL®	250 mg
<b>New</b>	U-PST-130	Coumaphos	100 mg
<b>New</b>	U-PST-130M100A01	Coumaphos 100 µg/mL in Methanol	1 mL
	FL-45404-250MG	Coumatetralyl PESTANAL®	250 mg
		4-CPA see 4-Chlorophenoxy acetic acid CPBS see Fenson	
	FL-32957-100MG	Cresyl diphenyl phosphate mixture of isomers PESTANAL®	100 mg
	FL-36564-250MG	Crimidine PESTANAL®	250 mg
	U-PST-1355	Crotoxyphos	5 mg
<b>New</b>	U-PST-1355M100A01	Crotoxyphos 100 µg/mL in Methanol	1 mL
	U-PST-900	Crufomate	100 mg
	FL-36698-1G	Cumene PESTANAL®	1 g
	FL-45407-250MG	Cyanazine PESTANAL®	250 mg
	U-PST-1360	Cyanazine	100 mg
<b>New</b>	U-PST-1360M100A01	Cyanazine 100 µg/mL in Methanol	1 mL
	U-EPA-1165	Cyanazine 1000 µg/mL in Methanol	1 mL
		Cyanazine-des(2-methylpropionitrile) see Atrazine-desisopropyl Cyanazine-desethyl-des(2-methyl-propionitrile) see Atrazine-desethyl-desisopropyl	
	FL-46279-25MG	Cyanophos technical mixture	25 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-2915M100A01	Cyanophos 100 µg/mL in Methanol	1 mL
	FL-33874-100MG	Cyazofamid PESTANAL®	100 mg
<b>New</b>	FL-32871-100MG	Cyclanilide PESTANAL®	100 mg
	IPO 108	Cycloate	250 mg
	FL-45408-250MG	Cycloate PESTANAL®	250 mg
<b>New</b>	U-PST-1365	Cycloate	100 mg
	FL-46401-100MG	Cycloheximide (mixture of isomers) PESTANAL®	100 mg
	FL-31596-100MG	Cycloxydim PESTANAL®	100 mg
	FL-45409-250MG	Cycluron PESTANAL®	250 mg
<b>New</b>	FL-33738-250MG	Cyfluthrin (Baythroid®) mixture of isomers PESTANAL®	250 mg
	CIL-CLM-7293-1.2	Cyfluthrin (mix of stereoisomers) (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7454-1.2	Cyfluthrin (mix of stereoisomers) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	IPO 089	beta-Cyfluthrin	100 mg
	FL-46003-250MG	beta-Cyfluthrin PESTANAL®	250 mg
<b>New</b>	FL-32403-25MG	Cyflufenamid PESTANAL®	25 mg
	IPO 084	lambda-Cyhalothrin	100 mg
	FL-31058-100MG	lambda-Cyhalothrin PESTANAL®	100 mg
<b>New</b>	U-PST-1990I100A01	lambda-Cyhalothrin 100 µg/mL in Isooctane	1 mL
	FL-45411-250MG	Cyhexatin PESTANAL®	250 mg
	IPO 091	Cymoxanil	100 mg
	FL-34326-100MG	Cymoxanil PESTANAL®	100 mg
<b>New</b>	U-PST-2925A100A01	Cymoxanil 100 µg/mL in Acetonitrile	1 mL
	IPO 109	Cypermethrin	250 mg
	LGC1704	Cypermethrin Assessed purity.....92% m/m	250 mg
	FL-36128-100MG	Cypermethrin mixture of isomers PESTANAL®	100 mg
<b>New</b>	U-PST-1370	Cypermethrin	25 mg
	CIL-CLM-7292-1.2	Cypermethrin (mix of stereoisomers) (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 099	alpha-Cypermethrin	100 mg
	FL-45806-100MG	alpha-Cypermethrin PESTANAL®	100 mg
<b>New</b>	U-PST-1890A100A01	alpha-Cypermethrin 100 µg/mL in Acetonitrile	1 mL
	FL-46037-100MG	Cyphenothrin PESTANAL®	100 mg
	IPO 085	Cyproconazole	100 mg
	FL-46068-100MG	Cyproconazole PESTANAL®	100 mg
<b>New</b>	U-PST-2150A100A01	Cyproconazole 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2150M100A01	Cyproconazole 100 µg/mL in Methanol	1 mL
	IPO 083	Cyprodinil	250 mg
	FL-34389-250MG	Cyprodinil PESTANAL®	250 mg
<b>New</b>	U-PST-2155A100A01	Cyprodinil 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2155M100A01	Cyprodinil 100 µg/mL in Methanol	1 mL
	FL-45413-250MG	Cyprofuram PESTANAL®	250 mg
	IPO 144	Cyromazine	250 mg
	FL-45414-250MG	Cyromazine PESTANAL®	250 mg
<b>New</b>	U-PST-1935M100A01	Cyromazine 100 µg/mL in Methanol	1 mL
	U-PST-1380	Cythioate	100 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-140	2,4-D	100 mg
	CIL-DLM-1146-5	2,4-D (2,4-Dichlorophenoxyacetic acid) (ring-D <sub>3</sub> ,98%)	5 mg
<b>New</b>	U-PST-140A100A01	2,4-D 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-HB-100-1	2,4-D 100 µg/mL in Methanol	1 mL
<b>New</b>	U-EPA-1096	2,4-D 5000 µg/mL in Acetonitrile	1 mL
	CIL-CLM-1858-1.2	2,4-D (2,4-Dichlorophenoxyacetic acid) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-45421-250MG	4,4'-DBP PESTANAL®	250 mg
	FL-45732-250MG	2,4-D-1-butyl ester PESTANAL®	250 mg
	FL-31057-250MG	2,4-D-butylglycol ester PESTANAL®	250 mg
	IPO 117	2,4-D-methyl ester	250 mg
	FL-45416-250MG	2,4-D-methyl ester PESTANAL®	250 mg
<b>New</b>	U-PST-150	2,4-D methyl ester	100 mg
<b>New</b>	U-HB-101-1	2,4-D-methyl ester 100 µg/mL in Methanol	1 mL
	FL-35562-250MG	Dalapon PESTANAL®	250 mg
<b>New</b>	U-HB-140-1	Dalapon 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-170	Dalapon	100 mg
	FL-45383-250MG	Dalapon-methyl PESTANAL®	250 mg
<b>New</b>	U-PST-171	Dalapon methyl ester	10 mg
<b>New</b>	U-HB-141-1	Dalapon methyl ester 100 µg/mL in Methanol	1 mL
	IPO 115	Daminozide	250 mg
	FL-45418-250MG	Daminozide PESTANAL®	250 mg
	IPO UCI 850	Dazomet	250 mg
	FL-45419-250MG	Dazomet PESTANAL®	250 mg
	FL-45420-250MG	2,4-DB PESTANAL®	250 mg
<b>New</b>	U-PST-1170	2,4-DB	100 mg
<b>New</b>	U-HB-150-1	2,4-DB 100 µg/mL in Methanol	1 mL
	FL-31244-250MG	2,4-DB-methyl ester PESTANAL®	250 mg
<b>New</b>	U-PST-1171	2,4-DB methyl ester	10 mg
<b>New</b>	U-HB-151-1	2,4-DB methyl ester 100 µg/mL in Methanol	1 mL
	U-PST-180	DBCP	100 mg
	U-PPS-160-1	DCAA (2,4-Dichlorophenylacetic acid) 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
	U-PPS-160	DCAA (2,4-Dichlorophenylacetic acid) 100 µg/mL in Methyl tert.-butyl ether (MTBE)	4 x 1 mL
	U-PPS-162-1	DCAA (2,4-Dichlorophenylacetic acid) 5000 µg/mL in Methanol	1 mL
	U-PPS-162	DCAA (2,4-Dichlorophenylacetic acid) 5000 µg/mL in Methanol	4 x 1 mL
	U-PPS-161-1	DCAA methyl ester 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
	U-PPS-161	DCAA methyl ester 100 µg/mL in Methyl tert.-butyl ether (MTBE)	4 x 1 mL
	CIL-CDLM-6002-1.2	DCCA (3-(2,2-Dichlorovinyl)-2,2-dimethyl-1-cyclopropane) carboxylic acid ( <sup>13</sup> C <sub>2</sub> , 99%; 1-D,98%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	U-PST-160M100A01	DCPA (Dacthal) 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-160	DCPA (Dacthal)	100 mg
	FL-45812-250MG	DCU PESTANAL®	250 mg
	IPO 118	4,4'-DDA	250 mg
	FL-35484-250MG	4,4'-DDA PESTANAL®	250 mg
<b>New</b>	U-PST-200	DDA	100 mg
	IPO 123	2,4'-DDD	250 mg
	FL-35485-250MG	2,4'-DDD PESTANAL®	250 mg
<b>New</b>	U-PST-210	2,4'-DDD	100 mg
	CERERD-008	2,4'-DDD	250 mg
<b>New</b>	U-PST-210M100A01	2,4'-DDD 100 µg/mL in Methanol	1 mL
	CIL-CLM-6999-1.2	2,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	IPO 122	4,4'-DDD	250 mg

## Pesticides

	Code	Product	Unit
	FL-35486-250MG	4,4'-DDD (TDE) PESTANAL®	250 mg
<b>New</b>	U-PST-220	4,4'-DDD	100 mg
	CERERD-011	4,4'-DDD	100 mg
	NMIAP1311	4,4'-DDD	50 mg
<b>New</b>	U-PST-220I100A01	4,4'-DDD 100 µg/mL in Isooctane	1 mL
<b>New</b>	U-PP-160-1	4,4'-DDD 100 µg/mL in Methanol	1 mL
	U-EPA-1097	4,4'-DDD 5000 µg/mL in Methanol	1 mL
	CIL-CLM-7100-1.2	4,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-3533-1.2	4,4'-DDD (ring-D <sub>8</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	IPO 121	2,2'-DDE	20 mg
	IPO 120	2,4'-DDE	100 mg
<b>New</b>	U-PST-241	2,4'-DDE	10 mg
	CERERD-006	2,4'-DDE	100 mg
<b>New</b>	U-PST-241M100A01	2,4'-DDE 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-241I100A01	2,4'-DDE 100 µg/mL in Isooctane	1 mL
	CIL-CLM-4693-1.2	2,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 119	4,4'-DDE	250 mg
	LGC1110	4,4'-DDE Certified value 4,4'-DDE ..... 99.6 ± 0.4 %	250 mg
	NIST-RM 8467	4,4'-DDE - Purity Certified purity 4,4'-DDE ..... 99.8 ± 0.2%	100 mg
	FL-35487-250MG	4,4'-DDE PESTANAL®	250 mg
<b>New</b>	U-PST-250	4,4'-DDE	100 mg
	CERERD-007	4,4'-DDE	100 mg
	CIL-CLM-1627-5	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
<b>New</b>	U-PST-250I100A01	4,4'-DDE 100 µg/mL in Isooctane	1 mL
<b>New</b>	U-PP-170-1	4,4'-DDE 100 µg/mL in Methanol	1 mL
	U-EPA-1098	4,4'-DDE 1000 µg/mL in Methanol	1 mL
	CIL-CLM-1627-1.2	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 133	4,4'-DDM	250 mg
	FL-35488-250MG	4,4'-DDM PESTANAL®	250 mg
	IPO 124	4,4'-DDMU	250 mg
	FL-35489-250MG	4,4'-DDMU PESTANAL®	250 mg
<b>New</b>	U-PST-2740M100A01	4,4'-DDMU 100 µg/mL in Methanol	1 mL
	FL-31091-250MG	4,4'-DDOH PESTANAL®	250 mg
<b>New</b>	U-PST-260	DDT-Mix	100 mg
	IPO 125	2,4'-DDT	250 mg
<b>New</b>	U-PST-271	2,4'-DDT	10 mg
	CERERD-012	2,4'-DDT	100 mg
<b>New</b>	U-PST-271I100A01	2,4'-DDT 100 µg/mL in Isooctane	1 mL
<b>New</b>	U-PST-271M100A01	2,4'-DDT 100 µg/mL in Methanol	1 mL
	CIL-CLM-4692-1.2	2,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> , 99 %) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	FL-31041-100MG	4,4'-DDT PESTANAL®	100 mg
	IPO 126	4,4'-DDT	250 mg
<b>New</b>	U-PST-280	4,4'-DDT	100 mg
	CERERD-005	4,4'-DDT	250 mg
	NIST-RM 8469	4,4'-DDT - Purity Certified purity 4,4'-DDT..... 99.9 ± 0.2%	100 mg



## Pesticides

	Code	Product	Unit
	NMIAP1309	4,4'-DDT	50 mg
	CIL-CLM-1281-5	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
<b>New</b>	U-PP-180-1	4,4'-DDT 100 µg/mL in Methanol	1 mL
	U-EPA-1099	4,4'-DDT 5000 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-280I100A01	4,4'-DDT 100 µg/mL in Isooctane	1 mL
	CIL-CLM-1281-1.2	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
		DDVP see Dichlorvos	
	FL-36542-250MG	DEET PESTANAL®	250 mg
<b>New</b>	U-PST-298	DEET	100 mg
<b>New</b>	U-PST-298M100A01	DEET 100 µg/mL in Methanol	1 mL
	CIL-U LM-7975-1.2	DEET (N,N-Diethyl-m-toluamide) (unlabelled) 100 µg/ml in Dichloromethane	1.2 mL
<b>New</b>	CIL-U LM-7975-D-1.2	DEET (N,N-Diethyl-m-toluamide) (unlabelled) 100 µg/mL in Dioxane	1.2 mL
	CIL-DLM-4762-1.2	DEET (N,N-Diethyl-m-toluamide) (dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Dichloromethane	1.2 mL
<b>New</b>	CIL-DLM-4762-D-1.2	DEET (N,N-Diethyl-m-toluamide) (dimethyl-D <sub>6</sub> , 98%) 100 µg/mL in Dioxane	1.2 mL
<b>New</b>	U-PST-300	DEF	100 mg
		Deiquat see Diquat dibromide	
		Delnav see Dioxathion	
	IPO 127	Deltamethrin	250 mg
	FL-45423-250MG	Deltamethrin PESTANAL®	250 mg
<b>New</b>	U-PST-1385	Deltamethrin	25 mg
<b>New</b>	U-PST-1385K100A01	Deltamethrin 100 µg/mL in Acetone	1 mL
<b>New</b>	U-PST-1385A100A01	Deltamethrin 100 µg/mL in Acetonitrile	1 mL
	FL-34205-100MG	Demeton-O PESTANAL®	100 mg
<b>New</b>	U-PST-1940M100A01	Demeton S 100 µg/mL in Methanol	1 mL
	FL-45424-250MG	Demeton-S-methyl sulfone PESTANAL®	250 mg
<b>New</b>	U-PST-2005M10A01	Demeton-S-methyl 10 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-2665M100A01	Demeton-S-methyl sulfone 100 µg/mL in Methanol	1 mL
<b>New</b>	CIL-CLM-8316-1.2	Desethylisopropylhydroxyatrazine (Ammeline) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
		Derris see Rotenone	
	IPO 140	Desmedipham	250 mg
	FL-45426-250MG	Desmedipham PESTANAL®	250 mg
	FL-33887-10MG	Desmethyl-formamido-pirimicarb PESTANAL®	10 mg
	FL-33886-10MG	Desmethyl-pirimicarb PESTANAL®	10 mg
	FL-33991-100MG	N-Desethyl-pirimiphos-methyl PESTANAL®	100 mg
	FL-45427-250MG	Desmetryne PESTANAL®	250 mg
<b>New</b>	U-PST-2160M100A01	Desmetryne 100 µg/mL in Methanol	1 mL
		Despirol see Kelevan	
	FL-31571-250MG	Diafenthion PESTANAL®	250 mg
	FL-36500-100MG	Dialifos PESTANAL®	100 mg
	U-PST-035	Diallate	100 mg
<b>New</b>	U-PP-420-1	Diallate 100 µg/mL in Methanol	1 mL
	IPO 128	Diazinon	250 mg
	FL-45428-250MG	Diazinon PESTANAL®	250 mg
<b>New</b>	U-PST-320	Diazinon	100 mg
	CIL-DLM-1148-5	Diazinon (diethyl-D <sub>10</sub> ,98%)	5 mg
<b>New</b>	U-PST-320A100A01	Diazinon 100 µg/mL in Acetonitrile	1 mL
	U-PST-320AS	Diazinon 100 µg/mL in Hexane	1 mL
<b>New</b>	U-PST-320I100A01	Diazinon 100 µg/mL in Isooctane	1 mL

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-320M100A01	Diazinon 100 µg/mL in Methanol	1 mL
	CIL-DLM-1148-1.2	Diazinon (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	FL-45429-250MG	Dibrom PESTANAL®	250 mg
	U-PST-730	Dibrom (Naled)	100 mg
	IPO 130	4,4'-Dibromobenzophenone	250 mg
	FL-36601-500MG	4,4'-Dibromobenzophenone PESTANAL®	500 mg
	FL-31257-250MG	1,2-Dibromo-3-chloropropane PESTANAL®	250 mg
	U-HC-340-1	1,2-Dibromo-3-chloropropane (DBCP) 100 µg/mL in Methanol	1 mL
	U-HC-340	1,2-Dibromo-3-chloropropane (DBCP) 100 µg/mL in Methanol	4 x 1 mL
	NMIAP1373	Dibromo-DDE	50 mg
	IPO 129	1,2-Dibromoethane	250 mg
	FL-31040-1G	1,2-Dibromoethane PESTANAL®	1 g
	U-HC-350-1	1,2-Dibromoethane 100 µg/mL in Methanol	1 mL
	U-HC-350	1,2-Dibromoethane 100 µg/mL in Methanol	4 x 1 mL
	CERERD-002	Dibutyl chlorendate	100 mg
	U-PST-1160	Dibutyl chlorendate	50 mg
<b>New</b>	U-PST-1160M100A01	Dibutyl chlorendate 100 µg/mL in Methanol	1 mL
	FL-36736-1G	Dibutyl phthalate PESTANAL®	1 g
	FL-33983-100MG	Dibutysuccinate PESTANAL®	100 mg
	IPO 131	Dicamba	250 mg
	FL-45430-250MG	Dicamba PESTANAL®	250 mg
<b>New</b>	U-PST-050	Dicamba	100 mg
<b>New</b>	U-HB-160-1	Dicamba 100 µg/mL in Methanol	1 mL
	U-PST-1070	Dicapthon	100 mg
	FL-34102-10MG	Dicamba methyl ester PESTANAL®	10 mg
<b>New</b>	U-HB-161-1	Dicamba methyl ester 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-051	Dicamba methyl ester	10 mg
	IPO 149	Dichlobenil	250 mg
	FL-45431-250MG	Dichlobenil PESTANAL®	250 mg
<b>New</b>	U-PST-2170A100A01	Dichlobenil 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2170M100A01	Dichlobenil 100 µg/mL in Methanol	1 mL
	FL-36764-50MG	Diclobutrazol PESTANAL®	50 mg
		Dichlobutrazol see Diclobutrazol	
	FL-45432-250MG	Dichlofenthion PESTANAL®	250 mg
<b>New</b>	U-PST-1390M100A01	Dichlofenthion 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1390	Dichlofenthion	25 mg
	IPO 132	Dichlofluanid	250 mg
	FL-45433-250MG	Dichlofluanid PESTANAL®	250 mg
	FL-45434-250MG	Dichlone PESTANAL®	250 mg
<b>New</b>	U-PST-1395	Dichlone	100 mg
	FL-45435-250MG	Dichloran PESTANAL®	250 mg
<b>New</b>	U-PST-190M100A01	Dichloran 100 µg/mL in Methanol	1 mL
	FL-33613-100MG	Dichlormid PESTANAL®	100 mg
	CIL-CLM-816-1.2	Dichlorane (2,6-Dichloro-4-nitroaniline) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-36545-1G	Dichloroacetic acid PESTANAL®	1 g
	FL-36701-1G	2,3-Dichloroaniline PESTANAL®	1 g
	FL-35829-1G	2,4-Dichloroaniline PESTANAL®	1 g
	FL-36702-1G	2,5-Dichloroaniline PESTANAL®	1 g

## Pesticides

Code	Product	Unit
FL-36703-1G	2,6-Dichloroaniline PESTANAL®	1 g
FL-35827-1G	3,4-Dichloroaniline PESTANAL®	1 g
FL-36704-1G	3,5-Dichloroaniline PESTANAL®	1 g
FL-36605-1G	2,6-Dichlorobenzamide PESTANAL®	1 g
<b>New</b> U-PST-2180M100A01	Dichlorobenzamide 100 µg/mL in Methanol	1 mL
IPO 134	1,2-Dichlorobenzene	250 mg
U-HC-110-1	1,2-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-110	1,2-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
FL-36707-1G	1,2-Dichlorobenzene PESTANAL®	1 g
IPO 135	1,3-Dichlorobenzene	250 mg
FL-36708-1G	1,3-Dichlorobenzene PESTANAL®	1 g
U-HC-120-1	1,3-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-120	1,3-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
IPO 136	1,4-Dichlorobenzene	250 mg
FL-35775-1G	1,4-Dichlorobenzene PESTANAL®	1 g
U-HC-130-1	1,4-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-130	1,4-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
FL-36749-1G	2,4-Dichlorobenzoic acid PESTANAL®	1 g
FL-36705-1G	2,5-Dichlorobenzoic acid PESTANAL®	1 g
FL-36706-1G	2,6-Dichlorobenzoic acid PESTANAL®	1 g
IPO 137	4,4'-Dichlorobenzophenone	250 mg
FL-45682-250MG	2,3-Dichloronitrobenzene PESTANAL®	250 mg
FL-36572-250MG	2,5-Dichloronitrobenzene PESTANAL®	250 mg
FL-35831-1G	3,4-Dichloronitrobenzene PESTANAL®	1 g
FL-36573-250MG	3,5-Dichloronitrobenzene PESTANAL®	250 mg
U-RCC-179	Dichlorophen	100 mg
IPO 138	Dichlorophen	250 mg
FL-35992-250MG	Dichlorophen PESTANAL®	250 mg
U-EPA-1217	Dichlorophen 1000 µg/mL in Methanol	1 mL
FL-35811-1G	2,4-Dichlorophenol PESTANAL®	1 g
U-RCP-005	2,4-Dichlorophenol	20 mg
U-PH-120-1	2,4-Dichlorophenol 100 µg/mL in Methanol	1 mL
U-PH-120	2,4-Dichlorophenol 100 µg/mL in Methanol	4 x 1 mL
FL-35835-1G	2,5-Dichlorophenol PESTANAL®	1 g
FL-31102-1G	2,6-Dichlorophenol PESTANAL®	1 g
U-PH-240-1	2,6-Dichlorophenol 100 µg/mL in Methanol	1 mL
U-PH-240	2,6-Dichlorophenol 100 µg/mL in Methanol	4 x 1 mL
IPO UCI 120	4-(2,4-Dichlorophenoxy)benzenamine	100 mg
FL-45733-250MG	3,4-Dichlorophenyldipropion amide PESTANAL®	250 mg
	3,6-Dichloropicolinic acid see Clopyralid	
FL-45439-250MG	1,3-Dichloropropane PESTANAL®	250 mg
U-HC-380-1	1,3-Dichloropropane 100 µg/mL in Methanol	1 mL
U-HC-380	1,3-Dichloropropane 100 µg/mL in Methanol	4 x 1 mL
FL-45440-250MG	1,3-Dichloropropene mixture of isomers PESTANAL®	250 mg
U-EPA-1034	1,3-Dichloropropene (mix) 5000 µg/mL in Methanol	1 mL
FL-31059-250MG	alpha,alpha-Dichlorotoluene PESTANAL®	250 mg
FL-45436-250MG	Dichlorprop PESTANAL®	250 mg
IPO 139	Dichlorprop	250 mg
<b>New</b> U-PST-370	Dichlorprop	100 mg
<b>New</b> U-HB-170-1	Dichlorprop 100 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
	CIL-CLM-3722-1.2	Dichlorprop (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-45734-250MG	2,3-Dichloropropionanilide PESTANAL®	250 mg
	FL-45437-250MG	Dichlorprop-methyl ester PESTANAL®	250 mg
<b>New</b>	U-PST-371	Dichlorprop methyl ester	100 mg
<b>New</b>	U-HB-171-1	Dichlorprop-methyl ester 100 µg/mL in Methanol	1 mL
	FL-31237-250MG	Dichlorprop-P PESTANAL®	250 mg
	IPO 142	Dichlorvos	250 mg
<b>New</b>	U-PST-380	Dichlorvos	100 mg
	FL-45441-250MG	Dichlorvos (DDVP) PESTANAL®	250 mg
<b>New</b>	U-PST-380H100A01	Dichlorvos 100 µg/mL in Hexane	1 mL
<b>New</b>	U-PST-380M100A01	Dichlorvos 100 µg/mL in Methanol	1 mL
	CIL-DLM-2829-0.01	Dichlorvos (dimethyl-D <sub>6</sub> ,98%)	10 mg
	FL-45442-250MG	Diclofop-methyl PESTANAL®	250 mg
	FL-33968-25MG	Diclosulam PESTANAL®	25 mg
	FL-36677-100MG	Dicofol PESTANAL®	100 mg
<b>New</b>	U-PST-391	Dicofol	100 mg
<b>New</b>	U-PST-391M100A01	Dicofol (Kelthane) 100 µg/mL in Methanol	1 mL
	FL-45305-100MG	Dicrotophos PESTANAL®	100 mg
<b>New</b>	U-PST-2960M100A01	Dicrotophos 100 µg/mL in Methanol	1 mL
	FL-46391-100MG	Dicyclanil PESTANAL®	100 mg
		Dicyclidine see Procymidone	
	IPO 145	Dieldrin	250 mg
	U-PST-400	Dieldrin	10 mg
	CERERD-004	Dieldrin	100 mg
	FL-33491-100MG	Dieldrin PESTANAL®	100 mg
	NMIAP1747	Dieldrin	50 mg
<b>New</b>	U-PST-400K100A01	Dieldrin 100 µg/mL in Acetone	1 mL
<b>New</b>	U-PP-190-1	Dieldrin 100 µg/mL in Methanol	1 mL
	U-PST-400	Dieldrin	10 mg
	U-EPA-1107	Dieldrin 1000 µg/mL in Methanol	1 mL
	CERERD-047S	Dieldrin 1000 µg/ml in Methanol	1.2 mL
	CIL-CLM-4726-1.2	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-45443-250MG	Dienochlor PESTANAL®	250 mg
	FL-34087-100MG	Diethofencarb PESTANAL®	100 mg
<b>New</b>	U-PST-2185M100A01	Diethofencarb 100 µg/mL in Methanol	1 mL
	FL-36765-1G	2,6-Diethylaniline PESTANAL®	1 g
	ERD-117	O,O-Diethyl hydrogen dithiophosphate potassium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	CERERD-118	Diethyl hydrogen phosphate 1000 µg/mL(as free acid)	1.2 mL
	ERD-119	O,O-Diethyl hydrogen thiophosphate potassium salt 1000 µg/mL (unlabelled) in Methanol	1.2 mL
	CIL-DLM-4852-1.2	O,O-Diethyl hydrogen thiophosphate potassium salt (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	FL-36737-1G	Diethyl phthalate PESTANAL®	1 g
<b>New</b>	FL-32677-25MG	Difenoconazole PESTANAL®	25 mg
	FL-36531-250MG	Difenoconazole PESTANAL®	250 mg
<b>New</b>	U-PST-2190M100A01	Difenoconazole 100 µg/mL in Methanol	1 mL
	FL-45444-250MG	Difenoconazole PESTANAL®	250 mg
	FL-34331-250MG	Difenoquat-methyl sulfate PESTANAL®	250 mg
<b>New</b>	FL-32582-25MG	Diflovidazin PESTANAL®	25 mg
	IPO 148	Diflubenzuron	250 mg

## Pesticides

	Code	Product	Unit
	FL-45446-250MG	Diflubenzuron PESTANAL®	250 mg
<b>New</b>	U-PST-1400	Diflubenzuron	25 mg
<b>New</b>	U-PST-1400A100A01	Diflubenzuron 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1400M100A01	Diflubenzuron 100 µg/mL in Methanol	1 mL
	FL-45751-100MG	Diflufenican PESTANAL®	100 mg
<b>New</b>	U-PST-2200M100A01	Diflufenican 100 µg/mL in Methanol	1 mL
	FL-37916-100MG	Diflufenzopyr-sodium PESTANAL®	100 mg
	FL-36502-100MG	Dimefox PESTANAL®	100 mg
	FL-36788-250MG	Dimefuron PESTANAL®	250 mg
	FL-33943-100MG	Dimepiperate PESTANAL®	100 mg
	FL-45447-250MG	Dimethachlor PESTANAL®	250 mg
<b>New</b>	U-PST-2970A100A01	Dimethachlor 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	FL-32632-100MG	Dimethachlor Metabolite CGA 373464 PESTANAL®	100 mg
<b>New</b>	FL-32497-100MG	Dimethachlor Metabolite SYN 528702 sodium salt PESTANAL®	100 mg
<b>New</b>	FL-32635-100MG	Dimethachlor Metabolite SYN 530561 PESTANAL®	100 mg
	FL-45448-250MG	Dimethametryn PESTANAL®	250 mg
	FL-31726-100MG	Dimethenamid PESTANAL®	100 mg
<b>New</b>	U-PST-2205M100A01	Dimethenamid 100 µg/mL in Methanol	1 mL
	FL-33697-100MG	Dimethenamid-P PESTANAL®	100 mg
<b>New</b>	U-PST-2670M100A01	Dimethipin 100 µg/mL in Methanol	1 mL
	IPO 146	Dimethoate	250 mg
	FL-45449-100MG	Dimethoate PESTANAL®	100 mg
<b>New</b>	U-PST-421	Dimethoate	10 mg
	NMIAP1642	Dimethoate	50 mg
<b>New</b>	U-PST-421M100A01	Dimethoate 100 µg/mL in Methanol	1 mL
	CIL-DLM-7151-1.2	Dimethoate (O,O-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
		Dimethoate-oxon see Omethoate	
	FL-46027-100MG	Dimethomorph (mixture of E + Z isomers) PESTANAL®	100 mg
<b>New</b>	U-PST-2210A100A01	Dimethomorph 100 µg/mL in Acetonitrile	1 mL
	FL-36766-1G	2,6-Dimethylaniline PESTANAL®	1 g
<b>New</b>	CERERD-155	O,O-Dimethyl hydrogen dithiophosphate (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	U-PPS-280-1	Dimethyl endothall 50 µg/mL in Methanol	1 mL
	U-PPS-280	Dimethyl endothall 50 µg/mL in Methanol	4 x 1 mL
	IPO 151	2,4-Dimethylformanilide	100 mg
	ERD-121	Dimethyl hydrogen phosphate (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b>	U-PST-1945M100A01	Dimethyl-p-nitrophenylphosphate 100 µg/mL in Methanol	1 mL
	FL-36614-1G	Dimethyl-5-nitro-iso-phthalate PESTANAL®	1 g
	FL-36713-1G	2,3-Dimethylphenol PESTANAL®	1 g
	FL-36607-1G	2,4-Dimethylphenol PESTANAL®	1 g
	FL-36714-1G	2,5-Dimethylphenol PESTANAL®	1 g
	FL-36715-1G	2,6-Dimethylphenol PESTANAL®	1 g
	FL-36716-1G	3,4-Dimethylphenol PESTANAL®	1 g
	FL-36717-1G	3,5-Dimethylphenol PESTANAL®	1 g
	FL-36738-1G	Dimethyl phthalate PESTANAL®	1 g
	U-PST-430	Dimethyl phthalate	100 mg

## Pesticides

	Code	Product	Unit
	U-PS-140-1	Dimethyl phthalate 100 µg/mL in Methanol	1 mL
	U-PS-140	Dimethyl phthalate 100 µg/mL in Methanol	4 x 1 mL
	FL-34301-250MG	Dimethyltin dichloride PESTANAL®	250 mg
	FL-36574-250MG	N,N'-Dimethylurea PESTANAL®	250 mg
	FL-45450-250MG	Dimetilan PESTANAL®	250 mg
		Dimite see Chlorfenethol	
	FL-33499-100MG	Dimoxystrobin PESTANAL®	100 mg
		Dimpylat see Diazinon	
	FL-46049-250MG	Diniconazole PESTANAL®	250 mg
<b>New</b>	U-PST-2215M100A01	Diniconazole 100 µg/mL in Methanol	1 mL
	FL-34333-250MG	Dinitramine PESTANAL®	250 mg
	FL-34334-250MG	2,4-Dinitrophenol (with 0.5 mL water/g) PESTANAL®	250 mg
	FL-45451-250MG	Dinobuton PESTANAL®	250 mg
	FL-45452-250MG	Dinocap technical mixture of isomers PESTANAL®	250 mg
<b>New</b>	U-PST-610	Dinocap	100 mg
<b>New</b>	U-PST-610M100A01	Dinocap 100 µg/mL in Methanol	1 mL
	CIL-CLM-3373-1.2	Dinocap (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 147	Dinoseb	250 mg
	CERERD-026	Dinoseb	100 mg
	FL-45453-100MG	Dinoseb PESTANAL®	100 mg
<b>New</b>	U-PST-450	Dinoseb	100 mg
<b>New</b>	U-HB-130-1	Dinoseb 100 µg/mL in Methanol	1 mL
	FL-31281-250MG	Dinoseb acetate PESTANAL®	250 mg
<b>New</b>	U-PST-451	Dinoseb methyl ether	10 mg
	CERERD-031	Dinoseb methyl ether	100 mg
<b>New</b>	U-HB-131-1	Dinoseb methyl ether 100 µg/mL in Methanol	1 mL
	FL-31241-250MG	Dinoterb PESTANAL®	250 mg
	FL-34337-250MG	Dinoterb acetate PESTANAL®	250 mg
	FL-31668-250MG	Diofenolan PESTANAL®	250 mg
<b>New</b>	U-PST-1765	Dioxacarb	10 mg
<b>New</b>	U-PST-455	Dioxathion	100 mg
	FL-45455-250MG	Diphenamid PESTANAL®	250 mg
<b>New</b>	U-PST-1405	Diphenamid	100 mg
<b>New</b>	U-PST-1405M100A01	Diphenamid 100 µg/mL in Methanol	1 mL
	FL-36617-1G	Diphenyl phthalate PESTANAL®	1 g
	FL-45458-250MG	Diphenyl-sulfone PESTANAL®	250 mg
	IPO 152	Diphenylamine	250 mg
	FL-45456-250MG	Diphenylamine PESTANAL®	250 mg
<b>New</b>	U-PST-460	Diphenylamine	100 mg
<b>New</b>	U-PST-460M100A01	Diphenylamine 100 µg/mL in Methanol	1 mL
	FL-45457-250MG	Diphenylmercury PESTANAL®	250 mg
<b>New</b>	FL-46528-1G	Diphenyl sulfide PESTANAL®	1 g
	FL-45459-250MG	Dipropetryn PESTANAL®	250 mg
		Dipropyl isocinchomerone see MGK 326	
	FL-45624-250MG	Dipropyl phthalate PESTANAL®	250 mg
	FL-45422-250MG	Diquat monohydrate (Deiquat monohydrat) (1,1'-Ethylene-2,2'-dipyridyliumdibromide) PESTANAL®	250 mg
<b>New</b>	U-PST-1410	Diquat dibromide	100 mg

## Pesticides

Code	Product	Unit
NIST-3072	Diquat dibromide monohydrate Certified value Diquat dibromide monohydrate.....39.7 mg/kg ± 0.8 mg/kg	5 x 1.2 mL
U-PST-1410AS	Diquat dibromide 100 µg/mL in Water	1 mL
FL-45460-250MG	Disulfoton PESTANAL®	250 mg
<b>New</b> U-PST-470	Disulfoton	100 mg
<b>New</b> U-SP-110-1	Disulfoton 100 µg/mL in Methanol	1 mL
<b>New</b> CIL-DLM-7183	Disulfoton (O,O-diethyl-D <sub>10</sub> ,98%) Disulfoton-oxon see Demeton-S-methyl	on request
FL-45871-100MG	Disulfoton-sulfone PESTANAL®	100 mg
FL-31562-100MG	Disulfoton-sulfoxide PESTANAL®	100 mg
IPO UCI 151	Dithianon	250 mg
FL-45462-250MG	Dithianon PESTANAL®	250 mg
IPO 150	Diuron	250 mg
FL-45463-250MG	Diuron PESTANAL®	250 mg
<b>New</b> U-PST-1415	Diuron	100 mg
<b>New</b> U-PST-1415M100A01	Diuron 100 µg/mL in Methanol	1 mL
U-EPA-1179	Diuron 1000 µg/mL in Acetonitrile	1 mL
IPO 155	DNOC	250 mg
FL-45464-250MG	DNOC PESTANAL®	250 mg
FL-45465-250MG	Dodemorph PESTANAL®	250 mg
IPO 160	Dodine	250 mg
FL-45466-250MG	Dodine PESTANAL®	250 mg
FL-34338-250MG	Drazoxolon PESTANAL® Dursban see Chlorpyrifos	250 mg
ANC 001-0.5	EDDHA (Ethylenediamine-di(o-hydroxyphenylacetic acid))	0.5 g
ANC 002-0.5	EDDHMA (Ethylenediamine-di(o-hydroxy-p-methylphenylacetic acid))	0.5 g
FL-45467-250MG	Edifenphos PESTANAL®	250 mg
FL-33312-100MG	Empenthrin PESTANAL®	100 mg
U-PST-500	Endosulfan Endosulfan I see alpha-Endosulfan Endosulfan II see beta-Endosulfan	100 mg
IPO 181	alpha-Endosulfan	250 mg
FL-45468-100MG	alpha-Endosulfan PESTANAL®	100 mg
<b>New</b> U-PST-501	alpha- Endosulfan (Endosulfan I)	10 mg
CERERE-003	alpha-Endosulfan	100 mg
NMIAP1368	alpha-Endosulfan	50 mg
<b>New</b> U-PP-200-1	alpha-Endosulfan 100 µg/mL in Methanol	1 mL
CERERE-018S	alpha-Endosulfan 1000 µg/mL in Methanol	1.2 mL
CIL-CLM-6025-1.2	Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2862-1.2	Endosulfan I (D <sub>4</sub> ,97%) 100 µg/mL in Nonane	1.2 mL
IPO 182	beta-Endosulfan	250 mg
FL-33385-100MG	beta-Endosulfan PESTANAL®	100 mg
CERERE-004	beta-Endosulfan	100 mg
<b>New</b> U-PST-502	beta-Endosulfan (Endosulfan II)	10 mg
NMIAP1369	beta-Endosulfan	50 mg
<b>New</b> U-PP-210-1	beta-Endosulfan 100 µg/mL in Methanol	1 mL
<b>New</b> U-PST-502I100A01	beta-Endosulfan 100 µg/mL in Isooctane	1 mL
CIL-CLM-6026-1.2	Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
FL-32015-250MG	Endosulfan (alpha+beta=2+1) PESTANAL®	250 mg
FL-36674-100MG	Endosulfan alcohol PESTANAL®	100 mg



## Pesticides

	Code	Product	Unit
	NMIAP1370	Endosulfan diol	50 mg
	FL-36673-100MG	Endosulfan ether PESTANAL®	100 mg
	NMIAP1371	Endosulfan ether	25 mg
	FL-36675-100MG	Endosulfan-lactone PESTANAL®	100 mg
	FL-36676-100MG	Endosulfan-sulfate PESTANAL®	100 mg
<b>New</b>	U-PST-503	Endosulfan sulfate	10 mg
	CERERE-006	Endosulfan-sulfate	100 mg
	NMIAP1372	Endosulfan sulfate	50 mg
<b>New</b>	U-PP-220-1	Endosulfan-sulfate 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-503I100A01	Endosulfan sulfate 100 µg/mL in Isooctane	1 mL
	CERERE-020S	Endosulfan-sulfate 1000 µg/mL in Methanol	1.2 mL
	FL-31555-2ML	Endosulfan-sulfate 100 µg/mL in Hexane PESTANAL®	2 mL
	CIL-CLM-7531-1.2	Endosulfan sulfate ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	NMIAP1803	Endosulfan sulfate-d4	unit
	FL-35525-250MG	Endothal monohydrate PESTANAL®	250 mg
	NIST-3064	Endothall in water Certified value Endothall..... 40 ± 1.1 mg/kg	5 x 1.2 mL
	U-PST-1845	Endothall acid	100 mg
	IPO 188	Endrin	250 mg
	CERERE-007	Endrin	100 mg
	FL-32014-250MG	Endrin PESTANAL®	250 mg
<b>New</b>	U-PST-510	Endrin	100 mg
<b>New</b>	U-PP-230-1	Endrin 100 µg/mL in Methanol	1 mL
	U-EPA-1119	Endrin 1000 µg/mL in Methanol	1 mL
	CERERE-015S	Endrin 1000 µg/mL in Methanol	1.2 mL
	CIL-CLM-4782-1.2	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 187	Endrin aldehyde	20 mg
<b>New</b>	U-PST-512	Endrin aldehyde	10 mg
	CERERE-001	Endrin aldehyde	100 mg
	CIL-CLM-4815-50	Endrin aldehyde ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
<b>New</b>	U-PP-240-1	Endrin aldehyde 100 µg/mL in Methanol	1 mL
	U-EPA-1120	Endrin aldehyde 1000 µg/mL in Methanol	1 mL
	CERERE-016S	Endrin aldehyde 1000 µg/mL in Hexane	1.2 mL
	IPO 189	Endrin ketone	20 mg
<b>New</b>	U-PST-513	Endrin ketone	10 mg
	CERERE-005	Endrin ketone	100 mg
	CIL-CLM-4816-50	Endrin ketone ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
<b>New</b>	U-PP-521-1	Endrin ketone 100 µg/mL in Acetonitrile	1 mL
	CIL-CLM-3374-1.2	Epichlorohydrin ( <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-1008-1	Epichlorohydrin (D <sub>5</sub> ,98%)	1 g
	FL-36503-100MG	EPN PESTANAL®	100 mg
<b>New</b>	U-PST-520	EPN	100 mg
<b>New</b>	U-PST-520AS	EPN 100 µg/mL in Hexane	1 mL
	FL-36848-100MG	Epoxiconazole PESTANAL®	100 mg
<b>New</b>	FL-34111-2ML	Eprinomectin 100 µg/mL in Acetonitrile PESTANAL®	2 mL
<b>New</b>	FL-34111-10ML	Eprinomectin 100 µg/mL in Acetonitrile PESTANAL®	10 mL
	FL-45469-250MG	EPTC PESTANAL®	250 mg
	U-PST-1420	EPTC	100 mg
<b>New</b>	U-PST-1420M100A01	EPTC 100 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
	FL-45470-250MG	Esbiol PESTANAL®	250 mg
	FL-33309-100MG	Esbiothrin PESTANAL®	100 mg
	IPO 193	Esfenvalerate	100 mg
	FL-46277-100MG	Esfenvalerate PESTANAL®	100 mg
<b>New</b>	U-PST-1900M100A01	Esfenvalerate (Arsana) 100 µg/mL in Methanol	1 mL
	FL-33898-100MG	Esprocarb PESTANAL®	100 mg
	FL-45471-250MG	Etaconazole PESTANAL®	250 mg
	FL-45472-250MG	Ethalfuralin PESTANAL®	250 mg
	FL-45473-250MG	Ethephon PESTANAL®	250 mg
	FL-45474-250MG	Ethidimuron PESTANAL®	250 mg
	IPO 194	Ethiofencarb	250 mg
	FL-45475-250MG	Ethiofencarb PESTANAL®	250 mg
<b>New</b>	U-PST-2240A100A01	Ethiofencarb 100 µg/mL in Acetonitrile	1 mL
	FL-45810-10MG	Ethiofencarb-sulfone PESTANAL®	10 mg
	FL-45811-10MG	Ethiofencarb-sulfoxide PESTANAL®	10 mg
	FL-45476-250MG	Ethiolate PESTANAL®	250 mg
	IPO 195	Ethion	250 mg
	FL-45477-250MG	Ethion PESTANAL®	250 mg
<b>New</b>	U-PST-530	Ethion	100 mg
<b>New</b>	U-PST-530H100A01	Ethion 100 µg/mL in Hexane	1 mL
<b>New</b>	U-PST-530M100A01	Ethion 100 µg/mL in Methanol	1 mL
	FL-33976-100MG	Ethiprole PESTANAL®	100 mg
	FL-45478-250MG	Ethirimol PESTANAL®	250 mg
	IPO 192	Ethofumesate	250 mg
	FL-45479-250MG	Ethofumesate PESTANAL®	250 mg
	FL-45306-100MG	Ethoprophos PESTANAL®	100 mg
<b>New</b>	U-PST-1425	Ethoprop (Ethoprophos)	100 mg
<b>New</b>	U-PST-1425M100A01	Ethoprop (Ethoprophos) 100 µg/mL in Methanol	1 mL
	FL-31519-250MG	Ethoxyquin PESTANAL®	250 mg
	FL-46300-100MG	Ethoxysulfuron PESTANAL®	100 mg
	FL-34085-100MG	Ethyachlozate PESTANAL®	100 mg
	IPO 190	Ethylene thiourea	250 mg
	FL-34064-100MG	2-Ethylhexyl diphenyl phosphate PESTANAL®	100 mg
	CIL-ULM-6091-1.2	Ethyl hydrogen dimethylamidophosphate sodium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	ERE-024	Ethyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
		Ethylparathion see Parathion-ethyl	
	FL-31198-1G	2-Ethylphenol PESTANAL®	1 g
	FL-36723-1G	3-Ethylphenol PESTANAL®	1 g
	FL-36724-1G	4-Ethylphenol PESTANAL®	1 g
	FL-34094-100MG	Etofenprox PESTANAL®	100 mg
<b>New</b>	U-PST-2260A100A01	Etofenprox 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	FL-32506-50MG	Ettoxazole PESTANAL®	50 mg
	FL-34340-100MG	Etridiazole PESTANAL®	100 mg
<b>New</b>	U-PST-1770	Etridiazole	100 mg
<b>New</b>	U-PST-1770M100A01	Etridiazole 100 µg/mL in Methanol	1 mL
	FL-45481-250MG	Etrimfos technical mixture PESTANAL®	250 mg
<b>New</b>	U-PST-2270K100A01	Etrimfos 100 µg/mL in Acetone	1 mL

## Pesticides

	Code	Product	Unit
	FL-35995-250MG	Eugenol PESTANAL®	250 mg
<b>New</b>	U-PST-2275A100A01	Famoxadone 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2275C100A01	Famoxadone 100 µg/mL in Cyclohexane	1 mL
	FL-34341-100MG	Famphur PESTANAL®	100 mg
<b>New</b>	U-PST-1430	Famphur	100 mg
<b>New</b>	U-SP-120-1	Famphur 100 µg/mL in Methanol	1 mL
	FL-33965-100MG	Fenamidone PESTANAL®	100 mg
<b>New</b>	U-PST-2280A100A01	Fenamidone 100 µg/mL in Acetonitrile	1 mL
	FL-34183-100MG	Fenamidone metabolite ((S)-3-Anilino-5-methyl-5-phenylimidazolidine-2,4-dione) PESTANAL®	100 mg
	FL-45482-250MG	Fenaminosulf PESTANAL®	250 mg
<b>New</b>	U-PST-310	Fenaminosulf (Dexon)	100 mg
	FL-45483-250MG	Fenamiphos PESTANAL®	250 mg
<b>New</b>	U-PST-1435	Fenamiphos	100 mg
<b>New</b>	U-PST-1435M100A01	Fenamiphos 100 µg/mL in Methanol	1 mL
	FL-46293-100MG	Fenamiphos-sulfoxide PESTANAL®	100 mg
	FL-46292-100MG	Fenamiphos-sulfone PESTANAL®	100 mg
	IPO 191	Fenarimol	250 mg
	FL-45484-250MG	Fenarimol PESTANAL®	250 mg
<b>New</b>	U-PST-1775	Fenarimol	10 mg
<b>New</b>	U-PST-1775M100A01	Fenarimol 100 µg/mL in Methanol	1 mL
	FL-36504-100MG	Fenazaflor PESTANAL®	100 mg
<b>New</b>	U-PST-2285A100A01	Fenazaquin 100 µg/mL in Acetonitrile	1 mL
	FL-45763-250MG	Fenazox PESTANAL®	250 mg
	FL-31654-100MG	Fenbuconazole PESTANAL®	100 mg
<b>New</b>	U-PST-2290M100A01	Fenbuconazole 100 µg/mL in Methanol	1 mL
	FL-34342-250MG	Fenbutatin oxide PESTANAL®	250 mg
	FL-31548-250MG	Fenchlorazol-ethyl PESTANAL®	250 mg
	IPO 197	Fenchlorphos	250 mg
<b>New</b>	U-PST-880	Fenchlorphos (Ronnel)	100 mg
<b>New</b>	U-PST-880A100A01	Fenchlorphos (Ronnel) 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-880M100A01	Fenchlorphos (Ronnel) 100 µg/mL in Methanol	1 mL
	FL-46005-250MG	Fenclorim PESTANAL®	250 mg
	FL-45486-250MG	Fenfuram (2-Methyl-3-furanilide) PESTANAL®	250 mg
	IPO 203	Fenhexamid	100 mg
	FL-31713-100MG	Fenhexamid PESTANAL®	100 mg
<b>New</b>	U-PST-2295A100A01	Fenhexamid 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2295M100A01	Fenhexamid 100 µg/mL in Methanol	1 mL
	IPO 199	Fenitrothion	250 mg
	FL-45487-250MG	Fenitrothion PESTANAL®	250 mg
<b>New</b>	U-PST-1080	Fenitrothion	100 mg
<b>New</b>	U-PST-1080M100A01	Fenitrothion 100 µg/mL in Methanol	1 mL
	CIL-DLM-2878-0.01	Fenitrothion (O,O-dimethyl-D <sub>6</sub> ,98%)	10 mg
	FL-45488-250MG	Fenobucarb PESTANAL®	250 mg

## Pesticides

	Code	Product	Unit
	FL-45691-250MG	Fenoprop (Silvex, 2,4,5-TP) PESTANAL®	250 mg
<b>New</b>	U-PST-911	Fenoprop (2,4,5-TP)	100 mg
<b>New</b>	U-HB-110-1	Fenoprop 100 µg/mL in Methanol	1 mL
	U-EPA-1159	Fenoprop 5000 µg/mL in Acetonitrile	1 mL
	FL-45692-250MG	Fenoprop methyl ester PESTANAL®	250 mg
<b>New</b>	U-PST-912	Fenoprop methyl ester (Silvex methyl ester)	100 mg
<b>New</b>	U-HB-111-1	Fenoprop methyl ester 100 µg/mL in Methanol	1 mL
	FL-33872-100MG	Fenoxanil PESTANAL®	100 mg
	FL-36849-100MG	Fenoxaprop PESTANAL®	100 mg
	FL-45518-250MG	Fenoxaprop-ethyl racemate PESTANAL®	250 mg
	FL-36850-100MG	Fenoxaprop-P PESTANAL®	100 mg
	FL-36851-250MG	Fenoxaprop-P-ethyl PESTANAL®	250 mg
	IPO 198	Fenoxycarb	250 mg
	FL-34343-250MG	Fenoxycarb PESTANAL®	250 mg
<b>New</b>	U-PST-2300A100A01	Fenoxycarb 100 µg/mL in Acetonitrile	1 mL
	FL-36532-250MG	Fenpiclonil PESTANAL®	250 mg
	IPO 201	Fenpropathrin	250 mg
	FL-31223-250MG	Fenpropathrin PESTANAL®	250 mg
<b>New</b>	U-PST-2310M100A01	Fenpropathrin 100 µg/mL in Methanol	1 mL
	FL-46017-250MG	Fenpropidin PESTANAL®	250 mg
<b>New</b>	U-PST-2315A100A01	Fenpropidin 100 µg/mL in Acetonitrile	1 mL
	FL-36772-250MG	Fenpropimorph PESTANAL®	250 mg
<b>New</b>	U-PST-2320A100A01	Fenpropimorph 100 µg/mL in Acetonitrile	1 mL
	FL-31684-100MG	Fenpyroximate PESTANAL®	100 mg
<b>New</b>	U-PST-3040A100A01	Fenpyroximate 100 µg/mL in Acetonitrile	1 mL
	FL-45489-250MG	Fenson PESTANAL®	250 mg
	FL-45307-100MG	Fensulfothion PESTANAL®	100 mg
<b>New</b>	U-PST-1440	Fensulfothion	25 mg
<b>New</b>	U-PST-1440M100A01	Fensulfothion 100 µg/mL in Methanol	1 mL
	IPO 200	Fenthion	250 mg
	FL-36552-250MG	Fenthion PESTANAL®	250 mg
<b>New</b>	U-PST-540	Fenthion	100 mg
<b>New</b>	U-PST-540I100A01	Fenthion 100 µg/mL in Isooctane	1 mL
<b>New</b>	U-PST-540M100A01	Fenthion 100 µg/mL in Methanol	1 mL
	FL-46023-10MG	Fenthion-sulfone PESTANAL®	10 mg
	FL-37885-50MG	Fenthion-sulfoxide PESTANAL®	50 mg
	FL-45491-250MG	Fentin-acetate PESTANAL®	250 mg
	FL-45492-250MG	Fentin-chloride (Triphenyltin chloride) PESTANAL®	250 mg
	FL-45493-250MG	Fentin-hydroxide PESTANAL®	250 mg
	FL-37903-100MG	Fentrazamid PESTANAL®	100 mg
	IPO 202	Fenuron	250 mg
	FL-45494-250MG	Fenuron PESTANAL®	250 mg
<b>New</b>	U-PST-1780	Fenuron	100 mg
	IPO 210	Fenvalerate	250 mg
	FL-45495-250MG	Fenvalerate mixture of diastereomers PESTANAL®	250 mg
<b>New</b>	U-PST-1445	Fenvalerate	100 mg
<b>New</b>	U-PST-1445I100A01	Fenvalerate 100 µg/mL in Isooctane	1 mL

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-1445M100A01	Fenvalerate 100 µg/mL in Methanol	1 mL
	FL-45496-250MG	Ferbam technical mixture PESTANAL®	250 mg
	IPO 215	Fipronil	100 mg
	FL-46451-100MG	Fipronil PESTANAL®	100 mg
	NMIAP1668	Fipronil	50 mg
<b>New</b>	U-PST-1950M100A01	Fipronil 100 µg/mL in Methanol	1 mL
	NMIAP1731	Fipronil sulfone	25 mg
	FL-45497-250MG	Flamprop-isopropyl PESTANAL®	250 mg
	IPO 250	Flamprop-M isopropylester	250 mg
	FL-45752-250MG	Flamprop-M-isopropyl PESTANAL®	250 mg
	FL-34052-50MG	Flazasulfuron PESTANAL®	50 mg
	FL-34084-50MG	Flocoumafen (mixture of isomers) PESTANAL®	50 mg
<b>New</b>	FL-32509-25MG	Flonicamid PESTANAL®	25 mg
<b>New</b>	FL-32586-50MG	Florasulam PESTANAL®	50 mg
<b>New</b>	U-PST-2365M100A01	Flutolanil 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-32824-10MG	Fluazifop PESTANAL®	10 mg
	FL-31285-2ML	Fluazifop 10 µg/mL in Ethyl acetate PESTANAL®	2 mL
	FL-36783-250MG	Fluazifop-butyl PESTANAL®	250 mg
	FL-34027-50MG	Fluazifop-methyl PESTANAL®	50 mg
	IPO 251	Fluazifop-P-butyl	100 mg
	FL-31712-100MG	Fluazifop-P-butyl	100 mg
	FL-34095-100MG	Fluazinam PESTANAL®	100 mg
	FL-46316-2ML	Fluazinam 100 µg/mL in Acetonitrile	2 mL
	FL-46113-100MG	Fluazuron PESTANAL®	100 mg
	NMIAP1490	Fluazuron	100 mg
<b>New</b>	FL-32801-100MG	Flubendiamide PESTANAL®	100 mg
	FL-45499-250MG	Flubenzimine PESTANAL®	250 mg
	FL-45500-250MG	Fluchloralin PESTANAL®	250 mg
<b>New</b>	FL-32529-25MG	Flucycloxiuron PESTANAL®	25 mg
	FL-33496-100MG	Flucythrinate PESTANAL®	100 mg
	FL-46102-100MG	Fludioxonil PESTANAL®	100 mg
<b>New</b>	U-PST-2340A100A01	Fludioxonil 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2340M100A01	Fludioxonil 100 µg/mL in Methanol	1 mL
	FL-31718-100MG	Flufenacet PESTANAL®	100 mg
	FL-34153-10MG	Flufenacet OA PESTANAL®	10 mg
	FL-34154-10MG	Flufenacet ESA sodium salt PESTANAL®	10 mg
<b>New</b>	U-PST-2345A100A01	Flufenoxuron 100 µg/mL in Acetonitrile	1 mL
	FL-45735-250MG	Flumequine PESTANAL®	250 mg
	FL-46417-100MG	Flumethrin PESTANAL®	100 mg
	FL-45501-250MG	Flumetralin PESTANAL®	250 mg
<b>New</b>	FL-32525-100MG	Flumioxazin PESTANAL®	100 mg
	FL-45502-250MG	Fluometuron PESTANAL®	250 mg
<b>New</b>	U-PST-1450	Fluometuron	100 mg
	FL-41132-100MG	Fluopicolide PESTANAL®	100 mg
	FL-31220-1G	Fluoroacetic acid sodium salt PESTANAL®	1 g
	FL-45506-250MG	Fluorodifen PESTANAL®	250 mg
	FL-31674-250MG	Fluoroglycofen-ethyl PESTANAL®	250 mg

## Pesticides

	Code	Product	Unit
	CIL-CLM-7389-1.2	4-Fluoro-3-phenoxybenzoic acid ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7391-1.2	4-Fluoro-3-phenoxybenzoic acid (unlabelled) 100 µg/mL in Nonane	1.2 mL
	FL-45507-250MG	Fluotrimazole PESTANAL®	250 mg
<b>New</b>	FL-33797-100MG	Fluoxastrobin PESTANAL®	100 mg
<b>New</b>	U-PST-2355A100A01	Fluquinconazole 100 µg/mL in Acetonitrile	1 mL
	FL-31520-250MG	Flurenol-methyl ester PESTANAL®	250 mg
	FL-45511-250MG	Fluridone PESTANAL®	250 mg
<b>New</b>	U-PST-1785	Fluridone	10 mg
	FL-45758-100MG	Fluroxypyr PESTANAL®	100 mg
	IPO 252	Fluroxypyr-1-methylheptylester	250 mg
	FL-36780-100MG	Fluroxypyr-1-methylheptylester PESTANAL®	100 mg
<b>New</b>	FL-32523-100MG	Flurprimidol PESTANAL®	100 mg
	FL-46286-100MG	Flurtamone PESTANAL®	100 mg
	IPO 253	Flusilazole	100 mg
	FL-45753-100MG	Flusilazole PESTANAL®	100 mg
<b>New</b>	U-PST-2360A100A01	Flusilazole 100 µg/mL in Acetonitrile	1 mL
	IPO 255	Flutriafol	100 mg
	FL-34344-100MG	Flutriafol PESTANAL®	100 mg
<b>New</b>	U-PST-2680M100A01	Flutriafol 100 µg/mL in Methanol	1 mL
	IPO UCI 260	tau-Fluvalinate	100 mg
	FL-46294-250MG	tau-Fluvalinate PESTANAL®	250 mg
<b>New</b>	U-PST-2580A100A01	tau-Fluvalinate 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2580M100A01	tau-Fluvalinate 100 µg/mL in Methanol	1 mL
	FL-34387-250MG	Fluxofenim PESTANAL®	250 mg
	FL-32057-250MG	Folpet PESTANAL®	250 mg
<b>New</b>	U-PST-550	Folpet	100 mg
<b>New</b>	U-PST-550M100A01	Folpet 100 µg/mL in Methanol	1 mL
	FL-46325-100MG	Fomesafen PESTANAL®	100 mg
<b>New</b>	U-PST-1090	Fonofos	100 mg
<b>New</b>	U-PST-1090M100A01	Fonofos 100 µg/mL in Methanol	1 mL
	CIL-CLM-4545-1.2	Fonofos (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-33977-100MG	Foramsulfuron PESTANAL®	100 mg
<b>New</b>	FL-32974-100MG	Forchlorfenuron PESTANAL®	100 mg
	FL-45514-250MG	Formetanate hydrochloride PESTANAL®	250 mg
	FL-46424-250MG	Formothion in Xylene PESTANAL®	250 mg
	FL-34099-50MG	Fosthiazate PESTANAL®	50 mg
	FL-45515-250MG	Fuberidazole PESTANAL®	250 mg
		Fumazone see 1,2-Dibromo-3-chloropropane (DBCP)	
	FL-45516-250MG	Furalaxyl PESTANAL®	250 mg
	FL-45517-250MG	Furathiocarb PESTANAL®	250 mg
<b>New</b>	U-PST-3100A100A01	Furilazole 100 µg/mL in Acetonitrile	1 mL
	FL-34347-100MG	Furmecyclox PESTANAL®	100 mg
	FL-45519-250MG	Genite PESTANAL®	250 mg
	FL-36575-250MG	Gibberellic acid, GA3 PESTANAL®	250 mg
<b>New</b>	FL-45520-100MG	Glufosinate-ammonium PESTANAL®	100 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-1960M100A01	Glufosinate-ammonium 100 µg/mL in Methanol	1 mL
	IPO 260	Glyphosate	250 mg
	FL-45521-250MG	Glyphosate PESTANAL®	250 mg
<b>New</b>	U-PST-1850	Glyphosate	100 mg
	U-PPS-190-1	Glyphosate 100 µg/mL in Water	1 mL
	U-PPS-190	Glyphosate 100 µg/mL in Water	4 x 1 mL
	NIST-3071	Glyphosate in water Certified value Glyphosate.....7.76 ± 0.33 mg/kg	5 x 1.2 mL
	CIL-CNLM-4666-1.2	Glyphosate (2- <sup>13</sup> C,99%; <sup>15</sup> N,98%) 100 µg/mL in Water	1.2 mL
<b>New</b>	CIL-CNLM-4666-10	Glyphosate (2- <sup>13</sup> C,99%; <sup>15</sup> N,98%) 100 µg/mL in Water	10 mL
<b>New</b>	U-PST-1965M100A01	Glyphosate-isopropyl ammonium 100 µg/mL in Methanol	1 mL
		Gramoxone see Paraquat dichloride	
	FL-37915-100MG	Guazatin acetate PESTANAL®	100 mg
<b>New</b>	FL-32918-50MG	Halosulfuron-methyl PESTANAL®	50 mg
	FL-45817-100MG	Haloxypop PESTANAL®	100 mg
	FL-31256-100MG	Haloxypop-2-ethoxyethyl ester PESTANAL®	100 mg
	FL-45820-250MG	Haloxypop-methyl PESTANAL®	250 mg
	FL-33197-100MG	Haloxypop-p-methyl PESTANAL®	100 mg
		HCB see Hexachlorobenzene	
	FL-36756-250MG	HCH mixture of isomers PESTANAL®	250 mg
<b>New</b>	U-PST-070	HCH-Mix	100 mg
	IPO 270	alpha-HCH	250 mg
	FL-33856-100MG	alpha-HCH PESTANAL®	100 mg
	CERERB-012	alpha-HCH	250 mg
<b>New</b>	U-PST-071	alpha-HCH (alpha-BHC)	10 mg
<b>New</b>	U-PP-110-1	alpha-HCH 100 µg/mL in Methanol	1 mL
	U-EPA-1076	alpha-HCH 1000 µg/mL in Methanol	1 mL
	CERERB-044S	alpha-HCH 1000 µg/mL in Methanol	1.2 mL
	CIL-CLM-2482-1.2	alpha-HCH (alpha-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 271	beta-HCH	100 mg
	CERERB-013	beta-HCH	100 mg
	FL-33376-100MG	beta-HCH PESTANAL®	100 mg
<b>New</b>	U-PST-072	beta-HCH (beta-BHC)	10 mg
<b>New</b>	U-PP-120-1	beta-HCH 100 µg/mL in Methanol	1 mL
	U-EPA-1077	beta-HCH 1000 µg/mL in Acetone	1 mL
	CERERB-045S	beta-HCH 1000 µg/mL in Acetone	1.2 mL
	CIL-CLM-3623-1.2	beta-HCH (beta-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	2 x 1.2 mL
	IPO 275	gamma-HCH	250 mg
	FL-45548-250MG	gamma-HCH	250 mg
	CERERB-015	gamma-HCH	250 mg
<b>New</b>	U-PST-630	gamma-HCH (Lindane) (gamma-BHC)	100 mg
	NIST-RM 8466	gamma-HCH (Lindane) - Purity Certified purity gamma-HCH.....99.9 ± 0.1%	100 mg
	NMIAP1332	gamma-HCH	50 mg
<b>New</b>	U-PST-630A100A01	gamma-HCH 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PP-140-1	gamma-HCH 100 µg/mL in Methanol	1 mL
	U-EPA-1079	gamma-HCH 1000 µg/mL in Methanol	1 mL
	CERERB-047S	gamma-HCH 1000 µg/mL in Methanol	1.2 mL



## Pesticides

Code	Product	Unit
CIL-CDLM-624-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%;D <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1282-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
IPO 276	delta-HCH	100 mg
CERERB-014	delta-HCH	100 mg
<b>New</b> U-PST-073	delta-HCH (delta-BHC)	10 mg
U-EPA-1078	delta-HCH 1000 µg/mL in Methanol	1 mL
CIL-CLM-3648-1.2	delta-HCH ( <sup>13</sup> C <sub>6</sub> 99%) 100 µg/mL in Nonane	1.2 mL
NE7215M	epsilon-HCH 10 µg/mL in Methanol	1.5 mL
	HEOD see Dieldrin	
CERERH-002	Heptachlor	100 mg
NMIAP1394	Heptachlor	50 mg
<b>New</b> U-PST-571	Heptachlor	100 mg
<b>New</b> U-PST-571I100A01	Heptachlor 100 µg/mL in Isooctane	1 mL
U-EPA-1123	Heptachlor 1000 µg/mL in Methanol	1 mL
CIL-CLM-4759-1.2	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1191-1.2	Heptachlor epoxide ( <sup>13</sup> C <sub>1</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4734-1.2	cis-Heptachlor epoxide (isomer B) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
FL-35492-50MG	Heptachlor-epoxide (endo)(isomer A) PESTANAL®	50 mg
<b>New</b> U-PP-260-1	Heptachlor-epoxide (endo)(isomer A) 100 µg/mL in Methanol	1 mL
<b>New</b> U-PST-581	Heptachlor epoxide (isomer A)	10 mg
U-EPA-1124	Heptachlor-epoxide (endo)(isomer A) 1000 µg/mL in Methanol	1 mL
IPO 283	Heptachlor-epoxide (exo) (isomer B)	20 mg
FL-34309-50MG	Heptachlor-epoxide (exo) (isomer B) PESTANAL®	50 mg
<b>New</b> U-PST-582	Heptachlor epoxide (isomer B)	10 mg
CERERH-001	Heptachlor-epoxide (exo) (isomer B)	100 mg
NMIAP1395	Heptachlor epoxide (exo)	20 mg
<b>New</b> U-PP-261-1	Heptachlor-epoxide (exo) (isomer B) 100 µg/mL in Methanol	1 mL
<b>New</b> U-PST-582C100A01	Heptachlor epoxide (isomer B) 100 µg/mL in Cyclohexane	1 mL
U-EPA-1164	Heptachlor-epoxide (exo) (isomer B) 1000 µg/mL in Methanol	1 mL
<b>New</b> U-PST-2380M100A01	Heptenophos 100 µg/mL in Methanol	1 mL
FL-45524-250MG	Hexabromobenzene PESTANAL®	250 mg
FL-45525-250MG	Hexachloro-1,3-butadiene PESTANAL®	250 mg
U-PST-590	Hexachlorobenzene	100 mg
IPO 290	Hexachlorobenzene	250 mg
FL-45522-250MG	Hexachlorobenzene PESTANAL®	250 mg
U-CH-151-1	Hexachlorobenzene 100 µg/mL in Methanol	1 mL
U-CH-150-1	Hexachlorobenzene 100 µg/mL in Methylene chloride	1 mL
U-PST-590	Hexachlorobenzene	100 mg
U-EPA-1125	Hexachlorobenzene 1000 µg/mL in Acetone	1 mL
CIL-CLM-351-1.2	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
FL-45526-250MG	Hexachlorophene PESTANAL®	250 mg
FL-34348-100MG	Hexaconazole PESTANAL®	100 mg
<b>New</b> U-PST-2385A100A01	Hexaconazole 100 µg/mL in Acetonitrile	1 mL
FL-37902-100MG	Hexaflumuron PESTANAL	100 mg
IPO 292	Hexazinone	250 mg
FL-36129-100MG	Hexazinone PESTANAL®	100 mg
<b>New</b> U-PST-1460	Hexazinone	100 mg
<b>New</b> U-PST-1460M100A01	Hexazinone 100 µg/mL in Methanol	1 mL
U-EPA-1180	Hexazinone 1000 µg/mL in Hexane	1 mL

## Pesticides

	Code	Product	Unit
	IPO 295	Hexythiazox	250 mg
	FL-33365-100MG	Hexythiazox PESTANAL®	100 mg
<b>New</b>	U-PST-3110A100A01	Hexythiazox 100 µg/mL in Acetonitrile	1 mL
		HHDN see Aldrin Hinosan see Edifenphos	
	FL-46426-250MG	S-Hydroprene PESTANAL®	250 mg
	FL-45528-250MG	4-Hydroxybenzoxazole PESTANAL®	250 mg
	IPO 278	2-Hydroxybiphenyl	250 mg
	FL-45529-250MG	2-Hydroxybiphenyl PESTANAL®	250 mg
	FL-36524-250MG	8-Hydroxyquinoline PESTANAL®	250 mg
	FL-31143-250MG	8-Hydroxyquinoline-sulfate PESTANAL®	250 mg
	IPO 296	Imazalil	250 mg
	FL-32007-100MG	Imazalil PESTANAL®	100 mg
<b>New</b>	U-PST-1970M100A01	Imazalil 100 µg/mL in Methanol	1 mL
	FL-34350-100MG	Imazamethabenz-methyl PESTANAL®	100 mg
	FL-34227-100MG	Imazamox PESTANAL®	100 mg
	FL-34179-100MG	Imazapic PESTANAL®	100 mg
	FL-37877-100MG	Imazapyr PESTANAL®	100 mg
	FL-37878-100MG	Imazaquin PESTANAL®	100 mg
	FL-37923-100MG	Imazethapyr PESTANAL®	100 mg
<b>New</b>	FL-32919-50MG	Imazosulfuron PESTANAL®	50 mg
	IPO 297	Imidacloprid	100 mg
	FL-37894-100MG	Imidacloprid PESTANAL®	100 mg
<b>New</b>	U-PST-1980A100A01	Imidacloprid 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1980M100A01	Imidacloprid 100 µg/mL in Methanol	1 mL
	FL-34170-10MG	Imidacloprid-d <sub>4</sub> PESTANAL®	10 mg
<b>New</b>	CIL-DLM-8512-1.2	Imidacloprid (4,4,5,5-D <sub>4</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	FL-45531-250MG	2-Imidazolidinethione (Ethylenethiourea) PESTANAL®	250 mg
	FL-31534-250MG	2-Imidazolidone PESTANAL®	250 mg
		2-Imidazolidinthion see Ethylene thiourea Imidithion see Phosmet	
	FL-45533-250MG	3-Indolyl-acetic acid PESTANAL®	250 mg
	FL-45532-250MG	4-(3-Indolyl)-butyric acid PESTANAL®	250 mg
	FL-33969-25MG	Indoxacarb PESTANAL®	25 mg
<b>New</b>	U-PST-2685K100A01	Indoxacarb 100 µg/mL in Acetone	1 mL
<b>New</b>	U-PST-2685A100A01	Indoxacarb 100 µg/mL in Acetonitrile	1 mL
	IPO 298	Iodofenphos	250 mg
	FL-30317-100MG	Iodosulfuron-methyl sodium salt PESTANAL®	100 mg
	FL-36131-100MG	Ioxynil PESTANAL®	100 mg
<b>New</b>	U-PST-3135A100A01	Ioxynil 100 µg/mL in Acetonitrile	1 mL
	FL-36198-100MG	Ioxynil-methyl PESTANAL®	100 mg
	FL-33381-100MG	Ioxynil-octanoate PESTANAL®	100 mg
		IPC see Propham	
	FL-45814-100MG	Iprobenphos PESTANAL®	100 mg
	IPO 300	Iprodione	250 mg
	FL-36132-100MG	Iprodione PESTANAL®	100 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-1985A100A01	Iprodione 100 µg/mL in Acetonitrile	1 mL
	FL-33431-100MG	Iprovalicarb PESTANAL®	100 mg
	FL-46105-250MG	Irgarol PESTANAL®	250 mg
	FL-36133-100MG	Isazophos PESTANAL®	100 mg
		Isobumeton see Secbumeton	
	FL-36134-100MG	Isocarbamide PESTANAL®	100 mg
	FL-37901-100MG	Isocarbophos PESTANAL®	100 mg
	FL-33389-100MG	Isodrin PESTANAL®	100 mg
<b>New</b>	U-PST-1855	Isodrin	100 mg
<b>New</b>	U-PP-430-1	Isodrin 100 µg/mL in Methanol	1 mL
	U-EPA-1131	Isodrin 5000 µg/mL in Methanol	1 mL
	CIL-CLM-4727-1.2	Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	U-PST-2690M100A01	Isofenphos 100 µg/mL in Methanol	1 mL
	FL-33436-50MG	Isofenphos-methyl PESTANAL®	50 mg
	FL-36136-100MG	Isomethiozin PESTANAL®	100 mg
	FL-31036-100MG	Isonoruron PESTANAL®	100 mg
	FL-45541-250MG	Isoproc carb PESTANAL®	250 mg
<b>New</b>	U-PST-1470	Isoproc carb	25 mg
<b>New</b>	U-PST-1470M100A01	Isoproc carb 100 µg/mL in Methanol	1 mL
	FL-36505-100MG	Isopropalin PESTANAL®	100 mg
<b>New</b>	U-PST-1475	Isopropalin	100 mg
	ERI-015	Isopropyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	FL-34221-50MG	2-Isopropylthioxanthone PESTANAL®	50 mg
	FL-34222-50MG	4-Isopropylthioxanthone PESTANAL®	50 mg
	IPO 310	Isoproturon	250 mg
	FL-36137-100MG	Isoproturon PESTANAL®	100 mg
<b>New</b>	U-PST-2395M100A01	Isoproturon 100 µg/mL in Methanol	1 mL
	IPO 853	ortho-Isoproturon	100 mg
<b>New</b>	FL-32532-100MG	Isopyrazam PESTANAL®	100 mg
<b>New</b>	FL-32524-100MG	Isotianil PESTANAL®	100 mg
	FL-36138-100MG	Isoxaben PESTANAL®	100 mg
<b>New</b>	FL-33799-100MG	Isoxadifen-ethyl PESTANAL®	100 mg
	FL-46437-100MG	Isoxaflutol PESTANAL®	100 mg
	FL-45544-250MG	Iodofenphos PESTANAL®	250 mg
		Jodfenphos see Iodofenphos	
	FL-36139-100MG	Kadethrin PESTANAL®	100 mg
		Kakodylic acid see Cacodylic acid Karathan see Dinocap	
	FL-45546-250MG	Karbutylate PESTANAL®	250 mg
	FL-35493-250MG	Kelevan PESTANAL®	250 mg
		Kelthane see Dicofol Kepone see Chlordecone	
	IPO 350	Kresoxim-methyl	100 mg
	FL-37899-100MG	Kresoxim-methyl PESTANAL®	100 mg
	NMIAP1725	Ketotriclabendazole	5 mg
<b>New</b>	FL-32972-100MG	Lactofen PESTANAL®	100 mg
	IPO 398	Lenacil	250 mg
	FL-31112-100MG	Lenacil PESTANAL®	100 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-2410M100A01	Lenacil 100 µg/mL in Methanol	1 mL
	FL-33366-100MG	Leptophos PESTANAL®	100 mg
<b>New</b>	U-PST-1480	Leptophos	100 mg
<b>New</b>	U-PST-1480M100A01	Leptophos 100 µg/mL in Methanol	1 mL
	U-PST-1485	Lethane 384	100 mg
	ERM-AC303	Leucomalachite Green (4,4'-Benzylidenbis(N,N-dimethylaniline)) Certified value Purity.....98.8 ± 0.8%	100 mg
	IPO 425	Linuron	250 mg
	FL-36141-100MG	Linuron PESTANAL®	100 mg
<b>New</b>	U-PST-1490	Linuron	100 mg
<b>New</b>	U-PST-1490A100A01	Linuron 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1490M100A01	Linuron 100 µg/mL in Methanol	1 mL
	U-EPA-1182	Linuron 1000 µg/mL in Hexane Lontrel see Clopyralid	1 mL
	FL-31662-100MG	Lufenuron PESTANAL®	100 mg
	LGC1706	Malachite green oxalate The material is intended for the use as an analytical standard for the determination of malachite green oxalate in foodstuff especially fish Assessed value Purity..... 94.2 ± 1.4 mass% Indicative values for Monode -malachite green, 4-(Dimethylamino)benzophenone, Malachite green carbinol (MG-carbinol), Leucomalachite green (LMG).	250 mg
	FL-36142-100MG	Malaoxon PESTANAL®	100 mg
	IPO 460	Malathion	250 mg
	LGC1205	Malathion Certified purity.....99.4% m/m	250 mg
	CERERM-039	Malathion	250 mg
	FL-36143-100MG	Malathion PESTANAL®	100 mg
<b>New</b>	U-PST-641	Malathion	100 mg
<b>New</b>	U-PST-641M100A01	Malathion 100 µg/mL in Methanol	1 mL
	CIL-DLM-4476-1.2	Malathion (D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 461	iso-Malathion	100 mg
	FL-45552-250MG	Maleic hydrazide PESTANAL®	250 mg
	FL-45553-250MG	Mancozeb technical mixture PESTANAL®	250 mg
<b>New</b>	FL-32805-100MG	Mandipropamid PESTANAL®	100 mg
	FL-45554-250MG	Maneb PESTANAL® MCCP see Mecoprop	250 mg
	IPO 464	MCPA	250 mg
	FL-45555-250MG	MCPA PESTANAL®	250 mg
<b>New</b>	U-PST-1180	MCPA	100 mg
<b>New</b>	U-PST-1180A100A01	MCPA 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-HB-180-1	MCPA 100 µg/mL in Methanol	1 mL
	FL-31290-2ML	MCPA-butoxyethyl ester 10 µg/mL in iso-Octane PESTANAL®	2 mL
	FL-33394-100MG	MCPA-2-ethylhexyl ester PESTANAL®	100 mg
	IPO 465	MCPA-methyl ester	250 mg
	FL-36144-100MG	MCPA-methyl ester PESTANAL®	100 mg
<b>New</b>	U-PST-1181	MCPA-methyl-ester	100 mg
<b>New</b>	U-HB-181-1	MCPA-methyl ester 100 µg/mL in Methanol	1 mL
	FL-45746-250MG	MCPA-sodium salt PESTANAL®	250 mg

## Pesticides

	Code	Product	Unit
	IPO 468	MCPB	250 mg
	FL-36145-100MG	MCPB PESTANAL®	100 mg
	IPO 467	MCPB-methyl ester	250 mg
	FL-36146-100MG	MCPB-methyl ester PESTANAL®	100 mg
		MCPP see Mecoprop	
	FL-36515-100MG	Mecarbam PESTANAL®	100 mg
<b>New</b>	U-PST-2415M100A01	Mecarbam 100 µg/mL in Methanol	1 mL
	IPO 470	Mecoprop	250 mg
	FL-36147-100MG	Mecoprop PESTANAL®	100 mg
<b>New</b>	U-PST-1190	Mecoprop (MCPP)	100 mg
<b>New</b>	U-HB-190-1	Mecoprop (MCPP) 100 µg/mL in Methanol	1 mL
	IPO 469	Mecoprop-methyl ester	250 mg
	FL-36148-100MG	Mecoprop-methyl ester PESTANAL®	100 mg
<b>New</b>	U-PST-1191	Mecoprop-methyl ester (MCPP-methyl ester)	100 mg
<b>New</b>	U-HB-191-1	Mecoprop-methyl ester 100 µg/mL in Methanol	1 mL
	FL-37871-100MG	Mecoprop-2-octyl ester PESTANAL®	100 mg
	FL-36773-250MG	Mecoprop-P PESTANAL®	250 mg
	FL-36150-100MG	Mefenacet PESTANAL®	100 mg
	FL-46302-100MG	Mefenpyr-diethyl PESTANAL®	100 mg
	FL-33970-50MG	Mepanipirim PESTANAL®	50 mg
<b>New</b>	U-PST-2420A100A01	Mepanipirim 100 µg/mL in Acetonitrile	1 mL
	FL-34352-100MG	Mephosolan PESTANAL®	100 mg
	FL-36151-100MG	Mepiquat chloride PESTANAL®	100 mg
	FL-33361-100MG	Mepronil PESTANAL®	100 mg
	U-EPA-1172	2-Mercaptobenzothiazole 1000 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1860	Mercaptobenzothiazole	100 mg
		Mercaptodimethur see Methiocarb	
	U-PST-1500	Merphos	100 mg
<b>New</b>	U-PST-1500H100A01	Merphos 100 µg/mL in Hexane	1 mL
	FL-34178-100MG	Mesosulfuron-methyl PESTANAL®	100 mg
	FL-33855-100MG	Mesotrion PESTANAL®	100 mg
<b>New</b>	FL-32966-100MG	Metaflumizone mixture of isomeres PESTANAL®	100 mg
	IPO 473	Metalaxyl	250 mg
	FL-32012-100MG	Metalaxyl PESTANAL®	100 mg
<b>New</b>	U-PST-2000M100A01	Metalaxyl 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-32808-100MG	Metalaxyl-M PESTANAL®	100 mg
	FL-36611-1G	Metaldehyde PESTANAL®	1 g
	FL-45570-250MG	Metam sodium dihydrate PESTANAL®	250 mg
<b>New</b>	U-PST-1505	Metam sodium	100 mg
	IPO 472	Metamitron	250 mg
	FL-36154-100MG	Metamitron PESTANAL®	100 mg
<b>New</b>	U-PST-2430A100A01	Metamitron 100 µg/mL in Acetonitrile	1 mL
	IPO 471	Metazachlor	250 mg
	FL-36155-100MG	Metazachlor PESTANAL®	100 mg
<b>New</b>	U-PST-2435A100A01	Metazachlor 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2435M100A01	Metazachlor 100 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
	U-EPA-1183	Metazachlor 1000 µg/mL in Acetonitrile	1 mL
	FL-37909-100MG	Metconazole PESTANAL®	100 mg
	IPO 474	Methabenzthiazuron	250 mg
	FL-36156-100MG	Methabenzthiazuron PESTANAL®	100 mg
<b>New</b>	U-PST-2445A100A01	Methabenzthiazuron 100 µg/mL in Acetonitrile	1 mL
	FL-45569-250MG	Methacrifos PESTANAL®	250 mg
<b>New</b>	U-PST-2695M100A01	Methacrifos 100 µg/mL in Methanol	1 mL
	IPO 483	Methamidophos	250 mg
	FL-33395-100MG	Methamidophos PESTANAL®	100 mg
<b>New</b>	U-PST-1510	Methamidophos	25 mg
<b>New</b>	U-PST-1510M100A01	Methamidophos 100 µg/mL in Methanol	1 mL
	NMIAP1712	Methamidophos-d6	1 mg
<b>New</b>	CIL-DLM-7149	Methamidophos (dimethyl-D <sub>6</sub> ,98%)	on request
	FL-36157-100MG	Methfuroxam PESTANAL®	100 mg
	FL-36158-100MG	Methidathion PESTANAL®	100 mg
<b>New</b>	U-PST-1520	Methidathion	100 mg
<b>New</b>	U-PST-1520A100A01	Methidathion 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1520I100A01	Methidathion 100 µg/mL in Isooctane	1 mL
	IPO 477	Methiocarb	250 mg
	FL-36152-100MG	Methiocarb (Mercaptodimethur) PESTANAL®	100 mg
<b>New</b>	U-PST-1525	Methiocarb	100 mg
<b>New</b>	U-PST-1525A100A01	Methiocarb 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1525M100A01	Methiocarb 100 µg/mL in Methanol	1 mL
	FL-45729-100MG	Methiocarb-sulfone (Mercaptodimethursulfon) PESTANAL®	100 mg
	FL-34177-100MG	Methiocarb-sulfoxide PESTANAL®	100 mg
	IPO 481	Methomyl	250 mg
	FL-36159-100MG	Methomyl PESTANAL®	100 mg
<b>New</b>	U-PST-680	Methomyl	100 mg
<b>New</b>	U-PST-680A100A01	Methomyl 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	CIL-CNLM-7148-1.2	Methomyl (acetohydroxamate- <sup>13</sup> C <sub>2</sub> ,99%; <sup>15</sup> N,98%) 100 µg/mL in Methanol	1.2 mL
	FL-33375-100MG	Methoprene PESTANAL®	100 mg
	FL-31115-100MG	Methoprotryne PESTANAL®	100 mg
	FL-36161-100MG	Methoxychlor PESTANAL®	100 mg
<b>New</b>	U-PST-691	Methoxychlor	100 mg
	NMIAP1305	Methoxychlor	100 mg
<b>New</b>	U-PP-390-1	Methoxychlor 100 µg/mL in Methanol	1 mL
	CIL-CLM-4683-1.2	Methoxychlor (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	IPO 475	2,4'-Methoxychlor	100 mg
	IPO 476	4,4'-Methoxychlor	250 mg
	FL-36546-1G	Methyl chloroacetate PESTANAL®	1 g
	FL-36547-1G	Methyl dichloroacetate PESTANAL®	1 g
	IPO 852	S-Methylfenitrothion	100 mg
	FL-45576-250MG	Methyl isothiocyanate PESTANAL®	250 mg
	FL-33368-100MG	Methylmercury chloride PESTANAL®	100 mg
	FL-36558-100MG	2-Methyl-3-nitroanisol PESTANAL®	100 mg
	FL-31179-250MG	3-Methyl-4-nitroanisol PESTANAL®	250 mg
	FL-33367-100MG	Methyl pentachlorophenylsulfide PESTANAL®	100 mg

## Pesticides

Code	Product	Unit
FL-31264-100MG	3-(Methylphosphinico) propionic acid PESTANAL®	100 mg
ERM-038	Methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-DLM-6196-1.2	Methylphosphonic acid (methyl-D <sub>3</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
FL-36548-1G	Methyl trichloroacetate PESTANAL®	1 g
FL-45577-250MG	Metiram technical mixture PESTANAL®	250 mg
IPO 478	Metobromuron	250 mg
FL-36162-100MG	Metobromuron PESTANAL®	100 mg
<b>New</b> U-PST-3165A100A01	Metobromuron 100 µg/mL in Acetonitrile	1 mL
IPO 482	Metolachlor	250 mg
FL-36163-100MG	Metolachlor PESTANAL®	100 mg
<b>New</b> U-PST-1530	Metolachlor	100 mg
<b>New</b> U-PST-1530M100A01	Metolachlor 100 µg/mL in Methanol	1 mL
U-EPA-1186	Metolachlor 1000 µg/mL in Hexane	1 mL
CIL-CLM-3712-1.2	Metolachlor (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
FL-34149-10MG	Metolachlor ESA sodium salt PESTANAL®	10 mg
FL-34148-10MG	Metolachlor OA PESTANAL®	10 mg
FL-33859-100MG	S-Metolachlor PESTANAL®	100 mg
<b>New</b> FL-32641-100MG	S-Metolachlor metabolite CGA 368208 PESTANAL®	100 mg
<b>New</b> FL-32645-100MG	S-Metolachlor metabolite CGA 37735 PESTANAL®	100 mg
<b>New</b> FL-32648-100MG	S-Metolachlor metabolite CGA 50267 PESTANAL®	100 mg
<b>New</b> FL-32650-100MG	S-Metolachlor metabolite CGA 50720 PESTANAL®	100 mg
<b>New</b> FL-32637-100MG	S-Metolachlor metabolite CGA 357704 PESTANAL®	100 mg
<b>New</b> FL-32646-100MG	S-Metolachlor metabolite NOA 413173 PESTANAL®	100 mg
FL-31037-100MG	Metolcarb PESTANAL®	100 mg
FL-34229-10MG	(Z)-Metominostrobin PESTANAL®	10 mg
FL-34230-10MG	(E)-Metominostrobin PESTANAL®	10 mg
FL-46317-100MG	Metosulam PESTANAL®	100 mg
IPO 486	Metoxuron	250 mg
FL-36164-100MG	Metoxuron PESTANAL®	100 mg
<b>New</b> FL-32964-100MG	Metrafenone PESTANAL®	100 mg
IPO 480	Metribuzin	250 mg
FL-36165-100MG	Metribuzin PESTANAL®	100 mg
<b>New</b> U-PST-1535	Metribuzin	100 mg
<b>New</b> U-PST-1535M100A01	Metribuzin 100 µg/mL in Methanol	1 mL
FL-46432-100MG	Metsulfuron-methyl PESTANAL®	100 mg
<b>New</b> U-PST-710	Mevinphos	100 mg
<b>New</b> U-PST-710M100A01	Mevinphos (Phosdrin) 100 µg/mL in Methanol	1 mL
<b>New</b> U-PST-1010	Mexacarbate	10 mg
	Mezineb see Propineb technical mixture	
FL-36168-100MG	MGK 264 mixture of isomers PESTANAL®	100 mg
<b>New</b> U-PST-1790	MGK-264	100 mg
FL-36169-100MG	MGK 326 PESTANAL®	100 mg
IPO 485	Mirex	250 mg
CERERM-001	Mirex	100 mg
FL-36170-100MG	Mirex PESTANAL®	100 mg
<b>New</b> U-PST-720	Mirex	100 mg
<b>New</b> U-PST-720M100A01	Mirex 100 µg/mL in Methanol	1 mL
CIL-CLM-4813-1.2	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-2078-1	Mirex ( <sup>13</sup> C <sub>8</sub> ,99%) 200 µg/mL in Toluene	1 mL



## Pesticides

	Code	Product	Unit
	FL-36171-100MG	Molinate PESTANAL®	100 mg
<b>New</b>	U-PST-1540	Molinate	100 mg
<b>New</b>	U-PST-1540M100A01	Molinate 100 µg/mL in Methanol	1 mL
	FL-36172-100MG	Monalide mixture of isomers PESTANAL®	100 mg
	IPO 489	Monocrotophos	100 mg
	FL-36173-100MG	Monocrotophos PESTANAL®	100 mg
<b>New</b>	U-PST-040	Monocrotophos	100 mg
<b>New</b>	U-PST-040M100A01	Monocrotophos 100 µg/mL in Methanol	1 mL
	IPO 490	Monolinuron	250 mg
	FL-45590-250MG	Monolinuron PESTANAL®	250 mg
<b>New</b>	U-PST-2465A100A01	Monolinuron 100 µg/mL in Acetonitrile	1 mL
	U-EPA-1188	Monolinuron 1000 µg/mL in Acetonitrile	1 mL
	FL-31200-1G	Monomethyl 5-nitro-iso-phthalate PESTANAL®	1 g
<b>New</b>	FL-32811-100MG	Monosultap PESTANAL®	100 mg
	CERERM-003	Monuron	250 mg
	FL-36174-100MG	Monuron PESTANAL®	100 mg
<b>New</b>	U-PST-1545	Monuron	100 mg
<b>New</b>	U-PST-1550	Monuron TCA	100 mg
	FL-46449-100MG	Muscalur PESTANAL®	100 mg
	IPO 495	Myclobutanil	100 mg
	FL-34360-100MG	Myclobutanil PESTANAL®	100 mg
<b>New</b>	U-PST-2470A100A01	Myclobutanil 100 µg/mL in Acetonitrile	1 mL
	FL-45593-250MG	Nabam technical mixture PESTANAL®	250 mg
<b>New</b>	FL-32668-10MG	Nabam-d4 hexahydrate PESTANAL®	10 mg
	FL-34231-100MG	Naftalofos PESTANAL®	100 mg
	FL-31097-1G	1-Naphthol PESTANAL®	1 g
	FL-34066-100MG	2-Naphthoxy acetic acid PESTANAL®	100 mg
	FL-45736-250MG	2-Naphthoxy acetic acid methyl ester PESTANAL®	250 mg
	FL-36732-1G	1-Naphthyl acetamide PESTANAL®	1 g
	FL-35745-1G	1-Naphthyl acetic acid PESTANAL®	1 g
	FL-35746-1G	1-Naphthylacetic acid methyl ester (Methyl 1-naphthylacetate) PESTANAL®	1 g
	IPO 499	Napropamide	250 mg
	FL-36175-100MG	Napropamide PESTANAL®	100 mg
<b>New</b>	U-PST-1555	Napropamide	100 mg
<b>New</b>	U-PST-1555A100A01	Napropamide (Devrinol) 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1555M100A01	Napropamide (Devrinol) 100 µg/mL in Methanol	1 mL
	FL-33371-100MG	Naptalam PESTANAL®	100 mg
	FL-36176-100MG	Neburon PESTANAL®	100 mg
<b>New</b>	U-PST-1560	Neburon	100 mg
<b>New</b>	U-PST-1560M100A01	Neburon 100 µg/mL in Methanol	1 mL
		Neo-Pynamin see Tetramethrin	
	FL-36177-100MG	Nicosamid PESTANAL®	100 mg
	FL-34210-100MG	Nicosulfuron PESTANAL®	100 mg
	FL-46077-100MG	Nitenpyram PESTANAL®	100 mg
	FL-36178-100MG	Nitralin PESTANAL®	100 mg
	FL-33372-100MG	Nitrapyrin PESTANAL®	100 mg
	IPO 510	Nitrofen (2,4-Dichlorophenyl-4'-nitrophenylether)	250 mg

## Pesticides

	Code	Product	Unit
	CERERN-020	Nitrofen	250 mg
	FL-33374-100MG	Nitrofen PESTANAL®	100 mg
<b>New</b>	U-PST-1565	Nitrofen	5 mg
<b>New</b>	U-PST-1565M100A01	Nitrofen 100 µg/mL in Methanol	1 mL
	FL-35966-1G	2-Nitrophenol PESTANAL®	1 g
	FL-35836-1G	4-Nitrophenol PESTANAL®	1 g
	FL-36612-1G	4-Nitrophenol sodium salt dihydrate PESTANAL®	1 g
	IPO 854	N-Nitrosopendimethalin	100 mg
	FL-36179-100MG	Nitrothal-isopropyl PESTANAL®	100 mg
	CERERN-001	cis-Nonachlor	25 mg
	U-PST-1200	cis-Nonachlor	10 mg
<b>New</b>	U-PP-490-1	cis-Nonachlor 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1201C100A01	Nonachlor 100 µg/mL in Cyclohexane	1 mL
	CIL-CLM-4811-1.2	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	U-PST-1201	trans-Nonachlor	10 mg
<b>New</b>	NMIAP1623	trans-Nonachlor	10 mg
	CERERN-002	trans-Nonachlor	25 mg
<b>New</b>	U-PP-500-1	trans-Nonachlor 100 µg/mL in Methanol	1 mL
	CIL-CLM-4735-1.2	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-46405-100MG	4-n-Nonylphenol PESTANAL®	100 mg
	FL-46018-1G	Nonylphenol PESTANAL®	1 g
<b>New</b>	FL-34364-100MG	Norflurazon PESTANAL®	100 mg
<b>New</b>	U-PST-1795	Norflurazon	10 mg
	IPO 522	Novaluron	100 mg
<b>New</b>	FL-32419-25MG	Novaluron PESTANAL®	25 mg
	FL-31116-100MG	Nuarimol PESTANAL®	100 mg
<b>New</b>	U-PST-2480A100A01	Nuarimol 100 µg/mL in Acetonitrile	1 mL
	FL-46078-250MG	Octhilinone PESTANAL®	250 mg
	FL-46143-100MG	Ofurace PESTANAL®	100 mg
	FL-36181-100MG	Omethoate PESTANAL®	100 mg
<b>New</b>	U-PST-2015A100A01	Omethoate 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2015M100A01	Omethoate 100 µg/mL in Methanol	1 mL
		Omite see Propargite	
	FL-33362-100MG	Orbencarb PESTANAL®	100 mg
<b>New</b>	U-PST-1570	Oryzalin	100 mg
	FL-36182-100MG	Oryzalin PESTANAL®	100 mg
	U-EPA-1170	Oryzalin 1000 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1100	Ovex	100 mg
	FL-36183-100MG	Oxabetrinil PESTANAL®	100 mg
	FL-33966-100MG	Oxadiargyl PESTANAL®	100 mg
	FL-33382-100MG	Oxadiazon PESTANAL®	100 mg
<b>New</b>	U-PST-1575	Oxadiazon	100 mg
<b>New</b>	U-PST-1575M100A01	Oxadiazon 100 µg/mL in Methanol	1 mL
	IPO 525	Oxadixyl	100 mg
	FL-34365-100MG	Oxadixyl PESTANAL®	100 mg
<b>New</b>	U-PST-2485M100A01	Oxadixyl 100 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
	IPO 526	Oxamyl	250 mg
	FL-36184-100MG	Oxamyl PESTANAL®	100 mg
<b>New</b>	U-PST-1580	Oxamyl	100 mg
<b>New</b>	U-PST-1580A100A01	Oxamyl 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1580M100A01	Oxamyl 100 µg/mL in Methanol	1 mL
	FL-46416-100MG	Oxasulfuron PESTANAL®	100 mg
	IPO 527	Oxycarboxin	250 mg
	FL-36185-100MG	Oxycarboxin PESTANAL®	100 mg
<b>New</b>	CIL-DLM-7150-1.2	Oxydemeton methyl (di-O-methyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
	IPO 524	Oxyfluorfen	100 mg
	FL-35031-100MG	Oxyfluorfen PESTANAL®	100 mg
<b>New</b>	U-PST-1590	Oxyfluorfen	100 mg
<b>New</b>	U-PST-1590M100A01	Oxyfluorfen 100 µg/mL in Methanol	1 mL
	CIL-CLM-4538-1.2	Oxypyrimidine (methyl-4,5,6- <sup>13</sup> C <sub>4</sub> , 99%) (diazinon metabolite) 100 µg/mL in Acetonitrile	1.2 mL
	FL-46046-250MG	Paclobutrazol PESTANAL®	250 mg
<b>New</b>	U-PST-2490M100A01	Paclobutrazol 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1110	Paraoxon-ethyl (Paraoxon)	100 mg
<b>New</b>	U-PST-1110M100A01	Paraoxon-ethyl 100 µg/mL in Methanol	1 mL
	IPO UCI 530	Paraoxon-ethyl	250 mg
	FL-36186-100MG	Paraoxon-ethyl PESTANAL®	100 mg
	IPO UCI 531	Paraoxon-methyl	250 mg
	FL-46192-100MG	Paraoxon-methyl PESTANAL®	100 mg
	FL-36541-100MG	Paraquat dichloride hydrate PESTANAL®	100 mg
<b>New</b>	U-PST-740	Paraquat dichloride	100 mg
	U-PST-740AS	Paraquat dichloride 100 µg/mL in Water	1 mL
	CERERP-079	Parathion-ethyl	250 mg
	IPO 529	Parathion-ethyl	250 mg
<b>New</b>	FL-45607-100MG	Parathion-ethyl PESTANAL®	100 mg
<b>New</b>	U-PST-761	Parathion-ethyl	100 mg
	CIL-DLM-2970-0.01	Parathion-ethyl (diethyl-D <sub>10</sub> ,98%)	10 mg
<b>New</b>	U-PST-761A100A01	Parathion-ethyl 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-761M100A01	Parathion-ethyl 100 µg/mL in Methanol	1 mL
<b>New</b>	U-SP-140-1	Parathion-ethyl 100 µg/mL in Methanol	1 mL
	CIL-DLM-2970-1.2	Parathion-ethyl (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	IPO 531	Parathion-methyl	250 mg
	FL-36187-100MG	Parathion-methyl PESTANAL®	100 mg
<b>New</b>	U-PST-700	Parathion-methyl	100 mg
	CERERM-004	Parathion-methyl	250 mg
<b>New</b>	U-SP-130-1	Parathion-methyl 100 µg/mL in Methanol	1 mL
	FL-36188-100MG	Pebulate PESTANAL®	100 mg
<b>New</b>	U-PST-1595	Pebulate	100 mg
	FL-36189-100MG	Penconazole PESTANAL®	100 mg
<b>New</b>	U-PST-2495M100A01	Penconazole 100 µg/mL in Methanol	1 mL
	FL-31118-100MG	Pencycuron PESTANAL®	100 mg
	IPO 530	Pendimethalin	250 mg
	FL-36191-100MG	Pendimethalin PESTANAL®	100 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-1600A100A01	Pendimethalin 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1600M100A01	Pendimethalin 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1600	Pendimethalin	100 mg
	FL-46012-100MG	Pentachloroaniline PESTANAL®	100 mg
	IPO 540	Pentachlorobenzene	250 mg
	FL-35886-1G	Pentachlorobenzene PESTANAL®	1 g
	FL-31061-250MG	Pentachloroethane PESTANAL®	250 mg
	U-PPS-130-1	Pentachloronitrobenzene 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
	U-EPA-1151	Pentachloronitrobenzene 5000 µg/mL in Methanol	1 mL
	U-NAI-160-1	Pentachloronitrobenzene 100 µg/mL in Methylene chloride	1 mL
	U-PPS-132-1	Pentachloronitrobenzene 1000 µg/mL in Ethyl acetate	1 mL
	U-PPS-133-1	Pentachloronitrobenzene 5000 µg/mL in Acetone	1 mL
	IPO 560	Pentachlorophenol	100 mg
<b>New</b>	U-PST-780	Pentachlorophenol	20 mg
	U-PH-180-1	Pentachlorophenol 1000 µg/mL in Methanol	1 mL
	U-PH-180	Pentachlorophenol 1000 µg/mL in Methanol	4 x 1 mL
	FL-35550-100MG	Pentachlorophenyl acetate PESTANAL®	100 mg
<b>New</b>	FL-32861-2ML	Pentachlor, 100 µg/mL in Acetonitrile PESTANAL®	2 mL
	IPO 557	Permethrin	250 mg
	FL-45614-250MG	Permethrin mixture of cis and trans isomers PESTANAL®	250 mg
<b>New</b>	U-PST-1605	Permethrin, mixed isomers	25 mg
<b>New</b>	U-PST-1605M100A01	Permethrin mixed isomers 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-2895M100A01	cis-Permethrin 100 µg/mL in Methanol	1 mL
	CIL-CLM-7322-1.2	cis-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	FL-36893-2ML	trans-Permethrin 10 µg/mL in Cyclohexane PESTANAL®	2 mL
	CIL-CLM-7323-1.2	trans-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	IPO 559	Perthane	250 mg
	FL-45615-250MG	Perthane PESTANAL®	250 mg
<b>New</b>	U-PST-790	Perthane	100 mg
<b>New</b>	U-PST-790I100A01	Perthane 100 µg/mL in Isooctane	1 mL
<b>New</b>	U-PST-790M100A01	Perthane 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-32528-50MG	Pethoxamid PESTANAL®	50 mg
	IPO 561	Phenmedipham	250 mg
	FL-36192-100MG	Phenmedipham PESTANAL®	100 mg
	FL-35952-1G	Phenol PESTANAL®	1 g
	FL-36193-100MG	Phenothrin mixture of isomers PESTANAL®	100 mg
<b>New</b>	U-PST-2700M100A01	Phenothrin (tech) 100 µg/mL in Methanol	1 mL
	FL-34366-250MG	Phenoxyacetic acid PESTANAL®	250 mg
	FL-46319-250MG	Phenoxybenzoic acid PESTANAL®	250 mg
	CIL-CLM-4542-1.2	3-Phenoxybenzoic acid (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) (Permethrin metabolite) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4542-SA-1.2	3-Phenoxybenzoic acid (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) (Permethrin metabolite) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	IPO 566	iso-Phentoate	100 mg
	FL-31611-100MG	Phenthoate PESTANAL®	100 mg
<b>New</b>	U-PST-2020M100A01	Phenthoate 100 µg/mL in Methanol	1 mL
	IPO 567	Phenthoate-oxon	100 mg
	FL-45619-250MG	Phenylmercury chloride PESTANAL®	250 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-1610M100A01	2-Phenylphenol 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1610	2-Phenylphenol	100 mg
	CIL-CLM-3733-1.2	2-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-3748-1.2	4-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	FL-31056-250MG	N-Phenylthiourea PESTANAL®	250 mg
	FL-33388-100MG	Phorate PESTANAL®	100 mg
<b>New</b>	U-PST-800	Phorate	100 mg
<b>New</b>	U-SP-150-1	Phorate 100 µg/mL in Methanol	1 mL
	CIL-CLM-4544-1.2	Phorate (diethoxy- <sup>13</sup> C <sub>4</sub> , 99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-46031-100MG	Phorate-sulfone PESTANAL®	100 mg
	FL-45762-100MG	Phorate-sulfoxide PESTANAL®	100 mg
	IPO 562	Phosalone	250 mg
	FL-36194-100MG	Phosalone PESTANAL®	100 mg
<b>New</b>	U-PST-2500M100A01	Phosalone 100 µg/mL in Methanol	1 mL
		Phosdrin see Mevinphos	
	IPO 564	Phosmet	250 mg
<b>New</b>	U-PST-600	Phosmet (Imidan)	100 mg
<b>New</b>	U-PST-600M100A01	Phosmet 100 µg/mL in Methanol	1 mL
	CIL-DLM-4667-1.2	Phosmet (dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-45622-100MG	Phosphamidon E + Z isomer PESTANAL®	100 mg
<b>New</b>	U-PST-810	Phosphamidon (Dimecron)	100 mg
	FL-36197-100MG	Phoxim PESTANAL®	100 mg
	FL-36734-1G	Phthalimide PESTANAL®	1 g
	FL-36774-250MG	Picloram PESTANAL®	250 mg
<b>New</b>	U-PST-1620	Picloram	25 mg
<b>New</b>	U-PST-1620A100A01	Picloram 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1620M100A01	Picloram 100 µg/mL in Methanol	1 mL
	U-EPA-1175	Picloram 1000 µg/mL in Methanol	1 mL
	FL-37912-100MG	Picolinafen PESTANAL®	100 mg
	FL-33658-100MG	Picoxystrobin PESTANAL®	100 mg
	FL-45625-250MG	Pindone PESTANAL®	250 mg
<b>New</b>	FL-32821-25MG	Pinoxaden PESTANAL®	25 mg
	IPO 571	Piperonyl butoxide	250 mg
	FL-45626-100MG	Piperonyl butoxide PESTANAL®	100 mg
<b>New</b>	U-PST-820	Piperonyl butoxide	100 mg
<b>New</b>	U-PST-820A100A01	Piperonyl butoxide 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-820I100A01	Piperonyl butoxide 100 µg/mL in Isooctane	1 mL
	FL-46011-250MG	Piperophos PESTANAL®	250 mg
	IPO 563	Pirimicarb	250 mg
	FL-45627-250MG	Pirimicarb PESTANAL®	250 mg
<b>New</b>	U-PST-2505A100A01	Pirimicarb 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2505M100A01	Pirimicarb 100 µg/mL in Methanol	1 mL
	FL-34209-10MG	Pirimicarb-d <sub>6</sub> PESTANAL®	10 mg
	FL-45628-250MG	Pirimiphos-ethyl PESTANAL®	250 mg
<b>New</b>	U-PST-2510M100A01	Pirimiphos-ethyl 100 µg/mL in Methanol	1 mL
	IPO 565	Pirimiphos-methyl	250 mg

## Pesticides

	Code	Product	Unit
	FL-32058-250MG	Pirimiphos-methyl PESTANAL®	250 mg
<b>New</b>	U-PST-1625	Pirimiphos-methyl	100 mg
<b>New</b>	U-PST-1625M100A01	Pirimiphos-methyl 100 µg/mL in Methanol	1 mL
		Plictran see Cyhexatin	
	FL-36569-25MG	Plifenate PESTANAL®	25 mg
<b>New</b>	FL-32917-100MG	Prallethrin PESTANAL®	100 mg
	FL-31251-250MG	Pretilachlor PESTANAL®	250 mg
	IPO 568	Prochloraz	250 mg
	FL-45631-250MG	Prochloraz PESTANAL®	250 mg
<b>New</b>	U-PST-2515M100A01	Prochloraz 100 µg/mL in Methanol	1 mL
	IPO 569	Procymidone	250 mg
	FL-36640-250MG	Procymidone PESTANAL®	250 mg
<b>New</b>	U-PST-2520M100A01	Procymidone 100 µg/mL in Methanol	1 mL
	FL-45632-250MG	Profenophos PESTANAL®	250 mg
<b>New</b>	U-PST-1635	Profenophos	100 mg
<b>New</b>	U-PST-1635M100A01	Profenophos 100 µg/mL in Methanol	1 mL
	FL-45633-250MG	Profluralin PESTANAL®	250 mg
<b>New</b>	U-PST-1640	Profluralin	100 mg
	FL-33698-100MG	Profoxydim Li-salt PESTANAL®	100 mg
	FL-31720-100MG	Prohexadione-calcium PESTANAL®	100 mg
	FL-45634-250MG	Promecarb PESTANAL®	250 mg
<b>New</b>	U-PST-1645	Promecarb	100 mg
<b>New</b>	U-PST-1645M100A01	Promecarb 100 µg/mL in Methanol	1 mL
	FL-45635-250MG	Prometon PESTANAL®	250 mg
<b>New</b>	U-PST-830	Prometon	100 mg
<b>New</b>	U-PST-830M100A01	Prometon 100 µg/mL in Methanol	1 mL
	IPO 570	Prometryn	250 mg
	FL-45636-250MG	Prometryn PESTANAL®	250 mg
<b>New</b>	U-PST-840	Prometyne (Gaparol)	100 mg
<b>New</b>	U-PST-840M100A01	Prometryn (Caparol) 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-840K100A01	Prometryn (Caparol) 100 µg/mL in Acetone	1 mL
<b>New</b>	U-PST-1650	Pronamide	100 mg
<b>New</b>	U-PP-460-1	Pronamide 100 µg/mL in Methanol	1 mL
	IPO 573	Propachlor	250 mg
	FL-45637-250MG	Propachlor PESTANAL®	250 mg
<b>New</b>	U-PST-865	Propachlor	100 mg
<b>New</b>	U-PST-865M100A01	Propachlor 100 µg/mL in Methanol	1 mL
	FL-34152-10MG	Propachlor ESA sodium salt PESTANAL®	10 mg
	FL-34151-10MG	Propachlor OA PESTANAL®	10 mg
	FL-45638-250MG	Propamocarb PESTANAL®	250 mg
<b>New</b>	U-PST-3215M100A01	Propamocarb 100 µg/mL in Methanol	1 mL
	FL-45639-250MG	Propanil PESTANAL®	250 mg
<b>New</b>	U-PST-1655	Propanil	100 mg
<b>New</b>	U-PST-1655A100A01	Propanil 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1655M100A01	Propanil 100 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
	FL-31572-250MG	Propaquizafop PESTANAL®	250 mg
<b>New</b>	U-PST-1660A100A01	Propargite 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1660	Propargite	100 mg
	IPO 575	Propazine	250 mg
	FL-45640-250MG	Propazine PESTANAL®	250 mg
<b>New</b>	U-PST-850	Propazine	100 mg
<b>New</b>	U-PST-850M100A01	Propazine 100 µg/mL in Methanol	1 mL
	CIL-CLM-3738-1.2	Propazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
		Propazine-bis(desisopropyl) see Atrazine-desethyl-desisopropyl Propazine-desisopropyl see Atrazine-desethyl	
	FL-34371-100MG	Propetamphos PESTANAL®	100 mg
<b>New</b>	U-PST-3225M100A01	Propetamphos 100 µg/mL in Methanol	1 mL
	IPO 580	Propham	250 mg
	FL-45641-250MG	Propham (IPC) PESTANAL®	250 mg
<b>New</b>	U-PST-1665M100A01	Propham 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1665	Propham	100 mg
	IPO 581	Propiconazole	250 mg
	FL-45642-250MG	Propiconazole PESTANAL®	250 mg
<b>New</b>	U-PST-2040A100A01	Propiconazole 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2040M100A01	Propiconazole 100 µg/mL in Methanol	1 mL
	FL-45643-250MG	Propineb technical mixture PESTANAL®	250 mg
	FL-34056-50MG	Propisochlor PESTANAL®	50 mg
	IPO 582	Propoxur	250 mg
	FL-45644-250MG	Propoxur PESTANAL®	250 mg
<b>New</b>	U-PST-060	Propoxur	100 mg
<b>New</b>	U-PST-060A100A01	Propoxur 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-060M100A01	Propoxur 100 µg/mL in Methanol	1 mL
<b>New</b>	CIL-DLM-7141	Propoxur (isopropyl-D <sub>7</sub> ,98%)	on request
	FL-33985-100MG	Propoxycarbazone sodium salt PESTANAL®	100 mg
	FL-31576-1G	N-iso-Propylaniline PESTANAL®	1 g
	FL-35979-250MG	4-iso-Propylaniline PESTANAL®	250 mg
	FL-32949-25MG	Propylene thiourea PESTANAL®	25 mg
	FL-46427-100MG	Propylthio urea PESTANAL®	100 mg
	IPO 590	Propyzamid	250 mg
	FL-45645-250MG	Propyzamid PESTANAL®	250 mg
	FL-31141-250MG	Prosulfocarb PESTANAL®	250 mg
	FL-34232-100MG	Prothioconazole PESTANAL®	100 mg
<b>New</b>	FL-32429-20MG	Prothioconazole-desthio PESTANAL®	20 mg
	FL-45311-50MG	Prothiophos PESTANAL®	50 mg
	FL-46119-250MG	Pymetrozine PESTANAL®	250 mg
	FL-45646-250MG	Pyracarbolid PESTANAL®	250 mg
	FL-33696-100MG	Pyraclostrobin PESTANAL®	100 mg
	FL-45647-250MG	Pyranocumarin PESTANAL®	250 mg
<b>New</b>	FL-32973-100MG	Pyrasulfotole PESTANAL®	100 mg
		Pyrazon see Chloridazon	
	IPO 600	Pyrazophos	250 mg
	FL-45648-250MG	Pyrazophos PESTANAL®	250 mg



## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-2530M100A01	Pyrazophos 100 µg/mL in Methanol	1 mL
	FL-46323-100MG	Pyrazosulfuron-ethyl PESTANAL®	100 mg
<b>New</b>	U-PST-2535M100A01	Pyrethrins 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-33739-100MG	Pyrethrum extract technical mixture PESTANAL®	100 mg
<b>New</b>	FL-46047-25MG	Pyridaben PESTANAL®	25 mg
<b>New</b>	U-PST-2540M100A01	Pyridaben 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-32538-100MG	Pyridaphenthion PESTANAL®	100 mg
	FL-45312-250MG	Pyridate PESTANAL®	250 mg
	FL-45737-100MG	Pyrifenox PESTANAL®	100 mg
<b>New</b>	U-PST-2550M100A01	Pyrifenox 100 µg/mL in Methanol	1 mL
	FL-33694-100MG	Pyriftalid PESTANAL®	100 mg
	IPO 601	Pyrimethanil	250 mg
<b>New</b>	U-PST-2555A100A01	Pyrimethanil 100 µg/mL in Acetonitrile	1 mL
	IPO 299	Pyriproxyfen	100 mg
<b>New</b>	U-PST-2560A100A01	Pyriproxyfen 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-2560M100A01	Pyriproxyfen 100 µg/mL in Methanol	1 mL
	FL-45650-250MG	Pyroquilon PESTANAL®	250 mg
	IPO 605	Quinalphos	250 mg
	FL-45651-250MG	Quinalphos PESTANAL®	250 mg
<b>New</b>	U-PST-1675A100A01	Quinalphos 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1675	Quinalphos	25 mg
	FL-36521-250MG	Quinchlorac PESTANAL®	250 mg
	FL-36522-250MG	Quinmerac PESTANAL®	250 mg
	IPO UCI 608	Quinmerac	250 mg
	IPO 609	Quinoclamine	100 mg
<b>New</b>	FL-32719-100MG	Quinoclamine PESTANAL®	100 mg
	FL-45652-250MG	Quinonamid PESTANAL®	250 mg
	FL-46439-100MG	Quinoxiphen PESTANAL®	100 mg
	IPO 610	Quintozene	250 mg
	FL-45653-250MG	Quintozene PESTANAL®	250 mg
<b>New</b>	FL-33822-100MG	Quizalofop-p PESTANAL®	100 mg
	IPO 611	Quizalofop-p-ethyl	100 mg
	FL-34074-100MG	Quizalofop-p-ethyl PESTANAL®	100 mg
	FL-45654-10MG	Rabenzazol PESTANAL®	10 mg
		Reldan see Chlorpyrifos-methyl	
	FL-45655-250MG	Resmethrin PESTANAL®	250 mg
<b>New</b>	U-PST-870	Resmethrin	10 mg
<b>New</b>	U-PST-870M100A01	Resmethrin 100 µg/mL in Methanol	1 mL
	FL-45656-250MG	Rotenone PESTANAL®	250 mg
<b>New</b>	U-PST-890	Rotenone	100 mg
	U-EPA-1168	Rotenone 1000 µg/mL in Methanol	1 mL
	FL-45657-250MG	S 421 (Bis-(2,3,3,3-tetrachlorpropyl)-ether) PESTANAL®	250 mg
		Saturn see Thiobencarb	
	FL-31261-250MG	Sebuthylazine PESTANAL®	250 mg
	U-EPA-1189	Sebuthylazine 1000 µg/mL in Acetonitrile	1 mL

## Pesticides

	Code	Product	Unit
	FL-36511-250MG	Sebuthylazine-desethyl PESTANAL®	250 mg
		Sebuthylazine-des-sec-butyl see Atrazine-desisopropyl Sebuthylazine-desethyl-des-sec-butyl see Atrazine-desethyl-desisopropyl	
	FL-45658-250MG	Secbumeton PESTANAL®	250 mg
<b>New</b>	U-PST-1800	Secbumeton	10 mg
<b>New</b>	U-PST-1800M100A01	Secbumeton 100 µg/mL in Methanol	1 mL
	FL-36795-10MG	Sethoxydim PESTANAL®	10 mg
	FL-34373-250MG	Siduron PESTANAL®	250 mg
<b>New</b>	U-PST-1680	Siduron	100 mg
	FL-31574-250MG	Silafluofen PESTANAL®	250 mg
<b>New</b>	FL-32498-25MG	Silthiofam PESTANAL®	25 mg
		Silvex see Fenoprop	
	IPO 692	Simazine	250 mg
	FL-32059-250MG	Simazine PESTANAL®	250 mg
<b>New</b>	U-PST-1130	Simazine	100 mg
<b>New</b>	U-PST-1130A100A01	Simazine 100 µg/mL in Acetonitrile	1 mL
	U-PP-530A-1	Simazine 100 µg/mL in Acetone	1 mL
	U-PP-530A	Simazine 100 µg/mL in Acetone	4 x 1 mL
	CIL-CLM-3739-1.2	Simazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
		Simazine-bis(desethyl) see Atrazine desethyl-desisopropyl Simazine-desethyl see Atrazine-desisopropyl	
		Simeton-desethyl see Atraton-desisopropyl	
	FL-45660-250MG	Simetryn PESTANAL®	250 mg
<b>New</b>	U-PST-1805	Simetryn	10 mg
<b>New</b>	FL-33706-50MG	Spinosad PESTANAL®	50 mg
	FL-33654-100MG	Spirodiclofen PESTANAL®	100 mg
<b>New</b>	FL-30482-10MG	Spiromesifen Metabolite M01 PESTANAL®	10 mg
	FL-33599-100MG	Spiromesifen PESTANAL®	100 mg
<b>New</b>	FL-32713-100MG	Spirotetramat PESTANAL®	100 mg
	FL-46443-100MG	Spiroxamine mixture of diastereo isomers PESTANAL®	100 mg
<b>New</b>	U-PST-2575A100A01	Spiroxamine 100 µg/mL in Acetonitrile	1 mL
	U-PST-1140	Strobane	1 g
	FL-45661-250MG	L-Strychnine PESTANAL®	250 mg
	FL-46076-250MG	Sulcofuron, sodium monohydrate PESTANAL®	250 mg
	FL-46318-100MG	Sulcotriene PESTANAL®	100 mg
	FL-45662-250MG	Sulfaquinoxaline PESTANAL®	250 mg
	FL-34224-100MG	Sulfometuron methyl PESTANAL®	100 mg
	FL-33307-100MG	Sulfosulfuron PESTANAL®	100 mg
	FL-45664-100MG	Sulfotep PESTANAL®	100 mg
<b>New</b>	U-PST-1810	Sulfotep (Tetraethyl dithiopyrophosphate)	10 mg
<b>New</b>	U-SP-160-1	Sulfotep 100 µg/mL in Methanol	1 mL
	FL-36576-250MG	Sulfur PESTANAL®	250 mg
	FL-45665-250MG	Sulprofos PESTANAL®	250 mg
<b>New</b>	U-PST-1685	Sulprofos (Bolstar)	100 mg
<b>New</b>	U-PST-1685M100A01	Sulprofos (Bolstar) 100 µg/mL in Methanol	1 mL
	FL-45666-250MG	SWEP PESTANAL®	250 mg
<b>New</b>	U-PST-1815	SWEP	10 mg
	IPO 700	2,4,5-T	250 mg
	FL-45667-250MG	2,4,5-T PESTANAL®	250 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-HB-120-1	2,4,5-T 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-930	2,4,5-T	100 mg
	CIL-CLM-4551-1.2	2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methylene chloride	1.2 mL
	FL-45709-250MG	2,4,5-T-ethylhexyl ester PESTANAL®	250 mg
	FL-45668-250MG	2,4,5-T-methyl ester PESTANAL®	250 mg
<b>New</b>	U-PST-931	2,4,5-T-methyl ester	100 mg
<b>New</b>	U-HB-121-1	2,4,5-T-methyl ester 100 µg/mL in Methanol	1 mL
	FL-45711-250MG	2,4,5-T-2-methyl-1-propyl ester PESTANAL®	250 mg
	FL-45712-250MG	2,4,5-T-1-octyl ester PESTANAL®	250 mg
	FL-45713-250MG	TBTC (Tributyltin chloride) PESTANAL®	250 mg
	FL-45669-250MG	TBTO PESTANAL®	250 mg
	FL-31525-250MG	TCA PESTANAL®	250 mg
		TDE see DDD	
<b>New</b>	IPO 701	Tebuconazol	250 mg
	FL-32013-250MG	Tebuconazole PESTANAL®	250 mg
<b>New</b>	U-PST-1955A100A01	Tebuconazole 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1955M100A01	Tebuconazole 100 µg/mL in Methanol	1 mL
	FL-31652-100MG	Tebufenozide PESTANAL®	100 mg
<b>New</b>	U-PST-3245A100A01	Tebufenozide 100 µg/mL in Acetonitrile	1 mL
	FL-46438-100MG	Tebufenpyrad PESTANAL®	100 mg
<b>New</b>	U-PST-2585A100A01	Tebufenpyrad 100 µg/mL in Acetonitrile	1 mL
	FL-31599-100MG	Tebupirimfos PESTANAL®	100 mg
	FL-36566-250MG	Tebutam PESTANAL®	250 mg
	FL-45671-250MG	Tebuthiuron PESTANAL®	250 mg
<b>New</b>	U-PST-1820	Tebuthiuron	100 mg
	FL-45672-250MG	Tecnazene PESTANAL®	250 mg
<b>New</b>	U-PST-1690	Tecnazene	100 mg
<b>New</b>	U-PST-1690M100A01	Tecnazene 100 µg/mL in Methanol	1 mL
		Tedion see Tetradifon	
	IPO 705	Teflubenzuron	250 mg
	FL-45756-250MG	Teflubenzuron PESTANAL®	250 mg
<b>New</b>	U-PST-3260M100A01	Teflubenzuron 100 µg/mL in Methanol	1 mL
	FL-35548-100MG	Tefluthrin PESTANAL®	100 mg
<b>New</b>	U-PST-2590M100A01	Tefluthrin 100 µg/mL in Methanol	1 mL
		Telodrin see Isobenzan	
<b>New</b>	FL-32766-100MG	Tembotrione PESTANAL®	100 mg
<b>New</b>	U-PST-1875M100A01	Temephos 100 µg/mL in Methanol	1 mL
	FL-46331-100MG	Tepraloxymid PESTANAL®	100 mg
<b>New</b>	U-PST-3270K100A01	TEPP 100 µg/mL in Acetone	1 mL
	FL-45675-250MG	Terbacil PESTANAL®	250 mg
<b>New</b>	U-PST-1695	Terbacil	100 mg
	FL-45313-100MG	Terbufos PESTANAL®	100 mg
<b>New</b>	U-PST-1700	Terbufos	100 mg
<b>New</b>	CIL-CLM-4543	Terbufos (diethoxy- <sup>13</sup> C <sub>4</sub> ,99%)	on request
	FL-31580-50MG	Terbufos-sulfone PESTANAL®	50 mg

## Pesticides

	Code	Product	Unit
<b>New</b>	U-PST-3275M100A01	Terbufos sulfone 100 µg/mL in Methanol	1 mL
	FL-46044-100MG	Terbufos-sulfoxide PESTANAL®	100 mg
	FL-31527-250MG	Terbumeton PESTANAL® Terbumeton-des-tert.-butyl see Atraton-desisopropyl	250 mg
	FL-36514-250MG	Terbumeton-desethyl PESTANAL®	250 mg
	IPO 710	Terbuthylazine	250 mg
	FL-45678-250MG	Terbuthylazine PESTANAL®	250 mg
<b>New</b>	U-PST-1705	Terbuthylazine	25 mg
<b>New</b>	U-PST-1705M100A01	Terbuthylazine 100 µg/mL in Methanol	1 mL
	U-EPA-1190	Terbuthylazine 1000 µg/mL in Hexane Terbuthylazine-des-tert.-butyl see Atrazine-desisopropyl	1 mL
	FL-31229-250MG	Terbuthylazine-desethyl PESTANAL® Terbuthylazine-desethyl-des-tert.-butyl see Atrazine-desethyl-desisopropyl	250 mg
	FL-46019-100MG	Terbutylazine-2-hydroxy PESTANAL®	100 mg
	IPO 720	Terbutryn	250 mg
	FL-45677-250MG	Terbutryn PESTANAL®	250 mg
<b>New</b>	U-PST-1710	Terbutryn	100 mg
<b>New</b>	U-PST-1710M100A01	Terbutryn 100 µg/mL in Methanol	1 mL
	IPO 725	1,2,3,4-Tetrachlorobenzene	250 mg
	FL-46014-100MG	1,2,3,4-Tetrachlorobenzene PESTANAL®	100 mg
	IPO 726	1,2,3,5-Tetrachlorobenzene	250 mg
	IPO 727	1,2,4,5-Tetrachlorobenzene	250 mg
	FL-34379-250MG	1,2,4,5-Tetrachlorobenzene PESTANAL®	250 mg
	FL-34374-100MG	1,2,3,4-Tetrachloro-5-nitrobenzene PESTANAL®	100 mg
	FL-34374-250MG	2,3,4,5-Tetrachloronitrobenzene PESTANAL®	250 mg
	U-PST-950	2,3,4,6-Tetrachlorophenol	20 mg
	FL-36518-10MG	2,3,5,6-Tetrachlorophenol PESTANAL®	10 mg
	IPO 729	Tetrachlorvinphos	250 mg
	U-PST-1715	Tetrachlorvinphos (Stirofos)	100 mg
	FL-45679-250MG	Tetrachlorvinphos PESTANAL®	250 mg
<b>New</b>	U-PST-1715M100A01	Tetrachlorvinphos (Stirofos) 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-2595M100A01	Tetraconazole 100 µg/mL in Methanol	1 mL
	IPO 730	Tetradifon	250 mg
	FL-45680-250MG	Tetradifon PESTANAL®	250 mg
<b>New</b>	U-PST-960	Tetradifon	100 mg
<b>New</b>	U-PST-960M100A01	Tetradifon 100 µg/mL in Methanol	1 mL
	IPO 732	Tetramethrin	250 mg
	FL-45681-250MG	Tetramethrin PESTANAL®	250 mg
	FL-36568-250MG	Tetrasul PESTANAL®	250 mg
	FL-45683-250MG	Thallium(I)-sulfate PESTANAL®	250 mg
	IPO 735	Thiabendazole E 233 Certified purity.....98.8%	250 mg
	FL-45684-250MG	Thiabendazole PESTANAL®	250 mg
<b>New</b>	U-PST-1720	Thiabendazole	100 mg
<b>New</b>	U-PST-1720A100A01	Thiabendazole 100 µg/mL in Acetonitrile	1 mL
	U-EPA-1173	Thiabendazole 1000 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
<b>New</b>	CIL-CLM-8370-1.2	Thiabendazole (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-37905-100MG	Thiacloprid PESTANAL®	100 mg
<b>New</b>	U-PST-3285A100A01	Thiacloprid 100 µg/mL in Acetonitrile	1 mL
	FL-33897-100MG	Thiacloprid-amide PESTANAL®	100 mg
	FL-37924-100MG	Thiamethoxam PESTANAL®	100 mg
<b>New</b>	U-PST-3290A100A01	Thiamethoxam 100 µg/mL in Acetonitrile	1 mL
	FL-45686-250MG	Thidiazuron PESTANAL®	250 mg
<b>New</b>	FL-32721-100MG	Thiencarbazone-methyl PESTANAL®	100 mg
	FL-46028-100MG	Thifensulfuron-methyl PESTANAL®	100 mg
	FL-45687-250MG	Thiobencarb PESTANAL®	250 mg
<b>New</b>	U-PST-1725M100A01	Thiobencarb 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1725	Thiobencarb	100 mg
	FL-31716-100MG	Thiocyclam hydrogeneoxalate PESTANAL® Thiodemeton see Disulfoton	100 mg
	FL-34375-250MG	Thiodicarb PESTANAL®	250 mg
<b>New</b>	U-PST-3305M100A01	Thiodicarb 100 µg/mL in Methanol	1 mL
	FL-45314-100MG	Thiofanox PESTANAL®	100 mg
	FL-31551-100MG	Thiofanox-sulfoxide PESTANAL®	100 mg
<b>New</b>	U-PST-2600M100A01	Thiometon 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1030	Thionazin (Zinophos)	100 mg
	FL-33941-50MG	Thionazin PESTANAL®	50 mg
<b>New</b>	U-PST-1030M100A01	Thionazin 100 µg/mL in Methanol	1 mL
<b>New</b>	U-SP-170-1	Thionazin 100 µg/mL in Methanol	1 mL
	FL-33853-10MG	Thionazin-d <sub>10</sub> PESTANAL®	10 mg
	IPO 738	Thiophanate-methyl	250 mg
	FL-45688-250MG	Thiophanate-methyl PESTANAL®	250 mg
<b>New</b>	U-PST-1730	Thiophanate-methyl	100 mg
<b>New</b>	U-PST-1730M100A01	Thiophanate-methyl 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-32994-100MG	Thiosultap disodium PESTANAL® Thioxamyl see Oxamyl	100 mg
	IPO 740	Thiram	250 mg
	FL-45689-250MG	Thiram PESTANAL®	250 mg
<b>New</b>	U-PST-3310M100A01	Thiram (Tetramethylthiuram disulfide) 100 µg/mL in Methanol	1 mL
<b>New</b>	U-PST-1825	Tokuthion	10 mg
	IPO 745	Tolclofos-methyl	250 mg
	FL-31209-250MG	Tolclofos-methyl PESTANAL®	250 mg
<b>New</b>	U-PST-2605M100A01	Tolclofos-methyl 100 µg/mL in Methanol	1 mL
	IPO 851	3-(4-Tolyl)-1,1-dimethylurea	100 mg
	IPO 746	Tolyfluanid	250 mg
<b>New</b>	U-PST-2610A100A01	Tolyfluanid 100 µg/mL in Acetonitrile	1 mL
	FL-34225-100MG	Topramezone PESTANAL®	100 mg
	U-PST-970	Toxaphene	100 mg
	U-PP-271-1	Toxaphene 100 µg/mL in Hexane	1 mL
<b>New</b>	U-EPA-1249	Toxaphene 5000 µg/mL in Methanol	1 mL

## Pesticides

	Code	Product	Unit
	U-PP-270-1	Toxaphene 100 µg/mL in Methanol	1 mL
	U-PP-270	Toxaphene 100 µg/mL in Methanol	4 x 1 mL
<b>New</b>	U-EPA-1161	Toxaphene 1000 µg/mL in Methanol	1 mL
	NIST-3067	Toxaphene in Methanol Certified value Toxaphene ..... 26.1 ± 1.0 mg/kg	5 x 1.2 mL
		2,4,5-TP see Fenoprop	
	FL-36536-250MG	Tralkoxidym PESTANAL®	250 mg
	FL-46114-250MG	Transfluthrin PESTANAL®	250 mg
	IPO 753	Triadimefon	250 mg
	FL-45693-250MG	Triadimefon PESTANAL®	250 mg
<b>New</b>	U-PST-1830	Triadimefon	100 mg
<b>New</b>	U-PST-1830M100A01	Triadimefon 100 µg/mL in Methanol	1 mL
	IPO 754	Triadimenol (racemate A)	250 mg
	FL-46138-250MG	Triadimenol PESTANAL®	250 mg
<b>New</b>	U-PST-2615M100A01	Triadimenol 100 µg/mL in Methanol	1 mL
	FL-45694-250MG	Triadimenol isomer A PESTANAL®	250 mg
	IPO 755	Triallate	250 mg
	FL-45695-250MG	Triallate PESTANAL®	250 mg
<b>New</b>	U-PST-2620M100A01	Triallate 100 µg/mL in Methanol	1 mL
	FL-33383-100MG	Triasulfuron PESTANAL®	100 mg
	FL-45696-50MG	Triazophos technical mixture, approx. 70% in Xylene PESTANAL®	50 mg
	FL-45696-250MG	Triazophos technical mixture, approx. 70% in Xylene PESTANAL®	250 mg
<b>New</b>	U-PST-2045A100A01	Triazophos 100 µg/mL in Acetonitrile	1 mL
	FL-33373-100MG	Triazoxide PESTANAL®	100 mg
	FL-46013-100MG	Tribenuron-methyl PESTANAL®	100 mg
	FL-33489-100MG	2,4,6-Tribromoanisole PESTANAL®	100 mg
		Tributyl-tin chloride see TBTC	
	IPO 763	Trichlorfon	250 mg
	FL-45698-250MG	Trichlorfon PESTANAL®	250 mg
<b>New</b>	U-PST-490	Trichlorfon (Dylox)	100 mg
	FL-31267-250MG	Trichloroacetic acid PESTANAL®	250 mg
	U-RCA-011	2,4,5-Trichloroaniline	100 mg
	FL-35828-1G	2,4,5-Trichloroaniline PESTANAL®	1 g
	FL-35996-250MG	2,4,6-Trichloroaniline PESTANAL®	250 mg
	U-RCA-012	2,4,6-Trichloroaniline	100 mg
	FL-33412-100MG	2,3,4-Trichloroanisole PESTANAL®	100 mg
	U-RCP-039	2,3,4-Trichloroanisole	100 mg
	U-RCP-040	2,3,6-Trichloroanisole	100 mg
	FL-34384-100MG	2,4,6-Trichloroanisole PESTANAL®	100 mg
	U-RCP-044	2,4,6-Trichloroanisole	50 mg
	IPO 756	1,2,3-Trichlorobenzene	250 mg
	FL-36742-1G	1,2,3-Trichlorobenzene PESTANAL®	1 g
	U-RCP-024	1,2,3-Trichlorobenzene	100 mg
	IPO 757	1,2,4-Trichlorobenzene	250 mg
	FL-36627-1G	1,2,4-Trichlorobenzene PESTANAL®	1 g
	U-RCP-025	1,2,4-Trichlorobenzene	100 mg
	IPO 758	1,3,5-Trichlorobenzene	250 mg

## Pesticides

	Code	Product	Unit
	FL-36555-250MG	1,3,5-Trichlorobenzene PESTANAL®	250 mg
	FL-33972-100MG	2,3,5-Trichloro-6-hydroxypyridine PESTANAL®	100 mg
	U-PST-1835	Trichloronate	10 mg
<b>New</b>	U-PST-1835M100A01	Trichloronate 100 µg/mL in Methanol	1 mL
	FL-33393-50MG	2,3,4-Trichlorophenol PESTANAL®	50 mg
	U-RCP-010	2,3,4-Trichlorophenol	20 mg
	FL-36745-250MG	2,3,6-Trichlorophenol PESTANAL®	250 mg
	U-RCP-012	2,3,6-Trichlorophenol	20 mg
	FL-36513-250MG	2,4,5-Trichlorophenol PESTANAL®	250 mg
	U-RCP-013	2,4,5-Trichlorophenol	20 mg
	FL-36543-250MG	2,4,6-Trichlorophenol PESTANAL®	250 mg
<b>New</b>	U-PST-980	2,4,6-Trichlorophenol	20 mg
	NMIAP1375	2,4,6-Trichlorophenoxyacetic acid	50 mg
	FL-32016-250MG	Triclopyr PESTANAL®	250 mg
<b>New</b>	U-PST-1735	Triclopyr	100 mg
<b>New</b>	U-PST-1735A100A01	Triclopyr 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1735M100A01	Triclopyr 100 µg/mL in Methanol	1 mL
	FL-36538-100MG	Triclopyr-2-butoxyethyl ester PESTANAL®	100 mg
	FL-45808-10MG	Tricyclazole PESTANAL®	10 mg
	NMIAP1788	Triclabendazole	10 mg
	U-PST-1840	Tricyclazole	10 mg
	NMIAP1684	Triclabendazole sulfone	25 mg
	NMIAP1685	Triclabendazole sulfoxide	25 mg
	FL-36199-100MG	Tridemorph PESTANAL®	100 mg
<b>New</b>	U-SP-180-1	O,O,O-Triethylphosphorothioate 100 µg/mL in Methanol	1 mL
	U-PST-1865	O,O,O-Triethyl phosphorothioate	100 mg
	U-PST-1865	O,O,O-Triethyl phosphorothioate	100 mg
	FL-46447-100MG	Trifloxystrobin PESTANAL®	100 mg
<b>New</b>	U-PST-2630A100A01	Trifloxystrobin 100 µg/mL in Acetonitrile	1 mL
	FL-33672-100MG	Trifloxysulfuron Na-salt PESTANAL®	100 mg
<b>New</b>	FL-32611-100MG	Triflumizole PESTANAL®	100 mg
	FL-35029-100MG	Triflumuron PESTANAL®	100 mg
<b>New</b>	U-PST-3340A100A01	Triflumuron 100 µg/mL in Acetonitrile	1 mL
	IPO 767	Trifluralin	250 mg
	FL-32061-250MG	Trifluralin PESTANAL®	250 mg
<b>New</b>	U-PST-1740	Trifluralin	100 mg
	NMIAP1408	Trifluralin	50 mg
<b>New</b>	U-PST-1740A100A01	Trifluralin 100 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-PST-1740M100A01	Trifluralin 100 µg/mL in Methanol	1 mL
	CIL-DLM-4479-1.2	Trifluralin (di-n-propyl-D <sub>14</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	FL-31717-100MG	Triflusulfuron-methyl PESTANAL®	100 mg
	IPO 790	Triforine	250 mg
	FL-45701-250MG	Triforine PESTANAL®	250 mg
	FL-34165-10MG	Triforine-d <sub>8</sub> PESTANAL®	10 mg
	FL-37874-10MG	2,3,5-Trimethacarb PESTANAL®	10 mg
	FL-34308-250MG	2,3,5-Trimethylphenol PESTANAL®	250 mg



## Pesticides

	Code	Product	Unit
	FL-35998-250MG	2,4,6-Trimethylphenol PESTANAL®	250 mg
	CIL-CLM-6620-1.2	1,2,2-Trimethylpropyl hydrogen methylphosphonate (trimethylpropyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
	FL-34377-250MG	Trimethyl-tin chloride PESTANAL®	250 mg
	FL-37898-100MG	Trinexapac-ethyl PESTANAL®	100 mg
	FL-34172-100MG	Triticonazole PESTANAL®	100 mg
	FL-33873-100MG	Tritosulfuron PESTANAL®	100 mg
	NMIAP1728	Vamidothion	25 mg
<b>New</b>	U-PST-2645M100A01	Vamidothion 100 µg/mL in Methanol	1 mL
	NMIAP1730	Vamidothion sulfone	25 mg
	NMIAP1729	Vamidothion sulfoxide	25 mg
	FL-45704-250MG	Vernolate PESTANAL®	250 mg
<b>New</b>	U-PST-1745	Vernolate	100 mg
	IPO 812	Vinclozolin	250 mg
	FL-45705-250MG	Vinclozolin PESTANAL®	250 mg
<b>New</b>	U-PST-2050M100A01	Vinclozolin 100 µg/mL in Methanol	1 mL
	IPO 840	Warfarin	250 mg
	FL-45706-250MG	Warfarin PESTANAL®	250 mg
<b>New</b>	U-PST-1000	Warfarin	100 mg
	CIL-DLM-6861-1.2	Warfarin (phenyl-D <sub>5</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	IPO 850	2,4-Xylidine	250 mg
	FL-45707-250MG	Zineb technical mixture PESTANAL®	250 mg
		Zinobchlor see Anilazin Zinophos see Thionazin	
	FL-45708-250MG	Ziram PESTANAL®	250 mg
<b>New</b>	U-PST-1750	Ziram	100 mg
<b>New</b>	U-PST-1750M100A01	Ziram 100 µg/mL in Methanol	1 mL
<b>New</b>	FL-32501-50MG	Zoxamide PESTANAL®	50 mg

## Pesticide multicomponent standard solutions

Please see section "Environmental contaminant standards from CIL" for a comprehensive list of labelled pesticide standard mixtures.

NIST-1492	Chlorinated Pesticides in Hexane		5 x 1.2 mL
	Compound	Concentration µg/kg	Concentration ng/mL
	Hexachlorobenzene.....	308 ± 2.....	205 ± 2
	gamma-HCH.....	310 ± 2.....	207 ± 2
	Heptachlor .....	299 ± 7.....	200 ± 5
	Heptachlor epoxide.....	307 ± 7.....	204 ± 5
	cis-Chlordane.....	305 ± 3.....	203 ± 2
	trans-Nonachlor .....	297 ± 5.....	198 ± 4
	Dieldrin.....	307 ± 4.....	205 ± 3
	Mirex .....	306 ± 3.....	204 ± 2
	2,4'-DDE .....	303 ± 3.....	202 ± 2
	4,4'-DDE .....	306 ± 3.....	204 ± 2
	2,4'-DDD .....	299 ± 4.....	200 ± 3
	4,4'-DDD .....	296 ± 3.....	197 ± 2
	2,4'-DDT.....	307 ± 3.....	205 ± 3
	4,4'-DDT .....	302 ± 3.....	202 ± 2

Code	Product	Unit
NIST-2261	Chlorinated Pesticides in Hexane	5 x 1.2 mL
	Certified values	
	Compound	Concentration mg/kg      Concentration µg/mL
	Hexachlorobenzene.....	3.005 ± 0.014 ..... 1.968 ± 0.009
	gamma-HCH.....	3.012 ± 0.015 ..... 1.972 ± 0.010
	Heptachlor.....	3.020 ± 0.023 ..... 1.977 ± 0.015
	Heptachlor epoxide.....	3.020 ± 0.026 ..... 1.977 ± 0.017
	cis-Chlordane.....	3.012 ± 0.019 ..... 1.972 ± 0.012
	trans-Nonachlor.....	3.034 ± 0.022 ..... 1.986 ± 0.014
	Dieldrin.....	3.012 ± 0.020 ..... 1.972 ± 0.013
	Mirex.....	3.041 ± 0.042 ..... 1.991 ± 0.028
	2,4'-DDE.....	3.019 ± 0.026 ..... 1.976 ± 0.017
	4,4'-DDE.....	3.019 ± 0.015 ..... 1.976 ± 0.010
	2,4'-DDD.....	3.013 ± 0.026 ..... 1.973 ± 0.017
	4,4'-DDD.....	3.043 ± 0.042 ..... 1.992 ± 0.027
	2,4'-DDT.....	2.993 ± 0.014 ..... 1.959 ± 0.009
	4,4'-DDT.....	3.004 ± 0.018 ..... 1.967 ± 0.012
NIST-2275	Chlorinated Pesticides Solution-II in iso-Octane	5 x 1.2 mL
	Compound	Concentration mg/kg      Concentration µg/mL
	alpha-HCH.....	3.00 ± 0.15 ..... 2.07 ± 0.10
	beta-HCH.....	2.98 ± 0.12 ..... 2.054 ± 0.0083
	Oxychlordane.....	2.86 ± 0.12 ..... 1.976 ± 0.083
	trans-Chlordane.....	2.954 ± 0.060 ..... 2.038 ± 0.041
	Endosulfan-I.....	2.880 ± 0.067 ..... 1.987 ± 0.046
	Endrin.....	2.908 ± 0.099 ..... 2.006 ± 0.068
	Endosulfan-II.....	2.943 ± 0.069 ..... 2.031 ± 0.048
	cis-Nonachlor.....	2.938 ± 0.076 ..... 2.027 ± 0.052
	Endosulfan sulfate.....	2.926 ± 0.087 ..... 2.019 ± 0.060
NIST-2273	Chlorinated Pesticides (DDTs) and Metabolites in iso-Octane	5 x 1.2 mL
	Compound	Concentration mg/kg      Concentration µg/mL
	2,4'-DDT.....	2.896 ± 0.095 ..... 1.998 ± 0.066
	4,4'-DDT.....	2.862 ± 0.058 ..... 1.974 ± 0.040
	2,4'-DDE.....	2.907 ± 0.076 ..... 2.006 ± 0.052
	4,4'-DDE.....	2.912 ± 0.078 ..... 2.009 ± 0.054
	2,4'-DDD.....	2.818 ± 0.061 ..... 1.944 ± 0.042
	4,4'-DDD.....	2.907 ± 0.075 ..... 2.006 ± 0.052
	DDMU.....	2.899 ± 0.084 ..... 2.000 ± 0.058
U-US-102BN	Organochlorine Pesticide Mixture	1 mL
	2000 µg/mL of each analyte in Hexane/Toluene (1:1)	
	Aldrin	Dieldrin
	alpha-BHC (alpha-HCH)	Endosulfan I
	beta-BHC (beta-HCH)	Endosulfan II
	delta-BHC (delta-HCH)	Endosulfan sulfate
	gamma-BHC (Lindane)	Endrin
	4,4'-DDD	Endrin aldehyde
	4,4'-DDE	Heptachlor
	4,4'-DDT	Heptachlor epoxide - isomer B
U-US-102BN-4	Organochlorine Pesticide Mixture	4 x 1 mL
U-US-112B	Organochlorine Pesticide Mixture	1 mL
	2000 µg/mL of each analyte in Acetone	
	Aldrin	Endosulfan I
	alpha-BHC (alpha-HCH)	Endosulfan II
	beta-BHC (beta-HCH)	Endosulfan sulfate
	delta-BHC (delta-HCH)	Endrin
	gamma-BHC (Lindane)	Endrin aldehyde
	4,4'-DDD	Heptachlor
	4,4'-DDE	Heptachlor epoxide - isomer B
	4,4'-DDT	Methoxychlor
	Dieldrin	
U-US-112B-4	Organochlorine Pesticide Mixture	4 x 1 mL

## Pesticides

Code	Product	Unit
U-PPM-525E-1	Organochlorine Pesticide Mixture 100 µg/mL of each analyte in Acetone Alachlor Aldrin alpha-Chlordane alpha-BHC (alpha-HCH) Atrazine beta-BHC (beta-HCH) Chlorobenzilate Chlorothalonil Chloroneb DCPA (Dacthal) delta-BHC (delta-HCH) 4,4'-DDD 4,4'-DDT 4,4'-DDE Dieldrin	1 mL
U-PPM-525E	Organochlorine Pesticide Mixture	4 x 1 mL
CERERS-013	Semivolatile Pesticide Stock Standard 2000 µg/mL of each analyte in Hexane/Toluene (1:1) Aldrin alpha-Chlordane gamma-Chlordane 4,4'-DDD isomer B 4,4'-DDE	1.2 mL
U-PPM-808C-1	Organochlorine Pesticide Mixture 1000 µg/mL of each analyte in Hexane/Toluene (1:1) Aldrin alpha-BHC (alpha-HCH) beta-BHC (beta-HCH) Delta-BHC (delta-HCH) gamma-BHC (Lindane) alpha-Chlordane gamma-Chlordane 4,4'-DDD 4,4'-DDE 4,4'-DDT	1 mL
U-PPM-808C	Organochlorine Pesticide Mixture	4 x 1 mL
U-PPM-808F-1	Organochlorine Pesticide Mixture 1000 µg/mL of each analyte in Hexane/Toluene (1:1) Chlorobenzilate Diallate (total) 1,2-Dibromo-3-chloropropane	1 mL
U-PPM-808F	Organochlorine Pesticide Mixture	4 x 1 mL
U-PPM-608B-1	Organochlorine Pesticide Mixture 20 µg/mL of each analyte in Methanol Endosulfan II Endosulfan sulfate Endrin Endrin aldehyde Heptachlor Aldrin alpha-BHC (alpha-HCH) beta-BHC (beta-HCH)	1 mL
U-PPM-608B	Organochlorine Pesticide Mixture	4 x 1 mL
U-PPM-608C-1	Organochlorine Pesticide Mixture Solvent: Methanol Aldrin..... 20 µg/mL alpha-BHC (alpha-HCH)..... 20 µg/mL beta-BHC (beta-HCH)..... 20 µg/mL Delta-BHC (delta-HCH)..... 20 µg/mL gamma-BHC (Lindane)..... 20 µg/mL 4,4'-DDD ..... 100 µg/mL 4,4'-DDE ..... 20 µg/mL 4,4'-DDT..... 100 µg/mL Dieldrin..... 20 µg/mL	1 mL
U-PPM-608C	Organochlorine Pesticide Mixture	4 x 1 mL
U-PPM-530-1	Carbamate Pesticide Mixture (531.1) 100 µg/mL of each analyte in Methanol Aldicarb Aldicarb sulfone Aldicarb sulfoxide	1 mL
U-PPM-530	Carbamate Pesticide Mixture (531.1)	4 x 1 mL

## Pesticides

Code	Product	Unit
U-PPM-017-1	<b>Pesticide Mixture</b> 50 µg/ml of each analyte in Acetonitrile Atrazine                      Hexazinone                      Metobromuron                      Simazine Chlortoluron                      Isoproturon                      Metolachlor                      Terbutylazine Cyanazine                      Linuron                      Metoxuron Atrazine-desethyl                      Metazachlor                      Monolinuron Diuron                      Methabenzthiazuron                      Sebutylazine	1 mL
U-PPM-017	<b>Pesticide Mixture</b>	4 x 1 mL
U-NPM-525C-1	<b>Nitrogen/Phosphorus Pesticide Mixture</b> 100 µg/mL of each analyte in Acetone Alachlor                      Cyanazine                      Mevinphos (Phosdrin)                      Propazine Ametryn                      Dichlorvos                      MGK-264 (mixed, total)                      Simetryn Atraton                      Diphenamid                      Molinate                      Tetrachlorvinphos (Stirofos) Atrazine                      EPTC                      Napropamide                      Tebutiuron Bromacil                      Ethoprop (Ethoprofos)                      Norflurazon                      Terbacil Butachlor                      Fenarimol                      Pebulate                      Terbutryn Butylate                      Fluridone                      Prometon                      Triadimefon Chlorpropham                      Hexazinone                      Prometryn                      Tricyclazole Chlorpyrifos                      Methyl paraoxon                      Pronamide                      Trifluralin Cycloate                      Metolachlor                      Propachlor                      Vernolate	1 mL
U-NPM-525C	<b>Nitrogen/Phosphorus Pesticide Mixture</b>	4 x 1 mL
U-SPM-834-1	<b>Organophosphorus Pesticide Mixture</b> 200 µg/mL of each analyte in Hexane/Acetone (1:1) Dimethoate                      Malathion                      Parathion (ethyl)                      TEPP EPN                      Monocrotophos                      Sulfotepp	1 mL
U-SPM-834	<b>Organophosphorus Pesticide Mixture</b>	4 x 1 mL
U-SPM-824-1	<b>Organophosphorus Pesticide Mixture</b> 200 µg/mL of each analyte in Hexane/Acetone Guthion (Azinphos methyl)                      Fenthion Bolstar (Sulprofos)                      Merphos Chlorpyrifos                      Methyl parathion Coumaphos                      Mevinphos (Phosdrin) Demeton (total, mixed isomers)                      Naled Diazinon                      Phorate Dichlorvos                      Fenchlorphos (Ronnel) Disulfoton                      Tetrachlorvinphos (Stirofos) Ethoprop (Ethoprofos)                      Tokuthion Fensulfothion                      Trichloronate	1 mL
U-SPM-824	<b>Organophosphorus Pesticide Mixture</b>	4 x 1 mL
U-HBM-8151A-1	<b>Chlorinated Herbicide Mixture</b> Solvent: Methanol Acifluorfen ..... 100 µg/mL                      Dichlorprop ..... 100 µg/mL Bentazon ..... 100 µg/mL                      Dinoseb ..... 100 µg/mL Chloramben ..... 100 µg/mL                      MCPA ..... 10000 µg/mL 2,4-D ..... 100 µg/mL                      MCPP ..... 10000 µg/mL Dalapon ..... 100 µg/mL                      4-Nitrophenol ..... 100 µg/mL 2,4-DB ..... 100 µg/mL                      Pentachlorophenol ..... 100 µg/mL DCPA (dacthal) ..... 100 µg/mL                      Picloram ..... 100 µg/mL Dicamba ..... 100 µg/mL                      Silvex (2,4,5-TP) ..... 100 µg/mL 3,5-Dichlorobenzoic acid ..... 100 µg/mL                      2,4,5-T ..... 100 µg/mL	1 mL
U-HBM-8151A	<b>Chlorinated Herbicide Mixture</b>	4 x 1 mL
U-HBM-815A-1	<b>Chlorinated Herbicide Mixture</b> 100 µg/mL of each analyte in Methanol 2,4-D                      Silvex (2,4,5-TP)                      2,4,5-T	1 mL
U-HBM-815A	<b>Chlorinated Herbicide Mixture</b>	4 x 1 mL
NE-NC 378	<b>Pesticide Standard Solution</b> 100 µg/mL of each analyte in Cyclohexane Aldrin                      Endrin ketone 4,4'-DDD                      alpha-HCH 4,4'-DDE                      beta-HCH 4,4'-DDT                      delta-HCH Dieldrin                      gamma-HCH Endosulfan I                      Heptachlor Endosulfan II                      Heptachlor epoxide (endo) (isomer A) Endosulfan sulphate                      Heptachlor epoxide (exo) (isomer B) Endrin                      4,4'-Methoxychlor Endrin aldehyde	1.5 mL

## Pesticides

Code	Product	Unit
NE-USL 020	Pesticide Standard Solution, EN ISO 11369 CERTAN® 10 µg/mL of each analyte in Acetonitrile Desethylatrazine      Methabenzthiazuron      Diuron      Linuron Metoxuron      Atrazine      Metobromuron      Metolachlor Hexazinone      Chlorotoluron      Metazachlor Simazine      Monolinuron      Sebuthylazine Cyanazine      Isoproturon      Terbutylazine	1.5 mL
NE7550	Standard Solution for EN ISO 6468 CERTAN® 10 µg/mL of each analyte in iso-Octane. alpha-HCH      Heptachlor beta-HCH      Heptachlor epoxide (endo) (isomer A) gamma-HCH      Heptachlor epoxide (exo) (isomer B) delta-HCH      alpha-Endosulfan epsilon-HCH      beta-Endosulfan 2,4'-DDE      1,2,3-Trichlorobenzene 4,4'-DDE      1,2,4-Trichlorobenzene 2,4'-TDE      1,3,5-Trichlorobenzene 4,4'-TDE      1,2,3,4-Tetrachlorobenzene 2,4'-DDT      1,2,3,5-Tetrachlorobenzene 4,4'-DDT      1,2,4,5-Tetrachlorobenzene 4,4'-Methoxychlor      Pentachlorobenzene Aldrin      Hexachlorobenzene Dieldrin      Pentachloronitrobenzene (PCNB) Endrin PCB 28 ..... 2,4,4'-Trichlorobiphenyl      PCB 153..... 2,2',4,4',5,5'-Hexachlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl      PCB 180..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl      PCB 194.....2,2',3,3',4,4',5,5'-Octachlorobiphenyl PCB 138 .....2,2',3,4,4',5'-Hexachlorobiphenyl	1.5 mL
NE7551	Pesticide Standard Solution for EN ISO 6468 CERTAN® 10 µg/mL of each analyte in iso-Octane alpha-HCH      4,4'-DDT beta-HCH      4,4'-Methoxychlor gamma-HCH      Aldrin delta-HCH      Dieldrin epsilon-HCH      Endrin 2,4'-DDE      Heptachlor 4,4'-DDE      Heptachlor epoxide (endo) (isomer A) 2,4'-TDE      Heptachlor epoxide (exo) (isomer B) 4,4'-TDE      alpha-Endosulfan 2,4'-DDT      beta-Endosulfan	1.5 mL
NE7554	Pesticide Standard Solution (DIN 38407-14) CERTAN® 10 µg/mL of each analyte in Methanol Mecoprop      Dichlorprop      Fenoprop      2,4,5-T MCPA      2,4-D      MCPB      2,4-DB	10 mL
NE-USL 101	Triazine Pesticide Standard Solution 10 µg/mL of each analyte in Methanol Atrazine      Atrazine desisopropyl      Propazine      Simazine Atrazine desethyl      Cyanazine      Sebuthylazine      Terbutylazine	1.5 mL
NE-USL 102	Urea Pesticide Standard Solution 10 µg/mL of each analyte in Methanol Buturon      Fenuron      Metobromuron      Monuron Diuron      Isoproturon      Metoxuron Chlorotoluron      Methabenzthiazuron      Monolinuron	1.5 mL
NE-USL 103	Pesticide Standard Solution 10 µg/mL of each analyte in Methanol Aldicarb      Crimidine      Prometryn      Terbutryn Chlorfenvinphos      Metazachlor      Parathion-ethyl      Vinclozolin Chloroprotham      Metolachlor      Parathion-methyl	1.5 mL
NE7500	Triazine and Urea Pesticide Mixture 100 µg/mL of each analyte in Acetonitrile Atrazine      Simazine      Metabromuron      Chlorprotham Atrazine-desethyl      Cyanazin      Metazachlor      Terbutryn Atrazine-desisopropyl      Terbutylazine-desethyl      Propazine      Metolachlor Metamitron      Methabenzthiazuron      Dimefuron      Ethofumesate Chloridazon      Chlorotoluron      Terbutylazin      Ethidimuron Metoxuron      Monolinuron      Linuron Carbetamid      Diuron      Chloroxuron Bromacil      Isoproturon      Prometryn	1.2 mL

Code	Product	Unit
SL35000	Pesticide Mixture (25) CERTAN® 100 µg/mL of each analyte in Acetonitrile	4.5 mL
	Atrazine-desisopropyl      Terbutylazine-desethyl      Metobromuron      Terbutryn	
	Metamitron      Carbamazepin      Metazachlor      Ethofumesat	
	Chloridazon      Methabenzthiazuron      Dimefuron      Metolachlor	
	Atrazine-desethyl      Chlortoluron      Terbutylazine      Flurochloridon	
	Carbetamide      Atrazin      Linuron	
	Simazin      Diuron      Flurtamone	
	Metribuzin      Isoproturon      Prometryn	

## Camphechlor (Toxaphene) congeners

### Introduction

Camphechlor a non-systemic insecticide that was first introduced in 1948 and continues to be used in some countries today. It is prepared by the chlorination of technical camphene, and shows 670 signals in GC/ECD. Camphechlor is soluble in water - 3 mg/L - and a degree of dehydrochlorination takes place with heat, strong sunlight and certain catalysts such as iron. The inherent instability of Camphechlor complicates what is already a great challenge to the analytical chemist.

L. Alder and B. Vieth<sup>1</sup> of the German Federal Institute for Consumer Health Protection and Veterinary Medicine (BgVV) in paper entitled "A congener-specific method for the quantification of Camphechlor (Toxaphene) residues in fish and other foodstuffs" point out that fish appears to be the main source of human Camphechlor intake, and propose the ECD/GC determination of 3 individual chlorobornanes (DE-TOX 401, 402, 403) as indicators representing about 25-50% of the camphechlor residues. A fourth compound (DE-TOX 404), which may serve as an indicator of recent contamination, is also suggested.

In the past few years a number of other chlorinated terpenes have been found to be important contaminants in food and biological samples. The modern congener-specific analysis procedure includes separate determination of at least three other octachlorobornanes – Parlar No. 40, 41 and 44 (DE-TOX 445, 454 and 453 respectively). In contrast, in sediment samples the above mentioned compounds are rare. The dominant two are lower chlorinated Hex-Sed and Hp-Sed (DE-TOX 441 and DE-TOX 442)<sup>2</sup>, possessing no geminal chlorine atoms.

In our research project on the isolation of Camphechlor components with Dr. V. Nikiforov and his co-workers at the University of St. Petersburg well over 100 compounds have so far been isolated, with structural confirmation by NMR, X-ray and characteristic retention times on DB-5 column<sup>3</sup>. 49 are now available as crystalline compounds and individual standard solutions.

A number of multi-component standard solutions have also been prepared.

**DE-USL 420** is a three component mixture of the most important congeners Parlar No. 26, 50 and 62, examined by BAM. It can be recommended as primary standard for Toxaphene residue analysis.

**DE-USL 421** contains the three Parlar No. 26, 50 and 62 and an additional isomer Toxicant B (Parlar No. 32), one of the major and most toxic components of technical Toxaphene.

**DE-TOX 483** is designed for routine congener-specific analysis of food and biota samples. In addition to the most environmentally relevant Parlar No. 26, 50, 62, 40, 41 and 44 it contains two other structurally related compounds.

**DE-TOX 484** is designed for analysis of sediment samples. It contains the two most frequently found Hex-Sed and Hp-Sed, as well as one hexa- and one heptachlorobornane, also without geminal chlorine atoms in a molecule.

**DE-TOX 485** is a standard solution of 9 chlorinated dihydrocamphenes, which are present in technical Toxaphene. Their environmental importance is somewhat less studied to date.

**DE-TOX 486** is a 7-component solution for determination of compounds of general formula C<sub>10</sub>H<sub>x</sub>Cl<sub>16-x</sub>. It contains four chlorinated bornenes, two chlorinated camphenes (Parlar No. 25 and Parlar No. 31), reported in environmental samples and a unique tricyclic compound DE-TOX 456, the most polar polychloroterpene, known so far (according to its extremely late elution on Hexane/silicagel column).








**DE-TOX 487** contains highly chlorinated congeners – two nonachlorodihydrocamphenes and three decachlorobornanes. These compounds have not been included into the 25-component mixture. They might decompose during GC run, care must be taken to avoid interference with decomposition products. On the other hand, this mixture can be used to verify the suitability of GC system for Toxaphene analysis.

**DE-TOX 488** is a standard solution of three congeners, selected for their behavior during clean-up. DE-TOX 409 and DE-TOX 410 are the earliest and the latest eluters among polychlorobornanes on silicagel column, with hexane as eluent. The tricyclic compounds DE-TOX 456 seems to be the most polar among polychloroterpenes of all types. Its elution volume is approximately two times more than that of DE-TOX 410. This mixture can be used to verify complete extraction of all Toxaphene compounds during sample work-up.

### References








- <sup>1</sup> Alder L., B. Vieth.(1996) Fresenius J Anal. Chem. 354:81-92
- <sup>2</sup> G.A. Stern, M.D. Loewen, B.M. Miskimmin, D.C.G. Muir, J.B. Westmore. (1996) Env. Sci. Tech. 30: 2251-2258
- <sup>3</sup> V. Nikiforov, V. Karavan, S. Miltsov. (2000) Chemosphere 41: 467-472

## Camphechlor (Toxaphene) congeners








Code	Product		Unit
DE-TOX 401	2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane (BgVV Component 1,T2, TOX8, Parlar No. 26) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 402	2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane (BgVV Component 2, T12, TOX9, Toxicant Ac, Parlar No. 50) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 403	2,2,5,5,8,9,9,10,10-Nonachlorobornane (BgVV Component 3, Parlar No. 62) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 404	2,2,5-endo,6-exo,8,9,10-Heptachlorobornane (BgVV Component 4, Toxcant B, Parlar No. 32) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 417	2-exo,5-endo,9,10,10- Pentachlorobornane 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 418	2,2,5,5,8,9,10- Heptachlorobornane 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 441	2-exo,3-endo,6-exo,8,9,10-Hexachlorobornane (Hex-Sed) 5 µg/mL in iso-Octane CERTAN®		1.25 mL









## Camphechlor (Toxaphene) congeners

Code	Product		Unit
DE-TOX 414	2-exo,3-endo,5-exo,8,9,10,10-Heptachlorobornane 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 442	2-endo,3-exo,5-endo,6-exo,8,9,10-Heptachlorobornane (Hp-Sed) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 409	2-endo,3-exo,6-exo,8,9,10,10-Heptachlorobornane 5 µg/mL in iso-Octane CERTAN® (Last Eluting Hexane/SiO2)		1.25 mL
DE-TOX 419	2-exo,3-endo,6-exo,8,9,10,10-Heptachlorobornane 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 412	2,2,3-exo,5-endo,6-exo,8,9,10-Octachlorobornane (Parlar No. 39) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 408	2,2,5,5,9,9,10,10-Octachlorobornane (Parlar No. 38) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 439	2,2,5-endo,6-exo,8,8,9,10-Octachlorobornane (Parlar No. 42a; 8-Cl-B) 5 µg/mL in iso-Octane CERTAN®		1.25 mL

## Camphechlor (Toxaphene) congeners

Code	Product		Unit
DE-TOX 444	2,2,5-endo,6-exo,8,9,10,10-Octachlorobornane 5 µg/mL in iso-Octane CERTAN®	$\text{ClH}_2\text{C}$ $\text{CH}_2\text{Cl}$ 	1.25 mL
DE-TOX 445	2-endo,3-exo,5-endo,6-exo,8,9,10,10-Octachlorobornane (Parlar No. 40) 5 µg/mL in iso-Octane CERTAN®	$\text{ClH}_2\text{C}$ $\text{CH}_2\text{Cl}$ 	1.25 mL
DE-TOX 454	2-exo,3-endo,5-exo,8,9,9,10,10-Octachlorobornane (Parlar No. 41) 5 µg/mL in iso-Octane CERTAN®	$\text{Cl}_2\text{HC}$ $\text{CH}_2\text{Cl}$ 	1.25 mL
DE-TOX 455	2-endo,3-exo,6-exo,8,8,9,10,10-Octachlorobornane 5 µg/mL in iso-Octane CERTAN®	$\text{ClH}_2\text{C}$ $\text{CHCl}_2$ 	1.25 mL
DE-TOX 453	2-exo,5,5,8,9,9,10,10-Octachlorobornane (Parlar No. 44) 5 µg/mL in iso-Octane CERTAN®	$\text{Cl}_2\text{HC}$ $\text{CH}_2\text{Cl}$ 	1.25 mL
DE-TOX 410	2,2,3-exo,5,5,9,9,10,10-Nonachlorobornane 5 µg/mL in iso-Octane CERTAN®	$\text{Cl}_2\text{HC}$ $\text{CH}_3$ 	1.25 mL
DE-TOX 423	2,2,5-endo,6-exo,8,8,9,10,10- Nonachlorobornane (Parlar No. 56) 5 µg/mL in iso-Octane CERTAN®	$\text{ClH}_2\text{C}$ $\text{CHCl}_2$ 	1.25 mL

## Camphechlor (Toxaphene) congeners

Code	Product		Unit
DE-TOX 422	Mixture of two Nonachlorobornanes (ratio 1:1) 2,2,3-exo,5-endo,6-exo,8,9,10,10-Nonachlorobornane (A) 2-exo,3,3,5-exo,6-endo,8,9,10,10-Nonachlorobornane (B) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 413	2,2,3-exo,5-endo,6-exo,8,9,9,10,10-Decachlorobornane 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 424	2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane (Parlar No. 70) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 405	2,2,5,5,6-exo,8,9,9,10,10-Decachlorobornane (Parlar No. 69) 5 mg/L in iso-Octane CERTAN®		1.25 mL
DE-TOX 415	2-exo,3,3,5-exo,6-endo,8,9,9,10,10-Decachlorobornane 5 µg/mL in iso-Octane CERTAN®		1.25 mL
<b>Polychlorinated bornenes</b>			
DE-TOX 447	5,5,9,9,10,10-Hexachlorobornene 5 µg/mL in iso-Octane CERTAN®		1.25 mL

## Camphechlor (Toxaphene) congeners

Code	Product		Unit
DE-TOX 451	2,5,5,8,9,10,10-Heptachlorobornene 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 446	2,5-endo,6-exo,8,9,9,10,10-Octachlorobornene 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 450	3,5-exo,6-endo,8,9,9,10,10-Octachlorobornene 5 µg/mL in iso-Octane CERTAN®		1.25 mL

## Polychlorinated dihydrocamphenes

DE-TOX 459	2-exo,3-exo,6-exo,9,10,10-Hexachlorodihydrocamphene (2-exo,3-exo,6-exo-trichloro,5-endo-chloromethyl,6-dichloromethyl,5-methylnorbornane) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 452	2,2,3-exo,6-exo,9,10,10-Heptachlorodihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5-endo-chloromethyl,6-dichloromethyl,5-methylnorbornane) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 460	2-exo,3-exo,6-exo,8,8,10,10-Heptachlorodihydrocamphene (2-exo,3-exo,6-exo-trichloro,5-exo,6-bis(dichloromethyl),5-methylnorbornane) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 437	2-exo,3-exo,6-exo,8,9,9,10,10-Octachlorodihydrocamphene (2-exo,3-exo,6-exo-trichloro,5-exo-chloromethyl,5,6-bis(dichloromethyl)norbornane) 5 µg/mL in iso-Octane CERTAN®		1.25 mL
DE-TOX 457	2,2,3-exo,6-exo,8,8,9,10,10-Nonachlorodihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5-endo-chloromethyl,5,6-bis(dichloromethyl)norbornane)) 5 µg/mL in iso-Octane CERTAN®		1.25 mL

## Camphechlor (Toxaphene) congeners

Code	Product	Unit
DE-TOX 448	2,2,3-exo,8,8,9,10-Heptachlorocamphene (Parlar No. 25) 5 µg/mL in iso-Octane CERTAN®	1.25 mL
DE-TOX 449	2,2,3-exo,8,8,9,9,10-Octachlorocamphene (Parlar No. 31) 5 µg/mL in iso-Octane CERTAN®	1.25 mL
DE-TOX 435	2,2,3-exo,6-exo,8,10,10-Heptachlorodihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5-exo-chloromethyl,6-dichloromethyl,5-methylbornane) 5 µg/mL in iso-Octane CERTAN®	1.25 mL
DE-TOX 438	2-exo,3,3,6-exo,8,8,9,10,10-Nonachlorodihydrocamphene (2-exo,3,3,6-exo-tetrachloro,5-endo-chloromethyl,5,6-bis(dichloromethyl)norbornane) 5 µg/mL in iso-Octane CERTAN®	1.25 mL
DE-TOX 436	2,2,3-exo,6-exo,8,9,10,10-Octachlorodihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5,5-bis(chloromethyl),6-dichloromethyl-norbornane) 5 µg/mL in iso-Octane CERTAN®	1.25 mL
DE-TOX 458	2-exo,3-exo,6-exo,8,10,10-Hexachlorodihydrocamphene (2-exo,3-exo,6-exo-trichloro,5-exo-chloromethyl,6-dichloromethyl,5-methylnorbornane) 5 µg/mL in iso-Octane CERTAN®	1.25 mL

### Labelled Camphechlor (Toxaphene) congeners

For labelled camphechlor (toxaphene) congeners see section "Environmental contaminant standards from CIL".

### Multicomponent standard solutions

DE-USL 420	The BgVV Three Standard solution of three important residue components of Camphechlor (Toxaphene) in iso-Octane examined by the German Federal Institute for Materials Research and Testing (BAM). Compound	Purity (%)	Concentration (mg/L)	1.25 mL
	2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane.....	99.78 ± 0.03	4.79 ± 0.08	
	(Indicator compound 1, T2, TOX8, Parlar No. 26)			
	2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane.....	99.80 ± 0.02	4.87 ± 0.07	
	(Indicator compound 2, T12, TOX9, Toxicant Ac, Parlar No. 50)			
	2,2,5,5,8,9,9,10,10-Nonachlorobornane.....	99.71 ± 0.13	4.80 ± 0.06	
	(Indicator compound 3, Parlar No. 62)			
DE-USL 421	The BgVV Four CERTAN® 5 µg/mL of each analyte in iso-Octane Code	Analyte		1.25 mL
	DE-TOX 401	2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane		
	DE-TOX 402	2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane		
	DE-TOX 403	2,2,5,5,8,9,9,10,10-Nonachlorobornane.		
	DE-TOX 404	2,2,5-endo,6-exo,8,9,10-Heptachlorobornane		

## Camphechlor (Toxaphene) congeners

Code	Product	Unit
DE-TOX 482	Polychlorobornane Qualitative Standard Solution CERTAN® (25 analytes) 5 µg/mL of each analyte in iso-Octane	1.25 mL
	Code Analyte	
	DE-TOX 417 2-exo,5-endo,9,9,10-Pentachlorobornane	
	DE-TOX 441 2-exo,3-endo,6-exo,8,9,10-Hexachlorobornane (Hx-Sed)	
	DE-TOX 442 2-endo,3-exo,5-endo,6-exo,8,9,10-Heptachlorobornane (Hp-Sed)	
	DE-TOX 414 2-exo,3-endo,5-exo,8,9,10,10-Heptachlorobornane	
	DE-TOX 418 2,2,5,5,8,9,10-Heptachlorobornane	
	DE-TOX 404 2,2,5-endo,6-exo,8,9,10-Heptachlorobornane(Tox B, Parlar No. 32)	
	DE-TOX 419 2-exo,3-endo,6-exo,8,9,10,10-Heptachlorobornane	
	DE-TOX 443 2-exo,3-endo,5-exo,6-exo,8,9,10-Heptachlorobornane	
	DE-TOX 409 2-endo,3-exo,6-exo,8,9,10,10- Heptachlorobornane	
	DE-TOX 401 2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane (T2, Parlar No.26)	
	DE-TOX 408 2,2,5,5,9,9,10,10- Octachlorobornane (Parlar No. 38)	
	DE-TOX 412 2,2,3-exo,5-endo,6-exo,8,9,10- Octachlorobornane (3-exo-CI-B, Parlar No.39)	
	DE-TOX 445 2-endo,3-exo,5-endo,6-exo,8,9,10,10-Octachlorobornane (Parlar No. 40)	
	DE-TOX 454 2-exo,3-endo,5-exo,8,9,9,10,10-Octachlorobornane Parlar No. 41)	
	DE-TOX 439 2,2,5-endo,6-exo,8,8,9,10-Octachlorobornane (8-CI-B, Parlar No. 42a)	
	DE-TOX 453 2-exo,5,5,8,9,9,10,10-Octachlorobornane (Parlar No. 44)	
	DE-TOX 444 2,2,5-endo,6-exo,8,9,10,10-Octachlorobornane (10-CI-B)	
	DE-TOX 455 2-endo,3-exo,6-exo,8,8,9,10,10-Octachlorobornane	
	DE-TOX 402 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane(T12, ToxA <sub>c</sub> , Parlar No. 50)	
	DE-TOX 410 2,2,3-exo,5,5,9,9,10,10- Nonachlorobornane	
	DE-TOX 422 2,2,3-exo,5-endo,6-exo,8,9,10,10-Nonachlorobornane/2-exo,3,3,5-exo,6-endo,8,9,10,10-Nonachlorobornane	
	DE-TOX 423 2,2,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane (8,10-Cl <sub>2</sub> B, Parlar No. 56)	
	DE-TOX 411 2,2,3-exo,5,5,8,9,10,10-Nonachlorobornane (ToxC, Parlar No. 58)	
	DE-TOX 403 2,2,5,5,8,9,9,10,10-Nonachlorobornane (Parlar No. 62)	
DE-TOX 483	Toxaphene Mix (important isomers) CERTAN® (8 analytes) 5 µg/mL of each analyte in iso-Octane	1.25 mL
	Code Analyte	
	DE-TOX 414 2-exo,3-endo,5-exo,8,9,10,10-Heptachlorobornane	
	DE-TOX 401 2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane (T2, Parlar No.26)	
	DE-TOX 408 2,2,5,5,9,9,10,10-Octachlorobornane (Parlar No.38)	
	DE-TOX 445 2-endo,3-exo,5-endo,6-exo,8,9,10,10-Octachlorobornane (Parlar No.40)	
	DE-TOX 454 2-exo,3-endo,5-exo,8,9,9,10,10-Octachlorobornane (Parlar No.41)	
	DE-TOX 453 2-exo,5,5,8,9,9,10,10-Octachlorobornane (Parlar No.44)	
	DE-TOX 402 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane (T12,ToxA <sub>c</sub> ,Parlar No.50)	
	DE-TOX 403 2,2,5,5,8,9,9,10,10- Nonachlorobornane (Parlar No.62)	
DE-TOX 486	Toxaphene Mix (unsaturated isomers) CERTAN® (7 analytes) 5 µg/mL of each analyte in iso-Octane	1.25 mL
	Code Analyte	
	DE-TOX 446 2,5-endo,6-exo,8,9,9,10,10-Octachlorobornene	
	DE-TOX 451 2,5,5,8,9,10,10-Heptachlorobornene	
	DE-TOX 450 3,5-exo,6-endo,8,9,9,10,10-Octachlorobornene	
	DE-TOX 447 5,5,9,9,10,10-Hexachlorobornene	
	DE-TOX 456 Tricylene (5,7-Dichloro-3-3-bis(chloromethyl)-4-(1,1-dichloromethyl)tricyclo[2.2.1.0 <sup>2,6</sup> ]heptane)	
	DE-TOX 448 2,2,3-exo,8,8,9,10-Heptachlorocamphene	
	DE-TOX 449 2,2,3-exo,8,8,9,9,10-Octachlorocamphene	
DE-TOX 488	Toxaphene Mix CERTAN® (3 analytes) 5 µg/mL of each analyte in iso-Octane	1.25 mL
	Code Analyte	
	DE-TOX 456 Tricylene (5,7-Dichloro-3-3-bis(chloromethyl)-4-(1,1-dichloromethyl)tricyclo[2.2.1.0 <sup>2,6</sup> ]heptane)	
	DE-TOX 410 2,2,3-exo,5,5,9,9,10,10-Nonachlorobornane (First Eluting Hexane/SiO <sub>2</sub> )	
	DE-TOX 409 2-endo,3-exo,6-exo,8,9,10,10-Heptachlorobornane (Last Eluting Hexane/SiO <sub>2</sub> )	
DE-TOX 485	Toxaphene Mix (Dihydrocamphenes) CERTAN® (9 analytes) 5 µg/mL of each analyte in iso-Octane	1.25 mL
	Code Analyte	
	DE-TOX 437 2-exo,3-exo,6-exo,8,9,9,10,10-Octachlorodihydro-camphene (2-exo,3-exo,6-exo-trichloro,5-exo-chloromethyl,5,6-is(dichloromethyl)norbornane)	
	DE-TOX 436 2,2,3-exo,6-exo,8,9,10,10-Octachlorodihydro-camphene (2,2,3-exo,6-exo-tetrachloro,5,5-bis(chloromethyl),6-dichloromethylnorbornane)	
	DE-TOX 435 2,2,3-exo,6,8,10,10- Heptachlorodihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5-exo-chloromethyl,6-dichloromethyl,5-methylbornane)	
	DE-TOX 438 2-exo,3,3,6-exo,8,8,9,10,10-Nonachlorodihydrogencamphene (2-exo,3,3,6-exo-tetrachloro,5-endo-chloromethyl,5,6-bis(dichloromethyl)norbornane)	
	DE-TOX 452 2,2,3-exo,6-exo,9,10,10-Heptachlorodihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5-endo-chloromethyl,6-dichloromethyl,5-methylnorbornane)	
	DE-TOX 458 2-exo,3-exo,6-exo,8,10,10-Hexachlorodihydro-camphene (2-exo,3-exo,6-exo-trichloro,5-exo-chloromethyl,6-dichloromethyl,5-methylnorbornane)	
	DE-TOX 460 2-exo,3-exo,6-exo,8,8,10,10-Heptachlorodihydro-camphene (2-exo,3-exo,6-exo-trichloro,5-exo,6-bis(dichloromethyl),5-methylnorbornane)	
	DE-TOX 459 2-exo,3-exo,6-exo,9,10,10-Hexachlorodihydrocamphene (2-exo,3-exo,6-exo-trichloro,5-endo-chloromethyl,6-dichloromethyl,5-methylnorbornane)	
	DE-TOX 457 2,2,3-exo,6-exo,8,8,9,10,10-Nonadihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5-endo-chloromethyl,5,6-bis(dichloromethyl)norbornane)	

## Camphechlor (Toxaphene) congeners

Code	Product	Unit
DE-TOX 487	Toxaphene Mix (perchlorinated compounds) CERTAN® (5 analytes) 5 µg/mL of each analyte in iso-Octane	1.25 mL
	Code            Analyte	
DE-TOX 438	2-exo,3,3,6-exo,8,8,9,10,10-Nonachlorodihydrocamphene (2-exo,3,3,6-exo-tetrachloro,5-endo-chloromethyl,5,6-bis(dichloromethyl)norbornane)	
DE-TOX 457	2,2,3-exo,6-exo,8,8,9,10,10-Nonachlorodihydrocamphene (2,2,3-exo,6-exo-tetrachloro,5-endo-chloromethyl,5,6-bis(dichloromethyl)norbornane)	
DE-TOX 424	2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane	
DE-TOX 413	2,2,3-exo,5-endo,6-exo,8,9,9,10,10-Decachlorobornane	
DE-TOX 415	2-exo,3,3,5-exo,6-endo,8,9,9,10,10-Decachlorobornane	
DE-TOX 484	Toxaphene Mix (for sediment analysis) CERTAN® (4 analytes) 5 µg/mL of each analyte in iso-Octane	1.25 mL
	Code            Analyte	
DE-TOX 440	2-endo,3-exo,6-exo,8,9,10-Hexachlorobornane	
DE-TOX 442	2-endo,3-exo,5-endo,6-exo,8,9,10-Heptachlorobornane (Hp-Sed)	
DE-TOX 441	2-exo,3-endo,6-exo,8,9,10-Hexachlorobornane (Hex-Sed)	
DE-TOX 443	2-exo,3-endo,5-exo,6-exo,8,9,10-Heptachlorobornane	



## Polyhalogenated compounds

### Polychloro-*n*-alkanes

#### Introduction

Polychloro-*n*-alkanes (PCAs) with carbon chains between 10 and 30 are used for a variety of industrial applications and are components of lubricants, flame-retardants, adhesives, sealants and a number of other miscellaneous products. Commercial PCA formulations, also known as chlorinated paraffins (CPs), are prepared by the direct chlorination of *n*-alkanes with Cl<sub>2</sub> at elevated temperatures and pressures and/or in the presence of UV light. Based on the starting material, PCA mixtures fall into three categories: C<sub>10</sub>-C<sub>13</sub> (short), C<sub>14</sub>-C<sub>17</sub> (medium) and C<sub>20</sub>-C<sub>30</sub> (long); they are further subcategorised into their weight content of chlorine (30-70%) depending on the extent of chlorination [1].

There are particular concerns about the C<sub>10</sub>-C<sub>13</sub> PCAs because of their possible adverse effects on terrestrial and aquatic organisms, and potential carcinogenicity to humans [2]. Their release into the environment could occur during production, storage, transportation, or industrial use; leaching from landfill sites is also possible [3-5]. Much of this release is to the aquatic environment, either directly or from sewage treatment systems.

To date, reliable environmental concentrations of PCAs have been a concern because of the unavoidable impurities present in formulations that arise during the industrial synthesis. In addition to the desired products, preparations can be contaminated with isoparaffins, aromatic compounds, sulfur, metals and unreacted *n*-alkanes [6]. Stabilisers such as epoxides and organotin compounds, are also frequently added during the chlorination process to inhibit the decomposition, *i.e.*, loss of HCl, at elevated temperatures [6].


The amount of impurities present in commercial mixtures can differ from one manufacturer to another and because they are currently being used as standards for environmental analysis, this can compromise the accuracy of quantitative measurements [7]. A need exists, therefore, for pure PCA mixtures that can be used as reliable analytical standards.

LGC Standards offers individual PCA mixtures that have been prepared by chlorination of highly pure *n*-alkane starting materials (>99%), with products purified by a series of chromatography steps that removed any unreacted starting material from their chlorinated analogs. GC/MS was used to confirm components and to guarantee purity.

**Products of chlorination.** Figure 1 shows the negative ion elution profiles of the C<sub>12</sub>PCA, determined by monitoring a characteristic fragment ion, *i.e.*, [M - Cl]<sup>-</sup> ion [8], formed by the chlorination process. The relative abundance of each molecular formula is also shown. The most predominant component was the C<sub>12</sub>H<sub>20</sub>Cl<sub>6</sub> species, which accounted for 72% of the total abundance of all the C<sub>12</sub>congeners. In a similar manner, the compositions of the C<sub>10</sub>, C<sub>11</sub> and C<sub>13</sub> mixtures were determined, with the results are shown in Table 1.


Chlorine atoms	C10	C11	C12	C13
4	4.9	0.3	0.3	1.5
5	30.2	25.1	13.6	33.2
6	59.9	62.0	71.7	59.2
7	3.7	11.1	12.9	5.6
8	1.2	1.4	1.6	0.5

**Table 1.** Responses (%) of the congeners present in each mixture.




**Figure 1.** Elution profiles of the C<sub>12</sub>-chlorinated alkanes, determined by monitoring their respective [M-Cl]<sup>-</sup> ion. The relative abundance of each formula is also shown.

**Confirmation of purity.** Each reaction mixture was checked to ensure that the chromatography cleanup steps had removed all the unreacted n-alkanes. Figure 2(a-c) shows the EI full scan total ion chromatogram of (a) dodecane, (b) the products derived by the chlorination of dodecane and (c) cleaned-up products free of starting material. It is clear from Figure 1(c) that no residual C12-alkane is present. The other mixtures were cleaned-up and checked for purity in the same manner. In all cases no residual n-alkanes were present.



**Figure 2.** Electron ionisation full scan total ion chromatogram of (a) dodecane, (b) products derived by chlorination of dodecane, and (c) chromatography cleaned-up products.

Similarity of the synthesised mixtures to an industrial preparation. Figure 3 illustrates the similarity in GC-elution profiles of a typical industrial formulation and a mixture created by combining equal amounts of the individual mixtures available from LGC Standards. Depending on the formula group abundance profile of a sample under investigation, and by combining different amounts of the individual standards together, it is possible to create a standard that closely resembles that of the environmental sample under investigation.



**Figure 3.** EI-MS total ion chromatogram of (a) industrial formulation and (b) one created by combining equal amounts of the individual mixtures.

### References

1. Kirk-Othmer (1980). Chlorinated Paraffins. Kirk-Othmer encyclopedia of chemical technology, 3<sup>rd</sup> edn. Wiley, New York.
2. Environment Canada (1993). Priority substances program, CEPA assessment report, chlorinated paraffins. Commercial chemicals branch, Hull Quebec.
3. Swedish National Chemicals Inspectorate (1991). In: Risk reduction of chemicals, a government commission report, Ch 9, chlorinated paraffins, pp 167-187; KEMI Rep 1/91
4. Environmental Protection Agency (1991). Office of Toxic Substances. Rm1 decision package. Chlorinated paraffins. Environmental risk. EPA, Washington DC
5. Environment Canada (1993) Health and Welfare Canada, Priority substances list assessment report: chlorinated paraffins. Government of Canada, Catalogue En40 215/17 E, ISBN 0 662 20515 17E
6. Muir DCG, Stern GA and Tomy GT (1999). Chlorinated Paraffins. In: The Handbook of environmental chemistry, Ch 8, Vol 3. Part K, New types of persistent halogenated compounds.
7. Tomy GT, Stern GA, Muir DCG, Fisk AT, Westmore JB (1999). Interlaboratory study on quantitative methods of analysis of C<sub>10</sub>-C<sub>13</sub> polychloro-*n*-alkanes. Anal. Chem., 71:446-451.
8. Tomy GT, Stern GA, Muir DCG, Fisk AT, Cymbalisky CD, Westmore JB (1997). Quantifying C<sub>10</sub>-C<sub>13</sub> polychloro-*n*-alkanes in environmental samples by high resolution gas chromatography/electron capture negative ion high resolution mass spectrometry. Anal. Chem., 69:2762-2771.

Code	Product	Unit
<b>Polychloro-<i>n</i>-alkane standard solutions</b>		
NE0941	Polychloro- <i>n</i> -decane (C10) 100 µg/mL in Cyclohexane	1.25 mL
NE0942	Polychloro- <i>n</i> -undecane (C11) 100 µg/mL in Cyclohexane	1.25 mL
NE0943	Polychloro- <i>n</i> -dodecane (C12) 100 µg/mL in Cyclohexane	1.25 mL
NE0944	Polychloro- <i>n</i> -tridecane (C13) 100 µg/mL in Cyclohexane	1.25 mL

## Polychlorinated biphenyls (PCBs)

### Introduction

The first PCBs were manufactured as long ago as 1930. Fifty years later an estimated one to two million metric tons had been produced in the industrialised countries, and marketed widely under various trade names.

Trade name	Manufactured in
<b>Aroclor</b>	United States, United Kingdom
<b>Clophen, Elaol</b>	Germany
<b>Pyroclor</b>	United Kingdom
<b>Phenoclor, Pyralene</b>	France
<b>Fenclor</b>	Italy
<b>Chemko</b>	Czech Republic
<b>Sovol</b>	Russia

The industrial PCBs were invariably used as dielectric fluids in transformers and capacitors and as hydraulic and heat transfer fluids. Unfortunately their chemical and physical characteristics which make them so eminently suitable for these applications also qualify them as persistent bioaccumulative environmental pollutants. Jensen first drew attention to this problem in the early sixties, and today the WHO continues to recommend and organise programmes on identification, surveillance and control of potential PCB sources.

### Industrial PCBs

Each manufacturer produced a series with varying chlorine content.

Aroclor	Clophen	Phenoclor	Approx. Cl by Wt.
1221			21
1232			32-33
1242	A30	DP3	40-42
1248	A40	DP4	48
1254	A50	DP5	52-54
1260	A60	DP6	60
1262			62
1268			68

Code	Product	Unit
U-RPC-1016	Aroclor 1016	50 mg
NIST-3081	Aroclor 1016 in Methanol Certified value Aroclor 1016 .... 17.13 mg/kg ± 0.54 mg/kg or 13.70 mg/L ± 0.44 mg/L	5 x 1.2 mL
U-PP-280-1	Aroclor 1016 100 µg/mL in Methanol	1 mL
U-PP-280	Aroclor 1016 100 µg/mL in Methanol	4 x 1 mL
U-PP-281-1	Aroclor 1016 100 µg/mL in Hexane	1 mL
U-PP-281	Aroclor 1016 100 µg/mL in Hexane	4 x 1 mL
U-PP-282-1	Aroclor 1016 100 µg/mL in iso-Octane	1 mL
U-PP-282	Aroclor 1016 100 µg/mL in iso-Octane	4 x 1 mL
U-RPC-1221	Aroclor 1221	50 mg
U-PP-290-1	Aroclor 1221 100 µg/mL in Methanol	1 mL
U-PP-290	Aroclor 1221 100 µg/mL in Methanol	4 x 1 mL
U-PP-291-1	Aroclor 1221 100 µg/mL in Hexane	1 mL
U-PP-291	Aroclor 1221 100 µg/mL in Hexane	4 x 1 mL
U-PP-292-1	Aroclor 1221 100 µg/mL in iso-Octane	1 mL
U-PP-292	Aroclor 1221 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1292	Aroclor 1221 1000 µg/mL in iso-Octane	1 mL
U-RPC-1232	Aroclor 1232	10 mg
NIST-3082	Aroclor 1232 in Methanol Certified value Aroclor 1232 .....5.25 mg/kg ± 0.31 mg/kg or 4.20 mg/L ± 0.25 mg/L	5 x 1.2 mL

## Polychlorinated biphenyls (PCBs)

Code	Product	Unit
U-PP-300-1	Aroclor 1232 100 µg/mL in Methanol	1 mL
U-PP-300	Aroclor 1232 100 µg/mL in Methanol	4 x 1 mL
U-PP-301-1	Aroclor 1232 100 µg/mL in Hexane	1 mL
U-PP-301	Aroclor 1232 100 µg/mL in Hexane	4 x 1 mL
U-PP-302-1	Aroclor 1232 100 µg/mL in iso-Octane	1 mL
U-PP-302	Aroclor 1232 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1302	Aroclor 1232 1000 µg/mL in iso-Octane	1 mL
U-RPC-1242	Aroclor 1242	50 mg
NIST-3083	Aroclor 1242 in Methanol Certified value Aroclor 1242 .....16.36 mg/kg ± 0.35 mg/kg or 13.08 mg/L ± 0.29 mg/L	5 x 1.2 mL
U-PP-310-1	Aroclor 1242 100 µg/mL in Methanol	1 mL
U-PP-310	Aroclor 1242 100 µg/mL in Methanol	4 x 1 mL
U-PP-311-1	Aroclor 1242 100 µg/mL in Hexane	1 mL
U-PP-311	Aroclor 1242 100 µg/mL in Hexane	4 x 1 mL
U-PP-312-1	Aroclor 1242 100 µg/mL in iso-Octane	1 mL
U-PP-312	Aroclor 1242 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1312	Aroclor 1242 1000 µg/mL in iso-Octane	1 mL
U-RPC-1248	Aroclor 1248	50 mg
NIST-3084	Aroclor 1248 in Methanol Certified value Aroclor 1248 .....6.89 mg/kg ± 0.22 mg/kg or 5.51 mg/L ± 0.18 mg/L	5 x 1.2 mL
U-PP-340-1	Aroclor 1248 100 µg/mL in Methanol	1 mL
U-PP-340	Aroclor 1248 100 µg/mL in Methanol	4 x 1 mL
U-PP-341-1	Aroclor 1248 100 µg/mL in Hexane	1 mL
U-PP-341	Aroclor 1248 100 µg/mL in Hexane	4 x 1 mL
U-PP-342-1	Aroclor 1248 100 µg/mL in iso-Octane	1 mL
U-PP-342	Aroclor 1248 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1342	Aroclor 1248 1000 µg/mL in iso-Octane	1 mL
U-RPC-1254	Aroclor 1254	50 mg
NIST-3085	Aroclor 1254 in Methanol Certified value Aroclor 1254 .....7.08 mg/kg ± 0.16 mg/kg or 5.66 mg/L ± 0.13 mg/L	5 x 1.2 mL
U-PP-350-1	Aroclor 1254 100 µg/mL in Methanol	1 mL
U-PP-350	Aroclor 1254 100 µg/mL in Methanol	4 x 1 mL
U-PP-351-1	Aroclor 1254 100 µg/mL in Hexane	1 mL
U-PP-351	Aroclor 1254 100 µg/mL in Hexane	4 x 1 mL
U-PP-352-1	Aroclor 1254 100 µg/mL in iso-Octane	1 mL
U-PP-352	Aroclor 1254 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1352	Aroclor 1254 1000 µg/mL in iso-Octane	1 mL
U-RPC-1260	Aroclor 1260	50 mg
NIST-3086	Aroclor 1260 in Methanol Certified value Aroclor 1260 .....6.18 mg/kg ± 0.17 mg/kg or 4.94 mg/L ± 0.14 mg/L	5 x 1.2 mL
U-PP-360-1	Aroclor 1260 100 µg/mL in Methanol	1 mL
U-PP-360	Aroclor 1260 100 µg/mL in Methanol	4 x 1 mL
U-PP-361-1	Aroclor 1260 100 µg/mL in Hexane	1 mL
U-PP-361	Aroclor 1260 100 µg/mL in Hexane	4 x 1 mL
U-PP-362-1	Aroclor 1260 100 µg/mL in iso-Octane	1 mL
U-PP-362	Aroclor 1260 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1362	Aroclor 1260 1000 µg/mL in iso-Octane	1 mL
U-RPC-1262	Aroclor 1262	50 mg

## Polychlorinated biphenyls (PCBs)

Code	Product	Unit
U-PP-370-1	Aroclor 1262 100 µg/mL in Methanol	1 mL
U-PP-370	Aroclor 1262 100 µg/mL in Methanol	4 x 1 mL
U-PP-371-1	Aroclor 1262 100 µg/mL in Hexane	1 mL
U-PP-371	Aroclor 1262 100 µg/mL in Hexane	4 x 1 mL
U-PP-372-1	Aroclor 1262 100 µg/mL in iso-Octane	1 mL
U-PP-372	Aroclor 1262 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1372	Aroclor 1262 1000 µg/mL in iso-Octane	1 mL
U-RPC-1268	Aroclor 1268	50 mg
U-PP-380-1	Aroclor 1268 100 µg/mL in Methanol	1 mL
U-PP-380	Aroclor 1268 100 µg/mL in Methanol	4 x 1 mL
U-PP-381-1	Aroclor 1268 100 µg/mL in Hexane	1 mL
U-PP-381	Aroclor 1268 100 µg/mL in Hexane	4 x 1 mL
U-PP-382-1	Aroclor 1268 100 µg/mL in iso-Octane	1 mL
U-PP-382	Aroclor 1268 100 µg/mL in iso-Octane	4 x 1 mL
U-EPA-1382	Aroclor 1268 1000 µg/mL in iso-Octane	1 mL
NIST-3091	Aroclors in Methanol This Standard Reference Material® (SRM®) is a set of six different solutions of individual Aroclors in methanol. Certified values	6 x 1.2 mL
	NIST-3081 ..... Aroclor 1016 ..17.13 ± 0.54 mg/kg	13.70 ± 0.44 mg/L
	NIST-3082 ..... Aroclor 1232 ....5.25 ± 0.31 mg/kg	4.20 ± 0.25 mg/L
	NIST-3083 ..... Aroclor 1242 ..16.36 ± 0.35 mg/kg	13.08 ± 0.29 mg/L
	NIST-3084 ..... Aroclor 1248 ....6.89 ± 0.22 mg/kg	5.51 ± 0.18 mg/L
	NIST-3085 ..... Aroclor 1254 .....7.08 ± 0.16 mg/kg	5.66 ± 0.13 mg/L
	NIST-3086 ..... Aroclor 1260 ....6.18 ± 0.17 mg/kg	4.94 ± 0.14 mg/L

### Aroclors in transformer oil

NIST-3075	Aroclor 1016 in transformer oil Certified value Aroclor 1016 .....17.1 mg/kg ± 1.0 mg/kg or 15.2 mg/L ± 0.9 mg/L	5 x 1.2 mL
NIST-3076	Aroclor 1232 in transformer oil Certified value Aroclor 1232 .....4252 mg/kg ± 114 mg/kg or 3789 mg/L ± 106 mg/L	5 x 1.2 mL
NIST-3077	Aroclor 1242 in transformer oil Certified value Aroclor 1242 .....4102 mg/kg ± 87 mg/kg or 3656 mg/L ± 82 mg/L	5 x 1.2 mL
NIST-3078	Aroclor 1248 in transformer oil Certified value Aroclor 1248 .....3658 mg/kg ± 161 mg/kg or 3260 mg ± 146 mg/L	5 x 1.2 mL
NIST-3079	Aroclor 1254 in transformer oil Certified value Aroclor 1254 .....3579 mg/kg ± 154 mg/kg or 3190 mg/L ± 139 mg/L	5 x 1.2 mL
NIST-3080	Aroclor 1260 in transformer oil Certified value Aroclor 1260 .....1079 mg/kg ± 98 mg/kg or 962 mg/L ± 88 mg/L	5 x 1.2 mL
NIST-3090	Aroclors in transformer oil This Standard Reference Material® (SRM®) is a set of six different solutions of individual Aroclors in transformer oil. Certified values	6 x 1.2 mL
	NIST-3075 ..... Aroclor 1016 ..... 17.1 ± 1.0 mg/kg ..... 15.2 ± 0.9 mg/L	
	NIST-3076 ..... Aroclor 1232 ..... 4252 ± 114 mg/kg ..... 3789 ± 106 mg/L	
	NIST-3077 ..... Aroclor 1242 ..... 4102 ± 87 mg/kg ..... 3656 ± 82 mg/L	
	NIST-3078 ..... Aroclor 1248 ..... 3658 ± 161 mg/kg ..... 3260 ± 146 mg/L	
	NIST-3079 ..... Aroclor 1254 ..... 3579 ± 154 mg/kg ..... 3190 ± 139 mg/L	
	NIST-3080 ..... Aroclor 1260 ..... 1079 ± 98 mg/kg ..... 962 ± 88 mg/L	

### Aroclor in transformer oil kits (wt/vol)

U-1016TK	Aroclor 1016 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit
----------	--	-----

## Polychlorinated biphenyls (PCBs)

Code	Product	Unit
U-1221TK	Aroclor 1221 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit
U-1232TK	Aroclor 1232 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit
U-1242TK	Aroclor 1242 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	Kit (3 x 2 mL)
U-1248TK	Aroclor 1248 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit
U-1254TK	Aroclor 1254 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit
U-1260TK	Aroclor 1260 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit
U-1262TK	Aroclor 1262 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit
U-1268TK	Aroclor 1268 Kit 3 x 2 mL of Aroclor at 100 µg/mL in PCB free transformer oil 1 x 2 mL of PCB free transformer oil	kit

### Aroclor in transformer oil (wt/wt)

U-1242TK-B1	Aroclor 1242 50 µg/g in Transformer Oil	1 mL
U-1242TK-B2	Aroclor 1242 500 µg/g in Transformer Oil	1 mL
U-1248TK-B1	Aroclor 1248 50 µg/g in Transformer Oil	1 mL
U-1248TK-B2	Aroclor 1248 500 µg/g in Transformer Oil	1 mL
U-1254TK-B1	Aroclor 1254 50 µg/g in Transformer Oil	1 mL
U-1254TK-B2	Aroclor 1254 500 µg/g in Transformer Oil	1 mL
U-1260TK-B1	Aroclor 1260 50 µg/g in Transformer Oil	1 mL
U-1260TK-B2	Aroclor 1260 500 µg/g in Transformer Oil	1 mL

### PCB contaminant kits (wt/wt)

U-1242TK-B	PCB Contaminant Kit - Aroclor 1242 in Transformer Oil 2 x 1 mL of Aroclor at 50 µg/g in PCB free transformer oil 2 x 1 mL of Aroclor at 500 µg/g in PCB free transformer oil	kit
U-1248TK-B	PCB Contaminant Kit - Aroclor 1248 in Transformer Oil 2 x 1 mL of Aroclor at 50 µg/g in PCB free transformer oil 2 x 1 mL of Aroclor at 500 µg/g in PCB free transformer oil	kit
U-1254TK-B	PCB Contaminant Kit - Aroclor 1254 in Transformer Oil 2 x 1 mL of Aroclor at 50 µg/g in PCB free transformer oil 2 x 1 mL of Aroclor at 500 µg/g in PCB free transformer oil	kit
U-1260TK-B	PCB Contaminant Kit - Aroclor 1260 in Transformer Oil 2 x 1 mL of Aroclor at 50 µg/g in PCB free transformer oil 2 x 1 mL of Aroclor at 500 µg/g in PCB free transformer oil	kit

### PCB contaminant kits (wt/vol)

U-1242TK-A	PCB Contaminant Kit - Aroclor 1242 in Transformer Oil 2 x 1 mL of Aroclor at 50 µg/mL in PCB free transformer oil 2 x 1 mL of Aroclor at 500 µg/mL in PCB free transformer oil	Kit (4 x 1 mL)
U-1254TK-A	PCB Contaminant Kit - Aroclor 1254 in Transformer Oil 2 x 1 mL of Aroclor at 50 µg/mL in PCB free transformer oil 2 x 1 mL of Aroclor at 500 µg/mL in PCB free transformer oil	kit
U-1260TK-A	PCB Contaminant Kit - Aroclor 1260 in Transformer Oil 2 x 1 mL of Aroclor at 50 µg/mL in PCB free transformer oil 2 x 1 mL of Aroclor at 500 µg/mL in PCB free transformer oil	kit



## Polychlorinated biphenyls (PCBs)

Code	Product	Unit
<b>Single congeners</b>		
<p>The PCB numbers represent the Ballschmider numbers used to identify each specific congener. These numbers are equivalent to the IUPAC numbers for PCBs, with three exceptions. Congeners number 199, 200, and 201 have the IUPAC numbers 200, 201, and 199, respectively. Both usages are found in the literature.</p>		
IPO 054	Biphenyl (PCB 0) E 230 Certified purity..... 99.6%	250 mg
	U-RPC-001S Biphenyl (PCB 0), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-001AS Biphenyl (PCB 0), 100 µg/mL in Isooctane	2 mL
	CIL-CLM-3235-1.2 Biphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	U-RPC-006 2-Chlorobiphenyl (PCB 1)	50 mg
	U-RPC-006S 2-Chlorobiphenyl (PCB 1), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-006AS 2-Chlorobiphenyl (PCB 1), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4908-1.2 2-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #1) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4908-3 2-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #1) 40 µg/mL in Nonane	3 mL
	U-RPC-007 3-Chlorobiphenyl (PCB 2)	10 mg
	U-RPC-007S 3-Chlorobiphenyl (PCB 2), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-007AS 3-Chlorobiphenyl (PCB 2), 100 µg/mL in Isooctane	2 mL
	U-RPC-008 4-Chlorobiphenyl (PCB 3)	50 mg
	U-RPC-008S 4-Chlorobiphenyl (PCB 3), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-008AS 4-Chlorobiphenyl (PCB 3), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4990-1.2 4-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #3) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4990-3 4-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #3) 40 µg/mL in Nonane	3 mL
	U-RPC-009 2,2'-Dichlorobiphenyl (PCB 4)	25 mg
	CERERD-113 2,2'-Dichlorobiphenyl (PCB 4)	25 mg
	U-RPC-009S 2,2'-Dichlorobiphenyl (PCB 4), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-009AS 2,2'-Dichlorobiphenyl (PCB 4), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4911-1.2 2,2'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #4) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4911-3 2,2'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #4) 40 µg/mL in Nonane	3 mL
	U-RPC-012 2,3-Dichlorobiphenyl (PCB 5)	25 mg
	CERERD-038 2,3-Dichlorobiphenyl (PCB 5)	25 mg
	U-RPC-012S 2,3-Dichlorobiphenyl (PCB 5), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-012AS 2,3-Dichlorobiphenyl (PCB 5), 100 µg/mL in Isooctane	2 mL
	U-RPC-101 2,3'-Dichlorobiphenyl (PCB 6)	5 mg
	U-RPC-101S 2,3'-Dichlorobiphenyl (PCB 6), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-101AS 2,3'-Dichlorobiphenyl (PCB 6), 100 µg/mL in Isooctane	2 mL
	U-RPC-013 2,4-Dichlorobiphenyl (PCB 7)	25 mg
	CERERD-039 2,4-Dichlorobiphenyl (PCB 7)	25 mg
	U-RPC-013S 2,4-Dichlorobiphenyl (PCB 7), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-013AS 2,4-Dichlorobiphenyl (PCB 7), 100 µg/mL in Isooctane	2 mL
	U-RPC-089 2,4'-Dichlorobiphenyl (PCB 8)	25 mg
	BCR-289 2,4'-Dichlorobiphenyl (PCB 8)	25 mg
	U-RPC-089S 2,4'-Dichlorobiphenyl (PCB 8), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-089AS 2,4'-Dichlorobiphenyl (PCB 8), 100 µg/mL in Isooctane	2 mL
	CIL-EC-5095-1.2 2,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #8) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-5095-3 2,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #8) 40 µg/mL in Nonane	3 mL
	U-RPC-014 2,5-Dichlorobiphenyl (PCB 9)	50 mg
	U-RPC-014S 2,5-Dichlorobiphenyl (PCB 9), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-014AS 2,5-Dichlorobiphenyl (PCB 9), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4165-1.2 2,5-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #9) 40 µg/mL in Nonane	1.2 mL

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	CIL-EC-4165-3	2,5-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #9) 40 µg/mL in Nonane	3 mL
	U-RPC-015	2,6-Dichlorobiphenyl (PCB 10)	25 mg
	U-RPC-015S	2,6-Dichlorobiphenyl (PCB 10), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-015AS	2,6-Dichlorobiphenyl (PCB 10), 100 µg/mL in Isooctane	2 mL
	U-RPC-010	3,3'-Dichlorobiphenyl (PCB 11)	50 mg
	CERERD-040	3,3'-Dichlorobiphenyl (PCB 11)	25 mg
	U-RPC-010S	3,3'-Dichlorobiphenyl (PCB 11), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-010AS	3,3'-Dichlorobiphenyl (PCB 11), 100 µg/mL in Isooctane	2 mL
	U-RPC-016	3,4-Dichlorobiphenyl (PCB 12)	50 mg
	U-RPC-016S	3,4-Dichlorobiphenyl (PCB 12), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-016AS	3,4-Dichlorobiphenyl (PCB 12), 100 µg/mL in Isooctane	2 mL
	U-RPC-112	3,4'-Dichlorobiphenyl (PCB 13)	5 mg
	U-RPC-112S	3,4'-Dichlorobiphenyl (PCB 13), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-112AS	3,4'-Dichlorobiphenyl (PCB 13), 100 µg/mL in Isooctane	2 mL
	U-RPC-017	3,5-Dichlorobiphenyl (PCB 14)	50 mg
	U-RPC-017S	3,5-Dichlorobiphenyl (PCB 14), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-017AS	3,5-Dichlorobiphenyl (PCB 14), 100 µg/mL in Isooctane	2 mL
	U-RPC-011	4,4'-Dichlorobiphenyl (PCB 15)	10 mg
	CERERD-041	4,4'-Dichlorobiphenyl (PCB 15)	25 mg
	U-RPC-011S	4,4'-Dichlorobiphenyl (PCB 15), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-011AS	4,4'-Dichlorobiphenyl (PCB 15), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1402-1.2	4,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #15) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1402-3	4,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #15) 40 µg/mL in Nonane	3 mL
	U-RPC-092	2,2',3-Trichlorobiphenyl (PCB 16)	5 mg
	U-RPC-092S	2,2',3-Trichlorobiphenyl (PCB 16), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-092AS	2,2',3-Trichlorobiphenyl (PCB 16), 100 µg/mL in Isooctane	2 mL
	U-RPC-173	2,2',4-Trichlorobiphenyl (PCB 17)	5 mg
	U-RPC-173S	2,2',4-Trichlorobiphenyl (PCB 17), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-173AS	2,2',4-Trichlorobiphenyl (PCB 17), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-021	2,2',5-Trichlorobiphenyl (PCB 18)	25 mg
	U-RPC-021S	2,2',5-Trichlorobiphenyl (PCB 18), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-021AS	2,2',5-Trichlorobiphenyl (PCB 18), 100 µg/mL in Isooctane	2 mL
	U-RPC-139	2,2',6-Trichlorobiphenyl (PCB 19)	5 mg
	U-RPC-139S	2,2',6-Trichlorobiphenyl (PCB 19), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-139AS	2,2',6-Trichlorobiphenyl (PCB 19), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4909-1.2	2,2',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #19) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4909-3	2,2',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #19) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-104	2,3,3'-Trichlorobiphenyl	5 mg
	BCR-290	2,3,3'-Trichlorobiphenyl (PCB 20)	25 mg
	U-RPC-104S	2,3,3'-Trichlorobiphenyl (PCB 20), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-104AS	2,3,3'-Trichlorobiphenyl (PCB 20), 100 µg/mL in Isooctane	2 mL
	U-RPC-018	2,3,4-Trichlorobiphenyl (PCB 21)	25 mg
	U-RPC-018S	2,3,4-Trichlorobiphenyl (PCB 21), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-018AS	2,3,4-Trichlorobiphenyl (PCB 21), 100 µg/mL in Isooctane	2 mL
	U-RPC-118	2,3,4'-Trichlorobiphenyl (PCB 22)	5 mg
	U-RPC-118S	2,3,4'-Trichlorobiphenyl (PCB 22), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-118AS	2,3,4'-Trichlorobiphenyl (PCB 22), 100 µg/mL in Isooctane	2 mL
	U-RPC-175S	2,3,5-Trichlorobiphenyl (PCB 23), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-175AS	2,3,5-Trichlorobiphenyl (PCB 23), 100 µg/mL in Isooctane	2 mL
	U-RPC-083A	2,3,6-Trichlorobiphenyl (PCB 24)	5 mg
	U-RPC-083S	2,3,6-Trichlorobiphenyl (PCB 24), 100 µg/mL in Hexane	2 mL

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
<b>New</b>	U-RPC-083AS	2,3,6-Trichlorobiphenyl (PCB 24), 100 µg/mL in Isooctane	2 mL
	U-RPC-121	2,3',4-Trichlorobiphenyl (PCB 25)	5 mg
	U-RPC-121S	2,3',4-Trichlorobiphenyl (PCB 25), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-121AS	2,3',4-Trichlorobiphenyl (PCB 25), 100 µg/mL in Isooctane	2 mL
	U-RPC-022	2,3',5-Trichlorobiphenyl (PCB 26)	25 mg
	U-RPC-022S	2,3',5-Trichlorobiphenyl (PCB 26), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-022AS	2,3',5-Trichlorobiphenyl (PCB 26), 100 µg/mL in Isooctane	2 mL
	U-RPC-120	2,3',6-Trichlorobiphenyl (PCB 27)	5 mg
	U-RPC-120S	2,3',6-Trichlorobiphenyl (PCB 27), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-120AS	2,3',6-Trichlorobiphenyl (PCB 27), 100 µg/mL in Isooctane	2 mL
	DE-PCB 28	2,4,4'-Trichlorobiphenyl (PCB 28)	10 mg
<b>New</b>	U-RPC-084	2,4,4'-Trichlorobiphenyl (PCB 28)	10 mg
	BCR-291	2,4,4'-Trichlorobiphenyl (PCB 28)	25 mg
	U-RPC-084S	2,4,4'-Trichlorobiphenyl (PCB 28), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-084AS	2,4,4'-Trichlorobiphenyl (PCB 28), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1413-1.2	2,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #28) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1413-3	2,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #28) 40 µg/mL in Nonane	3 mL
	U-RPC-019	2,4,5-Trichlorobiphenyl (PCB 29)	50 mg
	U-RPC-019S	2,4,5-Trichlorobiphenyl (PCB 29), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-019AS	2,4,5-Trichlorobiphenyl (PCB 29), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-020	2,4,6-Trichlorobiphenyl (PCB 30)	50 mg
	U-RPC-020S	2,4,6-Trichlorobiphenyl (PCB 30), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-020AS	2,4,6-Trichlorobiphenyl (PCB 30), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-023	2,4',5-Trichlorobiphenyl (PCB 31)	25 mg
	U-RPC-023S	2,4',5-Trichlorobiphenyl (PCB 31), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-023AS	2,4',5-Trichlorobiphenyl (PCB 31), 100 µg/mL in Isooctane	2 mL
	U-RPC-176S	2,4',6-Trichlorobiphenyl (PCB 32), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-176AS	2,4',6-Trichlorobiphenyl (PCB 32), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4163-1.2	2,4',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #32) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4163-3	2,4',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #32) 40 µg/mL in Nonane	3 mL
	U-RPC-062	2',3,4-Trichlorobiphenyl (PCB 33)	10 mg
	U-RPC-062S	2',3,4-Trichlorobiphenyl (PCB 33), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-062AS	2',3,4-Trichlorobiphenyl (PCB 33), 100 µg/mL in Isooctane, 100 µg/mL in Isooctane	2 mL
	U-RPC-123	2',3,5-Trichlorobiphenyl (PCB 34)	5 mg
	U-RPC-123S	2',3,5-Trichlorobiphenyl (PCB 34), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-123AS	2',3,5-Trichlorobiphenyl (PCB 34), 100 µg/mL in Isooctane	2 mL
	U-RPC-107	3,3',4-Trichlorobiphenyl (PCB 35)	5 mg
	U-RPC-107S	3,3',4-Trichlorobiphenyl (PCB 35), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-107AS	3,3',4-Trichlorobiphenyl (PCB 35), 100 µg/mL in Isooctane	2 mL
	U-RPC-122	3,3',5-Trichlorobiphenyl (PCB 36)	5 mg
	U-RPC-122S	3,3',5-Trichlorobiphenyl (PCB 36), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-122AS	3,3',5-Trichlorobiphenyl (PCB 36), 100 µg/mL in Isooctane	2 mL
	U-RPC-119	3,4,4'-Trichlorobiphenyl (PCB 37)	5 mg
	U-RPC-119S	3,4,4'-Trichlorobiphenyl (PCB 37), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-119AS	3,4,4'-Trichlorobiphenyl (PCB 37), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4901-1.2	3,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #37) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4901-3	3,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #37) 40 µg/mL in Nonane	3 mL
	U-RPC-124	3,4,5-Trichlorobiphenyl (PCB 38)	5 mg
	U-RPC-124S	3,4,5-Trichlorobiphenyl (PCB 38), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-124AS	3,4,5-Trichlorobiphenyl (PCB 38), 100 µg/mL in Isooctane	2 mL
	U-RPC-125	3,4',5-Trichlorobiphenyl (PCB 39)	5 mg

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-125S	3,4',5-Trichlorobiphenyl (PCB 39), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-125AS	3,4',5-Trichlorobiphenyl (PCB 39), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-065	2,2',3,3'-Tetrachlorobiphenyl (PCB 40)	50 mg
	U-RPC-065S	2,2',3,3'-Tetrachlorobiphenyl (PCB 40), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-065AS	2,2',3,3'-Tetrachlorobiphenyl (PCB 40), 100 µg/mL in Isooctane	2 mL
	U-RPC-177S	2,2',3,4-Tetrachlorobiphenyl (PCB 41), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-177AS	2,2',3,4-Tetrachlorobiphenyl (PCB 41), 100 µg/mL in Isooctane	2 mL
	U-RPC-105	2,2',3,4'-Tetrachlorobiphenyl (PCB 42)	5 mg
	U-RPC-105S	2,2',3,4'-Tetrachlorobiphenyl (PCB 42), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-105AS	2,2',3,4'-Tetrachlorobiphenyl (PCB 42), 100 µg/mL in Isooctane	2 mL
	U-RPC-178S	2,2',3,5-Tetrachlorobiphenyl (PCB 43), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-178AS	2,2',3,5-Tetrachlorobiphenyl (PCB 43), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-029	2,2',3,5'-Tetrachlorobiphenyl (PCB 44)	25 mg
	U-RPC-029S	2,2',3,5'-Tetrachlorobiphenyl (PCB 44), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-029AS	2,2',3,5'-Tetrachlorobiphenyl (PCB 44), 100 µg/mL in Isooctane	2 mL
	U-RPC-179S	2,2',3,6-Tetrachlorobiphenyl (PCB 45), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-179AS	2,2',3,6-Tetrachlorobiphenyl (PCB 45), 100 µg/mL in Isooctane	2 mL
	U-RPC-180S	2,2',3,6'-Tetrachlorobiphenyl (PCB 46), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-180AS	2,2',3,6'-Tetrachlorobiphenyl (PCB 46), 100 µg/mL in Isooctane	2 mL
	U-RPC-035	2,2',4,4'-Tetrachlorobiphenyl (PCB 47)	50 mg
	U-RPC-035S	2,2',4,4'-Tetrachlorobiphenyl (PCB 47), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-035AS	2,2',4,4'-Tetrachlorobiphenyl (PCB 47), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1434-1.2	2,2',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #47) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1434-3	2,2',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #47) 40 µg/mL in Nonane	3 mL
	U-RPC-136	2,2',4,5-Tetrachlorobiphenyl (PCB 48)	5 mg
	U-RPC-136S	2,2',4,5-Tetrachlorobiphenyl (PCB 48), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-136AS	2,2',4,5-Tetrachlorobiphenyl (PCB 48), 100 µg/mL in Isooctane	2 mL
	U-RPC-030	2,2',4,5'-Tetrachlorobiphenyl (PCB 49)	50 mg
	U-RPC-030S	2,2',4,5'-Tetrachlorobiphenyl (PCB 49), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-030AS	2,2',4,5'-Tetrachlorobiphenyl (PCB 49), 100 µg/mL in Isooctane	2 mL
	U-RPC-024	2,2',4,6-Tetrachlorobiphenyl (PCB 50)	10 mg
	U-RPC-024S	2,2',4,6-Tetrachlorobiphenyl (PCB 50), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-024AS	2,2',4,6-Tetrachlorobiphenyl (PCB 50), 100 µg/mL in Isooctane	2 mL
	U-RPC-181S	2,2',4,6'-Tetrachlorobiphenyl (PCB 51), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-181AS	2,2',4,6'-Tetrachlorobiphenyl (PCB 51), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-031	2,2',5,5'-Tetrachlorobiphenyl (PCB 52)	10 mg
	BCR-293	2,2',5,5'-Tetrachlorobiphenyl (PCB 52)	25 mg
	U-RPC-031S	2,2',5,5'-Tetrachlorobiphenyl (PCB 52), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-031AS	2,2',5,5'-Tetrachlorobiphenyl (PCB 52), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1424-1.2	2,2',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #52) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1424-3	2,2',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #52) 40 µg/mL in Nonane	3 mL
	U-RPC-032	2,2',5,6'-Tetrachlorobiphenyl (PCB 53)	25 mg
	U-RPC-032S	2,2',5,6'-Tetrachlorobiphenyl (PCB 53), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-032AS	2,2',5,6'-Tetrachlorobiphenyl (PCB 53), 100 µg/mL in Isooctane	2 mL
	U-RPC-066	2,2',6,6'-Tetrachlorobiphenyl (PCB 54)	50 mg
	U-RPC-066S	2,2',6,6'-Tetrachlorobiphenyl (PCB 54), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-066AS	2,2',6,6'-Tetrachlorobiphenyl (PCB 54), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4912-1.2	2,2',6,6'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #54) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4912-3	2,2',6,6'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #54) 40 µg/mL in Nonane	3 mL
	U-RPC-126	2,3,3',4-Tetrachlorobiphenyl (PCB 55)	5 mg
	U-RPC-126S	2,3,3',4-Tetrachlorobiphenyl (PCB 55), 100 µg/mL in Hexane	2 mL

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
<b>New</b>	U-RPC-126AS	2,3,3',4-Tetrachlorobiphenyl (PCB 55), 100 µg/mL in Isooctane	2 mL
	U-RPC-182S	2,3,3',4'-Tetrachlorobiphenyl (PCB 56), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-182AS	2,3,3',4'-Tetrachlorobiphenyl (PCB 56), 100 µg/mL in Isooctane	2 mL
	U-RPC-183S	2,3,3',5-Tetrachlorobiphenyl (PCB 57), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-183AS	2,3,3',5-Tetrachlorobiphenyl (PCB 57), 100 µg/mL in Isooctane	2 mL
	U-RPC-128	2,3,3',5'-Tetrachlorobiphenyl (PCB 58)	5 mg
	U-RPC-128S	2,3,3',5'-Tetrachlorobiphenyl (PCB 58), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-128AS	2,3,3',5'-Tetrachlorobiphenyl (PCB 58), 100 µg/mL in Isooctane	2 mL
	U-RPC-184S	2,3,3',6-Tetrachlorobiphenyl (PCB 59), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-184AS	2,3,3',6-Tetrachlorobiphenyl (PCB 59), 100 µg/mL in Isooctane	2 mL
	U-RPC-093	2,3,4,4'-Tetrachlorobiphenyl (PCB 60)	5 mg
	U-RPC-093S	2,3,4,4'-Tetrachlorobiphenyl (PCB 60), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-093AS	2,3,4,4'-Tetrachlorobiphenyl (PCB 60), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4078-1.2	2,3,4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #60) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4078-3	2,3,4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #60) 40 µg/mL in Nonane	3 mL
	U-RPC-027	2,3,4,5-Tetrachlorobiphenyl (PCB 61)	50 mg
	U-RPC-027S	2,3,4,5-Tetrachlorobiphenyl (PCB 61), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-027AS	2,3,4,5-Tetrachlorobiphenyl (PCB 61), 100 µg/mL in Isooctane	2 mL
	U-RPC-148	2,3,4,6-Tetrachlorobiphenyl (PCB 62)	5 mg
	U-RPC-148S	2,3,4,6-Tetrachlorobiphenyl (PCB 62), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-148AS	2,3,4,6-Tetrachlorobiphenyl (PCB 62), 100 µg/mL in Isooctane	2 mL
	U-RPC-185S	2,3,4',5-Tetrachlorobiphenyl (PCB 63), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-185AS	2,3,4',5-Tetrachlorobiphenyl (PCB 63), 100 µg/mL in Isooctane	2 mL
	U-RPC-186S	2,3,4',6-Tetrachlorobiphenyl (PCB 64), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-186AS	2,3,4',6-Tetrachlorobiphenyl (PCB 64), 100 µg/mL in Isooctane	2 mL
	U-RPC-028	2,3,5,6-Tetrachlorobiphenyl (PCB 65)	25 mg
	U-RPC-028S	2,3,5,6-Tetrachlorobiphenyl (PCB 65), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-028AS	2,3,5,6-Tetrachlorobiphenyl (PCB 65), 100 µg/mL in Isooctane	2 mL
	U-RPC-086	2,3',4,4'-Tetrachlorobiphenyl (PCB 66)	20 mg
	U-RPC-086S	2,3',4,4'-Tetrachlorobiphenyl (PCB 66), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-086AS	2,3',4,4'-Tetrachlorobiphenyl (PCB 66), 100 µg/mL in Isooctane	2 mL
	U-RPC-187S	2,3',4,5-Tetrachlorobiphenyl (PCB 67), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-187AS	2,3',4,5-Tetrachlorobiphenyl (PCB 67), 100 µg/mL in Isooctane	2 mL
	U-RPC-188S	2,3',4,5'-Tetrachlorobiphenyl (PCB 68), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-188AS	2,3',4,5'-Tetrachlorobiphenyl (PCB 68), 100 µg/mL in Isooctane	2 mL
	U-RPC-025	2,3',4,6-Tetrachlorobiphenyl (PCB 69)	10 mg
	U-RPC-025S	2,3',4,6-Tetrachlorobiphenyl (PCB 69), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-025AS	2,3',4,6-Tetrachlorobiphenyl (PCB 69), 100 µg/mL in Isooctane	2 mL
	U-RPC-033	2,3',4',5-Tetrachlorobiphenyl (PCB 70)	10 mg
	U-RPC-033S	2,3',4',5-Tetrachlorobiphenyl (PCB 70), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-033AS	2,3',4',5-Tetrachlorobiphenyl (PCB 70), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4914-1.2	2,3',4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #70) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4914-3	2,3',4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #70) 40 µg/mL in Nonane	3 mL
	U-RPC-189S	2,3',4',6-Tetrachlorobiphenyl (PCB 71), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-189AS	2,3',4',6-Tetrachlorobiphenyl (PCB 71), 100 µg/mL in Isooctane	2 mL
	U-RPC-034	2,3',5,5'-Tetrachlorobiphenyl (PCB 72)	25 mg
	U-RPC-034S	2,3',5,5'-Tetrachlorobiphenyl (PCB 72), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-034AS	2,3',5,5'-Tetrachlorobiphenyl (PCB 72), 100 µg/mL in Isooctane	2 mL
	U-RPC-190S	2,3',5',6-Tetrachlorobiphenyl (PCB 73), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-190AS	2,3',5',6-Tetrachlorobiphenyl (PCB 73), 100 µg/mL in Isooctane	2 mL
	U-RPC-138	2,4,4',5-Tetrachlorobiphenyl (PCB 74)	5 mg



## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-138S	2,4,4',5-Tetrachlorobiphenyl (PCB 74), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-138AS	2,4,4',5-Tetrachlorobiphenyl (PCB 74), 100 µg/mL in Isooctane	2 mL
	U-RPC-026	2,4,4',6-Tetrachlorobiphenyl (PCB 75)	10 mg
	U-RPC-026S	2,4,4',6-Tetrachlorobiphenyl (PCB 75), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-026AS	2,4,4',6-Tetrachlorobiphenyl (PCB 75), 100 µg/mL in Isooctane	2 mL
	U-RPC-191S	2',3,4,5-Tetrachlorobiphenyl (PCB 76), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-191AS	2',3,4,5-Tetrachlorobiphenyl (PCB 76), 100 µg/mL in Isooctane	2 mL
	ERM-AC820	3,3',4,4'-Tetrachlorobiphenyl (PCB 77) Certified purity.....99.8 %	20 mg
<b>New</b>	U-RPC-036	3,3',4,4'-Tetrachlorobiphenyl (PCB 77)	25 mg
	U-RPC-036S	3,3',4,4'-Tetrachlorobiphenyl (PCB 77), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-036AS	3,3',4,4'-Tetrachlorobiphenyl (PCB 77), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1404-1.2	3,3',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #77) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1404-3	3,3',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #77) 40 µg/mL in Nonane	3 mL
	CIL-DLM-3063-1.2	3,3',4,4'-Tetrachlorobiphenyl (D <sub>6</sub> ,98%) (IUPAC #77) 40 µg/mL in Nonane	1.2 mL
	CIL-DLM-3063-3	3,3',4,4'-Tetrachlorobiphenyl (D <sub>6</sub> ,98%) (IUPAC #77) 40 µg/mL in Nonane	3 mL
	U-RPC-127	3,3',4,5-Tetrachlorobiphenyl (PCB 78)	5 mg
	U-RPC-127S	3,3',4,5-Tetrachlorobiphenyl (PCB 78), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-127AS	3,3',4,5-Tetrachlorobiphenyl (PCB 78), 100 µg/mL in Isooctane	2 mL
	U-RPC-129	3,3',4,5'-Tetrachlorobiphenyl (PCB 79)	5 mg
	U-RPC-129S	3,3',4,5'-Tetrachlorobiphenyl (PCB 79), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-129AS	3,3',4,5'-Tetrachlorobiphenyl (PCB 79), 100 µg/mL in Isooctane	2 mL
	CIL-EC-5048-1.2	3,3',4,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #79) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-5048-3	3,3',4,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #79) 40 µg/mL in Nonane	3 mL
	U-RPC-091	3,3',5,5'-Tetrachlorobiphenyl (PCB 80)	5 mg
	U-RPC-091S	3,3',5,5'-Tetrachlorobiphenyl (PCB 80), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-091AS	3,3',5,5'-Tetrachlorobiphenyl (PCB 80), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1414-1.2	3,3',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #80) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1414-3	3,3',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #80) 40 µg/mL in Nonane	3 mL
	U-RPC-096	3,4,4',5-Tetrachlorobiphenyl (PCB 81)	5 mg
	U-RPC-096S	3,4,4',5-Tetrachlorobiphenyl (PCB 81), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-096AS	3,4,4',5-Tetrachlorobiphenyl (PCB 81), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1412-1.2	3,4,4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 81) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1412-3	3,4,4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 81) 40 µg/mL in Nonane	3 mL
	U-RPC-097	2,2',3,3',4-Pentachlorobiphenyl (PCB 82)	5 mg
	U-RPC-097S	2,2',3,3',4-Pentachlorobiphenyl (PCB 82), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-097AS	2,2',3,3',4-Pentachlorobiphenyl (PCB 82), 100 µg/mL in Isooctane	2 mL
	U-RPC-192S	2,2',3,3',5-Pentachlorobiphenyl (PCB 83), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-192AS	2,2',3,3',5-Pentachlorobiphenyl (PCB 83), 100 µg/mL in Isooctane	2 mL
	U-RPC-193S	2,2',3,3',6-Pentachlorobiphenyl (PCB 84), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-193AS	2,2',3,3',6-Pentachlorobiphenyl (PCB 84), 100 µg/mL in Isooctane	2 mL
	U-RPC-194S	2,2',3,4,4'-Pentachlorobiphenyl (PCB 85), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-194AS	2,2',3,4,4'-Pentachlorobiphenyl (PCB 85), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4929-1.2	2,2',3,4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #85) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4929-3	2,2',3,4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #85) 40 µg/mL in Nonane	3 mL
	U-RPC-038	2,2',3,4,5-Pentachlorobiphenyl (PCB 86)	10 mg
	U-RPC-038S	2,2',3,4,5-Pentachlorobiphenyl (PCB 86), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-038AS	2,2',3,4,5-Pentachlorobiphenyl (PCB 86), 100 µg/mL in Isooctane	2 mL
	U-RPC-099	2,2',3,4,5'-Pentachlorobiphenyl (PCB 87)	10 mg
	U-RPC-099S	2,2',3,4,5'-Pentachlorobiphenyl (PCB 87), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-099AS	2,2',3,4,5'-Pentachlorobiphenyl (PCB 87), 100 µg/mL in Isooctane	2 mL

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-041	2,2',3,4,6-Pentachlorobiphenyl (PCB 88)	5 mg
	U-RPC-041S	2,2',3,4,6-Pentachlorobiphenyl (PCB 88), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-041AS	2,2',3,4,6-Pentachlorobiphenyl (PCB 88), 100 µg/mL in Isooctane	2 mL
	U-RPC-195S	2,2',3,4,6'-Pentachlorobiphenyl (PCB 89), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-195AS	2,2',3,4,6'-Pentachlorobiphenyl (PCB 89), 100 µg/mL in Isooctane	2 mL
	U-RPC-196S	2,2',3,4',5-Pentachlorobiphenyl (PCB 90), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-196AS	2,2',3,4',5-Pentachlorobiphenyl (PCB 90), 100 µg/mL in Isooctane	2 mL
	U-RPC-197S	2,2',3,4',6-Pentachlorobiphenyl (PCB 91), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-197AS	2,2',3,4',6-Pentachlorobiphenyl (PCB 91), 100 µg/mL in Isooctane	2 mL
	U-RPC-198S	2,2',3,5,5'-Pentachlorobiphenyl (PCB 92), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-198AS	2,2',3,5,5'-Pentachlorobiphenyl (PCB 92), 100 µg/mL in Isooctane	2 mL
	U-RPC-069	2,2',3,5,6-Pentachlorobiphenyl (PCB 93)	5 mg
	U-RPC-069S	2,2',3,5,6-Pentachlorobiphenyl (PCB 93), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-069AS	2,2',3,5,6-Pentachlorobiphenyl (PCB 93), 100 µg/mL in Isooctane	2 mL
	U-RPC-199S	2,2',3,5,6'-Pentachlorobiphenyl (PCB 94), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-199AS	2,2',3,5,6'-Pentachlorobiphenyl (PCB 94), 100 µg/mL in Isooctane	2 mL
	U-RPC-130	2,2',3,5',6-Pentachlorobiphenyl (PCB 95)	5 mg
	U-RPC-130S	2,2',3,5',6-Pentachlorobiphenyl (PCB 95), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-130AS	2,2',3,5',6-Pentachlorobiphenyl (PCB 95), 100 µg/mL in Isooctane	2 mL
	U-RPC-200S	2,2',3,6,6'-Pentachlorobiphenyl (PCB 96), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-200AS	2,2',3,6,6'-Pentachlorobiphenyl (PCB 96), 100 µg/mL in Isooctane	2 mL
	U-RPC-087	2,2',3',4,5-Pentachlorobiphenyl (PCB 97)	10 mg
	U-RPC-087S	2,2',3',4,5-Pentachlorobiphenyl (PCB 97), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-087AS	2,2',3',4,5-Pentachlorobiphenyl (PCB 97), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1428-1.2	2,2',3',4,5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #97) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1428-3	2,2',3',4,5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #97) 40 µg/mL in Nonane	3 mL
	U-RPC-141	2,2',3',4,6-Pentachlorobiphenyl (PCB 98)	5 mg
	U-RPC-141S	2,2',3',4,6-Pentachlorobiphenyl (PCB 98), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-141AS	2,2',3',4,6-Pentachlorobiphenyl (PCB 98), 100 µg/mL in Isooctane	2 mL
	U-RPC-171	2,2',4,4',5-Pentachlorobiphenyl (PCB 99)	5 mg
	U-RPC-171S	2,2',4,4',5-Pentachlorobiphenyl (PCB 99), 100 µg/mL in Hexane	2 mL
	U-RPC-042	2,2',4,4',6-Pentachlorobiphenyl (PCB 100)	5 mg
	U-RPC-042S	2,2',4,4',6-Pentachlorobiphenyl (PCB 100), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-042AS	2,2',4,4',6-Pentachlorobiphenyl (PCB 100), 100 µg/mL in Isooctane	2 mL
	U-RPC-039	2,2',4,5,5'-Pentachlorobiphenyl (PCB 101)	10 mg
	U-RPC-039S	2,2',4,5,5'-Pentachlorobiphenyl (PCB 101), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-039AS	2,2',4,5,5'-Pentachlorobiphenyl (PCB 101), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1405-1.2	2,2',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #101) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1405-3	2,2',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #101) 40 µg/mL in Nonane	3 mL
	U-RPC-172	2,2',4,5,6'-Pentachlorobiphenyl (PCB 102)	5 mg
	U-RPC-172S	2,2',4,5,6'-Pentachlorobiphenyl (PCB 102), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-172AS	2,2',4,5,6'-Pentachlorobiphenyl (PCB 102), 100 µg/mL in Isooctane	2 mL
	U-RPC-040	2,2',4,5',6-Pentachlorobiphenyl (PCB 103)	10 mg
	U-RPC-040S	2,2',4,5',6-Pentachlorobiphenyl (PCB 103), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-040AS	2,2',4,5',6-Pentachlorobiphenyl (PCB 103), 100 µg/mL in Isooctane	2 mL
	U-RPC-043	2,2',4,6,6'-Pentachlorobiphenyl (PCB 104)	5 mg
	U-RPC-043S	2,2',4,6,6'-Pentachlorobiphenyl (PCB 104), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-043AS	2,2',4,6,6'-Pentachlorobiphenyl (PCB 104), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4910-1.2	2,2',4,6,6'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #104) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4910-3	2,2',4,6,6'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #104) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-098	2,3,3',4,4'-Pentachlorobiphenyl (PCB 105)	5 mg



## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-098S	2,3,3',4,4'-Pentachlorobiphenyl (PCB 105), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-098AS	2,3,3',4,4'-Pentachlorobiphenyl (PCB 105), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1420-1.2	2,3,3',4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #105) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1420-3	2,3,3',4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #105) 40 µg/mL in Nonane	3 mL
	U-RPC-142	2,3,3',4,5-Pentachlorobiphenyl (PCB 106)	5 mg
	U-RPC-142S	2,3,3',4,5-Pentachlorobiphenyl (PCB 106), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-142AS	2,3,3',4,5-Pentachlorobiphenyl (PCB 106), 100 µg/mL in Isooctane	2 mL
	U-RPC-201S	2,3,3',4',5-Pentachlorobiphenyl (PCB 107), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-201AS	2,3,3',4',5-Pentachlorobiphenyl (PCB 107), 100 µg/mL in Isooctane	2 mL
	U-RPC-131	2,3,3',4,5'-Pentachlorobiphenyl (PCB 108)	5 mg
	U-RPC-131S	2,3,3',4,5'-Pentachlorobiphenyl (PCB 108), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-131AS	2,3,3',4,5'-Pentachlorobiphenyl (PCB 108), 100 µg/mL in Isooctane	2 mL
	U-RPC-150	2,3,3',4,6-Pentachlorobiphenyl (PCB 109)	5 mg
	U-RPC-150S	2,3,3',4,6-Pentachlorobiphenyl (PCB 109), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-150AS	2,3,3',4,6-Pentachlorobiphenyl (PCB 109), 100 µg/mL in Isooctane	2 mL
	U-RPC-133	2,3,3',4',6-Pentachlorobiphenyl (PCB 110)	5 mg
	U-RPC-133S	2,3,3',4',6-Pentachlorobiphenyl (PCB 110), 100 µg/mL in Hexane	2 mL
	U-RPC-202S	2,3,3',5,5'-Pentachlorobiphenyl (PCB 111), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-202AS	2,3,3',5,5'-Pentachlorobiphenyl (PCB 111), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1415-1.2	2,3,3',5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #111) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1415-3	2,3,3',5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #111) 40 µg/mL in Nonane	3 mL
	U-RPC-070	2,3,3',5,6-Pentachlorobiphenyl (PCB 112)	5 mg
	U-RPC-070S	2,3,3',5,6-Pentachlorobiphenyl (PCB 112), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-070AS	2,3,3',5,6-Pentachlorobiphenyl (PCB 112), 100 µg/mL in Isooctane	2 mL
	U-RPC-203S	2,3,3',5',6-Pentachlorobiphenyl (PCB 113), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-203AS	2,3,3',5',6-Pentachlorobiphenyl (PCB 113), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-108	2,3,4,4',5-Pentachlorobiphenyl (PCB 114)	5 mg
	U-RPC-108S	2,3,4,4',5-Pentachlorobiphenyl (PCB 114), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-108AS	2,3,4,4',5-Pentachlorobiphenyl (PCB 114), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4902-1.2	2,3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #114) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4902-3	2,3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #114) 40 µg/mL in Nonane	3 mL
	U-RPC-071	2,3,4,4',6-Pentachlorobiphenyl (PCB 115)	5 mg
	U-RPC-071S	2,3,4,4',6-Pentachlorobiphenyl (PCB 115), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-071AS	2,3,4,4',6-Pentachlorobiphenyl (PCB 115), 100 µg/mL in Isooctane	2 mL
	U-RPC-037	2,3,4,5,6-Pentachlorobiphenyl (PCB 116)	10 mg
	U-RPC-037S	2,3,4,5,6-Pentachlorobiphenyl (PCB 116), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-037AS	2,3,4,5,6-Pentachlorobiphenyl (PCB 116), 100 µg/mL in Isooctane	2 mL
	U-RPC-147	2,3,4',5,6-Pentachlorobiphenyl (PCB 117)	5 mg
	U-RPC-147S	2,3,4',5,6-Pentachlorobiphenyl (PCB 117), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-147AS	2,3,4',5,6-Pentachlorobiphenyl (PCB 117), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-106	2,3',4,4',5-Pentachlorobiphenyl (PCB 118)	5 mg
	U-RPC-106S	2,3',4,4',5-Pentachlorobiphenyl (PCB 118), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-106AS	2,3',4,4',5-Pentachlorobiphenyl (PCB 118), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1435-1.2	2,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #118) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1435-3	2,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #118) 40 µg/mL in Nonane	3 mL
	U-RPC-044	2,3',4,4',6-Pentachlorobiphenyl (PCB 119)	5 mg
	U-RPC-044S	2,3',4,4',6-Pentachlorobiphenyl (PCB 119), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-044AS	2,3',4,4',6-Pentachlorobiphenyl (PCB 119), 100 µg/mL in Isooctane	2 mL
	U-RPC-204S	2,3',4,5,5'-Pentachlorobiphenyl (PCB 120), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-204AS	2,3',4,5,5'-Pentachlorobiphenyl (PCB 120), 100 µg/mL in Isooctane	2 mL
	U-RPC-045	2,3',4,5',6-Pentachlorobiphenyl (PCB 121)	5 mg

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-045S	2,3',4,5',6-Pentachlorobiphenyl (PCB 121), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-045AS	2,3',4,5',6-Pentachlorobiphenyl (PCB 121), 100 µg/mL in Isooctane	2 mL
	U-RPC-117	2',3,3',4,5-Pentachlorobiphenyl (PCB 122)	5 mg
	U-RPC-117S	2',3,3',4,5-Pentachlorobiphenyl (PCB 122), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-117AS	2',3,3',4,5-Pentachlorobiphenyl (PCB 122), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-156	2',3,4,4',5-Pentachlorobiphenyl (PCB 123)	5 mg
	U-RPC-156S	2',3,4,4',5-Pentachlorobiphenyl (PCB 123) 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-156AS	2',3,4,4',5-Pentachlorobiphenyl (PCB 123) 100 µg/mL in Isooctane	2 mL
	CIL-EC-4904-1.2	2',3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #123) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4904-3	2',3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #123) 40 µg/mL in Nonane	3 mL
	U-RPC-134	2',3,4,5,5'-Pentachlorobiphenyl (PCB 124)	5 mg
	U-RPC-134S	2',3,4,5,5'-Pentachlorobiphenyl (PCB 124), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-134AS	2',3,4,5,5'-Pentachlorobiphenyl (PCB 124), 100 µg/mL in Isooctane	2 mL
	U-RPC-205S	2',3,4,5,6'-Pentachlorobiphenyl (PCB 125), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-205AS	2',3,4,5,6'-Pentachlorobiphenyl (PCB 125), 100 µg/mL in Isooctane	2 mL
	ERM-AC821	3,3',4',4',5 Pentachlorobiphenyl (PCB 126) Certified purity..... 98.9 %	20 mg
	U-RPC-102	3,3',4,4',5-Pentachlorobiphenyl (PCB 126)	5 mg
	U-RPC-102S	3,3',4,4',5-Pentachlorobiphenyl (PCB 126), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-102AS	3,3',4,4',5-Pentachlorobiphenyl (PCB 126), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1425-1.2	3,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #126) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1425-3	3,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #126) 40 µg/mL in Nonane	3 mL
	U-RPC-132	3,3',4,5,5'-Pentachlorobiphenyl (PCB 127)	5 mg
	U-RPC-132S	3,3',4,5,5'-Pentachlorobiphenyl (PCB 127), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-132AS	3,3',4,5,5'-Pentachlorobiphenyl (PCB 127), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1421-1.2	3,3',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #127) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1421-3	3,3',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #127) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-049	2,2',3,3',4,4'-Hexachlorobiphenyl (PCB 128)	20 mg
	U-RPC-049S	2,2',3,3',4,4'-Hexachlorobiphenyl (PCB 128), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-049AS	2,2',3,3',4,4'-Hexachlorobiphenyl (PCB 128), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1411-1.2	2,2',3,3',4,4'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 128) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1411-3	2,2',3,3',4,4'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 128) 40 µg/mL in Nonane	3 mL
	U-RPC-052	2,2',3,3',4,5-Hexachlorobiphenyl (PCB 129)	5 mg
	U-RPC-052S	2,2',3,3',4,5-Hexachlorobiphenyl (PCB 129), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-052AS	2,2',3,3',4,5-Hexachlorobiphenyl (PCB 129), 100 µg/mL in Isooctane	2 mL
	U-RPC-206S	2,2',3,3',4,5'-Hexachlorobiphenyl (PCB 130), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-206AS	2,2',3,3',4,5'-Hexachlorobiphenyl (PCB 130), 100 µg/mL in Isooctane	2 mL
	U-RPC-152	2,2',3,3',4,6-Hexachlorobiphenyl (PCB 131)	5 mg
	U-RPC-152S	2,2',3,3',4,6-Hexachlorobiphenyl (PCB 131), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-152AS	2,2',3,3',4,6-Hexachlorobiphenyl (PCB 131), 100 µg/mL in Isooctane	2 mL
	U-RPC-143	2,2',3,3',4,6'-Hexachlorobiphenyl (PCB 132)	5 mg
	U-RPC-143S	2,2',3,3',4,6'-Hexachlorobiphenyl (PCB 132), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-143AS	2,2',3,3',4,6'-Hexachlorobiphenyl (PCB 132), 100 µg/mL in Isooctane	2 mL
	U-RPC-114	2,2',3,3',5,5'-Hexachlorobiphenyl (PCB 133)	5 mg
	U-RPC-114S	2,2',3,3',5,5'-Hexachlorobiphenyl (PCB 133), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-114AS	2,2',3,3',5,5'-Hexachlorobiphenyl (PCB 133), 100 µg/mL in Isooctane	2 mL
	U-RPC-153	2,2',3,3',5,6-Hexachlorobiphenyl (PCB 134)	5 mg
	U-RPC-153S	2,2',3,3',5,6-Hexachlorobiphenyl (PCB 134), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-153AS	2,2',3,3',5,6-Hexachlorobiphenyl (PCB 134), 100 µg/mL in Isooctane	2 mL
	U-RPC-207S	2,2',3,3',5,6'-Hexachlorobiphenyl (PCB 135), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-207AS	2,2',3,3',5,6'-Hexachlorobiphenyl (PCB 135), 100 µg/mL in Isooctane	2 mL

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-067	2,2',3,3',6,6'-Hexachlorobiphenyl (PCB 136)	20 mg
	U-RPC-067S	2,2',3,3',6,6'-Hexachlorobiphenyl (PCB 136), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-067AS	2,2',3,3',6,6'-Hexachlorobiphenyl (PCB 136), 100 µg/mL in Isooctane	2 mL
	U-RPC-053	2,2',3,4,4',5-Hexachlorobiphenyl (PCB 137)	5 mg
	U-RPC-053S	2,2',3,4,4',5-Hexachlorobiphenyl (PCB 137), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-053AS	2,2',3,4,4',5-Hexachlorobiphenyl (PCB 137), 100 µg/mL in Isooctane	2 mL
	DE-PCB 138	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)	20 mg
<b>New</b>	U-RPC-088	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)	5 mg
	BCR-296	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138)	25 mg
	U-RPC-088S	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-088AS	2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1436-1.2	2,2',3,4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #138) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1436-3	2,2',3,4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #138) 40 µg/mL in Nonane	3 mL
	U-RPC-056	2,2',3,4,4',6-Hexachlorobiphenyl (PCB 139)	5 mg
	U-RPC-056S	2,2',3,4,4',6-Hexachlorobiphenyl (PCB 139), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-056AS	2,2',3,4,4',6-Hexachlorobiphenyl (PCB 139), 100 µg/mL in Isooctane	2 mL
	U-RPC-151	2,2',3,4,4',6'-Hexachlorobiphenyl (PCB 140)	5 mg
	U-RPC-151S	2,2',3,4,4',6'-Hexachlorobiphenyl (PCB 140), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-151AS	2,2',3,4,4',6'-Hexachlorobiphenyl (PCB 140), 100 µg/mL in Isooctane	2 mL
	U-RPC-050	2,2',3,4,5,5'-Hexachlorobiphenyl (PCB 141)	5 mg
	U-RPC-050S	2,2',3,4,5,5'-Hexachlorobiphenyl (PCB 141), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-050AS	2,2',3,4,5,5'-Hexachlorobiphenyl (PCB 141), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1426-1.2	2,2',3,4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #141) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1426-3	2,2',3,4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #141) 40 µg/mL in Nonane	3 mL
	U-RPC-158	2,2',3,4,5,6-Hexachlorobiphenyl (PCB 142)	5 mg
	U-RPC-158S	2,2',3,4,5,6-Hexachlorobiphenyl (PCB 142), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-158AS	2,2',3,4,5,6-Hexachlorobiphenyl (PCB 142), 100 µg/mL in Isooctane	2 mL
	U-RPC-054	2,2',3,4,5,6'-Hexachlorobiphenyl (PCB 143)	5 mg
	U-RPC-054S	2,2',3,4,5,6'-Hexachlorobiphenyl (PCB 143), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-054AS	2,2',3,4,5,6'-Hexachlorobiphenyl (PCB 143), 100 µg/mL in Isooctane	2 mL
	U-RPC-155	2,2',3,4,5',6-Hexachlorobiphenyl (PCB 144)	5 mg
	U-RPC-155S	2,2',3,4,5',6-Hexachlorobiphenyl (PCB 144), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-155AS	2,2',3,4,5',6-Hexachlorobiphenyl (PCB 144), 100 µg/mL in Isooctane	2 mL
	U-RPC-160	2,2',3,4,6,6'-Hexachlorobiphenyl (PCB 145)	5 mg
	U-RPC-160S	2,2',3,4,6,6'-Hexachlorobiphenyl (PCB 145), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-160AS	2,2',3,4,6,6'-Hexachlorobiphenyl (PCB 145), 100 µg/mL in Isooctane	2 mL
	U-RPC-146S	2,2',3,4',5,5'-Hexachlorobiphenyl (PCB 146), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-146AS	2,2',3,4',5,5'-Hexachlorobiphenyl (PCB 146), 100 µg/mL in Isooctane	2 mL
	U-RPC-154	2,2',3,4',5,6-Hexachlorobiphenyl (PCB 147)	5 mg
	U-RPC-154S	2,2',3,4',5,6-Hexachlorobiphenyl (PCB 147), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-154AS	2,2',3,4',5,6-Hexachlorobiphenyl (PCB 147), 100 µg/mL in Isooctane	2 mL
	U-RPC-208S	2,2',3,4',5,6'-Hexachlorobiphenyl (PCB 148), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-208AS	2,2',3,4',5,6'-Hexachlorobiphenyl (PCB 148), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-149	2,2',3,4',5',6-Hexachlorobiphenyl (PCB 149)	5 mg
	U-RPC-149S	2,2',3,4',5',6-Hexachlorobiphenyl (PCB 149), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-149AS	2,2',3,4',5',6-Hexachlorobiphenyl (PCB 149), 100 µg/mL in Isooctane	2 mL
	U-RPC-209S	2,2',3,4',6,6'-Hexachlorobiphenyl (PCB 150), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-209AS	2,2',3,4',6,6'-Hexachlorobiphenyl (PCB 150), 100 µg/mL in Isooctane	2 mL
	U-RPC-051	2,2',3,5,5',6-Hexachlorobiphenyl (PCB 151)	5 mg
	U-RPC-051S	2,2',3,5,5',6-Hexachlorobiphenyl (PCB 151), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-051AS	2,2',3,5,5',6-Hexachlorobiphenyl (PCB 151), 100 µg/mL in Isooctane	2 mL

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-161	2,2',3,5,6,6'-Hexachlorobiphenyl (PCB 152)	5 mg
	U-RPC-161S	2,2',3,5,6,6'-Hexachlorobiphenyl (PCB 152), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-161AS	2,2',3,5,6,6'-Hexachlorobiphenyl (PCB 152), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-047	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153)	10 mg
	BCR-297	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153)	25 mg
	U-RPC-047S	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-047AS	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1406-1.2	2,2',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #153) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1406-3	2,2',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #153) 40 µg/mL in Nonane	3 mL
	U-RPC-048	2,2',4,4',5,6'-Hexachlorobiphenyl (PCB 154)	5 mg
	U-RPC-048S	2,2',4,4',5,6'-Hexachlorobiphenyl (PCB 154), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-048AS	2,2',4,4',5,6'-Hexachlorobiphenyl (PCB 154), 100 µg/mL in Isooctane	2 mL
	U-RPC-046	2,2',4,4',6,6'-Hexachlorobiphenyl (PCB 155)	50 mg
	U-RPC-046S	2,2',4,4',6,6'-Hexachlorobiphenyl (PCB 155), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-046AS	2,2',4,4',6,6'-Hexachlorobiphenyl (PCB 155), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4167-1.2	2,2',4,4',6,6'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #155) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4167-3	2,2',4,4',6,6'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #155) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-055	2,3,3',4,4',5-Hexachlorobiphenyl (PCB 156)	5 mg
	U-RPC-055S	2,3,3',4,4',5-Hexachlorobiphenyl (PCB 156), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-055AS	2,3,3',4,4',5-Hexachlorobiphenyl (PCB 156), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1422-1.2	2,3,3',4,4',5-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #156) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1422-3	2,3,3',4,4',5-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #156) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-164	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 157)	5 mg
	U-RPC-164S	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 157), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-164AS	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 157), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4051-1.2	2,3,3',4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #157) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4051-3	2,3,3',4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #157) 40 µg/mL in Nonane	3 mL
	U-RPC-109	2,3,3',4,4',6-Hexachlorobiphenyl (PCB 158)	5 mg
	U-RPC-109S	2,3,3',4,4',6-Hexachlorobiphenyl (PCB 158), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-109AS	2,3,3',4,4',6-Hexachlorobiphenyl (PCB 158), 100 µg/mL in Isooctane	2 mL
	U-RPC-113	2,3,3',4,5,5'-Hexachlorobiphenyl (PCB 159)	5 mg
	U-RPC-113S	2,3,3',4,5,5'-Hexachlorobiphenyl (PCB 159), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-113AS	2,3,3',4,5,5'-Hexachlorobiphenyl (PCB 159), 100 µg/mL in Isooctane	2 mL
	CIL-EC-5336-1.2	2,3,3',4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #159) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-5336-3	2,3,3',4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #159) 40 µg/mL in Nonane	3 mL
	U-RPC-157	2,3,3',4,5,6-Hexachlorobiphenyl (PCB 160)	5 mg
	U-RPC-157S	2,3,3',4,5,6-Hexachlorobiphenyl (PCB 160), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-157AS	2,3,3',4,5,6-Hexachlorobiphenyl (PCB 160), 100 µg/mL in Isooctane	2 mL
	U-RPC-144	2,3,3',4,5',6-Hexachlorobiphenyl (PCB 161)	5 mg
	U-RPC-144S	2,3,3',4,5',6-Hexachlorobiphenyl (PCB 161), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-144AS	2,3,3',4,5',6-Hexachlorobiphenyl (PCB 161), 100 µg/mL in Isooctane	2 mL
	U-RPC-210S	2,3,3',4',5,5'-Hexachlorobiphenyl (PCB 162), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-210AS	2,3,3',4',5,5'-Hexachlorobiphenyl (PCB 162), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-163	2,3,3',4',5,6-Hexachlorobiphenyl (PCB 163)	5 mg
	U-RPC-163S	2,3,3',4',5,6-Hexachlorobiphenyl (PCB 163), 100 µg/mL in Hexane	2 mL
	U-RPC-211S	2,3,3',4',5',6-Hexachlorobiphenyl (PCB 164), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-211AS	2,3,3',4',5',6-Hexachlorobiphenyl (PCB 164), 100 µg/mL in Isooctane	2 mL
	U-RPC-159	2,3,3',5,5',6-Hexachlorobiphenyl (PCB 165)	5 mg
	U-RPC-159S	2,3,3',5,5',6-Hexachlorobiphenyl (PCB 165), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-159AS	2,3,3',5,5',6-Hexachlorobiphenyl (PCB 165), 100 µg/mL in Isooctane	2 mL
	U-RPC-115	2,3,4,4',5,6-Hexachlorobiphenyl (PCB 166)	5 mg



## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-115S	2,3,4,4',5,6-Hexachlorobiphenyl (PCB 166), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-115AS	2,3,4,4',5,6-Hexachlorobiphenyl (PCB 166), 100 µg/mL in Isooctane	2 mL
	U-RPC-100	2,3',4,4',5,5'-Hexachlorobiphenyl (PCB 167)	10 mg
	U-RPC-100S	2,3',4,4',5,5'-Hexachlorobiphenyl (PCB 167), 100 µg/mL in Hexane	2 mL
	CIL-EC-4050-1.2	2,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #167) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4050-3	2,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #167) 40 µg/mL in Nonane	3 mL
	U-RPC-145	2,3',4,4',5',6-Hexachlorobiphenyl (PCB 168)	5 mg
	U-RPC-145S	2,3',4,4',5',6-Hexachlorobiphenyl (PCB 168), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-145AS	2,3',4,4',5',6-Hexachlorobiphenyl (PCB 168), 100 µg/mL in Isooctane	2 mL
	ERM-AC822	3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169)	20 mg
	U-RPC-090	3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169)	5 mg
	U-RPC-090S	3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-090AS	3,3',4,4',5,5'-Hexachlorobiphenyl (PCB 169), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1416-1.2	3,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #169) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1416-3	3,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #169) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-110	2,2',3,3',4,4',5-Heptachlorobiphenyl (PCB 170)	5 mg
	U-RPC-110S	2,2',3,3',4,4',5-Heptachlorobiphenyl (PCB 170), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-110AS	2,2',3,3',4,4',5-Heptachlorobiphenyl (PCB 170), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4905-1.2	2,2',3,3',4,4',5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #170) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4905-3	2,2',3,3',4,4',5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #170) 40 µg/mL in Nonane	3 mL
	U-RPC-072	2,2',3,3',4,4',6-Heptachlorobiphenyl (PCB 171)	5 mg
	U-RPC-072S	2,2',3,3',4,4',6-Heptachlorobiphenyl (PCB 171), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-072AS	2,2',3,3',4,4',6-Heptachlorobiphenyl (PCB 171), 100 µg/mL in Isooctane	2 mL
	U-RPC-212S	2,2',3,3',4,5,5'-Heptachlorobiphenyl (PCB 172), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-212AS	2,2',3,3',4,5,5'-Heptachlorobiphenyl (PCB 172), 100 µg/mL in Isooctane	2 mL
	U-RPC-166	2,2',3,3',4,5,6-Heptachlorobiphenyl (PCB 173)	5 mg
	U-RPC-166S	2,2',3,3',4,5,6-Heptachlorobiphenyl (PCB 173), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-166AS	2,2',3,3',4,5,6-Heptachlorobiphenyl (PCB 173), 100 µg/mL in Isooctane	2 mL
	U-RPC-213S	2,2',3,3',4,5,6'-Heptachlorobiphenyl (PCB 174), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-213AS	2,2',3,3',4,5,6'-Heptachlorobiphenyl (PCB 174), 100 µg/mL in Isooctane	2 mL
	U-RPC-214S	2,2',3,3',4,5',6-Heptachlorobiphenyl (PCB 175), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-214AS	2,2',3,3',4,5',6-Heptachlorobiphenyl (PCB 175), 100 µg/mL in Isooctane	2 mL
	U-RPC-215S	2,2',3,3',4,6,6'-Heptachlorobiphenyl (PCB 176), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-215AS	2,2',3,3',4,6,6'-Heptachlorobiphenyl (PCB 176), 100 µg/mL in Isooctane	2 mL
	U-RPC-216S	2,2',3,3',4',5,6-Heptachlorobiphenyl (PCB 177), 100 µg/mL in Hexane	2 mL
	U-RPC-217S	2,2',3,3',5,5',6-Heptachlorobiphenyl (PCB 178), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-217AS	2,2',3,3',5,5',6-Heptachlorobiphenyl (PCB 178), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1417-1.2	2,2',3,3',4,4',5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #178) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1417-3	2,2',3,3',5,5',6-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #178) 40 µg/mL in Nonane	3 mL
	U-RPC-218S	2,2',3,3',5,6,6'-Heptachlorobiphenyl (PCB 179), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-218AS	2,2',3,3',5,6,6'-Heptachlorobiphenyl (PCB 179), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-094	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)	5 mg
	BCR-298	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180)	25 mg
	U-RPC-094S	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-094AS	2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1407-1.2	2,2',3,4,4',5,5'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #180) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1407-3	2,2',3,4,4',5,5'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #180) 40 µg/mL in Nonane	3 mL
	U-RPC-077	2,2',3,4,4',5,6-Heptachlorobiphenyl (PCB 181)	5 mg
	U-RPC-077S	2,2',3,4,4',5,6-Heptachlorobiphenyl (PCB 181), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-077AS	2,2',3,4,4',5,6-Heptachlorobiphenyl (PCB 181), 100 µg/mL in Isooctane	2 mL
	U-RPC-162	2,2',3,4,4',5,6'-Heptachlorobiphenyl (PCB 182)	5 mg

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-162S	2,2',3,4,4',5,6'-Heptachlorobiphenyl (PCB 182), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-162AS	2,2',3,4,4',5,6'-Heptachlorobiphenyl (PCB 182), 100 µg/mL in Isooctane	2 mL
	U-RPC-073	2,2',3,4,4',5',6-Heptachlorobiphenyl (PCB 183)	5 mg
	U-RPC-073S	2,2',3,4,4',5',6-Heptachlorobiphenyl (PCB 183), 100 µg/mL in Hexane	2 mL
	U-RPC-168	2,2',3,4,4',6,6'-Heptachlorobiphenyl (PCB 184)	5 mg
	U-RPC-168S	2,2',3,4,4',6,6'-Heptachlorobiphenyl (PCB 184), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-168AS	2,2',3,4,4',6,6'-Heptachlorobiphenyl (PCB 184), 100 µg/mL in Isooctane	2 mL
	U-RPC-057	2,2',3,4,5,5',6-Heptachlorobiphenyl (PCB 185)	5 mg
	U-RPC-057S	2,2',3,4,5,5',6-Heptachlorobiphenyl (PCB 185), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-057AS	2,2',3,4,5,5',6-Heptachlorobiphenyl (PCB 185), 100 µg/mL in Isooctane	2 mL
	U-RPC-116	2,2',3,4,5,6,6'-Heptachlorobiphenyl (PCB 186)	5 mg
	U-RPC-116S	2,2',3,4,5,6,6'-Heptachlorobiphenyl (PCB 186), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-116AS	2,2',3,4,5,6,6'-Heptachlorobiphenyl (PCB 186), 100 µg/mL in Isooctane	2 mL
<b>New</b>	U-RPC-111	2,2',3,4',5,5',6-Heptachlorobiphenyl (PCB 187)	5 mg
	U-RPC-111S	2,2',3,4',5,5',6-Heptachlorobiphenyl (PCB 187), 100 µg/mL in Hexane	2 mL
	U-RPC-103	2,2',3,4',5,6,6'-Heptachlorobiphenyl (PCB 188)	5 mg
	U-RPC-103S	2,2',3,4',5,6,6'-Heptachlorobiphenyl (PCB 188), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-103AS	2,2',3,4',5,6,6'-Heptachlorobiphenyl (PCB 188), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4913-1.2	2,2',3,4',5,6,6'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #188) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4913-3	2,2',3,4',5,6,6'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #188) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-137	2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189)	5 mg
	U-RPC-137S	2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-137AS	2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189), 100 µg/mL in Isooctane	2 mL
	U-RPC-135	2,3,3',4,4',5,6-Heptachlorobiphenyl (PCB 190)	5 mg
	CIL-EC-1409-1.2	2,3,3',4,4',5,5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 189) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1409-3	2,3,3',4,4',5,5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 189) 40 µg/mL in Nonane	3 mL
	U-RPC-135S	2,3,3',4,4',5,6-Heptachlorobiphenyl (PCB 190), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-135AS	2,3,3',4,4',5,6-Heptachlorobiphenyl (PCB 190), 100 µg/mL in Isooctane	2 mL
	U-RPC-167	2,3,3',4,4',5',6-Heptachlorobiphenyl (PCB 191)	5 mg
	U-RPC-167S	2,3,3',4,4',5',6-Heptachlorobiphenyl (PCB 191), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-167AS	2,3,3',4,4',5',6-Heptachlorobiphenyl (PCB 191), 100 µg/mL in Isooctane	2 mL
	U-RPC-165	2,3,3',4,5,5',6-Heptachlorobiphenyl (PCB 192)	5 mg
	U-RPC-165S	2,3,3',4,5,5',6-Heptachlorobiphenyl (PCB 192), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-165AS	2,3,3',4,5,5',6-Heptachlorobiphenyl (PCB 192), 100 µg/mL in Isooctane	2 mL
	U-RPC-169	2,3,3',4',5,5',6-Heptachlorobiphenyl (PCB 193)	5 mg
	U-RPC-169S	2,3,3',4',5,5',6-Heptachlorobiphenyl (PCB 193), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-169AS	2,3,3',4',5,5',6-Heptachlorobiphenyl (PCB 193), 100 µg/mL in Isooctane	2 mL
	U-RPC-058	2,2',3,3',4,4',5,5'-Octachlorobiphenyl (PCB 194)	5 mg
	U-RPC-058S	2,2',3,3',4,4',5,5'-Octachlorobiphenyl (PCB 194), 100 µg/mL in Hexane	2 mL
	CIL-EC-1418-1.2	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #194) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1418-3	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #194) 40 µg/mL in Nonane	3 mL
	U-RPC-074	2,2',3,3',4,4',5,6-Octachlorobiphenyl (PCB 195)	5 mg
	U-RPC-074S	2,2',3,3',4,4',5,6-Octachlorobiphenyl (PCB 195), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-074AS	2,2',3,3',4,4',5,6-Octachlorobiphenyl (PCB 195), 100 µg/mL in Isooctane	2 mL
	U-RPC-170	2,2',3,3',4,4',5,6'-Octachlorobiphenyl (PCB 196)	5 mg
	U-RPC-170S	2,2',3,3',4,4',5,6'-Octachlorobiphenyl (PCB 196), 100 µg/mL in Hexane	2 mL
	U-RPC-219S	2,2',3,3',4,4',6,6'-Octachlorobiphenyl (PCB 197), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-219AS	2,2',3,3',4,4',6,6'-Octachlorobiphenyl (PCB 197), 100 µg/mL in Isooctane	2 mL
	U-RPC-075	2,2',3,3',4,5,5',6-Octachlorobiphenyl (PCB 198)	5 mg
	U-RPC-075S	2,2',3,3',4,5,5',6-Octachlorobiphenyl (PCB 198), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-075AS	2,2',3,3',4,5,5',6-Octachlorobiphenyl (PCB 198), 100 µg/mL in Isooctane	2 mL

## Polychlorinated biphenyls (PCBs)

	Code	Product	Unit
	U-RPC-095	2,2',3,3',4,5,6,6'-Octachlorobiphenyl (PCB 199)	5 mg
	U-RPC-095S	2,2',3,3',4,5,6,6'-Octachlorobiphenyl (PCB 199), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-095AS	2,2',3,3',4,5,6,6'-Octachlorobiphenyl (PCB 199), 100 µg/mL in Isooctane	2 mL
	U-RPC-082	2,2',3,3',4,5',6,6'-Octachlorobiphenyl (PCB 200)	5 mg
	U-RPC-082S	2,2',3,3',4,5',6,6'-Octachlorobiphenyl (PCB 200), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-082AS	2,2',3,3',4,5',6,6'-Octachlorobiphenyl (PCB 200), 100 µg/mL in Isooctane	2 mL
	U-RPC-220S	2,2',3,3',4,5,5',6'-Octachlorobiphenyl (PCB 201), 100 µg/mL in Hexane	2 mL
	U-RPC-068	2,2',3,3',5,5',6,6'-Octachlorobiphenyl (PCB 202)	5 mg
	U-RPC-068S	2,2',3,3',5,5',6,6'-Octachlorobiphenyl (PCB 202), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-068AS	2,2',3,3',5,5',6,6'-Octachlorobiphenyl (PCB 202), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1408-1.2	2,2',3,3',5,5',6,6'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 202) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1408-3	2,2',3,3',5,5',6,6'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 202) 40 µg/mL in Nonane	3 mL
	U-RPC-174	2,2',3,4,4',5,5',6-Octachlorobiphenyl (PCB 203)	5 mg
	U-RPC-174S	2,2',3,4,4',5,5',6-Octachlorobiphenyl (PCB 203), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-174AS	2,2',3,4,4',5,5',6-Octachlorobiphenyl (PCB 203), 100 µg/mL in Isooctane	2 mL
	U-RPC-078	2,2',3,4,4',5,6,6'-Octachlorobiphenyl (PCB 204)	5 mg
	U-RPC-078S	2,2',3,4,4',5,6,6'-Octachlorobiphenyl (PCB 204), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-078AS	2,2',3,4,4',5,6,6'-Octachlorobiphenyl (PCB 204), 100 µg/mL in Isooctane	2 mL
	U-RPC-140	2,3,3',4,4',5,5',6-Octachlorobiphenyl (PCB 205)	5 mg
	U-RPC-140S	2,3,3',4,4',5,5',6-Octachlorobiphenyl (PCB 205), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-140AS	2,3,3',4,4',5,5',6-Octachlorobiphenyl (PCB 205), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4199-1.2	2,3,3',4,4',5,5',6-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #205) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4199-3	2,3,3',4,4',5,5',6-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #205) 40 µg/mL in Nonane	3 mL
	U-RPC-059	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (PCB 206)	5 mg
	U-RPC-059S	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (PCB 206), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-059AS	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (PCB 206), 100 µg/mL in Isooctane	2 mL
	CIL-EC-4900-1.2	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #206) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-4900-3	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #206) 40 µg/mL in Nonane	3 mL
	U-RPC-080	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl (PCB 207)	5 mg
	U-RPC-080S	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl (PCB 207), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-080AS	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl (PCB 207), 100 µg/mL in Isooctane	2 mL
	U-RPC-081	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl (PCB 208)	5 mg
	U-RPC-081S	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl (PCB 208), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-081AS	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl (PCB 208), 100 µg/mL in Isooctane	2 mL
	CIL-EC-1419-1.2	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #208) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1419-3	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #208) 40 µg/mL in Nonane	3 mL
<b>New</b>	U-RPC-060	Decachlorobiphenyl (PCB 209)	10 mg
	U-RPC-060S	Decachlorobiphenyl (PCB 209), 100 µg/mL in Hexane	2 mL
<b>New</b>	U-RPC-060AS	Decachlorobiphenyl (PCB 209), 100 µg/mL in Isooctane, 100 µg/mL in Isooctane	2 mL
	CIL-EC-1410-1.2	Decachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 209) 40 µg/mL in Nonane	1.2 mL
	CIL-EC-1410-3	Decachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 209) 40 µg/mL in Nonane	3 mL

## Multicomponent standard solutions

	<b>Isotope labelled PCB standard mixtures see section "Environmental contaminant standards from CIL".</b>	
	U-RPCW-100 - U-RPCW-111 PCB elution window mixtures	
	ULTRA Scientific has prepared a series of mixtures containing the first and last eluting isomers (based on a DB-5 capillary column) for each PCB isomer group, from monochlorobiphenyls to the nonachlorobiphenyls.	
	U-RPCW-100-1	PCB Elution Window Mix Biphenyl 100 µg/mL of each analyte in Hexane
		RRt*
		Biphenyl ..... 0.0997
	U-RPCW-100	PCB Elution Window Mix Biphenyl
		4 x 1 mL



## Polychlorinated biphenyls (PCBs)

Code	Product	Unit
U-RPCW-101-1	PCB Elution Window Mix Chlorobiphenyl 100 µg/mL in Hexane	1 mL
	RRt*	RRt*
	2-Chlorobiphenyl.....0.1544      4-Chlorobiphenyl..... 0.1975	
U-RPCW-101	PCB Elution Window Mix Chlorobiphenyl	4 x 1 mL
U-RPCW-102-1	PCB Elution Window Mix Dichlorobiphenyl 100 µg/mL in Hexane	1 mL
	RRt*	RRt*
	2,6-Dichlorobiphenyl .....0.2243      4,4'-Dichlorobiphenyl ..... 0.3387	
U-RPCW-102	PCB Elution Window Mix Dichlorobiphenyl	4 x 1 mL
U-RPCW-103-1	PCB Elution Window Mix Trichlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	RRt*
	2,2',6-Trichlorobiphenyl.....0.3045      3,4,4'-Trichlorobiphenyl..... 0.4858	
U-RPCW-103	PCB Elution Window Mix Trichlorobiphenyl	4 x 1 mL
U-RPCW-104-1	PCB Elution Window Mix Tetrachlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	RRt*
	2,2',6,6'-Tetrachlorobiphenyl.....0.38      3,3',4,4'-Tetrachlorobiphenyl ..... 0.6295	
U-RPCW-104	PCB Elution Window Mix Tetrachlorobiphenyl	4 x 1 mL
U-RPCW-105-1	PCB Elution Window Mix Pentachlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	RRt*
	2,2',4,6,6'-Pentachlorobiphenyl.....0.4757      3,3',4,4',5-Pentachlorobiphenyl..... 0.7512	
U-RPCW-105	PCB Elution Window Mix Pentachlorobiphenyl	4 x 1 mL
U-RPCW-106-1	PCB Elution Window Mix Hexachlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	RRt*
	2,2',4,4',6,6'-Hexachlorobiphenyl .....0.5666      3,3',4,4',5,5'-Hexachlorobiphenyl ..... 0.8625	
U-RPCW-106	PCB Elution Window Mix Hexachlorobiphenyl	4 x 1 mL
U-RPCW-107-1	PCB Elution Window Mix Heptachlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	RRt*
	2,2',3,4',5,6,6'-Heptachlorobiphenyl.....0.692      2,3,3',4,4',5,5'-Heptachlorobiphenyl ..... 0.9142	
U-RPCW-107	PCB Elution Window Mix Heptachlorobiphenyl	4 x 1 mL
U-RPCW-108-1	PCB Elution Window Mix Octachlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	RRt*
	2,2',3,3',5,5',6,6'-Octachlorobiphenyl .....0.8089      2,3,3',4,4',5,5',6-Octachlorobiphenyl ..... 0.9678	
U-RPCW-108	PCB Elution Window Mix Octachlorobiphenyl	4 x 1 mL
U-RPCW-109-1	PCB Elution Window Mix Nonachlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	RRt*
	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl .....0.932      2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ..... 1.0103	
U-RPCW-109	PCB Elution Window Mix Nonachlorobiphenyl	4 x 1 mL
U-RPCW-110-1	PCB Elution Window Mixture Decachlorobiphenyl 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	
	Decachlorobiphenyl .....1.0496	
U-RPCW-110	PCB Elution Window Mixture Decachlorobiphenyl	4 x 1 mL
U-RPCW-111-1	PCB Elution Window Mix Octachloronaphthalene 100 µg/mL of each analyte in Hexane	1 mL
	RRt*	
	Octachloronaphthalene.....1.0000	
U-RPCW-111	PCB Elution Window Mix Octachloronaphthalene	4 x 1 mL

\*Relative retention time versus octachloronaphthalene; see M.D. Mullin, et al., *Environ. Sci. Technol.*, 18, 468(1984).

## Polychlorinated biphenyls (PCBs)

Code	Product	Unit
U-RPCWK	PCB Elution Window Kit Kit contains eleven ampoules: 1 x 1 mL of each of the PCB Window mixtures, RPCW-100 through RPCW-110	kit
U-RPCM-200-1	Dutch Seven PCB Mixture (NEN 5734/VPR C85-16) 10 µg/ml of each analyte in iso-Octane (2,2,4-Trimethylpentane). PCB 28 ..... 2,4,4'-Trichlorobiphenyl      PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl      PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl      PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl	1 mL
U-RPCM-200	Dutch Seven PCB Mixture (NEN 5734/VPR C85-16)	4 x 1 mL
U-RPCM-8082-1	PCB Congeners Mixture 100 µg/mL analytes in iso-Octane (2,2,4-Trimethylpentane) 2-Chlorobiphenyl      2,2',3,4,4',5'-Hexachlorobiphenyl 2,3-Dichlorobiphenyl      2,2',3,4,5,5'-Hexachlorobiphenyl 2,2',5-Trichlorobiphenyl      2,2',3,5,5',6-Hexachlorobiphenyl 2,4',5-Trichlorobiphenyl      2,2',4,4',5,5'-Hexachlorobiphenyl 2,2',3,5'-Tetrachlorobiphenyl      2,2',3,3',4,4',5-Heptachlorobiphenyl 2,2',5,5'-Tetrachlorobiphenyl      2,2',3,4,4',5,5'-Heptachlorobiphenyl 2,3',4,4'-Tetrachlorobiphenyl      2,2',3,4,4',5',6-Heptachlorobiphenyl 2,2',3,4,5'-Pentachlorobiphenyl      2,2',3,4',5,5',6-Heptachlorobiphenyl 2,2',4,5,5'-Pentachlorobiphenyl      2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl 2,3,3',4',6-Pentachlorobiphenyl	1 mL
U-RPCM-8082	PCB Congeners Mixture	4 x 1 mL
NE5570	World Health Organisation (WHO) coplanar & mono-ortho PCB Mix CERTAN® 10 µg/mL of each analyte in iso-Octane Non-ortho PCBs PCB 77      PCB 81      PCB 126      PCB 169 Mono-ortho PCBs PCB 105      PCB 118      PCB 156      PCB 167 PCB 114      PCB 123      PCB 157      PCB 189	1.5 mL
U-RPCM-220-1	WHO - PCB Mixture 10 µg/mL of each isomer in Isooctane PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl      PCB 126 ..... 3,3',4,4',5-Pentachlorobiphenyl PCB 81 ..... 3,4,4',5-Tetrachlorobiphenyl      PCB 156 ..... 2,3,3',4,4',5-Hexachlorobiphenyl PCB 105 ..... 2,3,3',4,4',5-Pentachlorobiphenyl      PCB 157 ..... 2,3,3',4,4',5'-Hexachlorobiphenyl PCB 114 ..... 2,3,4,4',5-Pentachlorobiphenyl      PCB 167 ..... 2,3',4,4',5,5'-Hexachlorobiphenyl PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl      PCB 169 ..... 3,3',4,4',5,5'-Hexachlorobiphenyl PCB 123 ..... 2',3,4,4',5-Pentachlorobiphenyl      PCB 189 ..... 2,3,3',4,4',5,5'-Heptachlorobiphenyl	1 mL
U-RPCM-220	WHO - PCB Mixture	4 x 1 mL
U-RPCM-230-1	ISS PCB Mixture 10 µg/mL of each isomer in Isooctane PCB 28 ..... 2,4,4'-Trichlorobiphenyl      PCB 146 ..... 2,2',3,4',5,5'-Hexachlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl      PCB 149 ..... 2,2',3,4',5,6-Hexachlorobiphenyl PCB 95 ..... 2,2',3,5',6-Pentachlorobiphenyl      PCB 151 ..... 2,2',3,5,5',6-Hexachlorobiphenyl PCB 99 ..... 2,2',4,4',5-Pentachlorobiphenyl      PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl      PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl      PCB 177 ..... 2,2',3,3',4',5,6-Heptachlorobiphenyl PCB 110 ..... 2,3,3',4',6-Pentachlorobiphenyl      PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl      PCB 183 ..... 2,2',3,4,4',5,6-Heptachlorobiphenyl PCB 138 ..... 2,2',3,4,4',5-Hexachlorobiphenyl      PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl	1 mL
U-RPCM-230	ISS PCB Mixture	4 x 1 mL
U-RPCM-240-1	WHO/ISS PCB Mixture 10 µg/mL of each isomer in Isooctane PCB 18 ..... 2,2',5-Trichlorobiphenyl      PCB 128 ..... 2,2',3,3',4,4'-Hexachlorobiphenyl PCB 28 ..... 2,4,4'-Trichlorobiphenyl      PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl PCB 31 ..... 2,4',5-Trichlorobiphenyl      PCB 146 ..... 2,2',3,4',5,5'-Hexachlorobiphenyl PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl      PCB 149 ..... 2,2',3,4',5,6-Hexachlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl      PCB 151 ..... 2,2',3,5,5',6-Hexachlorobiphenyl PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl      PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl PCB 81 ..... 3,4,4',5-Tetrachlorobiphenyl      PCB 156 ..... 2,3,3',4,4',5-Hexachlorobiphenyl PCB 95 ..... 2,2',3,5',6-Pentachlorobiphenyl      PCB 157 ..... 2,3,3',4,4',5'-Hexachlorobiphenyl PCB 99 ..... 2,2',4,4',5-Pentachlorobiphenyl      PCB 167 ..... 2,3',4,4',5,5'-Hexachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl      PCB 169 ..... 3,3',4,4',5,5'-Hexachlorobiphenyl PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl      PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl PCB 110 ..... 2,3,3',4',6-Pentachlorobiphenyl      PCB 177 ..... 2,2',3,3',4',5,6-Heptachlorobiphenyl PCB 114 ..... 2,3,4,4',5-Pentachlorobiphenyl      PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl      PCB 183 ..... 2,2',3,4,4',5,6-Heptachlorobiphenyl PCB 123 ..... 2',3,4,4',5-Pentachlorobiphenyl      PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl PCB 126 ..... 3,3',4,4',5-Pentachlorobiphenyl      PCB 189 ..... 2,3,3',4,4',5,5'-Heptachlorobiphenyl	1 mL
U-RPCM-240	WHO/ISS PCB Mixture	4 x 1 mL

## Polychlorinated biphenyls (PCBs)

Code	Product	Unit
U-RPCM-210-1	<b>EN 12766/CEN EN 61619 PCB Calibration Mixture</b> 10 µg/ml of each analyte in iso-Octane (2,2,4-Trimethylpentane). 2,2',5-Trichlorobiphenyl 2,4,4'-Trichlorobiphenyl 2,4',5-Trichlorobiphenyl 2,2',3,5'-Tetrachlorobiphenyl 2,2',5,5'-Tetrachlorobiphenyl 2,2',4,5,5'-Pentachlorobiphenyl 2,3',4,4',5-Pentachlorobiphenyl	1 mL  2,2',3,4,4',5'-Hexachlorobiphenyl 2,2',3,4',5',6-Hexachlorobiphenyl 2,2',4,4',5,5'-Hexachlorobiphenyl 2,2',3,3',4,4',5-Heptachlorobiphenyl 2,2',3,4,4',5,5'-Heptachlorobiphenyl 2,2',3,3',4,4',5,5'-Octachlorobiphenyl Decachlorobiphenyl
U-RPCM-210	<b>EN 12766/CEN EN 61619 PCB Calibration Mixture</b>	4 x 1 mL
U-RPCM-525-1	<b>PCB Mixture</b> 100 µg/mL of each analyte in Acetone 2-Chlorobiphenyl 2,3-Dichlorobiphenyl 2,4,5-Trichlorobiphenyl 2,2',4,4'-Tetrachlorobiphenyl	1 mL  2,2',3',4,6-Pentachlorobiphenyl 2,2',4,4',5,6'-Hexachlorobiphenyl 2,2',3,3',4,4',6-Heptachlorobiphenyl 2,2',3,3',4,4',5,6'-Octachlorobiphenyl
U-RPCM-525	<b>PCB Mixture</b>	4 x 1 mL
U-RPC-DMC-1	<b>Dry Color Manufacturer's Association (DCMA) Mixture</b> 10 analytes in Hexane 2-Chlorobiphenyl..... 100 µg/mL 3,3'-Dichlorobiphenyl ..... 100 µg/mL 2,4,5-Trichlorobiphenyl ..... 10 µg/mL 2,2',4,4'-Tetrachlorobiphenyl..... 10 µg/mL 2,3',4,5',6-Pentachlorobiphenyl..... 10 µg/mL	1 mL  2,2',3,3',6,6'-Hexachlorobiphenyl ..... 10 µg/mL 2,2',3,4,5,5',6-Heptachlorobiphenyl..... 5 µg/mL 2,2',3,3',4,4',5,5'-Octachlorobiphenyl ..... 5 µg/mL 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ..... 5 µg/mL Decachlorobiphenyl ..... 5 µg/mL
U-RPC-DMC	<b>Dry Color Manufacturer's Association (DCMA) Mixture</b>	4 x 1 mL
NE-N0813	<b>Seven Key Isomers</b> 10 µg/mL of each analyte in Isooctane PCB 28 ..... 2,4,4'-Trichlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl	1.5 mL  PCB 138.....2,2',3,4,4',5'-Hexachlorobiphenyl PCB 153.....2,2',4,4',5,5'-Hexachlorobiphenyl PCB 180..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl
NE-N0813-3	<b>Seven Key Isomers</b>	3 x 1.5 mL
NE-N0813-10	<b>Seven Key Isomers</b>	10 mL
SL32100	<b>Six Key PCB Isomers CERTAN®</b> 10 µg/mL of each analyte in iso-Octane PCB 28 ..... 2,4,4'-Trichlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl	1.5 mL  PCB 138.....2,2',3,4,4',5'-Hexachlorobiphenyl PCB 153.....2,2',4,4',5,5'-Hexachlorobiphenyl PCB 180..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl
SL32110	<b>Six Key PCB Isomers</b> 10 µg/mL of each analyte in iso-Octane PCB 28 ..... 2,4,4'-Trichlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl	10 mL  PCB 138.....2,2',3,4,4',5'-Hexachlorobiphenyl PCB 153.....2,2',4,4',5,5'-Hexachlorobiphenyl PCB 180..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl
NE5573	<b>Six Key PCB Isomers CERTAN®</b> 100 µg/ml of each analyte in iso-Octane. PCB 28 ..... 2,4,4'-Trichlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl	1.5 mL  PCB 138.....2,2',3,4,4',5'-Hexachlorobiphenyl PCB 153.....2,2',4,4',5,5'-Hexachlorobiphenyl PCB 180..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl
NE5575	<b>PCB Mix CERTAN®</b> 10 µg/mL of each analyte in iso-Octane. PCB 28 ..... 2,4,4'-Trichlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl	1.5 mL  PCB 153.....2,2',4,4',5,5'-Hexachlorobiphenyl PCB 180..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl PCB 209.....Decachlorobiphenyl

# Polychlorinated biphenyls (PCBs)

Code	Product	Unit
NE7550	Standard Solution for EN ISO 6468 CERTAN® 10 µg/mL of each analyte in iso-Octane. alpha-HCH beta-HCH gamma-HCH delta-HCH epsilon-HCH 2,4'-DDE 4,4'-DDE 2,4'-TDE 4,4'-TDE 2,4'-DDT 4,4'-DDT 4,4'-Methoxychlor Aldrin Dieldrin Endrin PCB 28 ..... 2,4,4'-Trichlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl	1.5 mL Heptachlor Heptachlor epoxide (endo) (isomer A) Heptachlor epoxide (exo) (isomer B) alpha-Endosulfan beta-Endosulfan 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,3,5-Trichlorobenzene 1,2,3,4-Tetrachlorobenzene 1,2,3,5-Tetrachlorobenzene 1,2,4,5-Tetrachlorobenzene Pentachlorobenzene Hexachlorobenzene Pentachloronitrobenzene (PCNB) PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl PCB 194 ..... 2,2',3,3',4,4',5,5'-Octachlorobiphenyl
NE-USL 100-5	15 PCB Congener Standard Solution in n-Hexane Prepared for the DIN/CEN draft method on PCBs in Waste Oil 10 µg/mL of each analyte in n-Hexane. PCB 18 ..... 2,2',5-Trichlorobiphenyl PCB 20 ..... 2,3,3'-Trichlorobiphenyl PCB 28 ..... 2,4,4'-Trichlorobiphenyl PCB 31 ..... 2,4',5-Trichlorobiphenyl PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl PCB 138 ..... 2,2',3,4,4',5-Hexachlorobiphenyl PCB 149 ..... 2,2',3,4,4',5,6-Hexachlorobiphenyl PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl PCB 194 ..... 2,2',3,3',4,4',5,5'-Octachlorobiphenyl	5 mL
ERM-AC823	Polychlorinated biphenyls in 2,2,4-trimethylpentane (iso-Octane) Certified values 2,4,4'-Trichlorobiphenyl (PCB 28).....703 µg/kg 2,2',5,5'-Tetrachlorobiphenyl (PCB 52).....706 µg/kg 2,2',4,5,5'-Pentachlorobiphenyl (PCB 101).....696 µg/kg 2,3',4,4',5-Pentachlorobiphenyl (PCB 118).....712 µg/kg 2,2',3,4,4',5'-Hexachlorobiphenyl (PCB 138) .....678 µg/kg 2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153) .....702 µg/kg 2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180) .....700 µg/kg Indicative values for PCB 31, 77, 100, 149, 163, 170, 187 and 194	1.2 mL
BCR-365	PCB Standard Solution in iso-Octane Solvent: 2,2,4-Trimethylpentane (iso-Octane) Compound                      Certified value                      Uncertainty PCB 8 ..... 11.4 µg/g..... 0.4 µg/g PCB 20 ..... 15.2 µg/g..... 0.5 µg/g PCB 28 ..... 24.8 µg/g..... 1.1 µg/g PCB 35 ..... 14.3 µg/g..... 0.8 µg/g PCB 52 ..... 14.8 µg/g..... 0.6 µg/g PCB 101 ..... 14.4 µg/g..... 0.6 µg/g PCB 118 ..... 14.9 µg/g..... 0.8 µg/g PCB 138 ..... 8.6 µg/g..... 0.6 µg/g PCB 153 ..... 14.2 µg/g..... 0.6 µg/g PCB 180 ..... 15.2 µg/g..... 0.6 µg/g	2 x 2 mL
NIST-2274	PCB Congener Solution II in iso-Octane Certified concentrations PCB 31 ..... 2.929 ± 0.074 mg/kg ..... 2.021 ± 0.051 µg/mL at 22°C PCB 49 ..... 2.916 ± 0.072 mg/kg ..... 2.012 ± 0.050 µg/mL at 22°C PCB 95 ..... 2.925 ± 0.063 mg/kg ..... 2.018 ± 0.043 µg/mL at 22°C PCB 99 ..... 2.933 ± 0.062 mg/kg ..... 2.023 ± 0.043 µg/mL at 22°C PCB 110 ..... 2.911 ± 0.059 mg/kg ..... 2.008 ± 0.041 µg/mL at 22°C PCB 149 ..... 2.911 ± 0.068 mg/kg ..... 2.008 ± 0.047 µg/mL at 22°C PCB 151 ..... 2.904 ± 0.064 mg/kg ..... 2.003 ± 0.044 µg/mL at 22°C PCB 156 ..... 2.917 ± 0.059 mg/kg ..... 2.012 ± 0.041 µg/mL at 22°C PCB 169 ..... 2.902 ± 0.059 mg/kg ..... 2.002 ± 0.041 µg/mL at 22°C PCB 183 ..... 2.879 ± 0.059 mg/kg ..... 1.986 ± 0.041 µg/mL at 22°C PCB 194 ..... 2.889 ± 0.063 mg/kg ..... 1.993 ± 0.043 µg/mL at 22°C	5 x 1.2 mL

## Polychlorinated biphenyls (PCBs)

Code	Product	Unit																																																												
NIST-2276	Three Planar PCB Congeners in iso-Octane Certified concentrations PCB 77 ..... 2.927 ± 0.067 mg/kg.....2.019 ± 0.019 µg/mL at 22°C PCB 126 ..... 2.879 ± 0.067 mg/kg.....1.986 ± 0.044 µg/mL at 22°C PCB 169 ..... 2.971 ± 0.067 mg/kg.....2.050 ± 0.046 µg/mL at 22°C	5 x 1.2 mL																																																												
NIST-1493	PCB Congeners in 2,2,4-Trimethylpentane (iso-Octane) <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Compound</th> <th style="text-align: right;">Concentration µg/kg</th> <th style="text-align: right;">Concentration ng/mL</th> </tr> </thead> <tbody> <tr><td>PCB 18 ..... 2,2',5'-Trichlorobiphenyl .....</td><td style="text-align: right;">290.8 ± 6.8</td><td style="text-align: right;">200.6 ± 4.7</td></tr> <tr><td>PCB 28 ..... 2,4,4'-Trichlorobiphenyl .....</td><td style="text-align: right;">288.0 ± 1.7</td><td style="text-align: right;">198.7 ± 1.2</td></tr> <tr><td>PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">289 ± 16</td><td style="text-align: right;">199 ± 11</td></tr> <tr><td>PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">285.9 ± 6.0</td><td style="text-align: right;">197.2 ± 4.1</td></tr> <tr><td>PCB 66 ..... 2,3',4,4'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">291.9 ± 7.0</td><td style="text-align: right;">201.4 ± 4.8</td></tr> <tr><td>PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">284.3 ± 2.6</td><td style="text-align: right;">196.2 ± 1.8</td></tr> <tr><td>PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl .....</td><td style="text-align: right;">287.8 ± 5.3</td><td style="text-align: right;">198.5 ± 3.6</td></tr> <tr><td>PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl .....</td><td style="text-align: right;">286 ± 25</td><td style="text-align: right;">197 ± 17</td></tr> <tr><td>PCB 126 ..... 3,3',4,4',5'-Pentachlorobiphenyl .....</td><td style="text-align: right;">287.4 ± 3.3</td><td style="text-align: right;">198.3 ± 2.3</td></tr> <tr><td>PCB 128 ..... 2,2',3,3',4,4'-Hexachlorobiphenyl.....</td><td style="text-align: right;">290.0 ± 1.9</td><td style="text-align: right;">200.1 ± 1.3</td></tr> <tr><td>PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl.....</td><td style="text-align: right;">287.1 ± 1.4</td><td style="text-align: right;">198.1 ± 1.0</td></tr> <tr><td>PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl.....</td><td style="text-align: right;">287.5 ± 5.0</td><td style="text-align: right;">198.4 ± 3.5</td></tr> <tr><td>PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl.....</td><td style="text-align: right;">285.3 ± 6.6</td><td style="text-align: right;">196.8 ± 4.6</td></tr> <tr><td>PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl.....</td><td style="text-align: right;">289.2 ± 5.4</td><td style="text-align: right;">199.5 ± 3.8</td></tr> <tr><td>PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl.....</td><td style="text-align: right;">285.3 ± 2.0</td><td style="text-align: right;">196.8 ± 1.6</td></tr> <tr><td>PCB 195 ..... 2,2',3,3',4,4',5,6-Octachlorobiphenyl.....</td><td style="text-align: right;">289.0 ± 3.3</td><td style="text-align: right;">199.4 ± 2.3</td></tr> <tr><td>PCB 206 ..... 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl.....</td><td style="text-align: right;">259 ± 12</td><td style="text-align: right;">179.0 ± 8.5</td></tr> <tr><td>PCB 209 ..... 2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl .....</td><td style="text-align: right;">289.6 ± 9.4</td><td style="text-align: right;">199.8 ± 6.5</td></tr> </tbody> </table> Non-certified concentrations for PCBs 8 and 118 are given in the certificate.	Compound	Concentration µg/kg	Concentration ng/mL	PCB 18 ..... 2,2',5'-Trichlorobiphenyl .....	290.8 ± 6.8	200.6 ± 4.7	PCB 28 ..... 2,4,4'-Trichlorobiphenyl .....	288.0 ± 1.7	198.7 ± 1.2	PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl .....	289 ± 16	199 ± 11	PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl .....	285.9 ± 6.0	197.2 ± 4.1	PCB 66 ..... 2,3',4,4'-Tetrachlorobiphenyl .....	291.9 ± 7.0	201.4 ± 4.8	PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl .....	284.3 ± 2.6	196.2 ± 1.8	PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl .....	287.8 ± 5.3	198.5 ± 3.6	PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl .....	286 ± 25	197 ± 17	PCB 126 ..... 3,3',4,4',5'-Pentachlorobiphenyl .....	287.4 ± 3.3	198.3 ± 2.3	PCB 128 ..... 2,2',3,3',4,4'-Hexachlorobiphenyl.....	290.0 ± 1.9	200.1 ± 1.3	PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl.....	287.1 ± 1.4	198.1 ± 1.0	PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl.....	287.5 ± 5.0	198.4 ± 3.5	PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl.....	285.3 ± 6.6	196.8 ± 4.6	PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl.....	289.2 ± 5.4	199.5 ± 3.8	PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl.....	285.3 ± 2.0	196.8 ± 1.6	PCB 195 ..... 2,2',3,3',4,4',5,6-Octachlorobiphenyl.....	289.0 ± 3.3	199.4 ± 2.3	PCB 206 ..... 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl.....	259 ± 12	179.0 ± 8.5	PCB 209 ..... 2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl .....	289.6 ± 9.4	199.8 ± 6.5	5 x 1.2 mL			
Compound	Concentration µg/kg	Concentration ng/mL																																																												
PCB 18 ..... 2,2',5'-Trichlorobiphenyl .....	290.8 ± 6.8	200.6 ± 4.7																																																												
PCB 28 ..... 2,4,4'-Trichlorobiphenyl .....	288.0 ± 1.7	198.7 ± 1.2																																																												
PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl .....	289 ± 16	199 ± 11																																																												
PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl .....	285.9 ± 6.0	197.2 ± 4.1																																																												
PCB 66 ..... 2,3',4,4'-Tetrachlorobiphenyl .....	291.9 ± 7.0	201.4 ± 4.8																																																												
PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl .....	284.3 ± 2.6	196.2 ± 1.8																																																												
PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl .....	287.8 ± 5.3	198.5 ± 3.6																																																												
PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl .....	286 ± 25	197 ± 17																																																												
PCB 126 ..... 3,3',4,4',5'-Pentachlorobiphenyl .....	287.4 ± 3.3	198.3 ± 2.3																																																												
PCB 128 ..... 2,2',3,3',4,4'-Hexachlorobiphenyl.....	290.0 ± 1.9	200.1 ± 1.3																																																												
PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl.....	287.1 ± 1.4	198.1 ± 1.0																																																												
PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl.....	287.5 ± 5.0	198.4 ± 3.5																																																												
PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl.....	285.3 ± 6.6	196.8 ± 4.6																																																												
PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl.....	289.2 ± 5.4	199.5 ± 3.8																																																												
PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl.....	285.3 ± 2.0	196.8 ± 1.6																																																												
PCB 195 ..... 2,2',3,3',4,4',5,6-Octachlorobiphenyl.....	289.0 ± 3.3	199.4 ± 2.3																																																												
PCB 206 ..... 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl.....	259 ± 12	179.0 ± 8.5																																																												
PCB 209 ..... 2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl .....	289.6 ± 9.4	199.8 ± 6.5																																																												
NIST-2262	PCB Congeners in iso-Octane Certified concentrations <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Compound</th> <th style="text-align: right;">Concentration mg/kg</th> </tr> </thead> <tbody> <tr><td>PCB 1 ..... 2-Chlorobiphenyl .....</td><td style="text-align: right;">2.997 ± 0.041</td></tr> <tr><td>PCB 8 ..... 1,4'-Dichlorobiphenyl .....</td><td style="text-align: right;">3.110 ± 0.26</td></tr> <tr><td>PCB 18 ..... 2,2',5'-Trichlorobiphenyl .....</td><td style="text-align: right;">2.983 ± 0.028</td></tr> <tr><td>PCB 29 ..... 2,4,5-Trichlorobiphenyl.....</td><td style="text-align: right;">2.980 ± 0.11</td></tr> <tr><td>PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">2.977 ± 0.054</td></tr> <tr><td>PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">2.996 ± 0.034</td></tr> <tr><td>PCB 66 ..... 3,3',4,4'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">2.973 ± 0.056</td></tr> <tr><td>PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl .....</td><td style="text-align: right;">3.040 ± 0.10</td></tr> <tr><td>PCB 87 ..... 2,2',3,4,5'-Pentachlorobiphenyl .....</td><td style="text-align: right;">3.000 ± 0.024</td></tr> <tr><td>PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl .....</td><td style="text-align: right;">2.950 ± 0.041</td></tr> <tr><td>PCB 104 ..... 2,2',4,6,6'-Pentachlorobiphenyl .....</td><td style="text-align: right;">3.007 ± 0.024</td></tr> <tr><td>PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl .....</td><td style="text-align: right;">2.960 ± 0.092</td></tr> <tr><td>PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl .....</td><td style="text-align: right;">2.992 ± 0.095</td></tr> <tr><td>PCB 126 ..... 3,3',4,4',5-Pentachlorobiphenyl .....</td><td style="text-align: right;">3.010 ± 0.12</td></tr> <tr><td>PCB 128 ..... 2,2',3,3',4,4'-Hexachlorobiphenyl.....</td><td style="text-align: right;">2.985 ± 0.024</td></tr> <tr><td>PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl.....</td><td style="text-align: right;">2.939 ± 0.035</td></tr> <tr><td>PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl.....</td><td style="text-align: right;">2.957 ± 0.057</td></tr> <tr><td>PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl.....</td><td style="text-align: right;">2.964 ± 0.049</td></tr> <tr><td>PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl.....</td><td style="text-align: right;">2.986 ± 0.029</td></tr> <tr><td>PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl.....</td><td style="text-align: right;">2.967 ± 0.027</td></tr> <tr><td>PCB 188 ..... 2,2',3,4',5,6,6'-Heptachlorobiphenyl.....</td><td style="text-align: right;">3.008 ± 0.050</td></tr> <tr><td>PCB 195 ..... 2,2',3,3',4,4',5,6-Octachlorobiphenyl.....</td><td style="text-align: right;">2.974 ± 0.059</td></tr> <tr><td>PCB 201 ..... 2,2',3,3',4,5',6,6'-Octachlorobiphenyl.....</td><td style="text-align: right;">3.001 ± 0.031</td></tr> <tr><td>PCB 206 ..... 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl.....</td><td style="text-align: right;">2.900 ± 0.054</td></tr> <tr><td>PCB 209 ..... 2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl .....</td><td style="text-align: right;">2.989 ± 0.041</td></tr> </tbody> </table> Non-certified concentrations of Chlorinated Biphenyl Congeners <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>PCB 28 ..... 2,4,4'-Trichlorobiphenyl .....</td><td style="text-align: right;">3.00 ± 0.15</td></tr> <tr><td>PCB 50 ..... 2,2',4,6-Tetrachlorobiphenyl .....</td><td style="text-align: right;">3.01 ± 0.12</td></tr> <tr><td>PCB 154 ..... 2,2',4,4',6,6'-Hexachlorobiphenyl.....</td><td style="text-align: right;">2.95 ± 0.10</td></tr> <tr><td>PCB 194 ..... 2,2',3,3',4,4',5,5'-Octachlorobiphenyl .....</td><td style="text-align: right;">0.32 ± 0.02</td></tr> </tbody> </table>	Compound	Concentration mg/kg	PCB 1 ..... 2-Chlorobiphenyl .....	2.997 ± 0.041	PCB 8 ..... 1,4'-Dichlorobiphenyl .....	3.110 ± 0.26	PCB 18 ..... 2,2',5'-Trichlorobiphenyl .....	2.983 ± 0.028	PCB 29 ..... 2,4,5-Trichlorobiphenyl.....	2.980 ± 0.11	PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl .....	2.977 ± 0.054	PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl .....	2.996 ± 0.034	PCB 66 ..... 3,3',4,4'-Tetrachlorobiphenyl .....	2.973 ± 0.056	PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl .....	3.040 ± 0.10	PCB 87 ..... 2,2',3,4,5'-Pentachlorobiphenyl .....	3.000 ± 0.024	PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl .....	2.950 ± 0.041	PCB 104 ..... 2,2',4,6,6'-Pentachlorobiphenyl .....	3.007 ± 0.024	PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl .....	2.960 ± 0.092	PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl .....	2.992 ± 0.095	PCB 126 ..... 3,3',4,4',5-Pentachlorobiphenyl .....	3.010 ± 0.12	PCB 128 ..... 2,2',3,3',4,4'-Hexachlorobiphenyl.....	2.985 ± 0.024	PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl.....	2.939 ± 0.035	PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl.....	2.957 ± 0.057	PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl.....	2.964 ± 0.049	PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl.....	2.986 ± 0.029	PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl.....	2.967 ± 0.027	PCB 188 ..... 2,2',3,4',5,6,6'-Heptachlorobiphenyl.....	3.008 ± 0.050	PCB 195 ..... 2,2',3,3',4,4',5,6-Octachlorobiphenyl.....	2.974 ± 0.059	PCB 201 ..... 2,2',3,3',4,5',6,6'-Octachlorobiphenyl.....	3.001 ± 0.031	PCB 206 ..... 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl.....	2.900 ± 0.054	PCB 209 ..... 2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl .....	2.989 ± 0.041	PCB 28 ..... 2,4,4'-Trichlorobiphenyl .....	3.00 ± 0.15	PCB 50 ..... 2,2',4,6-Tetrachlorobiphenyl .....	3.01 ± 0.12	PCB 154 ..... 2,2',4,4',6,6'-Hexachlorobiphenyl.....	2.95 ± 0.10	PCB 194 ..... 2,2',3,3',4,4',5,5'-Octachlorobiphenyl .....	0.32 ± 0.02	5 x 1.2 mL
Compound	Concentration mg/kg																																																													
PCB 1 ..... 2-Chlorobiphenyl .....	2.997 ± 0.041																																																													
PCB 8 ..... 1,4'-Dichlorobiphenyl .....	3.110 ± 0.26																																																													
PCB 18 ..... 2,2',5'-Trichlorobiphenyl .....	2.983 ± 0.028																																																													
PCB 29 ..... 2,4,5-Trichlorobiphenyl.....	2.980 ± 0.11																																																													
PCB 44 ..... 2,2',3,5'-Tetrachlorobiphenyl .....	2.977 ± 0.054																																																													
PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl .....	2.996 ± 0.034																																																													
PCB 66 ..... 3,3',4,4'-Tetrachlorobiphenyl .....	2.973 ± 0.056																																																													
PCB 77 ..... 3,3',4,4'-Tetrachlorobiphenyl .....	3.040 ± 0.10																																																													
PCB 87 ..... 2,2',3,4,5'-Pentachlorobiphenyl .....	3.000 ± 0.024																																																													
PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl .....	2.950 ± 0.041																																																													
PCB 104 ..... 2,2',4,6,6'-Pentachlorobiphenyl .....	3.007 ± 0.024																																																													
PCB 105 ..... 2,3,3',4,4'-Pentachlorobiphenyl .....	2.960 ± 0.092																																																													
PCB 118 ..... 2,3',4,4',5-Pentachlorobiphenyl .....	2.992 ± 0.095																																																													
PCB 126 ..... 3,3',4,4',5-Pentachlorobiphenyl .....	3.010 ± 0.12																																																													
PCB 128 ..... 2,2',3,3',4,4'-Hexachlorobiphenyl.....	2.985 ± 0.024																																																													
PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl.....	2.939 ± 0.035																																																													
PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl.....	2.957 ± 0.057																																																													
PCB 170 ..... 2,2',3,3',4,4',5-Heptachlorobiphenyl.....	2.964 ± 0.049																																																													
PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl.....	2.986 ± 0.029																																																													
PCB 187 ..... 2,2',3,4',5,5',6-Heptachlorobiphenyl.....	2.967 ± 0.027																																																													
PCB 188 ..... 2,2',3,4',5,6,6'-Heptachlorobiphenyl.....	3.008 ± 0.050																																																													
PCB 195 ..... 2,2',3,3',4,4',5,6-Octachlorobiphenyl.....	2.974 ± 0.059																																																													
PCB 201 ..... 2,2',3,3',4,5',6,6'-Octachlorobiphenyl.....	3.001 ± 0.031																																																													
PCB 206 ..... 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl.....	2.900 ± 0.054																																																													
PCB 209 ..... 2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl .....	2.989 ± 0.041																																																													
PCB 28 ..... 2,4,4'-Trichlorobiphenyl .....	3.00 ± 0.15																																																													
PCB 50 ..... 2,2',4,6-Tetrachlorobiphenyl .....	3.01 ± 0.12																																																													
PCB 154 ..... 2,2',4,4',6,6'-Hexachlorobiphenyl.....	2.95 ± 0.10																																																													
PCB 194 ..... 2,2',3,3',4,4',5,5'-Octachlorobiphenyl .....	0.32 ± 0.02																																																													

# Polychlorinated biphenyls (PCBs)

Code	Product	Unit	
New NIST-2259	PCB Congeners in 2,2,4-Trimethylpentane Certified values	5 x 1.2 mL	
IUPAC #	Compound*	CAS Registry No.	Concentration
PCB 8	2,4'-Dichlorobiphenyl	34883-43-7	2.21 ± 0.18 µg/g
PCB 18	2,2',5-Trichlorobiphenyl	37680-65-2	2.00 ± 0.14 µg/g
PCB 28	2,4,4'-Trichlorobiphenyl	7012-37-5	1.99 ± 0.14 µg/g
PCB 29	2,4,5-Trichlorobiphenyl	15862-07-4	0.363 ± 0.025 µg/g
PCB 31	2,4',5-Trichlorobiphenyl	16606-02-3	4.20 ± 0.24 µg/g
PCB 44	2,2',3,5'-Tetrachlorobiphenyl	41464-39-5	2.53 ± 0.11 µg/g
PCB 45	2,2',3,6'-Tetrachlorobiphenyl	70362-45-7	0.574 ± 0.025 µg/g
PCB 49	2,2',4,5'-Tetrachlorobiphenyl	41464-40-8	3.41 ± 0.14 µg/g
PCB 52	2,2',5,5'-Tetrachlorobiphenyl	35693-99-3	5.05 ± 0.47 µg/g
PCB 56	2,3,3',4'-Tetrachlorobiphenyl	41464-43-1	4.18 ± 0.28 µg/g
PCB 63	2,3,4',5'-Tetrachlorobiphenyl	74472-34-7	1.039 ± 0.023 µg/g
PCB 66	2,3',4,4'-Tetrachlorobiphenyl	32598-10-0	6.34 ± 0.24 µg/g
PCB 70	2,3',4',5'-Tetrachlorobiphenyl	32598-11-1	2.18 ± 0.11 µg/g
PCB 74	2,4,4',5'-Tetrachlorobiphenyl	32690-93-0	4.00 ± 0.20 µg/g
PCB 77	3,3',4,4'-Tetrachlorobiphenyl	32598-13-3	0.351 ± 0.015 µg/g
PCB 79	3,3',4,5'-Tetrachlorobiphenyl	41464-48-6	0.610 ± 0.034 µg/g
PCB 82	2,2',3,3',4-Pentachlorobiphenyl	52663-62-4	0.845 ± 0.018 µg/g
PCB 87	2,2',3,4,5'-Pentachlorobiphenyl	38380-02-8	3.65 ± 0.17 µg/g
PCB 92	2,2',3,5,5'-Pentachlorobiphenyl	52663-61-3	2.22 ± 0.12 µg/g
PCB 95	2,2',3,5',6-Pentachlorobiphenyl	38379-99-6	5.84 ± 0.42 µg/g
PCB 99	2,2',4,4',5-Pentachlorobiphenyl	38380-01-7	12.61 ± 0.66 µg/g
PCB 101	2,2',4,5,5'-Pentachlorobiphenyl	37680-73-2	7.45 ± 0.56 µg/g
PCB 105	2,3,3',4,4'-Pentachlorobiphenyl	32598-14-4	5.90 ± 0.26 µg/g
PCB 106	2,3,3',4,5-Pentachlorobiphenyl	70424-69-0	0.314 ± 0.044 µg/g
PCB 109	2,3,3',4',5-Pentachlorobiphenyl		
	BZ#107	70424-68-9	1.814 ± 0.068 µg/g
PCB 110	2,3,3',4',6-Pentachlorobiphenyl	38380-03-9	8.45 ± 0.58 µg/g
PCB 112	2,3,3',5,6-Pentachlorobiphenyl	74472-36-9	0.527 ± 0.026 µg/g
PCB 114	2,3,4,4',5-Pentachlorobiphenyl	74472-37-0	0.667 ± 0.043 µg/g
PCB 118	2,3',4,4',5-Pentachlorobiphenyl	31508-00-6	20.79 ± 0.60 µg/g
PCB 119	2,3',4,4',6-Pentachlorobiphenyl	56558-17-9	0.402 ± 0.045 µg/g
PCB 121	2,3',4,5',6-Pentachlorobiphenyl	56558-18-0	0.355 ± 0.008 µg/g
PCB 126	3,3',4,4',5-Pentachlorobiphenyl	57465-28-8	0.317 ± 0.011 µg/g
PCB 127	3,3',4,5,5'-Pentachlorobiphenyl	39635-33-1	0.811 ± 0.050 µg/g
PCB 128	2,2',3,3',4,4'-Hexachlorobiphenyl	38380-07-3	5.39 ± 0.14 µg/g
PCB 130	2,2',3,3',4,5'-Hexachlorobiphenyl	52663-66-8	1.181 ± 0.078 µg/g
PCB 132	2,2',3,3',4,6'-Hexachlorobiphenyl	38380-05-1	2.91 ± 0.22 µg/g
PCB 137	2,2',3,4,4',5-Hexachlorobiphenyl	35694-06-5	0.964 ± 0.048 µg/g
PCB 138	2,2',3,4,4',5'-Hexachlorobiphenyl	35065-28-2	31.2 ± 1.8 µg/g
PCB 146	2,2',3,4',5,5'-Hexachlorobiphenyl	51908-16-8	7.04 ± 0.15 µg/g
PCB 149	2,2',3,4',5',6-Hexachlorobiphenyl	38380-04-0	9.30 ± 0.91 µg/g
PCB 151	2,2',3,5,5',6-Hexachlorobiphenyl	52663-63-5	4.30 ± 0.22 µg/g
PCB 153	2,2',4,4',5,5'-Hexachlorobiphenyl	35065-27-1	53.3 ± 3.0 µg/g
PCB 154	2,2',4,4',5,6'-Hexachlorobiphenyl	60145-22-4	2.43 ± 0.20 µg/g
PCB 156	2,3,3',4,4',5-Hexachlorobiphenyl	38380-08-4	1.740 ± 0.045 µg/g
PCB 157	2,3,3',4,4',5'-Hexachlorobiphenyl	69782-90-7	1.263 ± 0.135 µg/g
PCB 158	2,3,3',4,4',6-Hexachlorobiphenyl	74472-42-7	1.459 ± 0.052 µg/g
PCB 159	2,3,3',4,5,5'-Hexachlorobiphenyl	39635-35-3	0.370 ± 0.016 µg/g
PCB 163	2,3,3',4',5,6-Hexachlorobiphenyl	74472-44-9	7.43 ± 0.65 µg/g
PCB 165	2,3,3',5,5',6-Hexachlorobiphenyl	74472-46-1	0.487 ± 0.013 µg/g
PCB 166	2,3,4,4',5,6-Hexachlorobiphenyl	41411-63-6	0.746 ± 0.030 µg/g
PCB 167	2,3',4,4',5,5'-Hexachlorobiphenyl	52663-72-6	1.874 ± 0.047 µg/g
PCB 169	3,3',4,4',5,5'-Hexachlorobiphenyl	32774-16-6	0.285 ± 0.016 µg/g
PCB 170	2,2',3,3',4,4',5-Heptachlorobiphenyl	35065-30-6	6.73 ± 0.30 µg/g
PCB 172	2,2',3,3',4,5,5'-Heptachlorobiphenyl	52663-74-8	1.513 ± 0.036 µg/g
PCB 174	2,2',3,3',4,5,6'-Heptachlorobiphenyl	38411-25-5	2.52 ± 0.11 µg/g
PCB 175	2,2',3,3',4,5',6-Heptachlorobiphenyl	40186-70-7	0.998 ± 0.038 µg/g
PCB 176	2,2',3,3',4,6,6'-Heptachlorobiphenyl	52663-65-7	0.738 ± 0.038 µg/g
PCB 177	2,2',3,3',4,5,6-Heptachlorobiphenyl	52663-70-4	3.09 ± 0.14 µg/g
PCB 178	2,2',3,3',5,5',6-Heptachlorobiphenyl	52663-67-9	2.412 ± 0.086 µg/g
PCB 180	2,2',3,4,4',5,5'-Heptachlorobiphenyl	35065-29-3	20.3 ± 1.2 µg/g
PCB 183	2,2',3,4,4',5',6-Heptachlorobiphenyl	52663-69-1	3.26 ± 0.11 µg/g
PCB 185	2,2',3,4,5,5',6-Heptachlorobiphenyl	52712-05-7	0.369 ± 0.010 µg/g
PCB 187	2,2',3,4',5,5',6-Heptachlorobiphenyl	52663-68-0	16.39 ± 0.74 µg/g
PCB 188	2,2',3,4',5,6,6'-Heptachlorobiphenyl	74487-85-7	0.399 ± 0.032 µg/g
PCB 189	2,3,3',4,4',5,5'-Heptachlorobiphenyl	39635-31-9	0.498 ± 0.021 µg/g
PCB 191	2,3,3',4,4',5',6-Heptachlorobiphenyl	74472-50-7	0.410 ± 0.009 µg/g
PCB 193	2,3,3',4',5,5',6-Heptachlorobiphenyl	69782-91-8	1.00 ± 0.11 µg/g
PCB 194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	35694-08-7	3.22 ± 0.28 µg/g
PCB 195	2,2',3,3',4,4',5,6-Octachlorobiphenyl	52663-78-2	1.111 ± 0.084 µg/g
PCB 196	2,2',3,3',4,4',5,6'-Octachlorobiphenyl	42740-50-1	6.28 ± 0.14 µg/g
PCB 197	2,2',3,3',4,4',6,6'-Octachlorobiphenyl	33091-17-7	0.475 ± 0.026 µg/g
PCB 199	2,2',3,3',4,5,5',6'-Octachlorobiphenyl		
	BZ# 201	52663-75-9	2.857 ± 0.082 µg/g
PCB 200	2,2',3,3',4,5,6,6'-Octachlorobiphenyl		
	BZ# 199	52663-73-7	10.37 ± 0.23 µg/g
PCB 201	2,2',3,3',4,5',6'-Octachlorobiphenyl		
	BZ# 200	40186-71-8	0.385 ± 0.023 µg/g
PCB 202	2,2',3,3',5,5',6,6'-Octachlorobiphenyl	2136-99-4	2.667 ± 0.085 µg/g
PCB 205	2,3,3',4,4',5,5',6-Octachlorobiphenyl	74472-53-0	0.429 ± 0.013 µg/g
PCB 206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	40186-72-9	3.01 ± 0.22 µg/g
PCB 207	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl	52663-79-3	1.030 ± 0.021 µg/g
PCB 208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	52663-77-1	1.96 ± 0.11 µg/g
PCB 209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	2051-24-3	2.89 ± 0.25 µg/g

\*PCBs are numbered based on the IUPAC numberings scheme which differs from the Ballschmiter and Zell numbering scheme for the PCBs noted in the table.

**For labelled PCB Mixtures see section "Environmental contaminant standards from CIL"**



## PCB metabolites - Chlorohydroxybiphenyls

The PCBs are initially metabolised to chlorohydroxybiphenyls, and work has shown that the compound formed depends on the number of chlorine atoms, their position and the animal involved.

Code	Product	Unit
U-RPM-027	2-Biphenylol	100 mg
U-RPM-028	3-Biphenylol	100 mg
U-RPM-029	4-Biphenylol	100 mg
U-RPM-030	2,2'-Biphenyldiol	100 mg
U-RPM-032	4,4'-Biphenyldiol	100 mg
U-RPM-033	2,5-Biphenyldiol	100 mg
U-RPM-034	3,4-Biphenyldiol	100 mg
U-RPM-001	2-Chloro-4-biphenylol	5 mg
U-RPM-003	3-Chloro-4-biphenylol	10 mg
U-RPM-004	4'-Chloro-4-biphenylol	10 mg
U-RPM-009	2',5'-Dichloro-4-biphenylol	10 mg
U-RPM-010	2',5'-Dichloro-3-biphenylol	10 mg
U-RPM-011	3,5-Dichloro-2-biphenylol	10 mg
U-RPM-013	4,4'-Dichloro-3-biphenylol	10 mg
U-RPM-017	2,2',5'-Trichloro-4-biphenylol	10 mg
U-RPM-018	2',3,5'-Trichloro-2-biphenylol	10 mg
U-RPM-020	2',5,5'-Trichloro-2-biphenylol	10 mg
U-RPM-021	3,4',5-Trichloro-4-biphenylol	5 mg
U-RPM-022	2',3',4',5'-Tetrachloro-4-biphenylol	10 mg
U-RPM-023	2',3',4',5'-Tetrachloro-3-biphenylol	10 mg
U-RPM-024	3,3',5,5'-Tetrachloro-4,4'-biphenyldiol	10 mg
U-RPM-025	2',3',4',5,5'-Pentachloro-2-biphenylol	5 mg

## Polychlorinated terphenyls (PCTs)

Three chlorinated terphenyl products were produced:  
Aroclor 5442 (42% Chlorine), Aroclor 5460 (60% Chlorine) and Aroclor 5060 (60% Chlorine).

Code	Product	Unit
U-RTP-1A	Chlorinated Terphenyls Kit 1 x 1 mL of each Aroclor Aroclor 5442 ..... 100 µg/mL in Hexane Aroclor 5460 ..... 100 µg/mL in Hexane Aroclor 5060 ..... 100 µg/mL in Hexane	3 x 1 mL
U-RTP-019	4-Chloro-o-terphenyl	10 mg
U-RTP-002	4-Chloro-p-terphenyl	20 mg
U-RTP-014	2,4-Dichloro-p-terphenyl	20 mg
U-RTP-005	2,5-Dichloro-o-terphenyl	10 mg
U-RTP-004	2,5-Dichloro-m-terphenyl	10 mg
U-RTP-003	2,5-Dichloro-p-terphenyl	20 mg
U-RTP-008	2,4,6-Trichloro-p-terphenyl	20 mg
U-RTP-015	2,3,5,6-Tetrachloro-p-terphenyl	10 mg
U-RTP-010	2,4,4'',6-Tetrachloro-p-terphenyl	10 mg
U-RTP-016	2,3,4,5,6-Pentachloro-p-terphenyl	10 mg
U-RTP-011	Tetradecachloro-m-terphenyl	25 mg
U-RTP-018	2,2''',5,5'''-Tetrachloro-p,p-quaterphenyl	5 mg



## Polychlorinated naphthalenes

### Introduction

The polychlorinated naphthalenes (PCNs) have been long recognised as persistent, ubiquitous environmental pollutants. Their presence in the environment is largely the result of the use of technical products, such as the Halowax series, as flame retardants and dielectric fluids.

Code	Product	Unit
<b>Industrial products</b>		
U-HPCK-2F	Halowax 1000 100 µg/mL in Hexane	2 mL
U-HPCK-2G	Halowax 1001 100 µg/mL in Hexane	2 mL
U-HPCK-2E	Halowax 1013 100 µg/mL in Hexane	2 mL
U-HPCK-2C	Halowax 1051 100 µg/mL in Hexane	2 mL
U-HPCK-2D	Halowax 1099 100 µg/mL in Hexane	2 mL
<b>Single congeners</b>		
U-RCN-002	1-Chloronaphthalene	100 mg
CIL-ECN-2610	1-Chloronaphthalene 100 µg/mL in Nonane (Chemical purity: 90%, 10% 2-Monochloronaphthalene)	1 mL
U-RCN-003	2-Chloronaphthalene	100 mg
CIL-ECN-2611	2-Chloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2620	1,2-Dichloronaphthalene 100 µg/mL in Nonane (Chemical purity: 92%)	1 mL
U-RCN-005	1,4-Dichloronaphthalene	25 mg
CIL-ECN-2621	1,4-Dichloronaphthalene 100 µg/mL in Nonane (Chemical purity: 92%)	1 mL
U-RCN-006	1,5-Dichloronaphthalene	25 mg
CIL-ECN-2622	1,5-Dichloronaphthalene 100 µg/mL in Nonane (Chemical purity: 91%)	1 mL
CIL-ECN-2623	1,8-Dichloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2624	2,3-Dichloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2630	1,2,3-Trichloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2640	1,2,3,4-Tetrachloronaphthalene 100 µg/ml in Nonane	1 mL
CIL-ECN-5240	1,2,3,4-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) (Chemical purity: 96%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-2642	1,2,5,6-Tetrachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2641	1,3,5,7-Tetrachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-5241	1,3,5,7-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-2643	2,3,6,7-Tetrachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2652	1,2,3,4,6-Pentachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2651	1,2,3,5,7-Pentachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-5250	1,2,3,5,7-Pentachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-2650	1,2,3,5,8-Pentachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2653	1,2,3,6,7-Pentachloronaphthalene 100 µg/mL in Nonane (Chemical purity: 96%)	1 mL
CIL-ECN-5260	1,2,3,4,5,7-Hexachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-2660	1,2,3,4,6,7-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2663	1,2,3,5,6,7-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-5261	1,2,3,5,6,7-Hexachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) 10 µg/mL in Isooctane (contains 0.2% native)	1.2 mL
CIL-ECN-2664	1,2,3,5,6,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2662	1,2,3,5,7,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2665	1,2,3,6,7,8-Hexachloronaphthalene 100 µg/mL in Nonane (Chemical purity: 97%)	1 mL
CIL-ECN-2666	1,2,4,5,6,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2661	1,2,4,5,7,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2670	1,2,3,4,5,6,7-Heptachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-5270	1,2,3,4,5,6,7-Heptachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) 10 µg/mL in Isooctane (contains 2% native)	1.2 mL

## Polychlorinated benzenes

Code	Product	Unit
CIL-ECN-2671	1,2,3,4,5,6,8-Heptachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2680	Octachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-5280	Octachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-5178	Tetra-Octa PCN Mixture Solvent: Nonane 1,2,3,4-Tetrachloronaphthalene..... 1 µg/mL 1,3,5,7-Tetrachloronaphthalene..... 1 µg/mL 1,2,3,5,7-Pentachloronaphthalene..... 1 µg/mL 1,2,3,5,6,7-Hexachloronaphthalene..... 1 µg/mL 1,2,3,4,5,6,7-Heptachloronaphthalene..... 1 µg/mL Octachloronaphthalene..... 1 µg/mL	1.2 mL
CIL-ECN-5102	Tetra-Octa PCN Mixture Solvent: Isooctane 1,2,3,4-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL 1,3,5,7-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL 1,2,3,5,7-Pentachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL 1,2,3,5,6,7-Hexachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) ..... 1.0 µg/mL 1,2,3,4,5,6,7-Heptachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) ..... 1.0 µg/mL Octachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL	1.2 mL

## Polychlorinated benzenes

Chlorobenzenes are multipurpose industrial chemicals used as solvents for oils, fats, waxes, resins, ethyl cellulose and synthetic rubbers. They are also used in the synthesis of insecticides, dyes, pharmaceutical actives and perfumes.

Code	Product	Unit
<b>Chlorobenzenes</b>		
IPO 087	Chlorobenzene	250 mg
U-RCP-020	Chlorobenzene	100 mg
U-HC-050-1	Chlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-050	Chlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1014	Chlorobenzene 1000 µg/mL in Methanol	1 mL
IPO 134	1,2-Dichlorobenzene	250 mg
U-RCP-021	1,2-Dichlorobenzene	100 mg
U-HC-110-1	1,2-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-110	1,2-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1102	1,2-Dichlorobenzene 1000 µg/mL in Methanol	1 mL
IPO 135	1,3-Dichlorobenzene	250 mg
U-RCP-022	1,3-Dichlorobenzene	100 mg
U-HC-120-1	1,3-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-120	1,3-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1103	1,3-Dichlorobenzene 5000 µg/mL in Methanol	1 mL
IPO 136	1,4-Dichlorobenzene	250 mg
U-RCP-023	1,4-Dichlorobenzene	100 mg
U-HC-130-1	1,4-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-130	1,4-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1104	1,4-Dichlorobenzene 5000 µg/mL in Methanol	1 mL
IPO 756	1,2,3-Trichlorobenzene	250 mg
U-RCP-024	1,2,3-Trichlorobenzene	100 mg
U-HC-420-1	1,2,3-Trichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-420	1,2,3-Trichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1051	1,2,3-Trichlorobenzene 5000 µg/mL in Methanol	1 mL
IPO 757	1,2,4-Trichlorobenzene	250 mg
U-RCP-025	1,2,4-Trichlorobenzene	100 mg
U-CH-190-1	1,2,4-Trichlorobenzene 100 µg/mL in Methanol	1 mL
U-CH-190	1,2,4-Trichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1052	1,2,4-Trichlorobenzene 5000 µg/mL in Methanol	1 mL

## Polychlorinated benzenes

Code	Product	Unit
IPO 758	1,3,5-Trichlorobenzene	250 mg
U-EPA-1240	1,3,5-Trichlorobenzene 1000 µg/mL in Hexane	1 mL
IPO 725	1,2,3,4-Tetrachlorobenzene	250 mg
U-RCP-027	1,2,3,4-Tetrachlorobenzene	100 mg
U-EPA-1234	1,2,3,4-Tetrachlorobenzene 1000 µg/mL in Hexane	1 mL
IPO 726	1,2,3,5-Tetrachlorobenzene	250 mg
U-RCP-028	1,2,3,5-Tetrachlorobenzene	100 mg
U-EPA-1235	1,2,3,5-Tetrachlorobenzene 1000 µg/mL in Hexane	1 mL
IPO 727	1,2,4,5-Tetrachlorobenzene	250 mg
U-RCP-029	1,2,4,5-Tetrachlorobenzene	100 mg
U-CH-220-1	1,2,4,5-Tetrachlorobenzene 100 µg/mL in Methylene chloride	1 mL
U-CH-220	1,2,4,5-Tetrachlorobenzene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1160	1,2,4,5-Tetrachlorobenzene 1000 µg/mL in Acetonitrile	1 mL
IPO 540	Pentachlorobenzene	250 mg
U-RCP-030	Pentachlorobenzene	100 mg
U-CH-210-1	Pentachlorobenzene 100 µg/mL in Methylene chloride	1 mL
U-CH-210	Pentachlorobenzene 100 µg/mL in Methylene chloride	4 x 1 mL
IPO 610	Quintozene	250 mg
IPO 290	Hexachlorobenzene	250 mg
U-RCP-031	Hexachlorobenzene	100 mg
U-CH-151-1	Hexachlorobenzene 100 µg/mL in Methanol	1 mL
U-CH-151	Hexachlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-CH-150-1	Hexachlorobenzene 100 µg/mL in Methylene chloride	1 mL
U-CH-150	Hexachlorobenzene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1125	Hexachlorobenzene 1000 µg/mL in Acetone	1 mL
U-FRCK-014	Chlorobenzenes Kit Each kit contains 100 mg each of twelve compounds.	kit
	Chlorobenzene	1,3,5-Trichlorobenzene
	1,2-Dichlorobenzene	1,2,3,4-Tetrachlorobenzene
	1,3-Dichlorobenzene	1,2,3,5-Tetrachlorobenzene
	1,4-Dichlorobenzene	1,2,4,5-Tetrachlorobenzene
	1,2,3-Trichlorobenzene	Pentachlorobenzene
	1,2,4-Trichlorobenzene	Hexachlorobenzene
NE5730	Chlorobenzene Standard Solution 1 100 µg/mL of each analyte in Cyclohexane	1.5 mL
	Chlorobenzene	1,3,5-Trichlorobenzene
	1,2-Dichlorobenzene	1,2,3,4-Tetrachlorobenzene
	1,3-Dichlorobenzene	1,2,3,5-Tetrachlorobenzene
	1,4-Dichlorobenzene	1,2,4,5-Tetrachlorobenzene
	1,2,3-Trichlorobenzene	Pentachlorobenzene
	1,2,4-Trichlorobenzene	Hexachlorobenzene
NE7550	Standard Solution for EN ISO 6468 CERTAN® 10 µg/mL of each analyte in iso-Octane.	1.5 mL
	alpha-HCH	Heptachlor
	beta-HCH	Heptachlor epoxide (endo) (isomer A)
	gamma-HCH	Heptachlor epoxide (exo) (isomer B)
	delta-HCH	alpha-Endosulfan
	epsilon-HCH	beta-Endosulfan
	2,4'-DDE	1,2,3-Trichlorobenzene
	4,4'-DDE	1,2,4-Trichlorobenzene
	2,4'-TDE	1,3,5-Trichlorobenzene
	4,4'-TDE	1,2,3,4-Tetrachlorobenzene
	2,4'-DDT	1,2,3,5-Tetrachlorobenzene
	4,4'-DDT	1,2,4,5-Tetrachlorobenzene
	4,4'-Methoxychlor	Pentachlorobenzene
	Aldrin	Hexachlorobenzene
	Dieldrin	Pentachloro-2-methylbenzene (PCNB)
	Endrin	
	PCB 28 ..... 2,4,4'-Trichlorobiphenyl	PCB 153 ..... 2,2',4,4',5,5'-Hexachlorobiphenyl
	PCB 52 ..... 2,2',5,5'-Tetrachlorobiphenyl	PCB 180 ..... 2,2',3,4,4',5,5'-Heptachlorobiphenyl
	PCB 101 ..... 2,2',4,5,5'-Pentachlorobiphenyl	PCB 194 ..... 2,2',3,3',4,4',5,5'-Octachlorobiphenyl
	PCB 138 ..... 2,2',3,4,4',5'-Hexachlorobiphenyl	

For isotopically labelled chlorobenzenes see section "Environmental contaminant standards from CIL".

## Flame retardants (technical)

Flame retardants have been used to reduce the flammability and consequent fire risk of polymer plastics. In the late 1950s pentabromobiphenyl oxide was the first aromatic brominated flame retardant to gain commercial significance. Since then a number of other flame retardants have been developed, among them tetrabromobisphenol-A the largest selling brominated flame retardant. Brominated flame retardants have been found in sewage sludge and biological samples. Some investigations had been carried out regarding the formation of polybrominated dibenzofurans and -dioxins from the combustion of polybromobiphenyl ethers.

Code	Product	Unit
U-RBF-075	Hexabromobiphenyl (technical) (Firemaster BP-6, Michigan Chemicals)	10 mg
U-RBF-074	Octabromobiphenyl (technical) (FR250 BA, Dow Chemicals)	50 mg
DE-USC 912S	Pentabromodiphenyloxide (technical) (DE-71-Great Lakes) 50 µg/mL in Methanol CERTAN®	1.5 mL

### Polybrominated biphenyls

U-RBF-076	2-Bromobiphenyl	50 mg
U-RBF-076S	2-Bromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-077	3-Bromobiphenyl	50 mg
U-RBF-077S	3-Bromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-078	4-Bromobiphenyl	50 mg
U-RBF-078S	4-Bromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-081	2,2'-Dibromobiphenyl	50 mg
U-RBF-081S	2,2'-Dibromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-082	2,4-Dibromobiphenyl	15 mg
U-RBF-082S	2,4-Dibromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-083	2,5-Dibromobiphenyl	15 mg
U-RBF-083S	2,5-Dibromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-079S	2,6-Dibromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-080	4,4'-Dibromobiphenyl	50 mg
U-RBF-080S	4,4'-Dibromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-085	2,2',5-Tribromobiphenyl	10 mg
U-RBF-085S	2,2',5-Tribromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-086	2,3',5-Tribromobiphenyl	10 mg
U-RBF-086S	2,3',5-Tribromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-097	2,4,5-Tribromobiphenyl	10 mg
U-RBF-097S	2,4,5-Tribromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-087	2,4',5-Tribromobiphenyl	10 mg
U-RBF-087S	2,4',5-Tribromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-084	2,4,6-Tribromobiphenyl	15 mg
U-RBF-084S	2,4,6-Tribromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-098	3,4,5-Tribromobiphenyl	10 mg
U-RBF-098S	3,4,5-Tribromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-088S	2,2',4,5'-Tetrabromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-089	2,2',5,5'-Tetrabromobiphenyl	20 mg
U-RBF-089S	2,2',5,5'-Tetrabromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-091	2,2',5,6'-Tetrabromobiphenyl	20 mg
U-RBF-091S	2,2',5,6'-Tetrabromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-090	3,3',5,5'-Tetrabromobiphenyl	20 mg
U-RBF-090S	3,3',5,5'-Tetrabromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-092S	2,2',4,5',6-Pentabromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-094S	2,2',4,4',5,5'-Hexabromobiphenyl 100 µg/mL in Hexane	2 mL

## Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans

Code	Product	Unit
U-RBF-093	2,2',4,4',6,6'-Hexabromobiphenyl	5 mg
U-RBF-093S	2,2',4,4',6,6'-Hexabromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-102S	Decabromobiphenyl 100 µg/mL in Hexane	2 mL
U-RBF-102	Decabromobiphenyl	50 mg

**For isotope labelled and unlabelled brominated diphenyl ether (BDE) standards see "Environmental contaminant standards from CIL" section "Brominated flame retardant standards".**

## Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans

### Chlorinated dibenzo-p-dioxins

Code	Product	Unit
U-RPE-023	Dibenzo-p-dioxin	25 mg
U-RPE-023S	Dibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-015	1-Chlorodibenzo-p-dioxin	25 mg
U-RPE-015S	1-Chlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-016	2-Chlorodibenzo-p-dioxin	25 mg
U-RPE-016S	2-Chlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-051	2,3-Dichlorodibenzo-p-dioxin	5 mg
U-RPE-051S	2,3-Dichlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-025	2,7-Dichlorodibenzo-p-dioxin	5 mg
U-RPE-025S	2,7-Dichlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-052	2,8-Dichlorodibenzo-p-dioxin	5 mg
U-RPE-052S	2,8-Dichlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-059	1,2,3-Trichlorodibenzo-p-dioxin	5 mg
U-RPE-059S	1,2,3-Trichlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-026	1,2,4-Trichlorodibenzo-p-dioxin	5 mg
U-RPE-026S	1,2,4-Trichlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-053A	2,3,7-Trichlorodibenzo-p-dioxin	5 mg
U-RPE-053S	2,3,7-Trichlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-027	1,2,3,4-Tetrachlorodibenzo-p-dioxin	25 mg
U-RPE-027S	1,2,3,4-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-054A	1,3,6,8-Tetrachlorodibenzo-p-dioxin	5 mg
U-RPE-054S	1,3,6,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-060A	1,3,7,8-Tetrachlorodibenzo-p-dioxin	5 mg
U-RPE-060S	1,3,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-029S	2,3,7,8-Tetrachlorodibenzo-p-dioxin 10 µg/mL in Toluene	1 mL
NIST-3063	2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD) in Methan Certified value 2,3,7,8-Tetrachlorodibenzo-p-dioxin ..... 0.410 ± 0.014 mg/kg	5 x 1.2 mL
NIST-1614	2,3,7,8-TCDD in Isooctane Standard reference material (SRM <sup>®</sup> ) 1614 consists of separate solutions of unlabelled and labelled 2,3,7,8-tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD) in isooctane. Three ampoules contain approximately 1.2 mL each of an isooctane solution of unlabelled 2,3,7,8-TCDD, and three ampoules contain approximately 1.2 mL isooctane solution of <sup>13</sup> C-labelled 2,3,7,8-TCDD. Certified concentration 2,3,7,8-TCDD ..... 98.2 ± 3.3 ng/g      2,3,7,8-TCDD- <sup>13</sup> C <sub>12</sub> ..... 95.6 ± 1.5 ng/g	6 x 1.2 mL
U-RPE-055A	1,2,3,4,7-Pentachlorodibenzo-p-dioxin	5 mg
U-RPE-055S	1,2,3,4,7-Pentachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-056A	1,2,3,7,8-Pentachlorodibenzo-p-dioxin	5 mg
U-RPE-056S	1,2,3,7,8-Pentachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-057A	1,2,4,7,8-Pentachlorodibenzo-p-dioxin	5 mg
U-RPE-057S	1,2,4,7,8-Pentachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-058A	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	5 mg

## Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans

Code	Product	Unit
U-RPE-058S	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-063A	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	5 mg
U-RPE-063S	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-017A	Octachlorodibenzo-p-dioxin	50 mg
U-RPE-017S	Octachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL

### Chlorinated dibenzofurans

U-RPE-022	Dibenzofuran	50 mg
U-RPE-022S	Dibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-030	2-Chlorodibenzofuran	5 mg
U-RPE-030S	2-Chlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-032	2,4-Dichlorodibenzofuran	5 mg
U-RPE-032S	2,4-Dichlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-033	2,6-Dichlorodibenzofuran	5 mg
U-RPE-033S	2,6-Dichlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-018	2,8-Dichlorodibenzofuran	10 mg
U-RPE-018S	2,8-Dichlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-036	2,3,8-Trichlorodibenzofuran	5 mg
U-RPE-036S	2,3,8-Trichlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-034	2,4,6-Trichlorodibenzofuran	5 mg
U-RPE-034S	2,4,6-Trichlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-035	2,4,8-Trichlorodibenzofuran	5 mg
U-RPE-035S	2,4,8-Trichlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-039A	1,2,3,4-Tetrachlorodibenzofuran	5 mg
U-RPE-039S	1,2,3,4-Tetrachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-040A	1,3,7,8-Tetrachlorodibenzofuran	5 mg
U-RPE-040S	1,3,7,8-Tetrachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-037	2,3,7,8-Tetrachlorodibenzofuran	1 mg
U-RPE-037S	2,3,7,8-Tetrachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-041A	1,2,3,4,8-Pentachlorodibenzofuran	5 mg
U-RPE-041S	1,2,3,4,8-Pentachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-042A	1,2,3,7,8-Pentachlorodibenzofuran	5 mg
U-RPE-042S	1,2,3,7,8-Pentachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-043A	1,2,3,4,7,8-Hexachlorodibenzofuran	5 mg
U-RPE-043S	1,2,3,4,7,8-Hexachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-044A	1,2,3,4,6,7,8-Heptachlorodibenzofuran	5 mg
U-RPE-044S	1,2,3,4,6,7,8-Heptachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-019A	Octachlorodibenzofuran	50 mg
U-RPE-019S	Octachlorodibenzofuran 50 µg/mL in Toluene	1 mL

**Isotope labelled and unlabelled chlorinated dibenzo-p-dioxins see also "Environmental contaminant standards from CIL" section "Dioxin and furan standards".**

# Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans

Code	Product	Unit
------	---------	------

## Dioxin/Furan multicomponent standard solutions

BCR-614	Solutions of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane (EN 1948)	set
---------	--	-----

The set consists of 11 ampoules, one of BCR-614S2, BCR-614S4-9 and two of BCR-614S1 and BCR-614S3.

The nine solutions of natural and labelled PCDD and PCDF congeners in n-nonane are presented in brown glass ampoules sealed under helium gas. Ampoules S1 to S7 contain about 1 mL solution and ampoule S8 about 0.5 mL. Solutions S1-8 are supplied in one set together with a non-certified solution S9 intended to verify performance of the chromatographic separation system.

The solutions BCR 614 S1 to S5 are intended as GC-HRMS calibration solutions and are ready for use. An additional solution S0 is available separately for very low level determinations. To apply solutions BCR 614 S6 to S8 in accordance with the European Standard EN 1948, appropriate dilutions should be prepared following the recommendations given in the latter document. Solution BCR 614 S9 may serve to check the instrumental performance, particularly with regard to the chromatographic separation of the 2,3,7,8-Cl substituted congeners from potential interfering compounds. With the current technology, the separation of all analytes from interfering isomers in environmental samples requires the analysis to be performed on at least two capillary columns with different polarity. More details are given in the certification report of BCR-614 in the chapter on instructions for use.

Certified purity of the individual <sup>12</sup>C and <sup>13</sup>C labeled PCDD and PCDF congeners used for the preparation of the solutions

Congener	Purity (%)	Uncertainty (%)
2,3,7,8-T <sub>4</sub> CDD	96.4	2.7
1,2,3,7,8-P <sub>5</sub> CDD	97.3	1.1
1,2,3,4,7,8-H <sub>6</sub> CDD	94.6	1.9
1,2,3,6,7,8-H <sub>6</sub> CDD	98.2	0.6
1,2,3,7,8,9-H <sub>6</sub> CDD	97.9	1.0
1,2,3,4,6,7,8-H <sub>7</sub> CDD	98.1	0.4
1,2,3,4,6,7,8,9-O <sub>8</sub> CDD	99.8	0.3
2,3,7,8-T <sub>4</sub> CDF	99.5	0.4
1,2,3,7,8-P <sub>5</sub> CDF	98.7	1.1
2,3,4,7,8-P <sub>5</sub> CDF	99.6	0.5
1,2,3,4,7,8-H <sub>6</sub> CDF	97.8	0.6
1,2,3,6,7,8-H <sub>6</sub> CDF	99.7	0.5
1,2,3,7,8,9-H <sub>6</sub> CDF	96.4	1.1
2,3,4,6,7,8-H <sub>6</sub> CDF	98.4	0.8
1,2,3,4,6,7,8-H <sub>7</sub> CDF	99.8	0.3
1,2,3,4,7,8,9-H <sub>7</sub> CDF	98.8	0.5
1,2,3,4,6,7,8,9-O <sub>8</sub> CDF	99.2	1.6
13C-2,3,7,8-T <sub>4</sub> CDD	98.6	0.3
13C-1,2,3,7,8-P <sub>5</sub> CDD	98.6	0.5
13C-1,2,3,4,7,8-H <sub>6</sub> CDD	99.1	0.3
13C-1,2,3,6,7,8-H <sub>6</sub> CDD	96.7	0.5
13C-1,2,3,7,8,9-H <sub>6</sub> CDD	99.1	0.4
13C-1,2,3,4,6,7,8-H <sub>7</sub> CDD	99.3	1.3
13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD	98.6	0.2
13C-2,3,7,8-T <sub>4</sub> CDF	99.8	0.4
13C-1,2,3,7,8-P <sub>5</sub> CDF	99.6	0.4
13C-2,3,4,7,8-P <sub>5</sub> CDF	99.5	0.3
13C-1,2,3,4,7,8-H <sub>6</sub> CDF	98.8	0.3
13C-1,2,3,6,7,8-H <sub>6</sub> CDF	99.5	0.5
13C-1,2,3,7,8,9-H <sub>6</sub> CDF	98.2	0.5
13C-2,3,4,6,7,8-H <sub>6</sub> CDF	99.6	0.4
13C-1,2,3,4,6,7,8-H <sub>7</sub> CDF	99.8	0.3
13C-1,2,3,4,7,8,9-H <sub>7</sub> CDF	99.3	0.8
13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF	99.6	0.8
13C-1,2,3,4-T <sub>4</sub> CDD	99.2	0.3



## Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans

Code	Product	Unit
BCR-614S1	Solution of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane	Amp.
	Certified values      Indicative values	
	2,3,7,8-T <sub>4</sub> CDD .....0.000273 mg/kg..... 0.196 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDD .....0.001394 mg/kg..... 1.000 µg/L	
	1,2,3,4,7,8-HCDD .....0.00137 mg/kg..... 0.986 µg/L	
	1,2,3,6,7,8-HCDD .....0.001391 mg/kg..... 0.998 µg/L	
	1,2,3,7,8,9-HCDD .....0.001408 mg/kg..... 1.011 µg/L	
	1,2,3,4,6,7,8-HCDD .....0.00280 mg/kg..... 2.006 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDD.....0.002787 mg/kg..... 2.000 µg/L	
	2,3,7,8-T <sub>4</sub> CDF .....0.000279 mg/kg..... 002 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDF .....0.001412 mg/kg..... 1.013 µg/L	
	2,3,4,7,8-P <sub>5</sub> CDF .....0.001395 mg/kg..... 1.001 µg/L	
	1,2,3,4,7,8-HCDF .....0.001398 mg/kg..... 1.003 µg/L	
	1,2,3,6,7,8-HCDF .....0.001393 mg/kg..... 1.000 µg/L	
	1,2,3,7,8,9-HCDF .....0.001397 mg/kg..... 1.002 µg/L	
	2,3,4,6,7,8-HCDF .....0.001387 mg/kg..... 0.995 µg/L	
	1,2,3,4,6,7,8-HCDF .....0.002787 mg/kg..... 2.000 µg/L	
	1,2,3,4,7,8,9-HCDF .....0.00278 mg/kg..... 2.00 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDF .....0.00279 mg/kg..... 2.00 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDD .....0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDD .....0.0139 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDD .....0.01398 mg/kg..... 10.03 µg/L	
	13C-1,2,3,6,7,8-HCDD .....0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,7,8,9-HCDD .....0.01394 mg/kg..... 10.01 µg/L	
	13C-1,2,3,4,6,7,8-HCDD .....0.0279 mg/kg..... 20.0 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD .....0.02786 mg/kg..... 19.99 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDF .....0.01396 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDF .....0.01393 mg/kg..... 10.00 µg/L	
	13C-2,3,4,7,8-P <sub>5</sub> CDF .....0.01394 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDF .....0.01389 mg/kg..... 9.97 µg/L	
	13C-1,2,3,6,7,8-HCDF .....0.01393 mg/kg..... 9.99 µg/L	
	13C-1,2,3,7,8,9-HCDF .....0.01392 mg/kg..... 9.99 µg/L	
	13C-2,3,4,6,7,8-HCDF .....0.01393 mg/kg..... 9.99 µg/L	
	13C-1,2,3,4,6,7,8-HCDF .....0.02790 mg/kg..... 20.02 µg/L	
	13C-1,2,3,4,7,8,9-HCDF .....0.02786 mg/kg..... 19.99 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF .....0.02787 mg/kg..... 20.00 µg/L	
	13C-1,2,3,4-T <sub>4</sub> CDD .....0.01393 mg/kg..... 10.00 µg/L	
BCR-614S2	Solution of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane	Amp.
	Certified values      Indicative values	
	2,3,7,8-T <sub>4</sub> CDD .....0.00109 mg/kg..... 0.785 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDD .....0.00557 mg/kg..... 4.00 µg/L	
	1,2,3,4,7,8-HCDD .....0.00549 mg/kg..... 3.94 µg/L	
	1,2,3,6,7,8-HCDD .....0.00556 mg/kg..... 3.992 µg/L	
	1,2,3,7,8,9-HCDD .....0.00563 mg/kg..... 4.04 µg/L	
	1,2,3,4,6,7,8-HCDD .....0.01118 mg/kg..... 8.02 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDD .....0.01115 mg/kg..... 8.000 µg/L	
	2,3,7,8-T <sub>4</sub> CDF .....0.001116 mg/kg..... 0.801 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDF .....0.00565 mg/kg..... 4.05 µg/L	
	2,3,4,7,8-P <sub>5</sub> CDF .....0.00558 mg/kg..... 4.004 µg/L	
	1,2,3,4,7,8-HCDF .....0.00559 mg/kg..... 4.01 µg/L	
	1,2,3,6,7,8-HCDF .....0.00557 mg/kg..... 3.999 µg/L	
	1,2,3,7,8,9-HCDF .....0.00559 mg/kg..... 4.01 µg/L	
	2,3,4,6,7,8-HCDF .....0.00555 mg/kg..... 3.98 µg/L	
	1,2,3,4,6,7,8-HCDF .....0.01115 mg/kg..... 8.00 µg/L	
	1,2,3,4,7,8,9-HCDF .....0.01114 mg/kg..... 7.99 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDF .....0.01116 mg/kg..... 8.01 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDD .....0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDD .....0.0139 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDD .....0.01398 mg/kg..... 10.03 µg/L	
	13C-1,2,3,6,7,8-HCDD .....0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,7,8,9-HCDD .....0.01394 mg/kg..... 10.01 µg/L	
	13C-1,2,3,4,6,7,8-HCDD .....0.0279 mg/kg..... 20.0 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD .....0.02786 mg/kg..... 19.99 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDF .....0.01396 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDF .....0.01393 mg/kg..... 10.00 µg/L	
	13C-2,3,4,7,8-P <sub>5</sub> CDF .....0.01394 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDF .....0.01389 mg/kg..... 9.97 µg/L	
	13C-1,2,3,6,7,8-HCDF .....0.01393 mg/kg..... 9.99 µg/L	
	13C-1,2,3,7,8,9-HCDF .....0.01393 mg/kg..... 9.99 µg/L	
	13C-2,3,4,6,7,8-HCDF .....0.01393 mg/kg..... 9.99 µg/L	
	13C-1,2,3,4,6,7,8-HCDF .....0.02790 mg/kg..... 20.02 µg/L	
	13C-1,2,3,4,7,8,9-HCDF .....0.02786 mg/kg..... 19.99 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF .....0.02787 mg/kg..... 20.00 µg/L	
	13C-1,2,3,4-T <sub>4</sub> CDD .....0.01393 mg/kg..... 10.00 µg/L	

## Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans

Code	Product	Unit
BCR-614S3	Solution of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane	Amp.
	Certified values      Indicative values	
	2,3,7,8-T <sub>4</sub> CDD ..... 0.00547 mg/kg..... 3.92 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDD ..... 0.0279 mg/kg..... 20.0 µg/L	
	1,2,3,4,7,8-HCDD ..... 0.0275 mg/kg..... 19.7 µg/L	
	1,2,3,6,7,8-HCDD ..... 0.02781 mg/kg..... 19.96 µg/L	
	1,2,3,7,8,9-HCDD ..... 0.02817 mg/kg..... 20.21 µg/L	
	1,2,3,4,6,7,8-HCDD ..... 0.0559 mg/kg..... 40.1 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDD ..... 0.05574 mg/kg..... 40.00 µg/L	
	2,3,7,8-T <sub>4</sub> CDF ..... 0.00558 mg/kg..... 4.003 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDF ..... 0.0282 mg/kg..... 20.3 µg/L	
	2,3,4,7,8-P <sub>5</sub> CDF ..... 0.02790 mg/kg..... 20.02 µg/L	
	1,2,3,4,7,8-HCDF ..... 0.02796 mg/kg..... 20.06 µg/L	
	1,2,3,6,7,8-HCDF ..... 0.02787 mg/kg..... 20.00 µg/L	
	1,2,3,7,8,9-HCDF ..... 0.0279 mg/kg..... 20.04 µg/L	
	2,3,4,6,7,8-HCDF ..... 0.02773 mg/kg..... 19.90 µg/L	
	1,2,3,4,6,7,8-HCDF ..... 0.05574 mg/kg..... 40.00 µg/L	
	1,2,3,4,7,8,9-HCDF ..... 0.0557 mg/kg..... 40.0 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDF ..... 0.0558 mg/kg..... 40.0 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDD ..... 0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDD ..... 0.0139 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDD ..... 0.01398 mg/kg..... 10.03 µg/L	
	13C-1,2,3,6,7,8-HCDD ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,7,8,9-HCDD ..... 0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,4,6,7,8-HCDD ..... 0.0279 mg/kg..... 20.0 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD ..... 0.02787 mg/kg..... 20.00 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDF ..... 0.01396 mg/kg..... 10.02 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-2,3,4,7,8-P <sub>5</sub> CDF ..... 0.01394 mg/kg..... 10.01 µg/L	
	13C-1,2,3,4,7,8-HCDF ..... 0.01390 mg/kg..... 9.97 µg/L	
	13C-1,2,3,6,7,8-HCDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,7,8,9-HCDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-2,3,4,6,7,8-HCDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,6,7,8-HCDF ..... 0.02791 mg/kg..... 20.03 µg/L	
	13C-1,2,3,4,7,8,9-HCDF ..... 0.02787 mg/kg..... 20.00 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF ..... 0.02788 mg/kg..... 20.00 µg/L	
	13C-1,2,3,4-T <sub>4</sub> CDD ..... 0.01393 mg/kg..... 10.00 µg/L	
BCR-614S4	Solution of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane	Amp.
	Certified values      Indicative values	
	2,3,7,8-T <sub>4</sub> CDD ..... 0.0273 mg/kg..... 9.6 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDD ..... 0.1393 mg/kg..... 100.0 µg/L	
	1,2,3,4,7,8-HCDD ..... 0.137 mg/kg..... 98.6 µg/L	
	1,2,3,6,7,8-HCDD ..... 0.1391 mg/kg..... 99.8 µg/L	
	1,2,3,7,8,9-HCDD ..... 0.1408 mg/kg..... 101.1 µg/L	
	1,2,3,4,6,7,8-HCDD ..... 0.280 mg/kg..... 200.6 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDD ..... 0.2787 mg/kg..... 200.0 µg/L	
	2,3,7,8-T <sub>4</sub> CDF ..... 0.02789 mg/kg..... 20.02 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDF ..... 0.1412 mg/kg..... 101.3 µg/L	
	2,3,4,7,8-P <sub>5</sub> CDF ..... 0.1395 mg/kg..... 100.1 µg/L	
	1,2,3,4,7,8-HCDF ..... 0.1398 mg/kg..... 100.3 µg/L	
	1,2,3,6,7,8-HCDF ..... 0.1393 mg/kg..... 100.0 µg/L	
	1,2,3,7,8,9-HCDF ..... 0.1396 mg/kg..... 100.2 µg/L	
	2,3,4,6,7,8-HCDF ..... 0.1387 mg/kg..... 99.5 µg/L	
	1,2,3,4,6,7,8-HCDF ..... 0.2787 mg/kg..... 200.0 µg/L	
	1,2,3,4,7,8,9-HCDF ..... 0.278 mg/kg..... 200 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDF ..... 0.279 mg/kg..... 200 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDD ..... 0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDD ..... 0.0139 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDD ..... 0.01398 mg/kg..... 10.03 µg/L	
	13C-1,2,3,6,7,8-HCDD ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,7,8,9-HCDD ..... 0.01394 mg/kg..... 10.01 µg/L	
	13C-1,2,3,4,6,7,8-HCDD ..... 0.0279 mg/kg..... 20.0 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD ..... 0.02786 mg/kg..... 19.99 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDF ..... 0.01369 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-2,3,4,7,8-P <sub>5</sub> CDF ..... 0.01394 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDF ..... 0.01389 mg/kg..... 9.97 µg/L	
	13C-1,2,3,6,7,8-HCDF ..... 0.01393 mg/kg..... 9.99 µg/L	
	13C-1,2,3,7,8,9-HCDF ..... 0.01392 mg/kg..... 9.99 µg/L	
	13C-2,3,4,6,7,8-HCDF ..... 0.01393 mg/kg..... 9.99 µg/L	
	13C-1,2,3,4,6,7,8-HCDF ..... 0.02790 mg/kg..... 20.02 µg/L	
	13C-1,2,3,4,7,8,9-HCDF ..... 0.02786 mg/kg..... 19.99 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF ..... 0.02787 mg/kg..... 20.00 µg/L	
	13C-1,2,3,4-T <sub>4</sub> CDD ..... 0.01393 mg/kg..... 10.00 µg/L	

## Chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans

Code	Product	Unit		
BCR-614S5	Solution of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane	Amp.		
	Certified values	Indicative values		
	2,3,7,8-T <sub>4</sub> CDD .....	0.109 mg/kg.....	78.5 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDD .....	0.557 mg/kg.....	400 µg/L	
	1,2,3,4,7,8- <i>HCDD</i> .....	0.549 mg/kg.....	394 µg/L	
	1,2,3,6,7,8- <i>HCDD</i> .....	0.556 mg/kg.....	399.1 µg/L	
	1,2,3,7,8,9- <i>HCDD</i> .....	0.563 mg/kg.....	404 µg/L	
	1,2,3,4,6,7,8- <i>HCDD</i> .....	1.118 mg/kg.....	802 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDD .....	1.115 mg/kg.....	799.9 µg/L	
	2,3,7,8-T <sub>4</sub> CDF .....	0.1116 mg/kg.....	80.1 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDF .....	0.565 mg/kg.....	405 µg/L	
	2,3,4,7,8-P <sub>5</sub> CDF .....	0.558 mg/kg.....	400.4 µg/L	
	1,2,3,4,7,8- <i>HCDF</i> .....	0.559 mg/kg.....	401 µg/L	
	1,2,3,6,7,8- <i>HCDF</i> .....	0.557 mg/kg.....	399.9 µg/L	
	1,2,3,7,8,9- <i>HCDF</i> .....	0.559 mg/kg.....	401 µg/L	
	2,3,4,6,7,8- <i>HCDF</i> .....	0.555 mg/kg.....	398 µg/L	
	1,2,3,4,6,7,8- <i>HCDF</i> .....	1.115 mg/kg.....	800 µg/L	
	1,2,3,4,7,8,9- <i>HCDF</i> .....	1.114 mg/kg.....	799 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDF .....	1.116 mg/kg.....	801 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDD .....	0.01395 mg/kg.....	10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDD .....	0.0139 mg/kg.....	10.00 µg/L	
	13C-1,2,3,4,7,8- <i>HCDD</i> .....	0.01398 mg/kg.....	10.03 µg/L	
	13C-1,2,3,6,7,8- <i>HCDD</i> .....	0.01393 mg/kg.....	10.00 µg/L	
	13C-1,2,3,7,8,9- <i>HCDD</i> .....	0.01395 mg/kg.....	10.01 µg/L	
	13C-1,2,3,4,6,7,8- <i>HCDD</i> .....	0.0279 mg/kg.....	20.0 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD .....	0.02786 mg/kg.....	19.99 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDF .....	0.01396 mg/kg.....	10.02 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDF .....	0.01393 mg/kg.....	10.00 µg/L	
	13C-2,3,4,7,8-P <sub>5</sub> CDF .....	0.01394 mg/kg.....	10.00 µg/L	
	13C-1,2,3,4,7,8- <i>HCDF</i> .....	0.01389 mg/kg.....	9.97 µg/L	
	13C-1,2,3,6,7,8- <i>HCDF</i> .....	0.01393 mg/kg.....	9.99 µg/L	
	13C-1,2,3,7,8,9- <i>HCDF</i> .....	0.01393 mg/kg.....	9.99 µg/L	
	13C-2,3,4,6,7,8- <i>HCDF</i> .....	0.01393 mg/kg.....	9.99 µg/L	
	13C-1,2,3,4,6,7,8- <i>HCDF</i> .....	0.02790 mg/kg.....	20.02 µg/L	
	13C-1,2,3,4,7,8,9- <i>HCDF</i> .....	0.02786 mg/kg.....	19.99 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF .....	0.02787 mg/kg.....	20.00 µg/L	
	13C-1,2,3,4-T <sub>4</sub> CDD .....	0.01393 mg/kg.....	10.00 µg/L	
	BCR-614S6	Solution of Polychlorodibenzofurans in n-Nonane	Amp.	
		Certified values	Indicative values	
		13C-1,2,3,7,8-P <sub>5</sub> CDF .....	0.1393 mg/kg.....	100.0 µg/L
		13C-1,2,3,7,8,9- <i>HCDF</i> .....	0.1394 mg/kg.....	100.0 µg/L
	13C-1,2,3,4,7,8,9- <i>HCDF</i> .....	0.2787 mg/kg.....	200.0 µg/L	
	BCR-614S7	Solution of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane	Amp.	
		Certified values	Indicative values	
13C-2,3,7,8-T <sub>4</sub> CDD .....		0.1395 mg/Kg.....	100.1 µg/L	
13C-1,2,3,7,8-P <sub>5</sub> CDD .....		0.139 mg/Kg.....	99.9 µg/L	
13C-1,2,3,4,7,8- <i>HCDD</i> .....		0.1398 mg/Kg.....	100.3 µg/L	
13C-1,2,3,6,7,8- <i>HCDD</i> .....		0.1393 mg/Kg.....	100.0 µg/L	
13C-1,2,3,4,6,7,8- <i>HCDD</i> .....		0.279 mg/Kg.....	200 µg/L	
13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD .....		0.2787 mg/Kg.....	200.0 µg/L	
13C-2,3,7,8-T <sub>4</sub> CDF .....		0.1395 mg/Kg.....	100.1 µg/L	
13C-2,3,4,7,8-P <sub>5</sub> CDF .....		0.1392 mg/Kg.....	99.9 µg/L	
13C-1,2,3,4,7,8- <i>HCDF</i> .....		0.1389 mg/Kg.....	99.7 µg/L	
13C-1,2,3,6,7,8- <i>HCDF</i> .....		0.1394 mg/Kg.....	100.0 µg/L	
13C-2,3,4,6,7,8- <i>HCDF</i> .....		0.1394 mg/Kg.....	100.0 µg/L	
13C-1,2,3,4,6,7,8- <i>HCDF</i> .....		0.2787 mg/Kg.....	200.0 µg/L	
13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF .....		0.2787 mg/Kg.....	200.0 µg/L	
BCR-614S8		Solution of Polychlorodibenzo-p-dioxins in n-Nonane	Amp.	
	Certified values	Indicative values		
	13C-1,2,3,7,8,9- <i>HCDD</i> .....	0.558 mg/kg.....	400.5 µg/L	
13C-1,2,3,4-T <sub>4</sub> CDD .....	0.5574 mg/kg.....	400.0 µg/L		

## Perfluorinated compounds

Code	Product	Unit
BCR-614SO	Solution of Polychlorodibenzo-p-dioxins and Polychlorodibenzofurans in n-Nonane The solution is intended for very low level determinations of PCDD/Fs, e. g. in case of milk analysis.	Amp.
	Certified values      Indicative values	
	2,3,7,8-T <sub>4</sub> CDD ..... 0.000137 mg/kg..... 0.0983 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDD ..... 0.000698 mg/kg..... 0.501 µg/L	
	1,2,3,4,7,8-HCDD ..... 0.000688 mg/kg..... 0.494 µg/L	
	1,2,3,6,7,8-HCDD ..... 0.000696 mg/kg..... 0.500 µg/L	
	1,2,3,7,8,9-HCDD ..... 0.000705 mg/kg..... 0.506 µg/L	
	1,2,3,4,6,7,8-HCDD ..... 0.001400 mg/kg..... 1.005 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDD..... 0.001396 mg/kg..... 1.001 µg/L	
	2,3,7,8-T <sub>4</sub> CDF ..... 0.0001397 mg/kg..... 0.1002 µg/L	
	1,2,3,7,8-P <sub>5</sub> CDF ..... 0.000707 mg/kg..... 0.507 µg/L	
	2,3,4,7,8-P <sub>5</sub> CDF ..... 0.000698 mg/kg..... 0.501 µg/L	
	1,2,3,4,7,8-HCDF ..... 0.000700 mg/kg..... 0.502 µg/L	
	1,2,3,6,7,8-HCDF ..... 0.000698 mg/kg..... 0.501 µg/L	
	1,2,3,7,8,9-HCDF ..... 0.000699 mg/kg..... 0.502 µg/L	
	2,3,4,6,7,8-HCDF ..... 0.000694 mg/kg..... 0.498 µg/L	
	1,2,3,4,6,7,8-HCDF ..... 0.001396 mg/kg..... 1.001 µg/L	
	1,2,3,4,7,8,9-HCDF ..... 0.001394 mg/kg..... 1.001 µg/L	
	1,2,3,4,6,7,8,9-O <sub>8</sub> CDF ..... 0.001397 mg/kg..... 1.002 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDD ..... 0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDD ..... 0.0139 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,7,8-HCDD ..... 0.01398 mg/kg..... 10.03 µg/L	
	13C-1,2,3,6,7,8-HCDD ..... 0.01394 mg/kg..... 10.00 µg/L	
	13C-1,2,3,7,8,9-HCDD ..... 0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,4,6,7,8-HCDD ..... 0.0279 mg/kg..... 20.0 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDD ..... 0.02787 mg/kg..... 20.00 µg/L	
	13C-2,3,7,8-T <sub>4</sub> CDF ..... 0.01396 mg/kg..... 10.02 µg/L	
	13C-1,2,3,7,8-P <sub>5</sub> CDF ..... 0.01394 mg/kg..... 10.00 µg/L	
	13C-2,3,4,7,8-P <sub>5</sub> CDF ..... 0.01395 mg/kg..... 10.01 µg/L	
	13C-1,2,3,4,7,8-HCDF ..... 0.01390 mg/kg..... 9.97 µg/L	
	13C-1,2,3,6,7,8-HCDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,7,8,9-HCDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-2,3,4,6,7,8-HCDF ..... 0.01393 mg/kg..... 10.00 µg/L	
	13C-1,2,3,4,6,7,8-HCDF ..... 0.02792 mg/kg..... 20.03 µg/L	
	13C-1,2,3,4,7,8,9-HCDF ..... 0.02787 mg/kg..... 20.00 µg/L	
	13C-1,2,3,4,6,7,8,9-O <sub>8</sub> CDF ..... 0.02788 mg/kg..... 20.01 µg/L	
	13C-1,2,3,4-T <sub>4</sub> CDD ..... 0.01394 mg/kg..... 10.00 µg/L	

Further isotope labelled and unlabelled dioxin and furan mixtures see "Environmental contaminant standards from CIL".

## Perfluorinated compounds

### Labelled perfluorocarboxylic acids

Code	Product	Unit
CIL-CLM-8005-1.2	Perfluorooctanoic acid (PFOA) ( <sup>13</sup> C <sub>8</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
CIL-CLM-8060-1.2	Perfluorononanoic acid ( <sup>13</sup> C <sub>9</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-CLM-8172-1.2	Perfluorodecanoic acid (PFDA) ( <sup>13</sup> C <sub>9</sub> ,99%) 50 µg/mL in Methanol	1.2 mL

### Native perfluorocarboxylic acids

CIL-U LM-7451-1.2	Perfluorooctanoic acid (PFOA) (unlabelled) 50 µg/mL in Methanol	1.2 mL
CIL-U LM-8066-1.2	Perfluorononanoic acid (PFNA) (unlabelled) 50 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-U LM-8067-1.2	Perfluorodecanoic acid (PFDA) (unlabelled) 50 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-U LM-8084-1.2	Perfluoroundecanoic acid (unlabelled) 50 µg/mL in Methanol	1.2 mL

## Hydrocarbons

## n-Alkane mixtures

Code	Product	Unit																																																
NIST-2285	Arson Test Mixture in Methylene Chloride This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use in the calibration of chromatographic instrumentation used for the classification of an ignitable liquid residue. This SRM <sup>®</sup> is a solution of 15 compounds, including even carbon number aliphatic hydrocarbons from hexane to tetracosane, toluene, p-xylene, 2-ethyltoluene, 3-ethyltoluene, and 1,2,4-trimethylbenzene in methylene chloride. Certified values	5 x 1.2 mL																																																
	<table border="1"> <thead> <tr> <th>Compound</th> <th>CAS Registry No.</th> <th>Certified concentration</th> </tr> </thead> <tbody> <tr><td>n-Hexane</td><td>110-54-3</td><td>1.004 ± 0.038 mg/g</td></tr> <tr><td>n-Octane</td><td>111-65-9</td><td>1.130 ± 0.040 mg/g</td></tr> <tr><td>n-Decane</td><td>124-18-5</td><td>1.015 ± 0.023 mg/g</td></tr> <tr><td>n-Dodecane</td><td>112-40-3</td><td>1.371 ± 0.031 mg/g</td></tr> <tr><td>n-Tetradecane</td><td>629-59-4</td><td>1.307 ± 0.030 mg/g</td></tr> <tr><td>n-Hexadecane</td><td>544-76-3</td><td>1.064 ± 0.030 mg/g</td></tr> <tr><td>n-Octadecane</td><td>593-45-3</td><td>1.250 ± 0.043 mg/g</td></tr> <tr><td>n-Eicosane</td><td>112-95-8</td><td>1.382 ± 0.047 mg/g</td></tr> <tr><td>n-Docosane</td><td>629-97-0</td><td>1.356 ± 0.032 mg/g</td></tr> <tr><td>n-Tetracosane</td><td>646-31-1</td><td>1.481 ± 0.046 mg/g</td></tr> <tr><td>Toluene</td><td>108-88-3</td><td>1.249 ± 0.046 mg/g</td></tr> <tr><td>p-Xylene</td><td>106-42-3</td><td>1.360 ± 0.042 mg/g</td></tr> <tr><td>2-Ethyltoluene</td><td>611-14-3</td><td>1.284 ± 0.028 mg/g</td></tr> <tr><td>3-Ethyltoluene</td><td>620-14-4</td><td>1.243 ± 0.026 mg/g</td></tr> <tr><td>1,2,4-Trimethylbenzene</td><td>95-63-6</td><td>1.249 ± 0.031 mg/g</td></tr> </tbody> </table>	Compound	CAS Registry No.	Certified concentration	n-Hexane	110-54-3	1.004 ± 0.038 mg/g	n-Octane	111-65-9	1.130 ± 0.040 mg/g	n-Decane	124-18-5	1.015 ± 0.023 mg/g	n-Dodecane	112-40-3	1.371 ± 0.031 mg/g	n-Tetradecane	629-59-4	1.307 ± 0.030 mg/g	n-Hexadecane	544-76-3	1.064 ± 0.030 mg/g	n-Octadecane	593-45-3	1.250 ± 0.043 mg/g	n-Eicosane	112-95-8	1.382 ± 0.047 mg/g	n-Docosane	629-97-0	1.356 ± 0.032 mg/g	n-Tetracosane	646-31-1	1.481 ± 0.046 mg/g	Toluene	108-88-3	1.249 ± 0.046 mg/g	p-Xylene	106-42-3	1.360 ± 0.042 mg/g	2-Ethyltoluene	611-14-3	1.284 ± 0.028 mg/g	3-Ethyltoluene	620-14-4	1.243 ± 0.026 mg/g	1,2,4-Trimethylbenzene	95-63-6	1.249 ± 0.031 mg/g	
Compound	CAS Registry No.	Certified concentration																																																
n-Hexane	110-54-3	1.004 ± 0.038 mg/g																																																
n-Octane	111-65-9	1.130 ± 0.040 mg/g																																																
n-Decane	124-18-5	1.015 ± 0.023 mg/g																																																
n-Dodecane	112-40-3	1.371 ± 0.031 mg/g																																																
n-Tetradecane	629-59-4	1.307 ± 0.030 mg/g																																																
n-Hexadecane	544-76-3	1.064 ± 0.030 mg/g																																																
n-Octadecane	593-45-3	1.250 ± 0.043 mg/g																																																
n-Eicosane	112-95-8	1.382 ± 0.047 mg/g																																																
n-Docosane	629-97-0	1.356 ± 0.032 mg/g																																																
n-Tetracosane	646-31-1	1.481 ± 0.046 mg/g																																																
Toluene	108-88-3	1.249 ± 0.046 mg/g																																																
p-Xylene	106-42-3	1.360 ± 0.042 mg/g																																																
2-Ethyltoluene	611-14-3	1.284 ± 0.028 mg/g																																																
3-Ethyltoluene	620-14-4	1.243 ± 0.026 mg/g																																																
1,2,4-Trimethylbenzene	95-63-6	1.249 ± 0.031 mg/g																																																
U-UST-210-1	DRO Mixture (Tennessee/Mississippi) 1000 µg/mL of each analyte in Methylene chloride.	1 mL																																																
	<table border="1"> <tbody> <tr> <td>n-Decane</td> <td>n-Tetradecane</td> <td>n-Octadecane</td> <td>n-Docosane</td> </tr> <tr> <td>n-Undecane</td> <td>n-Pentadecane</td> <td>n-Nonadecane</td> <td>n-Tricosane</td> </tr> <tr> <td>n-Dodecane</td> <td>n-Hexadecane</td> <td>n-Eicosane</td> <td>n-Tetracosane</td> </tr> <tr> <td>n-Tridecane</td> <td>n-Heptadecane</td> <td>n-Heneicosane</td> <td>n-Pentacosane</td> </tr> </tbody> </table>	n-Decane	n-Tetradecane	n-Octadecane	n-Docosane	n-Undecane	n-Pentadecane	n-Nonadecane	n-Tricosane	n-Dodecane	n-Hexadecane	n-Eicosane	n-Tetracosane	n-Tridecane	n-Heptadecane	n-Heneicosane	n-Pentacosane																																	
n-Decane	n-Tetradecane	n-Octadecane	n-Docosane																																															
n-Undecane	n-Pentadecane	n-Nonadecane	n-Tricosane																																															
n-Dodecane	n-Hexadecane	n-Eicosane	n-Tetracosane																																															
n-Tridecane	n-Heptadecane	n-Heneicosane	n-Pentacosane																																															
U-UST-210	DRO Mixture (Tennessee/Mississippi)	4 x 1 mL																																																
<b>New</b> U-SAK-100-1	GRO Mixture 5 Analytes 2000 µg/mL of each analyte in Methanol	1 mL																																																
	<table border="1"> <tbody> <tr> <td>n-Hexane (C6)</td> <td>n-Octane (C8)</td> <td>n-Decane (C10)</td> </tr> <tr> <td>n-Heptane (C7)</td> <td>n-Nonane (C9)</td> <td></td> </tr> </tbody> </table>	n-Hexane (C6)	n-Octane (C8)	n-Decane (C10)	n-Heptane (C7)	n-Nonane (C9)																																												
n-Hexane (C6)	n-Octane (C8)	n-Decane (C10)																																																
n-Heptane (C7)	n-Nonane (C9)																																																	
<b>New</b> U-SAK-100	GRO Mixture	4 x 1 mL																																																
<b>New</b> U-SMA-310-1	Aliphatic Hydrocarbon Standard 14 Analytes 1000 µg/mL of each analyte in Hexane	1 mL																																																
	<table border="1"> <tbody> <tr> <td>n-Nonane (C9)</td> <td>n-Eicosane (C20)</td> </tr> <tr> <td>n-Decane (C10)</td> <td>n-Docosane (C22)</td> </tr> <tr> <td>n-Dodecane (C12)</td> <td>n-Tetracosane (C24)</td> </tr> <tr> <td>n-Tetradecane (C14)</td> <td>n-Hexacosane (C26)</td> </tr> <tr> <td>n-Hexadecane (C16)</td> <td>n-Octacosane (C28)</td> </tr> <tr> <td>n-Octadecane (C18)</td> <td>n-Triacontane (C30)</td> </tr> <tr> <td>n-Nonadecane (C19)</td> <td>n-Hexatriacontane (C36)</td> </tr> </tbody> </table>	n-Nonane (C9)	n-Eicosane (C20)	n-Decane (C10)	n-Docosane (C22)	n-Dodecane (C12)	n-Tetracosane (C24)	n-Tetradecane (C14)	n-Hexacosane (C26)	n-Hexadecane (C16)	n-Octacosane (C28)	n-Octadecane (C18)	n-Triacontane (C30)	n-Nonadecane (C19)	n-Hexatriacontane (C36)																																			
n-Nonane (C9)	n-Eicosane (C20)																																																	
n-Decane (C10)	n-Docosane (C22)																																																	
n-Dodecane (C12)	n-Tetracosane (C24)																																																	
n-Tetradecane (C14)	n-Hexacosane (C26)																																																	
n-Hexadecane (C16)	n-Octacosane (C28)																																																	
n-Octadecane (C18)	n-Triacontane (C30)																																																	
n-Nonadecane (C19)	n-Hexatriacontane (C36)																																																	
<b>New</b> U-SMA-310	Aliphatic Hydrocarbon Standard	4 x 1 mL																																																
NE3613	Alkane Standard Solution CERTAN <sup>®</sup> 100 µg/mL of each analyte in Cyclohexane.	1.5 mL																																																
	<table border="1"> <tbody> <tr> <td>n-Decane</td> <td>n-Octadecane</td> <td>n-Hexacosane</td> <td>n-Tetracontane</td> </tr> <tr> <td>n-Dodecane</td> <td>n-Eicosane</td> <td>n-Octacosane</td> <td>n-Hexatriacontane</td> </tr> <tr> <td>n-Tetradecane</td> <td>n-Docosane</td> <td>n-Triacontane</td> <td>n-Octatriacontane</td> </tr> <tr> <td>n-Hexadecane</td> <td>n-Tetracosane</td> <td>n-Dotriacontane</td> <td>n-Tetracontane</td> </tr> </tbody> </table>	n-Decane	n-Octadecane	n-Hexacosane	n-Tetracontane	n-Dodecane	n-Eicosane	n-Octacosane	n-Hexatriacontane	n-Tetradecane	n-Docosane	n-Triacontane	n-Octatriacontane	n-Hexadecane	n-Tetracosane	n-Dotriacontane	n-Tetracontane																																	
n-Decane	n-Octadecane	n-Hexacosane	n-Tetracontane																																															
n-Dodecane	n-Eicosane	n-Octacosane	n-Hexatriacontane																																															
n-Tetradecane	n-Docosane	n-Triacontane	n-Octatriacontane																																															
n-Hexadecane	n-Tetracosane	n-Dotriacontane	n-Tetracontane																																															
NE1312	Alkane Standard Solution in CERTAN <sup>®</sup> 100 µg/mL of each analyte in Petroleum ether (30 - 60°C).	1.5 mL																																																
	<table border="1"> <tbody> <tr> <td>n-Decane</td> <td>n-Octadecane</td> <td>n-Hexacosane</td> <td>n-Tetracontane</td> </tr> <tr> <td>n-Dodecane</td> <td>n-Eicosane</td> <td>n-Octacosane</td> <td>n-Hexatriacontane</td> </tr> <tr> <td>n-Tetradecane</td> <td>n-Docosane</td> <td>n-Triacontane</td> <td>n-Octatriacontane</td> </tr> <tr> <td>n-Hexadecane</td> <td>n-Tetracosane</td> <td>n-Dotriacontane</td> <td>n-Tetracontane</td> </tr> </tbody> </table>	n-Decane	n-Octadecane	n-Hexacosane	n-Tetracontane	n-Dodecane	n-Eicosane	n-Octacosane	n-Hexatriacontane	n-Tetradecane	n-Docosane	n-Triacontane	n-Octatriacontane	n-Hexadecane	n-Tetracosane	n-Dotriacontane	n-Tetracontane																																	
n-Decane	n-Octadecane	n-Hexacosane	n-Tetracontane																																															
n-Dodecane	n-Eicosane	n-Octacosane	n-Hexatriacontane																																															
n-Tetradecane	n-Docosane	n-Triacontane	n-Octatriacontane																																															
n-Hexadecane	n-Tetracosane	n-Dotriacontane	n-Tetracontane																																															
U-SFL-601-1	TRPH Standard (Florida) 500 µg/mL of each analyte in Hexane.	1 mL																																																
	<table border="1"> <tbody> <tr> <td>n-Octane</td> <td>n-Octadecane</td> <td>n-Octacosane</td> <td>n-Octatriacontane</td> </tr> <tr> <td>n-Decane</td> <td>n-Eicosane</td> <td>n-Triacontane</td> <td>n-Tetracontane</td> </tr> <tr> <td>n-Dodecane</td> <td>n-Docosane</td> <td>n-Dotriacontane</td> <td></td> </tr> <tr> <td>n-Tetradecane</td> <td>n-Tetracosane</td> <td>n-Tetracontane</td> <td></td> </tr> <tr> <td>n-Hexadecane</td> <td>n-Hexacosane</td> <td>n-Hexatriacontane</td> <td></td> </tr> </tbody> </table>	n-Octane	n-Octadecane	n-Octacosane	n-Octatriacontane	n-Decane	n-Eicosane	n-Triacontane	n-Tetracontane	n-Dodecane	n-Docosane	n-Dotriacontane		n-Tetradecane	n-Tetracosane	n-Tetracontane		n-Hexadecane	n-Hexacosane	n-Hexatriacontane																														
n-Octane	n-Octadecane	n-Octacosane	n-Octatriacontane																																															
n-Decane	n-Eicosane	n-Triacontane	n-Tetracontane																																															
n-Dodecane	n-Docosane	n-Dotriacontane																																																
n-Tetradecane	n-Tetracosane	n-Tetracontane																																																
n-Hexadecane	n-Hexacosane	n-Hexatriacontane																																																

## BTEX mixtures

Code	Product	Unit
U-SFL-601	TRPH Standard (Florida)	4 x 1 mL
<b>New</b> U-SNJ-200-1	TRPH Standard (New Jersey) 35 Analytes 500 µg/mL of each analyte in Methylene chloride n-Octane (C8) n-Nonane (C9) n-Decane (C10) n-Undecane (C11) n-Dodecane (C12) n-Tridecane (C13) n-Tetradecane (C14) n-Pentadecane (C15) n-Hexadecane (C16) n-Heptadecane (C17) n-Octadecane (C18) n-nonadecane (C19) n-Eicosane (C20) n-Heneicosane (C21) n-Docosane (C22) n-Tricosane (C23) n-Tetracosane (C24) n-Pentacosane (C25)	1 mL
<b>New</b> U-SNJ-200	TRPH Standard (New Jersey)	4 x 1 mL
U-ASTM-110-1	ASTM Method D2887 Column Test Mixture n-Hexane ..... 6 % (w/w) n-Heptane ..... 6 % (w/w) n-Octane ..... 8 % (w/w) n-Nonane ..... 8 % (w/w) n-Decane ..... 12 % (w/w) n-Undecane ..... 12 % (w/w) n-Dodecane ..... 12 % (w/w) n-Tetradecane ..... 12 % (w/w) n-Hexadecane ..... 10 % (w/w) n-Octadecane ..... 5 % (w/w) n-Eicosane ..... 2 % (w/w) n-Tetracosane ..... 2 % (w/w) n-Octacosane ..... 1 % (w/w) n-Dotriacontane ..... 1 % (w/w) n-Hexatriacontane ..... 1 % (w/w) n-Tetracontane ..... 1 % (w/w) n-Tetratetracontane ... 1 % (w/w)	1 mL
U-ASTM-110	ASTM Method D2887 Column Test Mixture	4 x 1 mL
NE6951	Alkane Mix 1 CERTAN® 50 µg/mL of each analyte in Methanol n-Pentane n-Hexane n-Heptane n-Octane n-Nonane n-Decane n-Undecane n-Dodecane n-Tridecane n-Tetradecane	1.5 mL
CERERD-062	Diesel Range Organics 1000 µg/mL of each analyte in Hexane. n-Decane n-Dodecane n-Tetradecane n-Hexadecane n-Octadecane n-Eicosane n-Docosane n-Tetracosane n-Hexacosane n-Octacosane	1.2 mL

## BTEX mixtures

Code	Product	Unit
U-BTX-100-1	BTEX Mixture 100 µg/mL of each analyte in Methanol. Benzene Ethylbenzene Toluene m-Xylene o-Xylene p-Xylene	1 mL
U-BTX-100	BTEX Mixture	4 x 1 mL
U-BTX-110-1	BTEX Mixture 200 µg/mL of each analyte in Methanol Benzene Ethylbenzene Toluene o-Xylene m-Xylene p-Xylene	1 mL
U-BTX-110	BTEX Mixture	4 x 1 mL
U-BTX-2000N	BTEX Mixture 2000 µg/mL in Methanol. Benzene Ethylbenzene Toluene m-Xylene o-Xylene p-Xylene	1 mL
U-BTX-2000N-4	BTEX Mixture	4 x 1 mL
U-UST-141-1	Revised PVOC Mixture (California) 1000 µg/mL of each analyte in Methanol. Benzene Ethylbenzene tert-Butylmethyl ether (MTBE) Toluene o-Xylene m-Xylene p-Xylene	1 mL
U-UST-141	Revised PVOC Mixture (California)	4 x 1 mL

## BTEX mixtures

Code	Product	Unit
NE6851	<b>BTEX Mix 1 CERTAN®</b> Solvent: Methanol Benzene..... 50 µg/mL      m-Xylene..... 50 µg/mL Toluene..... 50 µg/mL      p-Xylene..... 50 µg/mL Ethylbenzene..... 50 µg/mL      o-Xylene..... 50 µg/mL	1.5 mL
NE6856	<b>BTEX Mix 6 CERTAN®</b> Solvent: Methanol Benzene..... 50 µg/mL      Cumol..... 50 µg/mL Toluene..... 50 µg/mL      Propylbenzene..... 50 µg/mL Ethylbenzene..... 50 µg/mL      1,2,3-Trimethylbenzene..... 50 µg/mL m-Xylene..... 50 µg/mL      1,2,4-Trimethylbenzene..... 50 µg/mL p-Xylene..... 50 µg/mL      1,3,5-Trimethylbenzene..... 50 µg/mL o-Xylene..... 50 µg/mL      Naphthalene..... 100 µg/mL Styrene..... 50 µg/mL	1.5 mL
NE6857	<b>BTEX Mix 7 CERTAN®</b> Solvent: Methanol Benzene..... 50 µg/mL      Propylbenzene..... 50 µg/mL Toluene..... 50 µg/mL      1,2,3-Trimethylbenzene..... 50 µg/mL Ethylbenzene..... 50 µg/mL      1,2,4-Trimethylbenzene..... 50 µg/mL m-Xylene..... 50 µg/mL      1,3,5-Trimethylbenzene..... 50 µg/mL p-Xylene..... 50 µg/mL      o-Ethyltoluene..... 50 µg/mL o-Xylene..... 50 µg/mL      m-Ethyltoluene..... 50 µg/mL Styrene..... 50 µg/mL      p-Ethyltoluene..... 50 µg/mL Cumol..... 50 µg/mL      Naphthalene..... 100 µg/mL	1.5 mL
NE6857H	<b>Ready-for-use BTEX Mix 7</b> Ready-for-use calibration solutions for headspace analysis are delivered in different types of head space ampoules and are ready for use. When ordering please indicate the type of head space ampoule you need. Each headspace ampoule contains 10 ml of solution. Water with small amounts of methanol is used as the solvent. Benzene.....500 µg/L      Propylbenzene..... 500 µg/L Toluene.....500 µg/L      1,2,3-Trimethylbenzene..... 500 µg/L Ethylbenzene.....500 µg/L      1,2,4-Trimethylbenzene..... 500 µg/L m-Xylene.....500 µg/L      1,3,5-Trimethylbenzene..... 500 µg/L p-Xylene.....500 µg/L      o-Ethyltoluene..... 500 µg/L o-Xylene.....500 µg/L      m-Ethyltoluene..... 500 µg/L Styrene.....500 µg/L      p-Ethyltoluene..... 500 µg/L Cumol.....500 µg/L      Naphthalene..... 1000 µg/L	5 amps.
NE4620	<b>BTEX Standard Solution CERTAN®</b> Solvent: Methanol Benzene..... 2000 µg/mL      Toluene.....2000 µg/mL      p-Xylene..... 1000 µg/mL Ethylbenzene..... 2000 µg/mL      o-Xylene.....2000 µg/mL      m-Xylene..... 1000 µg/mL	1.5 mL
NE4621	<b>Aromatic Hydrocarbon Mix CERTAN®</b> Solvent: Methanol Benzene..... 2000 µg/mL      m-Xylene..... 1000 µg/mL Ethylbenzene..... 2000 µg/mL      Styrene..... 2000 µg/mL Toluene..... 2000 µg/mL      Chlorobenzene..... 2000 µg/mL o-Xylene..... 2000 µg/mL      1,4-Dichlorobenzene..... 2000 µg/mL p-Xylene..... 1000 µg/mL	1.5 mL
NE4630	<b>Aromatic Hydrocarbon Mix CERTAN®</b> Solvent: Methanol Benzene..... 2000 µg/mL      m-Xylene..... 1000 µg/mL Ethylbenzene..... 2000 µg/mL      1,2,3-Trimethylbenzene..... 2000 µg/mL Toluene..... 2000 µg/mL      1,2,4-Trimethylbenzene..... 2000 µg/mL o-Xylene..... 2000 µg/mL      1,3,5-Trimethylbenzene..... 2000 µg/mL p-Xylene..... 1000 µg/mL	1.5 mL
CERERB-039S	<b>BTEX Standard Solution</b> 100 µg/mL of each analyte in Methanol. Benzene      Toluene      m-Xylene Ethylbenzene      o-Xylene      p-Xylene	4 x 1.2 mL
NE4622	<b>BTEX Standard Solution CERTAN®</b> 100 µg/mL of each analyte in Methanol. Benzene      Toluene      m-Xylene Ethylbenzene      o-Xylene      p-Xylene	4.5 mL
CERERG-005	<b>Gasoline Range Organics</b> 1000 µg/mL of each analyte in Methanol. Benzene      1,2,4-Trimethylbenzene Ethylbenzene      1,3,5-Trimethylbenzene Methyl-t-butyl ether      o-Xylene Naphthalene      m-Xylene Toluene      p-Xylene	1.2 mL



# BTEX mixtures

Code	Product	Unit
<b>New</b> U-UST-110-1	GRO Mixture (EPA) 9 Analytes Solvent: Methanol Benzene ..... 500 µg/mL Ethylbenzene ..... 500 µg/mL n-Heptane ..... 500 µg/mL 2-Methylpentane ..... 1500 µg/mL Toluene ..... 1500 µg/mL 1,2,4-Trimethylbenzene ..... 1000 µg/mL 2,2,4-Trimethylpentane ..... 1500 µg/mL o-Xylene ..... 1000 µg/mL m-Xylene ..... 1000 µg/mL	1 mL
<b>New</b> U-UST-110	GRO Mixture (EPA)	4 x 1 mL
<b>New</b> U-UST-120-1	GRO Mixture 9 Analytes 1000 µg/mL of each analyte in Methanol Benzene Ethylbenzene 3-Methylpentane Naphthalene Toluene 1,2,4-Trimethylbenzene 2,2,4-Trimethylpentane (Isooctane) o-Xylene m-Xylene	1 mL
<b>New</b> U-UST-120	GRO Mixture	4 x 1 mL
NE6905	Haloalkanes/BTEX Mix 5 CERTAN® Solvent: Methanol Dichloromethane ..... 40 µg/mL trans-Dichloroethene ..... 40 µg/mL cis-Dichloroethene ..... 120 µg/mL Chloroform ..... 3 µg/mL 1,1,1-Trichloroethane ..... 1.5 µg/mL Tetrachloromethane ..... 0.2 µg/mL Trichloroethene ..... 2.5 µg/mL Tetrachloroethene ..... 0.5 µg/mL Benzene ..... 50 µg/mL Toluene ..... 50 µg/mL Ethylbenzene ..... 50 µg/mL m-Xylene ..... 50 µg/mL p-Xylene ..... 50 µg/mL o-Xylene ..... 50 µg/mL Styrene ..... 50 µg/mL Cumol ..... 50 µg/mL Propylbenzene ..... 50 µg/mL 1,2,3-Trimethylbenzene ..... 50 µg/mL 1,2,4-Trimethylbenzene ..... 50 µg/mL 1,3,5-Trimethylbenzene ..... 50 µg/mL Naphthalene ..... 100 µg/mL	1.5 mL
NE6905H	Ready-for-use Haloalkanes/BTEX Mix 5 Ready-for-use calibration solutions for headspace analysis are delivered in different types of head space ampoules and are ready for use. When ordering please indicate the type of head space ampoule you need. Each headspace ampoule contains 10 mL of solution. Water with small amounts of methanol is used as the solvent. Dichloromethane ..... 400 µg/L trans-Dichloroethene ..... 400 µg/L cis-Dichloroethene ..... 1200 µg/L Chloroform ..... 30 µg/L 1,1,1-Trichloroethane ..... 15 µg/L Tetrachloromethane ..... 2 µg/L Trichloroethene ..... 25 µg/L Tetrachloroethene ..... 5 µg/L Benzene ..... 500 µg/L Toluene ..... 500 µg/L Ethylbenzene ..... 500 µg/L m-Xylene ..... 500 µg/L p-Xylene ..... 500 µg/L o-Xylene ..... 500 µg/L Styrene ..... 500 µg/L Cumol ..... 500 µg/L Propylbenzene ..... 500 µg/L 1,2,3-Trimethylbenzene ..... 500 µg/L 1,2,4-Trimethylbenzene ..... 500 µg/L 1,3,5-Trimethylbenzene ..... 500 µg/L Naphthalene ..... 1000 µg/L	5 amps.
NIST-1494	Aliphatic congeners in 2,2,4-Trimethylpentane (Isooctane) Certified values Concentration Compound CAS Registry No. (µg/g) (µg/mL) n-Decane ..... 124-18-5 ..... 178.2 ± 4.5 ..... 122.9 ± 3.1 n-Undecane ..... 1120-21-4 ..... 203.2 ± 5.3 ..... 140.2 ± 3.7 n-Dodecane ..... 112-40-3 ..... 178.9 ± 4.4 ..... 123.4 ± 3.0 n-Tridecane ..... 629-50-5 ..... 167.7 ± 3.8 ..... 115.7 ± 2.6 n-Tetradecane ..... 629-59-4 ..... 166.1 ± 3.8 ..... 114.6 ± 2.6 n-Pentadecane ..... 629-62-9 ..... 161.9 ± 3.7 ..... 111.7 ± 2.6 n-Hexadecane ..... 544-76-3 ..... 141.1 ± 3.0 ..... 97.3 ± 2.1 n-Heptadecane ..... 629-78-7 ..... 131.7 ± 2.9 ..... 90.9 ± 2.0 Pristane ..... 1921-70-6 ..... 80.5 ± 2.1 ..... 55.5 ± 1.4 n-Octadecane ..... 593-45-3 ..... 121.9 ± 2.8 ..... 84.1 ± 1.9 Phytane ..... 638-36-8 ..... 9.31 ± 0.29 ..... 6.42 ± 0.20 n-Nonadecane ..... 629-92-5 ..... 105.2 ± 2.5 ..... 72.6 ± 1.7 n-Eicosane ..... 112-95-8 ..... 102.7 ± 4.4 ..... 70.9 ± 3.0 n-Docosane ..... 629-97-0 ..... 81.8 ± 1.8 ..... 56.4 ± 1.2 n-Tetracosane ..... 646-31-1 ..... 61.3 ± 1.8 ..... 42.3 ± 1.2 n-Hexacosane ..... 630.02-4 ..... 44.8 ± 1.2 ..... 30.9 ± 0.8 n-Octacosane ..... 646-31-1 ..... 30.71 ± 0.95 ..... 21.19 ± 0.66 n-Triacontane ..... 638-68-6 ..... 21.85 ± 0.65 ..... 15.07 ± 0.45 n-Dotriacontane ..... 544-85-4 ..... 17.58 ± 0.60 ..... 12.13 ± 0.41 n-Tetracontane ..... 14167-59-0 ..... 15.18 ± 0.43 ..... 10.47 ± 0.3	5 x 1.2 mL

## Polycyclic aromatic compounds

### Introduction

The Polycyclic Aromatic Compounds (PACs) contain the largest number of confirmed and suspected carcinogenic and/or mutagenic chemical compounds known to man. The term PAC is used to describe both the homocyclic and hetero-cyclic compounds. The parent homocyclic polyaromatic hydrocarbons are well known by abbreviation PAH. Work on these compounds started in the early 1930's when Dibenzo(a,h)anthracene was identified as the first chemical carcinogen, and Benzo(a)pyrene isolated from coal tar as a cancer producing hydrocarbon. The many anthropogenic sources of potential PAC carcinogens led to work on the substituted PAHs - usually nitro, amino, methyl or hydroxy - and on the more polar heterocyclic compounds such as the nitrogen, sulfur or oxygen containing PACs.

### Nomenclature

The IUPAC nomenclature has not been followed in all cases. Examples are Benzo(b)fluoranthene, Benzo(a)pyrene and Anthanthrene which are frequently not recognised under their respective IUPAC names of Benzo(e)acephenanthrylene, Benzo(def)chrysene and Dibenzo(def,mno)chrysene. Cross references are given. The substituted compounds are listed under the parent compound e.g.

Chrysene  
Chrysene, 1-methyl  
Chrysene, 2-methyl

Code	Product	Unit
U-RAH-001	Acenaphthene	100 mg
CERERA-009	Acenaphthene	250 mg
U-P-610-1	Acenaphthene 100 µg/mL in Methanol	1 mL
U-P-610	Acenaphthene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1064	Acenaphthene 5000 µg/mL in Methanol	1 mL
CERERA-033S	Acenaphthene 5000 µg/mL in Methanol	1.2 mL
U-ATS-110-1	Acenaphthene-D <sub>10</sub> 2000 µg/mL in Methylene chloride	1 mL
U-ATS-110	Acenaphthene-D <sub>10</sub> 2000 µg/mL in Methylene chloride	4 x 1 mL
CIL-DLM-108-1.2	Acenaphthene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-108-0.1	Acenaphthene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-108-1	Acenaphthene (D <sub>10</sub> ,98%)	1 g
CIL-DLM-108-5	Acenaphthene (D <sub>10</sub> ,98%)	5 g
CIL-CLM-1643-1.2	Acenaphthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-064	Acenaphthylene	100 mg
CERERA-005	Acenaphthylene	100 mg
U-P-620-1	Acenaphthylene 100 µg/mL in Methanol	1 mL
U-P-620	Acenaphthylene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1065	Acenaphthylene 5000 µg/mL in Methanol	1 mL
CERERA-034S	Acenaphthylene 5000 µg/mL in Methanol	1.2 mL
CIL-DLM-2204-1.2	Acenaphthylene (D <sub>8</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2204-0.1	Acenaphthylene (D <sub>8</sub> ,98%)	0.1 g
CIL-CLM-2477-1.2	Acenaphthylene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-849-0.1	Acridine (D <sub>9</sub> ,98%)	0.1 g
CIL-DLM-849-0.5	Acridine (D <sub>9</sub> ,98%)	0.5 g
U-RAH-082	Anthanthrene	10 mg
BCR-091	Anthanthrene	100 mg
U-RAH-002	Anthracene	100 mg
CERERA-010	Anthracene	250 mg
U-P-630-1	Anthracene 100 µg/mL in Methylene chloride	1 mL
U-P-630	Anthracene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1070	Anthracene 1000 µg/mL in Acetone	1 mL
CERERA-035S	Anthracene 1000 µg/mL in Acetone	1.2 mL
CIL-DLM-102-1.2	Anthracene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL

## Polycyclic aromatic compounds

Code	Product	Unit
CIL-DLM-102-1	Anthracene (D <sub>10</sub> ,98%)	1 g
CIL-DLM-102-5	Anthracene (D <sub>10</sub> ,98%)	5 g
CIL-CLM-1333-1.2	Anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-021	Anthracene, 9,10-dihydro	100 mg
U-RAH-024	Anthracene, 9,10-dimethyl	10 mg
U-RAH-098	Anthracene, 1-methyl	10 mg
U-RAH-036	Anthracene, 2-methyl	100 mg
U-RAH-037	Anthracene, 9-methyl	100 mg
BCR-308	Anthracene, 9-nitro	10 mg
U-RAH-086	Anthracene, 9,10-diphenyl	100 mg
U-RAH-089	Anthracene, 9-phenyl	100 mg
IPO 007	Anthraquinone	250 mg
	7-Azabenz(a)anthracene see Benzo(a)acridine 12-Azabenz(a)anthracene see Benzo(c)acridine 7-Azabenz(a)naphthacene see Dibenzo(a,i)acridine	
BCR-092	10-Azabenz(a)pyrene	100 mg
	9-Azabenz(b)triphenylene see Dibenzo(a,c)acridine 7-Azadibenzo(a,h)anthracene see Dibenzo(a,h)acridine 14-Azadibenzo(a,j)anthracene see Dibenzo(a,j)acridine 7-Azadibenzo(a,j)anthracene see Dibenzo(c,h)acridine 7-Aza-7H-dibenzo(c,g)fluorene see 7H Dibenzo(c,g)carbazole	
U-RAH-003	Azulene	10 mg
	1,2-Benzacridine see Benzo(a)acridine 3,4-Benzacridine see Benzo(c)acridine 1,2-Benzanthracene see Benz(a)anthracene Benzo(a)aceanthrylene see Benzo(a)fluoranthene Benzo(e)acephenanthrylene see Benzo(b)fluoranthene	
BCR-157	Benzo[a]acridine	100 mg
BCR-158	Benzo[c]acridine	100 mg
U-RAH-004	Benzo[a]anthracene	20 mg
BCR-271	Benzo[a]anthracene	20 mg
CERERB-006	Benzo[a]anthracene	100 mg
U-P-640-1	Benzo[a]anthracene 100 µg/mL in Methylene chloride	1 mL
U-P-640	Benzo[a]anthracene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1072	Benzo[a]anthracene 1000 µg/mL in Methanol	1 mL
CERERB-032S	Benzo[a]anthracene 1000 µg/mL in Methanol	1.2 mL
CIL-DLM-610-1.2	Benzo[a]anthracene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-610-0.1	Benzo[a]anthracene (D <sub>12</sub> ,98%)	0.1 g
CIL-CLM-3602-1.2	Benzo[a]anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-025	Benzo[a]anthracene, 7,12-dimethyl	10 mg
U-EPA-1110	Benzo[a]anthracene, 7,12-dimethyl 1000 µg/mL in Methanol	1 mL
BCR-093R	Benzo[a]anthracene, 1-methyl	10 mg
BCR-046	Benzo[b]chrysene	100 mg
BCR-140	Benzo[c]chrysene	100 mg
	Benzo(def)chrysene see Benzo(a)pyrene 5,6-Benzochrysene see Benzo(c)chrysene	
BCR-097	Benzo[a]fluoranthene	100 mg
U-RAH-072	Benzo[b]fluoranthene	10 mg
BCR-047	Benzo[b]fluoranthene	100 mg
CERERB-002	Benzo[b]fluoranthene	100 mg
U-P-660-1	Benzo[b]fluoranthene 100 µg/mL in Methylene chloride	1 mL
U-P-660	Benzo[b]fluoranthene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1073	Benzo[b]fluoranthene 1000 µg/mL in Acetone	1 mL
CERERB-033S	Benzo[b]fluoranthene 1000 µg/mL in Acetone	1.2 mL

## Polycyclic aromatic compounds

Code	Product	Unit
CIL-DLM-2136-1.2	Benzo[b]fluoranthene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2136-0.01	Benzo[b]fluoranthene (D <sub>12</sub> ,98%)	0.01 g
CIL-CLM-3599-1.2	Benzo[b]fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
BCR-139	Benzo[ghi]fluoranthene	100 mg
BCR-049	Benzo[j]fluoranthene	100 mg
CERERB-005	Benzo[j]fluoranthene	25 mg
U-RAH-073	Benzo[k]fluoranthene	10 mg
BCR-048R	Benzo[k]fluoranthene	10 mg
CERERB-001	Benzo[k]fluoranthene	100 mg
U-P-680-1	Benzo[k]fluoranthene 100 µg/mL in Methylene chloride	1 mL
U-P-680	Benzo[k]fluoranthene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1074	Benzo[k]fluoranthene 1000 µg/mL in Acetone	1 mL
CERERB-034S	Benzo[k]fluoranthene 1000 µg/mL in Acetone	1.2 mL
NE5021	Benzo[k]fluoranthene 100 µg/mL in Acetonitrile	1.5 mL
CIL-DLM-1923-1.2	Benzo[k]fluoranthene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-1923-0.01	Benzo[k]fluoranthene (D <sub>12</sub> ,98%)	0.01 g
CIL-CLM-3756-1.2	Benzo[k]fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	1,2-Benzofluoranthene see Benzo(a)fluoranthene	
	2,3-Benzofluoranthene see Benzo(a)fluoranthene	
	3,4-Benzofluoranthene see Benzo(b)fluoranthene	
	10,11-Benzofluoranthene see Benzo(j)fluoranthene	
	11,12-Benzofluoranthene see Benzo(k)fluoranthene	
U-RAH-005	Benzo[a]fluorene	10 mg
U-RAH-006	Benzo[b]fluorene	10 mg
BCR-342	Benzo[a]fluorenone	10 mg
BCR-340	Benzo[b]naphtho[1,2-d]furan	10 mg
BCR-341	Benzo[b]naphtho[2,1-d]furan	10 mg
BCR-137R	Benzo[b]naphtho[1,2-d]thiophene	10 mg
BCR-136R	Benzo[b]naphtho[2,3-d]thiophene	10 mg
	Benzo(rst)pentaphene see Dibenzo(a,i)pyrene	
U-RAH-009	Benzo[ghi]perylene	10 mg
BCR-052	Benzo[ghi]perylene	100 mg
CERERB-003	Benzo[ghi]perylene	25 mg
U-P-670-1	Benzo[ghi]perylene 100 µg/mL in Methylene chloride	1 mL
U-P-670	Benzo[ghi]perylene 100 µg/mL in Methylene chloride	4 x 1 mL
CERERB-035S	Benzo[ghi]perylene 1000 µg/mL in Methylene chloride	1.2 mL
NE5025	Benzo[ghi]perylene 100 µg/mL in Acetonitrile	1.5 mL
CIL-DLM-2135-1.2	Benzo[ghi]perylene (D <sub>12</sub> ,98%) 200 µg/mL in Toluene-d <sub>8</sub>	1.2 mL
CIL-DLM-2135-0.01	Benzo[ghi]perylene (D <sub>12</sub> ,98%)	0.01 g
CIL-CLM-1364-1.2	Benzo[ghi]perylene ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	1,12-Benzoperylene see Benzo(ghi)perylene	
	Benzo(a)phenanthrene see Chrysene	
BCR-134	Benzo[c]phenanthrene	100 mg
CERERB-040	Benzo(c)phenanthrene	25 mg
U-RAH-010	Benzo[a]pyrene	10 mg
CERERB-007	Benzo[a]pyrene	100 mg
U-P-650-1	Benzo[a]pyrene 100 µg/mL in Methylene chloride	1 mL
U-P-650	Benzo[a]pyrene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1075	Benzo[a]pyrene 1000 µg/mL in Acetone	1 mL
CERERB-036S	Benzo[a]pyrene 1000 µg/mL in Acetone	1.2 mL
NE5029	Benzo[a]pyrene 100 µg/mL in Acetonitrile	1.5 mL
CIL-DLM-258-1.2	Benzo[a]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL

## Polycyclic aromatic compounds

Code	Product	Unit
CIL-DLM-258-0.01	Benzo[a]pyrene (D <sub>12</sub> ,98%)	0.01 g
CIL-DLM-258-0.05	Benzo[a]pyrene (D <sub>12</sub> ,98%)	0.05 g
CIL-DLM-258-0.1	Benzo[a]pyrene (D <sub>12</sub> ,98%)	0.1 g
CIL-CLM-2722-1.2	Benzo[a]pyrene ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
BCR-311	Benzo[a]pyrene, 6-nitro	10 mg
U-RAH-081	Benzo[e]pyrene	10 mg
BCR-050	Benzo[e]pyrene	100 mg
CIL-DLM-257-1.2	Benzo[e]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-257-0.01	Benzo[e]pyrene (D <sub>12</sub> ,98%)	0.01 g
CIL-CLM-6170-1.2	Benzo[e]pyrene (9,10,11,12- <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	3,4-Benzopyrene see Benzo(a)pyrene	
	1,2-Benzopyrene see Benzo(e)pyrene	
	4,5-Benzopyrene see Benzo(e)pyrene	
BCR-339	Benzo[c,d]pyren-6-one	10 mg
	3,4-Benzotetraphene see Benzo(b)chrysene	
	2,3-Benzo-9-thiafluorene see Benzo(b)naphtho(2,3-d)thiophene	
	3,4-Benzo-9-thiafluorene see Benzo(b)naphtho(1,2-d)thiophene	
	Benzo(b)triphenylene see Dibenz(a,c)anthracene	
U-RAH-012	1,1'-Binaphthyl	50 mg
U-RAH-013	2,2'-Binaphthyl	50 mg
U-RAH-071	Biphenyl, 2,2'-dimethyl	10 mg
U-RAH-062	Biphenyl, 3,3'-dimethyl	20 mg
U-RAH-026	Biphenyl, 4,4'-dimethyl	100 mg
U-RAH-038	Biphenyl, 2-methyl	100 mg
U-RAH-039	Biphenyl, 3-methyl	100 mg
U-RAH-040	Biphenyl, 4-methyl	100 mg
U-RAH-041	Cholanthrene, 3-methyl	10 mg
U-P-780-1	Cholanthrene, 3-methyl 100 µg/mL in Methylene chloride	1 mL
U-P-780	Cholanthrene, 3-methyl 100 µg/mL in Methylene chloride	4 x 1 mL
U-RAH-007	Chrysene	100 mg
BCR-269	Chrysene	20 mg
CERERC-001	Chrysene	100 mg
U-P-690-1	Chrysene 100 µg/mL in Methylene chloride	1 mL
U-P-690	Chrysene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1092	Chrysene 1000 µg/mL in Acetone	1 mL
CERERC-014S	Chrysene 1000 µg/mL in Acetone	1.2 mL
U-ATS-120-1	Chrysene-D <sub>12</sub> 2000 µg/mL in Methylene chloride	1 mL
U-ATS-120	Chrysene-D <sub>12</sub> 2000 µg/mL in Methylene chloride	4 x 1 mL
CIL-DLM-261-1.2	Chrysene (D <sub>12</sub> ,98%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-261-0.1	Chrysene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-261-1	Chrysene (D <sub>12</sub> ,98%)	1 g
CIL-CLM-3757-1.2	Chrysene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
BCR-077R	Chrysene, 1-methyl	10 mg
BCR-078R	Chrysene, 2-methyl	10 mg
BCR-079R	Chrysene, 3-methyl	10 mg
BCR-080R	Chrysene, 4-methyl	10 mg
BCR-081R	Chrysene, 5-methyl	10 mg
CERERM-041	Chrysene, 6-methyl	10 mg
BCR-309	Chrysene, 6-nitro	10 mg
	alpha-Chrysidine see Benzo(c)acridine	
U-RAH-015	Coronene	10 mg
BCR-272	Coronene	20 mg

## Polycyclic aromatic compounds

Code	Product	Unit
CIL-DLM-2715-1.2	Coronene (D <sub>12</sub> ,97%) 200 µg/mL in Benzene	1.2 mL
CIL-DLM-2715-0.1	Coronene (D <sub>12</sub> ,97%)	0.1 g
U-RAH-088	4H-Cyclopenta[def]phenanthrene	10 mg
BCR-338	4H-Cyclopenta[def]phenanthren-4-one	10 mg
DE-PAH 1520	Cyclopenta[cd]pyrene	10 mg
	Cyclopenteno(cd)pyrene see Cyclopenta(cd)pyrene	
U-RAH-016	Decacyclene	100 mg
	1,2;3,4-Dibenzacridine see Dibenzo(a,c)acridine	
	1,2;5,6-Dibenzacridine see Dibenzo(a,h)acridine	
	1,2;6,7-Dibenzacridine see Dibenzo(a,i)acridine	
	1,2;7,8-Dibenzacridine see Dibenzo(a,j)acridine	
	3,4;5,6-Dibenzacridine see Dibenzo(c,h)acridine	
	1,2;3,4-Dibenzanthracene see Dibenzo(a,c)anthracene	
	1,2;5,6-Dibenzanthracene see Dibenzo(a,h)anthracene	
	1,2;7,8-Dibenzanthracene see Dibenzo(a,j)anthracene	
	Dibenzo(a,e)aceanthrylene see Dibenzo(a,e)fluoranthene	
BCR-155	Dibenzo[a,c]acridine	100 mg
BCR-153R	Dibenzo[a,h]acridine	10 mg
CERERD-013	Dibenzo[a,h]acridine	25 mg
BCR-152	Dibenzo[a,i]acridine	20 mg
BCR-154	Dibenzo[a,j]acridine	100 mg
CERERD-014	Dibenzo[a,j]acridine	25 mg
CIL-DLM-3843-1.2	Dibenzo[a,j]acridine (D <sub>13</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
BCR-156R	Dibenzo[c,h]acridine	10 mg
U-RAH-018	Dibenzo[a,c]anthracene	10 mg
BCR-094	Dibenzo[a,c]anthracene	100 mg
U-RAH-019	Dibenzo[a,h]anthracene	10 mg
BCR-138	Dibenzo[a,h]anthracene	100 mg
CERERD-003	Dibenzo[a,h]anthracene	100 mg
U-P-700-1	Dibenzo[a,h]anthracene 100 µg/mL in Methylene chloride	1 mL
U-P-700	Dibenzo[a,h]anthracene 100 µg/mL in Methylene chloride	4 x 1 mL
CERERD-042S	Dibenzo[a,h]anthracene 1000 µg/mL in Methylene chloride	1.2 mL
CIL-DLM-677-1.2	Dibenzo[a,h]anthracene (D <sub>14</sub> ,97%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-677-0.1	Dibenzo[a,h]anthracene (D <sub>14</sub> ,97%)	0.1 g
CIL-CLM-3598-1.2	Dibenz[a,h]anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
BCR-095	Dibenzo[a,j]anthracene	100 mg
BCR-266	7H-Dibenzo[c,g]carbazole	20 mg
CIL-DLM-3841-1.2	7H-Dibenzo[c,g]carbazole (D <sub>12</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
	Dibenzo(def,mno)chrysene see Anthanthrene	
	Dibenzo(b,def)chrysene see Dibenzo(a,h)pyrene	
	Dibenzo(def,p)chrysene see Dibenzo(a,l)pyrene	
BCR-265	Dibenzo[a,e]fluoranthene	20 mg
	2,3,5,6-Dibenzofluoranthene see Dibenzo(a,e)fluoranthene	
BCR-337	Dibenzo[b,d]furan	10 mg
	1,2,3,4-Dibenzonaphthalene see Triphenylene	
U-RAH-083	Dibenzo[a,l]pentacene	10 mg
BCR-133	Dibenzo[a,e]pyrene	100 mg
CERERD-151	Dibenzo[a,e]pyrene	10 mg
U-P-801-1	Dibenzo[a,e]pyrene 200 µg/mL in Dichloromethane	1 mL
U-P-801	Dibenzo[a,e]pyrene 200 µg/mL in Dichloromethane	4 x 1 mL
CIL-CLM-3835-1.2	Dibenzo[a,e]pyrene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-076	Dibenzo[a,h]pyrene	10 mg
BCR-159	Dibenzo[a,h]pyrene	100 mg
CERERD-052	Dibenzo[a,h]pyrene	25 mg

## Polycyclic aromatic compounds

Code	Product	Unit
U-P-821-1	Dibenzo[a,h]pyrene 200 µg/mL in Dichloromethane	1 mL
U-P-821	Dibenzo[a,h]pyrene 200 µg/mL in Dichloromethane	4 x 1 mL
CERERD-088S	Dibenzo[a,i]pyrene 100 µg/mL in Toluene	1.2 mL
U-P-811-1	Dibenzo[a,i]pyrene 200 µg/mL in Dichloromethane	1 mL
U-P-811	Dibenzo[a,i]pyrene 200 µg/mL in Dichloromethane	4 x 1 mL
CIL-DLM-3740-1.2	Dibenzo[a,i]pyrene (D <sub>14</sub> ,98%) 200 µg/mL in Toluene-D8	1.2 mL
CIL-CLM-3774-A	Dibenzo[a,i]pyrene ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
BCR-096	Dibenzo[a,l]pyrene	100 mg
CERERD-051	Dibenzo[a,l]pyrene	25 mg
U-P-791-1	Dibenzo[a,l]pyrene 200 µg/mL in Dichloromethane	1 mL
U-P-791	Dibenzo[a,l]pyrene 200 µg/mL in Dichloromethane	4 x 1 mL
	Dibenzo(b,h)pyrene see Dibenzo(a,i)pyrene	
	Dibenzo(cd,jk)pyrene see Anthanthrene	
	1,2;4,5-Dibenzopyrene see Dibenzo(a,e)pyrene	
	1,2;3,4-Dibenzopyrene see Dibenzo(a,l)pyrene	
	1,2,7,8-Dibenzopyrene see Dibenzo(a,i)pyrene	
	3,4;8,9-Dibenzopyrene see Dibenzo(a,h)pyrene	
	3,4,9,10-Dibenzopyrene see Dibenzo(a,i)pyrene	
U-RAH-084	Diindeno(1,2,3-cd:1',2',3'-lm)perylene	5 mg
U-RAH-020	1,2-Diphenylethane	100 mg
U-RAH-031	Fluoranthene	100 mg
BCR-160R	Fluoranthene	10 mg
CERERF-001	Fluoranthene	250 mg
U-P-710-1	Fluoranthene 100 µg/mL in Methylene chloride	1 mL
U-P-710	Fluoranthene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1121	Fluoranthene 5000 µg/mL in Methanol	1 mL
CERERF-007S	Fluoranthene 5000 µg/mL in Methanol	1.2 mL
CIL-DLM-2140-1.2	Fluoranthene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2140-0.1	Fluoranthene (D <sub>10</sub> ,98%)	0.1 g
CIL-CLM-3597-1.2	Fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
BCR-310	Fluoranthene, 3-nitro	10 mg
U-RAH-091	Fluoranthene, 1,2,3,4-tetrahydro	10 mg
U-RAH-032	Fluorene	100 mg
CERERF-002	Fluorene	250 mg
U-P-720-1	Fluorene 100 µg/mL in Methanol	1 mL
U-P-720	Fluorene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1122	Fluorene 5000 µg/mL in Methanol	1 mL
CERERF-008S	Fluorene 5000 µg/mL in Methanol	1.2 mL
CIL-DLM-1123-1.2	Fluorene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-1123-0.1	Fluorene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-1123-1	Fluorene (D <sub>10</sub> ,98%)	1 g
CIL-CLM-3596-1.2	Fluorene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-043	Fluorene, 1-methyl	100 mg
U-RAH-033	9-Fluorenone	100 mg
	Hexabenzobenzene see Coronene	
U-RAH-065	Indane	100 mg
U-RAH-034	1,3-Indanedione	100 mg
U-RAH-035	Indene	100 mg
BCR-267	Indeno[1,2,3-cd]fluoranthene	20 mg
U-RAH-077	Indeno[1,2,3-cd]pyrene	5 mg
CERERI-001	Indeno[1,2,3-cd]pyrene	25 mg
CERERI-010S	Indeno[1,2,3-cd]pyrene 1000 µg/mL in Methylene chloride	1.2 mL
U-P-730-1	Indeno[1,2,3-cd]pyrene 100 µg/mL in Methylene chloride	1 mL



## Polycyclic aromatic compounds

Code	Product	Unit
U-P-730	Indeno[1,2,3-cd]pyrene 100 µg/mL in Methylene chloride	4 x 1 mL
NE5051	Indeno[1,2,3-cd]pyrene 100 µg/mL in Acetonitrile CERTAN®	1.5 mL
CIL-DLM-2148-1.2	Indeno[1,2,3-cd]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2148-0.01	Indeno[1,2,3-cd]pyrene (D <sub>12</sub> ,98%)	0.01 g
CIL-CLM-3600-1.2	Indeno[1,2,3-cd]pyrene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-078	Naphthacene	10 mg
	alpha-Naphthacridine see Benzo(c)acridine	
U-RAH-080	Naphthalene	100 mg
CERERN-003	Naphthalene	250 mg
CHE 158	Naphthalene	1 g
U-P-740-1	Naphthalene 100 µg/mL in Methanol	1 mL
U-P-740	Naphthalene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1134	Naphthalene 5000 µg/mL in Methanol	1 mL
CERERN-012S	Naphthalene, 5000 µg/mL in Methanol	1.2 mL
CIL-DLM-365-1.2	Naphthalene (D <sub>8</sub> ,99%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-365-1	Naphthalene (D <sub>8</sub> ,99%)	1 g
CIL-DLM-365-5	Naphthalene (D <sub>8</sub> ,99%)	5 g
CIL-DLM-365-10	Naphthalene (D <sub>8</sub> ,99%)	10 g
CIL-CLM-1332-1.2	Naphthalene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-017	Naphthalene, decahydro (mixture of isomers)	100 mg
U-RAH-074	Naphthalene, cis-decahydro	100 mg
U-RAH-075	Naphthalene, trans-decahydro	100 mg
U-RAH-022	Naphthalene, 1,2-dihydro	100 mg
U-RAH-023	Naphthalene, 1,4-dihydro	100 mg
U-RAH-068	Naphthalene, 1,2-dimethyl	100 mg
U-RAH-066	Naphthalene, 1,3-dimethyl	50 mg
U-RAH-027	Naphthalene, 1,4-dimethyl	100 mg
U-RAH-029	Naphthalene, 1,5-dimethyl	100 mg
U-RAH-028	Naphthalene, 1,6-dimethyl	100 mg
U-RAH-067	Naphthalene, 2,3-dimethyl	100 mg
U-RAH-030	Naphthalene, 2,6-dimethyl	100 mg
U-RAH-097	Naphthalene, 2,7-dimethyl	10 mg
U-RAH-044	Naphthalene, 1-methyl	500 mg
U-RAH-045	Naphthalene, 2-methyl	500 mg
BCR-306	Naphthalene, 1-nitro	10 mg
BCR-307	Naphthalene, 2-nitro	10 mg
U-RAH-099	Naphthalene, 1-phenyl	100 mg
U-RAH-079	Naphthalene, 1,2,3,4-tetrahydro	100 mg
U-RAH-092	Naphthalene, 1,2,3,4-tetraphenyl	10 mg
U-RAH-069	Naphthalene, 2,3,5-trimethyl	10 mg
	Naphtho(1,2,3,4-def)chrysene see Dibenzo(a,e)pyrene	
BCR-312	Naphtho[2,1-b]furan, 2-nitro-7-methoxy	10 mg
	3,4-Naphthophenanthrene see Benzo(c)chrysene	
U-RAH-049	Pentacene	10 mg
U-RAH-050	Perylene	10 mg
U-ATS-150-1	Perylene-D <sub>12</sub> 2000 µg/mL in Methylene chloride	1 mL
U-ATS-150	Perylene-D <sub>12</sub> 2000 µg/mL in Methylene chloride	4 x 1 mL
CIL-DLM-366-1.2	Perylene (D <sub>12</sub> ,98%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-366-0.1	Perylene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-366-1	Perylene (D <sub>12</sub> ,98%)	1 g
U-RAH-051	Phenanthrene	100 mg

## Polycyclic aromatic compounds

Code	Product	Unit
CERERP-003	Phenanthrene	250 mg
U-P-750-1	Phenanthrene 100 µg/mL in Methylene chloride	1 mL
U-P-750	Phenanthrene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1154	Phenanthrene 5000 µg/mL in Methanol	1 mL
CERERP-027S	Phenanthrene 5000 µg/mL in Methanol	1.2 mL
CIL-DLM-371-1.2	Phenanthrene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-371-0.1	Phenanthrene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-371-1	Phenanthrene (D <sub>10</sub> ,98%)	1 g
CIL-CLM-2451-1.2	Phenanthrene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
U-RAH-085	Phenanthrene, 3,6-dimethyl	10 mg
U-RAH-046	Phenanthrene, 1-methyl	10 mg
	4,5-o-Phenylenefluoranthene see Indeno(1,2,3-cd)fluoranthene peri-Phenylenefluoranthene see Indeno(1,2,3-cd)fluoranthene 2,3-o-Phenyleneperylene see Indeno(1,2,3-cd)pyrene	
BCR-168	Picene	10 mg
U-RAH-008	Pyrene	100 mg
BCR-177R	Pyrene	10 mg
CERERP-004	Pyrene	250 mg
U-P-760-1	Pyrene 100 µg/mL in Methylene chloride	1 mL
U-P-760	Pyrene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1157	Pyrene 1000 µg/mL in Methanol	1 mL
CERERP-034S	Pyrene 1000 µg/mL in Methanol	1.2 mL
NE5063	Pyrene 100 µg/mL in Acetonitrile CERTAN®	1.5 mL
CIL-DLM-155-1.2	Pyrene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-155-0.1	Pyrene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-155-0.5	Pyrene (D <sub>10</sub> ,98%)	0.5 g
CIL-CLM-3601-1.2	Pyrene ( <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
BCR-305	Pyrene, 1-nitro	10 mg
U-RAH-054	p-Quaterphenyl	100 mg
U-RAH-100	p-Quinquephenyl	10 mg
U-RAH-055	Rubrene	10 mg
U-RAH-056	o-Terphenyl	100 mg
U-RAH-057	m-Terphenyl	100 mg
U-RAH-058	p-Terphenyl	100 mg
	Tetracene see Naphthacene 5-Thiabenz(o)fluorene see Benzo(b)naphtho(2,3-d)thiophene 7-Thiabenz(o)fluorene see Benzo(b)naphtho(1,2-d)thiophene	
U-RAH-059	Triphenylene	10 mg
BCR-270	Triphenylene	20 mg
CIL-DLM-601-0.1	Triphenylene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-601-1	Triphenylene (D <sub>12</sub> ,98%)	1 g
U-RAH-087	Triphenylene, dodecahydro	100 mg
U-RAH-060	Triptycene	10 mg
U-RAH-061	Truxene	100 mg

Code	Product	Unit
<b>PAH kits</b>		
U-FRNH-068	Polynuclear Aromatic Hydrocarbons Kit Each kit contains 5 mg each of twenty compounds. Acenaphthene Anthanthrene Anthracene Benzo[a]anthracene Benzo[a]anthracene-7,12-dione Benzo[ghi]perylene Benzo[a]pyrene Benzo[e]pyrene Benzo[fl]quinoline Carbazole Chrysene Coronene Dibenzothiophene Fluoranthene 4,5-Methylenephenanthrene Naphthalene Perylene Phenanthrene Pyrene Truxene	kit
NE5100	Kit of 1.5 mL each of the 16 EPA PAHs Priority Pollutants in Acetonitrile Code      Product      Unit NE5001..... Acenaphthene, 100 µg/mL in Acetonitrile.....1.5 mL NE5005..... Acenaphthylene, 100 µg/mL in Acetonitrile.....1.5 mL NE5009..... Anthracene, 100 µg/mL in Acetonitrile.....1.5 mL NE5013..... Benzo(a)anthracene, 100 µg/mL in Acetonitrile.....1.5 mL NE5017..... Benzo(b)fluoranthene, 100 µg/mL in Acetonitrile.....1.5 mL NE5021..... Benzo(k)fluoranthene, 100 µg/mL in Acetonitrile.....1.5 mL NE5025..... Benzo(ghi)perylene, 100 µg/mL in Acetonitrile.....1.5 mL NE5029..... Benzo(a)pyrene, 100 µg/mL in Acetonitrile.....1.5 mL NE5033..... Chrysene, 100 µg/mL in Acetonitrile.....1.5 mL NE5037..... Dibenz(a,h)anthracene, 100 µg/mL in Acetonitrile.....1.5 mL NE5041..... Fluoranthene, 100 µg/mL in Acetonitrile.....1.5 mL NE5045..... Fluorene, 100 µg/mL in Acetonitrile.....1.5 mL NE5049..... Indeno(1,2,3-cd)pyrene, 100 µg/mL in Acetonitrile.....1.5 mL NE5053..... Naphthalene, 100 µg/mL in Acetonitrile.....1.5 mL NE5057..... Phenanthrene, 100 µg/mL in Acetonitrile.....1.5 mL NE5061..... Pyrene, 100 µg/mL in Acetonitrile.....1.5 mL	kit
<b>PAH multicomponent standard solutions</b>		
CIL-ES-4087	US EPA 16 PAH Cocktail ( <sup>13</sup> C,99%) 5 µg/mL of each analyte in Nonane Acenaphthene ( <sup>13</sup> C <sub>6</sub> ,99%) Acenaphthylene ( <sup>13</sup> C <sub>6</sub> ,99%) Anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) Benz(a)anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) Benzo(b)fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) Benzo(k)fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) Benzo(ghi)perylene ( <sup>13</sup> C <sub>12</sub> ,99%) Benzo(a)pyrene ( <sup>13</sup> C <sub>6</sub> ,99%) Chrysene ( <sup>13</sup> C <sub>6</sub> ,99%) Dibenz(ah)anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) Fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) Fluorene ( <sup>13</sup> C <sub>6</sub> ,99%) Indeno(1,2,3-cd)pyrene ( <sup>13</sup> C <sub>6</sub> ,99%) Naphthalene ( <sup>13</sup> C <sub>6</sub> ,99%) Phenanthrene ( <sup>13</sup> C <sub>6</sub> ,99%) Pyrene ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL
CIL-ES-2043	'EEC Six' PAH Cocktail 1 µg/mL of each analyte in Benzene (D <sub>6</sub> ,99.6%) Benzo(b)fluoranthene (D <sub>12</sub> ,98%) Benzo(k)fluoranthene (D <sub>12</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,98%) Benzo(a)pyrene (D <sub>12</sub> ,98%) Indeno(1,2,3-cd)pyrene (D <sub>12</sub> ,98%) Fluoranthene (D <sub>10</sub> ,98%)	1 mL
CIL-ES-2528	PAH Cocktail for CARB 429 method 100 µg/mL of each analyte in Benzene (D <sub>6</sub> ,99.6%) Acenaphthene (D <sub>10</sub> ,98%) Acenaphthylene (D <sub>8</sub> ,98%) Anthracene (D <sub>10</sub> ,98%) Benz(a)anthracene (D <sub>12</sub> ,98%) Benzo(b)fluoranthene (D <sub>12</sub> ,98%) Benzo(k)fluoranthene (D <sub>12</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,99%) Benzo(a)pyrene (D <sub>12</sub> ,98%) Chrysene (D <sub>12</sub> ,98%) Dibenz(ah)anthracene (D <sub>14</sub> ,98%) Fluoranthene (D <sub>10</sub> ,98%) Fluorene (D <sub>10</sub> ,98%) Indeno(1,2,3-cd)pyrene (D <sub>12</sub> ,98%) Naphthalene (D <sub>8</sub> ,98%) Phenanthrene (D <sub>10</sub> ,98%) Pyrene (D <sub>10</sub> ,98%)	1 mL
CIL-ES-2044	PAH Surrogate Cocktail 200 µg/mL of each analyte in 50% Methylene chloride (D <sub>2</sub> ,99.9%) and 50% Methanol (D <sub>2</sub> ,99.8%). Acenaphthylene (D <sub>8</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,99%) Benzo(a)pyrene (D <sub>12</sub> ,98%) Fluoranthene (D <sub>10</sub> ,98%) Naphthalene (D <sub>8</sub> ,98%) Phenanthrene (D <sub>10</sub> ,98%) Pyrene (D <sub>10</sub> ,98%)	1 mL
<b>New</b> CIL-ES-5164	PAH Surrogate Standard Mix 200 µg/mL of each analyte in 10% Iso-octane / 90% Toluene Naphthalene (D <sub>8</sub> ,98%) Phenanthrene (D <sub>10</sub> ,98%) Benzo(b)fluoranthene (D <sub>12</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,99%) Dibenz(ah)anthracene (D <sub>14</sub> ,98%) Acenaphthene (D <sub>10</sub> ,98%) Pyrene (D <sub>10</sub> ,98%) Perylene (D <sub>12</sub> ,98%) Benz(a)anthracene (D <sub>12</sub> ,98%) Fluoranthene (D <sub>10</sub> ,98%) Benzo(a)pyrene (D <sub>12</sub> ,98%) Indeno(1,2,3-cd)pyrene (D <sub>12</sub> ,98%) Acenaphthylene (D <sub>8</sub> ,98%) Fluorene (D <sub>10</sub> ,98%) Benzo(k)fluoranthene (D <sub>12</sub> ,98%) Chrysene (D <sub>12</sub> ,98%)	10 mL

# Polycyclic aromatic compounds

Code	Product	Unit																																																																																																																																																				
<b>New</b> ERM-AC213	PAHs in acetonitrile/toluene Certified values	2 mL																																																																																																																																																				
	<table> <tr> <td>Benz(a)anthracene .....</td> <td>3.09 ± 0.04 µg/g</td> <td>Dibenz(a,h)anthracene.....</td> <td>2.76 ± 0.05 µg/g</td> </tr> <tr> <td>Chrysene.....</td> <td>3.06 ± 0.05 µg/g</td> <td>Benzo(ghi)perylene.....</td> <td>3.07 ± 0.05 µg/g</td> </tr> <tr> <td>5-Methylchrysene.....</td> <td>3.08 ± 0.07 µg/g</td> <td>Dibenz(a,l)pyrene.....</td> <td>3.08 ± 0.10 µg/g</td> </tr> <tr> <td>Benzo(b)fluoranthene .....</td> <td>3.05 ± 0.05 µg/g</td> <td>Dibenz(a,e)pyrene.....</td> <td>2.97 ± 0.010 µg/g</td> </tr> <tr> <td>Benzo(k)fluoranthene .....</td> <td>3.06 ± 0.08 µg/g</td> <td></td> <td></td> </tr> <tr> <td>Benzo(j)fluoranthene.....</td> <td>3.05 ± 0.10 µg/g</td> <td></td> <td></td> </tr> </table>	Benz(a)anthracene .....	3.09 ± 0.04 µg/g	Dibenz(a,h)anthracene.....	2.76 ± 0.05 µg/g	Chrysene.....	3.06 ± 0.05 µg/g	Benzo(ghi)perylene.....	3.07 ± 0.05 µg/g	5-Methylchrysene.....	3.08 ± 0.07 µg/g	Dibenz(a,l)pyrene.....	3.08 ± 0.10 µg/g	Benzo(b)fluoranthene .....	3.05 ± 0.05 µg/g	Dibenz(a,e)pyrene.....	2.97 ± 0.010 µg/g	Benzo(k)fluoranthene .....	3.06 ± 0.08 µg/g			Benzo(j)fluoranthene.....	3.05 ± 0.10 µg/g																																																																																																																															
Benz(a)anthracene .....	3.09 ± 0.04 µg/g	Dibenz(a,h)anthracene.....	2.76 ± 0.05 µg/g																																																																																																																																																			
Chrysene.....	3.06 ± 0.05 µg/g	Benzo(ghi)perylene.....	3.07 ± 0.05 µg/g																																																																																																																																																			
5-Methylchrysene.....	3.08 ± 0.07 µg/g	Dibenz(a,l)pyrene.....	3.08 ± 0.10 µg/g																																																																																																																																																			
Benzo(b)fluoranthene .....	3.05 ± 0.05 µg/g	Dibenz(a,e)pyrene.....	2.97 ± 0.010 µg/g																																																																																																																																																			
Benzo(k)fluoranthene .....	3.06 ± 0.08 µg/g																																																																																																																																																					
Benzo(j)fluoranthene.....	3.05 ± 0.10 µg/g																																																																																																																																																					
	Indicative values for Benzo(c)fluorene, Cyclopenta(cd)pyrene and Dibenzo(a,i)pyrene																																																																																																																																																					
NIST-1647e	Priority pollutant PAHs in acetonitrile Certified concentrations	5 x 1.2 mL																																																																																																																																																				
	<table> <thead> <tr> <th>Compound</th> <th>Mass fraction mg/kg</th> <th>Concentration mg/L (at 23 ± 2°C)</th> </tr> </thead> <tbody> <tr><td>Naphthalene .....</td><td>25.84 ± 0.33.....</td><td>19.85 ± 0.45</td></tr> <tr><td>Acenaphthylene .....</td><td>19.96 ± 0.47.....</td><td>15.34 ± 0.37</td></tr> <tr><td>Acenaphthene.....</td><td>26.23 ± 0.60.....</td><td>20.50 ± 0.47</td></tr> <tr><td>Fluorene.....</td><td>6.09 ± 0.14.....</td><td>4.74 ± 0.11</td></tr> <tr><td>Phenanthrene .....</td><td>4.52 ± 0.11.....</td><td>3.52 ± 0.09</td></tr> <tr><td>Anthracene .....</td><td>1.01 ± 0.02.....</td><td>0.79 ± 0.02</td></tr> <tr><td>Fluoranthene.....</td><td>9.73 ± 0.21.....</td><td>7.58 ± 0.16</td></tr> <tr><td>Pyrene.....</td><td>10.88 ± 0.22.....</td><td>8.47 ± 0.17</td></tr> <tr><td>Benzo(a)anthracene .....</td><td>5.25 ± 0.11.....</td><td>4.09 ± 0.09</td></tr> <tr><td>Chrysene.....</td><td>4.62 ± 0.10.....</td><td>3.60 ± 0.08</td></tr> <tr><td>Benzo(b)fluoranthene .....</td><td>5.38 ± 0.11.....</td><td>4.19 ± 0.09</td></tr> <tr><td>Benzo(k)fluoranthene .....</td><td>6.02 ± 0.13.....</td><td>4.69 ± 0.10</td></tr> <tr><td>Benzo(a)pyrene .....</td><td>6.25 ± 0.15.....</td><td>4.87 ± 0.12</td></tr> <tr><td>Dibenzo(a,h)anthracene .....</td><td>4.48 ± 0.26.....</td><td>3.49 ± 0.20</td></tr> <tr><td>Benzo(ghi)perylene.....</td><td>4.71 ± 0.17.....</td><td>3.67 ± 0.13</td></tr> <tr><td>Indeno(1,2,3-cd)pyrene.....</td><td>5.48 ± 0.17.....</td><td>4.27 ± 0.13</td></tr> </tbody> </table> <p>The µg/mL values were calculated from the mass fraction values using the density of acetonitrile at 23°C (0.7789 g/mL).</p>	Compound	Mass fraction mg/kg	Concentration mg/L (at 23 ± 2°C)	Naphthalene .....	25.84 ± 0.33.....	19.85 ± 0.45	Acenaphthylene .....	19.96 ± 0.47.....	15.34 ± 0.37	Acenaphthene.....	26.23 ± 0.60.....	20.50 ± 0.47	Fluorene.....	6.09 ± 0.14.....	4.74 ± 0.11	Phenanthrene .....	4.52 ± 0.11.....	3.52 ± 0.09	Anthracene .....	1.01 ± 0.02.....	0.79 ± 0.02	Fluoranthene.....	9.73 ± 0.21.....	7.58 ± 0.16	Pyrene.....	10.88 ± 0.22.....	8.47 ± 0.17	Benzo(a)anthracene .....	5.25 ± 0.11.....	4.09 ± 0.09	Chrysene.....	4.62 ± 0.10.....	3.60 ± 0.08	Benzo(b)fluoranthene .....	5.38 ± 0.11.....	4.19 ± 0.09	Benzo(k)fluoranthene .....	6.02 ± 0.13.....	4.69 ± 0.10	Benzo(a)pyrene .....	6.25 ± 0.15.....	4.87 ± 0.12	Dibenzo(a,h)anthracene .....	4.48 ± 0.26.....	3.49 ± 0.20	Benzo(ghi)perylene.....	4.71 ± 0.17.....	3.67 ± 0.13	Indeno(1,2,3-cd)pyrene.....	5.48 ± 0.17.....	4.27 ± 0.13																																																																																																		
Compound	Mass fraction mg/kg	Concentration mg/L (at 23 ± 2°C)																																																																																																																																																				
Naphthalene .....	25.84 ± 0.33.....	19.85 ± 0.45																																																																																																																																																				
Acenaphthylene .....	19.96 ± 0.47.....	15.34 ± 0.37																																																																																																																																																				
Acenaphthene.....	26.23 ± 0.60.....	20.50 ± 0.47																																																																																																																																																				
Fluorene.....	6.09 ± 0.14.....	4.74 ± 0.11																																																																																																																																																				
Phenanthrene .....	4.52 ± 0.11.....	3.52 ± 0.09																																																																																																																																																				
Anthracene .....	1.01 ± 0.02.....	0.79 ± 0.02																																																																																																																																																				
Fluoranthene.....	9.73 ± 0.21.....	7.58 ± 0.16																																																																																																																																																				
Pyrene.....	10.88 ± 0.22.....	8.47 ± 0.17																																																																																																																																																				
Benzo(a)anthracene .....	5.25 ± 0.11.....	4.09 ± 0.09																																																																																																																																																				
Chrysene.....	4.62 ± 0.10.....	3.60 ± 0.08																																																																																																																																																				
Benzo(b)fluoranthene .....	5.38 ± 0.11.....	4.19 ± 0.09																																																																																																																																																				
Benzo(k)fluoranthene .....	6.02 ± 0.13.....	4.69 ± 0.10																																																																																																																																																				
Benzo(a)pyrene .....	6.25 ± 0.15.....	4.87 ± 0.12																																																																																																																																																				
Dibenzo(a,h)anthracene .....	4.48 ± 0.26.....	3.49 ± 0.20																																																																																																																																																				
Benzo(ghi)perylene.....	4.71 ± 0.17.....	3.67 ± 0.13																																																																																																																																																				
Indeno(1,2,3-cd)pyrene.....	5.48 ± 0.17.....	4.27 ± 0.13																																																																																																																																																				
NIST-2260a	PAHs in Toluene Certified values	5 x 1.2 mL																																																																																																																																																				
	<table> <thead> <tr> <th></th> <th>CAS Registry No.</th> <th>µg/g</th> <th>µg/mL</th> </tr> </thead> <tbody> <tr><td>Naphthalene .....</td><td>91-20-3 .....</td><td>11.43 ± 0.30 .....</td><td>9.89 ± 0.26</td></tr> <tr><td>Biphenyl .....</td><td>92-52-4 .....</td><td>5.61 ± 0.14 .....</td><td>4.85 ± 0.12</td></tr> <tr><td>Acenaphthylene .....</td><td>208-96-8 .....</td><td>6.26 ± 0.20 .....</td><td>5.41 ± 0.17</td></tr> <tr><td>Acenaphthene.....</td><td>83-32-9 .....</td><td>5.55 ± 0.13 .....</td><td>4.80 ± 0.11</td></tr> <tr><td>Fluorene.....</td><td>86-73-7 .....</td><td>4.71 ± 0.11 .....</td><td>4.07 ± 0.10</td></tr> <tr><td>Dibenzothiophene.....</td><td>132-65-0 .....</td><td>4.39 ± 0.17 .....</td><td>3.80 ± 0.15</td></tr> <tr><td>Phenanthrene .....</td><td>85-01-8 .....</td><td>11.57 ± 0.12 .....</td><td>10.01 ± 0.10</td></tr> <tr><td>Anthracene .....</td><td>120-12-7 .....</td><td>3.736 ± 0.054 .....</td><td>3.231 ± 0.047</td></tr> <tr><td>4H-Cyclopenta[def]phenanthrene.....</td><td>203-64-5 .....</td><td>2.32 ± 0.11 .....</td><td>2.01 ± 0.10</td></tr> <tr><td>Fluoranthene.....</td><td>206-44-0 .....</td><td>8.324 ± 0.087 .....</td><td>7.200 ± 0.075</td></tr> <tr><td>Pyrene.....</td><td>129-00-0 .....</td><td>8.949 ± 0.083 .....</td><td>7.741 ± 0.072</td></tr> <tr><td>Benzo[ghi]fluoranthene.....</td><td>203-12-3 .....</td><td>3.414 ± 0.045 .....</td><td>2.953 ± 0.039</td></tr> <tr><td>Cyclopenta[cd]pyrene .....</td><td>27208-37-3 .....</td><td>1.958 ± 0.024 .....</td><td>1.694 ± 0.021</td></tr> <tr><td>Benzo[c]phenanthrene.....</td><td>195-19-7 .....</td><td>4.608 ± 0.036 .....</td><td>3.986 ± 0.031</td></tr> <tr><td>Benzo[a]anthracene.....</td><td>56-55-3 .....</td><td>4.415 ± 0.078 .....</td><td>3.819 ± 0.067</td></tr> <tr><td>Chrysene.....</td><td>218-01-9 .....</td><td>4.62 ± 0.11 .....</td><td>4.00 ± 0.10</td></tr> <tr><td>Triphenylene .....</td><td>217-59-4 .....</td><td>4.12 ± 0.16 .....</td><td>3.56 ± 0.14</td></tr> <tr><td>Benzo[b]fluoranthene.....</td><td>205-99-2 .....</td><td>7.86 ± 0.10 .....</td><td>6.80 ± 0.09</td></tr> <tr><td>Benzo[j]fluoranthene .....</td><td>205-82-3 .....</td><td>4.145 ± 0.097 .....</td><td>3.585 ± 0.084</td></tr> <tr><td>Benzo[k]fluoranthene.....</td><td>207-08-9 .....</td><td>3.444 ± 0.036 .....</td><td>2.979 ± 0.031</td></tr> <tr><td>Benzo[a]fluoranthene.....</td><td>203-33-8 .....</td><td>2.279 ± 0.064 .....</td><td>1.971 ± 0.055</td></tr> <tr><td>Benzo[e]pyrene.....</td><td>192-97-2 .....</td><td>4.561 ± 0.054 .....</td><td>3.945 ± 0.047</td></tr> <tr><td>Benzo[a]pyrene.....</td><td>50-32-8 .....</td><td>4.71 ± 0.17 .....</td><td>4.07 ± 0.15</td></tr> <tr><td>Perylene.....</td><td>198-55-0 .....</td><td>4.430 ± 0.045 .....</td><td>3.83 ± 0.039</td></tr> <tr><td>Indeno[1,2,3-cd]pyrene .....</td><td>193-39-5 .....</td><td>4.425 ± 0.030 .....</td><td>3.828 ± 0.026</td></tr> <tr><td>Benzo[ghi]perylene .....</td><td>191-24-2 .....</td><td>5.669 ± 0.069 .....</td><td>4.904 ± 0.060</td></tr> <tr><td>Dibenz[a,h]anthracene.....</td><td>53-70-3 .....</td><td>4.555 ± 0.063 .....</td><td>3.940 ± 0.054</td></tr> <tr><td>Dibenz[a,c]anthracene.....</td><td>215-58-7 .....</td><td>2.912 ± 0.026 .....</td><td>2.519 ± 0.022</td></tr> <tr><td>Dibenz[a,j]anthracene.....</td><td>224-41-9 .....</td><td>4.539 ± 0.062 .....</td><td>3.926 ± 0.054</td></tr> <tr><td>Picene.....</td><td>213-46-7 .....</td><td>3.257 ± 0.047 .....</td><td>2.817 ± 0.041</td></tr> <tr><td>Benzo[b]chrysene .....</td><td>214-17-5 .....</td><td>4.092 ± 0.033 .....</td><td>3.540 ± 0.029</td></tr> <tr><td>Anthanthrene .....</td><td>191-26-4 .....</td><td>2.205 ± 0.029 .....</td><td>1.907 ± 0.025</td></tr> <tr><td>Coronene .....</td><td>191-07-1 .....</td><td>2.255 ± 0.033 .....</td><td>1.951 ± 0.029</td></tr> <tr><td>Dibenzo[a,h]pyrene.....</td><td>189-64-0 .....</td><td>2.911 ± 0.095 .....</td><td>2.518 ± 0.082</td></tr> <tr><td>Dibenzo[b,k]fluoranthene.....</td><td>205-97-0 .....</td><td>1.646 ± 0.068 .....</td><td>1.424 ± 0.059</td></tr> <tr><td>Dibenzo[a,e]pyrene.....</td><td>192-65-4 .....</td><td>2.277 ± 0.023 .....</td><td>1.970 ± 0.02</td></tr> </tbody> </table>		CAS Registry No.	µg/g	µg/mL	Naphthalene .....	91-20-3 .....	11.43 ± 0.30 .....	9.89 ± 0.26	Biphenyl .....	92-52-4 .....	5.61 ± 0.14 .....	4.85 ± 0.12	Acenaphthylene .....	208-96-8 .....	6.26 ± 0.20 .....	5.41 ± 0.17	Acenaphthene.....	83-32-9 .....	5.55 ± 0.13 .....	4.80 ± 0.11	Fluorene.....	86-73-7 .....	4.71 ± 0.11 .....	4.07 ± 0.10	Dibenzothiophene.....	132-65-0 .....	4.39 ± 0.17 .....	3.80 ± 0.15	Phenanthrene .....	85-01-8 .....	11.57 ± 0.12 .....	10.01 ± 0.10	Anthracene .....	120-12-7 .....	3.736 ± 0.054 .....	3.231 ± 0.047	4H-Cyclopenta[def]phenanthrene.....	203-64-5 .....	2.32 ± 0.11 .....	2.01 ± 0.10	Fluoranthene.....	206-44-0 .....	8.324 ± 0.087 .....	7.200 ± 0.075	Pyrene.....	129-00-0 .....	8.949 ± 0.083 .....	7.741 ± 0.072	Benzo[ghi]fluoranthene.....	203-12-3 .....	3.414 ± 0.045 .....	2.953 ± 0.039	Cyclopenta[cd]pyrene .....	27208-37-3 .....	1.958 ± 0.024 .....	1.694 ± 0.021	Benzo[c]phenanthrene.....	195-19-7 .....	4.608 ± 0.036 .....	3.986 ± 0.031	Benzo[a]anthracene.....	56-55-3 .....	4.415 ± 0.078 .....	3.819 ± 0.067	Chrysene.....	218-01-9 .....	4.62 ± 0.11 .....	4.00 ± 0.10	Triphenylene .....	217-59-4 .....	4.12 ± 0.16 .....	3.56 ± 0.14	Benzo[b]fluoranthene.....	205-99-2 .....	7.86 ± 0.10 .....	6.80 ± 0.09	Benzo[j]fluoranthene .....	205-82-3 .....	4.145 ± 0.097 .....	3.585 ± 0.084	Benzo[k]fluoranthene.....	207-08-9 .....	3.444 ± 0.036 .....	2.979 ± 0.031	Benzo[a]fluoranthene.....	203-33-8 .....	2.279 ± 0.064 .....	1.971 ± 0.055	Benzo[e]pyrene.....	192-97-2 .....	4.561 ± 0.054 .....	3.945 ± 0.047	Benzo[a]pyrene.....	50-32-8 .....	4.71 ± 0.17 .....	4.07 ± 0.15	Perylene.....	198-55-0 .....	4.430 ± 0.045 .....	3.83 ± 0.039	Indeno[1,2,3-cd]pyrene .....	193-39-5 .....	4.425 ± 0.030 .....	3.828 ± 0.026	Benzo[ghi]perylene .....	191-24-2 .....	5.669 ± 0.069 .....	4.904 ± 0.060	Dibenz[a,h]anthracene.....	53-70-3 .....	4.555 ± 0.063 .....	3.940 ± 0.054	Dibenz[a,c]anthracene.....	215-58-7 .....	2.912 ± 0.026 .....	2.519 ± 0.022	Dibenz[a,j]anthracene.....	224-41-9 .....	4.539 ± 0.062 .....	3.926 ± 0.054	Picene.....	213-46-7 .....	3.257 ± 0.047 .....	2.817 ± 0.041	Benzo[b]chrysene .....	214-17-5 .....	4.092 ± 0.033 .....	3.540 ± 0.029	Anthanthrene .....	191-26-4 .....	2.205 ± 0.029 .....	1.907 ± 0.025	Coronene .....	191-07-1 .....	2.255 ± 0.033 .....	1.951 ± 0.029	Dibenzo[a,h]pyrene.....	189-64-0 .....	2.911 ± 0.095 .....	2.518 ± 0.082	Dibenzo[b,k]fluoranthene.....	205-97-0 .....	1.646 ± 0.068 .....	1.424 ± 0.059	Dibenzo[a,e]pyrene.....	192-65-4 .....	2.277 ± 0.023 .....	1.970 ± 0.02	
	CAS Registry No.	µg/g	µg/mL																																																																																																																																																			
Naphthalene .....	91-20-3 .....	11.43 ± 0.30 .....	9.89 ± 0.26																																																																																																																																																			
Biphenyl .....	92-52-4 .....	5.61 ± 0.14 .....	4.85 ± 0.12																																																																																																																																																			
Acenaphthylene .....	208-96-8 .....	6.26 ± 0.20 .....	5.41 ± 0.17																																																																																																																																																			
Acenaphthene.....	83-32-9 .....	5.55 ± 0.13 .....	4.80 ± 0.11																																																																																																																																																			
Fluorene.....	86-73-7 .....	4.71 ± 0.11 .....	4.07 ± 0.10																																																																																																																																																			
Dibenzothiophene.....	132-65-0 .....	4.39 ± 0.17 .....	3.80 ± 0.15																																																																																																																																																			
Phenanthrene .....	85-01-8 .....	11.57 ± 0.12 .....	10.01 ± 0.10																																																																																																																																																			
Anthracene .....	120-12-7 .....	3.736 ± 0.054 .....	3.231 ± 0.047																																																																																																																																																			
4H-Cyclopenta[def]phenanthrene.....	203-64-5 .....	2.32 ± 0.11 .....	2.01 ± 0.10																																																																																																																																																			
Fluoranthene.....	206-44-0 .....	8.324 ± 0.087 .....	7.200 ± 0.075																																																																																																																																																			
Pyrene.....	129-00-0 .....	8.949 ± 0.083 .....	7.741 ± 0.072																																																																																																																																																			
Benzo[ghi]fluoranthene.....	203-12-3 .....	3.414 ± 0.045 .....	2.953 ± 0.039																																																																																																																																																			
Cyclopenta[cd]pyrene .....	27208-37-3 .....	1.958 ± 0.024 .....	1.694 ± 0.021																																																																																																																																																			
Benzo[c]phenanthrene.....	195-19-7 .....	4.608 ± 0.036 .....	3.986 ± 0.031																																																																																																																																																			
Benzo[a]anthracene.....	56-55-3 .....	4.415 ± 0.078 .....	3.819 ± 0.067																																																																																																																																																			
Chrysene.....	218-01-9 .....	4.62 ± 0.11 .....	4.00 ± 0.10																																																																																																																																																			
Triphenylene .....	217-59-4 .....	4.12 ± 0.16 .....	3.56 ± 0.14																																																																																																																																																			
Benzo[b]fluoranthene.....	205-99-2 .....	7.86 ± 0.10 .....	6.80 ± 0.09																																																																																																																																																			
Benzo[j]fluoranthene .....	205-82-3 .....	4.145 ± 0.097 .....	3.585 ± 0.084																																																																																																																																																			
Benzo[k]fluoranthene.....	207-08-9 .....	3.444 ± 0.036 .....	2.979 ± 0.031																																																																																																																																																			
Benzo[a]fluoranthene.....	203-33-8 .....	2.279 ± 0.064 .....	1.971 ± 0.055																																																																																																																																																			
Benzo[e]pyrene.....	192-97-2 .....	4.561 ± 0.054 .....	3.945 ± 0.047																																																																																																																																																			
Benzo[a]pyrene.....	50-32-8 .....	4.71 ± 0.17 .....	4.07 ± 0.15																																																																																																																																																			
Perylene.....	198-55-0 .....	4.430 ± 0.045 .....	3.83 ± 0.039																																																																																																																																																			
Indeno[1,2,3-cd]pyrene .....	193-39-5 .....	4.425 ± 0.030 .....	3.828 ± 0.026																																																																																																																																																			
Benzo[ghi]perylene .....	191-24-2 .....	5.669 ± 0.069 .....	4.904 ± 0.060																																																																																																																																																			
Dibenz[a,h]anthracene.....	53-70-3 .....	4.555 ± 0.063 .....	3.940 ± 0.054																																																																																																																																																			
Dibenz[a,c]anthracene.....	215-58-7 .....	2.912 ± 0.026 .....	2.519 ± 0.022																																																																																																																																																			
Dibenz[a,j]anthracene.....	224-41-9 .....	4.539 ± 0.062 .....	3.926 ± 0.054																																																																																																																																																			
Picene.....	213-46-7 .....	3.257 ± 0.047 .....	2.817 ± 0.041																																																																																																																																																			
Benzo[b]chrysene .....	214-17-5 .....	4.092 ± 0.033 .....	3.540 ± 0.029																																																																																																																																																			
Anthanthrene .....	191-26-4 .....	2.205 ± 0.029 .....	1.907 ± 0.025																																																																																																																																																			
Coronene .....	191-07-1 .....	2.255 ± 0.033 .....	1.951 ± 0.029																																																																																																																																																			
Dibenzo[a,h]pyrene.....	189-64-0 .....	2.911 ± 0.095 .....	2.518 ± 0.082																																																																																																																																																			
Dibenzo[b,k]fluoranthene.....	205-97-0 .....	1.646 ± 0.068 .....	1.424 ± 0.059																																																																																																																																																			
Dibenzo[a,e]pyrene.....	192-65-4 .....	2.277 ± 0.023 .....	1.970 ± 0.02																																																																																																																																																			

## Polycyclic aromatic compounds

Code	Product	Unit																																																																												
NIST-1597a	<b>Complex mixture of PAHs from coal tar in Toluene</b> This Standard Reference Material (SRM <sup>®</sup> ) is a natural, combustion-related mixture of polycyclic aromatic hydrocarbons (PAHs) isolated from a coal tar sample and dissolved in toluene. NIST-1597a is intended for use in the evaluation and validation of analytical methods for the determination of PAHs. It is suitable for direct analysis (i.e., without sample cleanup or concentration) in the determination of PAHs using analytical techniques such as gas chromatography (GC), liquid chromatography (LC), or gas chromatography/mass spectrometry (GC/MS). This SRM <sup>®</sup> may also be used to evaluate procedures for measurement of mutagenic activity of combustion-related mixtures of PAHs and related compounds. Certified concentrations for selected PAHs in NIST-1597a	3 x 1.3 mL																																																																												
	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Naphthalene .....1030 ± 100 µg/kg</td> <td style="width: 50%;">Triphenylene ..... 12.1 ± 0.6 µg/kg</td> </tr> <tr> <td>Biphenyl .....27.6 ± 0.4 µg/kg</td> <td>Benzo[b]fluoranthene ..... 66.1 ± 4.4 µg/kg</td> </tr> <tr> <td>Acenaphthylene .....263 ± 7 µg/kg</td> <td>Benzo[j]fluoranthene ..... 36.5 ± 2.4 µg/kg</td> </tr> <tr> <td>Acenaphthene .....7.63 ± 0.26 µg/kg</td> <td>Benzo[k]fluoranthene ..... 41.2 ± 0.4 µg/kg</td> </tr> <tr> <td>Fluorene .....145 ± 4 µg/kg</td> <td>Benzo[e]pyrene ..... 50.4 ± 1.0 µg/kg</td> </tr> <tr> <td>Phenanthrene .....454 ± 7 µg/kg</td> <td>Benzo[a]pyrene ..... 93.5 ± 1.4 µg/kg</td> </tr> <tr> <td>Anthracene .....107 ± 3 µg/kg</td> <td>Perylene ..... 24.6 ± 0.9 µg/kg</td> </tr> <tr> <td>3-Methylphenanthrene .....15.8 ± 0.8 µg/kg</td> <td>Benzo[ghi]perylene ..... 50.5 ± 0.6 µg/kg</td> </tr> <tr> <td>2-Methylphenanthrene .....19.1 ± 1.1 µg/kg</td> <td>Indeno[1,2,3-cd]pyrene ..... 55.5 ± 0.8 µg/kg</td> </tr> <tr> <td>9-Methylphenanthrene .....5.31 ± 0.50 µg/kg</td> <td>Dibenz[a,j]anthracene ..... 6.80 ± 0.46 µg/kg</td> </tr> <tr> <td>1-Methylphenanthrene .....9.23 ± 0.22 µg/kg</td> <td>Dibenz[a,c]anthracene ..... 4.35 ± 0.21 µg/kg</td> </tr> <tr> <td>Fluoranthene .....327 ± 7 µg/kg</td> <td>Dibenz[a,h]anthracene ..... 6.93 ± 0.40 µg/kg</td> </tr> <tr> <td>Pyrene .....240 ± 7 µg/kg</td> <td>Benzo[b]chrysene ..... 10.8 ± 0.4 µg/kg</td> </tr> <tr> <td>Benzo[ghi]fluoranthene .....13.5 ± 0.2 µg/kg</td> <td>Picene ..... 6.59 ± 0.22 µg/kg</td> </tr> <tr> <td>Benzo[c]phenanthrene .....11.0 ± 0.5 µg/kg</td> <td>Dibenzo[b,k]fluoranthene ..... 11.2 ± 0.8 µg/kg</td> </tr> <tr> <td>Benz[a]anthracene .....98.1 ± 2.3 µg/kg</td> <td>Dibenzo[a,e]pyrene ..... 9.08 ± 0.39 µg/kg</td> </tr> <tr> <td>Chrysene .....66.2 ± 5.3 µg/kg</td> <td>Dibenzo[a,h]pyrene ..... 2.57 ± 0.30 µg/kg</td> </tr> </table>	Naphthalene .....1030 ± 100 µg/kg	Triphenylene ..... 12.1 ± 0.6 µg/kg	Biphenyl .....27.6 ± 0.4 µg/kg	Benzo[b]fluoranthene ..... 66.1 ± 4.4 µg/kg	Acenaphthylene .....263 ± 7 µg/kg	Benzo[j]fluoranthene ..... 36.5 ± 2.4 µg/kg	Acenaphthene .....7.63 ± 0.26 µg/kg	Benzo[k]fluoranthene ..... 41.2 ± 0.4 µg/kg	Fluorene .....145 ± 4 µg/kg	Benzo[e]pyrene ..... 50.4 ± 1.0 µg/kg	Phenanthrene .....454 ± 7 µg/kg	Benzo[a]pyrene ..... 93.5 ± 1.4 µg/kg	Anthracene .....107 ± 3 µg/kg	Perylene ..... 24.6 ± 0.9 µg/kg	3-Methylphenanthrene .....15.8 ± 0.8 µg/kg	Benzo[ghi]perylene ..... 50.5 ± 0.6 µg/kg	2-Methylphenanthrene .....19.1 ± 1.1 µg/kg	Indeno[1,2,3-cd]pyrene ..... 55.5 ± 0.8 µg/kg	9-Methylphenanthrene .....5.31 ± 0.50 µg/kg	Dibenz[a,j]anthracene ..... 6.80 ± 0.46 µg/kg	1-Methylphenanthrene .....9.23 ± 0.22 µg/kg	Dibenz[a,c]anthracene ..... 4.35 ± 0.21 µg/kg	Fluoranthene .....327 ± 7 µg/kg	Dibenz[a,h]anthracene ..... 6.93 ± 0.40 µg/kg	Pyrene .....240 ± 7 µg/kg	Benzo[b]chrysene ..... 10.8 ± 0.4 µg/kg	Benzo[ghi]fluoranthene .....13.5 ± 0.2 µg/kg	Picene ..... 6.59 ± 0.22 µg/kg	Benzo[c]phenanthrene .....11.0 ± 0.5 µg/kg	Dibenzo[b,k]fluoranthene ..... 11.2 ± 0.8 µg/kg	Benz[a]anthracene .....98.1 ± 2.3 µg/kg	Dibenzo[a,e]pyrene ..... 9.08 ± 0.39 µg/kg	Chrysene .....66.2 ± 5.3 µg/kg	Dibenzo[a,h]pyrene ..... 2.57 ± 0.30 µg/kg																																											
Naphthalene .....1030 ± 100 µg/kg	Triphenylene ..... 12.1 ± 0.6 µg/kg																																																																													
Biphenyl .....27.6 ± 0.4 µg/kg	Benzo[b]fluoranthene ..... 66.1 ± 4.4 µg/kg																																																																													
Acenaphthylene .....263 ± 7 µg/kg	Benzo[j]fluoranthene ..... 36.5 ± 2.4 µg/kg																																																																													
Acenaphthene .....7.63 ± 0.26 µg/kg	Benzo[k]fluoranthene ..... 41.2 ± 0.4 µg/kg																																																																													
Fluorene .....145 ± 4 µg/kg	Benzo[e]pyrene ..... 50.4 ± 1.0 µg/kg																																																																													
Phenanthrene .....454 ± 7 µg/kg	Benzo[a]pyrene ..... 93.5 ± 1.4 µg/kg																																																																													
Anthracene .....107 ± 3 µg/kg	Perylene ..... 24.6 ± 0.9 µg/kg																																																																													
3-Methylphenanthrene .....15.8 ± 0.8 µg/kg	Benzo[ghi]perylene ..... 50.5 ± 0.6 µg/kg																																																																													
2-Methylphenanthrene .....19.1 ± 1.1 µg/kg	Indeno[1,2,3-cd]pyrene ..... 55.5 ± 0.8 µg/kg																																																																													
9-Methylphenanthrene .....5.31 ± 0.50 µg/kg	Dibenz[a,j]anthracene ..... 6.80 ± 0.46 µg/kg																																																																													
1-Methylphenanthrene .....9.23 ± 0.22 µg/kg	Dibenz[a,c]anthracene ..... 4.35 ± 0.21 µg/kg																																																																													
Fluoranthene .....327 ± 7 µg/kg	Dibenz[a,h]anthracene ..... 6.93 ± 0.40 µg/kg																																																																													
Pyrene .....240 ± 7 µg/kg	Benzo[b]chrysene ..... 10.8 ± 0.4 µg/kg																																																																													
Benzo[ghi]fluoranthene .....13.5 ± 0.2 µg/kg	Picene ..... 6.59 ± 0.22 µg/kg																																																																													
Benzo[c]phenanthrene .....11.0 ± 0.5 µg/kg	Dibenzo[b,k]fluoranthene ..... 11.2 ± 0.8 µg/kg																																																																													
Benz[a]anthracene .....98.1 ± 2.3 µg/kg	Dibenzo[a,e]pyrene ..... 9.08 ± 0.39 µg/kg																																																																													
Chrysene .....66.2 ± 5.3 µg/kg	Dibenzo[a,h]pyrene ..... 2.57 ± 0.30 µg/kg																																																																													
NIST-1491a	<b>Methyl-Substituted Polycyclic Aromatic Hydrocarbons in Toluene</b> Certified values	5 x 1.2 mL																																																																												
	<table style="width: 100%; border: none;"> <thead> <tr> <th></th> <th style="text-align: center;">CAS Registry No.</th> <th style="text-align: center;">µg/g</th> <th style="text-align: center;">µg/mL</th> </tr> </thead> <tbody> <tr><td>1-Methylnaphthalene</td><td>90-12-0</td><td>1.758 ± 0.041</td><td>1.520 ± 0.035</td></tr> <tr><td>2-Methylnaphthalene</td><td>91-57-6</td><td>2.030 ± 0.096</td><td>1.756 ± 0.083</td></tr> <tr><td>1,2-Dimethylnaphthalene</td><td>573-98-8</td><td>1.990 ± 0.071</td><td>1.721 ± 0.061</td></tr> <tr><td>1,6-Dimethylnaphthalene</td><td>575-43-9</td><td>1.607 ± 0.036</td><td>1.390 ± 0.031</td></tr> <tr><td>2,6-Dimethylnaphthalene</td><td>581-42-0</td><td>1.564 ± 0.053</td><td>1.353 ± 0.046</td></tr> <tr><td>1-Methylphenanthrene</td><td>832-69-9</td><td>2.243 ± 0.028</td><td>1.940 ± 0.024</td></tr> <tr><td>2-Methylphenanthrene</td><td>2531-84-2</td><td>2.396 ± 0.018</td><td>2.072 ± 0.016</td></tr> <tr><td>3-Methylphenanthrene</td><td>832-71-3</td><td>2.134 ± 0.010</td><td>1.846 ± 0.009</td></tr> <tr><td>9-Methylphenanthrene</td><td>883-20-5</td><td>2.288 ± 0.019</td><td>1.979 ± 0.016</td></tr> <tr><td>2-Methylanthracene</td><td>613-12-7</td><td>1.355 ± 0.010</td><td>1.172 ± 0.009</td></tr> <tr><td>1,7-Dimethylphenanthrene</td><td>483-87-4</td><td>1.962 ± 0.027</td><td>1.697 ± 0.023</td></tr> <tr><td>1-Methylfluoranthene</td><td>25889-60-5</td><td>1.116 ± 0.011</td><td>0.965 ± 0.010</td></tr> <tr><td>3-Methylfluoranthene</td><td>1706-01-0</td><td>1.190 ± 0.014</td><td>1.029 ± 0.012</td></tr> <tr><td>1-Methylpyrene</td><td>2381-21-7</td><td>1.089 ± 0.013</td><td>0.942 ± 0.011</td></tr> <tr><td>4-Methylpyrene</td><td>3353-12-6</td><td>1.026 ± 0.012</td><td>0.887 ± 0.010</td></tr> <tr><td>Retene</td><td>483-65-8</td><td>2.079 ± 0.032</td><td>1.798 ± 0.028</td></tr> <tr><td>3-Methylchrysene</td><td>3351-31-3</td><td>1.132 ± 0.026</td><td>0.979 ± 0.022</td></tr> <tr><td>6-Methylchrysene</td><td>1705-85-7</td><td>1.200 ± 0.014</td><td>1.038 ± 0.012</td></tr> </tbody> </table>		CAS Registry No.	µg/g	µg/mL	1-Methylnaphthalene	90-12-0	1.758 ± 0.041	1.520 ± 0.035	2-Methylnaphthalene	91-57-6	2.030 ± 0.096	1.756 ± 0.083	1,2-Dimethylnaphthalene	573-98-8	1.990 ± 0.071	1.721 ± 0.061	1,6-Dimethylnaphthalene	575-43-9	1.607 ± 0.036	1.390 ± 0.031	2,6-Dimethylnaphthalene	581-42-0	1.564 ± 0.053	1.353 ± 0.046	1-Methylphenanthrene	832-69-9	2.243 ± 0.028	1.940 ± 0.024	2-Methylphenanthrene	2531-84-2	2.396 ± 0.018	2.072 ± 0.016	3-Methylphenanthrene	832-71-3	2.134 ± 0.010	1.846 ± 0.009	9-Methylphenanthrene	883-20-5	2.288 ± 0.019	1.979 ± 0.016	2-Methylanthracene	613-12-7	1.355 ± 0.010	1.172 ± 0.009	1,7-Dimethylphenanthrene	483-87-4	1.962 ± 0.027	1.697 ± 0.023	1-Methylfluoranthene	25889-60-5	1.116 ± 0.011	0.965 ± 0.010	3-Methylfluoranthene	1706-01-0	1.190 ± 0.014	1.029 ± 0.012	1-Methylpyrene	2381-21-7	1.089 ± 0.013	0.942 ± 0.011	4-Methylpyrene	3353-12-6	1.026 ± 0.012	0.887 ± 0.010	Retene	483-65-8	2.079 ± 0.032	1.798 ± 0.028	3-Methylchrysene	3351-31-3	1.132 ± 0.026	0.979 ± 0.022	6-Methylchrysene	1705-85-7	1.200 ± 0.014	1.038 ± 0.012	
	CAS Registry No.	µg/g	µg/mL																																																																											
1-Methylnaphthalene	90-12-0	1.758 ± 0.041	1.520 ± 0.035																																																																											
2-Methylnaphthalene	91-57-6	2.030 ± 0.096	1.756 ± 0.083																																																																											
1,2-Dimethylnaphthalene	573-98-8	1.990 ± 0.071	1.721 ± 0.061																																																																											
1,6-Dimethylnaphthalene	575-43-9	1.607 ± 0.036	1.390 ± 0.031																																																																											
2,6-Dimethylnaphthalene	581-42-0	1.564 ± 0.053	1.353 ± 0.046																																																																											
1-Methylphenanthrene	832-69-9	2.243 ± 0.028	1.940 ± 0.024																																																																											
2-Methylphenanthrene	2531-84-2	2.396 ± 0.018	2.072 ± 0.016																																																																											
3-Methylphenanthrene	832-71-3	2.134 ± 0.010	1.846 ± 0.009																																																																											
9-Methylphenanthrene	883-20-5	2.288 ± 0.019	1.979 ± 0.016																																																																											
2-Methylanthracene	613-12-7	1.355 ± 0.010	1.172 ± 0.009																																																																											
1,7-Dimethylphenanthrene	483-87-4	1.962 ± 0.027	1.697 ± 0.023																																																																											
1-Methylfluoranthene	25889-60-5	1.116 ± 0.011	0.965 ± 0.010																																																																											
3-Methylfluoranthene	1706-01-0	1.190 ± 0.014	1.029 ± 0.012																																																																											
1-Methylpyrene	2381-21-7	1.089 ± 0.013	0.942 ± 0.011																																																																											
4-Methylpyrene	3353-12-6	1.026 ± 0.012	0.887 ± 0.010																																																																											
Retene	483-65-8	2.079 ± 0.032	1.798 ± 0.028																																																																											
3-Methylchrysene	3351-31-3	1.132 ± 0.026	0.979 ± 0.022																																																																											
6-Methylchrysene	1705-85-7	1.200 ± 0.014	1.038 ± 0.012																																																																											
NIST-1596	<b>Dinitropyrene isomers and 1-Nitropyrene in Dichloromethane</b> Certified concentrations of Nitro-PAHs	set																																																																												
	<table style="width: 100%; border: none;"> <thead> <tr> <th>Compound</th> <th style="text-align: center;">µg/g</th> <th style="text-align: center;">µg/mL</th> </tr> </thead> <tbody> <tr><td>1-Nitropyrene</td><td>4.38 ± 0.08</td><td>5.81 ± 0.11</td></tr> <tr><td>1,3-Dinitropyrene</td><td>2.10 ± 0.03</td><td>2.79 ± 0.04</td></tr> <tr><td>1,6-Dinitropyrene</td><td>4.82 ± 0.17</td><td>6.39 ± 0.23</td></tr> <tr><td>1,8-Dinitropyrene</td><td>7.90 ± 0.15</td><td>10.48 ± 0.20</td></tr> </tbody> </table>	Compound	µg/g	µg/mL	1-Nitropyrene	4.38 ± 0.08	5.81 ± 0.11	1,3-Dinitropyrene	2.10 ± 0.03	2.79 ± 0.04	1,6-Dinitropyrene	4.82 ± 0.17	6.39 ± 0.23	1,8-Dinitropyrene	7.90 ± 0.15	10.48 ± 0.20																																																														
Compound	µg/g	µg/mL																																																																												
1-Nitropyrene	4.38 ± 0.08	5.81 ± 0.11																																																																												
1,3-Dinitropyrene	2.10 ± 0.03	2.79 ± 0.04																																																																												
1,6-Dinitropyrene	4.82 ± 0.17	6.39 ± 0.23																																																																												
1,8-Dinitropyrene	7.90 ± 0.15	10.48 ± 0.20																																																																												
<b>New</b> U-PM-022-1	<b>PAH Mixture</b> 22 Analytes 200 µg/mL of each analyte in Methylene chloride	1 mL																																																																												
	<table style="width: 100%; border: none;"> <tr> <td>Naphthalene</td> <td>Fluoranthene</td> <td>Benzo(e)pyrene</td> <td>Dibenzo(a,l)pyrene</td> </tr> <tr> <td>Acenaphthylene</td> <td>Pyrene</td> <td>Benzo(a)pyrene</td> <td>Dibenzo(a,e)pyrene</td> </tr> <tr> <td>Acenaphthene</td> <td>Benz(a)anthracene</td> <td>Perylene</td> <td>Dibenzo(a,i)pyrene</td> </tr> <tr> <td>Fluorene</td> <td>Chrysene</td> <td>Indeno(1,2,3-cd)pyrene</td> <td>Dibenzo(a,h)pyrene</td> </tr> <tr> <td>Phenanthrene</td> <td>Benzo(b)fluoranthene</td> <td>Benzo(ghi)perylene</td> <td></td> </tr> <tr> <td>Anthracene</td> <td>Benzo(k)fluoranthene</td> <td>Dibenz(a,h)anthracene</td> <td></td> </tr> </table>	Naphthalene	Fluoranthene	Benzo(e)pyrene	Dibenzo(a,l)pyrene	Acenaphthylene	Pyrene	Benzo(a)pyrene	Dibenzo(a,e)pyrene	Acenaphthene	Benz(a)anthracene	Perylene	Dibenzo(a,i)pyrene	Fluorene	Chrysene	Indeno(1,2,3-cd)pyrene	Dibenzo(a,h)pyrene	Phenanthrene	Benzo(b)fluoranthene	Benzo(ghi)perylene		Anthracene	Benzo(k)fluoranthene	Dibenz(a,h)anthracene																																																						
Naphthalene	Fluoranthene	Benzo(e)pyrene	Dibenzo(a,l)pyrene																																																																											
Acenaphthylene	Pyrene	Benzo(a)pyrene	Dibenzo(a,e)pyrene																																																																											
Acenaphthene	Benz(a)anthracene	Perylene	Dibenzo(a,i)pyrene																																																																											
Fluorene	Chrysene	Indeno(1,2,3-cd)pyrene	Dibenzo(a,h)pyrene																																																																											
Phenanthrene	Benzo(b)fluoranthene	Benzo(ghi)perylene																																																																												
Anthracene	Benzo(k)fluoranthene	Dibenz(a,h)anthracene																																																																												
<b>New</b> U-PM-022	<b>PAH Mixture</b>	4 x 1 mL																																																																												
U-PM-006-1	<b>PAH Mixture</b> 10 µg/mL of each analyte in Acetonitrile	1 mL																																																																												
	<table style="width: 100%; border: none;"> <tr> <td>Benzo(b)fluoranthene</td> <td>Benzo(a)pyrene</td> </tr> <tr> <td>Benzo(k)fluoranthene</td> <td>Fluoranthene</td> </tr> <tr> <td>Benzo(ghi)perylene</td> <td>Indeno(1,2,3-cd)pyrene</td> </tr> </table>	Benzo(b)fluoranthene	Benzo(a)pyrene	Benzo(k)fluoranthene	Fluoranthene	Benzo(ghi)perylene	Indeno(1,2,3-cd)pyrene																																																																							
Benzo(b)fluoranthene	Benzo(a)pyrene																																																																													
Benzo(k)fluoranthene	Fluoranthene																																																																													
Benzo(ghi)perylene	Indeno(1,2,3-cd)pyrene																																																																													
U-PM-006	<b>PAH Mixture</b>	4 x 1 mL																																																																												
DE-PAH-7	<b>Six PAHs in Acetonitrile</b> Solvent: Acetonitrile	3 x 1.5 mL																																																																												
	<table style="width: 100%; border: none;"> <tr> <td>Indeno(1,2,3-cd)pyrene.....2 mg/L</td> <td>Fluoranthene..... 10 mg/L</td> </tr> <tr> <td>Benzo(ghi)perylene.....2 mg/L</td> <td>Benzo(b)fluoranthene ..... 2 mg/L</td> </tr> <tr> <td>Benzo(a)pyrene .....2 mg/L</td> <td>Benzo(k)fluoranthene..... 2 mg/L</td> </tr> </table>	Indeno(1,2,3-cd)pyrene.....2 mg/L	Fluoranthene..... 10 mg/L	Benzo(ghi)perylene.....2 mg/L	Benzo(b)fluoranthene ..... 2 mg/L	Benzo(a)pyrene .....2 mg/L	Benzo(k)fluoranthene..... 2 mg/L																																																																							
Indeno(1,2,3-cd)pyrene.....2 mg/L	Fluoranthene..... 10 mg/L																																																																													
Benzo(ghi)perylene.....2 mg/L	Benzo(b)fluoranthene ..... 2 mg/L																																																																													
Benzo(a)pyrene .....2 mg/L	Benzo(k)fluoranthene..... 2 mg/L																																																																													

## Polycyclic aromatic compounds

Code	Product	Unit
NE5107	EEC Six PAHs in Acetonitrile CERTAN® Concentration: each of the following at 10 µg/mL Indeno(1,2,3-cd)pyrene      Benzo(a)pyrene      Benzo(b)fluoranthene Benzo(ghi)perylene      Fluoranthene      Benzo(k)fluoranthene	4.5 mL
U-PM-007-1	PAH Mixture Benzo(b)fluoranthene ..... 10 µg/mL      Fluoranthene ..... 10 µg/mL Benzo(k)fluoranthene ..... 10 µg/mL      Indeno(1,2,3-cd)pyrene ..... 10 µg/mL Benzo(ghi)perylene ..... 10 µg/mL      Perylene ..... 5 µg/mL Benzo(a)pyrene ..... 10 µg/mL	1 mL
U-PM-007	PAH Mixture	4 x 1 mL
U-JTB-0005	PAH 16 Calibration Mix Solvent: Acetonitrile Naphthalene ..... 20.0 µg/mL      Benz[a]anthracene ..... 4.0 µg/mL Acenaphthylene ..... 15.0 µg/mL      Chrysene ..... 3.5 µg/mL Acenaphthene ..... 20.0 µg/mL      Benzo[b]fluoranthene ..... 4.0 µg/mL Fluorene ..... 5.0 µg/mL      Benzo[k]fluoranthene ..... 4.5 µg/mL Phenanthrene ..... 3.5 µg/mL      Benzo[a]pyrene ..... 5.0 µg/mL Anthracene ..... 0.8 µg/mL      Dibenzo[a,h]anthracene ..... 3.5 µg/mL Fluoranthene ..... 8.0 µg/mL      Benzo[ghi]perylene ..... 3.5 µg/mL Pyrene ..... 8.5 µg/mL      Indeno[1,2,3-cd]pyrene ..... 4.5 µg/mL	1 mL
<b>New</b> U-JTB-0005-4	PAH 16 Calibration Mix	4 x 1 mL
U-PM-613A-1	PAH Mixture Solvent: Acetonitrile Acenaphthene ..... 100 µg/mL      Chrysene ..... 10 µg/mL Acenaphthylene ..... 100 µg/mL      Dibenzo(a,h)anthracene ..... 10 µg/mL Anthracene ..... 100 µg/mL      Fluoranthene ..... 10 µg/mL Benzo(a)anthracene ..... 10 µg/mL      Fluorene ..... 100 µg/mL Benzo(b)fluoranthene ..... 10 µg/mL      Indeno(1,2,3-cd)pyrene ..... 10 µg/mL Benzo(k)fluoranthene ..... 5 µg/mL      Naphthalene ..... 100 µg/mL Benzo(ghi)perylene ..... 8.0 µg/mL      Phenanthrene ..... 100 µg/mL Benzo(a)pyrene ..... 10 µg/mL      Pyrene ..... 10 µg/mL	1 mL
U-PM-613A	PAH Mixture	4 x 1 mL
U-PM-831A-1	PAH Mixture Solvent: Acetonitrile/Methanol (9:1) Acenaphthene ..... 1000 µg/mL      Chrysene ..... 50 µg/mL Acenaphthylene ..... 500 µg/mL      Dibenzo(a,h)anthracene ..... 200 µg/mL Anthracene ..... 20 µg/mL      Fluoranthene ..... 50 µg/mL Benzo(a)anthracene ..... 50 µg/mL      Fluorene ..... 100 µg/mL Benzo(b)fluoranthene ..... 20 µg/mL      Indeno(1,2,3-cd)pyrene ..... 50 µg/mL Benzo(k)fluoranthene ..... 20 µg/mL      Naphthalene ..... 500 µg/mL Benzo(ghi)perylene ..... 80 µg/mL      Phenanthrene ..... 40 µg/mL Benzo(a)pyrene ..... 50 µg/mL      Pyrene ..... 100 µg/mL	1 mL
U-PM-831A	PAH Mixture	4 x 1 mL
U-US-106N	PAH Mixture 2000 µg/mL of each analyte in Methylene chloride/Benzene (1:1) Acenaphthene      Benzo(b)fluoranthene      Chrysene      Indeno(1,2,3-cd)pyrene Acenaphthylene      Benzo(k)fluoranthene      Dibenzo(a,h)anthracene      Naphthalene Anthracene      Benzo(ghi)perylene      Fluoranthene      Phenanthrene Benzo(a)anthracene      Benzo(a)pyrene      Fluorene      Pyrene	1 mL
U-US-106N-4	PAH Mixture	4 x 1 mL
U-PM-831-1	PAH Mixture 500 µg/mL of each analyte in Acetonitrile/Acetone/Toluene (6:3:1) Acenaphthene      Benzo(b)fluoranthene      Chrysene      Indeno(1,2,3-cd)pyrene Acenaphthylene      Benzo(k)fluoranthene      Dibenzo(a,h)anthracene      Naphthalene Anthracene      Benzo(ghi)perylene      Fluoranthene      Phenanthrene Benzo(a)anthracene      Benzo(a)pyrene      Fluorene      Pyrene	1 mL
U-PM-831	PAH Mixture	4 x 1 mL
U-US-126	PAH Mixture 2000 µg/mL of each analyte in Methylene chloride/Benzene (1:1) Acenaphthene      Benzo(k)fluoranthene      Dibenzo(a,h)anthracene      Phenanthrene Acenaphthylene      Benzo(ghi)perylene      Fluoranthene      Pyrene Anthracene      Benzo(a)pyrene      Fluorene Benzo(a)anthracene      Carbazole      Indeno(1,2,3-cd)pyrene Benzo(b)fluoranthene      Chrysene      Naphthalene	1 mL
CERERS-009	PAH Standard Solution 100 µg/mL of each analyte in Acetonitrile Acenaphthene      Benzo(b)fluoranthene      Chrysene      Indeno(1,2,3-cd)pyrene Acenaphthylene      Benzo(k)fluoranthene      Dibenzo(a,h)anthracene      Naphthalene Anthracene      Benzo(ghi)perylene      Fluoranthene      Phenanthrene Benzo(a)anthracene      Benzo(a)pyrene      Fluorene      Pyrene	1.2 mL





## Standards for the analysis of the mineral oil content

The hydrocarbon contamination of soil and water by the spillage or leakage of petrol, diesel, or lubricants is one of the most common forms of environmental pollution. Standards e.g. EN-ISO 9377-2 or ISO 16703 have been developed for the determination of the mineral oil content in water and soil by gas chromatography.

Code	Product	Unit
DE-RIV 1	Oil standard (ISO 9377-2, ISO 16703) Equal amounts of: - Kuwait Gasoil without volatile compounds - Agip Basis Oil HVI 60 (formerly Shell)	5 mL
BAM-K010	Diesel Fuel/Lubricating Oil (1:1) (ISO 9377-2, ISO 16703, EN 14039) Equal amounts of: - Diesel fuel - Lubricating oil	7 mL
BAM-K008	Diesel oil (ISO 9377-2, ISO 16703, EN 14039) Diesel oil, certified mass fraction of the boiling range C10 - C40 to be used as calibration standard (type A) for the determination of TPH by GC/FID	7 mL
BAM-K009	Lubricating oil (ISO 9377-2, ISO 16703, EN 14039) Lubricating oil, certified mass fraction of the boiling range C10 - C40 to be used as calibration standard (type B) for the determination of TPH by GC/FID and recovery standard for the gravimetric TPH determination.	7 mL
<b>New</b> U-RGO-330-1	ISO 9377 Mineral Oil Mixture Standard Solvent: Hexane Mineral oil (type a) (no additives)..... 5 mg/mL Mineral oil (type b) (no additives)..... 5 mg/mL n-Tetracontane ..... 2 mg/L n-Decane ..... 2 µL/L	1 mL
<b>New</b> U-RGO-330	ISO 9377 Mineral Oil Mixture Standard	4 x 1 mL
<b>New</b> U-RGO-320-1	EN 14039/ISO 16703 Hydrocarbon Standard Solvent: n-Heptane Mineral oil (type a) (no additives)..... 4 g/L Mineral oil (type b) (no additives)..... 4 g/L n-Tetracontane ..... 30 mg/L n-Decane ..... 30 µL/L	1 mL
<b>New</b> U-RGO-320	EN 14039/ISO 16703 Hydrocarbon Standard	4 x 1 mL
NE1315	Oil Standard (RIV 1) in Petroleum ether (40 - 60°C) CERTAN® 10.000 µg/mL of DE-RIV 1 in Petroleum ether DE-RIV 1 consists of equal amounts of: - Kuwait Gasoil without volatile compounds - Agip Basis Oil HVI 60 (formerly Shell)	1.5 mL
NE0875	Oil Standard (RIV 1) in Cyclohexane CERTAN® 10.000 µg/mL of DE-RIV 1 in Cyclohexane DE-RIV 1 consists of equal amounts of: - Kuwait Gasoil without volatile compounds - Agip Basis Oil HVI 60 (formerly Shell)	1.5 mL
<b>New</b> U-RGO-333-1	ISO 9377 Quality Control Standard Solvent: Acetone Mineral oil (type a) (no additives)..... 500 µg/mL Mineral oil (type b) (no additives)..... 500 µg/mL	1 mL
<b>New</b> U-RGO-333	ISO 9377 Quality Control Standard	4 x 1 mL
NE1311	2 mg n-Tetracontane und 2 µL n-Decane in 100 ml in Petrolether (30 - 60°C)	100 mL
NE3628	2 mg n-Tetracontane and 2 µL n-Decane in 100 mL Cyclohexane	100 mL
NE3628H	2 mg n-Tetracontane and 2 µL n-Decane in 100 mL Hexane	100 mL
<b>New</b> NE3635	2 mg n-Tetracontane and 2 µL n-Decane in 100 mL n-Heptane	100 mL
<b>New</b> U-RGO-335	ISO 9377 Extraction Solvent Stock Solution Solvent: Hexane n-Tetracontane ..... 20 mg/L      n-Decane.....20 µL/L	10 mL
<b>New</b> U-RGO-325-100	EN 14039/ISO 16703 Retention-Time Window (RTW) Standard Solvent: n-Heptane n-Tetracontane ..... 30 mg/L      n-Decane.....30 µL/L	100 mL

## Hydrocarbon fuel standards

Code	Product	Unit
NE1503	n-Alkane Standard Solution CERTAN® 100 µg/mL of each analyte in n-Hexane n-Decane                      n-Eicosane                      n-Triacontane n-Hexadecane                      n-Tetracosane                      n-Tetracontane	1.5 mL
NE1312	Alkane Standard Solution in CERTAN® 100 µg/mL of each analyte in Petroleum ether (30 - 60°C). n-Decane                      n-Octadecane                      n-Hexacosane                      n-Tetracontane n-Dodecane                      n-Eicosane                      n-Octacosane                      n-Hexatriacontane n-Tetradecane                      n-Docosane                      n-Triacontane                      n-Octatriacontane n-Hexadecane                      n-Tetracosane                      n-Dotriacontane                      n-Tetracontane	1.5 mL
NE3613	Alkane Standard Solution CERTAN® 100 µg/mL of each analyte in Cyclohexane. n-Decane                      n-Octadecane                      n-Hexacosane                      n-Tetracontane n-Dodecane                      n-Eicosane                      n-Octacosane                      n-Hexatriacontane n-Tetradecane                      n-Docosane                      n-Triacontane                      n-Octatriacontane n-Hexadecane                      n-Tetracosane                      n-Dotriacontane                      n-Tetracontane	1.5 mL
<b>New</b> U-RGO-322-1	EN 14039/ISO 16703/ISO 9377 n-Alkanes System Performance Standard 16 Analytes Solvent: n-Heptane n-Decane ..... 50 µg/mL      n-Docosane ..... 50 µg/mL      n-Tetracontane ..... 50 µg/mL n-Dodecane ..... 50 µg/mL      n-Tetracosane ..... 50 µg/mL      n-Hexatriacontane ..... 50 µg/mL n-Tetradecane ..... 50 µg/mL      n-Hexacosane ..... 50 µg/mL      n-Octatriacontane ..... 50 µg/mL n-Hexadecane ..... 50 µg/mL      n-Octacosane ..... 50 µg/mL      n-Tetracontane ..... 50 µg/mL n-Octadecane ..... 50 µg/mL      n-Triacontane ..... 50 µg/mL n-Eicosane ..... 50 µg/mL      n-Dotriacontane ..... 50 µg/mL	1 mL
<b>New</b> U-RGO-322	EN 14039/ISO 16703/ISO 9377 n-Alkanes System Performance Standard	4 x 1 mL
CHE 143	Decane	2 mL
NE3673	n-Decane (C10) 50 µg/mL in Cyclohexane CERTAN®	1.5 mL
U-RNA-011	n-Eicosane	1 g
NE3615	n-Eicosane (C20) 50 µg/mL in Cyclohexane CERTAN®	1.5 mL
FL-87086-250MG	Tetracontane puriss. p.a., standard for GC, > 98.5 % (GC)	250 mg
NE3614	n-Tetracontane (C40) 50 µg/mL in Cyclohexane CERTAN®	1.5 mL
FL-46408-100MG	Stearyl stearate OEKANAL®	100 mg
<b>New</b> U-RGO-321-1	EN 14039/ISO 16703 Stearyl Stearate Test Solution Stearyl stearate 1000 µg/mL in n-Heptane	1 mL
<b>New</b> U-RGO-321	EN 14039/ISO 16703 Stearyl Stearate Test Solution	4 x 1 mL
<b>New</b> U-RGO-331-1	ISO-9377 Stearyl Stearate Test Solution Stearyl stearate 2000 µg/mL in Hexane	1 mL
<b>New</b> U-RGO-331	ISO-9377 Stearyl Stearate Test Solution	4 x 1 mL
	Reagents/Sorbents	
SC-9700-B005	Florisil® (Standard), 60 - 100 mesh (suitable for ISO 9377-2/H53)	500 g

## Hydrocarbon fuel standards

Code	Product	Unit
U-RGO-600-1	Regular Unleaded Gasoline 500 µg/mL in Methanol	1 mL
U-RGO-600	Regular Unleaded Gasoline 500 µg/mL in Methanol	4 x 1 mL
U-RGO-610-1	No. 2 Diesel Oil 500 µg/mL in Methanol	1 mL
U-RGO-610	No. 2 Diesel Oil 500 µg/mL in Methanol	4 x 1 mL
U-RGO-605-1	Composite Unleaded Gasoline 2500 µg/mL in Methanol	1 mL
U-RGO-605	Composite Unleaded Gasoline 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-606-1	Composite Unleaded Gasoline 50000 µg/mL in Methylene chloride	1 mL
U-RGO-606	Composite Unleaded Gasoline 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-661-1	Aviation Gas 2500 µg/mL in Methanol	1 mL
U-RGO-661	Aviation Gas 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-616-1	Composite 2 Diesel Fuel 50000 µg/mL in Methylene chloride	1 mL
U-RGO-616	Composite 2 Diesel Fuel 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-615-1	Composite 2 Diesel Fuel 2500 µg/mL in Methanol	1 mL

## Weathered hydrocarbon fuel standards

Code	Product	Unit
U-RGO-615	Composite 2 Diesel Fuel 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-616-1	Composite 2 Diesel Fuel 50000 µg/mL in Methylene chloride	1 mL
U-RGO-616	Composite 2 Diesel Fuel 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-625-1	Composite Kerosene 2500 µg/mL in Methanol	1 mL
U-RGO-625	Composite Kerosene 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-626-1	Composite Kerosene 50000 µg/mL in Methylene chloride	1 mL
U-RGO-626	Composite Kerosene 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-671-1	Jet Fuel A 5000 µg/mL in Methylene chloride	1 mL
U-RGO-671	Jet Fuel A 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-672-1	Jet Fuel A 50000 µg/mL in Methylene chloride	1 mL
U-RGO-672	Jet Fuel A 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-631-1	Fuel Oil 4 5000 µg/mL in Methylene chloride	1 mL
U-RGO-631	Fuel Oil 4 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-632-1	Fuel Oil 4 50,000 µg/mL in Methylene chloride	1 mL
U-RGO-632	Fuel Oil 4 50,000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-641-1	Fuel Oil 5 5000 µg/mL in Methylene chloride	1 mL
U-RGO-641	Fuel Oil 5 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-642-1	Fuel Oil 5 50000 µg/mL in Methylene chloride	1 mL
U-RGO-642	Fuel Oil 5 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-651-1	Fuel Oil 6 5000 µg/mL in Methylene chloride	1 mL
U-RGO-651	Fuel Oil 6 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-652-1	Fuel Oil 6 50000 µg/mL in Methylene chloride	1 mL
U-RGO-652	Fuel Oil 6 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-608-1	Unleaded Regular Gasoline Standard 5000 µg/mL in Methylene chloride	1 mL
U-RGO-608	Unleaded Regular Gasoline Standard 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-609-1	Unleaded Premium Gasoline Standard 5000 µg/mL in Methylene chloride	1 mL
U-RGO-609	Unleaded Premium Gasoline Standard 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-691-1	JP-5 Military Fuel 5000 µg/mL in Methylene chloride	1 mL
U-RGO-691	JP-5 Military Fuel 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-692-1	JP-5 Military Fuel 50000 µg/mL in Methylene chloride	1 mL
U-RGO-692	JP-5 Military Fuel 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-722-1	SAE 10W30 Motor Oil 1000 µg/mL in Methylene chloride	1 mL
U-RGO-722	SAE 10W30 Motor Oil 1000 µg/mL in Methylene chloride	4 x 1 mL

## Weathered hydrocarbon fuel standards

Weathered fuel standards are designed to simulate the effects of exposure on hydrocarbon fuel samples. The standards are prepared by evaporation of the low boiling components of the fuel sample until the desired percentage reduction is achieved. Matrix effects have not been simulated.

### Unleaded gasoline standards

Code	Product	Unit
U-RGO-601-1	Unleaded Gasoline (Unweathered) 5000 µg/mL in Methanol	1 mL
U-RGO-601	Unleaded Gasoline (Unweathered) 5000 µg/mL in Methanol	4 x 1 mL
U-RGO-602-1	Unleaded Gasoline (25% Weathered) 5000 µg/mL in Methanol	1 mL
U-RGO-602	Unleaded Gasoline (25% Weathered) 5000 µg/mL in Methanol	4 x 1 mL
U-RGO-603-1	Unleaded Gasoline (50% Weathered) 5000 µg/mL in Methanol	1 mL
U-RGO-603	Unleaded Gasoline (50% Weathered) 5000 µg/mL in Methanol	4 x 1 mL
U-RGO-604-1	Unleaded Gasoline (75% Weathered) 5000 µg/mL in Methanol	1 mL
U-RGO-604	Unleaded Gasoline (75% Weathered) 5000 µg/mL in Methanol	4 x 1 mL
U-RGO-611-1	Diesel Fuel 2 (Unweathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-611	Diesel Fuel 2 (Unweathered) 5000 µg/mL in Methylene chloride	4 x 1 mL

## Veterinary medicines and pharmaceuticals

Code	Product	Unit
U-RGO-612-1	Diesel Fuel 2 (25% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-612	Diesel Fuel 2 (25% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-613-1	Diesel Fuel 2 (50% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-613	Diesel Fuel 2 (50% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-614-1	Diesel Fuel 2 (75% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-614	Diesel Fuel 2 (75% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL

### Kerosene standards

U-RGO-621-1	Kerosene (Unweathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-621	Kerosene (Unweathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-622-1	Kerosene (25% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-622	Kerosene (25% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-623-1	Kerosene (50% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-623	Kerosene (50% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-624-1	Kerosene (75% weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-624	Kerosene (75% weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL






### Mineral sprits standards

U-RGO-701-1	Mineral Spirits (Unweathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-701	Mineral Spirits (Unweathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-702-1	Mineral Spirits (25% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-702	Mineral Spirits (25% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-703-1	Mineral Spirits (50% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-703	Mineral Spirits (50% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-704-1	Mineral Spirits (75% Weathered) 5000 µg/mL in Methylene chloride	1 mL
U-RGO-704	Mineral Spirits (75% Weathered) 5000 µg/mL in Methylene chloride	4 x 1 mL











## Veterinary medicines and pharmaceuticals

### NMIA-Reference materials

The certified reference materials produced by the Australian National Measurement Institute are prepared in accordance with their accreditation from NATA to "ISO Guide 34:2000 General requirements for the competence of reference materials producers"

Code	Product	Unit
NMIAD582	17alpha-Boldenone (Epiboldenone) °	1 mg
		
NMIAD862	17-beta-Boldenone glucuronide potassium salt °	1 mg
		
NMIAD714	Chloramphenicol glucuronide °	1 mg
		
NMIAM954	Clenbuterol-D9 HCl	1 mg
		
NMIAD652	Fluorogestone (Flugestone) °	5 mg
		




## Veterinary medicines and pharmaceuticals

Code	Product	Unit
NMIAD651	Megesterol °	5 mg
		
NMIAD655	Melengestrol °	5 mg
		
NMIAD632	Melengestrol acetate °	50 mg
NMIAD861	17-beta-Nandrolone glucuronide potassium salt °	1 mg
		
NMIAM890	Sulfatroxazole	50 mg
		
NMIAD708	17alpha-Trenbolone (Epitrenbolone) °	5 mg
		
NMIAP1801	alpha-Zearalanol	5 mg
		
NMIAP1802	beta-Zearalanol	5 mg
		
NMIAP1795	alpha-Zearalenol	5 mg
		
NMIAP1796	beta-Zearalenol	5 mg
		
NMIAP1787	Zearalenone	10 mg
		

### Full listing of veterinary medicine and pharmaceutical standards

<b>New</b>	FL-32836-10MG	Acepromazine-d6 hydrochloride VETRANAL®	10 mg
<b>New</b>	FL-32527-50MG	Acequinocyl PESTANAL®	50 mg
	FL-33978-100MG	2-Acetamido-5-nitrothiazole VETRANAL®	100 mg
	CIL-U LM-7629-1.2	Acetaminophen (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CNLM-3726-1.2	Acetaminophen (acetyl- <sup>13</sup> C <sub>2</sub> ,99%; <sup>15</sup> N,98%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-33992-100MG	Aklomid VETRANAL®	100 mg
	NMIAP1793	Albendazole sulfone	25 mg
	NMIAP1792	Albendazole sulfoxide	25 mg
	FL-33994-100MG	Altrenogest VETRANAL®	100 mg
<b>New</b>	FL-32841-10MG	2-Aminoflubendazole VETRANAL®	10 mg
	FL-33655-100MG	1-Aminohydantoin hydrochloride VETRANAL®	100 mg
	CIL-DLM-7170-1.2	1-Aminohydantoin hydrochloride (5,5-D <sub>2</sub> ,98%) (AHD) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7188-1.2	1-Aminohydantoin hydrochloride (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	FL-32731-10MG	3-Amino-2-methyl-5-nitrobenzamide VETRANAL®	10 mg
<b>New</b>	FL-32733-10MG	5-Amino-2-methyl-3-nitrobenzamide VETRANAL®	10 mg
	CIL-DLM-7171-1.2	3-Amino-2-oxazolidone (AOZ) (ring-D <sub>4</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7189-1.2	3-Amino-2-oxazolidone (AOZ) (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8350-1.2	Amitriptyline:HCl (unlabelled) 100 µg/mL in Methanol	1.2 mL



## Veterinary medicines and pharmaceuticals

	Code	Product	Unit
<b>New</b>	CIL-DLM-3008-1.2	Amitriptyline:HCl ((N,N-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	FL-31586-250MG	Amoxicillin trihydrate VETRANAL <sup>®</sup>	250 mg
	FL-46006-100MG	Amphotericin B trihydrate VETRANAL <sup>®</sup>	100 mg
	FL-31591-250MG	Ampicillin trihydrate VETRANAL <sup>®</sup>	250 mg
	FL-31592-250MG	Amprolium hydrochloride VETRANAL <sup>®</sup>	250 mg
	FL-31573-100MG	Androstanolone (5α-Androstan-17β-ol-3-one) VETRANAL <sup>®</sup>	100 mg
	FL-46025-250MG	Androstanolone 17-benzoate VETRANAL <sup>®</sup>	250 mg
	FL-46033-250MG	Androstenedione VETRANAL <sup>®</sup>	250 mg
	FL-31579-250MG	cis-Androsterone VETRANAL <sup>®</sup>	250 mg
	FL-37919-100MG	Anhydrotetracycline hydrochloride VETRANAL <sup>®</sup>	100 mg
	FL-33347-50MG	AOZ VETRANAL <sup>®</sup>	50 mg
	FL-33349-50MG	AMOZ VETRANAL <sup>®</sup>	50 mg
	FL-31593-250MG	Arecoline hydrobromide VETRANAL <sup>®</sup>	250 mg
	FL-31584-250MG	4-Arsanilic acid VETRANAL <sup>®</sup>	250 mg
	FL-32992-25MG	Aspoxicillin VETRANAL <sup>®</sup>	25 mg
	FL-34045-100MG	Azaconazol VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32738-10MG	Azaperol VETRANAL <sup>®</sup>	10 mg
	FL-34223-100MG	Azaperone VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32854-10MG	Azaperone-d4 VETRANAL <sup>®</sup>	10 mg
	FL-31626-250MG	Bacitracin A VETRANAL <sup>®</sup>	250 mg
<b>New</b>	FL-32591-10MG	Baquiloprim VETRANAL <sup>®</sup>	10 mg
	FL-31735-250MG	Benzathine penicilline G tetrahydrate VETRANAL <sup>®</sup>	250 mg
	FL-34166-100MG	Betamethason (free compound) VETRANAL <sup>®</sup>	100 mg
	FL-46074-250MG	Betamethasone 17-valerate VETRANAL <sup>®</sup>	250 mg
	FL-31622-250MG	Bithionol VETRANAL <sup>®</sup>	250 mg
	FL-46431-10MG	Boldenon VETRANAL <sup>®</sup>	10 mg
	NMIAD582	17α-Boldenone (Epiboldenone) °	1 mg
			
	NMIAD862	17-β-Boldenone glucuronide potassium salt °	1 mg
			
<b>New</b>	FL-94972-10MG	Brombuterol hydrochloride VETRANAL <sup>®</sup>	10 mg
	FL-46356-250MG	Canamycin A disulfate salt dihydrate VETRANAL <sup>®</sup>	250 mg
<b>New</b>	CIL-ULM-7653-1.2	Caffeine (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-514-1.2	Caffeine (trimethyl- <sup>13</sup> C <sub>3</sub> , 99%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	FL-32819-10MG	Carazolol-d7 VETRANAL <sup>®</sup>	10 mg
	NE9228	Carbamazepine 10 µg/mL in Methanol	10 mL
	CERC-053	Carbamazepine (1.0 mg/ml) in Methanol	1 mL
			
	CIL-ULM-6581-1.2	Carbamazepine (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-2806-1.2	Carbamazepine (D <sub>10</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	FL-46100-250MG	Carbazole VETRANAL <sup>®</sup>	250 mg
	FL-33975-100MG	Carprofen VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32736-10MG	Carprofen-d3 VETRANAL <sup>®</sup>	10 mg
	FL-33989-100MG	Cefalexin VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32904-100MG	Cefalonium hydrate VETRANAL <sup>®</sup>	100 mg
	FL-34001-100MG	Ceftiofur VETRANAL <sup>®</sup>	100 mg



## Veterinary medicines and pharmaceuticals

	Code	Product	Unit
	FL-34218-100MG	Cefuroxime VETRANAL®	100 mg
	CIL-ULM-6687-1.2	(+/-)-Chloramphenicol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	FL-34005-10MG	m-Chloramphenicol VETRANAL®	10 mg
<b>New</b>	FL-34005-100MG	m-Chloramphenicol VETRANAL®	100 mg
	NMIAD714	Chloramphenicol glucuronide °	1 mg
	FL-46109-250MG	Chloramphenicol palmitate VETRANAL®	250 mg
	FL-46133-250MG	Chlorotetracycline hydrochloride VETRANAL®	250 mg
<b>New</b>	FL-32554-10MG	Chlorpromazin-d6 hydrochloride VETRANAL®	10 mg
<b>New</b>	FL-32568-10MG	Cimaterol VETRANAL®	10 mg
<b>New</b>	FL-32569-10MG	Cimaterol-d7 VETRANAL®	10 mg
<b>New</b>	FL-32576-10MG	Cimbuterol VETRANAL®	10 mg
	FL-33434-100MG	Ciprofloxacin VETRANAL®	100 mg
	CIL-ULM-7710-S	Ciprofloxacin x HCl (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-7710-1.2	Ciprofloxacin (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CNLM-7539-1.2	Ciprofloxacin (2,3,carboxyl- <sup>13</sup> C <sub>3</sub> , 99%; quinoline- <sup>15</sup> N, 98%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	FL-32982-10MG	Ciprofloxacin-d8 hydrochloride monohydrate VETRANAL®	10 mg
	FL-34015-100MG	Citicoline sodium VETRANAL®	100 mg
	NMIAM954	Clenbuterol-D9 HCl	1 mg
	FL-32580-10MG	Clenhexerol VETRANAL®	10 mg
<b>New</b>	FL-32825-10MG	Clenpenterole hydrochloride VETRANAL®	10 mg
<b>New</b>	FL-32827-10MG	Clenproperole VETRANAL®	10 mg
<b>New</b>	FL-32828-10MG	Clenproperole-d7 VETRANAL®	10 mg
	FL-33931-100MG	Clioquinol VETRANAL®	100 mg
	NE9240	Clofibric acid 10 µg/mL in Methanol	10 mL
	FL-33988-100MG	Clopidol VETRANAL®	100 mg
	FL-33973-100MG	Clorsulon VETRANAL®	100 mg
<b>New</b>	FL-33755-100MG	Clostebol acetate VETRANAL®	100 mg
	FL-33894-100MG	Clotrimazol VETRANAL®	100 mg
	FL-46140-250MG	Cloxacillin sodium salt hydrate VETRANAL®	250 mg
	FL-46148-100MG	Corticosterone VETRANAL®	100 mg
	FL-46149-100MG	Corticosterone 21-acetate VETRANAL®	100 mg
<b>New</b>	CIL-DLM-2218-A-1.2	Cortisol (9,11,12,12-D <sub>4</sub> ,98%) 100 µg/mL in Methylene chloride	1.2 mL
	FL-46364-250MG	Crystal violet chloride VETRANAL®	250 mg
<b>New</b>	FL-32853-10MG	Crystal Violet-d6 trihydrate VETRANAL®	10 mg
	FL-33700-100MG	Danofloxacin VETRANAL®	100 mg
	FL-46158-250MG	Dapson VETRANAL®	250 mg
<b>New</b>	FL-32552-10MG	Decoquinat-d5 VETRANAL®	10 mg
	FL-46161-100MG	Demeclocyclin hydrochloride, hemihydrate	100 mg
<b>New</b>	FL-32809-25MG	Desogestrel VETRANAL®	25 mg
	FL-46165-250MG	Dexamethason VETRANAL®	250 mg
	FL-46166-100MG	Dexamethason 21-acetate VETRANAL®	100 mg
	FL-46174-100MG	Diaveridine VETRANAL®	100 mg
	FL-34057-100MG	Diclazuril VETRANAL®	100 mg
	FL-46182-100MG	Dicloxacillin sodium salt hydrate VETRANAL®	100 mg
	FL-46190-100MG	Dienestrol VETRANAL®	100 mg
	FL-31704-250MG	Diethylcarbazine citrate VETRANAL®	250 mg
	FL-46207-250MG	Diethylstilbestrol VETRANAL®	250 mg








## Veterinary medicines and pharmaceuticals

	Code	Product	Unit
	CIL-U LM-7921-1.2	Diethylstilbestrol (cis/trans mix) (unlabelled) 100 µg/mL in Dichloromethane	1.2 mL
<b>New</b>	CIL-U LM-7921-D-1.2	Diethylstilbestrol (cis/trans Mix) (unlabelled) 100 µg/mL in Dioxane	1.2 mL
	CIL-D LM-170-1.2	Diethylstilbestrol (cis/trans mix) (ring-3,3',5,5'-diethyl-1,1,1',1'-D <sub>8</sub> ,98%) 100 µg/mL in Dichloromethane-D <sub>2</sub>	1.2 mL
<b>New</b>	CIL-D LM-170-D-1.2	Diethylstilbestrol (cis/trans mix) (ring-3,3',5,5'-diethyl-1,1,1',1'-D <sub>8</sub> ,98%) 100 µg/mL in Dioxane	1.2 mL
	FL-33984-100MG	Difloxacin hydrochloride VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32987-10MG	Difloxacin-d3 hydrochloride VETRANAL <sup>®</sup>	10 mg
	FL-34196-10MG	Dimetridazol-d <sub>3</sub> VETRANAL <sup>®</sup>	10 mg
<b>New</b>	CIL-U LM-8533-1.2	5,5-Diphenylhydantoin (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-C NLM-411-1.2	5,5-Diphenylhydantoin (2- <sup>13</sup> C,99%; 1,3- <sup>15</sup> N <sub>2</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	FL-46232-250MG	Dipyron hydrate VETRANAL <sup>®</sup>	250 mg
	FL-34214-10MG	DNC-D8 VETRANAL <sup>®</sup>	10 mg
	FL-33993-100MG	Doramectin VETRANAL <sup>®</sup>	100 mg
	FL-33429-100MG	Doxycycline hyclate VETRANAL <sup>®</sup>	100 mg
	FL-33699-100MG	Enrofloxacin VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32983-10MG	Enrofloxacin-d5 hydrochloride VETRANAL <sup>®</sup>	10 mg
	FL-37921-100MG	4-Epianhydrotetracycline hydrochloride VETRANAL <sup>®</sup>	100 mg
	FL-37918-100MG	4-Epitetracycline hydrochloride VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32526-100MG	Eprinomectin VETRANAL <sup>®</sup>	100 mg
	FL-46247-50MG	Equilin VETRANAL <sup>®</sup>	50 mg
	FL-46256-250MG	Erythromycin A dihydrate VETRANAL <sup>®</sup>	250 mg
	CIL-C LM-3672-1.2	Erythromycin (N,N-dimethyl- <sup>13</sup> C <sub>2</sub> ,~90%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-31734-250MG	17beta-Estradiol VETRANAL <sup>®</sup>	250 mg
	CIL-U LM-7449-1.2	Estradiol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-C LM-7936-1.2	DL-Estradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
	CIL-C LM-803-1.2	Estradiol (3,4- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-46551-100MG	17beta-Estradiol 17-acetate VETRANAL <sup>®</sup>	100 mg
	FL-46552-250MG	17beta-Estradiol 3-benzoate VETRANAL <sup>®</sup>	250 mg
	FL-46542-100MG	17alpha-Estradiol hemihydrate VETRANAL <sup>®</sup>	100 mg
	FL-46565-100MG	Estriol VETRANAL <sup>®</sup>	100 mg
	CIL-D LM-7468-1.2	Estriol (2,4-D <sub>2</sub> ,98%) 100 ug/mL in p-Dioxane	1.2 mL
	CIL-U LM-7212-1.2	Estrone (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	FL-46573-250MG	Estrone VETRANAL <sup>®</sup>	250 mg
	CIL-C LM-673-1.2	Estrone (3,4- <sup>13</sup> C <sub>2</sub> ,90%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-C LM-7935-1.2	DL-Estrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
	FL-46263-250MG	17alpha-Ethynylestradiol VETRANAL <sup>®</sup>	250 mg
	CIL-C LM-3375-1.2	Ethynylestradiol (20,21- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-46272-250MG	Ethisterone VETRANAL <sup>®</sup>	250 mg
	FL-33996-100MG	Ethopabat VETRANAL <sup>®</sup>	100 mg
	FL-33981-100MG	Febantel VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32729-10MG	Febantel-d6 VETRANAL <sup>®</sup>	10 mg
	FL-35032-100MG	Fenbendazole VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32544-10MG	Fenbendazole sulfone VETRANAL <sup>®</sup>	10 mg
	NMIAP1791	Fenbendazole-sulfone	25 mg
<b>New</b>	FL-32567-10MG	Fenbendazole-d3 VETRANAL <sup>®</sup>	10 mg
	FL-34202-100MG	Finasteride VETRANAL <sup>®</sup>	100 mg
	FL-33930-100MG	Fleroxacin VETRANAL <sup>®</sup>	100 mg
	FL-34091-100MG	Flubendazol VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32839-10MG	Flubendazole-d3 VETRANAL <sup>®</sup>	10 mg
	FL-33586-100MG	Flunixin VETRANAL <sup>®</sup>	100 mg
	FL-34083-10MG	Flunixin-D3 VETRANAL <sup>®</sup>	10 mg




## Veterinary medicines and pharmaceuticals

Code	Product	Unit
NMIAD652	Fluorogestone (Flugestone) °	5 mg
		
FL-34012-10MG	Fluoxetine hydrochloride VETRANAL®	10 mg
FL-34089-100MG	Fosfomicin sodium VETRANAL®	100 mg
FL-46289-250MG	Furaltadone VETRANAL®	250 mg
FL-34061-10MG	Furaltadon-D5 VETRANAL®	10 mg
FL-46297-250MG	Furazolidone VETRANAL®	250 mg
<b>New</b> FL-32511-10MG	Furazolidone-d4 VETRANAL®	10 mg
CIL-ULM-8225-1.2	Gemfibrozil (unlabelled) 100 µg/mL in Dioxane	1.2 mL
CIL-DLM-8221-1.2	Gemfibrozil (2,2-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Dioxane	1.2 mL
FL-46305-250MG	Gentamycin 2,5-sulfate hexahydrate VETRANAL®	250 mg
FL-46309-250MG	Griseofulvin VETRANAL®	250 mg
FL-31715-250MG	Hexachloroethane VETRANAL®	250 mg
FL-46320-100MG	Hexestrol VETRANAL®	100 mg
<b>New</b> FL-34003-10MG	HMMNI VETRANAL®	10 mg
<b>New</b> FL-34003-250MG	HMMNI VETRANAL®	250 mg
NMIAP1296	HMMNI (nitroimidazole metabolite)	50 mg
FL-34207-10MG	HMMNI-d <sub>3</sub> VETRANAL®	10 mg
FL-31719-250MG	Hydrocortisone VETRANAL®	250 mg
FL-46329-250MG	Hydrocortisone 21-acetate VETRANAL®	250 mg
<b>New</b> FL-32843-10MG	5-Hydroxymebendazole-d3 VETRANAL®	10 mg
<b>New</b> FL-32826-10MG	Hydroxymethylclenbuterole VETRANAL®	10 mg
FL-46337-250MG	17-alpha-Hydroxyprogesterone VETRANAL®	250 mg
FL-33818-10MG	5-Hydroxythiabendazole VETRANAL®	10 mg
CERI-009	Ibuprofen (1.0 mg/ml) in Methanol	1 mL
		
CIL-ULM-7275-1.2	Ibuprofen (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-6943-1.2	Ibuprofen (propionic- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b> FL-55264-50MG	Ibuprofen-d3	50 mg
FL-33997-100MG	Imazalil sulfate PESTANAL®	100 mg
FL-33441-50MG	Imidocarb dipropionate VETRANAL®	50 mg
FL-34216-10MG	Ipronidazole-D3 VETRANAL®	10 mg
<b>New</b> FL-34004-10MG	Ipronidazole-OH VETRANAL®	10 mg
<b>New</b> FL-34004-100MG	Ipronidazole-OH VETRANAL®	100 mg
FL-34016-100MG	Ketoprofen VETRANAL®	100 mg
<b>New</b> FL-32673-10MG	Ketoprofen-d3 VETRANAL®	10 mg
FL-32991-25MG	Lanocanazole VETRANAL®	25 mg
<b>New</b> FL-32834-10MG	Leucocrystal Violet-d6 VETRANAL®	10 mg
FL-31721-250MG	Leucomycin hydrate VETRANAL®	250 mg
FL-31742-250MG	Levamisol hydrochloride VETRANAL®	250 mg
FL-34014-100MG	Loperamide hydrochloride VETRANAL®	100 mg
FL-34046-100MG	Lysozym hydrochloride VETRANAL®	100 mg
<b>New</b> FL-32573-10MG	Mabuterol hydrochloride VETRANAL®	10 mg
FL-34069-100MG	Maduramicin VETRANAL®	100 mg


## Veterinary medicines and pharmaceuticals

Code	Product	Unit
LGC1706	Malachite green oxalate The material is intended for the use as an analytical standard for the determination of malachite green oxalate in foodstuff especially fish Assessed value Purity..... 94.2 ± 1.4 mass% Indicative values for Monode -malachite green, 4-(Dimethylamino)benzophenone, Malachite green carbinol (MG-carbinol), Leucomalachite green (LMG).	250 mg
FL-46396-250MG	Malachite green oxalate VETRANAL®	250 mg
<b>New</b> FL-49358-5MG	Mapenterol hydrochloride VETRANAL®	5 mg
FL-34039-100MG	Marboflaxacin VETRANAL®	100 mg
FL-46404-250MG	Mebendazol VETRANAL®	250 mg
<b>New</b> FL-32842-10MG	Mebendazole-d3 VETRANAL®	10 mg
FL-46411-100MG	Medroxyprogesterone VETRANAL®	100 mg
FL-46412-250MG	Medroxyprogesterone 17-acetate VETRANAL®	250 mg
NMIAD651	Megesterol °	5 mg
		
FL-46420-100MG	Megestrol 17-acetate VETRANAL®	100 mg
NMIAD655	Melengestrol °	5 mg
		
NMIAD632	Melengestrol acetate °	50 mg
FL-33998-100MG	Melengestrol acetate VETRANAL®	100 mg
FL-33447-100MG	Mecillinam VETRANAL®	100 mg
FL-37906-100MG	Methacyline hydrochloride VETRANAL®	100 mg
FL-46429-250MG	Methimazol VETRANAL®	250 mg
CIL-DLM-4766-1.2	2-Methylisborneol (2-methyl-D <sub>3</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
FL-46436-100MG	6-alpha-Methylprednisolone VETRANAL®	100 mg
<b>New</b> FL-46444-20MG	17alpha-Methyltestosterone VETRANAL®	20 mg
<b>New</b> FL-46444-250MG	17alpha-Methyltestosterone VETRANAL®	250 mg
FL-46453-250MG	6-Methyl-2-thiouracil VETRANAL®	250 mg
CIL-U LM-7884-1.2	Methyl triclosan (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-7885-1.2	Methyl triclosan (ring- <sup>13</sup> C <sub>12</sub> , 99%) 100 µg/mL in Nonane	1.2 mL
FL-46461-250MG	Metronidazol VETRANAL®	250 mg
<b>New</b> FL-32744-10MG	Metronidazole-13C <sub>2</sub> ,15N <sub>2</sub> VETRANAL®	10 mg
FL-34007-10MG	Metronidazole-OH VETRANAL®	10 mg
<b>New</b> FL-32549-10MG	Miloxacin-d3 VETRANAL®	10 mg
FL-46468-100MG	Monensin sodium salt hydrate VETRANAL®	100 mg
FL-46473-250MG	Morantel tartrate VETRANAL®	250 mg
CIL-DLM-7172-1.2	5-(4-Morpholinylmethyl)-3-amino-2-oxazolidinone (AMOZ) (4,4,5,5',5',-D <sub>5</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
CIL-U LM-7190-1.2	5-(4-Morpholinylmethyl)-3-amino-2-oxazolidinone (AMOZ) (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b> FL-33746-25MG	Moxidectin VETRANAL®	25 mg
<b>New</b> FL-32613-10MG	NaDMDTC-d6 dihydrate PESTANAL®	10 mg
FL-46476-250MG	Nandrolone VETRANAL®	250 mg
NMIAD861	17-beta-Nandrolone glucuronide potassium salt °	1 mg
		
FL-46477-100MG	Nandrolon 17-propionate VETRANAL®	100 mg



## Veterinary medicines and pharmaceuticals

	Code	Product	Unit
	FL-46482-250MG	Naproxen VETRANAL <sup>®</sup>	250 mg
	CERN-042	Naproxen (1.0 mg/mL) in Methanol	1 mL
			
	CIL-CDLM-7665-1.2	Naproxen (methyl- <sup>13</sup> C,99%; methyl-D <sub>3</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-33492-100MG	Neomycin trisulfate VETRANAL <sup>®</sup>	100 mg
	FL-33448-10MG	Nequinatone VETRANAL <sup>®</sup>	10 mg
	CERN-008	S(-)-Nicotine (1.0 mg/ml) im Methanol	1 mL
			
	FL-46494-100MG	Nifuroxazide VETRANAL <sup>®</sup>	100 mg
	FL-33871-10MG	2-Nitrobenzaldehyde semicarbazone VETRANAL <sup>®</sup>	10 mg
<b>New</b>	FL-32800-100MG	Nitarsonsone VETRANAL <sup>®</sup>	100 mg
	FL-46502-250MG	Nitrofurantoin VETRANAL <sup>®</sup>	250 mg
<b>New</b>	FL-32513-10MG	Nitrofurantoin-13C3 VETRANAL <sup>®</sup>	10 mg
<b>New</b>	FL-32512-10MG	Nitrofurazone-13C,15N2 VETRANAL <sup>®</sup>	10 mg
	FL-46518-250MG	Nitromid VETRANAL <sup>®</sup>	250 mg
	FL-34088-100MG	Nitroxinil VETRANAL <sup>®</sup>	100 mg
	FL-46527-100MG	19-Norethindrone acetate VETRANAL <sup>®</sup>	100 mg
	FL-46525-250MG	19-Norethisterone VETRANAL <sup>®</sup>	250 mg
	FL-33899-100MG	Norfloxacin VETRANAL <sup>®</sup>	100 mg
	FL-34058-10MG	Norfloxacin-D5 VETRANAL <sup>®</sup>	10 mg
	FL-46531-250MG	Novobiocin sodium salt VETRANAL <sup>®</sup>	250 mg
	FL-33870-10MG	2-NP-AHD VETRANAL <sup>®</sup>	10 mg
	FL-33869-10MG	2-NP-AMAZ VETRANAL <sup>®</sup>	10 mg
	FL-33868-10MG	2-NP-AOZ VETRANAL <sup>®</sup>	10 mg
	FL-33703-100MG	Ofloxacin VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32998-10MG	Ofloxacin-d3 hydrochloride VETRANAL <sup>®</sup>	10 mg
	FL-33987-100MG	Olaquinox VETRANAL <sup>®</sup>	100 mg
	FL-34041-100MG	Orbifloxacin VETRANAL <sup>®</sup>	100 mg
	FL-46589-100MG	Oxacillin sodium salt hydrate VETRANAL <sup>®</sup>	100 mg
	FL-34176-100MG	Oxfendazole VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32543-10MG	Oxfendazole-d3 VETRANAL <sup>®</sup>	10 mg
<b>New</b>	FL-32924-100MG	Oxibendazole VETRANAL <sup>®</sup>	100 mg
<b>New</b>	FL-32737-10MG	Oxibendazole-d7 VETRANAL <sup>®</sup>	10 mg
<b>New</b>	CIL-ULM-8531-1.2	Oxybenzone (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8525-1.2	Oxybenzone (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-34078-100MG	Oxyclozanide VETRANAL <sup>®</sup>	100 mg
	FL-46598-250MG	Oxytetracycline hydrochloride VETRANAL <sup>®</sup>	250 mg
	CERP-909	Acetaminophen-D4 (0.1 mg/ml) (Paracetamol) in Methanol	1 mL
			
<b>New</b>	FL-34213-25MG	Pazufloxacin VETRANAL <sup>®</sup>	25 mg
	FL-34212-25MG	Pazufloxacin mesilate VETRANAL <sup>®</sup>	25 mg
<b>New</b>	FL-32551-10MG	Pefloxacin-d5 VETRANAL <sup>®</sup>	10 mg
<b>New</b>	FL-32838-10MG	Penbutolol hydrochloride VETRANAL <sup>®</sup>	10 mg
	FL-46616-250MG	Penicillin V potassium salt VETRANAL <sup>®</sup>	250 mg
	FL-46609-250MG	Penicillin G potassium salt VETRANAL <sup>®</sup>	250 mg
<b>New</b>	FL-32985-10MG	Penicillin G-d7 N-ethylpiperidinium salt VETRANAL <sup>®</sup>	10 mg

## Veterinary medicines and pharmaceuticals







Code	Product	Unit
NE9302	Phenacetin 10 µg/mL in Methanol	10 mL
FL-34076-100MG	Phenazopyridine hydrochloride VETRANAL®	100 mg
FL-46624-250MG	Phenothiazine VETRANAL®	250 mg
FL-46901-250MG	N4-Phthalylsulfathiazole VETRANAL®	250 mg
FL-46632-250MG	Piperazine citrate pentahydrate VETRANAL®	250 mg
FL-33895-100MG	Piracetam VETRANAL®	100 mg
FL-33454-100MG	Potassium clavulanate VETRANAL®	100 mg
FL-46648-250MG	Praziquantel VETRANAL®	250 mg
FL-46656-250MG	Prednisolone VETRANAL®	250 mg
FL-46657-250MG	Prednisolone 21-acetate VETRANAL®	250 mg
FL-46608-250MG	Procaine hydrochloride VETRANAL®	250 mg
FL-46665-250MG	Progesterone VETRANAL®	250 mg
CIL-ULM-8219-1.2	Progesterone (unlabelled) 100 ug/mL in p-Dioxane	1.2 mL
CIL-DLM-6909-1.2	Progesterone (2,2,6,6,17,21,21,21-D <sub>8</sub> ,96%) 100 µg/mL in p-Dioxane	1.2 mL
FL-46674-250MG	Promazine hydrochloride VETRANAL®	250 mg
FL-46682-250MG	Promethazine hydrochloride VETRANAL®	250 mg
FL-46689-100MG	Propionylpromazine hydrochloride VETRANAL®	100 mg
<b>New</b> FL-32837-10MG	Propionylpromazine-d6 hydrochloride VETRANAL®	10 mg
FL-46698-250MG	6-Propyl-2-thiouracile VETRANAL®	250 mg
FL-46702-250MG	Pyrantel pamoate VETRANAL®	250 mg
FL-46706-250MG	Pyrimethamin VETRANAL®	250 mg
FL-34174-100MG	Pyriproxifen VETRANAL®	100 mg
FL-34198-100MG	Ractopamine hydrochloride VETRANAL®	100 mg
FL-34042-100MG	Rafoxanide VETRANAL®	100 mg
CERR-004	Ranitidine HCl 1 mg/mL (as free base) in Methanol	1 mL
CERR-002	Ranitidine HCl	250 mg
		
FL-34092-100MG	Resveratrol VETRANAL®	100 mg
FL-46713-100MG	Rifamycin AMP VETRANAL®	100 mg
FL-33999-100MG	Rifaximin VETRANAL®	100 mg
FL-33979-100MG	Robenidine hydrochloride VETRANAL®	100 mg
<b>New</b> FL-32942-10MG	Robenidine-d8 hydrochloride VETRANAL®	10 mg
FL-46724-250MG	Roxarsone VETRANAL®	250 mg
FL-46725-100MG	Salbutamol VETRANAL®	100 mg
FL-46732-250MG	Salbutamol hemisulfate VETRANAL®	250 mg
FL-46729-100MG	Salinomycin SV sodium salt penta hemihydrate VETRANAL®	100 mg
FL-33497-100MG	Sarafloxacin hydrochloride VETRANAL®	100 mg
<b>New</b> FL-33756-10MG	Sarafloxacin-d8 hydrochloride trihydrate VETRANAL®	10 mg
FL-33656-100MG	Semicarbazide hydrochloride VETRANAL®	100 mg
CIL-CNLM-7221-1.2	Semicarbazide hydrochloride (SEM) ( <sup>13</sup> C,99%; <sup>15</sup> N <sub>2</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
CIL-ULM-7187-1.2	Semicarbazide hydrochloride (SEM) (unlabelled) 100 µg/mL in Methanol	1.2 mL
NE9324	Sotalol hydrochloride 10 µg/mL in Methanol	10 mL
FL-33967-100MG	Sparfloxacin VETRANAL®	100 mg
FL-46738-250MG	Spectinomycin dihydrochloride pentahydrate VETRANAL®	250 mg
FL-46745-100MG	Spiramycin VETRANAL®	100 mg
FL-46754-250MG	Streptomycin sesquisulfate VETRANAL®	250 mg
FL-46762-250MG	Sulfabenzamide VETRANAL®	250 mg
FL-46770-250MG	Sulfacetamide VETRANAL®	250 mg
FL-46778-250MG	Sulfachloropyridazine VETRANAL®	250 mg

## Veterinary medicines and pharmaceuticals

	Code	Product	Unit
<b>New</b>	FL-32548-10MG	Sulfachloropyridazine-phenyl-13C6 VETRANAL®	10 mg
	FL-35033-100MG	Sulfadiazine VETRANAL®	100 mg
<b>New</b>	FL-32518-10MG	Sulfadiazine-phenyl-13C6 VETRANAL®	10 mg
	FL-46794-250MG	Sulfadimethoxin VETRANAL®	250 mg
	FL-32996-10MG	Sulfadimethoxine-D6 VETRANAL®	10 mg
	FL-46802-250MG	Sulfadimidine (Sulfamethazine) VETRANAL®	250 mg
	FL-31736-250MG	Sulfadoxine VETRANAL®	250 mg
	FL-32997-10MG	Sulfadoxine-D3 VETRANAL®	10 mg
	FL-46818-250MG	Sulfaguanidine monohydrate VETRANAL®	250 mg
	FL-46826-250MG	Sulfamerazin VETRANAL®	250 mg
<b>New</b>	FL-32517-10MG	Sulfamerazine-phenyl-13C6 VETRANAL®	10 mg
	FL-46834-250MG	Sulfameter VETRANAL®	250 mg
	CIL-CLM-3045-1.2	Sulfamethazine (phenyl- <sup>13</sup> C <sub>6</sub> ,90%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-46842-250MG	Sulfamethizole VETRANAL®	250 mg
	FL-31737-250MG	Sulfamethoxazole VETRANAL®	250 mg
	CIL-CLM-6944-1.2	Sulfamethoxazole (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	FL-46858-250MG	Sulfamethoxypyridazine VETRANAL®	250 mg
<b>New</b>	FL-32981-10MG	Sulfamethoxypyridazine-d3 VETRANAL®	10 mg
	FL-46874-250MG	Sulfanilamide VETRANAL®	250 mg
	FL-46882-250MG	Sulfanitran VETRANAL®	250 mg
	FL-31738-250MG	Sulfapyridine VETRANAL®	250 mg
<b>New</b>	FL-32547-10MG	Sulfapyridine-phenyl-13C6 VETRANAL®	10 mg
	FL-46902-250MG	Sulfathiazole VETRANAL®	250 mg
<b>New</b>	FL-32515-10MG	Sulfathiazole-phenyl-13C6 VETRANAL®	10 mg
	FL-46908-250MG	Sulfisomidin VETRANAL®	250 mg
	FL-31739-250MG	Sulfisoxazole VETRANAL®	250 mg
	FL-34002-100MG	(S)-(-)-Sulpiride VETRANAL®	100 mg
<b>New</b>	FL-34219-25MG	Temozolomide VETRANAL®	25 mg
	FL-46923-250MG	Testosterone VETRANAL®	250 mg
	CERT-037	Testosterone (1.0 mg/mL) in Acetonitrile	1 mL
			
	CIL-U LM-8081-1.2	Testosterone (unlabelled) 100 µg/mL in Methylene chloride	1.2 mL
<b>New</b>	CIL-U LM-8081-D-1.2	Testosterone (unlabelled) 100 µg/mL in p-Dioxane	1.2 mL
	CIL-DLM-8085-1.2	Testosterone (D <sub>5</sub> ,98%) 100 µg/mL in Methylene chloride	1.2 mL
<b>New</b>	CIL-DLM-8085-D-1.2	Testosterone (D <sub>5</sub> ,98%) 100 µg/mL in p-Dioxane	1.2 mL
<b>New</b>	CIL-DLM-683-1.2	Testosterone (1,2-D <sub>2</sub> ,98%) 100 µg/mL in Methylene chloride	1.2 mL
	FL-46924-250MG	Testosterone acetate VETRANAL®	250 mg
	FL-46926-10MG	Testosterone 17-benzoate VETRANAL®	10 mg
	FL-31741-250MG	Tetracycline hydrochloride VETRANAL®	250 mg
	FL-31743-250MG	Tetramisol hydrochloride VETRANAL®	250 mg
<b>New</b>	FL-32844-10MG	Tetramisole-d5 hydrochloride VETRANAL®	10 mg
	CERT-013	Theobromine (0.1 mg/ml) in Methanol	1 mL
			
<b>New</b>	CIL-U LM-8371-1.2	Thiabendazole (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8370-1.2	Thiabendazole (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	NE9330	Thiamine hydrochloride 10 µg/mL in Methanol	10 mL
	FL-31744-250MG	2-Thiouracil VETRANAL®	250 mg



## Veterinary medicines and pharmaceuticals

Code	Product	Unit
FL-34044-100MG	Tiamulin-OH VETRANAL <sup>®</sup>	100 mg
FL-46959-100MG	Tiamulin fumarate VETRANAL <sup>®</sup>	100 mg
FL-33864-100MG	Tilmicosin VETRANAL <sup>®</sup>	100 mg
FL-33986-100MG	Tiopronin VETRANAL <sup>®</sup>	100 mg
FL-46968-250MG	Tolbutamide VETRANAL <sup>®</sup>	250 mg
FL-34073-100MG	Tolfenamic acid VETRANAL <sup>®</sup>	100 mg
FL-34000-100MG	Toltrazuril VETRANAL <sup>®</sup>	100 mg
FL-33816-10MG	Toltrazuril sulfone VETRANAL <sup>®</sup>	10 mg
FL-33815-10MG	Toltrazuril sulfoxide VETRANAL <sup>®</sup>	10 mg
NMIAD708	17alpha-Trenbolone (Epitrenbolone) °	5 mg
		
CIL-ULM-7968-1.2	3,4,4'-Trichlorocarbanilide (Triclocarban) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-7286-1.2	3,4,4'-Trichlorocarbanilide (Triclocarban) (4'-chlorophenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
NMIAP1788	Triclabendazole	10 mg
<b>New</b> FL-32802-100MG	Triclabendazole VETRANAL <sup>®</sup>	100 mg
NE9337	Triclosan (2',4,4'-Trichloro-2-hydroxydiphenyl ether) 10 µg/mL in Methanol	10 mL
CIL-ULM-6935-1.2	Triclosan (2',4,4'-Trichloro-2-hydroxydiphenyl ether) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6779-1.2	Triclosan (2',4,4'-Trichloro-2-hydroxydiphenyl ether) ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
FL-46976-250MG	Triflupromazine hydrochloride VETRANAL <sup>®</sup>	250 mg
FL-46984-250MG	Trimethoprim VETRANAL <sup>®</sup>	250 mg
<b>New</b> CIL-ULM-7989-A-1.2	Trimethoprim (unlabelled) 50 µg/ml in Methanol	1.2 mL
<b>New</b> CIL-CLM-7988-A-1.2	Trimethoprim ( <sup>13</sup> C <sub>3</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b> FL-53541-10MG	Tulobuterol hydrochloride VETRANAL <sup>®</sup>	10 mg
<b>New</b> FL-32553-10MG	Tinidazole VETRANAL <sup>®</sup>	10 mg
FL-46981-100MG	Tylosin phosphate VETRANAL <sup>®</sup>	100 mg
FL-33847-250MG	Tylosin tartrate VETRANAL <sup>®</sup>	250 mg
<b>New</b> FL-32971-25MG	Valnemulin VETRANAL <sup>®</sup>	25 mg
<b>New</b> FL-32533-10MG	Vedaprofen VETRANAL <sup>®</sup>	10 mg
<b>New</b> FL-32534-10MG	Vedaprofen-d3 VETRANAL <sup>®</sup>	10 mg
FL-46995-100MG	Xylazine hydrochloride VETRANAL <sup>®</sup>	100 mg
<b>New</b> FL-32555-10MG	Xylazine-d6 VETRANAL <sup>®</sup>	10 mg
NMIAP1801	alpha-Zearalanol	5 mg
		
NMIAP1802	beta-Zearalanol	5 mg
		
NMIAP1795	alpha-Zearalenol	5 mg
		
NMIAP1796	beta-Zearalenol	5 mg
		
NMIAP1787	Zearalenone	10 mg
		



## Miscellaneous organic compounds

## Volatile analyte mixtures

Code	Product	Unit
U-HCM-601-1	Purgeable Halocarbon Mixture 100 µg/mL of each analyte in Methanol. Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane Dibromochloromethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Dichlorodifluoromethane 1,1-Dichloroethane	1 mL
	1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Methylene chloride 1,1,1,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane Vinyl chloride	
U-HCM-601	Purgeable Halocarbon Mixture	4 x 1 mL
U-THM-501N-1	Trihalomethanes Mixture 100 µg/mL of each analyte in Methanol. Bromodichloromethane	1 mL
	Bromoform	
	Chloroform	
	Dibromochloromethane	
U-THM-501N	Trihalomethanes Mixture	4 x 1 mL
U-THM-511-1	Trihalomethanes Mixture 200 µg/mL of each analyte in Methanol. Bromodichloromethane	1 mL
	Bromoform	
	Chloroform	
	Dibromochloromethane	
U-THM-511	Trihalomethanes Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL
	Chloromethane Dichlorodifluoromethane	
	Trichlorofluoromethane Vinyl chloride	
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL
	Chloromethane Dichlorodifluoromethane	
	Trichlorofluoromethane Vinyl chloride	
U-DWM-544	VOC Gas Mixture	4 x 1 mL
U-DWM-504N-1	DBCP-EDB Mixture 200 µg/mL of each analyte in Methanol. 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane	1 mL
U-DWM-504N	DBCP-EDB Mixture	4 x 1 mL
U-DWM-510-1	Halomethanes Mixture 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform	1 mL
	Bromomethane Carbon tetrachloride Chloroform	
	Chloromethane Dibromochloromethane Dibromomethane	
	Dichlorodifluoromethane Methylene chloride Trichlorofluoromethane	
U-DWM-510	Halomethanes Mixture	4 x 1 mL
U-DWM-520-1	Haloethanes Mixture 200 µg/mL of each analyte in Methanol. Chloroethane 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene	1 mL
	1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Vinyl chloride	
U-DWM-520	Haloethanes Mixture	4 x 1 mL



## Volatile analyte mixtures

Code	Product	Unit	
U-DWM-580-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Dibromochloromethane Dibromomethane Methylene chloride 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane Benzene	n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride	1 mL
U-DWM-580	VOC Mixture	4 x 1 mL	
U-DWM-583-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene	1 mL
U-DWM-583	VOC Mixture	4 x 1 mL	
U-HCM-601G-1	Purgeable Gas Mixture 100 µg/mL of each analyte in Methanol. Bromomethane Chloroethane Chloromethane	Dichlorodifluoromethane Vinyl chloride	1 mL
U-HCM-601G	Purgeable Gas Mixture	4 x 1 mL	

Code	Product	Unit
U-HCM-801-1	<b>Halogenated Volatiles Mixture</b> 100 µg/mL of each analyte in Methanol. Allyl chloride Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene trans-1,4-Dichloro-2-butene Dichlorodifluoromethane	1 mL  1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Methyl iodide (Iodomethane) Methylene chloride 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane 1,2,3-Trichloropropane Vinyl chloride
U-HCM-801	<b>Halogenated Volatiles Mixture</b>	4 x 1 mL
U-HCM-621-1	<b>Purgeable Halocarbon &amp; Aromatics Mixture</b> 200 µg/mL of each analyte in Methanol. Benzene Bromodichloromethane Bromoform Carbon tetrachloride Chlorobenzene Chloroform Dibromochloromethane	1 mL  1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene
U-HCM-621	<b>Purgeable Halocarbon &amp; Aromatics Mixture</b>	4 x 1 mL
U-PMX-100-1	<b>Purgeable Mixture</b> 20 µg/mL of each analyte in Methanol. Benzene Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform	1 mL  Chloromethane Dibromochloromethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane Vinyl chloride
U-PMX-100	<b>Purgeable Mixture</b>	4 x 1 mL
U-PMX-110-1	<b>Purgeable Mixture</b> 100 µg/mL of each analyte in Methanol. Benzene Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform	1 mL  Chloromethane Dibromochloromethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane Vinyl chloride
U-PMX-110	<b>Purgeable Mixture</b>	4 x 1 mL
U-PMX-130-1	<b>Volatiles Mixture</b> 200 µg/mL of each analyte in Methanol. Acetone Benzene Bromodichloromethane Bromoform 2-Butanone (MEK) Carbon disulfide Carbon tetrachloride Chlorobenzene Chloroform Dibromochloromethane trans-1,4-Dichloro-2-butene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane	1 mL  cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethyl alcohol (Ethanol) Ethylbenzene 2-Hexanone Methyl iodide (Iodomethane) 4-Methyl-2-pentanone (MIBK) Methylene chloride Styrene 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene o-Xylene m-Xylene p-Xylene
U-PMX-130	<b>Volatiles Mixture</b>	4 x 1 mL

## Volatile analyte mixtures

Code	Product	Unit
U-PMX-160-1	<b>Purgeable Mixture</b> 200 µg/mL of each analyte in Methanol. Benzene Bromodichloromethane Bromoform Carbon tetrachloride Chlorobenzene Chloroform Dibromochloromethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene	1 mL
U-PMX-160	<b>Purgeable Mixture</b>	4 x 1 mL
U-PMX-141A-1	<b>Volatiles Mixture</b> 200 µg/mL of each analyte in Methanol. Acetonitrile Allyl alcohol Allyl chloride Benzyl chloride Bis-(2-chloroethyl)sulfide 2-Chloroethanol 3-Chloropropionitrile 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,3-Dichloro-2-propanol 1,2:3,4-Diepoxybutane 1,4-Dioxane Epichlorohydrin Ethyl methacrylate 2-Hydroxypropionitrile Isobutyl alcohol Malononitrile Methacrylonitrile Methyl methacrylate Pentachloroethane 2-Picoline Propargyl alcohol beta-Propiolactone Propionitrile n-Propylamine Pyridine 1,1,1,2-Tetrachloroethane 1,2,3-Trichloropropane	1 mL
U-PMX-141A	<b>Volatiles Mixture</b>	4 x 1 mL
U-XY-0115-1	<b>Purgeable A Mixture</b> 200 µg/mL of each analyte in Methanol. Carbon tetrachloride Chlorobenzene Chloroform Dibromochloromethane 1,1-Dichloroethane 1,1-Dichloroethene 1,2-Dichloropropane Methylene chloride Tetrachloroethene 1,1,2-Trichloroethane Trichloroethene	1 mL
U-XY-0115	<b>Purgeable A Mixture</b>	4 x 1 mL
U-XY-0116-1	<b>Purgeable B Mixture</b> 200 µg/mL of each analyte in Methanol. Benzene Bromodichloromethane Bromoform 1,2-Dichloroethane trans-1,2-Dichloroethene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene 1,1,2,2-Tetrachloroethane Toluene 1,1,1-Trichloroethane Trichlorofluoromethane	1 mL
U-XY-0116	<b>Purgeable B Mixture</b>	4 x 1 mL
U-AMM-622-1	<b>Purgeable Aromatics Mixture</b> 200 µg/mL of each analyte in Methanol. Benzene Chlorobenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Ethylbenzene Toluene o-Xylene m-Xylene p-Xylene tert-Butylmethyl ether (MTBE)	1 mL
U-AMM-622	<b>Purgeable Aromatics Mixture</b>	4 x 1 mL
U-AMM-602N-1	<b>Purgeable Aromatics Mixture</b> 100 µg/mL of each analyte in Methanol. Benzene Chlorobenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Ethylbenzene Toluene	1 mL
U-AMM-602N	<b>Purgeable Aromatics Mixture</b>	4 x 1 mL
U-UST-141-1	<b>Revised PVOC Mixture (California)</b> 1000 µg/mL of each analyte in Methanol. Benzene Ethylbenzene tert-Butylmethyl ether (MTBE) Toluene o-Xylene m-Xylene p-Xylene	1 mL
U-UST-141	<b>Revised PVOC Mixture (California)</b>	4 x 1 mL
U-AMM-802-1	<b>Aromatic Volatiles Mixture</b> 100 µg/mL of each analyte in Methanol. Benzene Chlorobenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Ethylbenzene Styrene Toluene m-Xylene o-Xylene p-Xylene	1 mL
U-AMM-802	<b>Aromatic Volatiles Mixture</b>	4 x 1 mL

## Volatile analyte mixtures

Code	Product	Unit
U-AMM-812-1	Aromatic Volatiles Mixture 2000 µg/mL of each analyte in Methanol. Benzene                      1,3-Dichlorobenzene                      Toluene                      p-Xylene Chlorobenzene                      1,4-Dichlorobenzene                      o-Xylene 1,2-Dichlorobenzene                      Ethylbenzene                      m-Xylene	1 mL
U-AMM-812	Aromatic Volatiles Mixture	4 x 1 mL
U-NVM-8015-1	Non-Halogenated Volatiles Mixture 100 µg/mL of each analyte in Methanol. Acetonitrile                      Ethyl methacrylate Acrylamide                      Isobutyl alcohol 2-butanone (MEK)                      Methacrylonitrile Diethyl ether                      Methyl methacrylate 1,4-Dioxane                      4-Methyl-2-pentanone (MIBK) Ethyl alcohol (Ethanol)                      Propionitrile	1 mL
U-NVM-8015	Non-Halogenated Volatiles Mixture	4 x 1 mL
U-NVM-8115-1	Method 8015A Non-Halogenated Volatiles Mixture 2000 µg/mL of each analyte in Methanol. Diethyl ether                      2-Butanone (MEK) Ethyl alcohol (Ethanol)                      4-Methyl-2-pentanone (MIBK)	1 mL
U-NVM-8115	Method 8015A Non-Halogenated Volatiles Mixture	4 x 1 mL
U-NVM-8241-1	Non-Halogenated Volatiles Mixture 100 µg/mL of each analyte in Methanol. Acetone                      Carbon disulfide                      2-Hexanone	1 mL
U-NVM-8241	Non-Halogenated Volatiles Mixture	4 x 1 mL
U-NVM-826-1	Volatiles Mixture 2000 µg/mL of each analyte in Water. Acetone                      2-Hexanone 2-Butanone (MEK)                      Isobutyl alcohol n-Butyl alcohol                      Isopropyl alcohol (Isopropanol) tert-Butanol                      Methanol Diethyl ether                      4-Methyl-2-pentanone (MIBK) 1,4-Dioxane                      1-Propanol Ethyl acetate                      2-Pentanone Ethyl alcohol (Ethanol)	1 mL
U-NVM-826	Volatiles Mixture	4 x 1 mL
U-CLP-110-1	Volatiles Calibration Check Compounds Mixture 2000 µg/mL of each analyte in Methanol. Chloroform                      1,2-Dichloropropane                      Toluene 1,1-Dichloroethene                      Ethylbenzene                      Vinyl chloride	1 mL
U-CLP-110	Volatiles Calibration Check Compounds Mixture	4 x 1 mL
U-CLP-120-1	Volatiles System Performance Check Mixture 2000 µg/mL of each analyte in Methanol. Bromoform                      1,1-Dichloroethane Chlorobenzene                      1,1,2,2-Tetrachloroethane Chloromethane	1 mL
U-CLP-120	Volatiles System Performance Check Mixture	4 x 1 mL
U-CLP-100N-1	Volatiles Matrix Spiking Solution 1000 µg/mL of each analyte in Methanol. Benzene                      1,1-Dichloroethene                      Trichloroethene Chlorobenzene                      Toluene	1 mL
U-CLP-100N	Volatiles Matrix Spiking Solution	4 x 1 mL
U-STM-240N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol. 2-Bromo-1-chloropropane                      Fluorobenzene	1 mL
U-STM-240N	Internal Standard Mixture	4 x 1 mL
U-STM-250N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol. 1,2-Dichlorobenzene-D <sub>4</sub> Fluorobenzene	1 mL
U-STM-250N	Internal Standard Mixture	4 x 1 mL
U-STM-260N-1	Surrogate Standard Mixture 1000 µg/mL of each analyte in Methanol. 4-Bromofluorobenzene                      1,2-Dichloroethane-D <sub>4</sub> Toluene-D <sub>8</sub>	1 mL
U-STM-260N	Surrogate Standard Mixture	4 x 1 mL

## Volatile analyte mixtures

Code	Product	Unit
U-STM-320N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol. 4-Bromofluorobenzene 1,2-Dichlorobenzene-D <sub>4</sub>	1 mL Fluorobenzene
U-STM-320N	Internal Standard Mixture	4 x 1 mL
U-STM-330N-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol. 4-Bromofluorobenzene    Dibromofluoromethane	1 mL Toluene-D <sub>8</sub>
U-STM-330N	Surrogate Standard Mixture	4 x 1 mL
U-STM-341N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol. Chlorobenzene-D <sub>5</sub> 1,4-Dichlorobenzene-D <sub>4</sub>	1 mL 1,4-Difluorobenzene Pentafluorobenzene
U-STM-341N	Internal Standard Mixture	4 x 1 mL
U-STM-520-1	Internal Standard Mixture 2500 µg/mL of each analyte in Methanol. Chlorobenzene-D <sub>5</sub> 1,4-Dichlorobenzene-D <sub>4</sub>	1 mL Fluorobenzene
U-STM-520	Internal Standard Mixture	4 x 1 mL
U-STM-530-1	Surrogate Standard Mixture 2500 µg/mL of each analyte in Methanol 4-Bromofluorobenzene    Dibromofluoromethane	1 mL 1,2-Dichloroethane-D <sub>4</sub> Toluene-D <sub>8</sub>
U-STM-530	Surrogate Standard Mixture	4 x 1 mL
NE6801	Haloalkanes Mix 1 CERTAN® Solvent: Methanol Dichloromethane..... 40 µg/mL    1,1,1-Trichloroethane .1.5 µg/mL    Trichloroethene ..... 2.5 µg/mL Chloroform ..... 3 µg/mL    Tetrachloromethane ...0.2 µg/mL    Tetrachloroethene..... 0.5 µg/mL	1.5 mL
NE6801H-10	Ready-for-use Haloalkanes Mix 1	10 amps.
NE6803	Haloalkanes Mix 3 CERTAN® Solvent: Methanol Dichloromethane..... 40 µg/mL    Bromodichloromethane..... 1 µg/mL Chloroform ..... 3 µg/mL    Chlorodibromomethane ..... 1.5 µg/mL 1,1,1-Trichloroethane..... 1.5 µg/mL    Tetrachloroethene ..... 0.5 µg/mL Tetrachloromethane..... 0.2 µg/mL    Bromoform ..... 8 µg/mL Trichloroethene..... 2.5 µg/mL	1.5 mL
NE6804	Haloalkanes Mix 4 CERTAN® Solvent: Methanol Dichloromethane..... 40 µg/mL    1,1,1-Trichloroethane ..... 1.5 µg/mL trans-1,2-Dichloroethene ..... 40 µg/mL    Tetrachloromethane ..... 0.2 µg/mL cis-1,2-Dichloroethene ..... 120 µg/mL    Trichloroethene ..... 2.5 µg/mL Chloroform ..... 3 µg/mL    Tetrachloroethene ..... 0.5 µg/mL	1.5 mL
NE6805	Haloalkanes Mix 5 CERTAN® Solvent: Methanol Dichloromethane..... 40 µg/mL    Trichloroethene ..... 2.5 µg/mL 1,1-Dichloroethene ..... 10 µg/mL    Bromodichloromethane..... 1 µg/mL trans-Dichloroethene ..... 40 µg/mL    1,1,2-Trichloroethane ..... 10 µg/mL cis-Dichloroethene ..... 120 µg/mL    Chlorodibromomethane ..... 1.5 µg/mL Chloroform ..... 3 µg/mL    Tetrachloroethene ..... 0.5 µg/mL 1,2-Dichloroethane ..... 50 µg/mL    1,1,1,2-Tetrachloroethane..... 1 µg/mL 1,1,1-Trichloroethane..... 1.5 µg/mL    Bromoform ..... 8 µg/mL Tetrachloromethane..... 0.2 µg/mL	1.5 mL
NE6806	Haloalkanes Mix 6 CERTAN® Solvent: Methanol Dichloromethane..... 40 µg/mL    1,1,1-Trichloroethane ..... 1.5 µg/mL 1,1-Dichloroethene ..... 10 µg/mL    Tetrachloromethane ..... 0.2 µg/mL trans-Dichloroethene ..... 40 µg/mL    Trichloroethene ..... 2.5 µg/mL 1,1-Dichloroethane ..... 50 µg/mL    1,1,2-Trichloroethane ..... 10 µg/mL cis-Dichloroethene ..... 120 µg/mL    Tetrachloroethene ..... 0.5 µg/mL Chloroform ..... 3 µg/mL    1,1,1,2-Tetrachloroethane..... 1 µg/mL 1,2-Dichloroethane ..... 50 µg/mL    Hexachloroethane ..... 0.5 µg/mL	1.5 mL
NE-W 1250	VOC Standard Solution in Pentane Solvent: Pentane Bromodichloromethane..... 1.0 µg/mL    Tribromomethane (Bromoform) ..... 4.5 µg/mL Chlorodibromomethane ..... 1.5 µg/mL    1,1,1-Trichloroethane ..... 1.0 µg/mL Dichloromethane ..... 200.0 µg/mL    Trichloroethene ..... 2.5 µg/mL Tetrachloroethene..... 0.6 µg/mL    Trichloromethane (Chloroform)..... 5.0 µg/mL Tetrachloromethane ..... 0.25 µg/mL	1.5 mL



Code	Product	Unit
NE-W 1260A	VOC Standard Solution CERTAN® Solvent: Acetonitrile Bromodichloromethane ..... 1.0 µg/mL Chlorodibromomethane ..... 1.5 µg/mL Dichloromethane ..... 200.0 µg/mL Tetrachloroethene ..... 0.6 µg/mL Tetrachloromethane ..... 0.25 µg/mL Also available in ampoule (Code W 1260)	1.5 mL Tribromomethane (Bromoform) ..... 4.5 µg/mL 1,1,1-Trichloroethane ..... 1.0 µg/mL Trichloroethene ..... 2.5 µg/mL Trichloromethane (Chloroform) ..... 5.0 µg/mL
NE-USL 556	Volatiles Standard Solution CERTAN® Solvent: Dimethylformamid Chloroethene (Vinyl chloride) ..... 20 µg/mL 1,2-Dichloroethane ..... 20 µg/mL cis-1,2-Dichloroethene ..... 10 µg/mL Dichloromethane ..... 200 µg/mL Tetrachloroethene ..... 10 µg/mL	1.5 mL Tetrachloromethane ..... 10 µg/mL Trichloromethane (Chloroform) ..... 20 µg/mL 1,1,1-Trichloroethane ..... 20 µg/mL Trichloroethene ..... 10 µg/mL
NE-USLT90126	Alkyl Halide Standard Solution CERTAN® Solvent: Methanol Bromodichloromethane ..... 100 µg/mL Dibromochloromethane ..... 100 µg/mL 1,1-Dichloroethane ..... 100 µg/mL 1,2-Dichloroethane ..... 100 µg/mL 1,1-Dichloroethene ..... 100 µg/mL cis-1,2-Dichloroethene ..... 1000 µg/mL trans-1,2-Dichloroethene ..... 1000 µg/mL Dichloromethane ..... 1000 µg/mL	1.2 mL 1,1,1,2-Tetrachloroethane ..... 100 µg/mL Tetrachloroethene ..... 100 µg/mL Tetrachloromethane ..... 10 µg/mL Tribromomethane (Bromoform) ..... 100 µg/mL Trichloromethane (Chloroform) ..... 100 µg/mL 1,1,1-Trichloroethane ..... 100 µg/mL Trichloroethene ..... 100 µg/mL
NE-USLT90126-3	Alkyl Halide Standard Solution CERTAN®	3 x 1.2 mL
NE-USL 304	VOC Standard Solution CERTAN® 100 µg/mL of each analyte in Methanol. Tetrachloroethene Tetrachloromethane (Carbon tetrachloride) 1,1,1-Trichloroethane	1.5 mL Trichloroethene Trichloromethane (Chloroform)
NIST-1639	Halocarbons in Methanol Certified Concentrations of Halocarbons at 23±3°C Component Certified Concentration Trichloromethane (Chloroform) ..... 6.235 ± 340 ng/µL Chlorodibromomethane ..... 124.6 ± 124.6 ng/µL Bromodichloromethane ..... 389.9 ± 7.1 ng/µL Tribromomethane (Bromoform) ..... 86.5 ± 1.4 ng/µL	5 x 1.2 mL Tetrachloromethane ..... 157.0 ± 4.4 ng/µL Trichloroethene ..... 85.8 ± 2.6 ng/µL Tetrachloroethene ..... 40.6 ± 0.9 ng/µL
NE6905	Haloalkanes/BTEX Mix 5 CERTAN® Solvent: Methanol Dichloromethane ..... 40 µg/mL trans-Dichloroethene ..... 40 µg/mL cis-Dichloroethene ..... 120 µg/mL Chloroform ..... 3 µg/mL 1,1,1-Trichloroethane ..... 1.5 µg/mL Tetrachloromethane ..... 0.2 µg/mL Trichloroethene ..... 2.5 µg/mL Tetrachloroethene ..... 0.5 µg/mL Benzene ..... 50 µg/mL Toluene ..... 50 µg/mL Ethylbenzene ..... 50 µg/mL	1.5 mL m-Xylene ..... 50 µg/mL p-Xylene ..... 50 µg/mL o-Xylene ..... 50 µg/mL Styrene ..... 50 µg/mL Cumol ..... 50 µg/mL Propylbenzene ..... 50 µg/mL 1,2,3-Trimethylbenzene ..... 50 µg/mL 1,2,4-Trimethylbenzene ..... 50 µg/mL 1,3,5-Trimethylbenzene ..... 50 µg/mL Naphthalene ..... 100 µg/mL

These mixtures are used in US Pharmacopeia Method 467 to determine residual solvents in pharmaceutical preparations. The latest revision (July 2008) uses a risk-based system to classify solvents. Class 1 solvents are known or strongly suspected carcinogens that pose a risk to both the consumer and the environment and are to be avoided. Class 2 solvents are non-genotoxic animal carcinogens or compounds suspected of other significant but reversible toxicities.

### USP 467 residual solvents mixture

These mixtures are used in US Pharmacopeia Method 467 to determine residual solvents in pharmaceutical preparations. The latest revision (July 2008) uses a risk-based system to classify solvents. Class 1 solvents are known or strongly suspected carcinogens that pose a risk to both the consumer and the environment and are to be avoided. Class 2 solvents are non-genotoxic animal carcinogens or compounds suspected of other significant but reversible toxicities.

<b>New</b> U-USPM-467J-1	USP 467 Class 1 Residual Solvents Mixture - July 2008 Revision Solvent: Dimethyl sulfoxide (DMSO) Benzene ..... 10 mg/mL Carbon tetrachloride ..... 20 mg/mL 1,2-Dichloroethane ..... 25 mg/mL	1 mL 1,1-Dichloroethene ..... 40 mg/mL 1,1,1-Trichloroethane ..... 50 mg/mL
<b>New</b> U-USPM-467J	USP 467 Class 1 Residual Solvents Mixture - July 2008 Revision	4 x 1 mL

## Volatile analyte mixtures

Code	Product	Unit
<b>New</b> U-USPM-467K-1	USP 467 Class 2 Residual Solvents Mixture A - July 2008 Revision Solvent: Dimethyl sulfoxide (DMSO) Acetonitrile ..... 2.05 mg/mL      Methylcyclohexane ..... 5.9 mg/mL Chlorobenzene ..... 1.8 mg/mL      Methylene chloride (Dichloromethane) ..... 3 mg/mL Cyclohexane ..... 19.4 mg/mL      Tetrahydrofuran (THF) ..... 3.6 mg/mL cis-1,2-Dichloroethene ..... 4.7 mg/mL      Toluene ..... 4.45 mg/mL trans-1,2-Dichloroethene ..... 4.7 mg/mL      o-Xylene ..... 0.98 mg/mL 1,4-Dioxane ..... 1.9 mg/mL      m-Xylene ..... 6.51 mg/mL Ethylbenzene ..... 1.84 mg/mL      p-Xylene ..... 1.52 mg/mL Methanol ..... 15 mg/mL	1 mL
<b>New</b> U-USPM-467K	USP 467 Class 2 Residual Solvents Mixture A - July 2008 Revision	4 x 1 mL
<b>New</b> U-USPM-467L	USP 467 Class 2 Residual Solvents Mixture B - July 2008 Revision	4 x 1 mL
<b>New</b> U-USPM-467L-1	USP 467 Class 2 Residual Solvents Mixture B - July 2008 Revision Solvent: Dimethyl sulfoxide (DMSO) Chloroform ..... 300 µg/mL      Nitromethane ..... 250 µg/mL 1,2-Dimethoxyethane (DME) ..... 500 µg/mL      Pyridine ..... 1000 µg/mL n-Hexane ..... 1450 µg/mL      1,2,3,4-Tetrahydronaphthalene ..... 500 µg/mL 2-Hexanone ..... 250 µg/mL      Trichloroethene ..... 400 µg/mL	1 mL
<b>New</b> U-USPM-467M-1	USP 467 Class 2 Residual Solvents Mixture C - July 2008 Revision Solvent: Dimethyl sulfoxide (DMSO) N,N-Dimethylacetamide ..... 5450 µg/mL N,N-Dimethylformamide ..... 4400 µg/mL 2-Ethoxyethanol ..... 800 µg/mL Ethylene glycol ..... 3100 µg/mL Formamide ..... 1100 µg/mL 2-Methoxyethanol (methyl cellosolve) ..... 250 µg/mL N-Methylpyrrolidone (1-Methyl-2-pyrrolidinone) ..... 2650 µg/mL Sulfolane (tetramethylene sulfone) ..... 800 µg/mL	1 mL
<b>New</b> U-USPM-467M	USP 467 Class 2 Residual Solvents Mixture C - July 2008 Revision	4 x 1 mL
<b>New</b> U-USPM-467N-1	USP 467 Class 2 Residual Solvents Mixture B (low) - July 2008 Revision Solvent: Dimethyl sulfoxide (DMSO) Chloroform ..... 60 µg/mL      Nitromethane ..... 50 µg/mL 1,2-Dimethoxyethane (DME) ..... 100 µg/mL      Pyridine ..... 200 µg/mL n-Hexane ..... 290 µg/mL      1,2,3,4-Tetrahydronaphthalene ..... 100 µg/mL 2-Hexanone ..... 50 µg/mL      Trichloroethene ..... 80 µg/mL	1 mL
<b>New</b> U-USPM-467N	USP 467 Class 2 Residual Solvents Mixture B (low) - July 2008 Revision	4 x 1 mL
U-USPM-467A-1	USP 467 Calibration Mixture Solvent: Dimethyl sulfoxide (DMSO) Benzene ..... 1000 µg/mL      1,4-Dioxane ..... 1000 µg/mL      Trichloroethene ..... 1000 µg/mL Chloroform ..... 500 µg/mL      Methylene chloride .. 1000 µg/mL	1 mL
U-USPM-467A	USP 467 Calibration Mixture	4 x 1 mL
U-USPM-467B-1	USP 467 Calibration Mixture Solvent: Methanol Benzene ..... 1000 µg/mL      1,4-Dioxane ..... 1000 µg/mL      Trichloroethene ..... 1000 µg/mL Chloroform ..... 500 µg/mL      Methylene chloride .. 1000 µg/mL	1 mL
U-USPM-467B	USP 467 Calibration Mixture	4 x 1 mL
U-USPM-467E-1	Revised USP 467 Calibration Mixture - January 2000 Revision Solvent: Dimethyl sulfoxide (DMSO) Benzene ..... 2 µg/mL      1,4-Dioxane ..... 380 µg/mL      Trichloroethene ..... 80 µg/mL Chloroform ..... 60 µg/mL      Methylene chloride .... 600 µg/mL	1 mL
U-USPM-467E	Revised USP 467 Calibration Mixture - January 2000 Revision	4 x 1 mL
U-USPM-467F-1	Revised USP 467 Calibration Mixture - January 2000 Revision Solvent: Methanol Benzene ..... 2 µg/mL      1,4-Dioxane ..... 380 µg/mL      Trichloroethene ..... 80 µg/mL Chloroform ..... 60 µg/mL      Methylene chloride .... 600 µg/mL	1 mL
U-USPM-467F	Revised USP 467 Calibration Mixture - January 2000 Revision	4 x 1 mL
U-USPM-467C-1	Revised USP 467 Calibration Mixture Solvent: Dimethyl sulfoxide (DMSO) Benzene ..... 1000 µg/mL      1,4-Dioxane ..... 1000 µg/mL      Trichloroethene ..... 1000 µg/mL Chloroform ..... 500 µg/mL      Methylene chloride .. 5000 µg/mL	1 mL
U-USPM-467C	Revised USP 467 Calibration Mixture	4 x 1 mL
U-USPM-467D-1	Revised USP 467 Calibration Mixture Solvent: Methanol Benzene ..... 1000 µg/mL      1,4-Dioxane ..... 1000 µg/mL      Trichloroethene ..... 1000 µg/mL Chloroform ..... 500 µg/mL      Methylene chloride .. 5000 µg/mL	1 mL
U-USPM-467D	Revised USP 467 Calibration Mixture	4 x 1 mL

## Semi-volatile analyte mixtures

Code	Product	Unit																												
<b>Phenol mixtures</b>																														
NIST-1584	Priority Pollutant Phenols in Methanol	5 x 1.2 mL																												
	<table border="0"> <thead> <tr> <th>Analyte</th> <th>Certified Concentration at 23 °C ± 4 °C</th> <th>Analyte</th> <th>Certified Concentration at 23 °C ± 4 °C</th> </tr> </thead> <tbody> <tr> <td>2-Chlorophenol .....</td> <td>64.4 ± 1.4 µg/mL</td> <td>2,4,6-Trichlorophenol .....</td> <td>20.4 ± µg/mL</td> </tr> <tr> <td>Phenol.....</td> <td>29.7 ± 0.9 µg/mL</td> <td>4-Nitrophenol .....</td> <td>20.7 ± 0.7 µg/mL</td> </tr> <tr> <td>2-Nitrophenol .....</td> <td>25.2 ± 0.7 µg/mL</td> <td>4,6-Dinitro-o-cresol .....</td> <td>20.1 ± 0.9 µg/mL</td> </tr> <tr> <td>2,4-Dimethylphenol.....</td> <td>51.6 ± 0.2 µg/mL</td> <td>Pentachlorophenol .....</td> <td>15.4 ± 1.1 µg/mL</td> </tr> <tr> <td>2,4-Dichlorophenol.....</td> <td>35.6 ± 1.3 µg/mL</td> <td>2,4-Dinitrophenol.....</td> <td>(22.4 µg/mL)</td> </tr> <tr> <td>4-Chloro-m-cresol.....</td> <td>27.4 ± 0.4 µg/mL</td> <td></td> <td></td> </tr> </tbody> </table>	Analyte	Certified Concentration at 23 °C ± 4 °C	Analyte	Certified Concentration at 23 °C ± 4 °C	2-Chlorophenol .....	64.4 ± 1.4 µg/mL	2,4,6-Trichlorophenol .....	20.4 ± µg/mL	Phenol.....	29.7 ± 0.9 µg/mL	4-Nitrophenol .....	20.7 ± 0.7 µg/mL	2-Nitrophenol .....	25.2 ± 0.7 µg/mL	4,6-Dinitro-o-cresol .....	20.1 ± 0.9 µg/mL	2,4-Dimethylphenol.....	51.6 ± 0.2 µg/mL	Pentachlorophenol .....	15.4 ± 1.1 µg/mL	2,4-Dichlorophenol.....	35.6 ± 1.3 µg/mL	2,4-Dinitrophenol.....	(22.4 µg/mL)	4-Chloro-m-cresol.....	27.4 ± 0.4 µg/mL			
Analyte	Certified Concentration at 23 °C ± 4 °C	Analyte	Certified Concentration at 23 °C ± 4 °C																											
2-Chlorophenol .....	64.4 ± 1.4 µg/mL	2,4,6-Trichlorophenol .....	20.4 ± µg/mL																											
Phenol.....	29.7 ± 0.9 µg/mL	4-Nitrophenol .....	20.7 ± 0.7 µg/mL																											
2-Nitrophenol .....	25.2 ± 0.7 µg/mL	4,6-Dinitro-o-cresol .....	20.1 ± 0.9 µg/mL																											
2,4-Dimethylphenol.....	51.6 ± 0.2 µg/mL	Pentachlorophenol .....	15.4 ± 1.1 µg/mL																											
2,4-Dichlorophenol.....	35.6 ± 1.3 µg/mL	2,4-Dinitrophenol.....	(22.4 µg/mL)																											
4-Chloro-m-cresol.....	27.4 ± 0.4 µg/mL																													
U-US-107N	Phenols Mixture 2000 µg/mL of each analyte in Methylene Chloride.	1 mL																												
	<table border="0"> <tbody> <tr> <td>4-Chloro-3-methylphenol</td> <td>2-Nitrophenol</td> </tr> <tr> <td>2-Chlorophenol</td> <td>4-Nitrophenol</td> </tr> <tr> <td>2,4-Dichlorophenol</td> <td>Pentachlorophenol</td> </tr> <tr> <td>2,4-Dimethylphenol</td> <td>Phenol</td> </tr> <tr> <td>2,4-Dinitrophenol</td> <td>2,4,6-Trichlorophenol</td> </tr> <tr> <td>2-Methyl-4,6-dinitrophenol</td> <td></td> </tr> </tbody> </table>	4-Chloro-3-methylphenol	2-Nitrophenol	2-Chlorophenol	4-Nitrophenol	2,4-Dichlorophenol	Pentachlorophenol	2,4-Dimethylphenol	Phenol	2,4-Dinitrophenol	2,4,6-Trichlorophenol	2-Methyl-4,6-dinitrophenol																		
4-Chloro-3-methylphenol	2-Nitrophenol																													
2-Chlorophenol	4-Nitrophenol																													
2,4-Dichlorophenol	Pentachlorophenol																													
2,4-Dimethylphenol	Phenol																													
2,4-Dinitrophenol	2,4,6-Trichlorophenol																													
2-Methyl-4,6-dinitrophenol																														
U-US-117N	Phenols Mixture 2 2000 µg/mL of each analyte in Methylene chloride.	1 mL																												
	<table border="0"> <tbody> <tr> <td>m-Cresol (3-Methylphenol)</td> <td>Dinoseb (DNBP)</td> </tr> <tr> <td>o-Cresol (2-Methylphenol)</td> <td>Hexachlorophene</td> </tr> <tr> <td>p-Cresol (4-Methylphenol)</td> <td>2,3,4,6-Tetrachlorophenol</td> </tr> <tr> <td>2,6-Dichlorophenol</td> <td>2,4,5-Trichlorophenol</td> </tr> </tbody> </table>	m-Cresol (3-Methylphenol)	Dinoseb (DNBP)	o-Cresol (2-Methylphenol)	Hexachlorophene	p-Cresol (4-Methylphenol)	2,3,4,6-Tetrachlorophenol	2,6-Dichlorophenol	2,4,5-Trichlorophenol																					
m-Cresol (3-Methylphenol)	Dinoseb (DNBP)																													
o-Cresol (2-Methylphenol)	Hexachlorophene																													
p-Cresol (4-Methylphenol)	2,3,4,6-Tetrachlorophenol																													
2,6-Dichlorophenol	2,4,5-Trichlorophenol																													
U-EPA-2008N-1	Acids Mixture 100 µg/mL of each analyte in Methanol	1 mL																												
	<table border="0"> <tbody> <tr> <td>4-Chloro-3-methylphenol</td> <td>2-Nitrophenol</td> </tr> <tr> <td>2-Chlorophenol</td> <td>4-Nitrophenol</td> </tr> <tr> <td>2,4-Dichlorophenol</td> <td>Pentachlorophenol</td> </tr> <tr> <td>2,4-Dimethylphenol</td> <td>Phenol</td> </tr> <tr> <td>2,4-Dinitrophenol</td> <td>2,4,6-Trichlorophenol</td> </tr> <tr> <td>2-Methyl-4,6-dinitrophenol</td> <td></td> </tr> </tbody> </table>	4-Chloro-3-methylphenol	2-Nitrophenol	2-Chlorophenol	4-Nitrophenol	2,4-Dichlorophenol	Pentachlorophenol	2,4-Dimethylphenol	Phenol	2,4-Dinitrophenol	2,4,6-Trichlorophenol	2-Methyl-4,6-dinitrophenol																		
4-Chloro-3-methylphenol	2-Nitrophenol																													
2-Chlorophenol	4-Nitrophenol																													
2,4-Dichlorophenol	Pentachlorophenol																													
2,4-Dimethylphenol	Phenol																													
2,4-Dinitrophenol	2,4,6-Trichlorophenol																													
2-Methyl-4,6-dinitrophenol																														
U-EPA-2008N	Acids Mixture	4 x 1 mL																												
U-PHM-604-1	Phenols Mixture 20 µg/mL of each analyte in Methanol.	1 mL																												
	<table border="0"> <tbody> <tr> <td>4-Chloro-3-methylphenol</td> <td>2-Nitrophenol</td> </tr> <tr> <td>2-Chlorophenol</td> <td>4-Nitrophenol</td> </tr> <tr> <td>2,4-Dichlorophenol</td> <td>Pentachlorophenol</td> </tr> <tr> <td>2,4-Dimethylphenol</td> <td>Phenol</td> </tr> <tr> <td>2-Methyl-4,6-dinitrophenol</td> <td>2,4,6-Trichlorophenol</td> </tr> <tr> <td>2,4-Dinitrophenol</td> <td></td> </tr> </tbody> </table>	4-Chloro-3-methylphenol	2-Nitrophenol	2-Chlorophenol	4-Nitrophenol	2,4-Dichlorophenol	Pentachlorophenol	2,4-Dimethylphenol	Phenol	2-Methyl-4,6-dinitrophenol	2,4,6-Trichlorophenol	2,4-Dinitrophenol																		
4-Chloro-3-methylphenol	2-Nitrophenol																													
2-Chlorophenol	4-Nitrophenol																													
2,4-Dichlorophenol	Pentachlorophenol																													
2,4-Dimethylphenol	Phenol																													
2-Methyl-4,6-dinitrophenol	2,4,6-Trichlorophenol																													
2,4-Dinitrophenol																														
U-PHM-604	Phenols Mixture	4 x 1 mL																												
U-PHM-814-1	Phenols Mixture 2000 µg/mL of each analyte in Isopropanol.	1 mL																												
	<table border="0"> <tbody> <tr> <td>4-Chloro-3-methylphenol</td> <td>4-Nitrophenol</td> </tr> <tr> <td>o-Cresol (2-Methylphenol)</td> <td>Pentachlorophenol</td> </tr> <tr> <td>2,4-Dichlorophenol</td> <td>Phenol</td> </tr> <tr> <td>2-Methyl-4,6-dinitrophenol</td> <td>2,4,6-Trichlorophenol</td> </tr> <tr> <td>2-Nitrophenol</td> <td></td> </tr> </tbody> </table>	4-Chloro-3-methylphenol	4-Nitrophenol	o-Cresol (2-Methylphenol)	Pentachlorophenol	2,4-Dichlorophenol	Phenol	2-Methyl-4,6-dinitrophenol	2,4,6-Trichlorophenol	2-Nitrophenol																				
4-Chloro-3-methylphenol	4-Nitrophenol																													
o-Cresol (2-Methylphenol)	Pentachlorophenol																													
2,4-Dichlorophenol	Phenol																													
2-Methyl-4,6-dinitrophenol	2,4,6-Trichlorophenol																													
2-Nitrophenol																														
U-PHM-814	Phenols Mixture	4 x 1 mL																												
U-PHM-824-1	Phenols Mixture 2000 µg/mL of each analyte in Isopropanol.	1 mL																												
	<table border="0"> <tbody> <tr> <td>2-Chlorophenol</td> <td>2,4-Dinitrophenol</td> </tr> <tr> <td>m-Cresol (3-Methylphenol)</td> <td>Dinoseb</td> </tr> <tr> <td>p-Cresol (4-Methylphenol)</td> <td>2,3,4,6-Tetrachlorophenol</td> </tr> <tr> <td>2,6-Dichlorophenol</td> <td>2,4,5-Trichlorophenol</td> </tr> <tr> <td>2,4-Dimethylphenol</td> <td></td> </tr> </tbody> </table>	2-Chlorophenol	2,4-Dinitrophenol	m-Cresol (3-Methylphenol)	Dinoseb	p-Cresol (4-Methylphenol)	2,3,4,6-Tetrachlorophenol	2,6-Dichlorophenol	2,4,5-Trichlorophenol	2,4-Dimethylphenol																				
2-Chlorophenol	2,4-Dinitrophenol																													
m-Cresol (3-Methylphenol)	Dinoseb																													
p-Cresol (4-Methylphenol)	2,3,4,6-Tetrachlorophenol																													
2,6-Dichlorophenol	2,4,5-Trichlorophenol																													
2,4-Dimethylphenol																														
U-PHM-824	Phenols Mixture	4 x 1 mL																												

## Semi-volatile analyte mixtures

Code	Product	Unit
U-PHM-804-1	Phenols Mixture 100 µg/mL of each analyte in Methanol 4-Chloro-3-methylphenol 2-Chlorophenol m-Cresol (3-Methylphenol) o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) 2,4-Dichlorophenol 2,6-Dichlorophenol 2,4-Dimethylphenol 2-Methyl-4,6-dinitrophenol	1 mL 2,4-Dinitrophenol 2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,3,4,6-Tetrachlorophenol 2,4,5-Trichlorophenol 2,4,6-Trichlorophenol
U-PHM-804	Phenols Mixture	4 x 1 mL
U-PHM-844-1	Phenols Mixture 2000 µg/mL of each analyte in Isopropanol. 2-Cyclohexyl-4,6-dinitrophenol 2,3,4,5-Tetrachlorophenol	1 mL 2,3,5,6-Tetrachlorophenol
U-PHM-844	Phenols Mixture	4 x 1 mL

## Further semi-volatile analyte mixtures

NIST-3074	Adipate and Phthalates in Methanol Certified concentrations of phthalates and one adipate	5 x 1.2 mL																								
	<table border="1"> <thead> <tr> <th></th> <th>Concentration mg/kg</th> <th>Concentration mg/L</th> </tr> </thead> <tbody> <tr> <td>Dimethylphthalate .....</td> <td>55.6 ± 1.2.....</td> <td>44.0 ± 0.9</td> </tr> <tr> <td>Diethylphthalate .....</td> <td>51.4 ± 1.7.....</td> <td>40.7 ± 1.4</td> </tr> <tr> <td>Di-n-butylyphthalate.....</td> <td>51.2 ± 1.2.....</td> <td>40.5 ± 0.9</td> </tr> <tr> <td>Benzylbutylphthalate.....</td> <td>52.2 ± 1.4.....</td> <td>41.3 ± 1.1</td> </tr> <tr> <td>Bis(2-ethylhexyl)adipate.....</td> <td>59.9 ± 1.6.....</td> <td>47.4 ± 1.2</td> </tr> <tr> <td>Bis(2-ethylhexyl)phthalate.....</td> <td>58.6 ± 1.3.....</td> <td>46.4 ± 1.0</td> </tr> <tr> <td>Di-n-octylphthalate .....</td> <td>48.2 ± 1.4 .....</td> <td>38.2 ± 1.1</td> </tr> </tbody> </table>		Concentration mg/kg	Concentration mg/L	Dimethylphthalate .....	55.6 ± 1.2.....	44.0 ± 0.9	Diethylphthalate .....	51.4 ± 1.7.....	40.7 ± 1.4	Di-n-butylyphthalate.....	51.2 ± 1.2.....	40.5 ± 0.9	Benzylbutylphthalate.....	52.2 ± 1.4.....	41.3 ± 1.1	Bis(2-ethylhexyl)adipate.....	59.9 ± 1.6.....	47.4 ± 1.2	Bis(2-ethylhexyl)phthalate.....	58.6 ± 1.3.....	46.4 ± 1.0	Di-n-octylphthalate .....	48.2 ± 1.4 .....	38.2 ± 1.1	
	Concentration mg/kg	Concentration mg/L																								
Dimethylphthalate .....	55.6 ± 1.2.....	44.0 ± 0.9																								
Diethylphthalate .....	51.4 ± 1.7.....	40.7 ± 1.4																								
Di-n-butylyphthalate.....	51.2 ± 1.2.....	40.5 ± 0.9																								
Benzylbutylphthalate.....	52.2 ± 1.4.....	41.3 ± 1.1																								
Bis(2-ethylhexyl)adipate.....	59.9 ± 1.6.....	47.4 ± 1.2																								
Bis(2-ethylhexyl)phthalate.....	58.6 ± 1.3.....	46.4 ± 1.0																								
Di-n-octylphthalate .....	48.2 ± 1.4 .....	38.2 ± 1.1																								
NIST-1586	Isotopically labelled and unlabelled pollutants in methanol Certified values Solvent: Methanol NIST-1586-1 Carbon tetrachloride ..... 128.2 ± 0.5 µg/g Benzene ..... 101.1 ± 0.8 µg/g Chlorobenzene..... 133.0 ± 0.6 µg/g Phenol..... 117.0 ± 1.3 µg/g Nitrobenzene..... 126.0 ± 1.1 µg/g NIST-1586-2 Carbon tetrachloride- <sup>13</sup> C..... 128.2 ± 0.5 µg/g Benzene-d <sub>6</sub> ..... 101.1 ± 0.8 µg/g Chlorobenzene-d <sub>5</sub> ..... 133.0 ± 0.6 µg/g Phenol-d <sub>5</sub> ..... 117.0 ± 1.3 µg/g Nitrobenzene-d <sub>5</sub> ..... 126.0 ± 1.1 µg/g	<table border="1"> <tbody> <tr> <td>2-Nitrophenol.....</td> <td>103.6 ± 3.2 µg/g</td> </tr> <tr> <td>2,4-Dichlorophenol.....</td> <td>102.5 ± 0.6 µg/g</td> </tr> <tr> <td>Naphthalene.....</td> <td>126.5 ± 1.2 µg/g</td> </tr> <tr> <td>Bis(2-ethylhexyl)phthalate.....</td> <td>63.9 ± 1.7 µg/g</td> </tr> <tr> <td>Benzo(a)pyrene.....</td> <td>49.2 ± 0.2 µg/g</td> </tr> <tr> <td>2-Nitrophenol-d<sub>4</sub>.....</td> <td>103.6 ± 3.2 µg/g</td> </tr> <tr> <td>2,4-Dichlorophenol-d<sub>3</sub>.....</td> <td>102.5 ± 0.6 µg/g</td> </tr> <tr> <td>Naphthalene-d<sub>8</sub>.....</td> <td>126.5 ± 1.2 µg/g</td> </tr> <tr> <td>Bis(2-ethylhexyl)phthalate-d<sub>4</sub>.....</td> <td>63.9 ± 1.7 µg/g</td> </tr> <tr> <td>Benzo(a)pyrene-d<sub>12</sub>.....</td> <td>49.2 ± 0.2 µg/g</td> </tr> </tbody> </table>	2-Nitrophenol.....	103.6 ± 3.2 µg/g	2,4-Dichlorophenol.....	102.5 ± 0.6 µg/g	Naphthalene.....	126.5 ± 1.2 µg/g	Bis(2-ethylhexyl)phthalate.....	63.9 ± 1.7 µg/g	Benzo(a)pyrene.....	49.2 ± 0.2 µg/g	2-Nitrophenol-d <sub>4</sub> .....	103.6 ± 3.2 µg/g	2,4-Dichlorophenol-d <sub>3</sub> .....	102.5 ± 0.6 µg/g	Naphthalene-d <sub>8</sub> .....	126.5 ± 1.2 µg/g	Bis(2-ethylhexyl)phthalate-d <sub>4</sub> .....	63.9 ± 1.7 µg/g	Benzo(a)pyrene-d <sub>12</sub> .....	49.2 ± 0.2 µg/g	6 x 1.2 mL			
2-Nitrophenol.....	103.6 ± 3.2 µg/g																									
2,4-Dichlorophenol.....	102.5 ± 0.6 µg/g																									
Naphthalene.....	126.5 ± 1.2 µg/g																									
Bis(2-ethylhexyl)phthalate.....	63.9 ± 1.7 µg/g																									
Benzo(a)pyrene.....	49.2 ± 0.2 µg/g																									
2-Nitrophenol-d <sub>4</sub> .....	103.6 ± 3.2 µg/g																									
2,4-Dichlorophenol-d <sub>3</sub> .....	102.5 ± 0.6 µg/g																									
Naphthalene-d <sub>8</sub> .....	126.5 ± 1.2 µg/g																									
Bis(2-ethylhexyl)phthalate-d <sub>4</sub> .....	63.9 ± 1.7 µg/g																									
Benzo(a)pyrene-d <sub>12</sub> .....	49.2 ± 0.2 µg/g																									
U-625-MA-1	Base/Neutral Extractables Mixture 20 µg/mL of each analyte in Methanol. Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Bis(2-chloroethoxy)methane Bis(2-chloroethyl) ether Bis(2-chloroisopropyl) ether Bis(2-ethylhexyl)phthalate 4-Bromophenyl phenyl ether Butyl benzyl phthalate 2-Chloronaphthalene 4-Chlorophenyl phenyl ether Chrysene Dibenzo(a,h)anthracene Di-n-butyl phthalate 1,2-Dichlorobenzene 1,3-Dichlorobenzene	<table border="1"> <tbody> <tr> <td>1,4-Dichlorobenzene</td> </tr> <tr> <td>3,3'-Dichlorobenzidine</td> </tr> <tr> <td>Diethyl phthalate</td> </tr> <tr> <td>Dimethyl phthalate</td> </tr> <tr> <td>2,4-Dinitrotoluene</td> </tr> <tr> <td>2,6-Dinitrotoluene</td> </tr> <tr> <td>Di-n-octyl phthalate</td> </tr> <tr> <td>Fluoranthene</td> </tr> <tr> <td>Fluorene</td> </tr> <tr> <td>Hexachlorobenzene</td> </tr> <tr> <td>Hexachlorobutadiene</td> </tr> <tr> <td>Hexachloroethane</td> </tr> <tr> <td>Indeno(1,2,3-cd)pyrene</td> </tr> <tr> <td>Isophorone</td> </tr> <tr> <td>Naphthalene</td> </tr> <tr> <td>Nitrobenzene</td> </tr> <tr> <td>N-Nitrosodi-n-propylamine</td> </tr> <tr> <td>Phenanthrene</td> </tr> <tr> <td>Pyrene</td> </tr> <tr> <td>1,2,4-Trichlorobenzene</td> </tr> </tbody> </table>	1,4-Dichlorobenzene	3,3'-Dichlorobenzidine	Diethyl phthalate	Dimethyl phthalate	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodi-n-propylamine	Phenanthrene	Pyrene	1,2,4-Trichlorobenzene	1 mL			
1,4-Dichlorobenzene																										
3,3'-Dichlorobenzidine																										
Diethyl phthalate																										
Dimethyl phthalate																										
2,4-Dinitrotoluene																										
2,6-Dinitrotoluene																										
Di-n-octyl phthalate																										
Fluoranthene																										
Fluorene																										
Hexachlorobenzene																										
Hexachlorobutadiene																										
Hexachloroethane																										
Indeno(1,2,3-cd)pyrene																										
Isophorone																										
Naphthalene																										
Nitrobenzene																										
N-Nitrosodi-n-propylamine																										
Phenanthrene																										
Pyrene																										
1,2,4-Trichlorobenzene																										
U-625-MA	Base/Neutral Extractables Mixture	4 x 1 mL																								

## Semi-volatile analyte mixtures

Code	Product	Unit	
U-SVM-102-1	<b>Base/Neutral Extractables Mixture</b> 2000 µg/mL in Methylene chloride/Benzene/Acetonitrile (2:2:1). Acenaphthene Acenaphthylene Anthracene Azobenzene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Bis(2-chloroethyl) ether Bis(2-chloroethoxy)methane Bis(2-ethylhexyl)phthalate Bis(2-chloroisopropyl) ether 4-bromophenyl phenyl ether Butyl benzyl phthalate 2-Chloronaphthalene 4-Chlorophenyl phenyl ether Chrysene Dibenzo(a,h)anthracene Di-n-butyl phthalate 1,2-Dichlorobenzene 1,3-Dichlorobenzene	1,4-Dichlorobenzene Diethyl phthalate Dimethyl phthalate 2,4-Dinitrotoluene 2,6-Dinitrotoluene Di-n-octyl phthalate Fluoranthene Fluorene Hexachlorobenzene Hexachlorobutadiene Hexachlorocyclopentadiene Hexachloroethane Indeno(1,2,3-cd)pyrene Isophorone Naphthalene Nitrobenzene N-Nitrosodimethylamine N-Nitrosodi-n-propylamine N-Nitrosodiphenylamine Phenanthrene Pyrene 1,2,4-Trichlorobenzene	1 mL
U-SVM-102	<b>Base/Neutral Extractables Mixture</b>	4 x 1 mL	
U-PSM-806-1	<b>Phthalates Mixture</b> 1000 µg/mL of each analyte in Isooctane. Bis(2-ethylhexyl)phthalate Butyl benzyl phthalate Di-n-butyl phthalate	Diethyl phthalate Dimethyl phthalate Di-n-octyl phthalate	1 mL
U-PSM-806	<b>Phthalates Mixture</b>	4 x 1 mL	
U-SVM-525-1	<b>Semi-Volatile Mixture</b> 100 µg/mL of each analyte in Acetone Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Butyl benzyl phthalate 2-Chlorobiphenyl Chrysene Dibenzo(a,h)anthracene 2,3-Dichlorobiphenyl Bis(2-ethylhexyl) adipate Bis(2-ethylhexyl)phthalate Diethyl phthalate Dimethyl phthalate Di-n-butyl phthalate	2,4-Dinitrotoluene 2,6-Dinitrotoluene Fluorene Hexachlorobenzene 2,2',4,4',5,6'-Hexachlorobiphenyl 2,2',3,3',4,4',6-Heptachlorobiphenyl Hexachlorocyclopentadiene Indeno(1,2,3-cd)pyrene Isophorone 2,2',3,3',4,5',6,6'-Octachlorobiphenyl 2,2',3',4,6-Pentachlorobiphenyl Phenanthrene Pyrene 2,2',4,4'-Tetrachlorobiphenyl 2,4,5-Trichlorobiphenyl Pentachlorophenol	1 mL
U-SVM-525	<b>Semi-Volatile Mixture</b>	4 x 1 mL	
U-US-100N	<b>Base/Neutrals Mixture 1</b> 2000 µg/mL of each analyte in Methylene chloride. Bis(2-chloroethoxy)methane Bis(2-chloroethyl) ether Bis(2-ethylhexyl)phthalate Bis(2-chloroisopropyl) ether 4-Bromophenyl phenyl ether Butyl benzyl phthalate 4-Chlorophenyl phenyl ether	Diethyl phthalate Dimethyl phthalate Di-n-butyl phthalate Di-n-octyl phthalate N-Nitrosodimethylamine N-Nitrosodi-n-propylamine N-Nitrosodiphenylamine	1 mL
U-US-101N	<b>Base/Neutrals Mixture 2</b> 2000 µg/mL of each analyte in Methylene chloride. Azobenzene 2-Chloronaphthalene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 2,4-Dinitrotoluene 2,6-Dinitrotoluene	Hexachlorobenzene Hexachlorobutadiene Hexachlorocyclopentadiene Hexachloroethane Isophorone Nitrobenzene 1,2,4-Trichlorobenzene	1 mL
U-US-110	<b>Ethers and Phthalates Mixture</b> 2000 µg/mL of each analyte in Methylene chloride. Bis(2-chloroethoxy) methane Bis(2-chloroethyl) ether Bis(2-chloroisopropyl) ether Bis(2-ethylhexyl) phthalate 4-Bromophenyl phenyl ether Butyl benzyl phthalate	4-Chlorophenyl phenyl ether Di-n-butyl phthalate Diethyl phthalate Dimethyl phthalate Di-n-octyl phthalate	1 mL

## Semi-volatile analyte mixtures

Code	Product	Unit
U-US-104N	<b>Toxic Substances Mixture 2</b> 2000 µg/mL of each analyte in Methylene chloride. Aniline Benzyl alcohol 4-Chloroaniline Dibenzofuran 2-Methylnaphthalene 2-Nitroaniline 3-Nitroaniline 4-Nitroaniline	1 mL
U-US-103N	<b>Toxic Substances Mixture 1</b> 2000 µg/mL of each analyte in Methylene chloride. Benzoic acid o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) 2,4,5-Trichlorophenol	1 mL
U-US-111	<b>Chlorinated Hydrocarbons Mixture</b> 2000 µg/mL of each analyte in Methylene chloride. 2-Chloronaphthalene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Hexachlorobenzene Hexachlorobutadiene Hexachlorocyclopentadiene Hexachloroethane Hexachloropropene Pentachlorobenzene Pentachloroethane 1,2,4,5-Tetrachlorobenzene 1,2,4-Trichlorobenzene	1 mL
U-US-113N	<b>Nitrosamines Mixture</b> 2000 µg/mL of each analyte in Methylene chloride. N-Nitrosodi-n-butylamine N-Nitrosodiethylamine N-Nitrosodimethylamine N-Nitrosodiphenylamine N-Nitrosodi-n-propylamine N-Nitrosomethylethylamine N-Nitrosomorpholine N-Nitrosopiperidine N-Nitrosopyrrolidine	1 mL
U-NSM-807-1	<b>Nitrosamines Mixture</b> 2000 µg/mL of each analyte in Methanol N-Nitrosodimethylamine N-Nitrosodiphenylamine N-Nitrosodi-n-propylamine	1 mL
U-NSM-807	<b>Nitrosamines Mixture</b>	4 x 1 mL
U-US-115	<b>Base/Neutrals Mixture 4</b> 2000 µg/mL of each analyte in Methylene chloride. Acetophenone m-Dinitrobenzene 2,4-Dinitrotoluene 2,6-Dinitrotoluene Ethyl methanesulfonate Isophorone Isosafrole Methyl methanesulfonate 1,4-Naphthoquinone Nitrobenzene Pentachloronitrobenzene Safrole 1,3,5-Trinitrobenzene	1 mL
U-US-114	<b>Base/Neutrals Mixture 3</b> 2000 µg/mL of each analyte in Methylene chloride. 2-Acetylaminofluorene 4-Aminobiphenyl 3,3'-Dichlorobenzidine p-(Dimethylamino)azobenzene 3,3'-Dimethylbenzidine α,α-Dimethylphenethylamine Diphenylamine 1-Naphthylamine 2-Naphthylamine 5-Nitro-o-toluidine Phenacetin p-Phenylenediamine o-Toluidine	1 mL
U-US-120AN	<b>Pyridines Mixture</b> 2000 µg/mL of each analyte in Acetone. Methapyrilene 4-Nitroquinoline-1-oxide 2-Picoline Pyridine	1 mL
U-CLP-310-1	<b>Base/Neutrals Calibration Check Mixture</b> 1000 µg/mL of each analyte in Methylene chloride. Acenaphthene Benzo(a)pyrene 1,4-Dichlorobenzene Di-n-octyl phthalate Fluoranthene Hexachlorobutadiene N-Nitrosodiphenylamine	1 mL
U-CLP-310	<b>Base/Neutrals Calibration Check Mixture</b>	4 x 1 mL
U-CLP-410-1	<b>Acids Calibration Check Mixture</b> 2000 µg/mL of each analyte in Methanol. 4-Chloro-3-methylphenol 2,4-Dichlorophenol 2-Nitrophenol Pentachlorophenol Phenol 2,4,6-Trichlorophenol	1 mL
U-CLP-410	<b>Acids Calibration Check Mixture</b>	4 x 1 mL
U-ISM-560-1	<b>Semi-Volatiles Internal Standard Mixture</b> 2000 µg/mL of each analyte in Methylene chloride. Acenaphthene-D <sub>10</sub> Chrysene-D <sub>12</sub> 1,4-Dichlorobenzene-D <sub>4</sub> Naphthalene-D <sub>8</sub> Perylene-D <sub>12</sub> Phenanthrene-D <sub>10</sub>	1 mL

## Explosives and their degradation products

Code	Product	Unit
U-ISM-560	Semi-Volatiles Internal Standard Mixture	4 x 1 mL
U-US-108N	Semi-Volatiles Internal Standard Mixture 4000 µg/mL of each analyte in Methylene chloride. Acenaphthene-D <sub>10</sub> Chrysene-D <sub>12</sub> 1,4-Dichlorobenzene-D <sub>4</sub>	1 mL
	Naphthalene-D <sub>8</sub> Perylene-D <sub>12</sub> Phenanthrene-D <sub>10</sub>	
U-US-105N	Benzidines Mixture 2000 µg/mL of each analyte in Methanol. Benzidine 3,3'-Dichlorobenzidine	1 mL

## Explosives and their degradation products

Two World Wars led to the production of large amounts of explosives. Inadequate storage, careless disposal of production residues, but also accidents, testing procedures and finally the dismantling of production plants caused extensive soil contamination. In a first report in 1987 Preuß and Haas listed 151 production sites in Germany<sup>1</sup> alone. Concern regarding the ecological and human toxicity of explosives and their degradation products are reflected in the growing number of publications on the analysis of these compounds<sup>2-7</sup>, many of which are known or suspected carcinogens<sup>8</sup>. An exact assessment of the hazard on a given site is very complex as a result of the large number of degradation products. The degradation of TNT (2,4,6-Trinitrotoluene) has been described by F.P.M. Karg and G. Kass<sup>9</sup>.

## References

- 1 J.Preuß, R. Haas, Geographische Rundschau, 39: 578-584, (1987)
- 2 Arbeitsgemeinschaft Rheinwasserwerke, 44, Report, Cologne (1987).
- 3 F. Karrenbrock and K. Haberer, Vom Wasser 60, 237 (1983).
- 4 R. Haas and G.Stork, Fresenius Z. Anal. Chem. 335, 839-846 (1989)
- 5 T.F. Jenkins, D.C. Leggett, C.L. Grant and C.F. Bauer, Anal. Chem. 58, 170-175 (1986)
- 6 J. Feltes and J. Knoll. GC and HPLC with selective detection for the determination of explosives in water and soil. LC-GC Int., Volume 7, Number 12, December 1994.
- 7 Test Methods for Evaluating Solid Waste, Proposed Update II, Method 8330 (U.S. Environmental Protection Agency, Washington, D.C., USA, EPA Report , SW846, 3rd. ed., November 1992).
- 8 K.Schneider, M.Hassauer, F. Kalberlah: Toxikologische Bewertung von Rüstungs-altlasten. UWSF- Z.Umweltchem. Ökotox. 6 (6) 333-340 (1994).
- 9 F.P.M. Karg, G. Koss. Untersuchungen zur Umweltchemie, Kontaminationserkundung und -bewertung. UWSF -Z.Umweltchem. Ökotox. 5 (4) 182-189 (1993).

Code	Product	Unit
CERERA-017	2-Amino-4,6-dinitrotoluene (3,5-Dinitro-2-methylaniline)	100 µg
U-EPA-1192	2-Amino-4,6-dinitrotoluene 1000 µg/mL in Acetonitrile	1 mL
CERERA-022S	2-Amino-4,6-dinitrotoluene 1000 µg/mL in Acetonitrile	1.2 mL
CERERA-018	4-Amino-2,6-dinitrotoluene (3,5-Dinitro-4-methylaniline)	100 µg
U-EPA-1193	4-Amino-2,6-dinitrotoluene 1000 µg/mL in Acetonitrile	1 mL
CERERA-023S	4-Amino-2,6-dinitrotoluene 1000 µg/mL in Acetonitrile	1.2 mL
CERB-003	1,2,4-Butanetriol-1,4-dinitrate 100 µg/mL in Acetonitrile	1 mL
CERB-002	1,2,4-Butanetriol trinitrate 100 µg/mL in Acetonitrile	1 mL
	CE see Tetryl	
FL-45926-250MG	2-Chloronitrobenzene OEKANAL <sup>®</sup>	250 mg
FL-45957-250MG	3-Chloronitrobenzene OEKANAL <sup>®</sup>	250 mg
FL-45925-250MG	4-Chloronitrobenzene OEKANAL <sup>®</sup>	250 mg
FL-31570-250MG	2-Chloro-4-nitrotoluene OEKANAL <sup>®</sup>	250 mg
FL-45998-250MG	4-Chloro-2-nitrotoluene OEKANAL <sup>®</sup>	250 mg
	Cyclonit see Hexogen	
IPO NIT 150	2,4-Diamino-6-nitrotoluene	50 mg
FL-45922-250MG	2,4-Diaminotoluene OEKANAL <sup>®</sup>	250 mg
FL-45921-250MG	2,6-Diaminotoluene OEKANAL <sup>®</sup>	250 mg
IPO NIT 050	2,6-Dinitroaniline	100 µg
IPO NIT 051	3,5-Dinitroaniline	100 µg
FL-45965-250MG	1,2-Dinitrobenzene OEKANAL <sup>®</sup>	250 mg
U-IST-600-1	1,2-Dinitrobenzene 1000 µg/mL in Methanol	1 mL



## Explosives and their degradation products

Code	Product	Unit
U-IST-600	1,2-Dinitrobenzene 1000 µg/mL in Methanol	4 x 1 mL
CERERD-110S	1,2-Dinitrobenzene 1000 µg/mL in Methanol	1.2 mL
IPO NIT 006	1,3-Dinitrobenzene	100 mg
CERERD-032S	1,3-Dinitrobenzene 1000 µg/mL in Acetonitrile	1.2 mL
U-EPA-1113	1,3-Dinitrobenzene 5000 µg/mL in Methanol	1 mL
IPO NIT 007	1,4-Dinitrobenzene	100 mg
IPO NIT 113	2,4-Dinitrobenzoic acid	100 mg
IPO NIT 111	3,4-Dinitrobenzoic acid	100 mg
FL-45930-250MG	3,4-Dinitrobenzoic acid OEKANAL®	250 mg
IPO NIT 112	3,5-Dinitrobenzoic acid	100 mg
IPO NIT 138	2,4-Dichloronitrobenzene	100 mg
CERERD-079	2,2'-Dinitrodiphenylamine	250 mg
CERERD-080	2,4'-Dinitrodiphenylamine	250 mg
CERERD-081	4,4'-Dinitrodiphenylamine	250 mg
CERD-004	Dinitroethylene glycol (EGDN) 100 µg/mL in Acetonitrile	1 mL
CERERD-148S	Dinitroethylene glycol 1000 µg/mL in Acetonitrile	1.2 mL
CERD-010	1,2-Dinitroglycerin 1000 µg/mL in Acetonitrile	1 mL
CERD-002	1,2-Dinitroglycerin 100 µg/mL in Acetonitrile	1 mL
CERD-011	1,3-Dinitroglycerin 1000 µg/mL in Acetonitrile	1 mL
CERD-003	1,3-Dinitroglycerin 100 µg/mL in Acetonitrile	1 mL
IPO NIT 008	2,4-Dinitrophenol	100 mg
IPO NIT 011	2,3-Dinitrotoluene	100 mg
FL-45968-250MG	2,3-Dinitrotoluene OEKANAL®	250 mg
IPO NIT 012	2,4-Dinitrotoluene	100 mg
CERERD-033S	2,4-Dinitrotoluene 1000 µg/mL in Acetonitrile	1.2 mL
CERERD-152S	2,4-Dinitrotoluene 10 mg/mL in Acetonitrile	5 mL
IPO NIT 015	2,5-Dinitrotoluene	100 mg
IPO NIT 013	2,6-Dinitrotoluene	100 mg
CERERD-034S	2,6-Dinitrotoluene 1000 µg/mL in Acetonitrile	1.2 mL
IPO NIT 014	3,4-Dinitrotoluene	100 mg
U-IST-590-1	3,4-Dinitrotoluene 1000 µg/mL in Methanol	1 mL
U-IST-590	3,4-Dinitrotoluene 1000 µg/mL in Methanol	4 x 1 mL
CERERD-109S	3,4-Dinitrotoluene 1000 µg/mL in Methanol	1.2 mL
IPO NIT 157	3,5-Dinitrotoluene	100 mg
NE6513	3,5-Dinitrotoluene 100 µg/mL in Methanol CERTAN®	4.5 mL
CERERD-115S	Diphenylamine 5000 µg/mL in Methanol	1.2 mL
CERERE-032S	Ethyl centralite 500 µg/mL in Methanol	1.2 mL
IPO NL 070	Hexogen (RDX; 1,3,5-Trinitro-2,4,6-trihydro-triazine; Trimethylene-trinitramine) 1000 µg/mL in Acetonitrile	1.2 mL
U-EPA-1233	Hexogen (RDX) 1000 µg/mL in Acetonitrile	1 mL
	HMX see Octogen	
IPO NIT 053	2-Methyl-4-nitroaniline (2-Amino-5-nitrotoluene)	100 mg
IPO NIT 041	2-Methyl-5-nitroaniline (2-Amino-4-nitrotoluene)	100 mg
CERM-077	1-Mononitroglycerin 1000 µg/mL in Acetonitrile	1 mL
CERM-001	1-Mononitroglycerin 100 µg/mL in Acetonitrile	1 mL
CERM-078	2-Mononitroglycerin 1000 µg/mL in Acetonitrile	1 mL
CERM-002	2-Mononitroglycerin 100 µg/mL in Acetonitrile	1 mL
IPO NIT 001	Nitrobenzene	500 mg
CERERN-004S	Nitrobenzene 1000 µg/mL in Acetonitrile	1.2 mL
U-EPA-1139	Nitrobenzene 5000 µg/mL in Methanol	1 mL
	Nitroglycerin see Trinitroglycerin	



## Explosives and their degradation products

Code	Product	Unit												
U-NAIM-833E-1	Combined Stock Solution 100 µg/mL of each analyte in Acetonitrile Octogen (HMX) 2,6-Dinitrotoluene Hexogen (RDX) 2-Nitrotoluene 1,3,5-Trinitrobenzene 3-Nitrotoluene 1,3-Dinitrobenzene 4-Nitrotoluene Nitrobenzene Tetryl 2,4,6-Trinitrotoluene (TNT) 2-Amino-4,6-dinitrotoluene 2,4-Dinitrotoluene 4-Amino-2,6-dinitrotoluene	1 mL												
U-NAIM-833E	Combined Stock Solution	4 x 1 mL												
CERERE-021	Method 8330 Stock Solution 200 µg/mL of each analyte in Acetonitrile 2-Amino-4,6-dinitrotoluene 2-Nitrotoluene 4-Amino-2,6-dinitrotoluene 3-Nitrotoluene 1,3-Dinitrobenzene 4-Nitrotoluene 2,4-Dinitrotoluene Octogen (HMX) 2,6-Dinitrotoluene Tetryl Hexogen (RDX) 1,3,5-Trinitrobenzene Nitrobenzene 2,4,6-Trinitrotoluene (TNT)	1.2 mL												
CERERE-011	Method 8330 Calibration Standard Solution A 100 µg/mL of each analyte in Acetonitrile 2-Amino-4,6-dinitrotoluene Nitrobenzene 1,3-Dinitrobenzene Octogen (HMX) 2,4-Dinitrotoluene 1,3,5-Trinitrobenzene Hexogen (RDX) 2,4,6-Trinitrotoluene (TNT)	1.2 mL												
CERERE-012	Method 8330 Calibration Standard Solution B 100 µg/mL of each analyte in Acetonitrile 4-Amino-2,6-dinitrotoluene 3-Nitrotoluene 2,6-Dinitrotoluene 4-Nitrotoluene 2-Nitrotoluene Tetryl	1.2 mL												
CERERE-042	Method 529 Explosives Stock Standard 2000 µg/mL of each analyte in Ethyl acetate 2-Amino-4,6-dinitrotoluene 2-Nitrotoluene 4-Amino-2,6-dinitrotoluene 3-Nitrotoluene 3,5-Dinitroaniline 4-Nitrotoluene 1,3-Dinitrobenzene 1,3,5-Trinitrobenzene 2,4-Dinitrotoluene 2,4,6-Trinitrotoluene (TNT) 2,6-Dinitrotoluene RDX Nitrobenzene Tetryl	1.2 mL												
<b>New</b> NIST-2906	Trace explosives calibration solutions This Standard Reference Material (SRM <sup>®</sup> ) is intended for use in calibrating and evaluating analytical equipment used for the detection of trace explosives, which may include those based on ion mobility spectrometry. NIST-2906 consists of three dilute solutions of hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), 2,4,6-trinitrotoluene (TNT), and pentaerythritol tetranitrate (PETN) A unit of NIST-2906 consists of four glass ampoules of each of the three explosives containing approximately 1 mL of the solution and four vials of the 2-propanol solvent used to prepare the solutions. In addition, there are four labeled dropper bottles for temporary storage of the solutions once opened. The concentrations of the explosives in NIST 2906 were prepared to approximately satisfy the requirements of ASTM Standard E2520-07 <i>Standard Practice for Verifying Minimum Acceptable Performance of Trace Explosive Detectors</i> . Certified Concentrations for RDX, PETN, and TNT in NIST-2906 <table border="1"> <thead> <tr> <th>Explosive</th> <th>Mass Fraction (µg/g)</th> <th>Mass Concentration (µg/mL)</th> </tr> </thead> <tbody> <tr> <td>RDX</td> <td>0.189 ± 0.005</td> <td>0.148 ± 0.004</td> </tr> <tr> <td>PETN</td> <td>2.15 ± 0.06</td> <td>1.68 ± 0.05</td> </tr> <tr> <td>TNT</td> <td>1.27 ± 0.07</td> <td>0.99 ± 0.05</td> </tr> </tbody> </table> Information values for the mass of RDX, PETN, and TNT dispensed per drop of NIST2906 using the provided dropper bottles	Explosive	Mass Fraction (µg/g)	Mass Concentration (µg/mL)	RDX	0.189 ± 0.005	0.148 ± 0.004	PETN	2.15 ± 0.06	1.68 ± 0.05	TNT	1.27 ± 0.07	0.99 ± 0.05	3 sets
Explosive	Mass Fraction (µg/g)	Mass Concentration (µg/mL)												
RDX	0.189 ± 0.005	0.148 ± 0.004												
PETN	2.15 ± 0.06	1.68 ± 0.05												
TNT	1.27 ± 0.07	0.99 ± 0.05												

## Neat reference materials kits

Code	Product	Unit
U-FRCK-013	<b>Chlorophenols Kit</b> Each kit contains 20 mg each of nineteen compounds. 2-Chlorophenol 3-Chlorophenol 4-Chlorophenol 2,3-Dichlorophenol 2,4-Dichlorophenol 2,5-Dichlorophenol 2,6-Dichlorophenol 3,4-Dichlorophenol 3,5-Dichlorophenol 2,3,4-Trichlorophenol	kit 2,3,5-Trichlorophenol 2,3,6-Trichlorophenol 2,4,5-Trichlorophenol 2,4,6-Trichlorophenol 3,4,5-Trichlorophenol 2,3,4,5-Tetrachlorophenol 2,3,4,6-Tetrachlorophenol 2,3,5,6-Tetrachlorophenol Pentachlorophenol
U-FRCS-156	<b>Phthalates Esters Kit</b> Each kit contains 1 g each of eighteen compounds. Dimethyl phthalate Dimethyl isophthalate Diethyl phthalate Dibutyl phthalate Diisobutyl phthalate Diallyl phthalate Dimethoxyethyl phthalate (Bis(2-methoxyethyl)phthalate) Diisohexyl phthalate Dicyclohexyl phthalate	kit Diphenyl phthalate Diphenyl isophthalate Isobutylcyclohexyl phthalate Butylisooctyl phthalate Diisooctyl phthalate Bis(2-ethylhexyl) isophthalate Diisononyl phthalate Diisodecyl phthalate Butyl phthalyl butyl glyconate
<b>New</b> U-FRCK-009	<b>Nitroaromatics and Isophorone Kit</b> Each kit contains 1 x 100 mg of each of four compounds. Isophorone Nitrobenzene	kit 2,4-Dinitrotoluene 2,6-Dinitrotoluene
U-FRCK-010	<b>Nitrosamines Kit</b> Each kit contains 100 mg each of ten compounds. N-Nitrosodimethylamine N-Nitrosodiethylamine N-Nitrosodi-n-propylamine N-Nitrosodi-n-butylamine N-Nitrosodiphenylamine	kit N-Nitrosomorpholine (4-Nitrosomorpholine) N-Nitrosopiperidine (1-Nitrosopiperidine) N-Nitrosopyrrolidine (1-Nitrosopyrrolidine) 4-Nitroso-N,N-diethylaniline N,N-Dimethyl-4-nitrosoaniline
U-FRNH-179	<b>Anilines Kit</b> Each kit contains 100 mg each of eighteen compounds. Aniline 2-Chloroaniline 3-Chloroaniline 4-Chloroaniline 3,4-Dichloroaniline 2,4,5-Trichloroaniline 4-Bromoaniline 2-Nitroaniline 3-Nitroaniline	kit 4-Nitroaniline 2,4-Dinitroaniline 2-Chloro-4-nitroaniline 4-Chloro-2-nitroaniline 2,6-Dichloro-4-nitroaniline 2-Chloro-4,6-dinitroaniline 2,6-Dibromo-4-nitroaniline 2-Bromo-4,6-dinitroaniline 2,6-Dimethylaniline
U-FRCK-015	<b>Halobutanes Kit</b> Each kit contains 100 mg each of fourteen compounds. 1-Chlorobutane 2-Chlorobutane 1,3-Dichlorobutane 1,4-Dichlorobutane 2,2-Dichlorobutane 2,3-Dichlorobutane 1-Bromobutane	kit 2-Bromobutane 1,3-Dibromobutane 1,4-Dibromobutane 1,1,2-Tribromobutane 2,2,3-Tribromobutane 1,2,3,4-Tetrabromobutane 1-Bromo-4-chlorobutane
U-FRCK-005	<b>Halobutenes Kit</b> Each kit contains 100 mg each of eight compounds. 1-Chloro-2-butene 3-Chloro-1-butene 1,2-Dichloro-3-butene (3,4-Dichloro-1-butene) 1,3-Dichloro-2-butene	kit cis-1,4-Dichloro-2-butene Hexachloro-1,3-butadiene 1-Bromo-2-butene 4-Bromo-1-butene

## ULTRAKits®

Kits for **qualitative** measurements. Each Kit contains 2 mL each of twenty different standards in a convenient box. Solid compounds are dissolved in an appropriate solvent. All standards are packaged in screw-capped vials, and are 98+% pure. The ULTRAKits® are supplied without certificates of analysis.

Code	Product	Unit
U-WRK-100	Hydrocarbons ULTRAKit® for <b>qualitative</b> measurements	kit
	n-Hexane ..... 2 mL      Heptene-1 ..... 2 mL n-Heptane ..... 2 mL      Octene-1 ..... 2 mL n-Octane ..... 2 mL      Nonene-1 ..... 2 mL n-Nonane ..... 2 mL      Decene-1 ..... 2 mL n-Decane ..... 2 mL      Undecene-1 ..... 2 mL n-Undecane ..... 2 mL      Dodecene-1 ..... 2 mL n-Dodecane ..... 2 mL      Tetradecene-1 ..... 2 mL n-Tetradecane ..... 2 mL      Hexadecene-1 ..... 2 mL n-Hexadecane ..... 2 mL      Octadecene-1 ..... 2 mL Hexene-1 ..... 2 mL      n-Octadecane (10% w/v in Chloroform) ..... 2 mL	
U-WRK-101	Wax Range Hydrocarbons ULTRAKit® for <b>qualitative</b> measurements (Wax range) Each at 1% w/v in Tetradecane	kit
	Hexadecane ..... 2 mL      Docosane ..... 2 mL      Squalane ..... 2 mL Heptadecane ..... 2 mL      Tricosane ..... 2 mL      Dotriacontane ..... 2 mL Octadecane ..... 2 mL      Tetracosane ..... 2 mL      Tetraatriacontane ..... 2 mL Nonadecane ..... 2 mL      Pentacosane ..... 2 mL      Hexatriacontane ..... 2 mL Pristane ..... 2 mL      Hexacosane ..... 2 mL      Octatriacontane ..... 2 mL Eicosane ..... 2 mL      Octacosane ..... 2 mL      Tetracontane ..... 2 mL Heneicosane ..... 2 mL      Triacontane ..... 2 mL	
U-WRK-102	Gasoline Range Hydrocarbons ULTRAKit® for <b>qualitative</b> measurements (Gasoline range)	kit
	n-Hexane ..... 2 mL      Cyclohexane ..... 2 mL      Nonene-1 ..... 2 mL n-Heptane ..... 2 mL      Methylcyclohexane ..... 2 mL      Benzene ..... 2 mL n-Octane ..... 2 mL      Dimethylcyclohexane ..... 2 mL      Toluene ..... 2 mL Isooctane ..... 2 mL      Hexene-1 ..... 2 mL      Xylenes (mixed) ..... 2 mL n-Nonane ..... 2 mL      Heptene-1 ..... 2 mL      Cumene ..... 2 mL Cyclopentane ..... 2 mL      Octene-1 ..... 2 mL      Mesitylene ..... 2 mL Methylcyclopentane ..... 2 mL      Diisobutylene ..... 2 mL	
U-WRK-103	Branched Chain Hydrocarbons ULTRAKit® for <b>qualitative</b> measurements (Branched chain)	kit
	2-Methylpentane ..... 2 mL      2-Methyl-1-pentene ..... 2 mL 3-Methylpentane ..... 2 mL      4-Methylpentene-2 ..... 2 mL 2,2-Dimethylbutane ..... 2 mL      4-Methylpentene-1 ..... 2 mL 2,3-Dimethylbutane ..... 2 mL      2-Ethylhexene-1 ..... 2 mL 3-Methylhexane ..... 2 mL      2-Methylheptene-3 ..... 2 mL 2,3-Dimethylpentane ..... 2 mL      2,4,4-Trimethylpentene-1 ..... 2 mL 2,4-Dimethylpentane ..... 2 mL      2,4,4-Trimethylpentene-2 ..... 2 mL 2,2,4-Trimethylpentane ..... 2 mL      3,5,5-Trimethylhexene-1 ..... 2 mL 2,3,4-Trimethylpentane ..... 2 mL      2,5-Dimethylhexadiene-2,4 ..... 2 mL 3-Methylpentadiene-1,3 ..... 2 mL	
U-WRK-104	Cyclic Hydrocarbons ULTRAKit® for <b>qualitative</b> measurements (Cyclic Hydrocarbons)	kit
	Cyclopentane ..... 2 mL      Ethylcyclohexane ..... 2 mL      Cycloheptene ..... 2 mL Methylcyclopentane ..... 2 mL      Isopropylcyclohexane ..... 2 mL      Cyclooctane ..... 2 mL Cyclopentene ..... 2 mL      Phenylcyclohexane ..... 2 mL      Cyclooctene ..... 2 mL Cyclohexane ..... 2 mL      Cyclohexene ..... 2 mL      1,5-Cyclooctadiene ..... 2 mL Methylcyclohexane ..... 2 mL      4-Methylcyclohexene ..... 2 mL      1,3-Cyclooctadiene ..... 2 mL 1,2-Dimethylcyclohexane ..... 2 mL      4-Vinylcyclohexene ..... 2 mL      Dicyclopentadiene ..... 2 mL 1,4-Dimethylcyclohexane ..... 2 mL      Cycloheptane ..... 2 mL	
U-WRK-105	Terpenes ULTRAKit® for <b>qualitative</b> measurements	kit
	alpha-Pinene (2% w/v in Ethanol) ..... 2 mL      Myrcene (2% w/v in Chloroform) ..... 2 mL beta-Pinene (2% w/v in Ethanol) ..... 2 mL      alpha-Terpineol (2% w/v in Ethanol) ..... 2 mL Fenchone (2% w/v in Ethanol) ..... 2 mL      Citronellol (2% w/v in Ethanol) ..... 2 mL Geraniol (2% w/v in Ethanol) ..... 2 mL      DL-Menthol (2% w/v in Ethanol) ..... 2 mL alpha-Terpinene (2% w/v in Ethanol) ..... 2 mL      1-Borneol (2% w/v in Ethanol) ..... 2 mL gamma-Terpinene (2% w/v in Ethanol) ..... 2 mL      2-Piperidone (2% w/v in Ethanol) ..... 2 mL Camphene (2% w/v in Ethanol) ..... 2 mL      Dihydrocarveol (2% w/v in Ethanol) ..... 2 mL Linalool (2% w/v in Ethanol) ..... 2 mL      1-Isopulegol (2% w/v in Ethanol) ..... 2 mL D-Limonene (2% w/v in Ethanol) ..... 2 mL      Pulegone (2% w/v in Ethanol) ..... 2 mL Citral (2% w/v in Ethanol) ..... 2 mL	

Code	Product	Unit
U-WRK-110	Aromatics 1 ULTRAKit® for <b>qualitative</b> measurements	kit
	Benzene.....	2 mL
	Toluene.....	2 mL
	o-Xylene.....	2 mL
	m-Xylene.....	2 mL
	p-Xylene.....	2 mL
	Ethylbenzene.....	2 mL
	Propylbenzene.....	2 mL
	Cumene.....	2 mL
	Butylbenzene.....	2 mL
	Isobutylbenzene.....	2 mL
	sec-Butylbenzene.....	2 mL
	tert-Butylbenzene.....	2 mL
	p-Cymene.....	2 mL
	1,2,4-Trimethylbenzene.....	2 mL
	Mesitylene.....	2 mL
	p-Diisopropylbenzene.....	2 mL
	Styrene.....	2 mL
	alpha-Methylstyrene.....	2 mL
	beta-Methylstyrene.....	2 mL
	1,2,4,5-Tetramethylbenzene (2% w/v in p-Xylene).....	2 mL
U-WRK-111	Aromatics 2 ULTRAKit® for <b>qualitative</b> measurements	kit
	Benzene.....	2 mL
	Toluene.....	2 mL
	o-Xylene.....	2 mL
	m-Xylene.....	2 mL
	p-Xylene.....	2 mL
	Indane.....	2 mL
	Indene.....	2 mL
	Tetralin.....	2 mL
	Decalin (decahydronaphthalene).....	2 mL
	Biphenyl (2% w/v in p-Xylene).....	2 mL
	Bibenzyl (2% w/v in p-Xylene).....	2 mL
	Diphenylmethane (2% w/v in p-Xylene).....	2 mL
	Naphthalene (2% w/v in p-Xylene).....	2 mL
	1-Methylnaphthalene (2% w/v in p-Xylene).....	2 mL
	2-Methylnaphthalene (2% w/v in p-Xylene).....	2 mL
	Anthracene (1% w/v in p-Xylene).....	2 mL
	Pyrene (2% w/v in p-Xylene).....	2 mL
	Fluorene (2% w/v in p-Xylene).....	2 mL
	1,2-Dimethylnaphthalene (2% w/v in p-Xylene).....	2 mL
	Phenanthrene (2% w/v in p-Xylene).....	2 mL
	p-Xylene.....	2 mL
U-WRK-112	Polycyclic Aromatics ULTRAKit® for <b>qualitative</b> measurements (Polycyclic aromatics)	kit
	Acenaphthylene (1% w/v in Toluene).....	2 mL
	Acenaphthene (1% w/v in Toluene).....	2 mL
	Anthracene (1% w/v in Toluene).....	2 mL
	Azulene (1% w/v in Toluene).....	2 mL
	1,2-Benzanthracene (1% w/v in Toluene).....	2 mL
	2,3-Benzofluorene (1% w/v in Toluene).....	2 mL
	Chrysene (0.5% w/v in Chloroform).....	2 mL
	Benzo[a]pyrene (1% w/v in Toluene).....	2 mL
	9,10-Dimethylantracene (1% w/v in Toluene).....	2 mL
	1,2-Dimethylnaphthalene (1% w/v in Toluene).....	2 mL
	Fluoranthene (1% w/v in Toluene).....	2 mL
	Fluorene (1% w/v in Toluene).....	2 mL
	2-Methylantracene (1% w/v in Toluene).....	2 mL
	Naphthalene (1% w/v in Toluene).....	2 mL
	Perylene (0.5% w/v in Chloroform).....	2 mL
	Phenanthrene (1% w/v in Toluene).....	2 mL
	Pyrene (1% w/v in Toluene).....	2 mL
	cis-Stilbene (1% w/v in Toluene).....	2 mL
	trans-Stilbene (1% w/v in Toluene).....	2 mL
U-WRK-300	Industrial Chemicals ULTRAKit® for <b>qualitative</b> measurements	kit
	Acetic acid.....	2 mL
	Acetic anhydride.....	2 mL
	Aniline.....	2 mL
	Butyl alcohol.....	2 mL
	Diethyl phthalate.....	2 mL
	Ethanolamine.....	2 mL
	Ethylene glycol.....	2 mL
	Furfural.....	2 mL
	Furnace oil.....	2 mL
	Isopropyl alcohol.....	2 mL
	Ethyl alcohol.....	2 mL
	Methanol.....	2 mL
	Methyl ethyl ketone.....	2 mL
	1-Methylnaphthalene.....	2 mL
	Benzoic acid (2% w/v in p-Xylene).....	2 mL
	Naphthalene (2% w/v in p-Xylene).....	2 mL
	o-Cresol (2% w/v in p-Xylene).....	2 mL
	m-Cresol (2% w/v in p-Xylene).....	2 mL
	p-Cresol (2% w/v in p-Xylene).....	2 mL
	Phenol (2% w/v in p-Xylene).....	2 mL

Code	Product	Unit
U-WRK-310	<b>Chemical Solvents ULTRAkite®</b> for <b>qualitative</b> measurements Acetone..... 2 mL      Gasoline ..... 2 mL      Nitrobenzene..... 2 mL Benzene ..... 2 mL      Isooctane ..... 2 mL      Tetrahydrofuran ..... 2 mL Carbon tetrachloride ..... 2 mL      Isopropyl alcohol..... 2 mL      Toluene ..... 2 mL N,N-Dimethyl formamide ... 2 mL      Kerosene ..... 2 mL      Trichloroethylene ..... 2 mL Dimethyl sulfoxide..... 2 mL      Methanol..... 2 mL      Turpentine..... 2 mL Ethyl acetate ..... 2 mL      Methyl ethyl ketone..... 2 mL      Xylenes (mixed) ..... 2 mL Furfural..... 2 mL      Naphtha ..... 2 mL	kit
U-WRK-140	<b>Acids ULTRAkite®</b> for <b>qualitative</b> measurements Acetic acid ..... 2 mL      Decanoic (10% w/v in Chloroform) ..... 2 mL Propanoic acid ..... 2 mL      Undecanoic (10% w/v in Chloroform) ..... 2 mL Butanoic acid ..... 2 mL      Dodecanoic (10% w/v in Chloroform) ..... 2 mL 2-Methylpropanoic acid ..... 2 mL      Tridecanoic (10% w/v in Chloroform) ..... 2 mL Pentanoic acid ..... 2 mL      Tetradecanoic (10% w/v in Chloroform)..... 2 mL 3-Methylbutanoic acid ..... 2 mL      Pentadecanoic (10% w/v in Chloroform)..... 2 mL Hexanoic acid ..... 2 mL      Hexadecanoic (10% w/v in Chloroform) ..... 2 mL Heptanoic acid ..... 2 mL      Heptadecanoic (10% w/v in Chloroform) ..... 2 mL Octanoic acid ..... 2 mL      Octadecanoic (10% w/v in Chloroform) ..... 2 mL Nonanoic acid ..... 2 mL      Eicosanoic (1% w/v in Chloroform)..... 2 mL	kit
U-WRK-141	<b>Acids ULTRAkite®</b> for <b>qualitative</b> measurements Oxalic acid (2% w/v in DMF)..... 2 mL      Fumaric acid (2% w/v in DMF)..... 2 mL Malonic acid (2% w/v in DMF) ..... 2 mL      Phthalic acid (2% w/v in DMF) ..... 2 mL Succinic acid (2% w/v in DMF) ..... 2 mL      Isophthalic acid (2% w/v in DMF)..... 2 mL Glutaric acid (2% w/v in DMF) ..... 2 mL      Terephthalic acid (1% w/v in DMF) ..... 2 mL Adipic acid (2% w/v in DMF)..... 2 mL      Itaconic acid (1% w/v in DMF)..... 2 mL Pimelic acid (2% w/v in DMF) ..... 2 mL      Dodecanedioic acid (1% w/v in DMF) ..... 2 mL Suberic acid (2% w/v in DMF) ..... 2 mL      Tetradecanedioic acid (1% w/v in DMF) ..... 2 mL Azelaic acid (2% w/v in DMF) ..... 2 mL      Hexadecanedioic acid (1% w/v in DMF) ..... 2 mL Sebacic acid (2% w/v in DMF)..... 2 mL      Tartaric acid (1% w/v in DMF)..... 2 mL Maleic acid (2% w/v in DMF) ..... 2 mL      Citraconic acid (1% w/v in DMF)..... 2 mL	kit
U-WRK-142	<b>Aromatic Acids ULTRAkite®</b> for <b>qualitative</b> measurements Benzoic acid ..... 2 mL      o-Hydroxybenzoic acid ..... 2 mL o-Toluic acid ..... 2 mL      m-Hydroxybenzoic acid ..... 2 mL m-Toluic acid ..... 2 mL      p-Hydroxybenzoic acid ..... 2 mL p-Toluic acid ..... 2 mL      o-Methoxybenzoic acid..... 2 mL o-Chlorobenzoic acid ..... 2 mL      m-Methoxybenzoic acid..... 2 mL m-Chlorobenzoic acid ..... 2 mL      p-Methoxybenzoic acid..... 2 mL p-Chlorobenzoic acid ..... 2 mL      o-Aminobenzoic acid..... 2 mL o-Nitrobenzoic acid ..... 2 mL      m-Aminobenzoic acid..... 2 mL m-Nitrobenzoic acid ..... 2 mL      p-Aminobenzoic acid..... 2 mL p-Nitrobenzoic acid ..... 2 mL      3,4,5-Trihydroxybenzoic acid ..... 2 mL	kit
U-WRK-130	<b>Esters ULTRAkite®</b> for <b>qualitative</b> measurements Methyl acetate ..... 2 mL Methyl propanoate ..... 2 mL Methyl butanoate ..... 2 mL Methyl pentanoate ..... 2 mL Methyl hexanoate..... 2 mL Methyl heptanoate ..... 2 mL Methyl octanoate..... 2 mL Ethyl acetate ..... 2 mL Ethyl butanoate ..... 2 mL Ethyl hexanoate ..... 2 mL Ethyl octanoate ..... 2 mL n-Propyl acetate..... 2 mL Propyl butanoate..... 2 mL Methyl nonanoate (2% w/v in Chloroform)..... 2 mL Methyl decanoate (2% w/v in Chloroform) ..... 2 mL Methyl dodecanoate (2% w/v in Chloroform)..... 2 mL Methyl tetradecanoate (2% w/v in Chloroform)..... 2 mL Methyl hexadecanoate (2% w/v in Chloroform) ..... 2 mL Ethyl decanoate (2% w/v in Chloroform) ..... 2 mL Ethyl dodecanoate (2% w/v in Chloroform) ..... 2 mL	kit
U-WRK-131	<b>Esters ULTRAkite®</b> for <b>qualitative</b> measurements 2% w/v of each compound in Chloroform Methyl nonanoate ..... 2 mL      Methyl hexadecanoate ..... 2 mL      Ethyl tridecanoate ..... 2 mL Methyl decanoate..... 2 mL      Methyl heptadecanoate ..... 2 mL      Ethyl tetradecanoate ..... 2 mL Methyl undecanoate..... 2 mL      Methyl octadecanoate ..... 2 mL      Ethyl pentadecanoate ..... 2 mL Methyl dodecanoate..... 2 mL      Ethyl nonanoate ..... 2 mL      Ethyl hexadecanoate ..... 2 mL Methyl tridecanoate..... 2 mL      Ethyl decanoate..... 2 mL      Ethyl heptadecanoate ..... 2 mL Methyl tetradecanoate ..... 2 mL      Ethyl undecanoate..... 2 mL      Ethyl octadecanoate ..... 2 mL Methyl pentadecanoate..... 2 mL      Ethyl dodecanoate..... 2 mL	kit



Code	Product	Unit
U-WRK-132	<b>Dibasic Esters ULTRAKit®</b> for <b>qualitative</b> measurements 2% w/v of each compound in Chloroform	kit
	Dimethyl oxalate ..... 2 mL      Diethyl malonate ..... 2 mL Dimethyl malonate ..... 2 mL      Diethyl succinate ..... 2 mL Dimethyl succinate ..... 2 mL      Diethyl glutarate ..... 2 mL Dimethyl glutarate ..... 2 mL      Diethyl adipate ..... 2 mL Dimethyl adipate ..... 2 mL      Diethyl pimelate ..... 2 mL Dimethyl pimelate ..... 2 mL      Diethyl suberate ..... 2 mL Dimethyl suberate ..... 2 mL      Diethyl azelate ..... 2 mL Dimethyl azelate ..... 2 mL      Diethyl sebacate ..... 2 mL Dimethyl sebacate ..... 2 mL      Diethyl fumarate ..... 2 mL Diethyl oxalate ..... 2 mL      Diethyl maleate ..... 2 mL	
U-WRK-150	<b>Aldehydes &amp; Ketones ULTRAKit®</b> for <b>qualitative</b> measurements	kit
	Propanal ..... 2 mL      Heptanal ..... 2 mL      4-Methyl-2-pentanone ..... 2 mL Butanal ..... 2 mL      Octanal ..... 2 mL      Mesityl oxide ..... 2 mL 2-Methylpropanal ..... 2 mL      2-Butanone ..... 2 mL      2-Heptanone ..... 2 mL Methacrolein ..... 2 mL      2-Pentanone ..... 2 mL      3-Heptanone ..... 2 mL Pentanal ..... 2 mL      3-Pentanone ..... 2 mL      2-Octanone ..... 2 mL 2-Methylbutanal ..... 2 mL      2-Hexanone ..... 2 mL      Cyclopentanone ..... 2 mL Hexanal ..... 2 mL      Cyclohexanone ..... 2 mL	
U-WRK-155	<b>Ketones ULTRAKit®</b> for <b>qualitative</b> measurements	kit
	Acetone ..... 2 mL      4-Methyl-2-pentanone ..... 2 mL      2-Nonanone ..... 2 mL 2-Butanone ..... 2 mL      3-Hexanone ..... 2 mL      2-Decanone ..... 2 mL 3-Methyl-2-butanone ..... 2 mL      2-Heptanone ..... 2 mL      2-Undecanone ..... 2 mL 2-Pentanone ..... 2 mL      3-Heptanone ..... 2 mL      2-Dodecanone ..... 2 mL 3-Pentanone ..... 2 mL      2-Methyl-3-hexanone ..... 2 mL      2-Tridecanone ..... 2 mL 2-Hexanone ..... 2 mL      5-methyl-2-hexanone ..... 2 mL 3-Methyl-2-pentanone ..... 2 mL      2-Octanone ..... 2 mL	
U-WRK-120	<b>Alcohols ULTRAKit®</b> for <b>qualitative</b> measurements	kit
	Methanol ..... 2 mL      3-Pentanol ..... 2 mL Ethanol ..... 2 mL      1-Hexanol ..... 2 mL n-Propyl alcohol (1-propanol) ..... 2 mL      3-Hexanol ..... 2 mL Isopropanol ..... 2 mL      n-Heptanol ..... 2 mL 1-Butanol ..... 2 mL      4-Heptanol ..... 2 mL 2-Methylpropanol ..... 2 mL      1-Octanol ..... 2 mL sec-Butanol ..... 2 mL      1-Decanol ..... 2 mL 2-Methyl-2-propanol (t-Butyl alcohol) ..... 2 mL      1-Dodecanol (2% w/v in Chloroform) ..... 2 mL Pentanol ..... 2 mL      1-Tetradecanol (2% w/v in Chloroform) ..... 2 mL 2-Pentanol ..... 2 mL      1-Hexadecanol (2% w/v in Chloroform) ..... 2 mL	
U-WRK-190	<b>Polyls, Ethers ULTRAKit®</b> for <b>qualitative</b> measurements	kit
	1,2-Propanediol ..... 2 mL      Diethylene glycol ethyl ether ..... 2 mL 1,3-Propanediol ..... 2 mL      Diethylene glycol butyl ether ..... 2 mL 1,3-Butanediol ..... 2 mL      2-Methoxyethanol ..... 2 mL 2,3-Butanediol ..... 2 mL      Ethylene glycol monoethyl ether ..... 2 mL 1,4-Butanediol ..... 2 mL      2-Butoxyethanol ..... 2 mL 1,5-Pentanediol ..... 2 mL      1,6-Hexanediol (2% w/v in Ethanol) ..... 2 mL Ethylene glycol ..... 2 mL      1,7-Heptanediol (2% w/v in Ethanol) ..... 2 mL Dipropylene glycol ..... 2 mL      1,8-Octanediol (2% w/v in Ethanol) ..... 2 mL Glycerol ..... 2 mL      1,9-Nonanediol (2% w/v in Ethanol) ..... 2 mL Diethylene glycol monomethyl ether ..... 2 mL      1,10-Decanediol (2% w/v in Ethanol) ..... 2 mL	
U-WRK-160	<b>Chlorinated Hydrocarbons ULTRAKit®</b> for <b>qualitative</b> measurements	kit
	1-Chlorobutane ..... 2 mL      1,4-Dichlorobutane ..... 2 mL 2-Chlorobutane ..... 2 mL      1,5-Dichloropentane ..... 2 mL 1-Chloropentane ..... 2 mL      1,2,3-trichloropropane ..... 2 mL 2-Chloropentane ..... 2 mL      Chlorobenzene ..... 2 mL 1-Chlorohexane ..... 2 mL      o-Chlorotoluene ..... 2 mL 1-Chloroheptane ..... 2 mL      m-Chlorotoluene ..... 2 mL 1-Chlorooctane ..... 2 mL      p-Chlorotoluene ..... 2 mL 1-Chlorononane ..... 2 mL      o-Dichlorobenzene ..... 2 mL 1-Chlorodecane ..... 2 mL      m-Dichlorobenzene ..... 2 mL 1,3-Dichloropropane ..... 2 mL      p-Dichlorobenzene (2% w/v in p-Xylene) ..... 2 mL	
U-WRK-203	<b>Mixed Functionality ULTRAKit® (C6 and C7)</b> for <b>qualitative</b> measurements (C6 and C7)	kit
	Hexane ..... 2 mL      1-Chlorohexane ..... 2 mL      2-Heptanone ..... 2 mL 1-Hexene ..... 2 mL      Hexylamine ..... 2 mL      Heptanoic acid ..... 2 mL 1-Hexanol ..... 2 mL      Benzene ..... 2 mL      Methyl heptanoate ..... 2 mL Hexanal ..... 2 mL      Heptane ..... 2 mL      1-Chloroheptane ..... 2 mL 2-Hexanone ..... 2 mL      1-Heptene ..... 2 mL      Heptylamine ..... 2 mL Hexanoic acid ..... 2 mL      1-Heptanol ..... 2 mL      Toluene ..... 2 mL Methyl hexanoate ..... 2 mL      Heptanal ..... 2 mL	

Code	Product	Unit
U-WRK-204	<p><b>Mixed Functionality ULTRAKit® (C8 and C9)</b> for <b>qualitative</b> measurements (C8 and C9)</p> <p>Octane ..... 2 mL      1-Chlorooctane ..... 2 mL      2-Nonanone ..... 2 mL            1-Octene ..... 2 mL      Octylamine ..... 2 mL      Nonanoic acid ..... 2 mL            1-Octanol ..... 2 mL      Ethylbenzene ..... 2 mL      Methyl nonanoate ..... 2 mL            Octanal ..... 2 mL      Nonane ..... 2 mL      1-Chlorononane ..... 2 mL            2-Octanone ..... 2 mL      1-Nonene ..... 2 mL      Nonylamine ..... 2 mL            Octanoic acid ..... 2 mL      1-Nonanol ..... 2 mL      Propylbenzene ..... 2 mL            Methyl octanoate ..... 2 mL      Nonanal ..... 2 mL</p>	kit
U-WRK-205	<p><b>Mixed Functionality ULTRAKit® (C10 and C11)</b> for <b>qualitative</b> measurements (C10 and C11)</p> <p>Decane ..... 2 mL      1-Chlorodecane ..... 2 mL      2-Undecanone ..... 2 mL            1-Decene ..... 2 mL      Decylamine ..... 2 mL      Undecanoic acid ..... 2 mL            1-Decanol ..... 2 mL      Butylbenzene ..... 2 mL      Methyl undecanoate ..... 2 mL            Decanal ..... 2 mL      Undecane ..... 2 mL      1-Chloroundecane ..... 2 mL            2-Decanone ..... 2 mL      1-Undecene ..... 2 mL      Undecylamine ..... 2 mL            Decanoic acid ..... 2 mL      1-Undecanol ..... 2 mL      Amylbenzene ..... 2 mL            Methyl decanoate ..... 2 mL      Undecanal ..... 2 mL</p>	kit
U-WRK-143	<p><b>Phthalate Esters ULTRAKit®</b> for <b>qualitative</b> measurements 1% w/v of each analyte in Chloroform</p> <p>Dimethyl isophthalate ..... 2 mL      Diisohexyl phthalate ..... 2 mL      Diisodecyl phthalate ..... 2 mL            Dimethyl phthalate ..... 2 mL      Dicyclohexyl phthalate ..... 2 mL      Diundecyl phthalate ..... 2 mL            Diethyl phthalate ..... 2 mL      Di-n-octyl phthalate ..... 2 mL      Didodecyl phthalate ..... 2 mL            Dibutyl phthalate ..... 2 mL      Dioctyl isophthalate ..... 2 mL      Ditridecyl phthalate ..... 2 mL            Diisobutyl phthalate ..... 2 mL      Dinonyl phthalate ..... 2 mL      Diphenyl phthalate ..... 2 mL            Diamyl phthalate ..... 2 mL      Diisononyl phthalate ..... 2 mL      Diphenyl isophthalate ..... 2 mL            Dihexyl phthalate ..... 2 mL      Didecyl phthalate ..... 2 mL</p>	kit
U-WRK-170	<p><b>Phenols ULTRAKit®</b> for <b>qualitative</b> measurements 2% w/v of each analyte in p-Xylene</p> <p>Phenol ..... 2 mL      2,6-Xylenol ..... 2 mL      2-n-Propylphenol ..... 2 mL            o-Cresol ..... 2 mL      3,4-Dimethylphenol ..... 2 mL      2,3,5-Trimethylphenol ..... 2 mL            m-Cresol ..... 2 mL      3,5-Xylenol ..... 2 mL      2,4,6-Trimethylphenol ..... 2 mL            p-Cresol ..... 2 mL      2-Ethylphenol ..... 2 mL      4-tert-Butylphenol ..... 2 mL            2,3-Xylenol ..... 2 mL      3-Ethylphenol ..... 2 mL      1-Naphthol ..... 2 mL            2,4-Xylenol ..... 2 mL      4-Ethylphenol ..... 2 mL      2-Naphthol ..... 2 mL            2,5-Dimethylphenol ..... 2 mL      2-Isopropylphenol ..... 2 mL</p>	kit
U-WRK-145	<p><b>Amino Acids ULTRAKit®</b> for <b>qualitative</b> measurements 1% w/v of each analyte in Water</p> <p>L-Alanine ..... 2 mL      L-Isoleucine ..... 2 mL      L-Serine ..... 2 mL            Arginine ..... 2 mL      L-Lysine ..... 2 mL      Sarcosine ..... 2 mL            Creatine ..... 2 mL      L-Leucine ..... 2 mL      L-Tryptophan ..... 2 mL            L-Glutamic ..... 2 mL      L-Methionine ..... 2 mL      L-Threonine ..... 2 mL            Glycine ..... 2 mL      L-Norleucine ..... 2 mL      L-Valine ..... 2 mL            L-Histidine ..... 2 mL      L-Proline ..... 2 mL            Hydroxy-L-proline ..... 2 mL      L-Phenylalanine ..... 2 mL</p>	kit
U-WRK-180	<p><b>Amines ULTRAKit®</b> for <b>qualitative</b> measurements (Aliphatic amines)</p> <p>n-Butylamine ..... 2 mL      Decylamine ..... 2 mL            Isobutylamine ..... 2 mL      Cyclohexylamine ..... 2 mL            sec-Butylamine ..... 2 mL      Diisopropylamine ..... 2 mL            tert-Butylamine ..... 2 mL      Dibutylamine ..... 2 mL            Pentylamine ..... 2 mL      Dipentylamine ..... 2 mL            Isopentylamine ..... 2 mL      Dihexylamine ..... 2 mL            Hexylamine ..... 2 mL      Dicyclohexylamine ..... 2 mL            Heptylamine ..... 2 mL      Triethylamine ..... 2 mL            Octylamine ..... 2 mL      Tributylamine ..... 2 mL            Nonylamine ..... 2 mL      Hexadecylamine (2% w/v in Ethanol) ..... 2 mL</p>	kit

## Miscellaneous individual analytes

Code	Product	Unit
U-WRK-181	Amines ULTRAKit® for <b>qualitative</b> measurements (Aromatic amines)	kit
	Benzylamine ..... 2 mL	m-Toluidine ..... 2 mL
	Piperidine ..... 2 mL	2-Methylpiperidine ..... 2 mL
	Aniline ..... 2 mL	alpha-Phenylethylamine ..... 2 mL
	Dibenzylamine ..... 2 mL	beta-Phenylethylamine ..... 2 mL
	N-Methylaniline ..... 2 mL	Tribenzylamine (2% w/v in Ethanol) ..... 2 mL
	N-Ethylaniline ..... 2 mL	p-toluidine (2% w/v in Ethanol) ..... 2 mL
	2,4-Dimethylaniline ..... 2 mL	1-Naphthylamine (2% w/v in Ethanol) ..... 2 mL
	N,N-Dimethylaniline ..... 2 mL	o-Phenylenediamine (2% w/v in Ethanol) ..... 2 mL
	N,N-Diethylaniline ..... 2 mL	m-Phenylenediamine (2% w/v in Ethanol) ..... 2 mL
	o-Toluidine ..... 2 mL	p-Phenylenediamine (2% w/v in Ethanol) ..... 2 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-RCC-025	2-Acetamidonaphthalene	100 mg
U-NV-100-1	Acetone 100 µg/mL in Methanol	1 mL
U-NV-100	Acetone 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1001	Acetone 5000 µg/mL in Methanol	1 mL
U-RCC-200	Acetone	1 g
CHE 100	Acetone	2 mL
U-NV-110-1	Acetonitrile 100 µg/mL in Methanol	1 mL
U-NV-110	Acetonitrile 100 µg/mL in Methanol	4 x 1 mL
U-RCC-201	Acetonitrile	100 mg
CHE 141	Acetonitrile	2 mL
FL-45983-5ML	Acetonitrile OEKANAL®	5 mL
U-SV-110-1	Acetophenone 100 µg/mL in Methanol	1 mL
U-SV-110	Acetophenone 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1066	Acetophenone 5000 µg/mL in Methanol	1 mL
U-RCC-202	Acetophenone	100 mg
U-NH-300-1	2-Acetylaminofluorene 100 µg/mL in Methanol	1 mL
U-NH-300	2-Acetylaminofluorene 100 µg/mL in Methanol	4 x 1 mL
U-RCC-002	2-Acetylaminofluorene	100 mg
U-AM-170-1	Acrolein 100 µg/mL in Methanol	1 mL
U-AM-170	Acrolein 100 µg/mL in Methanol	4 x 1 mL
CERERA-032	Acrolein	1 g
U-AMN-823-1	Acrylamide 1000 µg/mL in Methanol	1 mL
U-AMN-823	Acrylamide 1000 µg/mL in Methanol	4 x 1 mL
U-RCC-203	Acrylamide	100 mg
U-AM-180-1	Acrylonitrile 100 µg/mL in Methanol	1 mL
U-AM-180	Acrylonitrile 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1002	Acrylonitrile 5000 µg/mL in Methanol	1 mL
CERERA-038S	Acrylonitrile 100 µg/mL in Methanol	1.2 mL
FL-31564-5ML	Acrylonitrile OEKANAL®	5 mL
U-EPA-1191	Allyl alcohol 5000 µg/mL in Methanol	1 mL
U-HC-450-1	Allyl chloride 100 µg/mL in Methanol	1 mL
U-HC-450	Allyl chloride 100 µg/mL in Methanol	4 x 1 mL
U-RCC-026	1-Aminoanthracene	100 mg
U-RCC-027	2-Aminoanthracene	100 mg
FL-46130-250MG	4-Aminoazobenzene OEKANAL®	250 mg
FL-31629-250MG	2-Aminoazotoluene OEKANAL®	250 mg
U-RCC-003	2-Aminobiphenyl	100 mg
U-NH-130-1	4-Aminobiphenyl 100 µg/mL in Methanol	1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-NH-130	4-Aminobiphenyl 100 µg/mL in Methanol	4 x 1 mL
U-RCC-004	4-Aminobiphenyl	100 mg
FL-31598-250MG	4-Aminobiphenyl OEKANAL®	250 mg
U-RCC-028	6-Aminochrysene	100 mg
CIL-CDNLM-6786-1.2	Aminomethylphosphonic acid (AMPA) ( <sup>13</sup> C, 99%; <sup>15</sup> N,98%; methylene-D <sub>2</sub> ,98%) 100 µg/mL in Water	1.2 mL
U-RNH-111	1-Amino-4-nitronaphthalene	100 mg
FL-45946-250MG	4-Amino-2-nitrophenol OEKANAL®	250 mg
CHE 164	n-Amyl acetate	2 mL
U-IST-500-1	5-alpha-Androstane 2000 µg/mL in Methylene chloride	1 mL
U-IST-500	5-alpha-Androstane 2000 µg/mL in Methylene chloride	4 x 1 mL
U-RCC-137	Aniline	1 g
FL-31597-250MG	2-Anisidine OEKANAL®	250 mg
FL-36941-250MG	Anthranilic acid iso-propylamide OEKANAL®	250 mg
U-RGO-661-1	Aviation Gas 2500 µg/mL in Methanol	1 mL
U-RGO-661	Aviation Gas 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-662-1	100 Octane Aviation Fuel 50000 µg/mL in Methylene chloride	1 mL
U-RGO-662	100 Octane Aviation Fuel 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RCC-043	Azobenzene	100 mg
U-SV-120-1	Azobenzene 100 µg/mL in Methanol	1 mL
U-SV-120	Azobenzene 100 µg/mL in Methanol	4 x 1 mL
U-RCC-044	Azoxybenzene	100 mg
FL-37879-50MG	Azulene OEKANAL®	50 mg
	BC-2 see 2,3',4,5'-Tetrabromo-2'-methoxybiphenyl ether	
U-PPS-180-1	BDMC 100 µg/mL in Methanol	1 mL
U-PPS-180	BDMC 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1194	Benzal chloride 1000 µg/mL in Hexane	1 mL
U-RCB-042	Benzal chloride	100 mg
U-AM-100-1	Benzene 100 µg/mL in Methanol	1 mL
U-AM-100	Benzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1003	Benzene 5000 µg/mL in Methanol	1 mL
CERERB-021S	Benzene 5000 µg/mL in Methanol	1 mL
NIST-3000	Benzene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RAB-041	Benzene	100 mg
CHE USC 11	Benzene	2 mL
U-STC-100-1	Benzene-D <sub>6</sub> 2000 µg/mL in Methanol	1 mL
U-STC-100	Benzene-D <sub>6</sub> 2000 µg/mL in Methanol	4 x 1 mL
CERERB-030S	Benzene-D <sub>6</sub> 2000 µg/mL in Methanol	1.2 mL
U-B-100-1	Benzidine 100 µg/mL in Methanol	1 mL
U-B-100	Benzidine 100 µg/mL in Methanol	4 x 1 mL
U-GCS-110-1	Benzidine 2000 µg/mL in Methylene chloride	1 mL
U-GCS-110	Benzidine 2000 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1071	Benzidine 5000 µg/mL in Methanol	1 mL
U-RCC-005	Benzidine	20 mg
FL-31614-100MG	Benzidine OEKANAL®	100 mg
U-PPS-310-1	Benzidine-D <sub>8</sub> 500 µg/mL in Acetonitrile/Methanol (1:1)	1 mL
U-PPS-310	Benzidine-D <sub>8</sub> 500 µg/mL in Acetonitrile/Methanol (1:1)	4 x 1 mL
U-SV-130-1	Benzoic acid 100 µg/mL in Methanol	1 mL
U-SV-130	Benzoic acid 100 µg/mL in Methanol	4 x 1 mL
U-RCC-143	Benzoic acid	100 mg

## Miscellaneous individual analytes

Code	Product	Unit
IPO F 010	Benzoic acid E 210 Certified purity..... 99.9%	250 mg
U-EPA-1195	Benzotrichloride 1000 µg/mL in Hexane	1 mL
U-RCB-017	Benzotrichloride	100 mg
FL-36911-250MG	Benzotrichloride OEKANAL®	250 mg
U-SV-140-1	Benzyl alcohol 100 µg/mL in Methanol	1 mL
U-SV-140	Benzyl alcohol 100 µg/mL in Methanol	4 x 1 mL
U-RCC-144	Benzyl alcohol	100 mg
IPO F 004	Benzyl alcohol	250 mg
U-IST-400-1	Benzyl benzoate 5000 µg/mL in Hexane	1 mL
U-IST-400	Benzyl benzoate 5000 µg/mL in Hexane	4 x 1 mL
FL-36927-250MG	Benzyl butyl phthalate PESTANAL®	250 mg
U-EPA-1196	Benzyl chloride 1000 µg/mL in Hexane	1 mL
U-RCB-004	Benzyl chloride	100 mg
U-RCC-129	2,2'-Biquinoline	100 mg
U-BEC-120-1	Bis(2-chloroethoxy)methane 100 µg/mL in Methanol	1 mL
U-BEC-120	Bis(2-chloroethoxy)methane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1080	Bis(2-chloroethoxy)methane 5000 µg/mL in Methanol	1 mL
U-RCC-145	Bis(2-chloroethoxy)methane	100 mg
U-BEC-110-1	Bis(2-chloroethyl) ether 100 µg/mL in Methanol	1 mL
U-BEC-110	Bis(2-chloroethyl) ether 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1081	Bis(2-chloroethyl) ether 5000 µg/mL in Methanol	1 mL
U-RCC-088	Bis(2-chloroethyl) ether	1 g
U-BEC-130-1	Bis(2-chloroisopropyl) ether 100 µg/mL in Methanol	1 mL
U-BEC-130	Bis(2-chloroisopropyl) ether 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1082	Bis(2-chloroisopropyl) ether 5000 µg/mL in Methanol	1 mL
U-RCC-147	Bis(2-chloroisopropyl) ether	50 mg
FL-36933-250MG	Bis-decyl phthalate PESTANAL®	250 mg
U-EPA-1198	Bis(2-ethylhexyl) adipate 1000 µg/mL in Methanol	1 mL
U-DMP-028	Bis(2-ethylhexyl) adipate (Dioctyl adipate)	100 mg
U-PS-100-1	Bis(2-ethylhexyl) phthalate 100 µg/mL in Methanol	1 mL
U-PS-100	Bis(2-ethylhexyl) phthalate 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1083	Bis(2-ethylhexyl) phthalate 5000 µg/mL in Methanol	1 mL
U-DMP-019	Bis(2-ethylhexyl) phthalate	100 mg
CHE 144	Bis(2-ethylhexyl) phthalate	1 g
FL-36934-250MG	Bis-methylglycol phthalate OEKANAL®	250 mg
FL-31301-250MG	Bis(1-octyl) phthalate OEKANAL®	250 mg
U-EPA-1199	Bromoacetic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-HC-300-1	Bromobenzene 100 µg/mL in Methanol	1 mL
U-HC-300	Bromobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1004	Bromobenzene 5000 µg/mL in Methanol	1 mL
U-RBF-001	Bromobenzene	100 mg
U-EPA-1201	Bromochloroacetic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
CERSCB-008	Bromochloroacetic acid	1 g
U-EPA-1202	Bromochloroacetonitrile 1000 µg/mL in Methanol	1 mL
U-STC-480-1	4-Bromochlorobenzene 2000 µg/mL in Methanol	1 mL
U-STC-480	4-Bromochlorobenzene 2000 µg/mL in Methanol	4 x 1 mL
CERERB-079S	4-Bromochlorobenzene 5000 µg/mL in Methanol	1.2 mL
U-HC-310-1	Bromochloromethane 100 µg/mL in Methanol	1 mL
U-HC-310	Bromochloromethane 100 µg/mL in Methanol	4 x 1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-ST5-180-1	Bromochloromethane 2000 µg/mL in Methanol	1 mL
U-ST5-180	Bromochloromethane 2000 µg/mL in Methanol	4 x 1 mL
U-EPA-1005	Bromochloromethane 5000 µg/mL in Methanol	1 mL
U-ST5-190-1	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	1 mL
U-ST5-190	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	4 x 1 mL
CERERB-085S	2-Bromo-1-chloropropane 5000 µg/mL in Methanol	1.2 mL
U-HC-010-1	Bromodichloromethane 100 µg/mL in Methanol	1 mL
U-HC-010	Bromodichloromethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1006	Bromodichloromethane 5000 µg/mL in Methanol	1 mL
CHE 167	Bromodichloromethane	1.5 mL
<b>New</b> FL-36970-1G	Bromodichloromethane OEKANAL®	1 g
U-RHH-024	Bromoethane	1 g
U-ST5-110N-1	4-Bromofluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-110N	4-Bromofluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
CERERB-022S	4-Bromofluorobenzene 5000 µg/mL in Methanol	1 mL
CERERB-031	4-Bromofluorobenzene 25 µg/mL in Methanol	10 x 1.2 mL
U-HC-020-1	Bromoform 100 µg/mL in Methanol	1 mL
U-HC-020	Bromoform 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1007	Bromoform 5000 µg/mL in Methanol	1 mL
U-RHH-005	Bromoform	1 g
FL-36972-1G	Bromoform OEKANAL®	1 g
U-HC-030-1	Bromomethane (Methyl bromide) 100 µg/mL in Methanol	1 mL
U-RBF-011	1-Bromonaphthalene	100 mg
U-IST-550-1	2-Bromonaphthalene 20,000 µg/mL in Methanol	1 mL
U-IST-550	2-Bromonaphthalene 20,000 µg/mL in Methanol	4 x 1 mL
U-RBF-015	1-Bromo-2-naphthol	100 mg
U-RBF-016	6-Bromo-2-naphthol	100 mg
U-IST-540-1	2-Bromophenol 20,000 µg/mL in Methanol	1 mL
U-IST-540	2-Bromophenol 20,000 µg/mL in Methanol	4 x 1 mL
U-RBF-006A	2-Bromophenol	100 mg
FL-31302-250MG	2-Bromophenol OEKANAL®	250 mg
U-RBF-006B	3-Bromophenol	100 mg
U-RBF-006C	4-Bromophenol	100 mg
U-BEC-140-1	4-Bromophenyl phenyl ether 100 µg/mL in Methanol	1 mL
U-BEC-140	4-Bromophenyl phenyl ether 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1084	4-Bromophenyl phenyl ether 5000 µg/mL in Methanol	1 mL
U-RCC-148	4-Bromophenyl phenyl ether	100 mg
U-RHH-048	1-Bromopropane	1 g
U-RHH-049	2-Bromopropane	1 g
FL-36921-250MG	1-Bromo-2-propanol OEKANAL®	250 mg
U-RHH-052	2-Bromopropene	1 g
U-PPS-300-1	2-Bromopropionic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-300	2-Bromopropionic acid 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
CHE 101	n-Butanol	2 mL
U-NV-120-1	2-Butanone 100 µg/mL in Methanol	1 mL
U-NV-120	2-Butanone 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1008	2-Butanone (MEK) 5000 µg/mL in Methanol	1 mL
U-RCC-205	2-Butanone (MEK)	1 g
CHE 151	2-Butanone	2 mL
CHE 131	n-Butyl acetate	2 mL
U-AM-200-1	n-Butylbenzene 100 µg/mL in Methanol	1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-AM-200	n-Butylbenzene 100 µg/mL in Methanol	4 x 1 mL
U-RAB-016	n-Butylbenzene	100 mg
CHE 102	Butylbenzene	2 mL
U-AM-210-1	sec-Butylbenzene 100 µg/mL in Methanol	1 mL
U-AM-210	sec-Butylbenzene 100 µg/mL in Methanol	4 x 1 mL
NIST-3016	sec-Butylbenzene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RAB-017	sec-Butylbenzene	100 mg
U-AM-220-1	tert-Butylbenzene 100 µg/mL in Methanol	1 mL
U-AM-220	tert-Butylbenzene 100 µg/mL in Methanol	4 x 1 mL
U-RAB-018	tert-Butylbenzene	100 mg
U-PS-110-1	Butyl benzyl phthalate 100 µg/mL in Methanol	1 mL
U-PS-110	Butyl benzyl phthalate 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1085	Butyl benzyl phthalate 5000 µg/mL in Methanol	1 mL
U-DMP-037	Butyl benzyl phthalate	100 mg
U-NV-250-1	tert-Butylmethyl ether 100 µg/mL in Methanol	1 mL
U-NV-250	tert-Butylmethyl ether 100 µg/mL in Methanol	4 x 1 mL
U-RCC-149	tert-Butyl methyl ether	1 g
<b>New</b> FL-32993-10MG	Canthaxanthin (trans) OEKANAL®	10 mg
U-NH-310-1	Carbazole 100 µg/mL in Methanol	1 mL
U-NH-310	Carbazole 100 µg/mL in Methanol	4 x 1 mL
CERERC-026S	Carbazole 2000 µg/mL in Methylene chloride	1.2 mL
U-EPA-1012	Carbon disulfide 5000 µg/mL in Methanol	1 mL
U-NV-130-1	Carbon disulfide 100 µg/mL in Methanol	1 mL
U-NV-130	Carbon disulfide 100 µg/mL in Methanol	4 x 1 mL
U-RHH-006	Carbon tetrabromide	1 g
U-HC-040-1	Carbon tetrachloride 100 µg/mL in Methanol	1 mL
U-HC-040	Carbon tetrachloride 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1013	Carbon tetrachloride 5000 µg/mL in Methanol	1 mL
NIST-3006	Carbon tetrachloride in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-EPA-1203	Chloroacetaldehyde 1000 µg/mL in Methanol	1 mL
U-EPA-1204	Chloroacetic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-EPA-1205	Chloroacetonitrile 1000 µg/mL in Methanol	1 mL
U-RCA-001	2-Chloroaniline	100 mg
U-RCA-002	3-Chloroaniline	100 mg
U-EPA-1087	4-Chloroaniline 5000 µg/mL in Methanol	1 mL
U-RCA-003	4-Chloroaniline	100 mg
U-RCP-032	2-Chloroanisole	100 mg
U-RCP-033	3-Chloroanisole	100 mg
U-RCP-034	4-Chloroanisole	100 mg
U-RBA-001	2-Chlorobenzoic acid	100 mg
U-RBA-002	3-Chlorobenzoic acid	100 mg
U-RBA-003	4-Chlorobenzoic acid	100 mg
U-EPA-1014	Chlorobenzene 1000 µg/mL in Methanol	1 mL
U-HC-050-1	Chlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-050	Chlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-RCP-020	Chlorobenzene	100 mg
U-STS-300-1	Chlorobenzene-D <sub>5</sub> 2000 µg/mL in Methanol	1 mL
CERERC-009S	Chlorobenzene 5000 µg/mL in Methanol	1.2 mL
U-STS-300	Chlorobenzene-D <sub>5</sub> 2000 µg/mL in Methanol	4 x 1 mL
U-EPA-1206	1-Chlorobutane 1000 µg/mL in Methanol	1 mL
U-RHH-063	1-Chlorobutane	100 mg



## Miscellaneous individual analytes

Code	Product	Unit
CERERC-022	Chlorodibromoacetic acid	25 mg
U-CFC-210-1	1-Chloro-1,1-difluoroethane (Freon 142B) 100 µg/mL in Methanol	1 mL
U-CFC-210	1-Chloro-1,1-difluoroethane (Freon 142B) 100 µg/mL in Methanol	4 x 1 mL
U-CFC-110-1	Chlorodifluoromethane (Freon 22) 100 µg/mL in Methanol	1 mL
U-CFC-110	Chlorodifluoromethane (Freon 22) 100 µg/mL in Methanol	4 x 1 mL
U-RPE-002	2-Chlorodiphenyl ether	10 mg
U-HC-060-1	Chloroethane 100 µg/mL in Methanol	1 mL
U-HC-060	Chloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1207	2-Chloroethanol 1000 µg/mL in Methanol	1 mL
U-HC-070-1	2-Chloroethylvinyl ether 100 µg/mL in Methanol	1 mL
U-HC-070	2-Chloroethylvinyl ether 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1016	2-Chloroethylvinyl ether 5000 µg/mL in Methanol	1 mL
CERERC-013S	2-Chloroethyl vinyl ether 2000 µg/mL in Methanol	1.2 mL
U-RCC-177	2-Chloroethyl vinyl ether	100 mg
U-ST5-450-1	1-Chloro-2-fluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-450	1-Chloro-2-fluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-EPA-1017	Chloroform 5000 µg/mL in Methanol	1 mL
U-HC-080-1	Chloroform 100 µg/mL in Methanol	1 mL
U-HC-080	Chloroform 100 µg/mL in Methanol	4 x 1 mL
U-RHH-002	Chloroform	1 g
CHE 02	Chloroform	1.5 mL
U-EPA-1208	1-Chlorohexane 1000 µg/mL in Methanol	1 mL
U-RHH-055	1-Chlorohexane	100 mg
U-HC-090-1	Chloromethane 100 µg/mL in Methanol	1 mL
U-HC-090	Chloromethane 100 µg/mL in Methanol	4 x 1 mL
FL-46282-250MG	4-Chloro-2-methylaniline OEKANAL®	250 mg
U-EPA-1209	Chloromethyl methyl ether 1000 µg/mL in Methanol	1 mL
U-PH-100-1	4-Chloro-3-methylphenol 100 µg/mL in Methanol	1 mL
U-PH-100	4-Chloro-3-methylphenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1088	4-Chloro-3-methylphenol 5000 µg/mL in Methanol	1 mL
U-RCC-154	4-Chloro-3-methylphenol	100 mg
U-RCN-002	1-Chloronaphthalene	100 mg
U-CH-110-1	2-Chloronaphthalene 100 µg/mL in Methylene chloride	1 mL
U-CH-110	2-Chloronaphthalene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1089	2-Chloronaphthalene 5000 µg/mL in Methanol	1 mL
U-RCN-003	2-Chloronaphthalene	100 mg
U-RCN-013	4-Chloro-1-naphthol	100 mg
FL-45926-250MG	2-Chloronitrobenzene OEKANAL®	250 mg
FL-45957-250MG	3-Chloronitrobenzene OEKANAL®	250 mg
FL-45925-250MG	4-Chloronitrobenzene OEKANAL®	250 mg
FL-45998-250MG	4-Chloro-2-nitrotoluene OEKANAL®	250 mg
FL-31570-250MG	2-Chloro-4-nitrotoluene OEKANAL®	250 mg
U-IST-470-1	1-Chlorooctadecane 2000 µg/mL in Methylene chloride	1 mL
U-IST-470	1-Chlorooctadecane 2000 µg/mL in Methylene chloride	4 x 1 mL
U-ST5-490-1	1-Chlorooctane 2000 µg/mL in Methanol	1 mL
U-ST5-490	1-Chlorooctane 2000 µg/mL in Methanol	4 x 1 mL
U-PH-110-1	2-Chlorophenol 100 µg/mL in Methanol	1 mL
U-PH-110	2-Chlorophenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1090	2-Chlorophenol 5000 µg/mL in Methanol	1 mL
U-RCP-001	2-Chlorophenol	20 mg
U-RCP-002	3-Chlorophenol	20 mg

## Miscellaneous individual analytes

Code	Product	Unit
NE7755	4-Chlorophenol 100 µg/mL in n-Hexane CERTAN®	10 mL
SL36050	4-Chlorophenol stock solution for DIN 38414-S 17 363 mg/L in n-Heptane (CI = 100 mg/L)	100 mL
SL36060	4-Chlorophenol working solution for DIN 38414-S 17 36.3 mg/L in n-Heptane (CI = 10 mg/L)	100 mL
U-RCP-003	4-Chlorophenol	20 mg
IPO P01	4-Chlorophenol	100 mg
CERERC-012	p-Chlorophenyl methyl sulfone	100 mg
CERERC-010	p-Chlorophenyl methyl sulfoxide	100 mg
U-BEC-150-1	4-Chlorophenyl phenyl ether 100 µg/mL in Methanol	1 mL
U-BEC-150	4-Chlorophenyl phenyl ether 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1091	4-Chlorophenyl phenyl ether 5000 µg/mL in Methanol	1 mL
U-RPE-001	4-Chlorophenyl phenyl ether	10 mg
U-RHH-036	2-Chloropropane	1 g
CIL-DLM-4633-0.1	3-Chloro-1,2-propandiol (propane-D <sub>5</sub> ,98%) (contains 10% 2-Chloro-1,3-propandiole)	0.1 g
CIL-DLM-4633-1.2	3-Chloro-1,2-propanediol (propane-D <sub>5</sub> ,98%) 1 mg/mL in Methanol	1.2 mL
IPO F 002-1	3-Chloro-1,2-propanediol	1 mL
U-EPA-1210	3-Chloropropionitrile 1000 µg/mL in Methanol	1 mL
U-HC-320-1	2-Chlorotoluene 100 µg/mL in Methanol	1 mL
U-HC-320	2-Chlorotoluene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1018	2-Chlorotoluene 5000 µg/mL in Methanol	1 mL
U-RCB-001	2-Chlorotoluene	100 mg
U-RCB-002	3-Chlorotoluene	100 mg
U-HC-330-1	4-Chlorotoluene 100 µg/mL in Methanol	1 mL
U-HC-330	4-Chlorotoluene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1019	4-Chlorotoluene 5000 µg/mL in Methanol	1 mL
U-RCB-003	4-Chlorotoluene	100 mg
U-CFC-120-1	Chlorotrifluoromethane (Freon 13) 100 µg/mL in Methanol	1 mL
U-CFC-120	Chlorotrifluoromethane 100 µg/mL in Methanol	4 x 1 mL
U-RGO-615-1	Composite 2 Diesel Fuel 2500 µg/mL in Methanol	1 mL
U-RGO-615	Composite 2 Diesel Fuel 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-616-1	Composite 2 Diesel Fuel 50000 µg/mL in Methylene chloride	1 mL
U-RGO-616	Composite 2 Diesel Fuel 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-625-1	Composite Kerosene 2500 µg/mL in Methanol	1 mL
U-RGO-625	Composite Kerosene 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-626-1	Composite Kerosene 50000 µg/mL in Methylene chloride	1 mL
U-RGO-626	Composite Kerosene 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-605-1	Composite Unleaded Gasoline 2500 µg/mL in Methanol	1 mL
U-RGO-605	Composite Unleaded Gasoline 2500 µg/mL in Methanol	4 x 1 mL
U-RGO-606-1	Composite Unleaded Gasoline 50000 µg/mL in Methylene chloride	1 mL
U-RGO-606	Composite Unleaded Gasoline 50000 µg/mL in Methylene chloride	4 x 1 mL
FL-46111-250MG	p-Cresidine (2-Methoxy-5-methylaniline) OEKANAL®	250 mg
U-PH-210-1	o-Cresol 100 µg/mL in Methanol	1 mL
U-PH-210	o-Cresol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1093	o-Cresol 5000 µg/mL in Methanol	1 mL
U-RCC-155	o-Cresol	100 mg
FL-36922-250MG	o-Cresol OEKANAL®	250 mg
U-PH-220-1	m-Cresol 100 µg/mL in Methanol	1 mL
U-PH-220	m-Cresol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1094	m-Cresol 5000 µg/mL in Methanol	1 mL
U-RCC-156	m-Cresol	100 mg

## Miscellaneous individual analytes

Code	Product	Unit
U-PH-230-1	p-Cresol 100 µg/mL in Methanol	1 mL
U-PH-230	p-Cresol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1095	p-Cresol 5000 µg/mL in Methanol	1 mL
U-RCC-157	p-Cresol	100 mg
CHE 103	Cyclohexane	2 mL
CHE 105	Cyclohexanol	2 mL
CHE 106	Cyclohexanone	2 mL
CHE 104	Cyclohexene	2 mL
CIL-CLM-6096-1.2	Cyclohexyl hydrogen methylphosphonate (cyclohexyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
ERC-034	Cyclohexyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b> IPO UCI 016	Cyclohexyl methylphosphonic acid (CHMPA)	100 mg
CHE 142	Cyclopentane	2 mL
U-PPS-160-1	DCAA (2,4-Dichlorophenylacetic acid) 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-160	DCAA (2,4-Dichlorophenylacetic acid) 100 µg/mL in Methyl tert.-butyl ether (MTBE)	4 x 1 mL
U-PPS-162-1	DCAA (2,4-Dichlorophenylacetic acid) 5000 µg/mL in Methanol	1 mL
U-PPS-162	DCAA (2,4-Dichlorophenylacetic acid) 5000 µg/mL in Methanol	4 x 1 mL
U-PPS-150-1	Decachlorobiphenyl 1000 µg/mL in Toluene	1 mL
U-PPS-150	Decachlorobiphenyl 1000 µg/mL in Toluene	4 x 1 mL
U-RPE-014	Decachlorodiphenyl ether	10 mg
U-IST-150-1	Decafluorobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-150	Decafluorobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-151-1	Decafluorobiphenyl 1000 µg/mL in Acetonitrile	1 mL
U-IST-151	Decafluorobiphenyl 1000 µg/mL in Acetonitrile	4 x 1 mL
U-47995N-1	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	1 mL
U-47995N	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	4 x 1 mL
U-IST-340-1	Decafluorotriphenylphosphine 250 µg/mL in Methylene chloride	1 mL
U-IST-340	Decafluorotriphenylphosphine 250 µg/mL in Methylene chloride	4 x 1 mL
U-IST-341-1	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	1 mL
U-IST-341	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	4 x 1 mL
U-PPS-340-1	Decafluorotriphenylphosphine oxide 500 µg/mL in Acetonitrile/Methanol (1:1)	1 mL
U-PPS-340	Decafluorotriphenylphosphine oxide 500 µg/mL in Acetonitrile/Methanol (1:1)	4 x 1 mL
U-PPS-341-1	Decafluorotriphenylphosphine oxide 100 µg/mL in Acetonitrile	1 mL
U-PPS-341	DFTPPO 100 µg/mL in Acetonitrile	4 x 1 mL
U-RNA-001	n-Decane	1 g
CHE 143	Decane	2 mL
<b>New</b> FL-30540-5ML	n-Decane	5 mL
CHE 172	1-Decanol	2 mL
U-RAB-027	n-Decylbenzene (Phenyldecane)	100 mg
U-RCC-029	2,7-Diacetamidofluorene	100 mg
FL-36925-250MG	Diallyl phthalate OEKANAL®	250 mg
U-RCC-030	3,3'-Diaminobenzidine	20 mg
U-RCC-011	4,4'-Diamino-3,3'-dichlorodiphenylmethane	100 mg
FL-31673-100MG	4,4'-Diamino-3,3'-dichlorodiphenylmethane OEKANAL®	100 mg
FL-46106-100MG	4,4'-Diamino-3,3'-dimethyldiphenylmethane, analytical standard, for environmental analysis	100 mg
U-RCC-031	4,4'-Diaminodiphenylmethane	20 mg
FL-31640-250MG	4,4'-Diaminodiphenylmethane OEKANAL®	250 mg
U-RCC-032	2,7-Diaminofluorene	100 mg
U-RCC-033	1,2-Diaminonaphthalene	100 mg
U-RCC-034	2,4-Diaminotoluene	100 mg
FL-45922-250MG	2,4-Diaminotoluene OEKANAL®	250 mg
FL-31563-250MG	2,5-Diaminotoluene sulfate OEKANAL®	250 mg

## Miscellaneous individual analytes

Code	Product	Unit
FL-45921-250MG	2,6-Diaminotoluene OEKANAL®	250 mg
U-DMP-016	Diamyl phthalate	100 mg
U-SV-150-1	Dibenzofuran 100 µg/mL in Methanol	1 mL
U-SV-150	Dibenzofuran 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1100	Dibenzofuran 5000 µg/mL in Methanol	1 mL
FL-45775-250MG	Dibenzofuran OEKANAL®	250 mg
FL-45776-250MG	Dibenzothiophene OEKANAL®	250 mg
U-EPA-1211	Dibromoacetic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-EPA-1212	Dibromoacetonitrile 1000 µg/mL in Methanol	1 mL
U-RBF-002A	1,2-Dibromobenzene	100 mg
U-RBF-002B	1,3-Dibromobenzene	100 mg
U-RBF-002C	1,4-Dibromobenzene	100 mg
FL-35975-1G	1,2-Dibromo-1-chloroethane OEKANAL®	1 g
U-HC-100-1	Dibromochloromethane 100 µg/mL in Methanol	1 mL
U-HC-100	Dibromochloromethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1020	Dibromochloromethane 5000 µg/mL in Methanol	1 mL
CHE 08	Dibromochloromethane	1.5 mL
FL-36971-1G	Dibromochloromethane OEKANAL®	1 g
U-HC-340-1	1,2-Dibromo-3-chloropropane (DBCP) 100 µg/mL in Methanol	1 mL
U-HC-340	1,2-Dibromo-3-chloropropane (DBCP) 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1021	1,2-Dibromo-3-chloropropane (DBCP) 5000 µg/mL in Methanol	1 mL
U-HC-350-1	1,2-Dibromoethane 100 µg/mL in Methanol	1 mL
U-HC-350	1,2-Dibromoethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1022	1,2-Dibromoethane 5000 µg/mL in Methanol	1 mL
U-RHH-027	1,2-Dibromoethene	1 g
U-STS-350-1	Dibromofluoromethane 2000 µg/mL in Methanol	1 mL
U-STS-350	Dibromofluoromethane 2000 µg/mL in Methanol	4 x 1 mL
U-HC-360-1	Dibromomethane 100 µg/mL in Methanol	1 mL
U-HC-360	Dibromomethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1023	Dibromomethane 5000 µg/mL in Methanol	1 mL
U-RHH-004	Dibromomethane	1 g
U-RBF-014	1,4-Dibromonaphthalene	100 mg
U-RBF-013	2,3-Dibromonaphthalene	50 mg
U-RBF-017	1,6-Dibromo-2-naphthol	100 mg
U-IST-140-1	4,4'-Dibromooctafluorobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-140	4,4'-Dibromooctafluorobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL
U-PPS-170-1	4,4'-Dibromooctafluorobiphenyl 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-170	4,4'-Dibromooctafluorobiphenyl 100 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
U-PPS-171-1	4,4'-Dibromooctafluorobiphenyl 250 µg/mL in Acetone	1 mL
U-PPS-171	4,4'-Dibromooctafluorobiphenyl 250 µg/mL in Acetone	4 x 1 mL
U-PPS-172-1	4,4'-Dibromooctafluorobiphenyl 5000 µg/mL in Methanol	1 mL
U-RBF-007	2,4-Dibromophenol	100 mg
U-RBF-008	2,6-Dibromophenol	100 mg
U-RHH-050	1,2-Dibromopropane	1 g
U-RHH-051	1,3-Dibromopropane	1 g
U-PS-120-1	Di-n-butyl phthalate 100 µg/mL in Methanol	1 mL
U-PS-120	Di-n-butyl phthalate 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1101	Di-n-butyl phthalate 5000 µg/mL in Methanol	1 mL
U-DMP-015	Di-n-butyl phthalate	100 mg
<b>New</b> IPO 903	Dibutyl phthalate	1 mL
CHE 145	Di-n-butyl phthalate	1 g

## Miscellaneous individual analytes

Code	Product	Unit
U-PPS-172	4,4'-Dibromooctafluorobiphenyl 5000 µg/mL in Methanol	4 x 1 mL
U-EPA-1214	Dichloroacetic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-EPA-1215	Dichloroacetonitrile 1000 µg/mL in Methanol	1 mL
U-RCA-004	2,3-Dichloroaniline	100 mg
U-RCA-005	2,4-Dichloroaniline	100 mg
U-RCA-006	2,5-Dichloroaniline	100 mg
U-RCA-007	2,6-Dichloroaniline	100 mg
U-RCA-008	3,4-Dichloroaniline	100 mg
U-RCA-009	3,5-Dichloroaniline	100 mg
U-RCP-035	2,3-Dichloroanisole	100 mg
U-RCP-036	2,4-Dichloroanisole	100 mg
U-RCP-046	2,5-Dichloroanisole	50 mg
U-RCP-037	2,6-Dichloroanisole	100 mg
U-RCP-047	3,4-Dichloroanisole	50 mg
U-RCP-038	3,5-Dichloroanisole	100 mg
U-RCP-042	alpha,4-Dichloroanisole	100 mg
U-HC-110-1	1,2-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-110	1,2-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1102	1,2-Dichlorobenzene 1000 µg/mL in Methanol	1 mL
CERERD-027S	1,2-Dichlorobenzene 5000 µg/mL in Methanol	1.2 mL
U-RCP-021	1,2-Dichlorobenzene	100 mg
U-STS-210-1	1,2-Dichlorobenzene-D <sub>4</sub> 2000 µg/mL in Methanol	1 mL
U-STS-210	1,2-Dichlorobenzene-D <sub>4</sub> 2000 µg/mL in Methanol	4 x 1 mL
U-HC-120-1	1,3-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-120	1,3-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1103	1,3-Dichlorobenzene 5000 µg/mL in Methanol	1 mL
CERERD-028S	1,3-Dichlorobenzene 5000 µg/mL in Methanol	1.2 mL
U-RCP-022	1,3-Dichlorobenzene	100 mg
U-HC-130-1	1,4-Dichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-130	1,4-Dichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1104	1,4-Dichlorobenzene 5000 µg/mL in Methanol	1 mL
CERERD-029S	1,4-Dichlorobenzene 5000 µg/mL in Methanol	1.2 mL
U-RCP-023	1,4-Dichlorobenzene	100 mg
U-ATS-130-1	1,4-Dichlorobenzene-D <sub>4</sub> 2000 µg/mL in Methylene chloride	1 mL
U-ATS-130	1,4-Dichlorobenzene-D <sub>4</sub> 2000 µg/mL in Methylene chloride	4 x 1 mL
U-B-110-1	3,3'-Dichlorobenzidine 100 µg/mL in Methanol	1 mL
U-B-110	3,3'-Dichlorobenzidine 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1105	3,3'-Dichlorobenzidine 5000 µg/mL in Methanol	1 mL
U-RCC-007	3,3'-Dichlorobenzidine	100 mg
CERERD-137	3,3'-Dichlorobenzidine	100 mg
FL-31641-100MG	3,3'-Dichlorobenzidine dihydrochloride OEKANAL <sup>®</sup>	100 mg
U-RBA-008	2,3-Dichlorobenzoic acid	100 mg
U-RBA-009	2,4-Dichlorobenzoic acid	100 mg
U-RBA-007	2,5-Dichlorobenzoic acid	100 mg
U-RBA-006	2,6-Dichlorobenzoic acid	100 mg
U-PPS-330-1	Dichlorobenzidine-D <sub>6</sub> 500 µg/mL in Acetonitrile/Methanol (1:1)	1 mL
U-PPS-330	Dichlorobenzidine-D <sub>6</sub> 500 µg/mL in Acetonitrile/Methanol (1:1)	4 x 1 mL
U-RBA-004	3,4-Dichlorobenzoic acid	100 mg
U-PPS-261-1	3,5-Dichlorobenzoic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-261	3,5-Dichlorobenzoic acid 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-RBA-005	3,5-Dichlorobenzoic acid	100 mg

## Miscellaneous individual analytes

Code	Product	Unit
U-PPS-120-1	4,4'-Dichlorobiphenyl 500 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-120	4,4'-Dichlorobiphenyl 500 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
U-ST5-200-1	1,4-Dichlorobutane 2000 µg/mL in Methanol	1 mL
U-ST5-200	1,4-Dichlorobutane 2000 µg/mL in Methanol	4 x 1 mL
CERERD-135S	1,4-Dichlorobutane 5000 µg/mL in Methanol	1.2 mL
U-HC-500-1	cis-1,4-Dichloro-2-butene 100 µg/mL in Methanol	1 mL
U-HC-500	cis-1,4-Dichloro-2-butene 100 µg/mL in Methanol	4 x 1 mL
U-RHH-064	cis-1,4-Dichloro-2-butene	100 mg
U-HC-460-1	trans-1,4-Dichloro-2-butene 100 µg/mL in Methanol	1 mL
U-HC-460	trans-1,4-Dichloro-2-butene 100 µg/mL in Methanol	4 x 1 mL
U-RHH-056	trans-1,4-Dichloro-2-butene	100 mg
U-HC-140-1	Dichlorodifluoromethane 100 µg/mL in Methanol	1 mL
U-HC-140	Dichlorodifluoromethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1024	Dichlorodifluoromethane 5000 µg/mL in Methanol	1 mL
U-RPE-005	2,4-Dichlorodiphenyl ether	10 mg
U-RPE-004	2,4'-Dichlorodiphenyl ether	10 mg
U-RPE-003	4,4'-Dichlorodiphenyl ether	10 mg
U-HC-150-1	1,1-Dichloroethane 100 µg/mL in Methanol	1 mL
U-HC-150	1,1-Dichloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1025	1,1-Dichloroethane 5000 µg/mL in Methanol	1 mL
U-RHH-012	1,1-Dichloroethane	1 g
FL-36967-1G	1,1-Dichloroethane OEKANAL®	1 g
U-HC-160-1	1,2-Dichloroethane 100 µg/mL in Methanol	1 mL
U-HC-160	1,2-Dichloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1026	1,2-Dichloroethane 1000 µg/mL in Methanol	1 mL
NE5612	1,2-Dichloroethane 5000 µg/mL in Methanol CERTAN®	1.5 mL
NIST-3012	1,2-Dichloroethane in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RHH-013	1,2-Dichloroethane	1 g
IPO 855	1,2-Dichloroethane	250 mg
CHE 19	1,2-Dichloroethane	1.5 mL
<b>New</b> FL-02562-5ML	1,2-Dichloroethane	5 mL
U-ST5-120-1	1,2-Dichloroethane-D <sub>4</sub> 2000 µg/mL in Methanol	1 mL
U-ST5-120	1,2-Dichloroethane-D <sub>4</sub> 2000 µg/mL in Methanol	4 x 1 mL
CERERD-036S	1,2-Dichloroethane-D <sub>4</sub> 2000 µg/mL in Methanol	1.2 mL
U-HC-170-1	1,1-Dichloroethene 100 µg/mL in Methanol	1 mL
U-HC-170	1,1-Dichloroethene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1027	1,1-Dichloroethene 1000 µg/mL in Methanol	1 mL
U-RHH-020	1,1-Dichloroethene	1 g
U-EPA-1028	cis-1,2-Dichloroethene 5000 µg/mL in Methanol	1 mL
U-HC-370-1	cis-1,2-Dichloroethene 100 µg/mL in Methanol	1 mL
U-HC-370	cis-1,2-Dichloroethene 100 µg/mL in Methanol	4 x 1 mL
U-RHH-057	cis-1,2-Dichloroethene	100 mg
FL-36968-1G	cis-1,2-Dichloroethene (Amylene stabilized) OEKANAL®	1 g
U-HC-180-1	trans-1,2-Dichloroethene 100 µg/mL in Methanol	1 mL
U-HC-180	trans-1,2-Dichloroethene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1029	trans-1,2-Dichloroethene 5000 µg/mL in Methanol	1 mL
U-RHH-021	trans-1,2-Dichloroethene	1 g
FL-36969-1G	trans-1,2-Dichloroethene (Amylene stabilized) OEKANAL®	1 g
U-CFC-250-1	1,1-Dichloro-1-fluoroethane (Freon 141B) 100 µg/mL in Methanol	1 mL
U-CFC-250	1,1-Dichloro-1-fluoroethane (Freon 141B) 100 µg/mL in Methanol	4 x 1 mL
U-CFC-130-1	Dichlorofluoromethane (Freon 21) 100 µg/mL in Methanol	1 mL



## Miscellaneous individual analytes

Code	Product	Unit
U-CFC-130	Dichlorofluoromethane (Freon 21) 100 µg/mL in Methanol	4 x 1 mL
U-RCN-005	1,4-Dichloronaphthalene	25 mg
U-RCN-006	1,5-Dichloronaphthalene	25 mg
U-RCN-008	2,3-Dichloronaphthalene	5 mg
U-RCN-014	2,4-Dichloro-1-naphthol	100 mg
U-RCP-004	2,3-Dichlorophenol	20 mg
U-PH-120-1	2,4-Dichlorophenol 100 µg/mL in Methanol	1 mL
U-PH-120	2,4-Dichlorophenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1106	2,4-Dichlorophenol 5000 µg/mL in Methanol	1 mL
U-RCP-005	2,4-Dichlorophenol	20 mg
IPO P04	2,4-Dichlorophenol	100 mg
U-RCP-006	2,5-Dichlorophenol	20 mg
IPO P05	2,5-Dichlorophenol	100 mg
U-PH-240-1	2,6-Dichlorophenol 100 µg/mL in Methanol	1 mL
U-PH-240	2,6-Dichlorophenol 100 µg/mL in Methanol	4 x 1 mL
U-RCP-007	2,6-Dichlorophenol	20 mg
IPO P06	2,6-Dichlorophenol	100 mg
U-RCP-008	3,4-Dichlorophenol	20 mg
IPO P07	3,4-Dichlorophenol	100 mg
U-RCP-009	3,5-Dichlorophenol	20 mg
U-EPA-1030	1,2-Dichloropropane 1000 µg/mL in Methanol	1 mL
U-HC-190-1	1,2-Dichloropropane 100 µg/mL in Methanol	1 mL
U-HC-190	1,2-Dichloropropane 100 µg/mL in Methanol	4 x 1 mL
NIST-3009	1,2-Dichloropropane in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RHH-037	1,2-Dichloropropane	1 g
U-HC-380-1	1,3-Dichloropropane 100 µg/mL in Methanol	1 mL
U-HC-380	1,3-Dichloropropane 100 µg/mL in Methanol	4 x 1 mL
U-RHH-038	1,3-Dichloropropane	1 g
U-HC-390-1	2,2-Dichloropropane 100 µg/mL in Methanol	1 mL
U-HC-390	2,2-Dichloropropane 100 µg/mL in Methanol	4 x 1 mL
U-RHH-058	2,2-Dichloropropane	100 mg
U-PPS-290-1	2,3-Dichloropropanoic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-290	2,3-Dichloropropanoic acid 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-EPA-1213	1,3-Dichloro-2-propanol 1000 µg/mL in Methanol	1 mL
U-RCC-178	1,3-Dichloro-2-propanol	100 mg
IPO F 001	1,3-Dichloro-2-propanol	250 mg
U-EPA-1218	1,1-Dichloro-2-propanone 1000 µg/mL in Methanol	1 mL
U-HC-400-1	1,1-Dichloropropene 100 µg/mL in Methanol	1 mL
U-HC-400	1,1-Dichloropropene 100 µg/mL in Methanol	4 x 1 mL
U-RHH-059	1,1-Dichloropropene	100 mg
CERERD-091	1,3-Dichloropropene	100 mg
U-RHH-054	1,3-Dichloro-1-propene (mix)	1 g
U-EPA-1034	1,3-Dichloropropene (mix) 5000 µg/mL in Methanol	1 mL
U-HC-200-1	cis-1,3-Dichloropropene 100 µg/mL in Methanol	1 mL
U-HC-200	cis-1,3-Dichloropropene 100 µg/mL in Methanol	4 x 1 mL
CERERD-024	cis-1,3-Dichloropropene	100 mg
U-HC-210-1	trans-1,3-Dichloropropene 100 µg/mL in Methanol	1 mL
U-HC-210	trans-1,3-Dichloropropene 100 µg/mL in Methanol	4 x 1 mL
CERERD-025	trans-1,3-Dichloropropene	100 mg
U-RHH-045	2,3-Dichloro-1-propene	1 g
U-CFC-260-1	1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114) 100 µg/mL in Methanol	1 mL



## Miscellaneous individual analytes

Code	Product	Unit	
U-CFC-260	1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	100 µg/mL in Methanol	4 x 1 mL
FL-45948-250MG	2,3-Dichlorotoluene OEKANAL®		250 mg
U-RCB-005	2,4-Dichlorotoluene		100 mg
FL-45972-250MG	2,4-Dichlorotoluene OEKANAL®		250 mg
U-RCB-006	2,5-Dichlorotoluene		100 mg
U-RCB-007	2,6-Dichlorotoluene		100 mg
FL-45974-250MG	2,6-Dichlorotoluene OEKANAL®		250 mg
U-RCB-008	3,4-Dichlorotoluene		100 mg
FL-45975-250MG	3,4-Dichlorotoluene OEKANAL®		250 mg
U-RCB-009	alpha,2-Dichlorotoluene		100 mg
U-RCB-010	alpha,3-Dichlorotoluene		100 mg
U-RCB-011	alpha,4-Dichlorotoluene		100 mg
U-DMP-017	Dicyclohexyl phthalate		100 mg
FL-36908-250MG	Dicyclohexyl phthalate OEKANAL®		250 mg
U-EPA-1219	1,2:3,4-Diepoxybutane	1000 µg/mL in Methanol	1 mL
U-RGO-610-1	No. 2 Diesel Oil	500 µg/mL in Methanol	1 mL
U-RGO-610	No. 2 Diesel Oil	500 µg/mL in Methanol	4 x 1 mL
<b>New</b> IPO UCI 020	2-Diethylaminoethanethiol		100 mg
U-RAB-038	1,2-Diethylbenzene		100 mg
U-RAB-039	1,3-Diethylbenzene		100 mg
U-RAB-040	1,4-Diethylbenzene		100 mg
U-NV-140-1	Diethyl ether	100 µg/mL in Methanol	1 mL
U-NV-140	Diethyl ether	100 µg/mL in Methanol	4 x 1 mL
ERD-117	O,O-Diethyl hydrogen dithiophosphate potassium salt (unlabelled)	1000 µg/mL in Methanol	1.2 mL
CERERD-118	Diethyl hydrogen phosphate	1000 µg/mL(as free acid)	1.2 mL
ERD-119	O,O-Diethyl hydrogen thiophosphate potassium salt	1000 µg/mL (unlabelled) in Methanol	1.2 mL
CIL-DLM-4852-1.2	O,O-Diethyl hydrogen thiophosphate potassium salt (diethyl-D <sub>10</sub> ,98%)	100 µg/mL in Methanol	1.2 mL
U-PS-130-1	Diethyl phthalate	100 µg/mL in Methanol	1 mL
U-PS-130	Diethyl phthalate	100 µg/mL in Methanol	4 x 1 mL
U-DMP-012	Diethyl phthalate		100 mg
<b>New</b> IPO 901	Diethyl phthalate		1 mL
U-EPA-1108	Diethyl phthalate	5000 µg/mL in Methanol	1 mL
U-ST-130-1	1,4-Difluorobenzene	2000 µg/mL in Methanol	1 mL
U-ST-130	1,4-Difluorobenzene	2000 µg/mL in Methanol	4 x 1 mL
CERERD-037S	1,4-Difluorobenzene	5000 µg/mL in Methanol	1.2 mL
U-IST-160-1	2,2'-Difluorobiphenyl	1000 µg/mL in Methylene chloride	1 mL
U-IST-160	2,2'-Difluorobiphenyl	1000 µg/mL in Methylene chloride	4 x 1 mL
U-PPS-270-1	4,4'-Difluorobiphenyl	100 µg/mL in Acetonitrile	1 mL
U-PPS-270	4,4'-Difluorobiphenyl	100 µg/mL in Acetonitrile	4 x 1 mL
U-PPS-271-1	4,4'-Difluorobiphenyl	2000 µg/mL in Acetone	1 mL
U-PPS-271	4,4'-Difluorobiphenyl	2000 µg/mL in Acetone	4 x 1 mL
U-RCC-138	6,13-Dihydrodibenzo(b,i)phenazine		100 mg
FL-45778-250MG	1,2-Dihydronaphthalene OEKANAL®		250 mg
<b>New</b> IPO 905	Diisobutyl phthalate		1 mL
U-DMP-027	Diisooctyl adipate		100 mg
<b>New</b> IPO UCI 018	2-(Diisopropylamino)ethanethiol		100 mg
<b>New</b> IPO UCI 019	2-Diisopropylaminoethanol		100 mg
ERD-083	Diisopropyl methyl phosphonate (unlabelled)	1000 µg/mL in Methanol	1.2 mL
ERD-086	Diisopropyl methyl phosphonate (D <sub>14</sub> ,98%)	1000 µg/mL in Methanol	1.2 mL
U-DMP-014	Diisopropyl phthalate		100 mg

## Miscellaneous individual analytes

	Code	Product	Unit
<b>New</b>	IPO 907	Diisopropyl phthalate	1 mL
	U-RCC-117	3,3'-Dimethoxybenzidine	100 mg
	U-EPA-1109	p-(Dimethylamino)azobenzene 5000 µg/mL in Methanol	1 mL
	U-RCC-008	p-(Dimethylamino)azobenzene	100 mg
	U-B-120-1	3,3'-Dimethylbenzidine 100 µg/mL in Methanol	1 mL
	U-B-120	3,3'-Dimethylbenzidine 100 µg/mL in Methanol	4 x 1 mL
	CERERD-132S	3,3'-Dimethylbenzidine 2000 µg/mL in Methylene chloride	1.2 mL
	U-RCC-041	3,3'-Dimethylbenzidine	100 mg
	FL-31659-100MG	3,3'-Dimethylbenzidine OEKANAL®	100 mg
	U-RCC-103	Dimethylcarbamoyl chloride	1 g
	U-RAB-029	1,2-Dimethyl-3-ethylbenzene	10 mg
	U-RAB-030	1,2-Dimethyl-4-ethylbenzene	10 mg
	U-RAB-032	1,3-Dimethyl-4-ethylbenzene	10 mg
	U-RAB-033	1,3-Dimethyl-5-ethylbenzene	10 mg
	U-RAB-034	1,4-Dimethyl-2-ethylbenzene	100 mg
	ERD-121	Dimethyl hydrogen phosphate (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	U-PPS-100-1	1,3-Dimethyl-2-nitrobenzene 250 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
	U-PPS-100	1,3-Dimethyl-2-nitrobenzene 250 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
	U-NH-150-1	alpha,alpha-Dimethylphenethylamine 100 µg/mL in Methanol	1 mL
	U-NH-150	alpha,alpha-Dimethylphenethylamine 100 µg/mL in Methanol	4 x 1 mL
	U-PH-130-1	2,4-Dimethylphenol 100 µg/mL in Methanol	1 mL
	U-PH-130	2,4-Dimethylphenol 100 µg/mL in Methanol	4 x 1 mL
	U-EPA-1111	2,4-Dimethylphenol 5000 µg/mL in Methanol	1 mL
	U-RCC-158	2,4-Dimethylphenol	100 mg
<b>New</b>	IPO UCI 015	Diethyl methylphosphonate	100 mg
	U-PS-140-1	Dimethyl phthalate 100 µg/mL in Methanol	1 mL
	U-PS-140	Dimethyl phthalate 100 µg/mL in Methanol	4 x 1 mL
	U-EPA-1112	Dimethyl phthalate 5000 µg/mL in Methanol	1 mL
	U-DMP-011	Dimethyl phthalate	100 mg
<b>New</b>	IPO 904	Dimethyl phthalate	1 mL
	CHE 146	Dimethyl phthalate	1 g
	FL-31298-250MG	Dimethyl terephthalate OEKANAL®	250 mg
	FL-45963-250MG	2,4-Dinitroaniline OEKANAL®	250 mg
	FL-45965-250MG	1,2-Dinitrobenzene OEKANAL®	250 mg
	U-NAI-140-1	1,3-Dinitrobenzene 100 µg/mL in Methanol	1 mL
	U-NAI-140	1,3-Dinitrobenzene 100 µg/mL in Methanol	4 x 1 mL
	FL-45966-250MG	1,3-Dinitrobenzene OEKANAL®	250 mg
	FL-45967-250MG	1,4-Dinitrobenzene OEKANAL®	250 mg
	FL-45930-250MG	3,4-Dinitrobenzoic acid OEKANAL®	250 mg
	U-RNH-135	2,2'-Dinitrobiphenyl	100 mg
	CERERD-081	4,4'-Dinitrodiphenylamine	250 mg
	U-RNH-137	2,7-Dinitrofluorene	100 mg
	U-RNH-138	2,7-Dinitro-9-fluorenone	100 mg
	U-RCC-169	4,6-Dinitro-2-methylphenol	100 mg
	U-RNH-139	1,3-Dinitronaphthalene	100 mg
	U-RNH-140	1,5-Dinitronaphthalene	100 mg
	U-RNH-141	1,8-Dinitronaphthalene	100 mg
	U-PH-140-1	2,4-Dinitrophenol 1000 µg/mL in Methanol	1 mL
	U-PH-140	2,4-Dinitrophenol 1000 µg/mL in Methanol	4 x 1 mL
	U-EPA-1114	2,4-Dinitrophenol 5000 µg/mL in Methanol	1 mL
	FL-45968-250MG	2,3-Dinitrotoluene OEKANAL®	250 mg

## Miscellaneous individual analytes

Code	Product	Unit
U-NAI-100-1	2,4-Dinitrotoluene 100 µg/mL in Methanol	1 mL
U-NAI-100	2,4-Dinitrotoluene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1115	2,4-Dinitrotoluene 5000 µg/mL in Methanol	1 mL
FL-45969-250MG	2,4-Dinitrotoluene OEKANAL®	250 mg
U-NAI-110-1	2,6-Dinitrotoluene 100 µg/mL in Methanol	1 mL
U-NAI-110	2,6-Dinitrotoluene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1116	2,6-Dinitrotoluene 5000 µg/mL in Methanol	1 mL
U-RNH-003	2,6-Dinitrotoluene	100 mg
FL-31565-250MG	2,6-Dinitrotoluene OEKANAL®	250 mg
U-DMP-036	Diocetyl maleate (Diethylhexyl maleate)	100 mg
U-PS-150-1	Di-n-octyl phthalate 100 µg/mL in Methanol	1 mL
U-PS-150	Di-n-octyl phthalate 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1117	Di-n-octyl phthalate 5000 µg/mL in Methanol	1 mL
U-DMP-020	Di-n-octyl phthalate	100 mg
<b>New</b> IPO 906	Diocetyl phthalate	1 mL
U-NV-150-1	1,4-Dioxane 100 µg/mL in Methanol	1 mL
U-NV-150	1,4-Dioxane 100 µg/mL in Methanol	4 x 1 mL
U-RCC-180	1,4-Dioxane	1 g
U-EPA-1118	Diphenylamine 5000 µg/mL in Methanol	1 mL
FL-45788-250MG	9,10-Diphenylanthracene OEKANAL®	250 mg
U-RPE-020	Diphenyl ether	100 mg
U-RCC-174	1,2-Diphenylhydrazine	1 g
U-RCC-142	4,7-Diphenyl-1,10-phenanthroline	50 mg
U-DMP-018	Diphenyl phthalate	100 mg
CHE 147	Diphenyl phthalate	1 g
<b>New</b> IPO 902	Dipropyl phthalate	1 mL
U-DMP-013	Di-n-propyl phthalate	100 mg
CHE 148	Di-n-propyl phthalate	1 g
IBPO201	C.I. Disperse Blue 7, C.I. No. 62500 (technical)	1 g
IBPO210	Disperse Blue 35 (technical) C.I. none, contains 4 dye components - violet blue (main component)	1 g
IBPO211	Disperse Orange 11 (technical) C.I. 60700, contains 5 dye components - orange (main component)	1 g
IBPO212	Disperse Orange 1 (technical) C.I. 11080, contains three dye components - orange (main component)	1 g
IBPO207	C.I. Disperse Red 11, C.I. No. 62015 (technical)	1 g
IBPO208	C.I. Disperse Red 17, C.I. No. 11210 (technical)	1 g
IBPO205	C.I. Disperse Yellow 9, C.I. No. 10375 (technical)	1 g
IBPO206	C.I. Disperse Yellow 49 (technical)	1 g
ERD-087	1,4-Dithiane (unlabelled) 1000 µg/mL in Methanol	1.2 mL
ERD-085	1,4-Dithiane (D <sub>4</sub> , 98%) 1000 µg/mL in Methanol	1.2 mL
U-RNA-012	n-Docosane	1 g
U-RNA-003	n-Dodecane	1 g
CHE 134	n-Dodecane	2 mL
CHE 156	Dodecanol	2 mL
U-RNA-015	n-Dotriacontane	1 g
FL-33865-50MG	DTPD OEKANAL®	50 mg
U-RNA-011	n-Eicosane	1 g
U-EPA-1220	Epichlorhydrin 1000 µg/mL in Methanol	1 mL
U-RCC-161	Epichlorhydrin	100 mg
U-RCC-162	1,2-Epoxybutane	100 mg

## Miscellaneous individual analytes

	Code	Product	Unit
<b>New</b>	CHE 108	Ethanol	2 mL
	FL-46139-5ML	Ethanol OEKANAL®	5 mL
	CHE 163	2-Ethoxyethyl acetate	2 mL
	CHE 123	Ethyl acetate	2 mL
	U-NV-160-1	Ethyl alcohol 100 µg/mL in Methanol	1 mL
	U-NV-160	Ethyl alcohol 100 µg/mL in Methanol	4 x 1 mL
	U-RCC-181	Ethyl alcohol	1 g
	U-AM-150-1	Ethylbenzene 100 µg/mL in Methanol	1 mL
	U-AM-150	Ethylbenzene 100 µg/mL in Methanol	4 x 1 mL
	U-EPA-1035	Ethylbenzene 5000 µg/mL in Methanol	1 mL
	NIST-3002	Ethylbenzene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
	U-RAB-013	Ethylbenzene	100 mg
	CHE USC 12	Ethylbenzene	2 mL
<b>New</b>	FL-03079-5ML	Ethylbenzene	5 mL
	U-STS-150-1	Ethylbenzene-D <sub>10</sub> 2000 µg/mL in Methanol	1 mL
	U-STS-150	Ethylbenzene-D <sub>10</sub> 2000 µg/mL in Methanol	4 x 1 mL
	CERERE-014S	Ethylbenzene-D <sub>10</sub> 2000 µg/mL in Methanol	1.2 mL
	CHE 155	Ethylene glycol	2 mL
	U-RCC-106	Ethylenethiourea (Imidazolidinethione)	1 g
<b>New</b>	IPO UCI 017	2-Ethylhexyl hydrogen methylphosphonate (EHMPA)	100 mg
	CIL-U LM-6091-1.2	Ethyl hydrogen dimethylamidophosphate sodium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	CIL-D LM-6098-1.2	Ethyl hydrogen methylphosphonate (ethyl-D <sub>5</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	IPO F 070	Ethyl-4-hydroxybenzoate (Ethylparaben) E 214 Certified purity.....99.4%	250 mg
	U-NV-170-1	Ethyl methacrylate 100 µg/mL in Methanol	1 mL
	U-NV-170	Ethyl methacrylate 100 µg/mL in Methanol	4 x 1 mL
	U-EPA-1036	Ethyl methacrylate 1000 µg/mL in Methanol	1 mL
	U-RCC-206	Ethyl methacrylate	100 mg
	U-SV-160-1	Ethyl methanesulfonate 100 µg/mL in Methylene chloride	1 mL
	U-SV-160	Ethyl methanesulfonate 100 µg/mL in Methylene chloride	4 x 1 mL
	U-RCC-182	Ethyl methanesulfonate	100 mg
<b>New</b>	FL-32702-10MG	4-(1-Ethyl-1-methylhexyl)phenol OEKANAL®	10 mg
<b>New</b>	FL-32707-10MG	4-(2-Ethyl-1-methylhexyl)phenol OEKANAL®	10 mg
	ERE-024	Ethyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b>	IPO UCI 013	Ethyl methylphosphonic acid	100 mg
	U-RAB-035	2-Ethyltoluene	100 mg
	U-RAB-036	3-Ethyltoluene	100 mg
	U-RAB-037	4-Ethyltoluene	100 mg
	U-IST-170-1	4-Fluoroaniline 1000 µg/mL in Methylene chloride	1 mL
	U-IST-170	4-Fluoroaniline 1000 µg/mL in Methylene chloride	4 x 1 mL
	U-STS-160-1	Fluorobenzene 2000 µg/mL in Methanol	1 mL
	U-STS-160	Fluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
	CERERF-006S	Fluorobenzene 5000 µg/mL in Methanol	1.2 mL
	U-ATS-140-1	2-Fluorobiphenyl 2000 µg/mL in Methylene chloride	1 mL
	U-ATS-140	2-Fluorobiphenyl 2000 µg/mL in Methylene chloride	4 x 1 mL
	CERERF-009S	2-Fluorobiphenyl 2000 µg/mL in Dichloromethane	1.2 mL
	U-IST-180-1	1-Fluoronaphthalene 1000 µg/mL in Methylene chloride	1 mL
	U-IST-180	1-Fluoronaphthalene 1000 µg/mL in Methylene chloride	4 x 1 mL
	CERERF-010S	1-Fluoronaphthalene 2000 µg/mL in Dichloromethane	1.2 mL
	U-IST-190-1	2-Fluoronaphthalene 1000 µg/mL in Methylene chloride	1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-IST-190	2-Fluoronaphthalene 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-250-1	2-Fluorophenol 1000 µg/mL in Methylene chloride	1 mL
U-IST-250	2-Fluorophenol 1000 µg/mL in Methylene chloride	4 x 1 mL
U-RNA-024	n-Heneicosane	1 g
U-RNA-031	N-Hentriacontaine	10 mg
U-RNA-028	n-Heptacosane	10 mg
U-RNA-008	n-Heptadecane	1 g
CHE 169	n-Heptadecane	1 g
<b>New</b> FL-51578-5ML	n-Heptadecane	5 mL
<b>New</b> FL-33827-100MG	Heptadecafluorooctanesulfonic acid OEKANAL®	100 mg
<b>New</b> FL-33829-100MG	Heptadecafluorooctanesulfonic acid potassium salt OEKANAL®	100 mg
U-RNA-023	2,2,4,4,6,8,8-Heptamethylnonane	1 g
U-RNA-019	n-Heptane	1 g
CHE 112	n-Heptane	2 mL
<b>New</b> FL-51730-5ML	n-Heptane, puriss. p.a., standard for GC	5 mL
CHE 137	n-Heptanol	2 mL
CHE 149	3-Heptanone	2 mL
CHE 150	4-Heptanone	2 mL
FL-46204-5ML	4-Heptanone OEKANAL®	5 mL
U-RAB-024	n-Heptylbenzene (Phenylheptane)	100 mg
U-RBF-005	Hexabromobenzene	100 mg
U-CH-150-1	Hexachlorobenzene 100 µg/mL in Methylene chloride	1 mL
U-CH-150	Hexachlorobenzene 100 µg/mL in Methylene chloride	4 x 1 mL
U-CH-151-1	Hexachlorobenzene 100 µg/mL in Methanol	1 mL
U-CH-151	Hexachlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1125	Hexachlorobenzene 1000 µg/mL in Acetone	1 mL
U-RCP-031	Hexachlorobenzene	100 mg
U-CH-160-1	Hexachlorobutadiene 100 µg/mL in Methanol	1 mL
U-CH-160	Hexachlorobutadiene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1126	Hexachlorobutadiene 5000 µg/mL in Methanol	1 mL
CHE 166	Hexachloro-1,3-butadiene	1.5 mL
U-RHH-060	Hexachlorobutadiene	100 mg
U-CH-170-1	Hexachlorocyclopentadiene 100 µg/mL in Methanol	1 mL
U-CH-170	Hexachlorocyclopentadiene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1127	Hexachlorocyclopentadiene 5000 µg/mL in Methanol	1 mL
U-CH-180-1	Hexachloroethane 100 µg/mL in Methanol	1 mL
U-CH-180	Hexachloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1128	Hexachloroethane 5000 µg/mL in Methanol	1 mL
U-RHH-019	Hexachloroethane	1 g
U-EPA-1129	Hexachlorophene 5000 µg/mL in Methanol	1 mL
U-PH-270-1	Hexachlorophene 100 µg/mL in Methanol	1 mL
U-PH-270	Hexachlorophene 100 µg/mL in Methanol	4 x 1 mL
U-RCC-166	Hexachlorophene	100 mg
U-CH-200-1	Hexachloropropene 100 µg/mL in Methanol	1 mL
U-CH-200	Hexachloropropene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1130	Hexachloropropene 1000 µg/mL in Methanol	1 mL
U-RHH-047	Hexachloropropene	1 g
U-RNA-027	n-Hexacosane	1 g
CHE 135	n-Hexadecane	2 mL
U-RNA-007	n-Hexadecane (n-Cetane)	1 g
FL-36932-1G	Hexadecyltrimethylammonium bromide OEKANAL®	1 g

## Miscellaneous individual analytes

Code	Product	Unit
U-RAB-012	Hexamethylbenzene	100 mg
U-RNA-018	n-Hexane	1 g
CHE 111	n-Hexane	2 mL
CHE 136	n-Hexanol	2 mL
U-NV-180-1	2-Hexanone 100 µg/mL in Methanol	1 mL
U-NV-180	2-Hexanone 100 µg/mL in Methanol	4 x 1 mL
U-RCC-207	2-Hexanone	100 mg
U-RNA-017	n-Hexatriacontane	1 g
CHE 133	n-Hexyl acetate	2 mL
U-RAB-023	n-Hexylbenzene (Phenylhexane)	100 mg
U-RCC-167	Hydroquinone	100 mg
U-EPA-1222	2-Hydroxypropionitrile 1000 µg/mL in Methanol	1 mL
U-RCC-208	2-Hydroxypropionitrile	100 mg
FL-45789-250MG	Indane OEKANAL®	250 mg
FL-45791-250MG	Indene OEKANAL®	250 mg
CHE 165	n-Isoamyl alcohol	2 mL
U-NV-190-1	Isobutyl alcohol 100 µg/mL in Methanol	1 mL
U-NV-190	Isobutyl alcohol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1037	Isobutyl alcohol 5000 µg/mL in Methanol	1 mL
U-RCC-183	Isobutyl alcohol	1 g
CHE 152	Isobutyl alcohol	2 mL
U-RAB-019	Isobutylbenzene	100 mg
CHE 113	Isobutylbenzene	2 mL
<b>New</b> IPO UCI 012	Isobutyl hydrogen methylphosphonate	100 mg
U-NAI-120-1	Isophorone 100 µg/mL in Methanol	1 mL
U-NAI-120	Isophorone 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1132	Isophorone 5000 µg/mL in Methanol	1 mL
U-RCC-209	Isophorone	100 mg
CHE 161	Isopropyl acetate	2 mL
U-AM-230-1	Isopropylbenzene 100 µg/mL in Methanol	1 mL
U-AM-230	Isopropylbenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1038	Isopropylbenzene 5000 µg/mL in Methanol	1 mL
NIST-3015	Isopropylbenzene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RAB-015	Isopropylbenzene	100 mg
CHE 116	Isopropylbenzene	2 mL
<b>New</b> IPO UCI 011	Isopropyl methyl phosphonic acid (IMPA)	100 mg
ERI-015	Isopropyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
ERI-017	Isopropyl methylphosphonic acid (D <sub>7</sub> ,98%) 1000 µg/mL in Methanol	1.2 mL
FL-33652-10MG	2-Isopropyl-d7-thioxanthen-9-one (ITX-d7) OEKANAL®	10 mg
U-AM-240-1	4-Isopropyltoluene 100 µg/mL in Methanol	1 mL
U-AM-240-1	4-Isopropyltoluene 100 µg/mL in Methanol	1 mL
U-EPA-1039	4-Isopropyltoluene 5000 µg/mL in Methanol	1 mL
U-RAB-042	4-Isopropyltoluene	100 mg
U-RGO-671-1	Jet Fuel A 5000 µg/mL in Methylene chloride	1 mL
U-RGO-671	Jet Fuel A 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-672-1	Jet Fuel A 50000 µg/mL in Methylene chloride	1 mL
U-RGO-672	Jet Fuel A 50000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-691-1	JP-5 Military Fuel 5000 µg/mL in Methylene chloride	1 mL
U-RGO-691	JP-5 Military Fuel 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-692-1	JP-5 Military Fuel 50000 µg/mL in Methylene chloride	1 mL
U-RGO-692	JP-5 Military Fuel 50000 µg/mL in Methylene chloride	4 x 1 mL

## Miscellaneous individual analytes

Code	Product	Unit
FL-34182-10MG	Leucomalachite Green-d5 OEKANAL®	10 mg
U-EPA-1223	Malononitrile 1000 µg/mL in Methanol	1 mL
U-RCC-210	Malononitrile	100 mg
FL-33428-100MG	4,4'-MDI OEKANAL®	100 mg
<b>New</b> FL-52549-250MG	Melamine, analytical standard, >99.0% (HPLC)	250 mg
U-NV-200-1	Methacrylonitrile 100 µg/mL in Methanol	1 mL
U-NV-200	Methacrylonitrile 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1040	Methacrylonitrile 1000 µg/mL in Methanol	1 mL
CHE 117	Methanol	2 mL
U-NH-260-1	Methapyrilene 100 µg/mL in Methanol	1 mL
U-NH-260	Methapyrilene 100 µg/mL in Methanol	4 x 1 mL
CHE 162	2-Methoxyethyl acetate	2 mL
CHE 159	Methyl acetate	2 mL
U-EPA-1224	Methyl acrylate 1000 µg/mL in Methanol	1 mL
U-RCC-212	Methyl acrylate	100 mg
U-ST5-440-1	Methyl tert-butyl ether 2000 µg/mL in Methanol	1 mL
U-ST5-440	Methyl tert-butyl ether 2000 µg/mL in Methanol	4 x 1 mL
CHE 118	Methylcyclohexane	2 mL
U-PH-150-1	2-Methyl-4,6-dinitrophenol 1000 µg/mL in Methanol	1 mL
U-PH-150	2-Methyl-4,6-dinitrophenol 1000 µg/mL in Methanol	4 x 1 mL
U-FLHC-002	2-Methyldodecane	50 mg
U-FLHC-006	2-Methyleicosane	50 mg
U-HC-220-1	Methylene chloride 100 µg/mL in Methanol	1 mL
U-HC-220	Methylene chloride 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1041	Methylene chloride 5000 µg/mL in Methanol	1 mL
NIST-3008	Methylene chloride in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RHH-001	Methylene chloride	1 g
CHE 01	Methylene chloride	1.5 mL
	4,4'-Methylenebis(2-chloroaniline) see 4,4'-Diamino-3,3'-dichlorodiphenylmethane	
U-FLHC-009	3-Methylhendecane	50 mg
U-FLHC-014	3-Methylheneicosane	50 mg
U-FLHC-012	3-Methylheptadecane	50 mg
U-FLHC-004	2-Methylhexadecane	50 mg
IPO F 075	Methyl-4-hydroxybenzoate (Methylparaben) E 218 Certified purity..... 99.9%	250 mg
U-HC-470-1	Methyl iodide 100 µg/mL in Methanol	1 mL
U-HC-470	Methyl iodide 100 µg/mL in Methanol	4 x 1 mL
CHE 157	Methyl isobutyl ketone	2 mL
FL-46212-5ML	Methyl isopropyl ketone OEKANAL®	5 mL
U-NV-210-1	Methyl methacrylate 100 µg/mL in Methanol	1 mL
U-NV-210	Methyl methacrylate 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1042	Methyl methacrylate 1000 µg/mL in Methanol	1 mL
U-RCC-213	Methyl methacrylate	100 mg
U-RCC-185	Methyl methanesulfonate	100 mg
U-SV-180A-1	Methyl methanesulfonate 100 µg/mL in Methylene chloride	1 mL
U-SV-180A	Methyl methanesulfonate 100 µg/mL in Methylene chloride	4 x 1 mL
FL-45795-250MG	1-Methylnaphthalene OEKANAL®	250 mg
U-EPA-1225	1-Methylnaphthalene 1000 µg/mL in Methanol	1 mL
FL-45796-250MG	2-Methylnaphthalene OEKANAL®	250 mg
U-SV-200-1	2-Methylnaphthalene 100 µg/mL in Methanol	1 mL



## Miscellaneous individual analytes

Code	Product	Unit
U-SV-200	2-Methylnaphthalene 100 µg/mL in Methanol	4 x 1 mL
FL-45984-250MG	2-Methyl-5-nitroaniline (2-Amino-4-nitrotoluene) OEKANAL®	250 mg
U-RNH-112	2-Methyl-1-nitronaphthalene	100 mg
U-FLHC-005	2-Methyloctadecane	50 mg
U-FLHC-011	3-Methylpentadecane	50 mg
CHE 119	2-Methylpentane	2 mL
CHE 120	3-Methylpentane	2 mL
U-NV-220-1	4-Methyl-2-pentanone 100 µg/mL in Methanol	1 mL
U-NV-220	4-Methyl-2-pentanone 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1043	4-Methyl-2-pentanone (MIBK) 5000 µg/mL in Methanol	1 mL
U-RCC-214	4-Methyl-2-pentanone (MIBK)	1 g
ERM-038	Methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-CDLM-6100-1.2	Methylphosphonic acid ( <sup>13</sup> C, 99%; methyl-D <sub>3</sub> , 98%) 100 µg/mL in Methanol	1.2 mL
CIL-DLM-6196-1.2	Methylphosphonic acid (methyl-D <sub>3</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
FL-46211-5ML	Methyl propyl ketone OEKANAL®	5 mL
<b>New</b> FL-32705-10MG	4-(1-Methyl-1-propylpentyl)phenol OEKANAL®	10 mg
U-FLHC-003	2-Methyltetradecane	50 mg
U-FLHC-015	3-Methyltricosane	50 mg
U-FLHC-010	3-Methyltridecane	50 mg
FL-36926-250MG	Monomethyl phthalate OEKANAL®	250 mg
U-IST-200-1	Naphthalene-D <sub>8</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-200	Naphthalene-D <sub>8</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-NAI-150A-1	1,4-Naphthoquinone 100 µg/mL in Acetone	1 mL
U-NAI-150A	1,4-Naphthoquinone 100 µg/mL in Acetone	4 x 1 mL
U-RCC-215	1,4-Naphthoquinone	100 mg
U-NH-200-1	1-Naphthylamine 100 µg/mL in Methanol	1 mL
U-NH-200	1-Naphthylamine 100 µg/mL in Methanol	4 x 1 mL
FL-34390-250MG	1-Naphthylamine OEKANAL®	250 mg
U-EPA-1135	2-Naphthylamine 1000 µg/mL in Methanol	1 mL
FL-31618-100MG	2-Naphthylamine OEKANAL®	100 mg
ERM-AC802	Nicotine	0.6 mL
IPO 505	Nicotine	500 mg
IPO F 165	Nicotinic acid	250 mg
U-EPA-1136	2-Nitroaniline 5000 µg/mL in Methanol	1 mL
U-RCC-186	2-Nitroaniline	100 mg
U-EPA-1137	3-Nitroaniline 5000 µg/mL in Methanol	1 mL
U-RCC-187	3-Nitroaniline	100 mg
FL-45989-250MG	3-Nitroaniline OEKANAL®	250 mg
U-EPA-1138	4-Nitroaniline 5000 µg/mL in Methanol	1 mL
U-RCC-188	4-Nitroaniline	100 mg
FL-31569-250MG	4-Nitroaniline OEKANAL®	250 mg
FL-36909-250MG	3-Nitroanisole OEKANAL®	250 mg
FL-36916-250MG	4-Nitroanisole OEKANAL®	250 mg
U-NAI-130-1	Nitrobenzene 100 µg/mL in Methanol	1 mL
U-NAI-130	Nitrobenzene 100 µg/mL in Methanol	4 x 1 mL
U-RNH-004	Nitrobenzene	100 mg
U-IST-210-1	Nitrobenzene-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-210	Nitrobenzene-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-RNH-117	2-Nitrobiphenyl	100 mg
U-RNH-118	3-Nitrobiphenyl	100 mg
U-RNH-177	4-Nitrobiphenyl	200 mg

## Miscellaneous individual analytes

Code	Product	Unit
U-RNH-123	2-Nitrodiphenylamine	100 mg
U-RNH-097	2-Nitrofluorene	200 mg
U-RNH-126	5-Nitroindane	100 mg
U-RNH-127	1-Nitronaphthalene	100 mg
U-RNH-131	5-Nitro-1,10-phenanthroline	100 mg
U-PH-160-1	2-Nitrophenol 100 µg/mL in Methanol	1 mL
U-PH-160	2-Nitrophenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1140	2-Nitrophenol 5000 µg/mL in Methanol	1 mL
U-RCC-170	2-Nitrophenol	100 mg
U-PH-170-1	4-Nitrophenol 100 µg/mL in Methanol	1 mL
U-PH-170	4-Nitrophenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1141	4-Nitrophenol 5000 µg/mL in Methanol	1 mL
U-RCC-171	4-Nitrophenol	100 mg
U-RNH-144	2-Nitrophenyl disulfide	100 mg
U-RNH-145	3-Nitrophenyl disulfide	100 mg
U-RNH-146	4-Nitrophenyl disulfide	100 mg
U-RNH-099	2-Nitro-p-phenylenediamine	100 mg
U-RNH-166	3-Nitro-o-phenylenediamine	100 mg
U-RNH-100	4-Nitro-o-phenylenediamine	100 mg
U-RNH-147	4-Nitrophenyl phenyl ether	100 mg
U-RNH-148	4-Nitrophenyl phenyl sulfide	100 mg
U-EPA-1226	2-Nitropropane 1000 µg/mL in Methanol	1 mL
U-RCC-189	2-Nitropropane	100 mg
U-NH-270-1	4-Nitroquinoline-1-oxide 100 µg/mL in Methanol	1 mL
U-NH-270	4-Nitroquinoline-1-oxide 100 µg/mL in Methanol	4 x 1 mL
U-RCC-190	4-Nitroquinoline-1-oxide	100 mg
U-RNH-149	5-Nitroquinoline	100 mg
U-RNH-150	6-Nitroquinoline	100 mg
U-RNH-151	8-Nitroquinoline	100 mg
U-NS-130-1	N-Nitrosodi-n-butylamine 100 µg/mL in Methanol	1 mL
U-NS-130	N-Nitrosodi-n-butylamine 100 µg/mL in Methanol	4 x 1 mL
U-RCC-070	N-Nitrosodi-n-butylamine	20 mg
U-RCC-071	N-Nitrosodicyclohexylamine	100 mg
U-NS-140-1	N-Nitrosodiethylamine 100 µg/mL in Methanol	1 mL
U-NS-140	N-Nitrosodiethylamine 100 µg/mL in Methanol	4 x 1 mL
U-RCC-016	N-Nitrosodiethylamine	100 mg
NE0933	N-Nitrosodiisopropylamine 100 µg/mL in Methanol	5 mL
U-NS-100-1	N-Nitrosodimethylamine (NDMA) 100 µg/mL in Methanol	1 mL
U-NS-100	N-Nitrosodimethylamine (NDMA) 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1143	N-Nitrosodimethylamine (NDMA) 5000 µg/mL in Methanol	1 mL
U-RCC-015	N-Nitrosodimethylamine (NDMA)	100 mg
U-NS-110-1	N-Nitrosodiphenylamine 100 µg/mL in Methanol	1 mL
U-NS-110	N-Nitrosodiphenylamine 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1144	N-Nitrosodiphenylamine 5000 µg/mL in Methanol	1 mL
U-RCC-017	N-Nitrosodiphenylamine	100 mg
U-NS-120-1	N-Nitrosodi-n-propylamine 100 µg/mL in Methanol	1 mL
U-NS-120	N-Nitrosodi-n-propylamine 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1145	N-Nitrosodi-n-propylamine 5000 µg/mL in Methanol	1 mL
U-RCC-072	N-Nitrosodi-n-propylamine	20 mg
U-NS-150-1	N-Nitrosomethylethylamine 100 µg/mL in Methanol	1 mL
U-NS-150	N-Nitrosomethylethylamine 100 µg/mL in Methanol	4 x 1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-RCC-191	N-Nitrosomethylethylamine	100 mg
U-NS-160-1	N-Nitrosomorpholine 100 µg/mL in Methanol	1 mL
U-NS-160	N-Nitrosomorpholine 100 µg/mL in Methanol	4 x 1 mL
U-RCC-077	N-Nitrosomorpholine	20 mg
U-NS-170-1	N-Nitrosopiperidine 100 µg/mL in Methanol	1 mL
U-NS-170	N-Nitrosopiperidine 100 µg/mL in Methanol	4 x 1 mL
U-RCC-078	N-Nitrosopiperidine	20 mg
U-NS-180-1	N-Nitrosopyrrolidine 100 µg/mL in Methanol	1 mL
U-NS-180	N-Nitrosopyrrolidine 100 µg/mL in Methanol	4 x 1 mL
U-RNH-133	4-Nitro-p-terphenyl	100 mg
U-RNH-005	2-Nitrotoluene	100 mg
FL-31567-250MG	2-Nitrotoluene OEKANAL®	250 mg
U-RNH-006	3-Nitrotoluene	100 mg
FL-45986-250MG	3-Nitrotoluene OEKANAL®	250 mg
U-RNH-007	4-Nitrotoluene	100 mg
FL-31568-250MG	4-Nitrotoluene OEKANAL®	250 mg
U-EPA-1149	5-Nitro-o-toluidine 5000 µg/mL in Methanol	1 mL
U-RCC-192	5-Nitro-o-toluidine	100 mg
U-RNA-029	n-Nonacosane	10 mg
U-RNA-010	n-Nonadecane	1 g
CHE 171	n-Nonadecane	1 g
U-RNA-021	n-Nonane	1 g
CHE 122	n-Nonane	2 mL
U-RAB-026	n-Nonylbenzene (Phenylnonane)	100 mg
U-RCN-012	Octachloronaphthalene	20 mg
U-RCB-045	Octachlorostyrene	10 mg
CERERO-001	Octachlorostyrene	25 mg
U-RNA-014	n-Octacosane	1 g
U-RNA-009	n-Octadecane	1 g
CHE 170	n-Octadecane	1 g
<b>New</b> FL-74691-5G	n-Octadecane	5 g
CHE 114	iso-Octane	2 mL
U-RNA-020	n-Octane	1 g
CHE 124	n-Octane	2 mL
FL-46214-5ML	3-Octanone OEKANAL®	5 mL
U-RNA-033	n-Octatriacontane	100 mg
U-RAB-025	n-Octylbenzene (Phenyloctane)	100 mg
FL-46117-250MG	4,4'-Oxydianiline OEKANAL®	250 mg
FL-37922-100MG	2,3,4,5,6-Pentabromoethylbenzene OEKANAL®	100 mg
U-RBF-010	Pentabromophenol	100 mg
FL-45797-100MG	Pentacene OEKANAL®	100 mg
U-RPE-012	2,3',4,4',5-Pentachlorodiphenyl ether	10 mg
U-RCB-020	2,3,4,5,6-Pentachlorotoluene	100 mg
U-RCA-015	Pentachloroaniline	100 mg
U-RCP-041	Pentachloroanisole	50 mg
U-CH-210-1	Pentachlorobenzene 100 µg/mL in Methylene chloride	1 mL
U-CH-210	Pentachlorobenzene 100 µg/mL in Methylene chloride	4 x 1 mL
U-RCP-030	Pentachlorobenzene	100 mg
U-CH-230-1	Pentachloroethane 100 µg/mL in Methanol	1 mL
U-CH-230	Pentachloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1150	Pentachloroethane 5000 µg/mL in Methanol	1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-RHH-018	Pentachloroethane	1 g
U-NAI-160-1	Pentachloronitrobenzene 100 µg/mL in Methylene chloride	1 mL
U-NAI-160	Pentachloronitrobenzene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1151	Pentachloronitrobenzene 5000 µg/mL in Methanol	1 mL
U-PPS-130-1	Pentachloronitrobenzene 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-130	Pentachloronitrobenzene 100 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
U-EPA-1152	Pentachlorophenol 5000 µg/mL in Methanol	1 mL
U-GCS-120-1	Pentachlorophenol 1000 µg/mL in Methylene chloride	1 mL
U-GCS-120	Pentachlorophenol 1000 µg/mL in Methylene chloride	4 x 1 mL
U-PH-180-1	Pentachlorophenol 1000 µg/mL in Methanol	1 mL
U-PH-180	Pentachlorophenol 1000 µg/mL in Methanol	4 x 1 mL
U-RCP-019	Pentachlorophenol	20 mg
U-RNA-026	n-Pentacosane	100 mg
U-RNA-006	n-Pentadecane	1 g
CHE 168	n-Pentadecane	2 mL
<b>New</b> FL-33824-100MG	Pentadecafluorooctanoic acid OEKANAL®	100 mg
U-IST-220-1	2,3,4,5,6-Pentafluorobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-220	2,3,4,5,6-Pentafluorobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL
U-STS-170-1	Pentafluorobenzene 2000 µg/mL in Methanol	1 mL
U-STS-170	Pentafluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
CERERP-031S	Pentafluorobenzene 5000 µg/mL in Methanol	1.2 mL
U-IST-260-1	Pentafluorophenol 1000 µg/mL in Methylene chloride	1 mL
U-IST-260	Pentafluorophenol 1000 µg/mL in Methylene chloride	4 x 1 mL
U-RNA-022	2,2,4,6,6-Pentamethylheptane	1 g
U-RAB-011	Pentamethylbenzene	100 mg
CHE 125	n-Pentane	2 mL
<b>New</b> FL-76870	n-Pentane puriss. p.a., standard for GC, 99.8% (GC)	10 mL
CHE 138	n-Pentanol	2 mL
U-RNA-032	n-Pentatriacontane	100 mg
U-RAB-020	n-Pentylbenzene (n-Amylbenzene)	100 mg
U-RAB-021	sec-Pentylbenzene (sec-Amylbenzene)	100 mg
U-RAB-022	tert-Pentylbenzene (tert-Amylbenzene)	100 mg
U-EPA-1153	Phenacetin 5000 µg/mL in Methanol	1 mL
U-RCC-216	Phenacetin	100 mg
U-RCC-141	1,10-Phenanthroline monohydrate	100 mg
U-PH-190-1	Phenol 100 µg/mL in Methanol	1 mL
U-PH-190	Phenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1155	Phenol 5000 µg/mL in Methanol	1 mL
U-RCC-172	Phenol	100 mg
CHE 110	Phenol	2 mL
U-IST-270-1	Phenol-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-270	Phenol-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-RPE-021	4-Phenoxybiphenyl	25 mg
U-RAB-028	1-Phenyl-2-butene	100 mg
U-RCC-126	N-Phenylcarbazole	100 mg
U-NH-240A-1	p-Phenylenediamine 100 µg/mL in Methylene chloride	1 mL
U-NH-240A	p-Phenylenediamine 100 µg/mL in Methylene chloride	4 x 1 mL
U-RCC-194	p-Phenylenediamine	100 mg
U-RCC-040	N-Phenyl-beta-naphthylamine	100 mg
U-EPA-1156	2-Picoline 5000 µg/mL in Methanol	1 mL
U-RCC-195	2-Picoline	100 mg

## Miscellaneous individual analytes

Code	Product	Unit
CIL-CLM-6620-1.2	1,2,2-Trimethylpropyl hydrogen methylphosphonate (trimethylpropyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
ERP-083	Pinacolyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b> IPO UCI 010	Pinacolyl methylphosphonic acid (PMPA)	100 mg
CHE 127	n-Propanol	2 mL
CHE 115	iso-Propanol (iso-Propyl alcohol)	2 mL
U-RCC-196	Propargyl alcohol	100 mg
U-EPA-1230	Propargyl alcohol 1000 µg/mL in Methanol	1 mL
U-NV-230-1	Propionitrile 100 µg/mL in Methanol	1 mL
U-NV-230	Propionitrile 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1044	Propionitrile 5000 µg/mL in Methanol	1 mL
CHE 160	Propyl acetate	2 mL
FL-45945-1G	iso-Propylamine anhydrous OEKANAL®	1 g
U-EPA-1232	n-Propylamine 1000 µg/mL in Methanol	1 mL
U-RCC-197	n-Propylamine	100 mg
U-AM-260-1	n-Propylbenzene 100 µg/mL in Methanol	1 mL
U-AM-260	n-Propylbenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1045	n-Propylbenzene 5000 µg/mL in Methanol	1 mL
CHE 121	n-Propylbenzene	2 mL
U-RAB-014	n-Propylbenzene	100 mg
U-RCC-092	Propylene oxide	100 mg
IPO F 003	Propyl gallate E 310 Certified purity.....99.6%	250 mg
IPO F 080	Propyl-4-hydroxybenzoate (Propylparaben) E 216 Certified purity.....98.9%	250 mg
FL-45996-250MG	Pseudocumene OEKANAL®	250 mg
U-NH-290-1	Pyridine 100 µg/mL in Methanol	1 mL
U-NH-290	Pyridine 100 µg/mL in Methanol	4 x 1 mL
U-RCC-198	Pyridine	1 g
CHE 126	Pyridine	2 mL
U-IST-240-1	Pyridine-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-240	Pyridine-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-RAH-063	m-Quinquephenyl	10 mg
U-RGO-600-1	Regular Unleaded Gasoline 500 µg/mL in Methanol	1 mL
U-RGO-600	Regular Unleaded Gasoline 500 µg/mL in Methanol	4 x 1 mL
FL-34181-2ML	Sudan I-d5 100 µg/mL in Acetonitrile OEKANAL®	2 mL
FL-34163-2ML	Sudan IV-d6 100 µg/mL in Acetonitrile OEKANAL®	2 mL
FL-46408-100MG	Stearyl stearate OEKANAL®	100 mg
U-AM-270-1	Styrene 100 µg/mL in Methanol	1 mL
U-AM-270	Styrene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1046	Styrene 5000 µg/mL in Methanol	1 mL
CERERS-027S	Styrene 100 µg/mL in Methanol	1.2 mL
U-RAB-043	Styrene	100 mg
CHE 140	Styrene	2 mL
FL-45993-250MG	Styrene OEKANAL®	250 mg
U-RCC-093	Styrene oxide	1 g
FL-33427-5ML	2,4-TDI OEKANAL®	5 mL
FL-33493-100MG	2,6-TDI OEKANAL®	100 mg
FL-45801-250MG	m-Terphenyl OEKANAL®	250 mg
U-IST-480-1	o-Terphenyl 2000 µg/mL in Methylene chloride	1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-IST-480	o-Terphenyl 2000 µg/mL in Methylene chloride	4 x 1 mL
FL-45800-250MG	o-Terphenyl OEKANAL®	250 mg
U-IST-490-1	p-Terphenyl 2000 µg/mL in Methylene chloride	1 mL
U-IST-490	p-Terphenyl 2000 µg/mL in Methylene chloride	4 x 1 mL
FL-45802-250MG	p-Terphenyl OEKANAL®	250 mg
U-ATS-160-1	p-Terphenyl-D <sub>14</sub> 2000 µg/mL in Methylene chloride	1 mL
U-ATS-160	p-Terphenyl-D <sub>14</sub> 2000 µg/mL in Methylene chloride	4 x 1 mL
U-ATS-161-1	p-Terphenyl-D <sub>14</sub> 500 µg/mL in Methylene chloride	1 mL
U-ATS-161	p-Terphenyl-D <sub>14</sub> 500 µg/mL in Methylene chloride	4 x 1 mL
U-RHH-028	1,1,2,2-Tetrabromoethane	1 g
U-RCA-013	2,3,4,5-Tetrachloroaniline	100 mg
U-RCA-014	2,3,5,6-Tetrachloroaniline	100 mg
U-RCP-050	2,3,4,5-Tetrachloroanisole	50 mg
U-RCP-051	2,3,4,6-Tetrachloroanisole	50 mg
U-RCP-052	2,3,5,6-Tetrachloroanisole	50 mg
U-EPA-1234	1,2,3,4-Tetrachlorobenzene 1000 µg/mL in Hexane	1 mL
U-RCP-027	1,2,3,4-Tetrachlorobenzene	100 mg
U-EPA-1235	1,2,3,5-Tetrachlorobenzene 1000 µg/mL in Hexane	1 mL
U-RCP-028	1,2,3,5-Tetrachlorobenzene	100 mg
FL-36928-250MG	1,2,3,5-Tetrachlorobenzene OEKANAL®	250 mg
U-CH-220-1	1,2,4,5-Tetrachlorobenzene 100 µg/mL in Methylene chloride	1 mL
U-CH-220	1,2,4,5-Tetrachlorobenzene 100 µg/mL in Methylene chloride	4 x 1 mL
U-EPA-1160	1,2,4,5-Tetrachlorobenzene 1000 µg/mL in Acetonitrile	1 mL
U-RCP-029	1,2,4,5-Tetrachlorobenzene	100 mg
U-RPE-009	2,3',4,4'-Tetrachlorodiphenyl ether	10 mg
U-RPE-011	2,4,4',5-Tetrachlorodiphenyl ether	10 mg
U-RPE-010	3,3',4,4'-Tetrachlorodiphenyl ether	10 mg
U-HC-410-1	1,1,1,2-Tetrachloroethane 100 µg/mL in Methanol	1 mL
U-HC-410	1,1,1,2-Tetrachloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1047	1,1,1,2-Tetrachloroethane 5000 µg/mL in Methanol	1 mL
U-RHH-016	1,1,1,2-Tetrachloroethane	1 g
CERERT-038	1,1,1,2-Tetrachloroethane	1 g
FL-46254-5ML	1,1,1,2-Tetrachloroethane OEKANAL®	5 mL
U-EPA-1048	1,1,2,2-Tetrachloroethane 5000 µg/mL in Methanol	1 mL
U-HC-230-1	1,1,2,2-Tetrachloroethane 100 µg/mL in Methanol	1 mL
U-HC-230	1,1,2,2-Tetrachloroethane 100 µg/mL in Methanol	4 x 1 mL
U-RHH-017	1,1,2,2-Tetrachloroethane	1 g
FL-46259-5ML	1,1,2,2-Tetrachloroethane OEKANAL®	5 mL
U-HC-240-1	Tetrachloroethene 100 µg/mL in Methanol	1 mL
U-HC-240	Tetrachloroethene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1049	Tetrachloroethene 5000 µg/mL in Methanol	1 mL
NIST-3010	Tetrachloroethene (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RHH-023	Tetrachloroethene	1 g
CHE 07	Tetrachloroethene	1.5 mL
HXC 008	Tetrachloroguaiacol	1 g
U-RCP-016	2,3,4,5-Tetrachlorophenol	20 mg
CERERT-003	2,3,4,5-Tetrachlorophenol	100 mg
U-PH-250-1	2,3,4,6-Tetrachlorophenol 100 µg/mL in Methanol	1 mL
U-PH-250	2,3,4,6-Tetrachlorophenol 100 µg/mL in Methanol	4 x 1 mL
U-PST-950	2,3,4,6-Tetrachlorophenol	20 mg
CERERT-001	2,3,4,6-Tetrachlorophenol	100 mg

## Miscellaneous individual analytes

Code	Product	Unit
U-RCP-018	2,3,5,6-Tetrachlorophenol	20 mg
CERERT-004	2,3,5,6-Tetrachlorophenol	100 mg
U-RHH-040	1,1,1,2-Tetrachloropropane	1 g
U-RHH-041	1,1,1,3-Tetrachloropropane	1 g
U-RHH-042	1,1,2,3-Tetrachloropropane	1 g
U-RCN-010	1,2,3,4-Tetrachlorotetrahydronaphthalene	100 mg
U-RCB-019	alpha,alpha,2,6-Tetrachlorotoluene	100 mg
U-RCB-018	alpha,alpha,alpha,4-Tetrachlorotoluene	100 mg
U-IST-440-1	2,4,5,6-Tetrachloro-m-xylene 2000 µg/mL in Acetone	1 mL
U-IST-440	2,4,5,6-Tetrachloro-m-xylene 2000 µg/mL in Acetone	4 x 1 mL
U-RCB-031	2,4,5,6-Tetrachloro-m-xylene	100 mg
U-RNA-034	n-Tetracontane	100 mg
FL-87086-250MG	Tetracontane puriss. p.a., standard for GC, > 98.5 % (GC)	250 mg
U-RNA-013	n-Tetracosane	1 g
U-RNA-005	n-Tetradecane	1 g
CHE 154	Tetradecane	2 mL
U-CFC-300-1	1,1,1,2-Tetrafluoroethane (Freon 134A) 100 µg/mL in Methanol	1 mL
U-CFC-300	1,1,1,2-Tetrafluoroethane (Freon 134A) 100 µg/mL in Methanol	4 x 1 mL
U-CFC-310-1	1,1,2,2-Tetrafluoroethane (Freon 134) 100 µg/mL in Methanol	1 mL
U-CFC-310	1,1,2,2-Tetrafluoroethane (Freon 134) 100 µg/mL in Methanol	4 x 1 mL
U-RCC-125	1,2,3,4-Tetrahydrocarbazole	100 mg
U-EPA-1236	Tetrahydrofuran 1000 µg/mL in Methanol	1 mL
U-RCC-199	Tetrahydrofuran	1 g
U-RAB-009	1,2,3,4-Tetramethylbenzene	25 mg
U-RAB-008	1,2,3,5-Tetramethylbenzene	100 mg
U-RAB-010	1,2,4,5-Tetramethylbenzene (Durene)	100 mg
U-FLHC-017	2,6,10,14-Tetramethylhexadecane	100 mg
U-FLHC-016	2,6,10,14-Tetramethylpentadecane	100 mg
U-RNA-035	n-Tetratetracontane (96%)	100 mg
U-RNA-016	n-Tetratriacontane	100 mg
ERT-053	Thiodiglycol (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-CLM-4806-1.2	Thiodiglycol ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
ERT-054	Thiodiglycol (D <sub>8</sub> ,98%) 1000 µg/mL in Methanol	1.2 mL
ERT-052	Thiodiglycol sulfoxide (unlabelled) 1000 µg/mL in Methanol	1.2 mL
U-RCC-121	Thiophene	1 g
U-AM-160-1	Toluene 100 µg/mL in Methanol	1 mL
U-AM-160	Toluene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1050	Toluene 1000 µg/mL in Methanol	1 mL
CERERT-014S	Toluene 5000 µg/mL in Methanol	1 mL
NIST-3001	Toluene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RAB-001	Toluene	100 mg
CHE USC 13	Toluene	2 mL
<b>New</b> FL-89680-5ML	Toluene	5 mL
U-ATS-170-1	Toluene-D <sub>8</sub> 2000 µg/mL in Methylene chloride	1 mL
U-ATS-170	Toluene-D <sub>8</sub> 2000 µg/mL in Methylene chloride	4 x 1 mL
U-STC-310-1	Toluene-D <sub>8</sub> 2000 µg/mL in Methanol	1 mL
U-STC-310	Toluene-D <sub>8</sub> 2000 µg/mL in Methanol	4 x 1 mL
FL-31566-250MG	m-Toluidine OEKANAL®	250 mg
U-NH-250-1	o-Toluidine 100 µg/mL in Methanol	1 mL
U-NH-250	o-Toluidine 100 µg/mL in Methanol	4 x 1 mL
U-RCC-193	o-Toluidine	100 mg



## Miscellaneous individual analytes

Code	Product	Unit
FL-45979-250MG	o-Toluidine OEKANAL®	250 mg
U-PPS-240-1	Toxaphene 2500 µg/mL in Acetone	1 mL
U-PPS-240	Toxaphene 2500 µg/mL in Acetone	4 x 1 mL
U-RNA-030	n-Triacontane	100 mg
U-RCC-115	Triallyl phosphate	1 g
U-IST-420-1	1,3,5-Tribromobenzene 50 µg/mL in Acetone	1 mL
U-IST-420	1,3,5-Tribromobenzene 50 µg/mL in Acetone	4 x 1 mL
U-RBF-003	1,3,5-Tribromobenzene	100 mg
U-ATS-180-1	2,4,6-Tribromophenol 2000 µg/mL in Methylene chloride	1 mL
U-ATS-180	2,4,6-Tribromophenol 2000 µg/mL in Methylene chloride	4 x 1 mL
FL-36918-250MG	2,4,6-Tribromophenol OEKANAL®	250 mg
U-EPA-1238	Trichloroacetic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-EPA-1239A	Trichloroacetonitrile 1000 µg/mL in Acetone	1 mL
U-RCA-010	2,3,4-Trichloroaniline	100 mg
U-RCA-011	2,4,5-Trichloroaniline	100 mg
U-RCA-012	2,4,6-Trichloroaniline	100 mg
U-RCP-039	2,3,4-Trichloroanisole	100 mg
U-RCP-048	2,3,5-Trichloroanisole	50 mg
U-RCP-040	2,3,6-Trichloroanisole	100 mg
U-RCP-043	2,4,5-Trichloroanisole	50 mg
U-RCP-044	2,4,6-Trichloroanisole	50 mg
U-RCP-049	3,4,5-Trichloroanisole	50 mg
U-HC-420-1	1,2,3-Trichlorobenzene 100 µg/mL in Methanol	1 mL
U-HC-420	1,2,3-Trichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1051	1,2,3-Trichlorobenzene 5000 µg/mL in Methanol	1 mL
U-RCP-024	1,2,3-Trichlorobenzene	100 mg
U-CH-190-1	1,2,4-Trichlorobenzene 100 µg/mL in Methanol	1 mL
U-CH-190	1,2,4-Trichlorobenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1052	1,2,4-Trichlorobenzene 5000 µg/mL in Methanol	1 mL
U-RCP-025	1,2,4-Trichlorobenzene	100 mg
U-RBA-010	2,3,6-Trichlorobenzoic acid	100 mg
U-RPE-006	2,2',4-Trichlorodiphenyl ether	10 mg
U-RPE-008	2',3,4-Trichlorodiphenyl ether	10 mg
U-RPE-007	2,4,4'-Trichlorodiphenyl ether	10 mg
U-HC-250-1	1,1,1-Trichloroethane 100 µg/mL in Methanol	1 mL
U-HC-250	1,1,1-Trichloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1053	1,1,1-Trichloroethane 1000 µg/mL in Methanol	1 mL
NIST-3011	1,1,1-Trichloroethane in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-HC-260-1	1,1,2-Trichloroethane 100 µg/mL in Methanol	1 mL
U-HC-260	1,1,2-Trichloroethane 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1054	1,1,2-Trichloroethane 5000 µg/mL in Methanol	1 mL
U-RHH-015	1,1,2-Trichloroethane	1 g
CHE 20	1,1,2-Trichloroethane	1.5 mL
U-HC-270-1	Trichloroethene 100 µg/mL in Methanol	1 mL
U-HC-270	Trichloroethene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1055	Trichloroethene 1000 µg/mL in Methanol	1 mL
U-RHH-022	Trichloroethene	1 g
CHE 05	Trichloroethene	1.5 mL
FL-46267-5ML	Trichloroethene OEKANAL®	5 mL
U-HC-280-1	Trichlorofluoromethane 100 µg/mL in Methanol	1 mL
U-HC-280	Trichlorofluoromethane 100 µg/mL in Methanol	4 x 1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-EPA-1056	Trichlorofluoromethane 5000 µg/mL in Methanol	1 mL
U-RPE-024	2,4,4'-Trichloro-2'-hydroxydiphenyl ether	50 mg
U-RCP-010	2,3,4-Trichlorophenol	20 mg
U-RCP-011	2,3,5-Trichlorophenol	20 mg
U-RCP-012	2,3,6-Trichlorophenol	20 mg
U-PH-260-1	2,4,5-Trichlorophenol 100 µg/mL in Methanol	1 mL
U-PH-260	2,4,5-Trichlorophenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1162	2,4,5-Trichlorophenol 5000 µg/mL in Methanol	1 mL
U-RCP-013	2,4,5-Trichlorophenol	20 mg
U-PH-200-1	2,4,6-Trichlorophenol 100 µg/mL in Methanol	1 mL
U-PH-200	2,4,6-Trichlorophenol 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1163	2,4,6-Trichlorophenol 5000 µg/mL in Methanol	1 mL
U-RCP-014	2,4,6-Trichlorophenol	20 mg
IPO P11	2,4,6-Trichlorophenol	100 mg
U-RCP-015	3,4,5-Trichlorophenol	20 mg
CERERT-039	3,4,5-Trichlorophenol	100 mg
U-HC-440-1	1,2,3-Trichloropropane 100 µg/mL in Methanol	1 mL
U-HC-440	1,2,3-Trichloropropane 100 µg/mL in Methanol	4 x 1 mL
U-PPS-250-1	1,2,3-Trichloropropane 1000 µg/mL in Methanol	1 mL
U-PPS-250	1,2,3-Trichloropropane 1000 µg/mL in Methanol	4 x 1 mL
U-PPS-251-1	1,2,3-Trichloropropane 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-251	1,2,3-Trichloropropane 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-EPA-1057	1,2,3-Trichloropropane 5000 µg/mL in Methanol	1 mL
NIST-3014	1,2,3-Trichloropropane in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RHH-039	1,2,3-Trichloropropane	1 g
FL-31711-5ML	1,2,3-Trichloropropane OEKANAL®	5 mL
U-EPA-1241	1,1,1-Trichloro-2-propanone 1000 µg/mL in Methanol	1 mL
U-RCB-013	2,3,6-Trichlorotoluene	100 mg
U-RCB-012	2,4,5-Trichlorotoluene	100 mg
U-RCB-015	alpha,2,4-Trichlorotoluene	100 mg
U-RCB-014	alpha,2,6-Trichlorotoluene	100 mg
U-RCB-016	alpha,3,4-Trichlorotoluene	100 mg
U-HC-480-1	1,1,2-Trichlorotrifluoroethane 100 µg/mL in Methanol	1 mL
U-HC-480	1,1,2-Trichlorotrifluoroethane 100 µg/mL in Methanol	4 x 1 mL
U-RNA-025	n-Tricosane	1 g
U-RNA-004	n-Tridecane	1 g
CHE 153	Tridecane	2 mL
<b>New</b> FL-91490-5ML	n-Tridecane	5 mL
U-CFC-140-1	Trifluoromethane (Freon 23) 100 µg/mL in Methanol	1 mL
U-CFC-140	Trifluoromethane (Freon 23) 100 µg/mL in Methanol	4 x 1 mL
U-STS-221-1	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol	1 mL
U-STS-221	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol	4 x 1 mL
U-RAB-006	1,2,3-Trimethylbenzene	100 mg
CHE 130	1,2,3-Trimethylbenzene	2 mL
FL-45935-250MG	1,2,3-Trimethylbenzene OEKANAL®	250 mg
U-AM-280-1	1,2,4-Trimethylbenzene 100 µg/mL in Methanol	1 mL
U-AM-280	1,2,4-Trimethylbenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1058	1,2,4-Trimethylbenzene 5000 µg/mL in Methanol	1 mL
U-RAB-005	1,2,4-Trimethylbenzene	100 mg
CHE 129	1,2,4-Trimethylbenzene	2 mL
U-AM-290-1	1,3,5-Trimethylbenzene 100 µg/mL in Methanol	1 mL

## Miscellaneous individual analytes

Code	Product	Unit
U-AM-290	1,3,5-Trimethylbenzene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1059	1,3,5-Trimethylbenzene 5000 µg/mL in Methanol	1 mL
U-RAB-007	1,3,5-Trimethylbenzene (Mesitylene)	100 mg
CHE 128	1,3,5-Trimethylbenzene	2 mL
U-NAI-170-1	1,3,5-Trinitrobenzene 100 µg/mL in Methanol	1 mL
U-NAI-170	1,3,5-Trinitrobenzene 100 µg/mL in Methanol	4 x 1 mL
U-RNH-106	2,4,7-Trinitro-9-fluorenone	25 mg
FL-45804-100MG	Triphenylene OEKANAL®	100 mg
U-PPS-110-1	Triphenyl phosphate (TPP) 500 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-110	Triphenyl phosphate (TPP) 500 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
U-RNA-002	n-Undecane	1 g
CHE 139	n-Undecane	2 mL
<b>New</b> FL-94000-5ML	n-Undecane	5 mL
U-RGO-609-1	Unleaded Premium Gasoline Standard 5000 µg/mL in Methylene chloride	1 mL
U-RGO-609	Unleaded Premium Gasoline Standard 5000 µg/mL in Methylene chloride	4 x 1 mL
U-RGO-608-1	Unleaded Regular Gasoline Standard 5000 µg/mL in Methylene chloride	1 mL
U-RGO-608	Unleaded Regular Gasoline Standard 5000 µg/mL in Methylene chloride	4 x 1 mL
U-NV-240B-1	Vinyl acetate 100 µg/mL in Acetonitrile	1 mL
U-NV-240B	Vinyl acetate 100 µg/mL in Acetonitrile	4 x 1 mL
U-EPA-1060	Vinyl acetate 5000 µg/mL in Acetonitrile	1 mL
U-RCC-218	Vinyl acetate	100 mg
U-HC-290-1	Vinyl chloride 100 µg/mL in Methanol	1 mL
U-HC-290	Vinyl chloride 100 µg/mL in Methanol	4 x 1 mL
<b>New</b> U-EPA-1250	Vinylchloride 1000 µg/mL in Methanol	1 mL
U-RCC-094	4-Vinylcyclohexene dioxide	1 g
U-AM-300-1	o-Xylene 100 µg/mL in Methanol	1 mL
U-AM-300	o-Xylene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1061	o-Xylene 5000 µg/mL in Methanol	1 mL
CERERX-011S	o-Xylene 5000 µg/mL in Methanol	1.2 mL
NIST-3003	o-Xylene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RAB-002	o-Xylene	100 mg
CHE USC 14	o-Xylene	2 mL
U-AM-310-1	m-Xylene 100 µg/mL in Methanol	1 mL
U-AM-310	m-Xylene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1062	m-Xylene 1000 µg/mL in Methanol	1 mL
CERERX-012S	m-Xylene 5000 µg/mL in Methanol	1.2 mL
NIST-3004	m-Xylene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RAB-003	m-Xylene	100 mg
CHE USC 15	m-Xylene	2 mL
<b>New</b> FL-95670-5ML	m-Xylene	5 mL
U-AM-320-1	p-Xylene 100 µg/mL in Methanol	1 mL
U-AM-320	p-Xylene 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1063	p-Xylene 5000 µg/mL in Methanol	1 mL
CERERX-002S	p-Xylene 5000 µg/mL in Methanol	1.2 mL
NIST-3005	p-Xylene in Methanol (mass fraction): 0.01 g/g	2 x 2.5 mL
U-RAB-004	p-Xylene	100 mg
CHE USC 16	p-Xylene	2 mL
<b>New</b> FL-95680-5ML	p-Xylene, (99.5%, GC)	5 mL
CERERC-054S	1-Chloro-2-fluorobenzene 5000 µg/mL in Methanol	1.2 mL

## ULTRA QuECh<sup>TM</sup> Standards

The QuEChERS method was introduced in 2003 by Anastassiades, Lehotay, et. al. and thereafter codified in two methods: EN 15662 and AOC 2007.1. It is an acronym for Quick, Easy, Cheap, Effective, Rugged and Safe. The four-step process requires homogenization of the food sample, partitioning of the pesticide analytes into an organic phase and final cleanup by a dispersive solid phase extraction. The supernatant is ready to be analyzed by GC/MS or HPLC.

### EN 15662 & Mini-Multiresidue Method

Code	Product	Unit
<b>New</b> U-PPS-490X	QuEChERS PCB 52 Standard, 50 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-500X	QuEChERS Triphenyl phosphate Standard, 20 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-510X	QuEChERS Tris-(1,3-dichloroisopropyl) phosphate Standard, 50 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-520X	QuEChERS Triphenylmethane Standard, 10 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-530X	QuEChERS Bis-nitrophenyl urea Standard, 10 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-560X	QuEChERS PCB 138 QC Standard, 50 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-570X	QuEChERS PCB 153 QC Standard, 50 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-580X	QuEChERS Anthracene-D <sub>10</sub> QC Standard, 100 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-590X	QuEChERS Anthracene QC Standard, 100 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-600X	QuEChERS IS Mixture #5 in Acetonitrile 6 analytes PCB 28 ..... 50 µg/mL      Triphenyl phosphate ..... 20 µg/mL PCB 18 ..... 50 µg/mL      Triphenylmethane ..... 10 µg/mL PCB 52 ..... 50 µg/mL      Tris-(1,3-dichloroisopropyl) phosphate ..... 50 µg/mL	5 mL
<b>New</b> U-PPS-603X	QuEChERS IS Mixture #2 in Acetonitrile 2 analytes Triphenyl phosphate ..... 20 µg/mL      Tris-(1,3-Dichloroisopropyl) phosphate ..... 20 µg/mL	5 mL
<b>New</b> U-PPS-630X	QuEChERS QC Mixture #2 in Acetonitrile 2 analytes PCB 153 ..... 50 µg/mL      PCB 138 ..... 50 µg/mL	5 mL
<b>New</b> U-PPS-602-1	QuEChERS IS Mixture #3 in Acetonitrile (concentrate) 3 analytes PCB 52 ..... 5000 µg/mL      Tris-(1,3-dichloroisopropyl) phosphate ..... 5000 µg/mL Triphenylmethane ..... 1000 µg/mL	1 mL
<b>New</b> U-PPS-602	QuEChERS IS Mixture #3 in Acetonitrile (concentrate)	4 x 1 mL
<b>New</b> U-PPS-604-1	QuEChERS IS Mixture #1 in Acetonitrile 2 analytes Nicarbacin ..... 10 µg/mL      Tris-(1,3-dichloroisopropyl) phosphate ..... 50 µg/mL	1 mL
<b>New</b> U-PPS-604	QuEChERS IS Mixture #1 in Acetonitrile	4 x 1 mL
<b>New</b> U-PPS-620-1	QuEChERS QC Mixture #1 in Acetonitrile 2 analytes PCB 138 ..... 50 µg/mL      Anthracene-D <sub>10</sub> ..... 100 µg/mL	1 mL
<b>New</b> U-PPS-620	QuEChERS QC Mixture #1 in Acetonitrile	4 x 1 mL
<b>New</b> U-PPS-480X	QuEChERS PCB 28 Standard, 50 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-470X	QuEChERS PCB 18 Standard, 50 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-460X	QuEChERS PCB 8 Standard, 50 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-601X	QuEChERS IS Mixture #4 in Acetonitrile 4 analytes PCB 28 ..... 50 µg/mL      PCB 52 ..... 50 µg/mL PCB 18 ..... 50 µg/mL      Tris-(1,3-dichloroisopropyl) phosphate ..... 50 µg/mL	5 mL

### AOAC 2007.1

<b>New</b> U-PPS-610-1	QuEChERS IS Mixture #6 in Acetonitrile 2 analytes alpha-HCH-D <sub>6</sub> (alpha-BHC-D <sub>6</sub> ) ..... 20 µg/mL      Parathion-D <sub>10</sub> (diethyl-D <sub>10</sub> ) ..... 20 µg/mL	1 mL
<b>New</b> U-PPS-610	QuEChERS IS Mixture #6 in Acetonitrile	4 x 1 mL
<b>New</b> U-PPS-501	QuEChERS Triphenyl phosphate Standard (concentrate), 500 µg/mL in Acetonitrile	4 x 1 mL
<b>New</b> U-PPS-501-1	QuEChERS Triphenyl phosphate Standard (concentrate), 500 µg/mL in Acetonitrile	1 mL
<b>New</b> U-PPS-540X	QuEChERS Parathion-D <sub>10</sub> (diethyl-D <sub>10</sub> ) QC Standard, 40 µg/mL in Acetonitrile	5 mL
<b>New</b> U-PPS-550X	QuEChERS alpha-HCH-D <sub>6</sub> (alpha-BHC-D <sub>6</sub> ) QC Standard, 40 µg/mL in Acetonitrile	5 mL

## Standards for the Italian Environmental Regulation DM 471

DM471 is an Italian environmental regulation used primarily for the detection of organic and inorganic pollutants in soil. DM471 was included in D.L. 152/06, the recognized Italian regulation for environmental analysis of soil, water, emissions, etc. Various labs around the globe that used EPA Method 8270C for the analysis have now switched to DM471.

Code	Product	Unit
U-D471-A-1	Method DM 471 Standard Mixture 1 1000 µg/mL of each analyte in Methanol Benzene Ethylbenzene Styrene tert-Butylmethyl ether (MTBE)	1 mL
	Toluene o-Xylene m-Xylene p-Xylene	
U-D471-A	Method DM 471 Standard Mixture 1	4 x 1 mL
U-D471-B-1	Method DM 471 Standard Mixture 2 10 µg/mL of each analyte in Methanol Benzene Ethylbenzene Styrene tert-Butylmethyl ether (MTBE)	1 mL
	Toluene o-Xylene m-Xylene p-Xylene	
U-D471-B	Method DM 471 Standard Mixture 2	4 x 1 mL
U-D471-C-1	Method DM 471 Standard Mixture 3 10 µg/mL of each analyte in Methanol Aniline Diphenylamine	1 mL
	o-Toluidine o-Anisidine	
	m-Anisidine p-Anisidine	
	p-Toluidine	
U-D471-C	Method DM 471 Standard Mixture 3	4 x 1 mL
U-D471-D-1	Method DM 471 Standard Mixture 4 500 µg/mL of each analyte in Methanol n-Pentane n-Hexane	1 mL
	n-Heptane n-Octane	
	n-Nonane n-Decane	
	n-Undecane n-Dodecane	
U-D471-D	Method DM 471 Standard Mixture 4	4 x 1 mL
U-D471-E-1	Method DM 471 Standard Mixture 5 100 µg/mL of each analyte in Methanol Aniline Diphenylamine	1 mL
	o-Toluidine o-Anisidine	
	m-Anisidine p-Anisidine	
	p-Toluidine	
U-D471-E	Method DM 471 Standard Mixture 5	4 x 1 mL
U-D471-F-1	Method DM 471 Standard Mixture 6 100 µg/mL of each analyte in Methanol Chlorobenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene	1 mL
	1,2,4-Trichlorobenzene 1,2,4,5-Tetrachlorobenzene Pentachlorobenzene Hexachlorobenzene	
U-D471-F	Method DM 471 Standard Mixture 6	4 x 1 mL
U-D471-G-1	Method DM 471 Standard Mixture 7 100 µg/mL of each analyte in Methanol 2-Chlorophenol 4-Chlorophenol 2,4-Dichlorophenol	1 mL
	2,4,6-Trichlorophenol Pentachlorophenol Phenol	
	o-Cresol (2-Methylphenol) m-Cresol (3-Methylphenol) p-Cresol (4-Methylphenol)	
U-D471-G	Method DM 471 Standard Mixture 7	4 x 1 mL
U-D471-H-1	Method DM 471 Standard Mixture 8 100 µg/mL of each analyte in Methanol Chloromethane Chloroform Vinyl chloride 1,2-Dichloroethane 1,1-Dichloroethene 1,1-Dichloroethane trans-1,2-Dichloroethene	1 mL
	Methylene chloride (Dichloromethane) Bromoform 1,2-Dibromoethane (EDB) Dibromochloromethane Bromodichloromethane 1,2-Dichloropropane	
U-D471-H	Method DM 471 Standard Mixture 8	4 x 1 mL
U-D471-L-1	Method DM 471 Standard Mixture 9 100 µg/mL of each analyte in Methanol Nitrobenzene 1,2-Dinitrobenzene m-Dinitrobenzene 1-Chloro-2-nitrobenzene	1 mL
	1-Chloro-3-nitrobenzene 1-Chloro-4-nitrobenzene 2,5-Dichloronitrobenzene 3,4-Dichloronitrobenzene	

## Organotin compounds

Code	Product	Unit
U-D471-L	Method DM 471 Standard Mixture 9	4 x 1 mL
U-D471-I-1	Method DM 471 Standard Mixture 10 100 µg/mL of each analyte in Methanol 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,1,2,2-Tetrachloroethane	1 mL
U-D471-I	Method DM 471 Standard Mixture 10	4 x 1 mL
U-PAH-471-1	Method DM 471 PAH Standard 10 µg/mL of each analyte in Acetonitrile Benzo[a]pyrene Benzo[b]fluoranthene Benzo[ghi]perylene Benz[a]anthracene Benzo[k]fluoranthene Chrysene Dibenz[a,h]anthracene Indeno[1,2,3-cd]pyrene Pyrene Dibenzo[a,e]pyrene Dibenzo[a,i]pyrene Dibenzo[a,h]pyrene Dibenzo[a,l]pyrene	1 mL
U-PAH-471	Method DM 471 PAH Standard	4 x 1 mL
U-P-791-1	Dibenzo[a,l]pyrene 200 µg/mL in Dichloromethane	1 mL
U-P-791	Dibenzo[a,l]pyrene 200 µg/mL in Dichloromethane	4 x 1 mL
U-P-801-1	Dibenzo[a,e]pyrene 200 µg/mL in Dichloromethane	1 mL
U-P-801	Dibenzo[a,e]pyrene 200 µg/mL in Dichloromethane	4 x 1 mL
U-P-821-1	Dibenzo[a,h]pyrene 200 µg/mL in Dichloromethane	1 mL
U-P-801	Dibenzo[a,e]pyrene 200 µg/mL in Dichloromethane	4 x 1 mL
U-PPM-471-1	Method DM 471 Pesticides Standard 100 µg/mL of each analyte in Acetone Alachlor Aldrin Atrazine alpha-BHC (alpha-HCH) beta-BHC (beta-HCH) gamma-BHC (Lindane) Chlordane 2,4'-DDD 4,4'-DDD 4,4'-DDE 2,4'-DDT 4,4'-DDT Dieldrin Endrin	1 mL
U-PPM-471	Method DM 471 Pesticides Standard	4 x 1 mL

## Organotin compounds

As a result of their antibacterial and fungicidal properties organotin compounds have, for many years, been used as preservatives for wood, textiles, leather, and paper, and as a disinfectant in cooling water systems. In agriculture they have been used as acaricides for the treatment of algal infestation in rice and potato rot. The high toxicity of organotin compounds to a wide variety of aquatic organisms including fish, oysters and mussels has led to a ban on such compounds in marine antifouling paints in a growing number of countries. In the environment the more toxic trialkyl tin compounds are broken down by UV light to the di- and monoalkyl tin compounds.

Code	Product	Unit
CRO-TF 03435-3X	Dimethyltin dichloride	3 x 100 mg
DE-MS-03436-0.3	Tripropyltin chloride	300 mg
DE-MS-02122-0.3	Tetrapropyltin	300 mg
DE-MS-03437-0.3	Monobutyltin trichloride	300 mg
DE-MS-03438-0.3	Dibutyltin dichloride	300 mg
DE-MS-03439-0.3	Tributyltin chloride	300 mg
CIL-ULM-8061-1.2	Tributyltin chloride 100 µg/mL in Methylene chloride	1.2 mL
CIL-DLM-7136-1.2	Tributyltin chloride (D <sub>27</sub> , 98%) 100 µg/mL in Methylene chloride-D <sub>2</sub>	1.2 mL
DE-MS-03435-0.3	Tetrapentyltin	300 mg
DE-MS-03441	Monoheptyltin trichloride (internal standard)	300 mg
DE-MS-03442-0.3	Diheptyltin dichloride (internal standard)	300 mg
DE-MS-03443-0.3	Monooctyltin trichloride	300 mg
DE-MS-03444	Diocetyl tin dichloride	300 mg
CRO-TF 03446-3X	Tetraoctyltin	3 x 100 mg
DE-MS-03447-0.3	Tricyclohexyltin chloride	300 mg
DE-MS-03448-0.3	Triphenyltin chloride	300 mg

## Aldehydes / Ketones-DNPH standards

Code	Product	Unit
<b>Organotin mixtures</b>		
SL31000	Organotin Mix 8 - Stock solution (DIN EN ISO 17353) DIN 38407-F13 - Determination of selected organotin compounds by gas chromatography. Each 1 mg/mL of the organotin cation in Methanol Monobutyltin trichloride Di-n-butyltin dichloride Tributyltin chloride Tetrabutyltin	100 mL
	Monooctyltin trichloride Dioctyltin dichloride Triphenyltin chloride Tricyclohexyltin chloride	
SL31005	Organotin Mix 8 - Stock solution (DIN EN ISO 17353) CERTAN® DIN 38407-F13 - Determination of selected organotin compounds by gas chromatography. Each 1 mg/mL of the organotin cation in Methanol Monobutyltin trichloride Di-n-butyltin dichloride Tributyltin chloride Tetrabutyltin	10 mL
	Monooctyltin trichloride Dioctyltin dichloride Triphenyltin chloride Tricyclohexyltin chloride	
SL31010	Organotin Mix 4 - Internal standard (DIN EN ISO 17353) DIN 38407-F13 - Determination of selected organotin compounds by gas chromatography. Each 1 mg/mL of the organotin cation in Methanol Monoheptyl tin trichloride Diheptyl tin dichloride	100 mL
	Tripropyltin chloride Tetrapropyltin	
SL31015	Organotin Mix 4 - Internal standard (DIN EN ISO 17353) CERTAN® DIN 38407-F13 - Determination of selected organotin compounds by gas chromatography. Each 1 mg/mL of the organotin cation in Methanol Monoheptyl tin trichloride Diheptyl tin dichloride	10 mL
	Tripropyltin chloride Tetrapropyltin	
IES-MDT119	<sup>119</sup> Sn-enriched Butyltin Mix Solvent: Acetic acid/ methanol (3:1) Monobutyltin ( <sup>119</sup> Sn,82.4%) ..... 0.110 ± 0.005 µg/g as Sn Dibutyltin ( <sup>119</sup> Sn,82.4%) ..... 0.691 ± 0.009 µg/g as Sn Tributyltin ( <sup>119</sup> Sn,82.4%) ..... 1.046 ± 0.020 µg/g as Sn Isotopic composition <b>Isotope</b> Sn-112   Sn-114   Sn-115   Sn-117   Sn-118   Sn-119   Sn-120   Sn-122   Sn-124 <b>Content (%)</b> <0.01   <0.01   <0.01   0.114   14.33   82.40   3.13   <0.01   <0.01	1 mL

### Derivatisation reagents

DE-MS-03402S-5	Sodium tetraethylborate 20% in THF	5 g
DE-MS-03402S-25	Sodium tetraethylborate 20% in THF	25 g
DE-MS-03402S-5x	Sodium tetraethylborate 20% in THF	5 x 25 g
DE-MS-03401-1*	Sodium tetraethylborate	1 g
DE-MS-03401-5*	Sodium tetraethylborate	5 g
DE-MS-03401-25*	Sodium tetraethylborate	25 g
DE-MS-03415S-5	Sodium tetra-n-propylborate 20% in THF	5 g
DE-MS-03415S-25	Sodium tetra-n-propylborate 20% in THF	25 g
DE-MS-03410-1	Sodium tetra-n-propylborate	1 g
DE-MS-03410-5	Sodium tetra-n-propylborate	5 g

\*Sodium tetraethylborate and Sodium tetra-n-propylborate is not available in all countries. Please contact your local office for more details.

## Aldehydes / Ketones-DNPH standards

Code	Product	Unit
CERERA-012	Acetaldehyde-DNPH	10 mg
BCR-547	Acetaldehyde-2,4-dinitrophenylhydrazone Certified purity..... 98.3 %	10 mg
CERERA-024S	Acetaldehyde-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERA-011	Acetone-DNPH	10 mg
BCR-549	Acetone-2,4-dinitrophenylhydrazone Certified purity..... > 99.6 %	10 mg
CERERA-025S	Acetone-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERA-021	Acetophenone-DNPH	10 mg



## Aldehydes / Ketones-DNPH standards

Code	Product	Unit
CERERA-014	Acrolein-DNPH	10 mg
BCR-548	Acrolein-2,4-dinitrophenylhydrazone Certified purity..... > 97.9 %	10 mg
CERERB-017	Benzaldehyde-DNPH	10 mg
CERERB-026S	Benzaldehyde-DNPH 100 µg/mL* in Acetonitrile	1.2 mL
CERERB-023	1,4-Benzoquinone-DNPH (mono)	10 mg
CERERB-016	2-Butanone (MEK)-DNPH	10 mg
CERERB-028S	2-Butanone (MEK)-DNPH 100 µg/mL* in Methanol	1.2 mL
CERERB-018	n-Butyraldehyde-DNPH	10 mg
CERERB-029S	n-Butyraldehyde-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERC-006	Crotonaldehyde-DNPH	10 mg
CERERC-011S	Crotonaldehyde-DNPH 100 µg/mL* in Acetonitrile	1.2 mL
CERERC-016	Cyclohexanone-DNPH	10 mg
CERERD-030	2,5-Dimethylbenzaldehyde-DNPH	10 mg
CERERD-035S	2,5-Dimethylbenzaldehyde-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERF-003	Formaldehyde-DNPH	10 mg
BCR-546	Formaldehyde-2,4-dinitrophenylhydrazone Certified purity..... > 0.993	10 mg
CERERF-004S	Formaldehyde-DNPH 100 µg/mL* in Acetonitrile	1.2 mL
CERERF-005S	Formaldehyde-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERG-002	Glutaraldehyde-DNPH	10 mg
BCR-550	Glutaraldehyde-2,4-dinitrophenylhydrazone Certified purity..... > 98.1 %	10 mg
CERERH-011	Heptaldehyde-DNPH	10 mg
CERERI-003	Isobutyraldehyde-DNPH	10 mg
CERERI-005	Isophorone-DNPH	10 mg
CERERI-004	Isovaleraldehyde-DNPH	10 mg
CERERI-009S	Isovaleraldehyde-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERM-002	Methacrolein-DNPH	10 mg
CERERM-022S	Methacrolein-DNPH 100 µg/mL* in Acetonitrile	1.2 mL
CERERM-020	Methyl isobutyl ketone-DNPH	10 mg
CERERM-023S	Methyl isobutyl ketone-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERM-024	Methyl isopropyl ketone-DNPH	10 mg
CERERP-005	Propionaldehyde-DNPH	10 mg
CERERP-030S	Propionaldehyde-DNPH 500 µg/mL* in Acetonitrile	1.2 mL
CERERT-007	m-Tolualdehyde-DNPH	10 mg
CERERT-027S	m-Tolualdehyde-DNPH 100 µg/mL* in Acetonitrile	1.2 mL
CERERT-012	o-Tolualdehyde-DNPH	10 mg
CERERT-011	p-Tolualdehyde-DNPH	10 mg
CERERV-001	Valeraldehyde-DNPH	10 mg

\*as aldehyde or ketone



## Cyanobacterial toxins

Code	Product	Unit																																																																																																
CERERA-030	Aldehyde/Ketone-DNPH Calibration KIT-15 Each kit contains one 3.0 mL ampoule of C1, C2, C3, C4 and C5. Solvent: Acetonitrile Concentrations (µg/mL) as Aldehyde or Ketone	kit																																																																																																
	<table border="1"> <thead> <tr> <th>Analytes</th> <th>C1</th> <th>C2</th> <th>C3</th> <th>C4</th> <th>C5</th> </tr> </thead> <tbody> <tr> <td>Acetaldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Acetone-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Acrolein-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Benzaldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>n-Butyraldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Crotonaldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>2,5-Dimethylbenzaldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Formaldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Hexaldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Isovaleraldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Propionaldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>m-Tolualdehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>o-Tolualdehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>p-Tolualdehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> <tr> <td>Valeraldehyde-DNPH.....</td> <td>0.01</td> <td>0.02</td> <td>0.05</td> <td>0.10</td> <td>0.50</td> </tr> </tbody> </table>	Analytes	C1	C2	C3	C4	C5	Acetaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	Acetone-DNPH.....	0.01	0.02	0.05	0.10	0.50	Acrolein-DNPH.....	0.01	0.02	0.05	0.10	0.50	Benzaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	n-Butyraldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	Crotonaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	2,5-Dimethylbenzaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	Formaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	Hexaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	Isovaleraldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	Propionaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	m-Tolualdehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	o-Tolualdehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	p-Tolualdehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	Valeraldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50	
Analytes	C1	C2	C3	C4	C5																																																																																													
Acetaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Acetone-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Acrolein-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Benzaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
n-Butyraldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Crotonaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
2,5-Dimethylbenzaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Formaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Hexaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Isovaleraldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Propionaldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
m-Tolualdehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
o-Tolualdehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
p-Tolualdehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													
Valeraldehyde-DNPH.....	0.01	0.02	0.05	0.10	0.50																																																																																													

## Cyanobacterial toxins

Code	Product	Unit
NRCCRM-CYN	Cylindrospermopsin solution Each ampoule contains approximately 0.5 mL of solution with 30 ± 2 mmoles/L (12.6 ± 0.8 µg/L at 20 °C) of cylindrospermopsin in filtered, deionized water.	0.5 mL
MCLR-A	Microcystin-LR 10 µg/mL in Methanol	1 mL
MCRR-A	Microcystin-RR 10 µg/mL in Methanol	1 mL
<b>New</b> MCRR-P1ML	[D-Asp3,(E)-Dhb7]-Microcystin RR from Planktothrix sp. 10 µg/mL in Methanol	1 mL
MCYR-A	Microcystin-YR 10 µg/mL in Methanol	1 mL
<b>New</b> MCNOD-1ML	Nodularin 10 µg/mL in Methanol	1 mL
MC-MAS	Microcystin Mix Solvent: Methanol Microcystin-LR ..... 5 µg/mL      Microcystin-RR ..... 5 µg/mL      Microcystin-YR ..... 5 µg/mL	1 mL

## Test mixtures for GC and LC

### GC column test mixtures

Code	Product	Unit																								
U-KGCC-101	Capillary Column Test Mixture 12 analytes in Methylene chloride (Dichloromethane)	2 mL																								
	<table border="1"> <tbody> <tr> <td>Methyl decanoate.....</td> <td>0.423 µg/µL</td> <td>2,6-Dimethylphenol.....</td> <td>0.320 µg/µL</td> </tr> <tr> <td>Methyl undecanoate.....</td> <td>0.419 µg/µL</td> <td>Dicyclohexylamine.....</td> <td>0.313 µg/µL</td> </tr> <tr> <td>Methyl dodecanoate.....</td> <td>0.413 µg/µL</td> <td>2-Ethylhexanoic acid.....</td> <td>0.380 µg/µL</td> </tr> <tr> <td>Nonanal.....</td> <td>0.400 µg/µL</td> <td>1-Octanol.....</td> <td>0.355 µg/µL</td> </tr> <tr> <td>2,3-Butanediol.....</td> <td>0.530 µg/µL</td> <td>n-Undecane.....</td> <td>0.287 µg/µL</td> </tr> <tr> <td>2,6-Dimethylaniline.....</td> <td>0.320 µg/µL</td> <td>n-Decane.....</td> <td>0.283 µg/µL</td> </tr> </tbody> </table>	Methyl decanoate.....	0.423 µg/µL	2,6-Dimethylphenol.....	0.320 µg/µL	Methyl undecanoate.....	0.419 µg/µL	Dicyclohexylamine.....	0.313 µg/µL	Methyl dodecanoate.....	0.413 µg/µL	2-Ethylhexanoic acid.....	0.380 µg/µL	Nonanal.....	0.400 µg/µL	1-Octanol.....	0.355 µg/µL	2,3-Butanediol.....	0.530 µg/µL	n-Undecane.....	0.287 µg/µL	2,6-Dimethylaniline.....	0.320 µg/µL	n-Decane.....	0.283 µg/µL	
Methyl decanoate.....	0.423 µg/µL	2,6-Dimethylphenol.....	0.320 µg/µL																							
Methyl undecanoate.....	0.419 µg/µL	Dicyclohexylamine.....	0.313 µg/µL																							
Methyl dodecanoate.....	0.413 µg/µL	2-Ethylhexanoic acid.....	0.380 µg/µL																							
Nonanal.....	0.400 µg/µL	1-Octanol.....	0.355 µg/µL																							
2,3-Butanediol.....	0.530 µg/µL	n-Undecane.....	0.287 µg/µL																							
2,6-Dimethylaniline.....	0.320 µg/µL	n-Decane.....	0.283 µg/µL																							

### GC detector test mixtures

U-FIDM	Flame Ionization Detector Test Mixture Solvent: Hexane n-Tetradecane ..... 0.033 % (w/w) n-Pentadecane ..... 0.033 % (w/w) n-Hexadecane..... 0.033 % (w/w)	3 x 1 mL
U-ECDM	Electron Capture Detector Test Mixture Solvent: iso-Octane (2,2,4-Trimethylpentane) Aldrin..... 33 pg/µL gamma-HCH (Lindane)..... 33 pg/µL	3 x 1 mL

### GC/MS calibration

<b>New</b> U-GCS-200	Perfluorotributylamine (FC-43)	2 mL
----------------------	--------------------------------	------

## Standards for the determination of AOX (EN ISO 9562)

Code	Product	Unit
<b>GC/MS system performance</b>		
NIST-1543	GC/MS system performance This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use in evaluating the sensitivity of gas chromatography/mass spectrometry (GC/MS) instrumentation. NIST-1543 consists of four solutions; two concentrations of methyl stearate in hexane and two concentrations of benzphenone in hexane.	set (4)
<b>LC test mixtures</b>		
NIST-870	Column performance test mixture for liquid chromatography 5 x 1.1 mL NIST-870 is a mixture of five organic compounds in methanol intended for use in characterising general aspects of liquid chromatographic (LC) column performance, including efficiency, void volume, methylene selectivity, retentiveness, and activity toward chelators and organic bases. Other possible uses include column classification to aid column selection during method development, as a control material for monitoring LC column performance over time, and in quality control for column manufacturing. NIST-870 consists of a mixture of the following five organic compounds in methanol: uracil, toluene, ethylbenzene, quinizarin, and amitriptyline.	set
NIST-877	Chiral selectivity test mixtures for liquid chromatography NIST-877 consists of five solutions of chiral compounds in ethanol designed primarily to indicate enantioselectivity of chiral stationary phases for liquid chromatography and supercritical fluid chromatography. NIST-877 is also suitable for use as a control material for monitoring column performance, comparisons of columns having similar chiral selectors, and (3) use in quality control for column manufacturing. A unit of NIST-877 consists of 5 ampoules, each containing 1.1 mL of a solution of one racemic or enantiomerically enriched (nonracemic) compound. The five compounds are ketoprofen, indapamide, N-carbobenzyloxy-phenylalanine (N-CBZ-phenylalanine), propranolol hydrochloride, and warfarin.	set
NIST-869B	Column selectivity test mixture for liquid chromatography This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is a mixture of three polycyclic aromatic hydrocarbons (PAHs) in acetonitrile: benzo[a]pyrene (BaP), 1,2:3,4:5,6:7,8-tetrabenzonaphthalene (TBN, dibenzo[g,p]chrysene), and phenanthro[3,4-c]phenanthrene (PhPh). NIST-869b is useful for characterising liquid chromatographic (LC) column selectivity for separation of PAHs. Depending on the elution order of the three components, column selectivity can be predicted for complex PAH mixtures (particularly isomeric PAHs). Even though the primary use of this mixture in the past has been to characterise columns for PAH separations, applications to the assessment of column selectivity for other classes of compounds such as carotene isomers has also been demonstrated. A unit of NIST-869b consists of 5 ampoules, each containing 1.1 mL of the PAH mixture.	set
CERERR-004	HPLC Reverse Phase Test Mix Solvent: Acetonitrile:Water (60:40) Methylbenzoate..... 3210 µg/mL      Phenetole .....5130 µg/mL      o-Xylene ..... 7019 µg/mL 4-Nitroaniline..... 240 µg/mL      Theophylline .....100 µg/mL	1.2 mL
<b>New</b> U-LCS-6762	LC Caffeine Standards Kit Each kit contains five vials 1 x 5 mL of each individual standard in Water Caffeine ..... 5 µg/mL Caffeine .....25 µg/mL Caffeine ..... 125 µg/mL Caffeine .....250 µg/mL Caffeine .....500 µg/mL	5 x 5 mL
<b>New</b> U-LCS-4045	LC Caffeine Standards Kit Each kit contains six vials 1 x 10 mL of each individual standard in Water Caffeine ..... 15 µg/mL Caffeine .....40 µg/mL Caffeine .....60 µg/mL Caffeine .....80 µg/mL Caffeine ..... 100 µg/mL Caffeine ..... 1000 µg/mL	kit
<b>New</b> U-LCS-6917	LC/MS Caffeine Standards Kit Each kit contains five vials 1 x 5 mL of each individual standard in Water Caffeine .....0.5 µg/mL Caffeine ..... 1 µg/mL Caffeine ..... 5 µg/mL Caffeine .....25 µg/mL Caffeine .....50 µg/mL	5 x 5 mL

## Standards for the determination of AOX (EN ISO 9562)

Code	Product	Unit
SL36000	4-Chlorophenol stock solution for the determination of AOX (ISO 9562:2004) 725 mg/L in Water (AOX = 200 mg/L)	100 mL
SL36010	4-Chlorophenol working solution for the determination of AOX (ISO 9562:2004) 3.625 mg/L in Water (AOX = 1 mg/L)	100 mL

## Standards for the determination of EOX and POX (DIN 38414-S 17)

Code	Product	Unit
SL36050	4-Chlorophenol stock solution for DIN 38414-S 17 363 mg/L in n-Heptane (Cl = 100 mg/L)	100 mL
SL36060	4-Chlorophenol working solution for DIN 38414-S 17 36.3 mg/L in n-Heptane (Cl = 10 mg/L)	100 mL
SL36080	Sodium chloride stock solution for DIN 38414-S 17 165 mg/L in Water (Cl = 100 mg/L)	100 mL
SL36090	Sodium chloride standard solution for DIN 38414-S 17 1.65 mg/L in Water (Cl = 1000 µg/L)	100 mL


## Standards for TOC and TIC

Total Organic Carbon (TOC) detection is an important measurement because of the effects it may have on the environment, human health, and manufacturing processes. TOC detection is a highly sensitive, non-specific measurement of all organics present in a sample. Low TOC can confirm the absence of potentially harmful organic chemicals in water used to manufacture pharmaceutical products or to regulate the organic chemical discharge to the environment in a manufacturing plant. Total Inorganic Carbon (TIC) is measured as part of the equation to determine TOC:  $TOC = TC$  (Total Carbon)-TIC.


Code	Product	Unit
U-IQC-111	Total Organic Carbon (TOC) Standard 0.5 mg/L	250 mL
U-IQC-111-5	Total Organic Carbon (TOC) Standard 0.5 mg/L	500 mL
U-IQC-107	Total Organic Carbon (TOC) Standard 1 mg/L	250 mL
U-IQC-107-5	Total Organic Carbon (TOC) Standard 1 mg/L	500 mL
U-IQC-108	Total Organic Carbon (TOC) Standard 10 mg/L	250 mL
U-IQC-108-5	Total Organic Carbon (TOC) Standard 10 mg/L	500 mL
U-IQC-101	Total Organic Carbon (TOC) Standard in Water 25 mg/L	250 mL
U-IQC-101-5	Total Organic Carbon (TOC) Standard in Water 25 mg/L	500 mL
U-IQC-102	Total Organic Carbon (TOC) Standard in Water 50 mg/L	250 mL
U-IQC-102-5	Total Organic Carbon (TOC) Standard in Water 50 mg/L	500 mL
U-IQC-103	Total Organic Carbon (TOC) Standard in Water 100 mg/L	250 mL
U-IQC-103-5	Total Organic Carbon (TOC) Standard in Water 100 mg/L	500 mL
U-IQC-104	Total Organic Carbon (TOC) Standard in Water 250 mg/L	250 mL
U-IQC-104-5	Total Organic Carbon (TOC) Standard in Water 250 mg/L	500 mL
U-IQC-105	Total Organic Carbon (TOC) Standard in Water 500 mg/L	250 mL
U-IQC-105-5	Total Organic Carbon (TOC) Standard in Water 500 mg/L	500 mL
U-IQC-106	Total Organic Carbon (TOC) Standard in Water 1000 mg/L	250 mL
U-IQC-106-5	Total Organic Carbon (TOC) Standard in Water 1000 mg/L	500 mL
U-ICC-033	Total Inorganic Carbon (TIC) Standard in Water 1000 mg/L	250 mL
U-ICC-033-5	Total Inorganic Carbon (TIC) Standard in Water 1000 mg/L	4 x 125mL
U-ICC-033-L	Total Inorganic Carbon (TIC) Standard in Water 1000 mg/L	1000 mL

## Derivatisation reagents

Code	Product	Unit
CERB-023	BSTFA with 1% TMCS	10 x 1 mL
U-RGO-200	MSTFA (N-methyl-N-(trimethylsilyl) trifluoroacetamide)	5 g



Code	Product	Unit
CERM-108	MTBSTFA (with 1% t-BDMCS)	5 x 1 mL
DE-MS-03401-1*	Sodium tetraethylborate	1 g
DE-MS-03401-5*	Sodium tetraethylborate	5 g
DE-MS-03401-25*	Sodium tetraethylborate	25 g
DE-MS-03410-1	Sodium tetra-n-propylborate	1 g
DE-MS-03410-5	Sodium tetra-n-propylborate	5 g



\*Sodium tetraethylborate and Sodium tetra-n-propylborate is not available in all countries. Please contact your local office for more details.

## Standards for Spectroscopy

### Introduction

This comprehensive range of elemental standards has been compiled by selecting complementary materials from two sources, NIST and ULTRA Scientific Inc. Their combined range covers virtually all calibration needs for elemental emission spectroscopy instruments.

It is important to understand that there are fundamental differences between standards prepared for atomic absorption spectroscopy (AAS) and ICP and ICP-MS techniques. This is because of the intrinsic difference in the way measurement is carried out. In AAS the sample is energised by combustion, a specific light source is passed through the flame and elements present in the sample absorb at a specific wavelength. With ICP and ICP-MS the sample is energised to the point where the elements in the sample emit energy at a specific wavelength. Because measurement is dependent on specific emission there is a considerable potential for impurities to interfere with the analyte of interest. The distinction between AAS and ICP standards is the purity of starting materials. Typically material of 99.9 or 99.99% purity is suitable for AAS, but for critical ICP work the standards need to be produced from a starting material that is 99.999% or better. Remember that ICP/ICP-MS standards are perfectly suitable for AAS, but not the reverse.

### NIST Standard Reference Materials® (SRMs®)

NIST Standard Reference Materials® are certified by procedures that conform with the requirements of ISO Guides 30 to 35, and are therefore accepted as primary standards for use in atomic absorption spectroscopy (AAS), optical emission spectroscopy (OES), inductively coupled plasma (ICP), mass [plasma] spectroscopy (MS), ion chromatography or any other analytical technique that requires aqueous solutions of elements for calibration. These SRM® Standards are the most precise and accurate solutions available and are best used as single element solutions.

### ULTRA Scientific certified ICP/AA standards

The ULTRA Scientific range of single and multi-element solutions in this catalogue are of the highest quality. ULTRA Scientific are one of the leading manufacturers in the US and have an ISO 9001 registered quality system verified by their ISO 17025 accredited laboratory. The ICP/AA standards are prepared from starting materials having a purity of 99.999% (where possible), high purity acids and ASTM Type I water (18 megohm). Standards are traceable to NIST Standard Reference Materials® (SRM®) whenever possible. Solution density data are available for single element standards.

### New ULTRAgold® ISO Guide 34 products to meet the needs of accredited laboratories

#### From 100 mL to 125 mL

ULTRA Scientific inorganic standards - 25% extra free!

ULTRA Scientific increased the volume of their inorganic standards from 100 mL to 125 mL for the same price as 100 mL !

#### From 500 mL to 4 x 125 mL

ULTRA has changed the standard unit size from 500 mL to 4 x 125 mL. This convenient standard size allows to work with a freshly opened standard solution and minimizes possible concentration changes and contamination.

## Single element standards for ICP

	Code	Product	Unit
<b>Aluminium - Al</b>			
	NIST-3101a	Al in 10% HNO <sub>3</sub> , 10 mg/g	50 mL
<b>New</b>	U-ICP-413	ULTRAgold® Aluminum (Al) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-313	ULTRAgold® Aluminum (Al) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-013	Al in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-013-5	Al in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-013-L	Al in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-113	Al in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-113-5	Al in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-113-L	Aluminum (Al) in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Antimony - Sb</b>			
	NIST-3102a	Sb in 10% HNO <sub>3</sub> + 2% HF, 10 mg/g	50 mL
<b>New</b>	U-ICP-451	ULTRAgold® Antimony (Sb) in dilute HNO <sub>3</sub> with trace tartaric acid, 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-351	ULTRAgold® Antimony (Sb) in dilute HNO <sub>3</sub> with trace tartaric acid, 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-051	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 1000 µg/mL	125 mL
	U-ICP-051-5	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-051-L	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 1000 µg/mL	1 L
	U-ICP-151	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 10 000 µg/mL	125 mL
	U-ICP-151-5	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-151-L	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 10 000 µg/mL	1 L
<b>Arsenic - As</b>			
	NIST-3103a	As in 15% HNO <sub>3</sub> , 10 mg/g	50 mL
<b>New</b>	U-ICP-433	ULTRAgold® Arsenic (As) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-333	ULTRAgold® Arsenic (As) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-033	As in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-033-5	As in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-033-L	As in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-133	As in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-133-5	As in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-133-L	As in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Barium - Ba</b>			
	NIST-3104a	Ba in 1% HNO <sub>3</sub> , 10 mg/g	50 mL
<b>New</b>	U-ICP-456	ULTRAgold® Barium (Ba) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-356	ULTRAgold® Barium (Ba) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-056	Ba in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-056-5	Ba in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-056-L	Ba in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-156	Ba in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-156-5	Ba in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-156-L	Ba in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Beryllium - Be</b>			
	NIST-3105a	Be in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-404	ULTRAgold® Beryllium (Be) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-304	ULTRAgold® Beryllium (Br) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-004	Be in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-004-5	Be in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL



## Single element standards for ICP

Code	Product	Unit
U-ICP-004-L	Be in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-104	Be in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-104-5	Be in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-104-L	Be in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Bismuth - Bi</b>		
NIST-3106	Bi in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-083	Bi in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-083-5	Bi in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-083-L	Bi in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-183	Bi in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Boron - B</b>		
NIST-3107	B in water, 5 mg/g	50 mL
<b>New</b> U-ICP-405	ULTRAgold® Boron (B) in dilute NH <sub>4</sub> NO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-305	ULTRAgold® Boron (B) in dilute NH <sub>4</sub> NO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-005	B in water with trace NH <sub>4</sub> OH, 1000 µg/mL	125 mL
U-ICP-005-5	B in water with trace NH <sub>4</sub> OH, 1000 µg/mL	4 x 125mL
U-ICP-005-L	B in water with trace NH <sub>4</sub> OH, 1000 µg/mL	1 L
U-ICP-105	B in water with trace NH <sub>4</sub> OH, 10 000 µg/mL	125 mL
U-ICP-105-5	B in water with trace NH <sub>4</sub> OH, 10 000 µg/mL	4 x 125mL
U-ICP-105-L	B in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Cadmium - Cd</b>		
NIST-3108	Cd in 10% HNO <sub>3</sub> , 10 mg/g	50 mL
<b>New</b> U-ICP-448	ULTRAgold® Cadmium (Cd) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-348	ULTRAgold® Cadmium (Cd) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-048	Cd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-048-5	Cd in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-048-L	Cd in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-148	Cd in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-148-5	Cd in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-148-L	Cd in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Caesium - Cs</b>		
NIST-3111a	Cs in 1% HNO <sub>3</sub> , 10 mg/g	50 mL
U-ICP-055	Cs in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-055-5	Cs in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-055-L	Cs in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-155	Cs in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Calcium - Ca</b>		
NIST-3109a	This material is intended for use as a primary calibration standard for the quantitative determination of calcium. A unit consists of five 10 mL sealed borosilicate glass ampoules of an acidified solution prepared gravimetrically to contain a known mass fraction of calcium. The solution contains nitric acid at a volume fraction of approximately 10 %. Certified value.....10.025 ± 0.017 mg/g	5 x 10 mL
<b>New</b> U-ICP-420	ULTRAgold® Calcium (Ca) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-320	ULTRAgold® Calcium (Ca) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-020	Ca in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-020-5	Ca in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-020-L	Ca in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-120	Ca in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-120-5	Ca in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-120-L	Ca in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L

## Single element standards for ICP

	Code	Product	Unit
<b>Cerium - Ce</b>			
	NIST-3110	Ce in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
	U-ICP-058	Ce in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-058-5	Ce in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-058-L	Ce in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-158	Ce in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Chromium - Cr</b>			
	NIST-3112a	Cr in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-424	ULTRAgold® Chromium (Cr) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-324	ULTRAgold® Chromium (Cr) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-024	Cr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-024-5	Cr in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-024-L	Cr in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-124	Cr in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-124-5	Cr in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-124-L	Cr in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Chromium (VI) - Cr</b>			
	U-ICP-024A	Chromium (VI) (Cr) in water, 1000 µg/mL	125 mL
<b>New</b>	U-ICP-424A	ULTRAgold® Hexavalent Chromium (VI) (Cr) in water, 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-324A	ULTRAgold® Hexavalent Chromium (VI) (Cr) in water, 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-024A-5	Chromium (VI) (Cr) in water, 1000 µg/mL	4 x 125mL
	U-ICP-024A-L	Chromium (VI) (Cr) in water, 1000 µg/mL	1 L
<b>Cobalt - Co</b>			
	NIST-3113	Co in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-427	ULTRAgold® Cobalt (Co) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-327	ULTRAgold® Cobalt (Co) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-027	Co in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-027-5	Co in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-027-L	Co in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-127	Co in dilute HNO <sub>3</sub> , 10 000 µg/mL	127 mL
	U-ICP-127-5	Co in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-127-L	Co in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Copper - Cu</b>			
	NIST-3114	Cu in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-429	ULTRAgold® Copper (Cu) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-329	ULTRAgold® Copper (Cu) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-029	Cu in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-029-5	Cu in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-029-L	Cu in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-129	Cu in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-129-5	Cu in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-129-L	Cu in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Dysprosium - Dy</b>			
	NIST-3115a	Dy in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
	U-ICP-066	Dy in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-066-5	Dy in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-066-L	Dy in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-166	Dy in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL

## Single element standards for ICP

Code	Product	Unit
<b>Erbium - Er</b>		
NIST-3116a	Er in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-068	Er in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-068-5	Er in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-068-L	Er in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-168	Er in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Europium - Eu</b>		
NIST-3117a	Eu in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-063	Eu in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-063-5	Eu in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-063-L	Eu in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-163	Eu in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Gadolinium - Gd</b>		
NIST-3118a	Gd in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-064	Gd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-064-5	Gd in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-064-L	Ga in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-164	Gd in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Gallium - Ga</b>		
NIST-3119a	Ga in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-031	Ga in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-031-5	Ga in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-031-L	Ga in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-131	Ga in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Germanium - Ge</b>		
NIST-3120a	Ge in 10% Oxalic acid, 10 mg/g	50 mL
U-ICP-032	Ge in water with trace HF, 1000 µg/mL	125 mL
U-ICP-032-5	Ge in water with trace HF, 1000 µg/mL	4 x 125mL
U-ICP-032-L	Germanium (Ge) in water with trace HF, 1000 µg/mL	1 L
U-ICP-132	Ge in water with trace HF, 10 000 µg/mL	125 mL
<b>Gold - Au</b>		
NIST-3121	Au in 5% HNO <sub>3</sub> + 2% HF, 10 mg/g	5 x 10 mL
<b>New</b> U-ICP-479	ULTRAgold® Gold (Au) in dilute HCl, 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-379	ULTRAgold® Gold (Au) in dilute HCl, 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-079	Au in dilute HCl, 1000 µg/mL	125 mL
U-ICP-079-5	Au in dilute HCl, 1000 µg/mL	4 x 125mL
U-ICP-079-L	Gold (Au) in dilute HCl, 1000 µg/mL	1 L
U-ICP-179	Au in dilute HCl, 10 000 µg/mL	125 mL
U-ICP-179-5	Au in dilute HCl, 10 000 µg/mL	4 x 125mL
U-ICP-179-L	Au in dilute HCl, 10 000 µg/mL	1 L
<b>Hafnium - Hf</b>		
NIST-3122	Hf in 10% HNO <sub>3</sub> + 2% HF, 10 mg/g	50 mL
U-ICP-072	Hf in dilute HCl, 1000 µg/mL	125 mL
U-ICP-072-5	Hf in dilute HCl, 1000 µg/mL	4 x 125mL
U-ICP-072-L	Hafnium (Hf) in dilute HCl, 1000 µg/mL	1 L
U-ICP-172	Hf in dilute HCl, 10 000 µg/mL	125 mL
<b>Holmium - Ho</b>		
NIST-3123a	Ho in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL

## Single element standards for ICP

Code	Product	Unit
U-ICP-067	Ho in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-067-5	Ho in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-067-L	Ho in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-167	Ho in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Indium - In</b>		
NIST-3124a	In in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-049	In in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-049-5	In in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-049-L	In in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-149	In in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Iridium - Ir</b>		
U-ICP-077	Ir in dilute HCl, 1000 µg/mL	125 mL
U-ICP-077-5	Ir in dilute HCl, 1000 µg/mL	4 x 125mL
U-ICP-077-L	Iridium (Ir) in dilute HCl, 1000 µg/mL	1 L
U-ICP-177	Ir in dilute HCl, 10 000 µg/mL	125 mL
<b>Iron - Fe</b>		
NIST-3126a	Fe in 10% HNO <sub>3</sub> , 10 mg/g	50 mL
<b>New</b> U-ICP-426	ULTRAgold® Iron (Fe) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-326	ULTRAgold® Iron (Fe) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-026	Fe in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-026-5	Fe in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-026-L	Fe in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-126	Fe in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-126-5	Fe in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-126-L	Fe in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Lanthanum - La</b>		
NIST-3127a	La in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-057	La in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-057-5	La in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-057-L	La in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-157	La in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Lead - Pb</b>		
NIST-3128	Pb in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b> U-ICP-482	ULTRAgold® Lead (Pb) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-382	ULTRAgold® Lead (Pb) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-082	Pb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-082-5	Pb in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-082-L	Pb in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-182	Pb in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-182-5	Pb in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-182-L	Pb in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Lithium - Li</b>		
NIST-3129a	This material is intended for use as a primary calibration standard for the quantitative determination of lithium. One unit consists of five 10 mL sealed borosilicate glass ampoules of an acidified aqueous solution prepared gravimetrically from high-purity lithium carbonate to contain a known mass fraction of lithium. The solution contains nitric acid at a volume fraction of approximately 1 %.  Certified value: ..... 10.01 ± 0.04 mg/g	5 x 10 mL
<b>New</b> U-ICP-403	ULTRAgold® Lithium (Li) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-303	ULTRAgold® Lithium (Li) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-003	Li in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL

## Single element standards for ICP

Code	Product	Unit
U-ICP-003-5	Li in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-003-L	Li in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-103	Li in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-103-5	Li in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-103-L	Li in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Lutetium - Lu</b>		
NIST-3130a	Lu in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-071	Lu in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-071-L	Lu in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-071-5	Lu in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-171	Lu in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Magnesium - Mg</b>		
NIST-3131a	This material is intended for use as a primary calibration standard for the quantitative determination of magnesium. One unit consists of 50 mL of a single element solution in a high density polyethylene bottle sealed in an aluminized bag. The solution is prepared gravimetrically to contain a known mass fraction of magnesium. The solution contains nitric acid at a volume fraction of approximately 10 %.  Certified value:.....9.99 ± 0.02 mg/g	50 mL
<b>New</b> U-ICP-412	ULTRAgold® Magnesium (Mg) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-312	ULTRAgold® Magnesium (Mg) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-012	Mg in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-012-5	Mg in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-012-L	Mg in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-112	Mg in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-112-5	Mg in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-112-L	Mg in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Manganese - Mn</b>		
NIST-3132	Mn in 10% HNO <sub>3</sub> , 10 mg/mL	5 x 10 mL
<b>New</b> U-ICP-425	ULTRAgold® Manganese (Mn) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-325	ULTRAgold® Manganese (Mn) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-025	Mn in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-025-5	Mn in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-025-L	Mn in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-125	Mn in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-125-5	Mn in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-125-L	Mn in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Mercury - Hg</b>		
NIST-3133	Hg in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b> U-ICP-480	ULTRAgold® Mercury (Hg) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-380	ULTRAgold® Mercury (Hg) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
<b>New</b> NIST-3177	Hg (II) in 3% HNO <sub>3</sub> and 4% HCL, 0.9981 mg/g ± 0.0044 mg/g	5 x 10 mL
U-ICP-080	Hg in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-080-5	Hg in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-080-L	Hg in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-180	Hg in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-180-5	Hg in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-180-L	Hg in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Molybdenum - Mo</b>		
NIST-3134	Mo in 10% HCl, 10 mg/g	5 x 10 mL
<b>New</b> U-ICP-442	ULTRAgold® Molybdenum (Mo) in dilute NH <sub>4</sub> NO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-342	ULTRAgold® Molybdenum (Mo) in dilute NH <sub>4</sub> NO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL

## Single element standards for ICP

Code	Product	Unit
U-ICP-042	Mo in water with trace NH <sub>4</sub> OH, 1000 µg/mL	125 mL
U-ICP-042-5	Mo in water with trace NH <sub>4</sub> OH, 1000 µg/mL	4 x 125mL
U-ICP-042-L	Molybdenum (Mo) in water with trace NH <sub>4</sub> OH, 1000 µg/mL	1 L
U-ICP-142	Mo in water with trace NH <sub>4</sub> OH, 10 000 µg/mL	125 mL
U-ICP-142-5	Mo in water with trace NH <sub>4</sub> OH, 10 000 µg/mL	4 x 125mL
U-ICP-142-L	Mo in water with trace NH <sub>4</sub> OH, 10 000 µg/mL	1 L

### Neodymium - Nd

NIST-3135a	Nd in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-060	Nd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-060-5	Nd in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-060-L	Nd in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-160	Nd in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL

### Nickel - Ni

NIST-3136	Ni in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b> U-ICP-428	ULTRAgold® Nickel (Ni) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-328	ULTRAgold® Nickel (Ni) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-028	Ni in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-028-5	Ni in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-028-L	Ni in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-128	Ni in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-128-5	Ni in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-128-L	Ni in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L

### Niobium - Nb

NIST-3137	Nb in 5% HNO <sub>3</sub> + 2% HF, 10 mg/g	50 mL
U-ICP-041	Nb in water with trace HF, 1000 µg/mL	125 mL
U-ICP-041-5	Nb in water with trace HF, 1000 µg/mL	4 x 125mL
U-ICP-041-L	Niobium (Nb) in water with trace HF, 1000 µg/mL	1 L
U-ICP-141	Nb in water with trace HF, 10 000 µg/mL	125 mL

### Palladium - Pd

U-ICP-046	Pd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-046-5	Pd in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-046-L	Pd in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-146	Pd in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL

### Phosphorus - P

NIST-3139a	P in 0.8% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b> U-ICP-415	ULTRAgold® Phosphorus (P) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-315	ULTRAgold® Phosphorus (P) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-015	P in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-015-5	P in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-015-L	P in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-115	P in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-115-5	P in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-115-L	P in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L

### Platinum - Pt

NIST-3140	Pt in 10% HCl, 10 mg/g	5 x 10 mL
U-ICP-078	Pt in dilute HCl, 1000 µg/mL	125 mL
U-ICP-078-5	Pt in dilute HCl, 1000 µg/mL	4 x 125mL
U-ICP-078-L	Platinum (Pt) in dilute HCl, 1000 µg/mL	1 L

## Single element standards for ICP

Code	Product	Unit
U-ICP-178	Pt in dilute HCl, 10 000 µg/mL	125 mL
U-ICP-178-5	Pt in dilute HCl, 10 000 µg/mL	4 x 125mL
U-ICP-178-L	Pt in dilute HCl, 10 000 µg/mL	1 L
<b>Potassium - K</b>		
NIST-3141a	This material is intended for use as a primary calibration standard for the quantitative determination of potassium. One unit consists of 50 mL of a single element solution in a high density polyethylene bottle sealed in an aluminized bag. The solution is prepared gravimetrically to contain a known mass fraction of potassium. The solution contains nitric acid at a volume fraction of approximately 1 %.  Certified value:.....10.011 ± 0.029 mg/g	50 mL
<b>New</b> U-ICP-419	ULTRAgold® Potassium (K) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-319	ULTRAgold® Potassium (K) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-019	K in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-019-5	K in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-019-L	K in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-119	K in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-119-5	K in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-119-L	K in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Praseodymium - Pr</b>		
NIST-3142a	Pr in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-059	Pr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-059-5	Pr in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-059-L	Pr in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-159	Pr in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Rhenium - Re</b>		
NIST-3143	Re in 10% HNO <sub>3</sub> , 10 mg/g	50 mL
U-ICP-075	Re in water, 1000 µg/mL	125 mL
U-ICP-075-5	Re in water, 1000 µg/mL	4 x 125mL
U-ICP-075-L	Rhenium (Re) in water, 1000 µg/mL	1 L
U-ICP-175	Re in water, 10 000 µg/mL	125 mL
<b>Rhodium - Rh</b>		
NIST-3144	Rh in 10% HCl, 10 mg/g	5 x 10 mL
U-ICP-045	Rh in dilute HCl, 1000 µg/mL	125 mL
<b>Rubidium - Rb</b>		
NIST-3145a	Rb in 1% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-037	Rb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-037-L	Rb in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-037-5	Rb in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-137	Rb in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Ruthenium - Ru</b>		
U-ICP-044	Ru in dilute HCl, 1000 µg/mL	125 mL
U-ICP-044-5	Ru in dilute HCl, 1000 µg/mL	4 x 125mL
U-ICP-044-L	Ruthenium (Ru) in dilute HCl, 1000 µg/mL	1 L
<b>Samarium - Sm</b>		
NIST-3147a	Sm in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-062	Sm in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-062-5	Sm in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-062-L	Sa in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-162	Sm in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL



## Single element standards for ICP

	Code	Product	Unit
<b>Scandium - Sc</b>			
	NIST-3148a	Sc in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
	U-ICP-021	Sc in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-021-5	Sc in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-021-L	Sc in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-121	Sc in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-121-5	Sc in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-121-L	Sc in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Selenium - Se</b>			
	NIST-3149	Se in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-434	ULTRAgold® Selenium (Se) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-334	ULTRAgold® Selenium (Se) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-034	Se in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-034-5	Se in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-034-L	Se in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-134	Se in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-134-5	Se in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-134-L	Se in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Silicon - Si</b>			
	NIST-3150	Si in water, 10 mg/g	50 mL
<b>New</b>	U-ICP-414	ULTRAgold® Silicon (Si) in dilute HNO <sub>3</sub> with trace HF, 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-314	ULTRAgold® Silicon (Si) in dilute HNO <sub>3</sub> with trace HF, 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-014	Si in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-014-5	Si in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-014-L	Si in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-114	Si in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-114-5	Si in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-114-L	Si in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Silica - SiO<sub>2</sub></b>			
	U-ICP-014A	SiO <sub>2</sub> in dilute NaOH, 1000 µg/mL	125 mL
	U-ICP-014A-5	SiO <sub>2</sub> in dilute NaOH, 1000 µg/mL	4 x 125mL
	U-ICP-014A-L	SiO <sub>2</sub> in dilute NaOH, 1000 µg/mL	1 L
<b>Silver - Ag</b>			
	NIST-3151	Ag in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-447	ULTRAgold® Silver (Ag) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-347	ULTRAgold® Silver (Ag) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-047	Ag in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-047-5	Ag in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-047-L	Ag in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-147	Ag in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-147-5	Ag in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-147-L	Ag in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Sodium - Na</b>			
	NIST-3152a	This material is intended for use as a primary calibration standard for the quantitative determination of sodium. One unit consists of 50 mL of a single element solution in a high density polyethylene bottle sealed in an aluminized bag. The solution is prepared gravimetrically to contain a known mass fraction of sodium. The solution contains nitric acid at a volume fraction of approximately 1 %.  Certified value..... 9.949 ± 0.020 mg/g	50 mL
<b>New</b>	U-ICP-411	ULTRAgold® Sodium (Na) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-311	ULTRAgold® Sodium (Na) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL

## Single element standards for ICP

	Code	Product	Unit
	U-ICP-011	Na in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-011-5	Na in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-011-L	Na in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-111	Na in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-111-5	Na in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-111-L	Na in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Strontium - Sr</b>			
	NIST-3153a	Sr in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-438	ULTRAgold® Strontium (Sr) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-338	ULTRAgold® Strontium (Sr) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-038	Sr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-038-5	Sr in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-038-L	Sr in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-138	Sr in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
	U-ICP-138-5	Sr in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
	U-ICP-138-L	Sr in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Sulfur - S</b>			
	NIST-3154	S in 0.1% H <sub>2</sub> SO <sub>4</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-316	ULTRAgold® Sulfur (S) in water, 1000 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-416	ULTRAgold® Sulfur (S) in water, 10 µg/mL - ISO Guide 34	125 mL
	U-ICP-016	S in water, 1000 µg/mL	125 mL
	U-ICP-016-5	S in water, 1000 µg/mL	4 x 125mL
	U-ICP-016-L	Sulfur (S) in water, 1000 µg/mL	1 L
	U-ICP-116	S in water, 10 000 µg/mL	125 mL
	U-ICP-116-L	S in water, 10 000 µg/mL	1 L
<b>Tantalum - Ta</b>			
	NIST-3155	Ta in 5% HNO <sub>3</sub> + 2% HF, 10 mg/g	50 mL
	U-ICP-073	Ta in water with trace HF, 1000 µg/mL	125 mL
	U-ICP-073-5	Ta in water with trace HF, 1000 µg/mL	4 x 125mL
	U-ICP-073-L	Tantalum (Ta) in water with trace HF, 1000 µg/mL	1 L
	U-ICP-173	Ta in water with trace HF, 10 000 µg/mL	125 mL
<b>Tellurium - Te</b>			
	NIST-3156	Te in 20% HCl, 10 mg/g	5 x 10 mL
	U-ICP-052	Te in dilute HCl, 1000 µg/mL	125 mL
	U-ICP-052-5	Te in dilute HCl, 1000 µg/mL	4 x 125mL
	U-ICP-052-L	Tellurium (Te) in dilute HCl, 1000 µg/mL	1 L
	U-ICP-152	Te in dilute HCl, 10 000 µg/mL	125 mL
<b>Terbium - Tb</b>			
	NIST-3157a	Tb in 16% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
	U-ICP-065	Tb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
	U-ICP-065-5	Tb in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
	U-ICP-065-L	Tb in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
	U-ICP-165	Tb in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Thallium - Tl</b>			
	NIST-3158a	Tl in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b>	U-ICP-481	ULTRAgold® Thallium (Tl) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b>	U-ICP-381	ULTRAgold® Thallium (Tl) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
	U-ICP-081	Tl in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL

## Single element standards for ICP

Code	Product	Unit
U-ICP-081-5	Tl in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-081-L	Tl in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-181	Tl in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-181-5	Tl in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-181-L	Tl in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L

### Thorium - Th

NIST-3159	Th in 10% HNO <sub>3</sub> , 10 mg/g	50 mL
U-ICP-090	Th in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-090-5	Th in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-090-L	Th in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-190	Th in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL

### Thulium - Tm

NIST-3160a	Tm in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-069	Tm in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-069-5	Tm in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-069-L	Tm in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-169	Tm in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL

### Tin - Sn

NIST-3161a	Sn in 5% HNO <sub>3</sub> + 2% HF, 10 mg/g	50 mL
<b>New</b> U-ICP-450	ULTRAgold® Tin (Sn) in dilute HNO <sub>3</sub> with trace HF, 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-350	ULTRAgold® Tin (Sn) in dilute HNO <sub>3</sub> with trace HF, 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-050	Sn in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-050-5	Sn in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-050-L	Sn in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-150	Sn in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-150-5	Sn in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-150-L	Sn in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L

### Titanium - Ti

NIST-3162a	Ti in 10% HNO <sub>3</sub> + 2% HF, 10 mg/g	50 mL
<b>New</b> U-ICP-422	ULTRAgold® Titanium (Ti) in dilute HNO <sub>3</sub> with trace HF, 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-322	ULTRAgold® Titanium (Ti) in dilute HNO <sub>3</sub> with trace HF, 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-022	Ti in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-022-5	Ti in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-022-L	Ti in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-122	Ti in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-122-5	Ti in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-122-L	Ti in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L

### Tungsten - W

NIST-3163	W in 7% HNO <sub>3</sub> + 4% HF, 10 mg/g	50 mL
U-ICP-074	W in water with trace NH <sub>4</sub> OH, 1000 µg/mL	125 mL
U-ICP-074-5	W in water with trace NH <sub>4</sub> OH, 1000 µg/mL	4 x 125mL
U-ICP-074-L	W in water with trace NH <sub>4</sub> OH, 1000 µg/mL	1 L
U-ICP-174	W in water with trace NH <sub>4</sub> OH, 10 000 µg/mL	125 mL

### Uranium - U

NIST-3164	U in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-092	U in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-092-5	U in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-092-L	U in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L

## Single element standards for ICP

Code	Product	Unit
U-ICP-192	U in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Vanadium - V</b>		
NIST-3165	V in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
<b>New</b> U-ICP-423	ULTRAGold® Vanadium (V) in dilute HNO <sub>3</sub> with trace HF, 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-323	ULTRAGold® Vanadium (V) in dilute HNO <sub>3</sub> with trace HF, 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-023	V in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-023-5	V in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-023-L	V in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-123	V in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-123-5	V in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-123-L	V in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Ytterbium - Yb</b>		
NIST-3166a	Yb in 16% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-070	Yb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-070-5	Yb in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-070-L	Yb in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-170	Yb in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Yttrium - Y</b>		
NIST-3167a	Y in 10% HNO <sub>3</sub> , 10 mg/g	5 x 10 mL
U-ICP-039	Y in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-039-5	Y in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-039-L	Y in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-139	Y in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
<b>Zinc - Zn</b>		
NIST-3168a	Zn in 10% HCl, 10 mg/g	50 mL
<b>New</b> U-ICP-430	ULTRAGold® Zinc (Zn) in dilute HNO <sub>3</sub> , 10 µg/mL - ISO Guide 34	125 mL
<b>New</b> U-ICP-330	ULTRAGold® Zinc (Zn) in dilute HNO <sub>3</sub> , 1000 µg/mL - ISO Guide 34	125 mL
U-ICP-030	Zn in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-030-5	Zn in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-030-L	Zn in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-130	Zn in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL
U-ICP-130-5	Zn in dilute HNO <sub>3</sub> , 10 000 µg/mL	4 x 125mL
U-ICP-130-L	Zn in dilute HNO <sub>3</sub> , 10 000 µg/mL	1 L
<b>Zirconium - Zr</b>		
NIST-3169	Zr in 10% HNO <sub>3</sub> + 2% HF, 10 mg/g	50 mL
U-ICP-040	Zr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-040-5	Zr in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
U-ICP-040-L	Zr in dilute HNO <sub>3</sub> , 1000 µg/mL	1 L
U-ICP-140	Zr in dilute HNO <sub>3</sub> , 10 000 µg/mL	125 mL

## ULTRA Scientific's EnviroConcentrate™ kits for ICP

Kit

- 20 mL of analyte solution at 10000 µg/mL
- yields 2 x 100 mL 1000 ppm standards
- 500 ml of ASTM Type I water
- 125 mL pre-cleaned LDPE bottle for storage
- starting material 99.999 % pure, where available
- Traceable to NIST Standard, wherever possible

Code	Product	Unit
<b>Aluminum - Al</b>		
U-ECK-013	Al in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Antimony - Sb</b>		
U-ECK-051	Sb in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Arsenic - As</b>		
U-ECK-033	As in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Barium - Ba</b>		
U-ECK-056	Ba in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Beryllium - Be</b>		
U-ECK-004	Be in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Boron - B</b>		
U-ECK-005	B in water with trace NH <sub>4</sub> OH, 10000 µg/mL	kit
<b>Cadmium - Cd</b>		
U-ECK-048	Cd in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Calcium - Ca</b>		
U-ECK-020	Ca in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Chromium - Cr</b>		
U-ECK-024	Cr in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Cobalt - Co</b>		
U-ECK-027	Co in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Copper - Cu</b>		
U-ECK-029	Cu in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Iron - Fe</b>		
U-ECK-026	Fe in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Lead - Pb</b>		
U-ECK-082	Pb in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Lithium - Li</b>		
U-ECK-003	Li in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Magnesium - Mg</b>		
U-ECK-012	Mg in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Manganese - Mn</b>		
U-ECK-025	Mn in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Mercury - Hg</b>		
U-ECK-080	Hg in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Molybdenum - Mo</b>		
U-ECK-042	Mo in water with trace NH <sub>4</sub> OH, 10000 µg/mL	kit

## ULTRAGrade® single element standards for atomic absorption spectroscopy

Code	Product	Unit
<b>Nickel - Ni</b>		
U-ECK-028	Ni in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Phosphorus - P</b>		
U-ECK-015	P in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Potassium - K</b>		
U-ECK-019	K in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Selenium - Se</b>		
U-ECK-034	Se in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Silicon - Si</b>		
U-ECK-014	Si in dilute HNO <sub>3</sub> with trace HF, 10000 µg/mL	kit
<b>Silver - Ag</b>		
U-ECK-047	Ag in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Sodium - Na</b>		
U-ECK-011	Na in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Strontium - Sr</b>		
U-ECK-038	Sr in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Thallium - Tl</b>		
U-ECK-081	Tl in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Tin - Sn</b>		
U-ECK-050	Sn in dilute HNO <sub>3</sub> with trace HF, 10000 µg/mL	kit
<b>Titanium - Ti</b>		
U-ECK-022	Ti in water with trace HF, 10000 µg/mL	kit
<b>Vanadium - V</b>		
U-ECK-023	V in dilute HNO <sub>3</sub> , 10000 µg/mL	kit
<b>Zinc - Zn</b>		
U-ECK-030	Zn in dilute HNO <sub>3</sub> , 10000 µg/mL	kit

## ULTRAGrade® single element standards for atomic absorption spectroscopy

### ULTRAGrade® Quality

- Manufactured and tested under ULTRA's ISO 9001 and ISO 17025 quality systems
- Starting materials 99.99% pure, wherever possible
- Traceable to NIST SRMs, wherever possible

Confirmed against an independent second-source standard

Code	Product	Unit
<b>Aluminium - Al</b>		
U-IAA-213	Al in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Antimony - Sb</b>		
U-IAA-251	Sb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Arsenic - As</b>		
U-IAA-233	As in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Barium - Ba</b>		
U-IAA-256	Ba in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL

## ULTRAGrade® single element standards for atomic absorption spectroscopy

Code	Product	Unit
<b>Beryllium - Be</b>		
U-IAA-204	Be in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Bismuth - Bi</b>		
U-IAA-283	Bi in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Boron - B</b>		
U-IAA-205	B in water with trace NH <sub>4</sub> OH, 1000 µg/ml	125 mL
<b>Cadmium - Cd</b>		
U-IAA-248	Cd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Caesium - Cs</b>		
U-IAA-255	Cs in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Calcium - Ca</b>		
U-IAA-220	Ca in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Cerium - Ce</b>		
U-IAA-258	Ce in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Chromium - Cr</b>		
U-IAA-224	Cr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Cobalt - Co</b>		
U-IAA-227	Co in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Copper - Cu</b>		
U-IAA-229	Cu in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Dysprosium - Dy</b>		
U-IAA-266	Dy in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Erbium - Er</b>		
U-IAA-268	Er in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Europium - Eu</b>		
U-IAA-263	Eu in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Gadolinium - Gd</b>		
U-IAA-264	Gd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Gallium - Ga</b>		
U-IAA-231	Ga in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Germanium - Ge</b>		
U-IAA-232	Germanium (Ge) in water with trace HF, 1000 µg/mL	125 mL
<b>Gold - Au</b>		
U-IAA-279	Au in dilute HCl, 1000 µg/mL	125 mL
<b>Hafnium - Hf</b>		
U-IAA-272	Hf in dilute HCl, 1000 µg/mL	125 mL
<b>Holmium - Ho</b>		
U-IAA-267	Ho in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Indium - In</b>		
U-IAA-249	In in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Iridium - Ir</b>		
U-IAA-277	Ir in dilute HCl, 1000 µg/mL	125 mL



**ULTRAGrade® single element standards for atomic absorption spectroscopy**

Code	Product	Unit
<b>Iron - Fe</b>		
U-IAA-226	Fe in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Lanthanum - La</b>		
U-IAA-257	La in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Lead - Pb</b>		
U-IAA-282	Pb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Lithium - Li</b>		
U-IAA-203	Li in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Lutetium - Lu</b>		
U-IAA-271	Lu in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Magnesium - Mg</b>		
U-IAA-212	Mg in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Manganese - Mn</b>		
U-IAA-225	Mn in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Mercury - Hg</b>		
U-IAA-280	Hg in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Molybdenum - Mo</b>		
U-IAA-242	Mo in water with trace NH <sub>4</sub> OH, 1000 µg/mL	125 mL
<b>Neodymium - Nd</b>		
U-IAA-260	Nd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Nickel - Ni</b>		
U-IAA-228	Ni in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Niobium - Nb</b>		
U-IAA-241	Nb in water with trace HF, 1000 µg/mL	125 mL
<b>Palladium - Pd</b>		
U-IAA-246	Pd in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Phosphorus - P</b>		
U-IAA-215	P in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Platinum - Pt</b>		
U-IAA-278	Pt in dilute HCl, 1000 µg/mL	125 mL
<b>Potassium - K</b>		
U-IAA-219	K in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Praseodymium - Pr</b>		
U-IAA-259	Pr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Rhenium - Re</b>		
U-IAA-275	Re in water, 1000 µg/mL	125 mL
<b>Rhodium - Rh</b>		
U-IAA-245	Rh in dilute HCl, 1000 µg/mL	125 mL
<b>Rubidium - Rb</b>		
U-IAA-237	Rb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Ruthenium - Ru</b>		
U-IAA-244	Ru in dilute HCl, 1000 µg/mL	125 mL

## ULTRAGrade® single element standards for atomic absorption spectroscopy

Code	Product	Unit
<b>Samarium - Sm</b>		
U-IAA-262	Sm in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Scandium - Sc</b>		
U-IAA-221	Sc in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Selenium - Se</b>		
U-IAA-234	Se in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Silicon - Si</b>		
U-IAA-214	Si in dilute HNO <sub>3</sub> with trace HF, 1000 µg/mL	125 mL
<b>Silver - Ag</b>		
U-IAA-247	Ag in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Sodium - Na</b>		
U-IAA-211	Na in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Strontium - Sr</b>		
U-IAA-238	Sr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Sulfur - S</b>		
U-IAA-216	Sulfur (S) in water, 1000 µg/mL	125 mL
<b>Tantalum - Ta</b>		
U-IAA-273	Ta in water with trace HF, 1000 µg/mL	125 mL
<b>Tellurium - Te</b>		
U-IAA-252	Te in dilute HCl 1000 µg/mL	125 mL
<b>Terbium - Tb</b>		
U-IAA-265	Tb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Thallium - Tl</b>		
U-IAA-281	Tl in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Thorium - Th</b>		
U-IAA-290	Th in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Thulium - Tm</b>		
U-IAA-269	Tm in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Tin - Sn</b>		
U-IAA-250	Sn in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Titanium - Ti</b>		
U-IAA-222	Ti in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Tungsten - W</b>		
U-IAA-274	W in water with trace NH <sub>4</sub> (OH), 1000 µg/mL	125 mL
<b>Uranium - U</b>		
U-IAA-292	U in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Vanadium - V</b>		
U-IAA-223	V in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Ytterbium - Yb</b>		
U-IAA-270	Yb in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Yttrium - Y</b>		
U-IAA-239	Y in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL

## ULTRA Scientific's EnviroConcentrates™ for atomic absorption spectroscopy

Code	Product	Unit
<b>Zinc - Zn</b>		
U-IAA-230	Zn in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
<b>Zirconium - Zr</b>		
U-IAA-240	Zr in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL

## ULTRA Scientific's EnviroConcentrates™ for atomic absorption spectroscopy

ULTRA Scientific's AA EnviroConcentrates consist of a 10 mL bottle of the selected element at a concentration of 10000 µg/mL. Simply pipette the required amount of EnviroConcentrate and dilute to volume. Standards are traceable to NIST Standard Reference Materials® whenever possible.

Code	Product	Unit
<b>Aluminium - Al</b>		
U-IAA-013	Al in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Antimony - Sb</b>		
U-IAA-051	Sb in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Arsenic - As</b>		
U-IAA-033	As in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Barium - Ba</b>		
U-IAA-056	Ba in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Beryllium - Be</b>		
U-IAA-004	Be in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Bismuth - Bi</b>		
U-IAA-083	Bi in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Boron - B</b>		
U-IAA-005	B in water with trace NH <sub>4</sub> OH, 10000 µg/mL	10 mL
<b>Cadmium - Cd</b>		
U-IAA-048	Cd in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Caesium - Cs</b>		
U-IAA-055	Cs in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Calcium - Ca</b>		
U-IAA-020	Ca in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Cerium - Ce</b>		
U-IAA-058	Ce in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Chromium - Cr</b>		
U-IAA-024	Cr in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Cobalt - Co</b>		
U-IAA-027	Co in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Copper - Cu</b>		
U-IAA-029	Cu in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Dysprosium - Dy</b>		
U-IAA-066	Dy in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Erbium - Er</b>		
U-IAA-068	Er in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL

## ULTRA Scientific's EnviroConcentrates™ for atomic absorption spectroscopy

Code	Product	Unit
<b>Europium - Eu</b>		
U-IAA-063	Eu in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Gadolinium - Gd</b>		
U-IAA-064	Gd in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Gallium - Ga</b>		
U-IAA-031	Ga in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Germanium - Ge</b>		
U-IAA-032	Ge in water with trace HF, 10000 µg/mL	10 mL
<b>Holmium - Ho</b>		
U-IAA-067	Ho in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Indium - In</b>		
U-IAA-049	In in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Iron - Fe</b>		
U-IAA-026	Fe in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Lanthanum - La</b>		
U-IAA-057	La in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Lead - Pb</b>		
U-IAA-082	Pb in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Lithium - Li</b>		
U-IAA-003	Li in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Magnesium - Mg</b>		
U-IAA-012	Mg in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Manganese - Mn</b>		
U-IAA-025	Mn in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Mercury - Hg</b>		
U-IAA-080	Hg in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Molybdenum - Mo</b>		
U-IAA-042	Mo in water with trace NH <sub>4</sub> OH, 10000 µg/mL	10 mL
<b>Neodymium - Nd</b>		
U-IAA-060	Nd in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Nickel - Ni</b>		
U-IAA-028	Ni in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Niobium - Nb</b>		
U-IAA-041	Nb in water with trace HF, 10000 µg/mL	10 mL
<b>Phosphorus - P</b>		
U-IAA-015	P in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Potassium - K</b>		
U-IAA-019	K in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Praseodymium - Pr</b>		
U-IAA-059	Pr in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Samarium - Sm</b>		
U-IAA-062	Sm in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL

## ULTRA Scientific's EnviroConcentrates™ for atomic absorption spectroscopy

Code	Product	Unit
<b>Selenium - Se</b>		
U-IAA-034	Se in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Silicon - Si</b>		
U-IAA-014	Si in dilute HNO <sub>3</sub> with trace HF, 10000 µg/mL	10 mL
<b>Silver - Ag</b>		
U-IAA-047	Ag in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Sodium - Na</b>		
U-IAA-011	Na in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Strontium - Sr</b>		
U-IAA-038	Sr in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Sulfur - S</b>		
U-IAA-016	Sulfur (S) in water, 10000 µg/mL	10 mL
<b>Tantalum - Ta</b>		
U-IAA-073	Ta in water with trace HF, 10000 µg/mL	10 mL
<b>Tellurium - Te</b>		
U-IAA-052	Te in dilute HCl, 10000 µg/mL	10 mL
<b>Terbium - Tb</b>		
U-IAA-065	Tb in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Thallium - Tl</b>		
U-IAA-081	Tl in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Thorium - Th</b>		
U-IAA-090	Th in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Tin - Sn</b>		
U-IAA-050	Sn in dilute HNO <sub>3</sub> with trace HF, 10000 µg/mL	10 mL
<b>Titanium - Ti</b>		
U-IAA-022	Ti in water with trace HF, 10000 µg/mL	10 mL
<b>Tungsten - W</b>		
U-IAA-074	W in dilute HNO <sub>3</sub> with trace NH <sub>4</sub> OH, 10000 µg/mL	10 mL
<b>Uranium - U</b>		
U-IAA-092	U in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Vanadium - V</b>		
U-IAA-023	V in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Ytterbium - Yb</b>		
U-IAA-070	Yb in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Yttrium - Y</b>		
U-IAA-039	Y in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Zinc - Zn</b>		
U-IAA-030	Zn in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL
<b>Zirconium - Zr</b>		
U-IAA-040	Zr in dilute HNO <sub>3</sub> , 10000 µg/mL	10 mL

# ULTRAGrade® multi-element standards

## ICP Standards

Code	Product	Unit
<b>New</b> U-ICM-106	ICP Calibration Standard Surface Water (X) 23 Analytes in 5% HNO <sub>3</sub> with trace HF	125 mL
	As (Arsenic) ..... 50 ng/mL      Co (Cobalt) ..... 25 ng/mL      K (Potassium) ..... 3000 ng/mL Ba (Barium) ..... 50 ng/mL      Cu (Copper) ..... 20 ng/mL      Se (Selenium) ..... 10 ng/mL Be (Beryllium) ..... 20 ng/mL      Fe (Iron) ..... 100 ng/mL      Na (Sodium) ..... 8000 ng/mL Bi (Bismuth) ..... 10 ng/mL      Pb (Lead) ..... 25 ng/mL      Sr (Strontium) ..... 100 ng/mL B (Boron) ..... 100 ng/mL      Mg (Magnesium) ..... 15000 ng/mL      Tl (Thallium) ..... 10 ng/mL Cd (Cadmium) ..... 20 ng/mL      Mn (Manganese) ..... 30 ng/mL      V (Vanadium) ..... 50 ng/mL Ca (Calcium) ..... 35000 ng/mL      Mo (Molybdenum) ..... 100 ng/mL      Zn (Zinc) ..... 50 ng/mL Cr (Chromium) ..... 20 ng/mL      Ni (Nickel) ..... 50 ng/mL	
<b>New</b> U-ICM-103	ICP Calibration Standard (IV) 23 Analytes in 5% HNO <sub>3</sub>	125 mL
	Ag (Silver) ..... 1000 µg/mL      Cr (Chromium) ..... 1000 µg/mL      Mn (Manganese) ..... 1000 µg/mL Al (Aluminum) ..... 1000 µg/mL      Cu (Copper) ..... 1000 µg/mL      Na (Sodium) ..... 1000 µg/mL B (Boron) ..... 1000 µg/mL      Fe (Iron) ..... 1000 µg/mL      Ni (Nickel) ..... 1000 µg/mL Ba (Barium) ..... 1000 µg/mL      Ga (Gallium) ..... 1000 µg/mL      Pb (Lead) ..... 1000 µg/mL Bi (Bismuth) ..... 1000 µg/mL      In (Indium) ..... 1000 µg/mL      Sr (Strontium) ..... 1000 µg/mL Ca (Calcium) ..... 1000 µg/mL      K (Potassium) ..... 1000 µg/mL      Tl (Thallium) ..... 1000 µg/mL Cd (Cadmium) ..... 1000 µg/mL      Li (Lithium) ..... 1000 µg/mL      Zn (Zinc) ..... 1000 µg/mL Co (Cobalt) ..... 1000 µg/mL      Mg (Magnesium) ..... 1000 µg/mL	
<b>New</b> U-ICM-102	ICP Calibration Standard (I) 19 Analytes in 5% HNO <sub>3</sub>	125 mL
	Ag (Silver) ..... 50 µg/mL      Co (Cobalt) ..... 20 µg/mL      Ni (Nickel) ..... 50 µg/mL Al (Aluminum) ..... 100 µg/mL      Cr (Chromium) ..... 25 µg/mL      Pb (Lead) ..... 200 µg/mL B (Boron) ..... 15 µg/mL      Cu (Copper) ..... 20 µg/mL      Sr (Strontium) ..... 1 µg/mL Ba (Barium) ..... 5 µg/mL      Fe (Iron) ..... 15 µg/mL      Tl (Thallium) ..... 400 µg/mL Be (Beryllium) ..... 1 µg/mL      Ga (Gallium) ..... 150 µg/mL      Zn (Zinc) ..... 20 µg/mL Bi (Bismuth) ..... 200 µg/mL      In (Indium) ..... 200 µg/mL Cd (Cadmium) ..... 20 µg/mL      Mn (Manganese) ..... 5 µg/mL	
<b>New</b> U-ICM-108	ICP Calibration Standard - Quality Control (XVI) 21 Analytes in 5% HNO <sub>3</sub> with HF, tartaric acid	125 mL
	As (Arsenic) ..... 100 µg/mL      Fe (Iron) ..... 100 µg/mL      Sb (Antimony) ..... 100 µg/mL Be (Beryllium) ..... 100 µg/mL      Li (Lithium) ..... 100 µg/mL      Se (Selenium) ..... 100 µg/mL Ca (Calcium) ..... 100 µg/mL      Mg (Magnesium) ..... 100 µg/mL      Sr (Strontium) ..... 100 µg/mL Cd (Cadmium) ..... 100 µg/mL      Mn (Manganese) ..... 100 µg/mL      Ti (Titanium) ..... 100 µg/mL Co (Cobalt) ..... 100 µg/mL      Mo (Molybdenum) ..... 100 µg/mL      Tl (Thallium) ..... 100 µg/mL Cr (Chromium) ..... 100 µg/mL      Ni (Nickel) ..... 100 µg/mL      V (Vanadium) ..... 100 µg/mL Cu (Copper) ..... 100 µg/mL      Pb (Lead) ..... 100 µg/mL      Zn (Zinc) ..... 100 µg/mL	
<b>New</b> U-ICM-101	ICP Calibration Standard (VIII) 24 Analytes in 5% HNO <sub>3</sub> with trace HCl	125 mL
	Al (Aluminum) ..... 100 µg/mL      Cr (Chromium) ..... 100 µg/mL      Na (Sodium) ..... 100 µg/mL B (Boron) ..... 100 µg/mL      Cu (Copper) ..... 100 µg/mL      Ni (Nickel) ..... 100 µg/mL Ba (Barium) ..... 100 µg/mL      Fe (Iron) ..... 100 µg/mL      Pb (Lead) ..... 100 µg/mL Be (Beryllium) ..... 100 µg/mL      Ga (Gallium) ..... 100 µg/mL      Se (Selenium) ..... 100 µg/mL Bi (Bismuth) ..... 100 µg/mL      K (Potassium) ..... 100 µg/mL      Sr (Strontium) ..... 100 µg/mL Ca (Calcium) ..... 100 µg/mL      Li (Lithium) ..... 100 µg/mL      Te (Tellurium) ..... 100 µg/mL Cd (Cadmium) ..... 100 µg/mL      Mg (Magnesium) ..... 100 µg/mL      Tl (Thallium) ..... 100 µg/mL Co (Cobalt) ..... 100 µg/mL      Mn (Manganese) ..... 100 µg/mL      Zn (Zinc) ..... 100 µg/mL	
<b>New</b> U-ICM-104	ICP Calibration Standard Trace Metals (XIII) 15 Analytes in 5% HNO <sub>3</sub> with trace HF	125 mL
	Al (Aluminum) ..... 500 µg/mL      Cr (Chromium) ..... 100 µg/mL      Ni (Nickel) ..... 100 µg/mL As (Arsenic) ..... 100 µg/mL      Cu (Copper) ..... 100 µg/mL      Pb (Lead) ..... 100 µg/mL Be (Beryllium) ..... 100 µg/mL      Fe (Iron) ..... 100 µg/mL      Se (Selenium) ..... 25 µg/mL Cd (Cadmium) ..... 25 µg/mL      Hg (Mercury) ..... 5 µg/mL      V (Vanadium) ..... 250 µg/mL Co (Cobalt) ..... 100 µg/mL      Mn (Manganese) ..... 100 µg/mL      Zn (Zinc) ..... 100 µg/mL	
<b>New</b> U-ICM-100	ICP Calibration Standard Earth Alkali Elements (III) 4 Analytes in 5% HNO <sub>3</sub>	125 mL
	Ba (Barium) ..... 1000 µg/mL      Mg (Magnesium) ..... 1000 µg/mL Ca (Calcium) ..... 1000 µg/mL      Sr (Strontium) ..... 1000 µg/mL	
<b>New</b> U-ICM-105	ICP Calibration Standard Toxic Elements (IX) 5 Analytes in 5% HNO <sub>3</sub>	125 mL
	As (Arsenic) ..... 100 µg/mL      Ni (Nickel) ..... 100 µg/mL Be (Beryllium) ..... 100 µg/mL      Pb (Lead) ..... 100 µg/mL Cd (Cadmium) ..... 100 µg/mL      Se (Selenium) ..... 100 µg/mL Cr+6 (Chromium (VI)) ..... 100 µg/mL      Tl (Thallium) ..... 100 µg/mL Hg (Mercury) ..... 100 µg/mL	

**ULTRAgade® multi-element standards**

Code	Product	Unit
<b>New</b> U-ICM-109	ICP Calibration Standard Sewage Sludge (XI) 7 Analytes in 5% HNO <sub>3</sub> Cd (Cadmium) ..... 10 µg/mL      Hg (Mercury) .....8 µg/mL      Zn (Zinc) ..... 2500 µg/mL Cr (Chromium) ..... 900 µg/mL      Ni (Nickel).....200 µg/mL Cu (Copper) ..... 800 µg/mL      Pb (Lead) .....900 µg/mL	125 mL

<b>New</b> U-ICM-107	ICP Calibration Standard HCl Soluble Elements (XVII) 7 Analytes in 15% HCl with trace HNO <sub>3</sub> , HF, tartaric Hf (Hafnium) ..... 100 µg/mL      Sn (Tin) .....100 µg/mL      Zr (Zirconium) ..... 100 µg/mL Ir (Iridium) ..... 100 µg/mL      Ta (Tantalum).....100 µg/mL Sb (Antimony) ..... 100 µg/mL      Ti (Titanium) .....100 µg/mL	125 mL
----------------------	---	--------

**ICP, graphite furnace AA & ion chromatography standards**

<b>New</b> U-ICM-110-5	ICP Wavelength Calibration Standard (V) 26 Analytes in 5% HNO <sub>3</sub> with trace HF Al (Aluminum) ..... 20 µg/mL      Fe (Iron).....2 µg/mL      Pb (Lead) ..... 20 µg/mL As (Arsenic) ..... 20 µg/mL      Hg (Mercury) .....5 µg/mL      Sc (Scandium) ..... 1 µg/mL B (Boron) ..... 2 µg/mL      K (Potassium).....100 µg/mL      Se (Selenium) ..... 20 µg/mL Ba (Barium) ..... 2 µg/mL      Li (Lithium) .....2 µg/mL      Sr (Strontium) ..... 1 µg/mL Be (Beryllium) ..... 1 µg/mL      Mg (Magnesium) ..... 1 µg/mL      Te (Tellurium) ..... 20 µg/mL Ca (Calcium) ..... 10 µg/mL      Mn (Manganese) .....1 µg/mL      Ti (Titanium) ..... 2 µg/mL Cd (Cadmium) ..... 2 µg/mL      Na (Sodium) .....20 µg/mL      Y (Yttrium) ..... 1 µg/mL Cr (Chromium) ..... 2 µg/mL      Ni (Nickel).....5 µg/mL      Zn (Zinc) ..... 2 µg/mL Cu (Copper) ..... 2 µg/mL      P (Phosphorus) ..... 10 µg/mL	500 mL
------------------------	--	--------

<b>New</b> U-ICM-120-5	ICP Tuning Standard (XXIV) 15 Analytes in 1% HNO <sub>3</sub> Al (Aluminum) ..... 50 µg/mL      Cr (Chromium) .....50 µg/mL      Ni (Nickel) ..... 50 µg/mL As (Arsenic) ..... 50 µg/mL      Cu (Copper) .....50 µg/mL      Pb (Lead) .....50 µg/mL Ba (Barium) ..... 50 µg/mL      K (Potassium).....500 µg/mL      Se (Selenium) ..... 50 µg/mL Cd (Cadmium) ..... 50 µg/mL      Mn (Manganese) .....50 µg/mL      Sr (Strontium) ..... 50 µg/mL Co (Cobalt) ..... 50 µg/mL      Mo (Molybdenum) .....50 µg/mL      Zn (Zinc) ..... 50 µg/mL	500 mL
------------------------	--	--------

<b>New</b> U-ICM-111-5	ICP Wavelength Calibration Standard (XIV) 11 Analytes in 2% HCl with trace HNO <sub>3</sub> As (Arsenic) ..... 20 µg/mL      Mn (Manganese) .....20 µg/mL      P (Phosphorus) ..... 100 µg/mL K (Potassium) ..... 100 µg/mL      Mo (Molybdenum) .....20 µg/mL      S (Sulfur) ..... 100 µg/mL La (Lanthanum) ..... 20 µg/mL      Na (Sodium) .....20 µg/mL      Sc (Scandium) ..... 20 µg/mL Li (Lithium) ..... 20 µg/mL      Ni (Nickel) .....20 µg/mL	500 mL
------------------------	---	--------

<b>New</b> U-ICC-330	IC Cations Mixture (VII) 9 Analytes in 0.2% HNO <sub>3</sub> NH <sub>4</sub> <sup>+</sup> (Ammonium) ... 100 µg/mL      K <sup>+</sup> (Potassium) .....100 µg/mL      Mn (Manganese) ..... 100 µg/mL Ba <sup>+2</sup> (Barium) ..... 100 µg/mL      Li <sup>+</sup> (Lithium) .....100 µg/mL      Na <sup>+</sup> (Sodium) ..... 100 µg/mL Ca <sup>+2</sup> (Calcium) ..... 100 µg/mL      Mg <sup>+2</sup> (Magnesium) .....100 µg/mL      Sr <sup>+2</sup> (Strontium) ..... 100 µg/mL	125 mL
----------------------	---	--------

<b>New</b> U-ICM-150	Graphite Furnace AA Calibration Standard (XVIII) 16 Analytes in 5% HNO <sub>3</sub> with trace tartaric Ag (Silver) ..... 10 µg/mL      Co (Cobalt) .....50 µg/mL      Pb (Lead) ..... 100 µg/mL Al (Aluminum) ..... 100 µg/mL      Cr (Chromium) .....20 µg/mL      Sb (Antimony) ..... 100 µg/mL As (Arsenic) ..... 100 µg/mL      Cu (Copper) .....50 µg/mL      Se (Selenium) ..... 100 µg/mL Ba (Barium) ..... 50 µg/mL      Fe (Iron) .....20 µg/mL      Tl (Thallium) ..... 100 µg/mL Be (Beryllium) ..... 5 µg/mL      Mn (Manganese) .....20 µg/mL Cd (Cadmium) ..... 5 µg/mL      Ni (Nickel) .....50 µg/mL	125 mL
----------------------	--	--------

**ICP-MS Standards**

U-IMS-102	ICP-MS Calibration Standard (XXI) 29 Analytes in 5% HNO <sub>3</sub> Ag (Silver) ..... 10 µg/mL      Cs (Cesium) .....10 µg/mL      Ni (Nickel) ..... 10 µg/mL Al (Aluminum) ..... 10 µg/mL      Cu (Copper) .....10 µg/mL      Pb (Lead) ..... 10 µg/mL As (Arsenic) ..... 10 µg/mL      Fe (Iron) .....10 µg/mL      Rb (Rubidium) ..... 10 µg/mL Ba (Barium) ..... 10 µg/mL      Ga (Gallium) .....10 µg/mL      Se (Selenium) ..... 10 µg/mL Be (Beryllium) ..... 10 µg/mL      In (Indium) .....10 µg/mL      Sr (Strontium) ..... 10 µg/mL Bi (Bismuth) ..... 10 µg/mL      K (Potassium) .....10 µg/mL      Tl (Thallium) ..... 10 µg/mL Ca (Calcium) ..... 10 µg/mL      Li (Lithium) .....10 µg/mL      U (Uranium) ..... 10 µg/mL Cd (Cadmium) ..... 10 µg/mL      Mg (Magnesium) .....10 µg/mL      V (Vanadium) ..... 10 µg/mL Co (Cobalt) ..... 10 µg/mL      Mn (Manganese) .....10 µg/mL      Zn (Zinc) ..... 10 µg/mL Cr (Chromium) ..... 10 µg/mL      Na (Sodium) .....10 µg/mL	125 mL
-----------	--	--------

<b>New</b> U-IMS-121	Mercury ICP-MS Standard (XXI) in 5% HNO <sub>3</sub> Hg (Mercury) ..... 10 µg/mL	125 mL
----------------------	--	--------



## ULTRAgade® multi-element standards

Code	Product	Unit
<b>New</b> U-IMS-120	ICP-MS Calibration Standard (VI) 30 Analytes in 5% HNO <sub>3</sub> with trace HF Ag (Silver) ..... 10 µg/mL      Cr (Chromium) ..... 10 µg/mL      Ni (Nickel) ..... 10 µg/mL Al (Aluminum) ..... 10 µg/mL      Cu (Copper) ..... 10 µg/mL      Pb (Lead) ..... 10 µg/mL As (Arsenic) ..... 100 µg/mL      Fe (Iron) ..... 100 µg/mL      Rb (Rubidium) ..... 10 µg/mL B (Boron) ..... 100 µg/mL      Ga (Gallium) ..... 10 µg/mL      Se (Selenium) ..... 100 µg/mL Ba (Barium) ..... 10 µg/mL      K (Potassium) ..... 10 µg/mL      Sr (Strontium) ..... 10 µg/mL Be (Beryllium) ..... 100 µg/mL      Li (Lithium) ..... 10 µg/mL      Te (Tellurium) ..... 10 µg/mL Bi (Bismuth) ..... 10 µg/mL      Mg (Magnesium) ..... 10 µg/mL      Tl (Thallium) ..... 10 µg/mL Ca (Calcium) ..... 1000 µg/mL      Mn (Manganese) ..... 10 µg/mL      U (Uranium) ..... 10 µg/mL Cd (Cadmium) ..... 10 µg/mL      Mo (Molybdenum) ..... 10 µg/mL      V (Vanadium) ..... 10 µg/mL Co (Cobalt) ..... 10 µg/mL      Na (Sodium) ..... 10 µg/mL      Zn (Zinc) ..... 100 µg/mL	125 mL
<b>New</b> U-IMS-130-5	ICP-MS Mass Calibration Standard (XXIII) 15 Analytes in 5% HNO <sub>3</sub> with trace HCl B (Boron) ..... 1 ng/mL      In (Indium) ..... 1 ng/mL      Rh (Rhodium) ..... 1 ng/mL Ba (Barium) ..... 1 ng/mL      K (Potassium) ..... 1 ng/mL      Sc (Scandium) ..... 1 ng/mL Co (Cobalt) ..... 1 ng/mL      Li (Lithium) ..... 1 ng/mL      Tl (Thallium) ..... 1 ng/mL Fe (Iron) ..... 1 ng/mL      Lu (Lutetium) ..... 1 ng/mL      U (Uranium) ..... 1 ng/mL Ga (Gallium) ..... 1 ng/mL      Na (Sodium) ..... 1 ng/mL      Y (Yttrium) ..... 1 ng/mL	500 mL
<b>New</b> U-IMS-133-L	ICP-MS Plasma Setup Solution (XX) 11 Analytes in 1% HNO <sub>3</sub> with trace HF Ba (Barium) ..... 10 ng/mL      Ge (Germanium) ..... 10 ng/mL      Sc (Scandium) ..... 10 ng/mL Cd (Cadmium) ..... 10 ng/mL      Mg (Magnesium) ..... 10 ng/mL      Tb (Terbium) ..... 10 ng/mL Ce (Cerium) ..... 10 ng/mL      Pb (Lead) ..... 10 ng/mL      Tl (Thallium) ..... 10 ng/mL Cu (Copper) ..... 10 ng/mL      Rh (Rhodium) ..... 10 ng/mL	1 L
<b>New</b> U-IMS-131	ICP-MS Optimization Standard (XXII) 5 Analytes in 2% HNO <sub>3</sub> with trace HCl Cd (Cadmium) ..... 200 ng/mL      Mg (Magnesium) ..... 200 ng/mL      Rh (Rhodium) ..... 200 ng/mL Cu (Copper) ..... 200 ng/mL      Pb (Lead) ..... 200 ng/mL	125 mL
<b>New</b> U-IMS-132	ICP-MS Detection Limit Standard (XIX) 5 Analytes in 1% HNO <sub>3</sub> Be (Beryllium) ..... 10 ng/mL      In (Indium) ..... 10 ng/mL      U (Uranium) ..... 10 ng/mL Co (Cobalt) ..... 10 ng/mL      Tl (Thallium) ..... 10 ng/mL	125 mL
U-IMS-101	ICP/MS Calibration Standard 1 17 Analytes 10 µg/ml of each analyte in 5% HNO <sub>3</sub> Cerium      Holmium      Samarium      Ytterbium Dysprosium      Lanthanum      Scandium      Yttrium Erbium      Lutetium      Terbium Europium      Neodymium      Thorium Gadolinium      Praseodymium      Thulium	125 mL
U-IMS-103	ICP/MS Calibration Standard 3 10 Analytes, 10 µg/mL of each analyte 10% HCl Antimony      Iridium      Rhodium      Tin Gold      Palladium      Ruthenium Hafnium      Platinum      Tellurium	125 mL
U-IMS-104	ICP/MS Calibration Standard 4 12 Analytes, 10 µg/mL of each analyte in water Boron      Niobium      Silicon      Titanium Germanium      Phosphorus      Sulfur      Tungsten Molybdenum      Rhenium      Tantalum      Zirconium	125 mL
U-IMS-105	ICP/MS Calibration Standard 5 Mercury ..... 10 µg/mL in 5% HNO <sub>3</sub>	125 mL
U-IMS-110	ICP/MS Tuning Solution 5 Analytes, 10 µg/mL of each analyte 2% HNO <sub>3</sub> Beryllium      Indium      Magnesium Cobalt      Lead	125 mL
U-IMS-111	ICP/MS Internal Standard Bismuth ..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-112	ICP/MS Internal Standard Indium ..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-113	ICP/MS Internal Standard Scandium ..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-114	ICP/MS Internal Standard Terbium ..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-115	ICP/MS Internal Standard Yttrium ..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL



## Further multielement standards and standards for EPA methods

Code	Product	Unit
U-ICM-233	EPA Method 200.7 Mixed Calibration Standard III 3 Analytes in 2% HNO <sub>3</sub> Cobalt ..... 20 µg/mL      Phosphorus ..... 100 µg/mL      Vanadium ..... 20 µg/mL	125 mL
U-ICM-234	EPA Method 200.7 Mixed Calibration Standard IV 5 Analytes in 2% HNO <sub>3</sub> Aluminium ..... 100 µg/mL      Silicon ..... 100 µg/mL      Zinc ..... 50 µg/mL Chromium ..... 50 µg/mL      Tin ..... 40 µg/mL	125 mL
U-ICM-235	EPA Method 200.7 Mixed Calibration Standard V 6 Analytes in 2% HNO <sub>3</sub> Beryllium ..... 10 µg/mL      Lead ..... 100 µg/mL      Nickel ..... 20 µg/mL Iron ..... 100 µg/mL      Magnesium ..... 100 µg/mL      Thallium ..... 50 µg/mL	125 mL
U-ICM-642	TCLP Mercury Standard Mercury ..... 20 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-ICK-230A	EPA Method 200.7 Calibration Kit Each Kit contains 100 ml of each of the following standards ICM-231                      ICM-233                      ICM-235 ICM-232                      ICM-234                      ICM-642	kit
U-ICM-240	EPA Method 200.7 LPC Solution 30 Analytes in 2% HNO <sub>3</sub> Aluminium ..... 20 µg/mL      Copper ..... 20 µg/mL      Potassium ..... 100 µg/mL Antimony ..... 20 µg/mL      Iron ..... 20 µg/mL      Selenium ..... 20 µg/mL Arsenic ..... 20 µg/mL      Lead ..... 20 µg/mL      Silicon ..... 100 µg/mL Barium ..... 20 µg/mL      Lithium ..... 20 µg/mL      Silver ..... 5 µg/mL Beryllium ..... 20 µg/mL      Magnesium ..... 20 µg/mL      Sodium ..... 20 µg/mL Boron ..... 20 µg/mL      Manganese ..... 20 µg/mL      Strontium ..... 20 µg/mL Cadmium ..... 20 µg/mL      Mercury ..... 20 µg/mL      Thallium ..... 20 µg/mL Calcium ..... 20 µg/mL      Molybdenum ..... 20 µg/mL      Tin ..... 20 µg/mL Chromium ..... 20 µg/mL      Nickel ..... 20 µg/mL      Vanadium ..... 20 µg/mL Cobalt ..... 20 µg/mL      Phosphorus ..... 100 µg/mL      Zinc ..... 20 µg/mL	125 mL
U-ICM-245	EPA Method 200.7 Lab Fortifying Stock Solution 26 Analytes in 2% HNO <sub>3</sub> Aluminium ..... 25 µg/mL      Copper ..... 25 µg/mL      Selenium ..... 25 µg/mL Antimony ..... 25 µg/mL      Iron ..... 25 µg/mL      Silicon ..... 25 µg/mL Arsenic ..... 25 µg/mL      Lead ..... 25 µg/mL      Silver ..... 2.5 µg/mL Barium ..... 25 µg/mL      Lithium ..... 25 µg/mL      Strontium ..... 25 µg/mL Beryllium ..... 5 µg/mL      Manganese ..... 25 µg/mL      Thallium ..... 25 µg/mL Boron ..... 25 µg/mL      Mercury ..... 5 µg/mL      Tin ..... 10 µg/mL Cadmium ..... 10 µg/mL      Molybdenum ..... 10 µg/mL      Vanadium ..... 10 µg/mL Chromium ..... 25 µg/mL      Nickel ..... 25 µg/mL      Zinc ..... 25 µg/mL Cobalt ..... 10 µg/mL      Phosphorus ..... 50 µg/mL	125 mL
U-ICM-241	EPA Method 200.7 SIC Solution I Molybdenum ..... 50 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-ICM-242	EPA Method 200.7 SIC Solution II 5 Analytes in 2% HNO <sub>3</sub> Chromium ..... 20 µg/mL      Copper ..... 40 µg/mL      Vanadium ..... 20 µg/mL Cobalt ..... 10 µg/mL      Manganese ..... 20 µg/mL	125 mL
U-ICM-243	EPA Method 200.7 SIC Solution III 3 Analytes in 2% HNO <sub>3</sub> Aluminum ..... 30 µg/mL      Iron ..... 150 µg/mL      Nickel ..... 20 µg/mL	125 mL
U-ICM-237	EPA Method 200.7 Plasma Solution 4 Analytes in 2% HNO <sub>3</sub> Arsenic ..... 10 µg/mL      Selenium ..... 10 µg/mL Lead ..... 10 µg/mL      Thallium ..... 10 µg/mL	125 mL
U-ICM-238	EPA Method 200.7 Tuning Solution 2 Analytes in 2% HNO <sub>3</sub> Copper ..... 10 µg/mL      Lead ..... 10 µg/mL	125 mL
U-ICM-202	EPA Method 200.7 Calibration Standard 1B 5 Analytes in 5% HNO <sub>3</sub> Arsenic ..... 1000 µg/mL      Lead ..... 1000 µg/mL      Thallium ..... 1000 µg/mL Cadmium ..... 500 µg/mL      Selenium ..... 500 µg/mL	125 mL
U-ICM-203	EPA Method 200.7 Calibration Standard 2 7 Analytes in 2% HNO <sub>3</sub> Barium ..... 100 µg/mL      Copper ..... 100 µg/mL      Vanadium ..... 100 µg/mL Beryllium ..... 100 µg/mL      Iron ..... 1000 µg/mL Cobalt ..... 200 µg/mL      Manganese ..... 100 µg/mL	125 mL

## Further multielement standards and standards for EPA methods

Code	Product	Unit
U-ICM-204	EPA Method 200.7 Calibration Standard 3 3 Analytes in water with trace hydrofluoric acid Boron ..... 100 µg/mL      Molybdenum ..... 1000 µg/mL      Silicon ..... 1000 µg/mL	125 mL
U-ICM-205	EPA Method 200.7 Calibration Standard 4 9 Analytes in 5% HNO <sub>3</sub> Aluminium ..... 1000 µg/mL      Magnesium ..... 1000 µg/mL      Silver ..... 500 µg/mL Calcium ..... 1000 µg/mL      Nickel ..... 500 µg/mL      Sodium ..... 1000 µg/mL Chromium ..... 500 µg/mL      Potassium ..... 1000 µg/mL      Zinc ..... 500 µg/mL	125 mL
U-ICP-051	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 1000 µg/mL	125 mL
U-ICM-221	EPA Method 200.7 Interference Check Std 1 4 Analytes in water with trace hydrofluoric acid Boron ..... 500 µg/mL      Silicon ..... 230 µg/mL Molybdenum ..... 300 µg/mL      Titanium ..... 1000 µg/mL	50 mL
U-ICM-224	Interference Check Standard 4 5 Analytes in 2% HNO <sub>3</sub> Aluminium ..... 3000 µg/mL      Iron ..... 12500 µg/mL      Sodium ..... 2500 µg/mL Calcium ..... 15000 µg/mL      Magnesium ..... 7500 µg/mL	125 mL
U-ICM-223	Interference Check Standard 3 16 Analytes in 5% HNO <sub>3</sub> Arsenic ..... 1000 µg/mL      Copper ..... 300 µg/mL      Silver ..... 300 µg/mL Barium ..... 300 µg/mL      Lead ..... 1000 µg/mL      Thallium ..... 1000 µg/mL Beryllium ..... 100 µg/mL      Manganese ..... 200 µg/mL      Vanadium ..... 300 µg/mL Cadmium ..... 300 µg/mL      Nickel ..... 300 µg/mL      Zinc ..... 300 µg/mL Chromium (III) ..... 300 µg/mL      Potassium ..... 20000 µg/mL Cobalt ..... 300 µg/mL      Selenium ..... 500 µg/mL	50 mL
U-ICM-213	EPA Method 200.7 Spiking Standard 3 12 Analytes in 5% HNO <sub>3</sub> Aluminium ..... 2000 µg/mL      Cobalt ..... 500 µg/mL      Nickel ..... 500 µg/mL Barium ..... 2000 µg/mL      Copper ..... 250 µg/mL      Silver ..... 50 µg/mL Beryllium ..... 50 µg/mL      Iron ..... 1000 µg/mL      Vanadium ..... 500 µg/mL Chromium ..... 200 µg/mL      Manganese ..... 500 µg/mL      Zinc ..... 500 µg/mL	50 mL
U-ICM-212	EPA Method 200.7 Spiking Standard 2 4 Analytes in 5% HNO <sub>3</sub> Calcium ..... 1000 µg/mL      Potassium ..... 10000 µg/mL Magnesium ..... 2000 µg/mL      Sodium ..... 3000 µg/mL	50 mL
U-ICM-211	EPA Method 200.7 Spiking Standard 1 3 Analytes in water with trace hydrofluoric acid Boron ..... 500 µg/mL      Molybdenum ..... 500 µg/mL      Silicon ..... 2000 µg/mL	50 mL
U-ICM-215	EPA Method 200.7 Spiking Standard 5 5 Analytes in 5% HNO <sub>3</sub> Arsenic ..... 800 µg/mL      Lead ..... 1000 µg/mL      Thallium ..... 1000 µg/mL Cadmium ..... 100 µg/mL      Selenium ..... 1000 µg/mL	50 mL

### EPA Method 200.8

EPA Method 200.8 provides procedures for determination of dissolved elements in ground waters, surface waters and drinking water by ICP-MS. It may also be used for determination of total recoverable element concentrations in these waters as well as wastewaters, sludges and solid waste samples.

U-ICM-801	EPA Method 200.8 Standard Solution A 18 analytes in dilute nitric acid with trace tartaric acid. Aluminum ..... 10 µg/mL      Cobalt ..... 10 µg/mL      Selenium ..... 50 µg/mL Antimony ..... 10 µg/mL      Copper ..... 10 µg/mL      Thallium ..... 10 µg/mL Arsenic ..... 10 µg/mL      Lead ..... 10 µg/mL      Thorium ..... 10 µg/mL Beryllium ..... 10 µg/mL      Manganese ..... 10 µg/mL      Uranium ..... 10 µg/mL Cadmium ..... 10 µg/mL      Molybdenum ..... 10 µg/mL      Vanadium ..... 10 µg/mL Chromium (III) ..... 10 µg/mL      Nickel ..... 10 µg/mL      Zinc ..... 10 µg/mL	125 mL
U-ICM-801-5	EPA Method 200.8 Standard Solution A	500 mL
U-ICM-802	EPA Method 200.8 Standard Solution B 2 Analytes in dilute HNO <sub>3</sub> Barium ..... 10 µg/mL      Silver ..... 10 µg/mL	125 mL
U-ICM-802-5	EPA Method 200.8 Standard Solution B	500 mL
U-IMS-105	ICP/MS Calibration Standard 5 Mercury ..... 10 µg/mL in 5% HNO <sub>3</sub>	125 mL
U-IMS-105-5	ICP/MS Calibration Standard 5	500 mL
U-ICP-079	Au in dilute HCl, 1000 µg/mL	125 mL

## Further multielement standards and standards for EPA methods

Code	Product	Unit
U-ICP-079-5	Au in dilute HCl, 1000 µg/mL	4 x 125mL
U-ICM-810	EPA Method 200.8 Internal Standard Solution 5 analytes in dilute HNO <sub>3</sub> Bismuth..... 100 µg/mL      Scandium .....100 µg/mL      Yttrium ..... 100 µg/mL Indium ..... 100 µg/mL      Terbium .....100 µg/mL	125 mL
U-ICM-810-5	EPA Method 200.8 Internal Standard Solution	500 mL
U-ICM-820	EPA Method 200.8 & ICP-MS Tuning Standard 5 Analytes, 100 µg/mL of each analyte in dilute HNO <sub>3</sub> Beryllium ..... Indium      Magnesium Cobalt ..... Lead	125 mL
U-ICM-820-5	EPA Method 200.8 & ICP-MS Tuning Standard	500 mL
U-IMS-110	ICP/MS Tuning Solution 5 Analytes, 10 µg/mL of each analyte 2% HNO <sub>3</sub> Beryllium                      Indium                      Magnesium Cobalt                          Lead	125 mL
U-IMS-110-5	ICP/MS Tuning Solution	500 mL
U-IMS-111	ICP/MS Internal Standard Bismuth..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-111-5	ICP/MS Internal Standard Bismuth..... 100 µg/mL in 2% HNO <sub>3</sub>	500 mL
U-IMS-112	ICP/MS Internal Standard Indium ..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-112-5	ICP/MS Internal Standard Indium ..... 100 µg/mL in 2% HNO <sub>3</sub>	500 mL
U-IMS-113	ICP/MS Internal Standard Scandium..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-113-5	ICP/MS Internal Standard Scandium..... 100 µg/mL in 2% HNO <sub>3</sub>	500 mL
U-IMS-114	ICP/MS Internal Standard Terbium..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-114-5	ICP/MS Internal Standard Terbium..... 100 µg/mL in 2% HNO <sub>3</sub>	500 mL
U-IMS-115	ICP/MS Internal Standard Yttrium ..... 100 µg/mL in 2% HNO <sub>3</sub>	125 mL
U-IMS-115-5	ICP/MS Internal Standard Yttrium ..... 100 µg/mL in 2% HNO <sub>3</sub>	500 mL

## EPA Method 6010C

U-ICM-601	EPA Method 6010C Mixed Standard Solution I 6 Analytes in 2% HNO <sub>3</sub> Beryllium ..... 50 µg/mL      Lead .....500 µg/mL      Selenium..... 200 µg/mL Cadmium ..... 150 µg/mL      Manganese.....100 µg/mL      Zinc ..... 150 µg/mL	125 mL
U-ICM-601-5	EPA Method 6010C Mixed Standard Solution I	500 mL
U-ICM-602	EPA Method 6010C Mixed Standard Solution II 5 Analytes in 2% HNO <sub>3</sub> Barium ..... 100 µg/mL      Copper.....100 µg/mL      Vanadium..... 100 µg/mL Cobalt ..... 100 µg/mL      Iron ..... 10000 µg/mL	125 mL
U-ICM-602-5	EPA Method 6010C Mixed Standard Solution II	500 mL
U-ICM-603	EPA Method 6010C Mixed Standard Solution III 2 Analytes in 2% HNO <sub>3</sub> Arsenic..... 500 µg/mL      Molybdenum .....100 µg/mL	125 mL
U-ICM-603-5	EPA Method 6010C Mixed Standard Solution III	500 mL
U-ICM-604	EPA Method 6010C Mixed Standard Solution IV 8 Analytes in 2% HNO <sub>3</sub> Aluminium..... 200 µg/mL      Lithium.....100 µg/mL      Sodium..... 200 µg/mL Calcium..... 1000 µg/mL      Nickel .....20 µg/mL      Strontium ..... 10 µg/mL Chromium ..... 20 µg/mL      Potassium .....400 µg/mL	125 mL
U-ICM-604-5	EPA Method 6010C Mixed Standard Solution IV	500 mL

## Matrix modifiers for graphite furnace AA

Code	Product	Unit
U-ICM-605	EPA Method 6010C Mixed Standard Solution V 4 Analytes in 2% HNO <sub>3</sub> Antimony ..... 200 µg/mL      Silver ..... 50 µg/mL Magnesium ..... 1000 µg/mL      Thallium ..... 200 µg/mL	125 mL
U-ICM-605-5	EPA Method 6010C Mixed Standard Solution V	500 mL
U-ICP-015	P in dilute HNO <sub>3</sub> , 1000 µg/mL	125 mL
U-ICP-015-5	P in dilute HNO <sub>3</sub> , 1000 µg/mL	4 x 125mL
<b>New</b> U-ICM-607	EPA Method 6010C Mixed Standard Solution IIa 5 Analytes in 2% HNO <sub>3</sub> Barium (Ba) ..... 100 µg/mL      Copper (Cu) ..... 100 µg/mL      Vanadium (V) ..... 100 µg/mL Cobalt (Co) ..... 100 µg/mL      Iron (Fe) ..... 1000 µg/mL	125 mL
<b>New</b> U-ICK-600A	EPA Method 6010C Mixed Standard Solution Kit Each kit contains 125 mL of each of the following standards U-ICM-601 ..... EPA Method 6010C Mixed Standard Solution I U-ICM-602 ..... EPA Method 6010C Mixed Standard Solution II U-ICM-603 ..... EPA Method 6010C Mixed Standard Solution III U-ICM-604 ..... EPA Method 6010C Mixed Standard Solution IV U-ICM-605 ..... EPA Method 6010C Mixed Standard Solution V U-ICP-015 ..... Phosphorus (P) in dilute HNO <sub>3</sub> , 1000 µg/mL	kit
U-ICM-611	EPA Method 6010C Interference Check Standard I 5 Analytes in 2% HNO <sub>3</sub> with trace hydrofluoric acid Lithium ..... 300 µg/mL      Phosphorus ..... 1000 µg/mL      Titanium ..... 1000 µg/mL Molybdenum ..... 300 µg/mL      Strontium ..... 200 µg/mL	125 mL
U-ICM-611-5	EPA Method 6010C Interference Check Std I	500 mL
U-ICP-051	Sb in dilute HNO <sub>3</sub> /C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> , 1000 µg/mL	125 mL
U-ICM-223	Interference Check Standard 3 16 Analytes in 5% HNO <sub>3</sub> Arsenic ..... 1000 µg/mL      Copper ..... 300 µg/mL      Silver ..... 300 µg/mL Barium ..... 300 µg/mL      Lead ..... 1000 µg/mL      Thallium ..... 1000 µg/mL Beryllium ..... 100 µg/mL      Manganese ..... 200 µg/mL      Vanadium ..... 300 µg/mL Cadmium ..... 300 µg/mL      Nickel ..... 300 µg/mL      Zinc ..... 300 µg/mL Chromium (III) ..... 300 µg/mL      Potassium ..... 20000 µg/mL Cobalt ..... 300 µg/mL      Selenium ..... 500 µg/mL	50 mL
U-ICM-224	Interference Check Standard 4 5 Analytes in 2% HNO <sub>3</sub> Aluminium ..... 3000 µg/mL      Iron ..... 12500 µg/mL      Sodium ..... 2500 µg/mL Calcium ..... 15000 µg/mL      Magnesium ..... 7500 µg/mL	125 mL
<b>New</b> U-ICK-610A	EPA Method 6010C Interference Check Kit Each kit contains 50 mL of the following standard: U-ICM-223 Interference Check Standard 3 plus 125 mL of each of the following standards: U-ICM-611 ..... EPA Method 6010C Interference Check Standard I U-ICP-051 ..... Antimony (Sb) in dilute HNO <sub>3</sub> , 1000 µg/mL U-ICM-224 ..... Interference Check Standard 4	kit

## Matrix modifiers for graphite furnace AA

Code	Product	Unit
<b>New</b> U-IMM-001	Matrix Modifier - Palladium in dilute HNO <sub>3</sub> , 2000 µg/mL Pd from Palladium nitrate	125 mL
<b>New</b> U-IMM-002	Matrix Modifier - Palladium in dilute HNO <sub>3</sub> , 5000 µg/mL Pd from Palladium nitrate	50 mL
<b>New</b> U-IMM-003	Matrix Modifier - Magnesium nitrate, 10000 µg/mL in dilute HNO <sub>3</sub>	125 mL
<b>New</b> U-IMM-004	Matrix Modifier - Phosphate, 40000 µg/mL in dilute HNO <sub>3</sub> Phosphate from Ammonium phosphate	50 mL
<b>New</b> U-IMM-005	Matrix Modifier - Ammonium nitrate 10000 µg/mL in dilute HNO <sub>3</sub>	50 mL
<b>New</b> U-IMM-007	Matrix Modifier - Nickel in dilute HNO <sub>3</sub> , 4000 µg/mL Ni from Nickel nitrate	50 mL

## High purity acids

LGC Standards offers the most frequently used mineral acids for trace analysis: hydrochloric acid, nitric acid, hydrofluoric acid, sulfuric acid, perchloric acid and acetic acid. These are produced by subboiling distillation of very pure starting materials. This purification results in most metallic impurities reduced to (or below) ppb ranges. The acids are delivered in special bottles (long - term leached borosilicate glass or modified HDPE) which ensure minimum contamination of the acid from the material of the bottle.

Important note: Element concentrations are at the point of bottling. Concentrations of some elements may increase due to the storage container.

Code	Product	Unit
HPA-0050-B010	Acetic acid for trace analysis min 99.5 % (glass bottle) UN 2789	1 L
	Assay ..... > 99.5 % Chloride ..... < 0.4 ppm Colour (APHA) ..... < 10 Phosphate ..... < 0.5 ppm Residue ..... < 2 ppm Sulfate ..... < 0.4 ppm	
	Ag ..... < 0.1 ppb      Cr ..... < 0.1 ppb      Ni ..... < 0.1 ppb Al ..... < 0.1 ppb      Cu ..... < 0.1 ppb      Pb ..... < 0.1 ppb As ..... < 0.1 ppb      Fe ..... < 0.5 ppb      Se ..... < 0.5 ppb Ba ..... < 0.1 ppb      K ..... < 0.1 ppb      Sn ..... < 0.1 ppb Be ..... < 0.1 ppb      Li ..... < 0.1 ppb      Sr ..... < 0.1 ppb Bi ..... < 0.1 ppb      Mg ..... < 0.1 ppb      Th ..... < 0.1 ppb Ca ..... < 0.5 ppb      Mn ..... < 0.1 ppb      Ti ..... < 0.1 ppb Cd ..... < 0.1 ppb      Mo ..... < 0.1 ppb      V ..... < 0.1 ppb Co ..... < 0.1 ppb      Na ..... < 0.5 ppb      Zn ..... < 0.5 ppb	
	Hydrochloric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	
HPA-0070-B010	Ammonia solution for trace analysis (glass bottle) UN 2672	1 L
	Assay ..... > 21 % Chloride ..... < 500 ppb Colour (Hazen) ..... < 10 Phosphate ..... < 50 ppb Carbonate ..... < 10 ppm Sulfate ..... < 500 ppb	
	Al ..... < 0.5 ppb      Cu ..... < 0.5 ppb      Se ..... < 0.1 ppb As ..... < 0.1 ppb      Fe ..... < 0.5 ppb      Ag ..... < 0.1 ppb Ba ..... < 0.1 ppb      Pb ..... < 0.1 ppb      Na ..... < 0.5 ppb Be ..... < 0.1 ppb      Li ..... < 0.1 ppb      Sr ..... < 0.1 ppb Bi ..... < 0.1 ppb      Mg ..... < 0.2 ppb      Th ..... < 0.1 ppb Cd ..... < 0.1 ppb      Mn ..... < 0.1 ppb      Sn ..... < 0.1 ppb Ca ..... < 0.5 ppb      Mo ..... < 0.1 ppb      Ti ..... < 0.1 ppb Cr ..... < 0.1 ppb      Ni ..... < 0.1 ppb      V ..... < 0.1 ppb Co ..... < 0.1 ppb      K ..... < 0.2 ppb      Zn ..... < 0.2 ppb	
HPA-0010-B010	Hydrochloric acid for trace analysis min. 36 % (glass bottle) UN 1789	1 L
	Assay ..... > 36 % free chlorine ..... < 0.5 ppm Residue ..... < 3 ppm Phosphate ..... < 0.05 ppm Colour (APHA) ..... < 10 Sulfite ..... < 0.5 ppm Bromide ..... < 50 ppm Sulfate ..... < 0.5 ppm	
	Ag ..... < 0.1 ppb      Cu ..... < 0.1 ppb      Sb ..... < 0.1 ppb Al ..... < 0.5 ppb      Fe ..... < 1 ppb      Se ..... < 0.1 ppb As ..... < 0.1 ppb      Hg ..... < 0.2 ppb      Sn ..... < 0.1 ppb B ..... < 1 ppb      K ..... < 0.1 ppb      Sr ..... < 0.1 ppb Ba ..... < 0.1 ppb      Li ..... < 0.1 ppb      Th ..... < 0.1 ppb Be ..... < 0.1 ppb      Mg ..... < 0.5 ppb      Ti ..... < 0.1 ppb Bi ..... < 0.1 ppb      Mn ..... < 0.1 ppb      U ..... < 0.1 ppb Ca ..... < 0.5 ppb      Mo ..... < 0.1 ppb      V ..... < 0.1 ppb Cd ..... < 0.1 ppb      Na ..... < 0.5 ppb      Zn ..... < 0.5 ppb Co ..... < 0.1 ppb      Ni ..... < 0.1 ppb      Zr ..... < 0.1 ppb Cr ..... < 0.1 ppb      Pb ..... < 0.1 ppb	
	Hydrochloric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	
HPA-0030-B010	Hydrofluoric acid for trace analysis min. 48 % ( HDPE bottle) UN 1790	1 L
	Assay ..... > 48 % Phosphate ..... < 0.1 ppm Colour (HAZEN) ..... < 10 Sulfate ..... < 0.5 ppm Chloride ..... < 1 ppm Hexafluorosilicate ..... < 20 ppm	
	Ag ..... < 1 ppb      Cu ..... < 1 ppb      Pb ..... < 1 ppb Al ..... < 1 ppb      Fe ..... < 1 ppb      Se ..... < 1 ppb As ..... < 1 ppb      Hg ..... < 1 ppb      Si ..... < 1 ppb Ba ..... < 1 ppb      K ..... < 1 ppb      Sn ..... < 1 ppb Be ..... < 1 ppb      Li ..... < 1 ppb      Sr ..... < 1 ppb Bi ..... < 1 ppb      Mg ..... < 1 ppb      Ti ..... < 1 ppb Ca ..... < 1 ppb      Mn ..... < 1 ppb      V ..... < 1 ppb Cd ..... < 1 ppb      Mo ..... < 1 ppb      Zn ..... < 1 ppb Co ..... < 1 ppb      Na ..... < 1 ppb Cr ..... < 1 ppb      Ni ..... < 1 ppb	
	Hydrofluoric acid stored in polyethylene bottles will see a rise in: Al, Ca, Fe, Na and Zn.	



## Ion chromatography standards

Code	Product	Unit
HPA-0020-B010	Nitric acid for trace analysis min 67 % (glass bottle) UN 2031 Assay ..... > 67 %      Phosphate ..... < 0.1 ppm Residue ..... < 1 ppm      Sulfate ..... < 0.5 ppm Chloride ..... < 0.08 ppm Ag ..... < 0.1 ppb      Cu ..... < 0.1 ppb      Pb ..... < 0.1 ppb Al ..... < 0.5 ppb      Fe ..... < 0.5 ppb      Se ..... < 0.1 ppb As ..... < 0.1 ppb      Hg ..... < 0.2 ppb      Sn ..... < 0.1 ppb Ba ..... < 0.1 ppb      K ..... < 0.2 ppb      Sr ..... < 0.1 ppb Be ..... < 0.1 ppb      Li ..... < 0.1 ppb      Th ..... < 0.1 ppb Bi ..... < 0.1 ppb      Mg ..... < 0.5 ppb      Ti ..... < 0.1 ppb Ca ..... < 0.5 ppb      Mn ..... < 0.1 ppb      V ..... < 0.1 ppb Cd ..... < 0.1 ppb      Mo ..... < 0.1 ppb      Zn ..... < 0.5 ppb Co ..... < 0.1 ppb      Na ..... < 0.5 ppb Cr ..... < 0.2 ppb      Ni ..... < 0.1 ppb Nitric Acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	1 L
HPA-0060-B010	Perchloric acid for trace analysis min 68 % (glass bottle) UN 1802 Assay ..... > 68 %      Sulfate ..... < 5 ppm Colour (APHA) ..... < 10      Total nitrogen ..... < 10 ppm Phosphate ..... < 0.1 ppm Ag ..... < 0.1 ppb      Cu ..... < 0.1 ppb      Ni ..... < 0.1 ppb Al ..... < 0.5 ppb      Fe ..... < 0.5 ppb      Pb ..... < 0.1 ppb Ba ..... < 0.1 ppb      K ..... < 0.5 ppb      Sn ..... < 0.1 ppb Be ..... < 0.1 ppb      Li ..... < 0.1 ppb      Sr ..... < 0.1 ppb Bi ..... < 0.1 ppb      Mg ..... < 0.5 ppb      Th ..... < 0.1 ppb Ca ..... < 0.5 ppb      Mn ..... < 0.1 ppb      Ti ..... < 0.1 ppb Cd ..... < 0.1 ppb      Mo ..... < 0.1 ppb      V ..... < 0.5 ppb Co ..... < 0.1 ppb      Na ..... < 0.5 ppb      Zn ..... < 0.5 ppb Perchloric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	1 L
HPA-0040-B010	Sulfuric acid min 95 % (glass bottle) UN 1830 Assay ..... 95 %      Chloride ..... < 0.1 ppm Density ..... 1.83 g/mL      Phosphate ..... < 0.5 ppm Colour (APHA) ..... < 10      Nitrate ..... < 0.07 ppm Residue ..... < 2 ppm Ag ..... < 0.1 ppb      Fe ..... < 0.5 ppb      Se ..... < 5 ppb Al ..... < 0.5 ppb      Hg ..... < 1 ppb      Sn ..... < 0.1 ppb As ..... < 1 ppb      K ..... < 0.5 ppb      Sr ..... < 0.1 ppb Ba ..... < 0.1 ppb      Li ..... < 0.1 ppb      Th ..... < 0.1 ppb Be ..... < 0.1 ppb      Mg ..... < 0.5 ppb      Ti ..... < 1 ppb Bi ..... < 0.1 ppb      Mn ..... < 0.1 ppb      U ..... < 0.1 ppb Ca ..... < 0.5 ppb      Mo ..... < 0.1 ppb      V ..... < 0.1 ppb Cd ..... < 0.1 ppb      Na ..... < 0.5 ppb      Zn ..... < 0.1 ppb Co ..... < 0.1 ppb      Ni ..... < 0.1 ppb      Zr ..... < 0.1 ppb Cr ..... < 0.1 ppb      Pb ..... < 0.1 ppb Cu ..... < 0.1 ppb      Sb ..... < 0.1 ppb Sulfuric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	1 L

## Ion chromatography standards

### Anions

Code	Product	Unit
<p>ULTRA Scientific standards and NIST SRMs<sup>®</sup> are solutions prepared gravimetrically for use in ion chromatography or other techniques that require aqueous standard solutions for calibration.</p> <p>The standards from ULTRA Scientific are traceable to NIST Standard Reference Materials<sup>®</sup> (SRM<sup>®</sup>) wherever possible.</p>		
U-ICC-014	Acetate Standard, 1000 µg/mL in water	125 mL
U-ICC-014-5	Acetate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-015	Benzoate Standard, 1000 µg/mL in water	125 mL
U-ICC-015-5	Benzoate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-010	Bromate (BrO <sub>3</sub> <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-010-5	Bromate (BrO <sub>3</sub> <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
NIST-3184	Bromide (Br <sup>-</sup> ), 1000 mg/kg in water	5 x 10 mL
U-ICC-001	Bromide (Br <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-001-5	Bromide (Br <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-011	Chlorate (ClO <sub>3</sub> <sup>-</sup> ), 1000 µg/mL in water	125 mL

## Ion chromatography standards

Code	Product	Unit
U-ICC-011-5	Chlorate (ClO <sub>3</sub> <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
NIST-3182	Chloride (Cl <sup>-</sup> ), 1000 mg/kg in water	5 x 10 mL
U-ICC-002	Chloride (Cl <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-002-5	Chloride (Cl <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-012	Chlorite (ClO <sub>2</sub> <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-012-5	Chlorite (ClO <sub>2</sub> <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-016	Chromate Standard, 1000 µg/mL in water	125 mL
U-ICC-016-5	Chromate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-017	Citrate Standard, 1000 µg/mL in water	125 mL
U-ICC-017-5	Citrate Standard, 1000 µg/mL in water	4 x 125mL
NIST-3183	Fluoride (F <sup>-</sup> ), 1000 mg/kg in water	50 mL
U-ICC-003	Fluoride (F <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-003-5	Fluoride (F <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-018	Formate Standard, 1000 µg/mL in water	125 mL
U-ICC-018-5	Formate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-019	Glycolate Standard, 1000 µg/mL in water	125 mL
U-ICC-019-5	Glycolate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-020	Iodide Standard, 1000 µg/mL in water	125 mL
U-ICC-020-5	Iodide Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-021	Lactate Standard, 1000 µg/mL in water	125 mL
U-ICC-021-5	Lactate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-022	Malate Standard, 1000 µg/mL in water	125 mL
U-ICC-022-5	Malate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-023	Maleate Standard, 1000 µg/mL in water	125 mL
U-ICC-023-5	Maleate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-024	Methanesulfonate Standard, 1000 µg/mL in water	125 mL
U-ICC-024-5	Methanesulfonate Standard, 1000 µg/mL in water	4 x 125mL
NIST-3185	Nitrate (NO <sub>3</sub> <sup>-</sup> ), 1000 mg/kg in water	5 x 10 mL
U-ICC-004	Nitrate (NO <sub>3</sub> <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-004-5	Nitrate (NO <sub>3</sub> <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-004A	Nitrate as N Standard, 1000 µg/mL in water	125 mL
U-ICC-004A-5	Nitrate as N Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-025	Nitriiotriacetate Standard, 1000 µg/mL in water	125 mL
U-ICC-025-5	Nitriiotriacetate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-007	Nitrite (NO <sub>2</sub> <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-007-5	Nitrite (NO <sub>2</sub> <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-007A	Nitrite as N Standard, 1000 µg/mL in water	125 mL
U-ICC-007A-5	Nitrite as N Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-026	Oxalate Standard, 1000 µg/mL in water	125 mL
U-ICC-026-5	Oxalate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-013	Perchlorate (ClO <sub>4</sub> <sup>-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-013-5	Perchlorate (ClO <sub>4</sub> <sup>-</sup> ), 1000 µg/mL in water	4 x 125mL
NIST-3186	Phosphate (PO <sub>4</sub> <sup>3-</sup> ), 1000 mg/kg in water	5 x 10 mL
U-ICC-005	Phosphate (PO <sub>4</sub> <sup>3-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-005-5	Phosphate (PO <sub>4</sub> <sup>3-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-005A	Ortho-Phosphate as P Standard, 1000 µg/mL in water	125 mL
U-ICC-005A-5	Ortho-Phosphate as P Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-027	Phthalate Standard, 1000 µg/mL in water	125 mL
U-ICC-027-5	Phthalate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-028	Propionate Standard, 1000 µg/mL in water	125 mL
U-ICC-028-5	Propionate Standard, 1000 µg/mL in water	4 x 125mL

## Ion chromatography standards

Code	Product	Unit
U-ICC-029	Succinate Standard, 1000 µg/mL in water	125 mL
U-ICC-029-5	Succinate Standard, 1000 µg/mL in water	4 x 125mL
NIST-3181	Sulfate (SO <sub>4</sub> <sup>2-</sup> ), 1000 mg/kg in water	5 x 10 mL
U-ICC-006	Sulfate (SO <sub>4</sub> <sup>2-</sup> ), 1000 µg/mL in water	125 mL
U-ICC-006-5	Sulfate (SO <sub>4</sub> <sup>2-</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-030	Tartrate Standard, 1000 µg/mL in water	125 mL
U-ICC-030-5	Tartrate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-031	Thiocyanate Standard, 1000 µg/mL in water	125 mL
U-ICC-031-5	Thiocyanate Standard, 1000 µg/mL in water	4 x 125mL
U-ICC-032	Thiosulfate Standard, 1000 µg/mL in water	125 mL
U-ICC-032-5	Thiosulfate Standard, 1000 µg/mL in water	4 x 125mL

### Anion mixtures for ion chromatography

U-ICC-200	IC Anions Mixture 1 Solvent : Water Chloride (Cl <sup>-</sup> )..... 30 µg/mL      Nitrate (NO <sub>3</sub> <sup>2-</sup> ) ..... 100 µg/mL      Sulfate (SO <sub>4</sub> <sup>2-</sup> ) ..... 150 µg/mL Fluoride (F <sup>-</sup> ) ..... 20 µg/mL      Phosphate (PO <sub>4</sub> <sup>3-</sup> )..... 150 µg/mL	125 mL
U-ICC-210	IC Anions Mixture 2 Solvent : Water Bromide ..... 400 µg/mL      Fluoride (F <sup>-</sup> )..... 100 µg/mL      Phosphate (PO <sub>4</sub> <sup>3-</sup> ) .... 600 µg/mL Chloride (Cl <sup>-</sup> )..... 200 µg/mL      Nitrate (NO <sub>3</sub> <sup>2-</sup> ) ..... 400 µg/mL      Sulfate (SO <sub>4</sub> <sup>2-</sup> ) ..... 400 µg/mL	125 mL

<b>New</b> U-ICC-759	Ion Chromatography Detector Linearity Kit Each kit contains 1 x 10 mL of each individual standard in H <sub>2</sub> O Nitrate ..... 5 µg/mL Nitrate ..... 10 µg/mL Nitrate ..... 25 µg/mL Nitrate ..... 50 µg/mL Nitrate ..... 100 µg/mL	kit
----------------------	--	-----

### Cations

U-ICC-101	Ammonium (NH <sub>4</sub> <sup>+</sup> ), 1000 µg/mL in water	125 mL
U-ICC-101-5	Ammonium (NH <sub>4</sub> <sup>+</sup> ), 1000 µg/mL in water	4 x 125mL
U-ICC-102	Barium (Ba <sup>2+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	125 mL
U-ICC-102-5	Barium (Ba <sup>2+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	4 x 125mL
U-ICC-103	Calcium (Ca <sup>2+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	125 mL
U-ICC-103-5	Calcium (Ca <sup>2+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	4 x 125mL
U-ICC-104	Lithium (Li <sup>+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	125 mL
U-ICC-104-5	Lithium (Li <sup>+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	4 x 125mL
U-ICC-105	Magnesium (Mg <sup>2+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	125 mL
U-ICC-105-5	Magnesium (Mg <sup>2+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	4 x 125mL
U-ICC-106	Potassium (K <sup>+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	125 mL
U-ICC-106-5	Potassium (K <sup>+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	4 x 125mL
U-ICC-107	Sodium (Na <sup>+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	125 mL
U-ICC-107-5	Sodium (Na <sup>+</sup> ), 1000 µg/mL in 0.2% HNO <sub>3</sub>	4 x 125mL
U-ICC-108	Strontium (Sr <sup>2+</sup> ), 1000 µg/mL 0.2% HNO <sub>3</sub>	125 mL
U-ICC-108-5	Strontium (Sr <sup>2+</sup> ), 1000 µg/mL 0.2% HNO <sub>3</sub>	4 x 125mL

### Cation mixtures for ion chromatography

U-ICC-300	IC Cations Mixture 1 Solvent: 2% HNO <sub>3</sub> Ammonium (NH <sub>4</sub> <sup>+</sup> ) .... 400 µg/mL      Lithium (Li <sup>+</sup> ) ..... 50 µg/mL      Potassium (K <sup>+</sup> ) ..... 200 µg/mL Calcium (Ca <sup>2+</sup> ) ..... 1000 µg/mL      Magnesium (Mg <sup>2+</sup> ) ..... 200 µg/mL      Sodium (Na <sup>+</sup> ) ..... 200 µg/mL	125 mL
U-ICC-310	IC Cations Mixture 2 Solvent: 0.5% HNO <sub>3</sub> Ammonium (NH <sub>4</sub> <sup>+</sup> ) .... 100 µg/mL      Potassium (K <sup>+</sup> ) ..... 50 µg/mL Lithium (Li <sup>+</sup> ) ..... 10 µg/mL      Sodium (Na <sup>+</sup> ) ..... 100 µg/mL	125 mL

## Wet chemistry standards

Code	Product	Unit
U-ICC-320	IC Cations Mixture 3 Solvent: 2% HNO <sub>3</sub> Barium (Ba <sup>2+</sup> )..... 1600 µg/mL      Magnesium (Mg <sup>2+</sup> ).....200 µg/mL Calcium (Ca <sup>2+</sup> )..... 1000 µg/mL      Strontium (Sr <sup>2+</sup> ) .....600 µg/mL	125 mL

## Wet chemistry standards

Code	Product	Unit
U-ICC-008	Free cyanide standard in water Cyanide (from KCN) ..... 1000 mg/L	125 mL
U-ICC-008-5	Free cyanide standard in water Cyanide (from KCN) ..... 1000 mg/L	4 x 125mL
U-ICC-009	Complex cyanide standard in water Cyanide (from K <sub>3</sub> Fe(CN) <sub>6</sub> ) ..... 1000 mg/L	125 mL
U-ICC-009-5	Complex cyanide standard in water Cyanide (from K <sub>3</sub> Fe(CN) <sub>6</sub> ) ..... 1000 mg/L	4 x 125mL

# Stable isotope labelled standards from CIL



# Stable isotope labelled standards from Cambridge Isotope Laboratories (CIL)



LGC Standards, in partnership with Cambridge Isotope Laboratories, offers a full range of environmental standards designed for use with isotope dilution mass spectrometry (IDMS). Cambridge Isotope Laboratories is the world's premier producer of stable isotope labelled compounds and specialises in the development, production, and marketing of compounds labelled with stable (non-radioactive) isotopes.

LGC Standards provides you with:

- Expert local customer service and technical support
- Assistance in finding the right product to meet your needs
- Regular updates about new products

For further information or to place an order, please contact your local office.

**Dioxins and furans**

**Polychlorinated biphenyls**

**Brominated flame retardants**

**Pesticides and pesticide metabolites**

**Endocrine disrupting compounds**

**Polycyclic aromatic hydrocarbons**

**Chemical warfare agents**

**Persistent organic pollutants**

**Pharmaceutical and personal care products**

[www.lgcstandards.com](http://www.lgcstandards.com)



*Excellence through measurement*

## Environmental contaminant standards from CIL

LGC Standards is delighted to introduce a fully updated listing of environmental contaminant standards from Cambridge Isotope Laboratories (CIL).

Cambridge Isotope Laboratories, Inc. (CIL) is the world's premier producer of stable isotope labelled compounds and the world leader in the field of isotope separations with an annual production capacity of 120 kilograms of carbon-13 and 250 kilograms of oxygen-18. For more than 20 years, CIL has specialised in the development, production, and marketing of stable (non-radioactive) isotopes and chemical compounds labelled with stable isotopes. In the environmental field they produce a wide range of contaminant standards designed for use with Isotope Dilution Mass Spectrometry (IDMS). Through their ongoing commitment to the manufacture of the highest quality products CIL has earned the respect of the analytical community.

This catalogue lists a comprehensive selection of around 2500 products covering contaminants from dioxins to veterinary medicine residues and from brominated flame-retardants to chemical weapons. Many new products have been developed in response to worldwide customer requests and others are formulated to meet the needs of customers using official or even draft methods, for example in the important area of Persistent Organic pollutants (POPs) covered by the Stockholm Treaty.

It is not possible to list all the compounds in the CIL inventory in this catalogue so if you cannot find the product you need, please contact your local LGC Standards office for further information.

### An introduction to CIL

Cambridge Isotope Laboratories is the world leader in the manufacture and separation of stable isotopes and stable isotope labelled compounds. Their area of expertise is the synthesis of isotopically labelled biochemical and organic compounds with highly enriched isotopes of carbon, hydrogen, nitrogen and oxygen. CIL is committed to providing the highest quality products coupled with unsurpassed service to researchers worldwide. They proudly offer the world's largest inventory of stable isotope labelled compounds. Their unmatched selection has contributed to advancements in environmental analysis, chemistry, biochemistry, physics, biomedical and diagnostic research.

For nearly 30 years, CIL has produced stable isotope labelled standards for the analysis of environmental contaminants using Isotope Dilution Mass Spectrometry (IDMS). The scope of the field has broadened from a small number of highly specialized analyses requiring complex instrumentation, to a widely expanding range of applications. Recently, IDMS has been applied to more routine, low-resolution Mass Spectrometry (MS) analyses of common pollutants, while detection limits using High-Resolution Gas Chromatography/High-Resolution Mass Spectrometry (HRGC/HRMS) continue to be extended to lower and lower concentrations.

CIL's continuous collaboration of nearly 30 years with Cerilliant allows them to focus their efforts on the long term expansion of CIL/Cerilliant products and to continue to improve the quality, versatility and responsiveness of their product offering. For three decades, CIL has produced stable isotope labeled standards for the analysis of environmental contaminants using Isotope Dilution Mass Spectrometry (IDMS). The scope of the field has broadened from a small number of highly specialized analyses requiring complex instrumentation to a widely expanding range of applications. IDMS has become more routinely applied to

Detection limits using High-Resolution Gas Chromatography/High-Resolution Mass Spectrometry (HRGC/HRMS) continue to be extended to lower and lower concentrations, while at the same time expanding dynamic range. LC/MS has become a driving force in CIL's new product development. Many emerging pollutants can only be analyzed by LC/MS, and the use of isotopically labeled internal standards is an invaluable tool to correct for matrix effects, a common problem when using LC/MS in environmental samples.

### Commitment

Their unyielding commitment to drive the expansion of market applications of stable isotopes with innovative product development has enabled CIL to maintain its status as the world leader in their field. CIL takes great pride and responsibility in its role as the preferred supplier of stable isotopes to leading analytical, academic, pharmaceutical, government and industrial researchers worldwide. Their goal is to develop and manufacture stable isotope labelled compounds for a wide range of scientific and biomedical applications. This goal is most evident in the steady introduction of new CIL environmental contaminant standards produced in direct response to customer requests and new analytical methodology. In anticipation of the environmental analytical community's needs CIL consistently develops products before they are required by new methods.

### Knowledge

CIL's only business is the separation and manufacture of stable isotopes and stable isotope labelled compounds. Since 1981, CIL has worked closely with leading scientific groups in the fields of environmental trace analysis as well as metabolism research, molecular biology, protein structure analysis, organic synthesis, clinical and diagnostic research to provide researchers with the products needed to solve complex challenges. Their staff of synthetic and analytical chemists is dedicated to their environmental contaminant standards product line and are experts in their field with extensive years of experience exclusively in the synthesis and analysis of stable isotope labelled compounds.



### Quality

Since the beginning of their collaboration in the early 1980's, CIL and Cerilliant have dedicated their programs to providing the highest quality environmental standards available anywhere in the world. Each standard provided by CIL and Cerilliant passes the most extensive series of tests, checks, and analyses designed to guarantee chemical and isomeric purity, identity, isotope enrichment and absolute concentration. A complete certificate of analysis accompanies every standard produced. Unlabeled "Certified Standards", developed by CIL to meet the strict requirements of our isotope-labeled standards QC validation, are a fast-growing component of our product line, and considered essential by the most demanding laboratories in the world.

Cerilliant's quality system is rigorous, thorough, and incorporates constant improvement. Originally certified in 1997 by BSI to the ISO 9001 standard, Cerilliant has maintained their certification through the years and recently acquired the ISO 9001:2008 standard. In November 2009, Cerilliant received further accreditation under ISO Guide 34 for Reference Material Producers, as well as ISO/IEC 17025 accreditation for Testing and Calibration Laboratories.

### Service

CIL continues to work with leading groups from many countries to help them develop new solutions to challenging analytical problems. While their catalogue is extensive, new products are added to their inventory on a weekly, sometimes daily, basis. If you are interested in a custom formulation, please contact your local LGC Standards office. If you can't find what you need, we will suggest an in-stock alternative, or quote a price for custom formulation.

### Leadership

CIL has worked with the US EPA, the Centers for Disease Control (CDC), Environment Canada, Bromine Science and Environmental Forum (BSEF), Japanese Industrial Standard (JIS), Netherlands Institute for Fisheries Research (RIVO), and many other international environmental agencies to develop the standards needed for ongoing analytical methods. Several examples of these collaborations include US EPA Methods 1613, 1614, 8280, 23, 1653A, 1624/25 and 1668A.

**CIL has consistently made available, often for the first time anywhere, novel isotope labelled standards for the environmental testing community. CIL and Cerilliant were the first to:**

- Produce <sup>13</sup>C standards for all 17 toxic PCDD and PCDF isomers
- Conduct a round-robin to produce consensus values for all 17 toxic PCDD and PCDF isomers (1987)
- Offer PCDD/PCDF PE standards for Soil and Fish
- Develop <sup>13</sup>C PCB standards
- Produce certified standards for unlabelled PCBs
- Produce <sup>13</sup>C PAH standards
- Produce <sup>13</sup>C polybrominated Dioxins and Furans
- Produce <sup>13</sup>C polybromodiphenyl ether standards
- Produce <sup>13</sup>C chlorinated cyclodiene pesticides
- Produce chemical weapons verification standards
- Produce isotopically labelled PAH, PCB, and BDE Metabolites
- Produce isotopically labelled plasticizer metabolites
- Produce isotopically labelled surfactants
- Produce isotopically labelled standards for all compounds in the Stockholm Convention POPs list

**Offer isotope labelled:**

- Melamine and cyanuric acid standards
- Pesticides and pesticide metabolites
- Pharmaceutical and personal care products
- <sup>13</sup>C<sub>6</sub>-Labelled steroids
- Endocrine disruptors
- Alkyl phenols and ethoxylates
- Chlorophenolics

**Offer certified standards for use with:**

- US EPA Method 1613, 8280, 23, and 8290
- US EPA Method 1668 and 1668 Revision A
- US EPA Method 1614
- US EPA Method 1624 and US EPA Method 1653
- US EPA draft Methods 1694, 1698, and 1699
- EN-1948 and EN-1948-4
- JIS Methods K0311 and K0312, and the "Simplified assay of trace PCBs in dielectric oil"
- CARB Method 429

## CIL sponsorships

In support of the scientific community, CIL sponsors over 150 worldwide conferences and technical symposia each year. CIL is proud to be both a participant in and a sponsor of these conferences which provide a forum for researchers all over the world to unite in the interest of advancing their work. CIL has been a major sponsor of the International Symposium on Halogenated Persistent Organic Pollutants (aka "DIOXIN") for 23 years, and has generously supported many other meetings, including:

ASMS	American Society for Mass Spectrometry
ASNS	American Society for Nutrition Symposium
BFR	Brominated Flame Retardant Workshop
CSC	Canadian Society For Chemistry
Dioxin	International Symposium on Halogenated Persistent Organic Pollutants
Enviro	EnviroAnalysis
EANM	European Association of Nuclear Medicine
GRC	Gordon Research Conference
KS	Keystone Symposia – Frontiers of NMR in Biology
ICMRBS	International Conference on Magnetic Resonance in Biological Systems
ISMAR	International Society of Magnetic Resonance – ISMAR Prize
ISPAC	International Society of Polyaromatic Compounds
NMRS	National Magnetic Resonance Society of India
NOBCCHE	National Organization for Professional Advancement of Black Chemists and Chemical Engineers
Pacificchem	International Chemical Congress of Pacific Basin Societies
SETAC	Society of Environmental Toxicology and Chemistry

## Memberships

CIL enjoys being a supporter of several industry organizations that actively contribute to advancements in stable isotope research. Presently, CIL is affiliated with the following associations:

ANZSMS	Australian and New Zealand Society for Mass Spectrometry
AMI	Academy of Molecular Imaging
ABRF	The Association of Biomolecular Resource Facilities
AAAS	American Association for the Advancement of Science
ACS	American Chemical Society
ASMS	American Society for Mass Spectrometry
AUREMN	Associação de Usuários de Ressonância Magnética Nuclear
CNPN	Canadian National Proteomics Network
CRMMA	Chemical Reference Materials Manufacturing Association
EANM	European Association of Nuclear Medicine
GBMSDG	Greater Boston Mass Spec. Discussion Group
HUPO/IAB	Human Proteome Organisation / Industrial Advisory Board
IIS	International Isotope Society
ISNS	Institute for Neonatal Screening
ISSFAL	International Society for the Study of Fatty Acids and Lipids
NGWA	National Groundwater Association
NAOSMM	National Association of Stockroom Managers
SETAC	Society of Environmental Toxicology & Chemistry

### Isotope separation facility

CIL is a world leader in the separation of  $^{13}\text{C}$  and  $^{18}\text{O}$  isotopes. Twice during the past decade CIL has taken a leadership position in the separation of stable isotopes. First CIL constructed the world's largest  $^{13}\text{C}$  separation facility, which has been in continuous operation for over 10 years, and more recently CIL has undertaken the construction of the world's largest  $^{18}\text{O}$  separation facility. CIL's isotope separation facility, located in Xenia Ohio provides customers with a dependable, secure supply of isotope.

#### Carbon-13 Isotope Separation Facility

CIL is recognized as the world leader in the separation of  $^{13}\text{C}$ . In the 1980's CIL took the initiative to construct the world's largest  $^{13}\text{C}$  isotope separation plant in order to provide sufficient supply of  $^{13}\text{C}$  to support new research and diagnostic developments. CIL's  $^{13}\text{C}$  production facility has an annual production capacity of 120 kg of  $^{13}\text{C}$ .

#### Oxygen-18 Isotope Separation Facility

In 2000, CIL responded to the worldwide shortage of  $^{18}\text{O}$  water by embarking on the construction of the world's largest  $^{18}\text{O}$  isotope separation facility. CIL is now the world's leading producer of  $^{18}\text{O}$  water with an annual production capacity of 250 kg. CIL's  $^{18}\text{O}$  water is used in Positron Emission Tomography (PET) and other expenditure studies.

### Product information

There are potential hazards associated with the use of the chemicals that CIL provides. Customers are encouraged to consult standard safety references for the proper use and handling of CIL products. In addition, while every effort was made to ensure that the information in this catalogue is correct, customers are responsible for confirming product information.

**Documentation:** A Certificate of Analysis (COA) and a Material Safety Data Sheet (MSDS) are supplied with every shipment. Additional information may be available upon request.

**Crystalline/neat standards:** Vials contain approximately the stated amount. Stated weights should not be used to prepare quantitative standards. Material should be weighed by customer prior to standard formulation. Small amounts may need to be transferred with the use of solvent; the vial should be weighed before transfer, and after all solvent has been evaporated. During shipment, small but significant amounts of material may shift into the vial cap or ampoule tip. Traceable weighing records, or weights tailored to user-specified targets can be obtained for a reasonable surcharge.

**Solution standards:** All solutions are prepared to be within +/- 2% of stated value, unless otherwise stated on the Certificate of Analysis. Of particular use is uncertainty information, which is calculated uniquely for every formulation. Cumulative uncertainty from all formulation preparation steps such as weighings and dilutions are presented to help analysts determine the accuracy of their own measurements. Uncertainty for mixtures will of necessity have higher uncertainties than those for individual solutions, because extra formulation steps introduce additional uncertainty.

#### Chemical purities:

Chemical purities of unlabelled/native standards are 97-99+% unless otherwise specified.

Chemical purities of labelled standards are 95-99+% unless otherwise specified.

**Isotopic enrichment:** Isotopic enrichments are 99% for Carbon-13, 98% for deuterium and 96% for Chlorine-37, unless otherwise specified.

Isotopic enrichment is the average enrichment for each labeled atom in the molecule. It is not the percentage of the molecules that are completely isotope-labeled. For instance, Dichlorophenol (ring- $^{13}\text{C}_6$ , 99%) is not 99%  $^{13}\text{C}_6$ , and 1%  $^{12}\text{C}_6$ . Each carbon atom position (1,2,3,4,5 & 6) has a 99% chance of being  $^{13}\text{C}$ -labeled, and a 1% chance of being  $^{12}\text{C}$ -labeled. Thus, (99%) or ~94% of the molecules will have a molecular mass 6 AMU higher than native Dichlorophenol, and ~6% will have a molecular mass 5 AMU higher than native Dichlorophenol. Theoretically, only (1%) or ~10-10% will have the molecular mass of  $^{12}\text{C}_6$  Dichlorophenol.

**Solvents used in quantitative solutions:** When virtually all the analytes in CIL's Environmental Contaminant Standard products offerings were persistent halogenated aromatic compounds, solvent selection was relatively straightforward. Although Benzene and Toluene were default solvents, they are now solvents of last resort owing to concerns of carcinogenicity. They are also fairly volatile, which can affect the integrity of the quantitative accuracy of the standard. For many years, virtually all of CIL's standards were prepared in Nonane or Isooctane, solvents which CIL buys in bulk as Spectrophotometric Grade, and then distills even further to make suitable for ultra-trace analysis.

The extra-distilled solvents that CIL uses for standard solutions are available for sale to laboratories that wish to dilute or formulate standards using the cleanest possible solvents.

In recent years, as a larger proportion of standards offered by CIL are more polar, and often analyzed in polar media, many standards are now available in polar solvents such as Acetonitrile, Methanol, and even Water. Many of these standards are unstable in certain solvents, so CIL carefully chooses solvents that are suitable in terms of solubility and stability. Even so, some of these classes of compounds are only stable for a few months to a couple years, and special care should be taken to ensure that they are stored properly. In some cases, co-solvents are required for solubility.

**Storage:** When standards are frozen, it is a good idea to gently warm them to room temperature and vortex before opening. Sonication can cause decomposition of certain compounds, so it should only be used very carefully.

Several compounds that CIL offers have extremely short stability in virtually all solvents. For these products CIL offers neat quantitative standards that can be reconstituted and used as needed. These standards are made by adding a volume of accurately formulated standard solution in the ampoule, and drying off all solvent. The remaining neat product is much more stable than the solution, and can be stored for longer periods.

The biggest threats to the integrity of unopened standards are heat, light (especially UV), Oxygen, and pH. These threats also affect opened standards, or standards that have been combined with other compounds, but opened standards are also subject to contamination from glassware/containers, pipettes, and ambient air. The integrity of opened standards is also threatened by solvent evaporation, solubility (when frozen), and decomposition when mixed with other solvents.

It is always good practice to recertify standards when they have been in storage; the safest laboratory practice is to recertify standards each time they are used.

### Statement on shelf life testing and expiration dates of CIL products

Cambridge Isotope Laboratories assigns a retest date and/or expiration date for all manufactured products. The assignments procedure is based upon the known stability characteristics of each product.

- CIL assigns expiration dates for unopened ampoules which have been stored according to CIL's storage instruction. Once the ampoule or vial is opened, it is incumbent upon the user's quality system to decide how long a standard can be used. Ideally, the standard is evaluated each time it is used as part of the analytical QA protocols.
- CIL's expiration date becomes secondary once a standard has been combined with other standards, diluted with solvent, or transferred to a new container. The suitability of the standard then becomes completely dependent on the storage conditions (temperature, light, exposure to other analytes and solvents) and the handling of the standard. The user's QA protocols should determine the duration of the standard's use, and the frequency that it is retested.
- Some products are known to be stable indefinitely. For these products, CIL assigns an expiration date of ten years from the date of release from QC. All other products are retested in five years or less, depending on their chemical characteristics. Most CIL products are sold and shipped with at least one year remaining before the retest date, but occasionally that is not possible.
- Compounds known to be less stable are retested sooner than five years from the date of release; some products are retested as often as every three months or prior to sale, if necessary.

## Packaging information

**Liquids:** Scored (breakneck) clear or amber glass ampoules which are flame sealed under nitrogen atmosphere. CIL's state-of-the-art ampouling machine allows us to maintain the highest consistency and quality. Sizes range from 0.1 g to 50 g. Amber glass, screw cap bottles with teflon lined caps and tape seals are also used. Standard sizes range from 5 g to 1 kg.

**Solids:** Amber glass, wide mouth, screw cap jars with teflon lined caps and tape seals. Clear glass conical vials are used for small quantities.

**Quantitative solutions:** While many of CIL's Environmental Contaminant Standards are packaged in vials, most are supplied as quantitative solutions in amber vials to prevent evaporation. Ampoules are stored in cardboard rondos or plastic "clamshells" with outside labels. Follow the storage instructions, and carefully transfer to other packaging or end-use mixtures as appropriate.

# Dioxin and furan individual standards

### Certified reference standards

The preparation of polychlorinated dibenzo-p-dioxin (PCDD) and dibenzofuran (PCDF) certified solution standards begins with the total synthesis of each isomer from known, well-characterized intermediates. Cerilliant QC protocol specifies that all materials be tested to determine identity (multiple techniques), isomer specificity, and purity (multiple techniques), prior to acceptance as a raw material.

With few exceptions, our specifications require a chemical purity of >98% for native material and chemical purity of >97% for 13C material.

Preparation of CIL /Cerilliant certified solution standards is tightly controlled using a validated process to ensure accuracy and consistency. Our gravimetric approach (both analyte and solvent are added by weight) is performed using high precision 5-place, micro and ultra-micro analytical balances and governed by exacting procedures to ensure minimal uncertainty. Balances are fully qualified in their installed state, are calibrated semi-annually with weekly and pre-use verifications performed – all using NIST traceable weights. Various controls are employed during the dispensing process to ensure no evaporation, degradation, or contamination occurs and to ensure homogeneity and consistency of fill volume from ampoule to ampoule.

Fully certified standards are then put through rigorous QC testing to verify concentration accuracy, consistency with previous lots (when available), and comparison to the corresponding native or 13C analog. Finally, homogeneity is assured through testing of samples pulled during the dispensing process using a random stratified sampling plan. The analytical results are detailed in a comprehensive Certificate of Analysis (COA) containing complete traceability documentation, which is supplied with each product at no additional charge.

An international round robin study composed of independent government, commercial, and research laboratories analyzed all 17 CIL /Cerilliant 2,3,7,8-containing polychlorinated dibenzo-p-dioxin (PCDD) and dibenzofuran (PCDF) individual solution standards in August 1987. The objective of the study was to determine the accuracy of CIL /Cerilliant solution reference standards. The consensus average values for each of these solutions agreed closely with CIL /Cerilliant reported values – in fact, 15 out of the 17 were within 4%.

Cambridge Isotope Laboratories (CIL) and Cerilliant Corporation would like to thank the following laboratories for their participation in this study:

Battelle - Columbus Columbus, OH	Laboratories Midwest Research Institute Kansas City, MO
Centers for Disease Control Atlanta, GA St.	Monsanto Company Louis, MO
Dow Chemical Company Midland, MI Research	Triangle Labs Triangle Park, NC
Ontario Ministry of the Environment Rexdale, Ontario, Canada	Twin City Testing St. Paul, MN
ISO Accreditation	

### Unlabelled chlorodioxin/furan standards for elution profiling

CIL introduces the first commercially available set of all 136 Tetra-Octa chlorinated dioxin and furan congeners. These qualitative standards are available as ~25ng/mL solutions in Nonane and are used primarily for elution profiling and peak identification. Homolog group kits are available, as is a suite of all 136 congeners.

### ISO Accreditation

Adding to their list of firsts in the field of dioxin and furan reference standards, CIL is pleased to announce the availability of the first dioxin and furan standards manufactured under ISO/ IEC 17025 and ISO Guide 34 accreditation.

Cerilliant Corporation, CIL's longtime collaborator for dioxin and furan standards, has received accreditation under ISO Guide 34 for Reference Material Producers, as well as ISO/IEC 17025 for Testing and Calibration Laboratories. These two new accreditations provide a powerful boost to their already impressive quality credentials, including ISO-9001:2008.

**<sup>13</sup>C<sub>12</sub> Labelled chlorodioxin standards**

	Code	Product	Unit
	CIL-CLM-1544-1.2	Dibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-4169	2-Monochlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-4170	2,3-Dichlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-925	2,7-Dichlorodibenzo-p-dioxin/2,8-Dichlorodibenzo-p-dioxin isomer pair ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-2531	2,3,7-Trichlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ED-911-1	1,2,3,4-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 1 µg/mL in Nonane	1.2 mL
	CIL-ED-911	1,2,3,4-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ED-911-200	1,2,3,4-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 200 ng/mL in Nonane	1.2 mL
	CIL-ED-4198	1,3,6,8-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-900	2,3,7,8-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-4076	1,2,3,4,7-Pentachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-955	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-4077	1,2,3,4,6,7-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-946	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-966	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in 80% Nonane/20% Toluene	1.2 mL
	CIL-ED-996	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in 80% Nonane/20% Toluene	1.2 mL
	CIL-ED-972	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-981	Octachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 10 µg/mL in Nonane	4 x 1.2 mL

**<sup>13</sup>C<sub>6</sub> and <sup>37</sup>Cl<sub>4</sub> Labelled chlorodioxin standards**

	CIL-ED-910	1,2,3,4-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-907	2,3,7,8-Tetrachlorodibenzo-p-dioxin ( <sup>37</sup> Cl <sub>4</sub> ,96%) 50 µg/mL in Nonane	1.2 mL

**Unlabelled chlorodioxin standards**

	CIL-ULM-1711-1.2	Dibenzo-p-dioxin (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-1771	2-Monochlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-926	2,7/2,8-Dichlorodibenzo-p-dioxin isomer pair 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ED-4129-C	1,3,6-Trichlorodibenzo-p-dioxin	on request
	CIL-ED-4090	1,3,7-Trichlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-1779	2,3,7-Trichlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-1779-C	2,3,7-Trichlorodibenzo-p-dioxin	1 mg
	CIL-ED-912	1,2,3,4-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-905	1,2,3,7/1,2,3,8-Tetrachlorodibenzo-p-dioxin isomer pair 50 µg/mL in Nonane	1.2 mL
	CIL-ED-948	1,2,3,9-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ED-923-C	1,2,6,7-Tetrachlorodibenzo-p-dioxin	1 mg
	CIL-ED-915	1,2,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-916	1,2,8,9-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-2518	1,3,6,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-917	1,3,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-4061	1,3,7,9-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-922	1,4,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-922-C	1,4,7,8-Tetrachlorodibenzo-p-dioxin	1 mg
	CIL-ED-901	2,3,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	4 x 1.2 mL
	CIL-ED-901-A	2,3,7,8-Tetrachlorodibenzo-p-dioxin 10 µg/mL in Methanol	1.2 mL
	CIL-ED-901-B	2,3,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in DMSO	1.2 mL
	CIL-ED-901-C	2,3,7,8-Tetrachlorodibenzo-p-dioxin	1 mg
<b>New</b>	CIL-ED-901-D	2,3,7,8-Tetrachlorodibenzo-p-dioxin 23 pg/µL in DMSO	0.2 mL
	CIL-ED-950	1,2,3,7,8,-Pentachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-950-C	1,2,3,7,8-Pentachlorodibenzo-p-dioxin	1 mg



## Dioxin and furan individual standards

Code	Product	Unit
CIL-ED-924	1,2,3,8,9-Pentachlorodibenzo-p-dioxin 5 µg/mL in Nonane	1.2 mL
CIL-ED-927	1,2,4,6,8/1,2,4,7,9-Pentachlorodibenzo-p-dioxin isomer pair 5 µg/mL in Nonane	1.2 mL
CIL-ED-932	1,2,3,4,6,7-Hexachlorodibenzo-p-dioxin 5 µg/mL in Nonane	1.2 mL
CIL-ED-933	1,2,3,4,6,9-Hexachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-ED-933-C	1,2,3,4,6,9-Hexachlorodibenzo-p-dioxin	1 mg
CIL-ED-961	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-ED-961-C	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	1 mg
CIL-ED-960	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-ED-960-C	1,2,3,6,7,8 Hexachlorodibenzo-p-dioxin	1 mg
CIL-ED-969	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-ED-969-C	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	1 mg
CIL-ED-929	1,2,4,6,7,9/1,2,4,6,8,9-Hexachlorodibenzo-p-dioxin isomer pair 5 µg/mL in Nonane	1.2 mL
CIL-ED-971	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-ED-971-C	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	1 mg
CIL-ED-976	1,2,3,4,6,7,9-Heptachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-ED-980	Octachlorodibenzo-p-dioxin 10 µg/mL in Nonane	4 x 1.2 mL
<b>New</b> CIL-ED-980-A	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin 5 µg/mL in DMSO	1.2 mL
CIL-ED-980-C	Octachlorodibenzo-p-dioxin	10 mg

## Further unlabelled dioxin standards

CIL-ED-1770	1-Monochlorodibenzo-p-dioxin 50 µg/mL in Isooctane	1 mL
CIL-ED-1770-C	1-Monochlorodibenzo-p-dioxin	1 mg
CIL-ED-1772	1,6-Dichlorodibenzo-p-dioxin 50 µg/mL in Isooctane	1 mL
CIL-ED-1772-C	1,6-Dichlorodibenzo-p-dioxin	1 mg
CIL-ED-1773-C	2,3-Dichlorodibenzo-p-dioxin	1 mg
CIL-ED-1776	1,2,3-Trichlorodibenzo-p-dioxin 50 µg/mL in Isooctane	1 mL
CIL-ED-1776-C	1,2,3-Trichlorodibenzo-p-dioxin	1 mg
CIL-ED-1778	1,7,8-Trichlorodibenzo-p-dioxin 50 µg/mL in Isooctane	1 mL
CIL-ED-1778-C	1,7,8-Trichlorodibenzo-p-dioxin	1 mg
CIL-ED-951-C	1,2,3,4,7-Pentachlorodibenzo-p-dioxin	1 mg
CIL-ED-1781	1,2,4,7,8-Pentachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
CIL-ED-1781-C	1,2,4,7,8-Pentachlorodibenzo-p-dioxin	1 mg

## <sup>13</sup>C<sub>12</sub> Labelled chlorofuran standards

CIL-CLM-1561-1.2	Dibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-4168	2-Monochlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-4171	2,4-Dichlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 ± 5 µg/mL in Nonane	1.2 mL
CIL-EF-4016	2,8-Dichlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-4172	2,4,8-Trichlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-920	1,2,3,4-Tetrachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-1438	1,2,7,8-Tetrachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-5009	1,3,6,8-Tetrachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-904	2,3,7,8-Tetrachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-5050	1,2,3,4,6-Pentachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-952	1,2,3,7,8-Pentachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-958	2,3,4,7,8-Pentachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-5052	1,2,3,4,6,9-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-963	1,2,3,4,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-985	1,2,3,6,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-986	1,2,3,7,8,9-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-987	2,3,4,6,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-974	1,2,3,4,6,7,8-Heptachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL



## Dioxin and furan individual standards

Code	Product	Unit
CIL-EF-5054	1,2,3,4,6,8,9-Heptachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-988	1,2,3,4,7,8,9-Heptachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EF-983	Octachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>Unlabelled chlorofuran standards</b>		
CIL-ULM-1712-1.2	Dibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-1785	2-Monochlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-1787-C	2,4-Dichlorodibenzofuran	1 mg
CIL-EF-1789	2,8-Dichlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-1789-C	2,8-Dichlorodibenzofuran	1 mg
CIL-EF-1790	1,2,3-Trichlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-1792	2,4,6-Trichlorodibenzofuran 50 µg/mL in Nonane	1 mL
CIL-EF-1792-C	2,4,6-Trichlorodibenzofuran	5 mg
CIL-EF-1793	2,4,8-Trichlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-1793-C	2,4,8-Trichlorodibenzofuran	1 mg
CIL-EF-4030	1,2,3,9-Tetrachlorodibenzofuran 50 µg/ml in Nonane	1.2 mL
CIL-EF-918	1,2,7,8-Tetrachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-939	1,2,8,9-Tetrachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-944	1,3,6,8-Tetrachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-903	2,3,7,8-Tetrachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-903-C	2,3,7,8-Tetrachlorodibenzofuran	1 mg
CIL-EF-953	1,2,3,7,8-Pentachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-953-C	1,2,3,7,8-Pentachlorodibenzofuran	1 mg
CIL-EF-954	1,2,3,8,9-Pentachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EF-942-50	1,3,4,6,8-Pentachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-956	2,3,4,7,8-Pentachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EF-956-M	2,3,4,7,8-Pentachlorodibenzofuran 50 µg/mL in Methanol	1.2 mL
CIL-EF-956-C	2,3,4,7,8-Pentachlorodibenzofuran	1 mg
CIL-EF-943-50	1,2,3,4,6,8-Hexachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-964	1,2,3,4,7,8-Hexachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-964-C	1,2,3,4,7,8-Hexachlorodibenzofuran	1 mg
CIL-EF-965	1,2,3,4,8,9-Hexachlorodibenzofuran 50 µg/mL in Nonane (chemical purity 96%)	1.2 mL
CIL-EF-962	1,2,3,6,7,8-Hexachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-962-C	1,2,3,6,7,8-Hexachlorodibenzofuran	1 mg
CIL-EF-967	1,2,3,7,8,9-Hexachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-967-C	1,2,3,7,8,9-Hexachlorodibenzofuran	1 mg
CIL-EF-968	2,3,4,6,7,8-Hexachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-968-C	2,3,4,6,7,8-Hexachlorodibenzofuran	1 mg
CIL-EF-973	1,2,3,4,6,7,8-Heptachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-973-C	1,2,3,4,6,7,8-Heptachlorodibenzofuran	1 mg
CIL-EF-975	1,2,3,4,7,8,9-Heptachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-975-C	1,2,3,4,7,8,9-Heptachlorodibenzofuran	1 mg
CIL-EF-982	Octachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EF-982-C	Octachlorodibenzofuran	10 mg
<b>New</b> CIL-EF-982-C-1	Octachlorodibenzofuran	1 mg
<b>Further unlabelled chlorofuran standards</b>		
CIL-EF-1788	2,6-Dichlorodibenzofuran 50 µg/mL in Toluene	1 mL
CIL-EF-1788-C	2,6-Dichlorodibenzofuran	1 mg
CIL-EF-1796	1,2,3,4,8-Pentachlorodibenzofuran 50 µg/mL in Isooctane	1 mL
CIL-EF-1796-C	1,2,3,4,8-Pentachlorodibenzofuran	1 mg

## Comprehensive unlabelled chlorodioxin/chlorofuran standards for elution profiling

For convenience, CIL has bundled these standards by level of chlorination. Kits are available for tetra through hexa dioxins and tetra through hepta furans. a comprehensive kit containing all available standards is also available.

### Unlabelled chlorofuran standards elution profile

	Code	Product	Unit
New	CIL-JR-F01-25	1,2,3,4-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F02-25	1,2,3,6-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F03-25	1,2,3,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F04-25	1,2,3,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F05-25	1,2,3,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F06-25	1,2,4,6-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F07-25	1,2,4,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F08-25	1,2,4,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F09-25	1,2,4,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F10-25	1,2,6,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F11-25	1,2,6,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F12-25	1,2,6,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F13-25	1,2,7,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F14-25	1,2,7,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F15-25	1,2,8,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F16-25	1,3,4,6-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F17-25	1,3,4,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F18-25	1,3,4,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F19-25	1,3,4,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F20-25	1,3,6,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F21-25	1,3,6,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F22-25	1,3,6,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F23-25	1,3,7,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F24-25	1,3,7,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F25-25	1,4,6,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F26-25	1,4,6,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F27-25	1,4,6,9-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F28-25	1,4,7,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F29-25	1,6,7,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F30-25	2,3,4,6-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F31-25	2,3,4,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F32-25	2,3,4,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F33-25	2,3,6,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F34-25	2,3,6,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F35-25	2,3,7,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F36-25	2,4,6,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F37-25	2,4,6,8-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F38-25	3,4,6,7-Tetrachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F39-25	1,2,3,4,6-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F40-25	1,2,3,4,7-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F41-25	1,2,3,4,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F42-25	1,2,3,4,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F43-25	1,2,3,6,7-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
New	CIL-JR-F44-25	1,2,3,6,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL

## Comprehensive unlabelled chlorodioxin/chlorofuran standards for elution profiling

	Code	Product	Unit
<b>New</b>	CIL-JR-F45-25	1,2,3,6,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F46-25	1,2,3,7,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F47-25	1,2,3,7,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F48-25	1,2,3,8,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F49-25	1,2,4,6,7-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F50-25	1,2,4,6,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F51-25	1,2,4,6,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F52-25	1,2,4,7,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F53-25	1,2,4,7,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F54-25	1,2,4,8,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F55-25	1,2,6,7,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F56-25	1,2,6,7,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F57-25	1,3,4,6,7-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F58-25	1,3,4,6,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F59-25	1,3,4,6,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F60-25	1,3,4,7,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F61-25	1,3,4,7,9-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F62-25	1,3,6,7,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F63-25	1,4,6,7,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F64-25	2,3,4,6,7-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F65-25	2,3,4,6,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F66-25	2,3,4,7,8-Pentachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F67-25	1,2,3,4,6,7-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F68-25	1,2,3,4,6,8-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F69-25	1,2,3,4,6,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F70-25	1,2,3,4,7,8-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F71-25	1,2,3,4,7,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F72-25	1,2,3,4,8,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F73-25	1,2,3,6,7,8-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F74-25	1,2,3,6,7,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F75-25	1,2,3,6,8,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F76-25	1,2,3,7,8,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F77-25	1,2,4,6,7,8-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F78-25	1,2,4,6,7,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F79-25	1,2,4,6,8,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F80-25	1,3,4,6,7,8-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F81-25	1,3,4,6,7,9-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F82-25	2,3,4,6,7,8-Hexachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F83-25	1,2,3,4,6,7,8-Heptachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F84-25	1,2,3,4,6,7,9-Heptachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F85-25	1,2,3,4,6,8,9-Heptachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F86-25	1,2,3,4,7,8,9-Heptachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-F87-25	1,2,3,4,6,7,8,9-Octachlorodibenzofuran approx. 25 ng/mL in Nonane	0.2 mL

### Unlabelled chlorodioxin standards elution profile

<b>New</b>	CIL-JR-D01-25	1,2,3,4-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D02-25	1,2,3,6-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D03-25	1,2,3,7-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D04-25	1,2,3,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D05-25	1,2,3,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D06-25	1,2,4,6-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL

## Comprehensive unlabelled chlorodioxin/chlorofuran standards for elution profiling

	Code	Product	Unit
<b>New</b>	CIL-JR-D07-25	1,2,4,7-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D08-25	1,2,4,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D09-25	1,2,4,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D10-25	1,2,6,7-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D11-25	1,2,6,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D12-25	1,2,6,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D13-25	1,2,7,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D14-25	1,2,7,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D15-25	1,2,8,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D16-25	1,3,6,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D17-25	1,3,6,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D18-25	1,3,7,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D19-25	1,3,7,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D20-25	1,4,6,9-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D21-25	1,4,7,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D22-25	2,3,7,8-Tetrachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D23-25	1,2,3,4,6-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D24-25	1,2,3,4,7-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D25-25	1,2,3,6,7-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D26-25	1,2,3,6,8-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D27-25	1,2,3,6,9-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D28-25	1,2,3,7,8-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D29-25	1,2,3,7,9-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D30-25	1,2,3,8,9-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D31-25	1,2,4,6,7-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D32-25	1,2,4,6,8-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D33-25	1,2,4,6,9-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D34-25	1,2,4,7,8-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D35-25	1,2,4,7,9-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D36-25	1,2,4,8,9-Pentachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D37-25	1,2,3,4,6,7-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D38-25	1,2,3,4,6,8-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D39-25	1,2,3,4,6,9-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D40-25	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D41-25	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D42-25	1,2,3,6,7,9-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D43-25	1,2,3,6,8,9-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D44-25	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D45-25	1,2,4,6,7,9-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D46-25	1,2,4,6,8,9-Hexachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D47-25	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D48-25	1,2,3,4,6,7,9-Heptachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL
<b>New</b>	CIL-JR-D49-25	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin approx. 25 ng/mL in Nonane	0.2 mL

### Comprehensive Dioxin/Furan Column Defining Kits

<b>New</b>	CIL-JR-TCDD-KIT	Comprehensive Tetrachlorodibenzo-p-dioxin Column Defining Kit	kit
<b>New</b>	CIL-JR-TCDF-KIT	Comprehensive Tetrachlorodibenzofuran Column Defining Kit	kit
<b>New</b>	CIL-JR-PECDD-KIT	Comprehensive Pentachlorodibenzo-p-dioxin Column Defining Kit	kit
<b>New</b>	CIL-JR-PECDF-KIT	Comprehensive Pentachlorodibenzofuran Column Defining Kit	kit
<b>New</b>	CIL-JR-HXCDD-KIT	Comprehensive Hexachlorodibenzo-p-dioxin Column Defining Kit	kit
<b>New</b>	CIL-JR-HXCDF-KIT	Comprehensive Hexachlorodibenzofuran Column Defining Kit	kit



## Comprehensive unlabelled chlorodioxin/chlorofuran standards for elution profiling

	Code	Product	Unit
<b>New</b>	CIL-JR-HPCDF-KIT	Comprehensive Heptachlorodibenzofuran Column Defining Kit	kit
<b>New</b>	CIL-JR-PCDD/F-KIT	Comprehensive Polychlorinated Dioxin and Furan Column Defining Kit (includes all 136 "JR" dioxin and furan congeners)	kit
<b><sup>13</sup>C<sub>12</sub> Labelled bromodioxin standards</b>			
	CIL-ED-2532	2,3,7-Tribromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ED-1440	2,3,7,8-Tetrabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-ED-1440-1.2	2,3,7,8-Tetrabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-1450	1,2,3,7,8-Pentabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane (chemical purity 96%)	4 x 1.2 mL
	CIL-ED-1450-1.2	1,2,3,7,8-Pentabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-2534	1,2,3,4,7,8-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-ED-2534-1.2	1,2,3,4,7,8-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-5237	1,2,3,6,7,8-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-ED-5237-1.2	1,2,3,6,7,8-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-5238	1,2,3,7,8,9-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-ED-5238-1.2	1,2,3,7,8,9-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-5357	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-ED-5357-1.2	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-5089-1.2	Octabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 70% Nonane/30% Toluene	1.2 mL
<b>Unlabelled bromodioxin standards</b>			
	CIL-ED-1763	2,3,7-Tribromodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
	CIL-ED-1441	2,3,7,8-Tetrabromodibenzo-p-dioxin 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-ED-1441-1.2	2,3,7,8-Tetrabromodibenzo-p-dioxin 5 µg/mL in Nonane	1.2 mL
	CIL-ED-1451	1,2,3,7,8-Pentabromodibenzo-p-dioxin 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-ED-1451-1.2	1,2,3,7,8-Pentabromodibenzo-p-dioxin 5 µg/mL in Nonane	1.2 mL
	CIL-ED-1462	1,2,3,4,7,8-Hexabromodibenzo-p-dioxin 5 µg/ml in Nonane	8 x 1.2 mL
<b>New</b>	CIL-ED-1462-1.2	1,2,3,4,7,8-Hexabromodibenzo-p-dioxin 5 µg/ml in Nonane	1.2 mL
	CIL-ED-1465	1,2,3,6,7,8-Hexabromodibenzo-p-dioxin 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-ED-1465-1.2	1,2,3,6,7,8-Hexabromodibenzo-p-dioxin 5 µg/mL in Nonane	1.2 mL
	CIL-ED-1466	1,2,3,7,8,9-Hexabromodibenzo-p-dioxin 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-ED-1466-1.2	1,2,3,7,8,9-Hexabromodibenzo-p-dioxin 5 µg/mL in Nonane	1.2 mL
	CIL-ED-5356	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-ED-5356-1.2	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin (unlabelled) 5 µg/mL in Nonane	1.2 mL
	CIL-ED-1481	Octabromodibenzo-p-dioxin 5 µg/mL in Toluene	8 x 1.2 mL
	CIL-ED-1481-1.2	Octabromodibenzo-p-dioxin 5 µg/mL in Toluene	1.2 mL
<b><sup>13</sup>C<sub>12</sub> Labelled bromofuran standards</b>			
	CIL-EF-5076	2-Monobromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-5078	2,8-Dibromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-5080	2,4,8-Tribromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-1442	2,3,7,8-Tetrabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-1442-1.2	2,3,7,8-Tetrabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-EF-5082	2,4,6,8-Tetrabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-5082-1.2	2,4,6,8-Tetrabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-EF-1452	1,2,3,7,8-Pentabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-1452-1.2	1,2,3,7,8-Pentabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-EF-1454	2,3,4,7,8-Pentabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-1454-1.2	2,3,4,7,8-Pentabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-EF-1463	1,2,3,4,7,8-Hexabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	4 x 1.2 mL
	CIL-EF-1463-1.2	1,2,3,4,7,8-Hexabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane	1.2 mL
	CIL-EF-5259	1,2,3,4,6,7,8-Heptabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in 70% Nonane/30% Toluene	4 x 1.2 mL
<b>New</b>	CIL-EF-5259-1.2	1,2,3,4,6,7,8-Heptabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in 70% Nonane/30% Toluene	1.2 mL

## Comprehensive unlabelled chlorodioxin/chlorofuran standards for elution profiling

Code	Product	Unit
CIL-EF-5266	Octabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane:Toluene ((70:30)	4 x 1.2 mL
CIL-EF-5266-1.2	Octabromodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 5 µg/mL in Nonane:Toluene ((70:30)	1.2 mL

### Unlabelled bromofuran standards

	CIL-EF-5075	2-Monobromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-EF-5077	2,8-Dibromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-EF-5079	2,4,8-Tribromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-EF-1443	2,3,7,8-Tetrabromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-EF-1443-1.2	2,3,7,8-Tetrabromodibenzofuran 5 µg/mL in Nonane	1.2 mL
	CIL-EF-5081	2,4,6,8-Tetrabromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
<b>New</b>	CIL-EF-5081-1.2	2,4,6,8-Tetrabromodibenzofuran 5 µg/mL in Nonane unlabelled	1.2 mL
	CIL-EF-1453	1,2,3,7,8-Pentabromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-EF-1453-1.2	1,2,3,7,8-Pentabromodibenzofuran 5 µg/mL in Nonane	1.2 mL
	CIL-EF-1455	2,3,4,7,8-Pentabromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-EF-1455-1.2	2,3,4,7,8-Pentabromodibenzofuran 5 µg/mL in Nonane	1.2 mL
	CIL-EF-1464	1,2,3,4,7,8-Hexabromodibenzofuran 5 µg/mL in Nonane	8 x 1.2 mL
	CIL-EF-1464-1.2	1,2,3,4,7,8-Hexabromodibenzofuran 5 µg/mL in Nonane	1.2 mL
	CIL-EF-1486	1,2,3,4,6,7,8-Heptabromodibenzofuran 5 µg/mL in 93% Nonane/7% Toluene	8 x 1.2 mL
	CIL-EF-1486-1.2	1,2,3,4,6,7,8-Heptabromodibenzofuran 5 µg/mL in 93% Nonane/7% Toluene	1.2 mL
	CIL-EF-5263	Octabromodibenzofuran 5 µg/mL in 70% Nonane/30% Toluene	8 x 1.2 mL
<b>New</b>	CIL-EF-5263-1.2	Octabromodibenzofuran 5 µg/mL in 70% Nonane/30% Toluene	1.2 mL

### <sup>13</sup>C<sub>12</sub> Labelled mixed bromo/chlorodioxin standards

CIL-EBC-2509	1-Bromo-2,3,7,8-tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
--------------	--	--------

### Unlabelled mixed bromo/chlorodioxin standards

CIL-EBC-1743	2-Bromo-3,7,8-trichlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-EBC-1741	2,3-Dibromo-7,8-dichlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-EBC-2501	1-Bromo-2,3,7,8-tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-EBC-2504	2-Bromo-3,6,7,8,9-pentachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-EBC-2505	1-Bromo-2,3,6,7,8,9-hexachlorodibenzo-p-dioxin 50 µg/mL in Nonane	1.2 mL
CIL-EBC-2507-A	1-Bromo-2,3,4,6,7,8,9-heptachlorodibenzo-p-dioxin 5 µg/mL in Nonane	8 x 1.2 mL

### Unlabelled mixed bromo/chlorofuran standards

CIL-EBC-2500	3-Bromo-2,7,8-trichlorodibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-EBC-2503	1-Bromo-2,3,7,8-tetrachlorodibenzofuran 50 µg/mL in Nonane	1.2 mL

## Dioxin & furan method standards, standard mixtures & reference materials

### U.S. EPA, JIS, and CEN dioxin and furan method standard mixtures

In 1990 CIL /Cerilliant (formerly Radian) introduced the first “ready-to-use” standard mixtures for U.S. EPA Method 1613 “High Resolution GC/MS Method for the Determination of Tetra-Octa Chlorinated Dioxins and Furans”. With the effectiveness and popularity of these pre-formulated mixtures, CIL /Cerilliant next developed “ready-to-use” standards for EPA Method 8280 for low resolution GC/MS analysis of dioxins and furans. Today CIL /Cerilliant offer convenient dioxin and furan standard mixtures for EPA Methods 23 and 8290, as well as the Japanese Industrial Standards methods JIS-K0311 and K0312, and the European Community method EN-1948.

### NEW Reference Materials

In 2006 CIL completed an international interlaboratory study for the determination of many environmental pollutants in our three fish reference materials, as well as two RMs for soil and sediment. In 2007 CIL conducted another interlab study, this time evaluating dioxins, furans, and PCBs in a new Fly Ash Reference Material. In 2010, CIL has launched yet another interlaboratory study to develop consensus values for priority pollutants in Cod Liver Oil Reference Material. Results for the CLO RM will be available in autumn of 2010.

### Dioxin and Furan plus PCB Standard Mixtures

CIL /Cerilliant have developed several mixtures which include the 2,3,7,8-containing dioxin and furan congeners, as well as the “toxic” PCB congeners. With full calibration series and matching spiking solutions, analysts can test these two commonly combined groups without having to manipulate several different standard sets.

### Non-2,3,7,8-Containing Standard Mixtures

With the development of several new <sup>13</sup>C-labelled “non-2,3,7,8” furan standards, CIL /Cerilliant now offer standard mixtures which contain the traditional 17 “2,3,7,8-containing” standards, as well as the new <sup>13</sup>C-labelled “non-2,3,7,8-containing” congeners. These standard mixtures allow researchers to use all 17 <sup>13</sup>C-labelled 2,3,7,8-containing standards as Internal Standards, while utilizing the labelled “non-2,3,7,8-containing” congeners as Recovery/Injection or Cleanup standards.

### NEW Two Column Dioxin and Furan Standard Mixtures

Two Column dioxin and furan standard mixtures are combination mixtures used to confirm dioxins and furans and PCBs using only two columns. These standards combine the benefits of both the “Dioxin and Furan plus PCB” mixtures and the “Non-2,3,7,8-Containing” mixtures.

### Expanded PBDD/F Standards and Standard Mixtures

Polybrominated dioxins and furans (PBDD/F) can be found at trace levels in technical brominated flame retardant products, and may also be formed from combustion of these materials in the presence of organic compounds. The biological effects of PBDD/Fs are similar to those of their chlorinated analogs which have been regulated for many years. CIL now offers a comprehensive set of labelled and unlabelled standards for PBDD/F analysis, including new calibration series and corresponding spiking solutions containing tetra-octabromo congeners.

### ISO Accreditation

Adding to our list of firsts in the field of dioxin and furan reference standards, CIL is pleased to announce the availability of the first dioxin and furan standards manufactured under ISO/ IEC 17025 and ISO Guide 34 accreditation.

Cerilliant Corporation, CIL’s longtime collaborator for dioxin and furan standards, has received accreditation under ISO Guide 34 for Reference Material Producers, as well as ISO/IEC 17025 for Testing and Calibration Laboratories. These two new accreditations provide a powerful boost to their already impressive quality credentials, including ISO-9001:2008.



U.S. EPA Method 1613 standard mixtures

Code	Product	Unit
CIL-EDF-9999...	Method 1613 Calibration Solution Solvent: Nonane All concentrations are in ng/mL (ppb)	Each
	<b>Unlabelled Dioxins &amp; Furans: ..... *CS0.1 ..*CS0.2...*CS0.5..... CS1 .....CS2 ..... CS3..... CS4..... CS5</b>	
	2,3,7,8-TetraCDD .....0.05 ..... 0.1..... 0.25 ..... 0.5 .....2.0 ..... 10..... 40 ..... 200	
	2,3,7,8-TetraCDF .....0.05 ..... 0.1..... 0.25 ..... 0.5 .....2.0 ..... 10..... 40 ..... 200	
	1,2,3,7,8-PentaCDD .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,7,8-PentaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	2,3,4,7,8-PentaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,4,7,8-HexaCDD .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,6,7,8-HexaCDD .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,7,8,9-HexaCDD .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,4,7,8-HexaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,6,7,8-HexaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,7,8,9-HexaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	2,3,4,6,7,8-HexaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,4,6,7,8-HeptaCDD .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,4,6,7,8-HeptaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	1,2,3,4,7,8,9-HeptaCDF .....0.25 ..... 0.5 ..... 1.25 ..... 2.5 ..... 10 ..... 50 ..... 200 ..... 1000	
	OctaCDD .....0.5 ..... 1.0 ..... 2.50 ..... 5.0 .....20 ..... 100 ..... 400 ..... 2000	
	OctaCDF .....0.5 ..... 1.0 ..... 2.50 ..... 5.0 .....20 ..... 100 ..... 400 ..... 2000	
	<b>Labelled Dioxins &amp; Furans: ..... *CS0.1 ..*CS0.2...*CS0.5..... CS1 .....CS2 ..... CS3..... CS4..... CS5</b>	
	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	2,3,7,8-TetraCDD ( <sup>37</sup> C <sub>14</sub> ,96%) .....0.05 ..... 0.1 ..... 0.25 ..... 0.5 ..... 2.0 ..... 10 ..... 40 ..... 200	
	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....200 ..... 200 ..... 200 ..... 200 ..... 200 ..... 200 ..... 200 ..... 200	
	*NOTE: CS0.1, CS0.2, +CS0.5 are optional extensions of the Method 1613 Calibration Curve for very low MDL analyses, and are not required by the method.	
CIL-EDF-9999	Method 1613 Calibration Solution [CS1-CS5]	5 x 0.2 mL
CIL-EDF-9999-0.1	Method 1613 Calibration Solution [CS0.1]	0.2 mL
CIL-EDF-9999-0.2	Method 1613 Calibration Solution [CS0.2]	0.2 mL
CIL-EDF-9999-0.5	Method 1613 Calibration Solution [CS0.5] (this product was formerly listed as EDF-4097)	0.2 mL
CIL-EDF-9999-1	Method 1613 Calibration Solution [CS1]	0.2 mL
CIL-EDF-9999-2	Method 1613 Calibration Solution [CS2]	0.2 mL
CIL-EDF-9999-3	Method 1613 Daily Calibration Check Standard [CS3]	0.2 mL
CIL-EDF-9999-3-4	Method 1613 Daily Calibration Check Standard [CS3]	4 x 0.2 mL
CIL-EDF-9999-4	Method 1613 Calibration Solution [CS4]	0.2 mL
CIL-EDF-9999-5	Method 1613 Calibration Solution [CS5]	0.2 mL
EDF-9999-A*	Method 1613 Calibration Solution [CS1-CS5] (1/10 concentration)	5 x 0.2 mL
EDF-9999-A-3*	Method 1613 Calibration Check Standard [CS3] (1/10 concentration)	0.2 mL

\*A set of calibration solutions with both labelled and unlabelled compounds at 1/10 concentration of the corresponding solution in CIL-EDF-9999.

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																
CIL-EDF-4141	<b>Method 1613 Daily Calibration plus Window Definer and Isomer Specificity Solution</b> This standard allows three functions: - Daily MS instrument response - Daily column resolution - Daily window definition to be achieved with a single data acquisition  <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Daily Calibration Standards</th> <th style="text-align: left;">Concentration</th> <th style="text-align: left;">Daily Calibration Standards</th> <th style="text-align: left;">Concentration</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TetraCDD</td><td>10 ng/mL</td><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>2,3,7,8-TetraCDF</td><td>10 ng/mL</td><td>2,3,7,8-TetraCDD (<sup>37</sup>Cl<sub>4</sub>,96%)</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td>50 ng/mL</td><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td>50 ng/mL</td><td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td>50 ng/mL</td><td>1,2,3,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td>50 ng/mL</td><td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD</td><td>50 ng/mL</td><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td>50 ng/mL</td><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td>50 ng/mL</td><td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td>50 ng/mL</td><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td>50 ng/mL</td><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td>50 ng/mL</td><td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD (W.D.)</td><td>50 ng/mL</td><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF (W.D.)</td><td>50 ng/mL</td><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF (W.D.)</td><td>50 ng/mL</td><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>OctaCDD</td><td>100 ng/mL</td><td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>OctaCDF</td><td>100 ng/mL</td><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>200 ng/mL</td></tr> <tr><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td></td><td></td></tr> </tbody> </table> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Window Defining Standards</th> <th style="text-align: left;">Concentration</th> <th style="text-align: left;">Window Defining Standards</th> <th style="text-align: left;">Concentration</th> </tr> </thead> <tbody> <tr><td>1,3,6,8-TetraCDD</td><td>10 ng/mL</td><td>1,3,4,6,8-PentaCDF</td><td>50 ng/mL</td></tr> <tr><td>1,2,8,9-TetraCDD</td><td>10 ng/mL</td><td>1,2,3,8,9-PentaCDF</td><td>50 ng/mL</td></tr> <tr><td>1,3,6,8-TetraCDF</td><td>10 ng/mL</td><td>1,2,4,6,7,9/1,2,4,6,8,9-HexaCDD</td><td>50 ng/mL</td></tr> <tr><td>1,2,8,9-TetraCDF</td><td>10 ng/mL</td><td>1,2,3,4,6,8-HexaCDF</td><td>50 ng/mL</td></tr> <tr><td>1,2,4,6,8/1,2,4,7,9-PentaCDD</td><td>50 ng/mL</td><td>1,2,3,4,8,9-HexaCDF</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,8,9-PentaCDD</td><td>50 ng/mL</td><td>1,2,3,4,6,7,9-HeptaCDD</td><td>50 ng/mL</td></tr> </tbody> </table> <p>Note 1,2,3,4,6,7,8-HexaCDD (last eluting HexaCDD) not included due to interference with 1,2,3,7,8,9-HexaCDD.</p> <p>TetraCDD Isomer Concentration</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Specificity Standards</th> <th style="text-align: left;">Specificity Standards</th> </tr> </thead> <tbody> <tr><td>1,2,3,4-TetraCDD</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,7/1,2,3,8-TetraCDD</td><td>10 ng/mL</td></tr> <tr><td>(W.D.) - Window Defining Standard</td><td></td></tr> </tbody> </table>	Daily Calibration Standards	Concentration	Daily Calibration Standards	Concentration	2,3,7,8-TetraCDD	10 ng/mL	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,7,8-TetraCDF	10 ng/mL	2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	10 ng/mL	1,2,3,7,8-PentaCDD	50 ng/mL	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8-PentaCDF	50 ng/mL	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,4,7,8-PentaCDF	50 ng/mL	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,7,8-HexaCDD	50 ng/mL	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,6,7,8-HexaCDD	50 ng/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8,9-HexaCDD	50 ng/mL	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,7,8-HexaCDF	50 ng/mL	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,6,7,8-HexaCDF	50 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8,9-HexaCDF	50 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,4,6,7,8-HexaCDF	50 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,6,7,8-HeptaCDD (W.D.)	50 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,6,7,8-HeptaCDF (W.D.)	50 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,7,8,9-HeptaCDF (W.D.)	50 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	OctaCDD	100 ng/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	OctaCDF	100 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL			Window Defining Standards	Concentration	Window Defining Standards	Concentration	1,3,6,8-TetraCDD	10 ng/mL	1,3,4,6,8-PentaCDF	50 ng/mL	1,2,8,9-TetraCDD	10 ng/mL	1,2,3,8,9-PentaCDF	50 ng/mL	1,3,6,8-TetraCDF	10 ng/mL	1,2,4,6,7,9/1,2,4,6,8,9-HexaCDD	50 ng/mL	1,2,8,9-TetraCDF	10 ng/mL	1,2,3,4,6,8-HexaCDF	50 ng/mL	1,2,4,6,8/1,2,4,7,9-PentaCDD	50 ng/mL	1,2,3,4,8,9-HexaCDF	50 ng/mL	1,2,3,8,9-PentaCDD	50 ng/mL	1,2,3,4,6,7,9-HeptaCDD	50 ng/mL	Specificity Standards	Specificity Standards	1,2,3,4-TetraCDD	10 ng/mL	1,2,3,7/1,2,3,8-TetraCDD	10 ng/mL	(W.D.) - Window Defining Standard		0.2 mL
Daily Calibration Standards	Concentration	Daily Calibration Standards	Concentration																																																																																																															
2,3,7,8-TetraCDD	10 ng/mL	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
2,3,7,8-TetraCDF	10 ng/mL	2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	10 ng/mL																																																																																																															
1,2,3,7,8-PentaCDD	50 ng/mL	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,7,8-PentaCDF	50 ng/mL	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
2,3,4,7,8-PentaCDF	50 ng/mL	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,4,7,8-HexaCDD	50 ng/mL	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,6,7,8-HexaCDD	50 ng/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,7,8,9-HexaCDD	50 ng/mL	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,4,7,8-HexaCDF	50 ng/mL	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,6,7,8-HexaCDF	50 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,7,8,9-HexaCDF	50 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
2,3,4,6,7,8-HexaCDF	50 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,4,6,7,8-HeptaCDD (W.D.)	50 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,4,6,7,8-HeptaCDF (W.D.)	50 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,4,7,8,9-HeptaCDF (W.D.)	50 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
OctaCDD	100 ng/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
OctaCDF	100 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL																																																																																																															
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																	
Window Defining Standards	Concentration	Window Defining Standards	Concentration																																																																																																															
1,3,6,8-TetraCDD	10 ng/mL	1,3,4,6,8-PentaCDF	50 ng/mL																																																																																																															
1,2,8,9-TetraCDD	10 ng/mL	1,2,3,8,9-PentaCDF	50 ng/mL																																																																																																															
1,3,6,8-TetraCDF	10 ng/mL	1,2,4,6,7,9/1,2,4,6,8,9-HexaCDD	50 ng/mL																																																																																																															
1,2,8,9-TetraCDF	10 ng/mL	1,2,3,4,6,8-HexaCDF	50 ng/mL																																																																																																															
1,2,4,6,8/1,2,4,7,9-PentaCDD	50 ng/mL	1,2,3,4,8,9-HexaCDF	50 ng/mL																																																																																																															
1,2,3,8,9-PentaCDD	50 ng/mL	1,2,3,4,6,7,9-HeptaCDD	50 ng/mL																																																																																																															
Specificity Standards	Specificity Standards																																																																																																																	
1,2,3,4-TetraCDD	10 ng/mL																																																																																																																	
1,2,3,7/1,2,3,8-TetraCDD	10 ng/mL																																																																																																																	
(W.D.) - Window Defining Standard																																																																																																																		
CIL-EDF-6999	<b>Method 1613 Clean-up Standard</b> Solvent: Nonane 2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%) .....0.8 ng/mL	7.5 mL																																																																																																																
CIL-EDF-6999-10X	<b>Method 1613 Clean-up Standard (10x concentration)</b>	20 mL																																																																																																																
CIL-EDF-5999	<b>Method 1613 Internal Standard Spiking Solution</b> Solvent: Nonane 1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....200 ng/mL      1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 200 ng/mL	0.5 mL																																																																																																																
CIL-EDF-8999	<b>Method 1613 Labelled Compound Stock Solution</b> Solvent: Nonane <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,7,8-PeCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td>2,3,4,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>2,3,4,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>200 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td><td></td><td></td></tr> </tbody> </table>	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL			500 µL																																																																																
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																															
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL																																																																																																															
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																	
CIL-EDF-8999-4	<b>Method 1613 Labelled Compound Stock Solution</b>	4 x 500 µL																																																																																																																
CIL-EDF-7999	<b>Method 1613 Precision and Recovery Standard Solution</b> Solvent: Nonane <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>2,3,7,8-TetraCDD</td><td>40 ng/mL</td><td>1,2,3,6,7,8-HexaCDF</td><td>200 ng/mL</td></tr> <tr><td>2,3,7,8-TetraCDF</td><td>40 ng/mL</td><td>1,2,3,7,8,9-HexaCDF</td><td>200 ng/mL</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td>200 ng/mL</td><td>2,3,4,6,7,8-HexaCDF</td><td>200 ng/mL</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td>200 ng/mL</td><td>1,2,3,4,6,7,8-HpCDD</td><td>200 ng/mL</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td>200 ng/mL</td><td>1,2,3,4,6,7,8-HpCDF</td><td>200 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td>200 ng/mL</td><td>1,2,3,4,7,8,9-HpCDF</td><td>200 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD</td><td>200 ng/mL</td><td>OctaCDD</td><td>400 ng/mL</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td>200 ng/mL</td><td>OctaCDF</td><td>400 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td>200 ng/mL</td><td></td><td></td></tr> </tbody> </table>	2,3,7,8-TetraCDD	40 ng/mL	1,2,3,6,7,8-HexaCDF	200 ng/mL	2,3,7,8-TetraCDF	40 ng/mL	1,2,3,7,8,9-HexaCDF	200 ng/mL	1,2,3,7,8-PentaCDD	200 ng/mL	2,3,4,6,7,8-HexaCDF	200 ng/mL	1,2,3,7,8-PentaCDF	200 ng/mL	1,2,3,4,6,7,8-HpCDD	200 ng/mL	2,3,4,7,8-PentaCDF	200 ng/mL	1,2,3,4,6,7,8-HpCDF	200 ng/mL	1,2,3,4,7,8-HexaCDD	200 ng/mL	1,2,3,4,7,8,9-HpCDF	200 ng/mL	1,2,3,6,7,8-HexaCDD	200 ng/mL	OctaCDD	400 ng/mL	1,2,3,7,8,9-HexaCDD	200 ng/mL	OctaCDF	400 ng/mL	1,2,3,4,7,8-HexaCDF	200 ng/mL			0.2 mL																																																																												
2,3,7,8-TetraCDD	40 ng/mL	1,2,3,6,7,8-HexaCDF	200 ng/mL																																																																																																															
2,3,7,8-TetraCDF	40 ng/mL	1,2,3,7,8,9-HexaCDF	200 ng/mL																																																																																																															
1,2,3,7,8-PentaCDD	200 ng/mL	2,3,4,6,7,8-HexaCDF	200 ng/mL																																																																																																															
1,2,3,7,8-PentaCDF	200 ng/mL	1,2,3,4,6,7,8-HpCDD	200 ng/mL																																																																																																															
2,3,4,7,8-PentaCDF	200 ng/mL	1,2,3,4,6,7,8-HpCDF	200 ng/mL																																																																																																															
1,2,3,4,7,8-HexaCDD	200 ng/mL	1,2,3,4,7,8,9-HpCDF	200 ng/mL																																																																																																															
1,2,3,6,7,8-HexaCDD	200 ng/mL	OctaCDD	400 ng/mL																																																																																																															
1,2,3,7,8,9-HexaCDD	200 ng/mL	OctaCDF	400 ng/mL																																																																																																															
1,2,3,4,7,8-HexaCDF	200 ng/mL																																																																																																																	

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EDF-7999-10X	Method 1613 Precision and Recovery Standard Solution (10x the concentration of EDF-7999) Solvent: Nonane 2,3,7,8-TetraCDD ..... 400 ng/mL 2,3,7,8-TetraCDF ..... 400 ng/mL 1,2,3,7,8-PentaCDD ..... 2000 ng/mL 1,2,3,7,8-PentaCDF ..... 2000 ng/mL 2,3,4,7,8-PentaCDF ..... 2000 ng/mL 1,2,3,4,7,8-HexaCDD ..... 2000 ng/mL 1,2,3,6,7,8-HexaCDD ..... 2000 ng/mL 1,2,3,7,8,9-HexaCDD ..... 2000 ng/mL 1,2,3,4,7,8-HexaCDF ..... 2000 ng/mL 1,2,3,6,7,8-HexaCDF ..... 2000 ng/mL 1,2,3,7,8,9-HexaCDF ..... 2000 ng/mL 1,2,3,4,6,7,8-HeptaCDD ..... 2000 ng/mL 1,2,3,4,6,7,8-HeptaCDF ..... 2000 ng/mL 1,2,3,4,7,8,9-HeptaCDF ..... 2000 ng/mL OctaCDD ..... 4000 ng/mL OctaCDF ..... 4000 ng/mL	1.2 mL

<b>New</b> CIL-EDF-1613-KIT	Method 1613 "Starter Kit" Contains one each of the following items: CIL-EDF-9999 Method 1613 Calibration Solutions CIL-EDF-5999 Method 1613 Internal Standard Spiking Solution CIL-EDF-7999 Method 1613 Precision and Recovery Standard Solution CIL-EDF-6999 Method 1613 Cleanup Standard Contains two of the following item: CIL-EDF-8999 Method 1613 labelled Compound Stock Solution	kit
-----------------------------	---	-----

## U.S. EPA Method 23 standard mixtures

CIL-EDF-4052	Method 23 Calibration Solutions [CS1-CS5] Solvent: Nonane All concentrations are in pg/μL (ppb)	5 x 0.2 mL
--------------	---	------------

Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5
2,3,7,8-TetraCDD	0.5	1	5	50	100
2,3,7,8-TetraCDF	0.5	1	5	50	100
1,2,3,7,8-PentaCDD	2.5	5	25	250	500
1,2,3,7,8-PentaCDF	2.5	5	25	250	500
2,3,4,7,8-PentaCDF	2.5	5	25	250	500
1,2,3,4,7,8-HexaCDD	2.5	5	25	250	500
1,2,3,6,7,8-HexaCDD	2.5	5	25	250	500
1,2,3,7,8,9-HexaCDD	2.5	5	25	250	500
1,2,3,4,7,8-HexaCDF	2.5	5	25	250	500
1,2,3,6,7,8-HexaCDF	2.5	5	25	250	500
1,2,3,7,8,9-HexaCDF	2.5	5	25	250	500
2,3,4,6,7,8-HexaCDF	2.5	5	25	250	500
1,2,3,4,6,7,8-HeptaCDD	2.5	5	25	250	500
1,2,3,4,6,7,8-HeptaCDF	2.5	5	25	250	500
1,2,3,4,7,8,9-HeptaCDF	2.5	5	25	250	500
OctaCDD	5.0	10	50	500	1000
OctaCDF	5.0	10	50	500	1000
Internal Standards	CS1	CS2	CS3	CS4	CS5
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200	200	200	200	200
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
Surrogate Standards	CS1	CS2	CS3	CS4	CS5
2,3,7,8-TetraCDD ( <sup>37</sup> C <sub>4</sub> ,96%)	0.5	1	5	50	100
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5	5	25	250	500
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5	5	25	250	500
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5	5	25	250	500
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5	5	25	250	500
Recovery Standards	CS1	CS2	CS3	CS4	CS5
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100
Alternate Standard	CS1	CS2	CS3	CS4	CS5
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5	5	25	250	500

<b>New</b> CIL-EDF-4052-1	Method 23 Calibration Solution [CS1]	0.2 mL
<b>New</b> CIL-EDF-4052-2	Method 23 Calibration Solution [CS2]	0.2 mL
CIL-EDF-4052-3	Method 23 Daily Calibration Check Standard [CS3]	0.2 mL
<b>New</b> CIL-EDF-4052-4	Method 23 Calibration Solution [CS4]	0.2 mL
<b>New</b> CIL-EDF-4052-5	Method 23 Calibration Solution [CS5]	0.2 mL

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EDF-4053	Method 23 Internal Standard Stock Solution	1.2 mL
	Solvent: Nonane	
	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	1000 ng/mL      2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL
	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	1000 ng/mL      1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL
	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	1000 ng/mL      1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)..... 1000 ng/mL
	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	1000 ng/mL      1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL
	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	2000 ng/mL
CIL-EDF-4054	Method 23 Surrogate Standard Stock Solution	1.2 mL
	Solvent: Nonane	
	2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%).....	1000 ng/mL      1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)..... 1000 ng/mL
	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	1000 ng/mL      1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL
	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	1000 ng/mL
CIL-EDF-4055	Method 23 Recovery Standard Stock Solution	1.2 mL
	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	500 ng/mL      1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 500 ng/mL
CIL-EDF-5189	Method 23 Alternative Recovery Stock Solution	1.2 mL
	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	1000 ng/mL

### U.S. EPA Method 8290 standard mixtures

CIL-EDF-5006	Method 8290 Calibration Solutions [HRCC1-HRCC5]	5 x 0.2 mL				
	Solvent: Nonane					
	All concentrations are in ng/mL (ppb)					
	<b>Unlabelled Compounds</b>					
		<b>HRCC1</b>	<b>HRCC2</b>	<b>HRCC3</b>	<b>HRCC4</b>	<b>HRCC5</b>
	2,3,7,8-TetraCDD .....	1.0.....	2.5.....	10.....	50.....	200
	2,3,7,8-TetraCDF .....	1.0.....	2.5.....	10.....	50.....	200
	1,2,3,7,8-PentaCDD .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,7,8-PentaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	2,3,4,7,8-PentaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,4,7,8-HexaCDD .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,4,7,8-HexaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,6,7,8-HexaCDD .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,6,7,8-HexaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,7,8,9-HexaCDD .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,7,8,9-HexaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	2,3,4,6,7,8-HexaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,4,6,7,8-HeptaCDD .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,4,6,7,8-HeptaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	1,2,3,4,7,8,9-HeptaCDF .....	2.5.....	6.25.....	25.....	125.....	500
	OctaCDD .....	5.0.....	12.5.....	50.....	250.....	1000
	OctaCDF .....	5.0.....	12.5.....	50.....	250.....	1000
	<b>Internal Standards</b>					
		<b>HRCC1</b>	<b>HRCC2</b>	<b>HRCC3</b>	<b>HRCC4</b>	<b>HRCC5</b>
	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	50.....	50.....	50.....	50.....	50
	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	50.....	50.....	50.....	50.....	50
	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	50.....	50.....	50.....	50.....	50
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	50.....	50.....	50.....	50.....	50	
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	50.....	50.....	50.....	50.....	50	
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	125.....	125.....	125.....	125.....	125	
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	125.....	125.....	125.....	125.....	125	
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	125.....	125.....	125.....	125.....	125	
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	125.....	125.....	125.....	125.....	125	
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	125.....	125.....	125.....	125.....	125	
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	250.....	250.....	250.....	250.....	250	
<b>Recovery Standards</b>						
	<b>HRCC1</b>	<b>HRCC2</b>	<b>HRCC3</b>	<b>HRCC4</b>	<b>HRCC5</b>	
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	50.....	50.....	50.....	50.....	50	
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	125.....	125.....	125.....	125.....	125	
<b>New</b> CIL-EDF-5006-1	Method 8290 Continuing Calibration Check Standard [HRCC1]	0.2 mL				
<b>New</b> CIL-EDF-5006-2	Method 8290 Continuing Calibration Check Standard [HRCC2]	0.2 mL				
CIL-EDF-5006-3	Method 8290 Continuing Calibration Check Standard [HRCC3]	0.2 mL				
<b>New</b> CIL-EDF-5006-4	Method 8290 Continuing Calibration Check Standard [HRCC4]	0.2 mL				
<b>New</b> CIL-EDF-5006-5	Method 8290 Continuing Calibration Check Standard [HRCC5]	0.2 mL				
CIL-ED-5004	Method 8290 Recovery Standard Solution	1.2 mL				
	Solvent: Nonane					
	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	100 ng/mL      1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 250 ng/mL				
CIL-EDF-5005	Method 8290 Sample Fortification Solution	1.2 mL				
	Solvent: Nonane					
	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	100 ng/mL      1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 250 ng/mL				
	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	100 ng/mL      1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 250 ng/mL				
	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....	100 ng/mL      1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 250 ng/mL				
	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	100 ng/mL      OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 500 ng/mL				
	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....	250 ng/mL				

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EDF-5008	Method 8290 Matrix Spiking Solution Solvent: Nonane 2,3,7,8-TetraCDD ..... 100 ng/mL 2,3,7,8-TetraCDF ..... 100 ng/mL 1,2,3,7,8-PentaCDD ..... 250 ng/mL 1,2,3,7,8-PentaCDF ..... 250 ng/mL 2,3,4,7,8-PentaCDF ..... 250 ng/mL 1,2,3,4,7,8-HexaCDD ..... 250 ng/mL 1,2,3,4,7,8-HexaCDF ..... 250 ng/mL 1,2,3,6,7,8-HexaCDD ..... 250 ng/mL 1,2,3,6,7,8-HexaCDF ..... 250 ng/mL 1,2,3,7,8,9-HexaCDD ..... 250 ng/mL 1,2,3,7,8,9-HexaCDF ..... 250 ng/mL 2,3,4,6,7,8-HexaCDF ..... 250 ng/mL 1,2,3,4,6,7,8-HeptaCDD ..... 250 ng/mL 1,2,3,4,6,7,8-HeptaCDF ..... 250 ng/mL 1,2,3,4,7,8,9-HeptaCDF ..... 250 ng/mL OctaCDD ..... 500 ng/mL OctaCDF ..... 500 ng/mL	1.2 mL
<b>New</b> CIL-EDF-5008-50	US EPA Method 8290 Matrix Spiking Solution unlabeled (1:50 Dilution of EDF-5008)	100 µL

### U.S. EPA Method 8280 standard methods

	These standard solutions have been specifically prepared for the Low-Resolution GC/MS determination of tetra-octa chlorinated dioxins and furans. Use of these carefully prepared and verified solutions avoids any possible error in dilution/cocktail preparation.																																																																																																																																																																			
CIL-EDF-2519-A	Method 8280 Calibration Solutions [CC1-CC5] Solvent: Nonane All concentrations are in ng/µL (ppm) <b>Unlabelled Dioxins &amp; Furans</b> <table border="1"> <thead> <tr> <th></th> <th>CC1</th> <th>CC2</th> <th>CC3</th> <th>CC4</th> <th>CC5</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TCDD</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>2,3,7,8-TCDF</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>1,2,3,7,8-PeCDF</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>1,2,3,7,8-PeCDD</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>2,3,4,7,8-PeCDF</td><td>—</td><td>—</td><td>0.5</td><td>—</td><td>—</td></tr> <tr><td>1,2,3,4,7,8-HxCDF</td><td>—</td><td>—</td><td>1.25</td><td>—</td><td>—</td></tr> <tr><td>1,2,3,6,7,8-HxCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,4,7,8-HxCDD</td><td>—</td><td>—</td><td>1.25</td><td>—</td><td>—</td></tr> <tr><td>1,2,3,6,7,8-HxCDD</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,7,8,9-HxCDD</td><td>—</td><td>—</td><td>1.25</td><td>—</td><td>—</td></tr> <tr><td>2,3,4,6,7,8-HxCDF</td><td>—</td><td>—</td><td>1.25</td><td>—</td><td>—</td></tr> <tr><td>1,2,3,7,8,9-HxCDF</td><td>—</td><td>—</td><td>1.25</td><td>—</td><td>—</td></tr> <tr><td>1,2,3,4,7,8,9-HpCDF</td><td>—</td><td>—</td><td>1.25</td><td>—</td><td>—</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDD</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>OCDD</td><td>0.5</td><td>1.25</td><td>2.5</td><td>5.0</td><td>10.0</td></tr> <tr><td>OCDF</td><td>0.5</td><td>1.25</td><td>2.5</td><td>5.0</td><td>10.0</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th></th> <th>CC1</th> <th>CC2</th> <th>CC3</th> <th>CC4</th> <th>CC5</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>2,3,7,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>1,2,3,6,7,8-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td></tr> <tr><td>OCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td></tr> <tr><td>1,2,3,4-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>1,2,3,7,8,9-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>2,3,7,8-TCDD (<sup>37</sup>Cl<sub>4</sub>,96%)</td><td>—</td><td>—</td><td>0.25</td><td>—</td><td>—</td></tr> </tbody> </table>		CC1	CC2	CC3	CC4	CC5	2,3,7,8-TCDD	0.1	0.25	0.5	1.0	2.0	2,3,7,8-TCDF	0.1	0.25	0.5	1.0	2.0	1,2,3,7,8-PeCDF	0.1	0.25	0.5	1.0	2.0	1,2,3,7,8-PeCDD	0.1	0.25	0.5	1.0	2.0	2,3,4,7,8-PeCDF	—	—	0.5	—	—	1,2,3,4,7,8-HxCDF	—	—	1.25	—	—	1,2,3,6,7,8-HxCDF	0.25	0.625	1.25	2.5	5.0	1,2,3,4,7,8-HxCDD	—	—	1.25	—	—	1,2,3,6,7,8-HxCDD	0.25	0.625	1.25	2.5	5.0	1,2,3,7,8,9-HxCDD	—	—	1.25	—	—	2,3,4,6,7,8-HxCDF	—	—	1.25	—	—	1,2,3,7,8,9-HxCDF	—	—	1.25	—	—	1,2,3,4,7,8,9-HpCDF	—	—	1.25	—	—	1,2,3,4,6,7,8-HpCDF	0.25	0.625	1.25	2.5	5.0	1,2,3,4,6,7,8-HpCDD	0.25	0.625	1.25	2.5	5.0	OCDD	0.5	1.25	2.5	5.0	10.0	OCDF	0.5	1.25	2.5	5.0	10.0		CC1	CC2	CC3	CC4	CC5	2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	1,2,3,6,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0	OCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0	1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	1,2,3,7,8,9-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	2,3,7,8-TCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	—	—	0.25	—	—	5 x 0.2 mL
	CC1	CC2	CC3	CC4	CC5																																																																																																																																																															
2,3,7,8-TCDD	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
2,3,7,8-TCDF	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
1,2,3,7,8-PeCDF	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
1,2,3,7,8-PeCDD	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
2,3,4,7,8-PeCDF	—	—	0.5	—	—																																																																																																																																																															
1,2,3,4,7,8-HxCDF	—	—	1.25	—	—																																																																																																																																																															
1,2,3,6,7,8-HxCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,4,7,8-HxCDD	—	—	1.25	—	—																																																																																																																																																															
1,2,3,6,7,8-HxCDD	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,7,8,9-HxCDD	—	—	1.25	—	—																																																																																																																																																															
2,3,4,6,7,8-HxCDF	—	—	1.25	—	—																																																																																																																																																															
1,2,3,7,8,9-HxCDF	—	—	1.25	—	—																																																																																																																																																															
1,2,3,4,7,8,9-HpCDF	—	—	1.25	—	—																																																																																																																																																															
1,2,3,4,6,7,8-HpCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,4,6,7,8-HpCDD	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
OCDD	0.5	1.25	2.5	5.0	10.0																																																																																																																																																															
OCDF	0.5	1.25	2.5	5.0	10.0																																																																																																																																																															
	CC1	CC2	CC3	CC4	CC5																																																																																																																																																															
2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
1,2,3,6,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0																																																																																																																																																															
OCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0																																																																																																																																																															
1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
1,2,3,7,8,9-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
2,3,7,8-TCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	—	—	0.25	—	—																																																																																																																																																															
CIL-EDF-2519-1	Method 8280 Calibration Solution [CC1]	0.2 mL																																																																																																																																																																		
CIL-EDF-2519-2	Method 8280 Calibration Solution [CC2]	0.2 mL																																																																																																																																																																		
CIL-EDF-2519-3	Method 8280 Calibration and verification Solution [CC3]	0.2 mL																																																																																																																																																																		
CIL-EDF-2519-4	Method 8280 Calibration Solution [CC4]	0.2 mL																																																																																																																																																																		
CIL-EDF-2519-5	Method 8280 Calibration Solution [CC5]	0.2 mL																																																																																																																																																																		
CIL-EDF-2520	Method 8280 Internal Standard Solution Solvent: Nonane 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 5 ng/µL 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 5 ng/µL 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 5 ng/µL 1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/µL OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/µL	1.2 mL																																																																																																																																																																		
CIL-ED-2521	Method 8280 recovery standard solution Solvent: Nonane 1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 5 ng/µL 1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 5 ng/µL	1.2 mL																																																																																																																																																																		
CIL-ED-2522	Method 8280 Cleanup Standard Solution Solvent: Nonane 2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%) ..... 5 ng/µL	1.2 mL																																																																																																																																																																		
CIL-EDF-2523	Method 8280 Matrix Spiking Solution Solvent: Nonane 2,3,7,8-TetraCDD ..... 2.5 ng/µL 2,3,7,8-TetraCDF ..... 2.5 ng/µL 1,2,3,7,8-PentaCDF ..... 6.25 ng/µL 1,2,3,7,8-PentaCDD ..... 6.25 ng/µL 1,2,3,6,7,8-HexaCDF ..... 6.25 ng/µL 1,2,3,6,7,8-HexaCDD ..... 6.25 ng/µL 1,2,3,7,8,9-HexaCDD ..... 6.25 ng/µL 1,2,3,7,8,9-HexaCDF ..... 6.25 ng/µL 2,3,4,6,7,8-HexaCDF ..... 6.25 ng/µL 1,2,3,4,6,7,8-HeptaCDF ..... 6.25 ng/µL 1,2,3,4,6,7,8-HeptaCDD ..... 6.25 ng/µL OctaCDD ..... 12.5 ng/µL OctaCDF ..... 12.5 ng/µL	1.2 mL																																																																																																																																																																		

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																		
CIL-EDF-2681	Supplemental Internal Standard Solution (not required by USEPA Method 8280) Solvent: Nonane 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%).....5 ng/μL 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....5 ng/μL 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%).....5 ng/μL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)..... 10 ng/μL OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/μL																																																																																																																																																																		
CIL-EDF-4095	Modified Method 8280 calibration solutions [CC1-CC5] (all 17 toxic congeners in CC1-CC5) Solvent: Nonane All Concentrations are in ng/μL (ppm)	5 x 0.2 mL																																																																																																																																																																		
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Unlabelled Dioxins &amp; Furans</th> <th style="text-align: center;">CC1</th> <th style="text-align: center;">CC2</th> <th style="text-align: center;">CC3</th> <th style="text-align: center;">CC4</th> <th style="text-align: center;">CC5</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TetraCDD</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>2,3,7,8-TetraCDF</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td>0.1</td><td>0.25</td><td>0.5</td><td>1.0</td><td>2.0</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF</td><td>0.25</td><td>0.625</td><td>1.25</td><td>2.5</td><td>5.0</td></tr> <tr><td>OctaCDD</td><td>0.5</td><td>1.25</td><td>2.5</td><td>5.0</td><td>10.0</td></tr> <tr><td>OctaCDF</td><td>0.5</td><td>1.25</td><td>2.5</td><td>5.0</td><td>10.0</td></tr> </tbody> </table> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Labelled Dioxins &amp; Furans</th> <th style="text-align: center;">CC1</th> <th style="text-align: center;">CC2</th> <th style="text-align: center;">CC3</th> <th style="text-align: center;">CC4</th> <th style="text-align: center;">CC5</th> </tr> </thead> <tbody> <tr><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>2,3,7,8-TetraCDD (<sup>37</sup>Cl<sub>4</sub>,96%)</td><td>0.25</td><td>0.25</td><td>0.25</td><td>0.25</td><td>0.25</td></tr> <tr><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td></tr> <tr><td>OctaCDD(<sup>13</sup>C<sub>12</sub>,99%)</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td><td>1.0</td></tr> </tbody> </table>	Unlabelled Dioxins & Furans	CC1	CC2	CC3	CC4	CC5	2,3,7,8-TetraCDD	0.1	0.25	0.5	1.0	2.0	2,3,7,8-TetraCDF	0.1	0.25	0.5	1.0	2.0	1,2,3,7,8-PentaCDD	0.1	0.25	0.5	1.0	2.0	1,2,3,7,8-PentaCDF	0.1	0.25	0.5	1.0	2.0	2,3,4,7,8-PentaCDF	0.1	0.25	0.5	1.0	2.0	1,2,3,4,7,8-HexaCDD	0.25	0.625	1.25	2.5	5.0	1,2,3,4,7,8-HexaCDF	0.25	0.625	1.25	2.5	5.0	1,2,3,6,7,8-HexaCDD	0.25	0.625	1.25	2.5	5.0	1,2,3,6,7,8-HexaCDF	0.25	0.625	1.25	2.5	5.0	1,2,3,7,8,9-HexaCDD	0.25	0.625	1.25	2.5	5.0	1,2,3,7,8,9-HexaCDF	0.25	0.625	1.25	2.5	5.0	2,3,4,6,7,8-HexaCDF	0.25	0.625	1.25	2.5	5.0	1,2,3,4,6,7,8-HeptaCDD	0.25	0.625	1.25	2.5	5.0	1,2,3,4,6,7,8-HeptaCDF	0.25	0.625	1.25	2.5	5.0	1,2,3,4,7,8,9-HeptaCDF	0.25	0.625	1.25	2.5	5.0	OctaCDD	0.5	1.25	2.5	5.0	10.0	OctaCDF	0.5	1.25	2.5	5.0	10.0	Labelled Dioxins & Furans	CC1	CC2	CC3	CC4	CC5	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	0.25	0.25	0.25	0.25	0.25	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0	OctaCDD( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0	
Unlabelled Dioxins & Furans	CC1	CC2	CC3	CC4	CC5																																																																																																																																																															
2,3,7,8-TetraCDD	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
2,3,7,8-TetraCDF	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
1,2,3,7,8-PentaCDD	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
1,2,3,7,8-PentaCDF	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
2,3,4,7,8-PentaCDF	0.1	0.25	0.5	1.0	2.0																																																																																																																																																															
1,2,3,4,7,8-HexaCDD	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,4,7,8-HexaCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,6,7,8-HexaCDD	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,6,7,8-HexaCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,7,8,9-HexaCDD	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,7,8,9-HexaCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
2,3,4,6,7,8-HexaCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,4,6,7,8-HeptaCDD	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,4,6,7,8-HeptaCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
1,2,3,4,7,8,9-HeptaCDF	0.25	0.625	1.25	2.5	5.0																																																																																																																																																															
OctaCDD	0.5	1.25	2.5	5.0	10.0																																																																																																																																																															
OctaCDF	0.5	1.25	2.5	5.0	10.0																																																																																																																																																															
Labelled Dioxins & Furans	CC1	CC2	CC3	CC4	CC5																																																																																																																																																															
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	0.25	0.25	0.25	0.25	0.25																																																																																																																																																															
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5	0.5	0.5	0.5	0.5																																																																																																																																																															
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0																																																																																																																																																															
OctaCDD( <sup>13</sup> C <sub>12</sub> ,99%)	1.0	1.0	1.0	1.0	1.0																																																																																																																																																															
CIL-EDF-4095-1	Modified Method 8280 Calibration Solutions [CC1]	0.2 mL																																																																																																																																																																		
CIL-EDF-4095-2	Modified Method 8280 Calibration Solutions [CC2]	0.2 mL																																																																																																																																																																		
CIL-EDF-4095-3	Modified Method 8280 Calibration Solutions [CC3]	0.2 mL																																																																																																																																																																		
CIL-EDF-4095-4	Modified Method 8280 Calibration Solutions [CC4]	0.2 mL																																																																																																																																																																		
CIL-EDF-4095-5	Modified Method 8280 Calibration Solutions [CC5]	0.2 mL																																																																																																																																																																		
CIL-EDF-4096	Modified Method 8280 Matrix Spiking Solution (all 17 toxic congeners) Solvent: Nonane 2,3,7,8-TetraCDD .....2.5 ng/μL 2,3,7,8-TetraCDF .....2.5 ng/μL 1,2,3,7,8-PentaCDD .....6.25 ng/μL 1,2,3,7,8-PentaCDF .....6.25 ng/μL 2,3,4,7,8-PentaCDF .....6.25 ng/μL 1,2,3,4,7,8-HexaCDD .....6.25 ng/μL 1,2,3,4,7,8-HexaCDF .....6.25 ng/μL 1,2,3,6,7,8-HexaCDD .....6.25 ng/μL 1,2,3,6,7,8-HexaCDF .....6.25 ng/μL 1,2,3,7,8,9-HexaCDD .....6.25 ng/μL 1,2,3,7,8,9-HexaCDF .....6.25 ng/μL 2,3,4,6,7,8-HexaCDF .....6.25 ng/μL 1,2,3,4,6,7,8-HeptaCDD .....6.25 ng/μL 1,2,3,4,6,7,8-HeptaCDF .....6.25 ng/μL OctaCDD .....12.5 ng/μL OctaCDF .....12.5 ng/μL	1.2 mL																																																																																																																																																																		



# Dioxin & furan method standards, standard mixtures & reference materials

Code Product Unit

## JIS Methods K0311 and K0312 dioxin/furan standard mixtures

CIL-EDF-5187 JIS Dioxin/Furan Calibration Solution [ST1-ST5] 5 x 0.2 mL

All concentration are in ng/mL

Unlabelled Dioxins & Furans	STD1	STD2	STD3	STD4	STD5
2,3,7,8-TetraCDD	0.2	1	5	20	100
1,2,3,7,8-PentaCDD	0.2	1	5	20	100
1,2,3,4,7,8-HexaCDD	0.4	2	10	40	200
1,2,3,6,7,8-HexaCDD	0.4	2	10	40	200
1,2,3,7,8,9-HexaCDD	0.4	2	10	40	200
1,2,3,4,6,7,8-HeptaCDD	0.4	2	10	40	200
OctaCDD	1	5	25	100	500
2,3,7,8-TetraCDF	0.2	1	5	20	100
1,2,3,7,8-PentaCDF	0.2	1	5	20	100
2,3,4,7,8-PentaCDF	0.2	1	5	20	100
1,2,3,4,7,8-HexaCDF	0.4	2	10	40	200
1,2,3,6,7,8-HexaCDF	0.4	2	10	40	200
1,2,3,7,8,9-HexaCDF	0.4	2	10	40	200
2,3,4,6,7,8-HexaCDF	0.4	2	10	40	200
1,2,3,4,6,7,8-HeptaCDF	0.4	2	10	40	200
1,2,3,4,7,8,9-HeptaCDF	0.4	2	10	40	200
OctaCDF	1	5	25	100	500
Labelled Dioxins & Furans	STD1	STD2	STD3	STD4	STD5
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10
OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20

<b>New</b> CIL-EDF-5187-1	JIS Dioxin/Furan Calibration Solution [ST1]	0.2 mL
<b>New</b> CIL-EDF-5187-2	JIS Dioxin/Furan Calibration Solution [ST2]	0.2 mL
<b>New</b> CIL-EDF-5187-3	JIS Dioxin/Furan Calibration Solution [ST3]	0.2 mL
<b>New</b> CIL-EDF-5187-4	JIS Dioxin/Furan Calibration Solution [ST4]	0.2 mL
<b>New</b> CIL-EDF-5187-5	JIS Dioxin/Furan Calibration Solution [ST5]	0.2 mL

CIL-EDF-4964-A JIS Dioxin /Furan Type 1 Clean-up Standard Solution 0.5 mL

Solvent: Nonane

2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	4000 ng/mL
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	4000 ng/mL
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL		

CIL-EDF-4965-A JIS Dioxin /Furan Type 1&2 Syringe Standard Solution 0.5 mL

Solvent: Nonane

1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
--	------------	---	------------

CIL-EDF-4967 JIS Dioxin /Furan Type 2 Clean-up Standard Solution 1.2 mL

Solvent: Nonane

2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL		

CIL-EDF-4967-A JIS Dioxin /Furan Type 2 Clean-up Standard Solution 0.5 mL

Solvent: Nonane

2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	4000 ng/mL
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL		



## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																																																														
CIL-EDF-4974-A	JIS Wastewater Dioxin /Furan Type1 Clean-up Standard Solution Solvent: Nonane 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL 1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....2000 ng/mL OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) .....4000 ng/mL OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) .....4000 ng/mL	0.2 mL																																																																																																																																																																																																																														
CIL-EDF-5032	JIS Dioxin/Furan Calibration Solution [STD1-STD5] low concentration All concentration are in ng/mL <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Unlabelled Dioxins &amp; Furans</th> <th style="text-align: center;">STD1</th> <th style="text-align: center;">STD2</th> <th style="text-align: center;">STD3</th> <th style="text-align: center;">STD4</th> <th style="text-align: center;">STD5</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TetraCDD</td><td style="text-align: center;">0.4</td><td style="text-align: center;">2</td><td style="text-align: center;">10</td><td style="text-align: center;">40</td><td style="text-align: center;">200</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td style="text-align: center;">0.4</td><td style="text-align: center;">2</td><td style="text-align: center;">10</td><td style="text-align: center;">40</td><td style="text-align: center;">200</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>OctaCDD</td><td style="text-align: center;">2</td><td style="text-align: center;">10</td><td style="text-align: center;">50</td><td style="text-align: center;">200</td><td style="text-align: center;">1000</td></tr> <tr><td>2,3,7,8-TetraCDF</td><td style="text-align: center;">0.4</td><td style="text-align: center;">2</td><td style="text-align: center;">10</td><td style="text-align: center;">40</td><td style="text-align: center;">200</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td style="text-align: center;">0.4</td><td style="text-align: center;">2</td><td style="text-align: center;">10</td><td style="text-align: center;">40</td><td style="text-align: center;">200</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td style="text-align: center;">0.4</td><td style="text-align: center;">2</td><td style="text-align: center;">10</td><td style="text-align: center;">40</td><td style="text-align: center;">200</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF</td><td style="text-align: center;">1</td><td style="text-align: center;">5</td><td style="text-align: center;">25</td><td style="text-align: center;">100</td><td style="text-align: center;">500</td></tr> <tr><td>OctaCDF</td><td style="text-align: center;">2</td><td style="text-align: center;">10</td><td style="text-align: center;">50</td><td style="text-align: center;">200</td><td style="text-align: center;">1000</td></tr> <tr> <th style="text-align: left;">Labelled Dioxins &amp; Furans</th> <th style="text-align: center;">STD1</th> <th style="text-align: center;">STD2</th> <th style="text-align: center;">STD3</th> <th style="text-align: center;">STD4</th> <th style="text-align: center;">STD5</th> </tr> <tr><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td></tr> <tr><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td><td style="text-align: center;">10</td></tr> <tr><td>OctaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td><td style="text-align: center;">20</td></tr> </tbody> </table>	Unlabelled Dioxins & Furans	STD1	STD2	STD3	STD4	STD5	2,3,7,8-TetraCDD	0.4	2	10	40	200	1,2,3,7,8-PentaCDD	0.4	2	10	40	200	1,2,3,4,7,8-HexaCDD	1	5	25	100	500	1,2,3,6,7,8-HexaCDD	1	5	25	100	500	1,2,3,7,8,9-HexaCDD	1	5	25	100	500	1,2,3,4,6,7,8-HeptaCDD	1	5	25	100	500	OctaCDD	2	10	50	200	1000	2,3,7,8-TetraCDF	0.4	2	10	40	200	1,2,3,7,8-PentaCDF	0.4	2	10	40	200	2,3,4,7,8-PentaCDF	0.4	2	10	40	200	1,2,3,4,7,8-HexaCDF	1	5	25	100	500	1,2,3,6,7,8-HexaCDF	1	5	25	100	500	1,2,3,7,8,9-HexaCDF	1	5	25	100	500	2,3,4,6,7,8-HexaCDF	1	5	25	100	500	1,2,3,4,6,7,8-HeptaCDF	1	5	25	100	500	1,2,3,4,7,8,9-HeptaCDF	1	5	25	100	500	OctaCDF	2	10	50	200	1000	Labelled Dioxins & Furans	STD1	STD2	STD3	STD4	STD5	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	5 x 0.2 mL
Unlabelled Dioxins & Furans	STD1	STD2	STD3	STD4	STD5																																																																																																																																																																																																																											
2,3,7,8-TetraCDD	0.4	2	10	40	200																																																																																																																																																																																																																											
1,2,3,7,8-PentaCDD	0.4	2	10	40	200																																																																																																																																																																																																																											
1,2,3,4,7,8-HexaCDD	1	5	25	100	500																																																																																																																																																																																																																											
1,2,3,6,7,8-HexaCDD	1	5	25	100	500																																																																																																																																																																																																																											
1,2,3,7,8,9-HexaCDD	1	5	25	100	500																																																																																																																																																																																																																											
1,2,3,4,6,7,8-HeptaCDD	1	5	25	100	500																																																																																																																																																																																																																											
OctaCDD	2	10	50	200	1000																																																																																																																																																																																																																											
2,3,7,8-TetraCDF	0.4	2	10	40	200																																																																																																																																																																																																																											
1,2,3,7,8-PentaCDF	0.4	2	10	40	200																																																																																																																																																																																																																											
2,3,4,7,8-PentaCDF	0.4	2	10	40	200																																																																																																																																																																																																																											
1,2,3,4,7,8-HexaCDF	1	5	25	100	500																																																																																																																																																																																																																											
1,2,3,6,7,8-HexaCDF	1	5	25	100	500																																																																																																																																																																																																																											
1,2,3,7,8,9-HexaCDF	1	5	25	100	500																																																																																																																																																																																																																											
2,3,4,6,7,8-HexaCDF	1	5	25	100	500																																																																																																																																																																																																																											
1,2,3,4,6,7,8-HeptaCDF	1	5	25	100	500																																																																																																																																																																																																																											
1,2,3,4,7,8,9-HeptaCDF	1	5	25	100	500																																																																																																																																																																																																																											
OctaCDF	2	10	50	200	1000																																																																																																																																																																																																																											
Labelled Dioxins & Furans	STD1	STD2	STD3	STD4	STD5																																																																																																																																																																																																																											
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																											
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																											
OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																											
CIL-EDF-5032-1	JIS Dioxin/Furan Calibration Solution [STD1] low concentration	0.2 mL																																																																																																																																																																																																																														
CIL-EDF-5032-2	JIS Dioxin/Furan Calibration Solution [STD2] low concentration	0.2 mL																																																																																																																																																																																																																														
CIL-EDF-5032-3	JIS Dioxin/Furan Calibration Solution [STD3] low concentration	0.2 mL																																																																																																																																																																																																																														
CIL-EDF-5032-4	JIS Dioxin/Furan Calibration Solution [STD4] low concentration	0.2 mL																																																																																																																																																																																																																														
CIL-EDF-5032-5	JIS Dioxin/Furan Calibration Solution [STD5] low concentration	0.2 mL																																																																																																																																																																																																																														

# Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																																																								
<b>European Air Method EN-1948 standard mixtures</b>																																																																																																																																																																																																																										
CIL-EDF-4947	EN-1948 Calibration Solutions [CS1-CS5] Solvent: Nonane All Concentrations are in ng/mL (ppb)	5 x 0.2 mL																																																																																																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Unlabelled Compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TetraCDD</td><td>0.5</td><td>2.0</td><td>10.0</td><td>40.0</td><td>200</td></tr> <tr><td>2,3,7,8-TetraCDF</td><td>0.5</td><td>2.0</td><td>10.0</td><td>40.0</td><td>200</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>2,3,4,7,8-HexaCDD</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF</td><td>2.5</td><td>10.0</td><td>50.0</td><td>200</td><td>1000</td></tr> <tr><td>OctaCDD</td><td>5.0</td><td>20.0</td><td>100</td><td>400</td><td>2000</td></tr> <tr><td>OctaCDF</td><td>5.0</td><td>20.0</td><td>100</td><td>400</td><td>2000</td></tr> <tr> <th><sup>13</sup>C-Labelled Compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> <tr><td>OctaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> </tbody> </table>	Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5	2,3,7,8-TetraCDD	0.5	2.0	10.0	40.0	200	2,3,7,8-TetraCDF	0.5	2.0	10.0	40.0	200	1,2,3,7,8-PentaCDD	2.5	10.0	50.0	200	1000	1,2,3,7,8-PentaCDF	2.5	10.0	50.0	200	1000	2,3,4,7,8-HexaCDD	2.5	10.0	50.0	200	1000	1,2,3,4,7,8-HexaCDD	2.5	10.0	50.0	200	1000	1,2,3,7,8,9-HexaCDD	2.5	10.0	50.0	200	1000	1,2,3,4,7,8-HexaCDF	2.5	10.0	50.0	200	1000	1,2,3,6,7,8-HexaCDF	2.5	10.0	50.0	200	1000	1,2,3,7,8,9-HexaCDF	2.5	10.0	50.0	200	1000	2,3,4,6,7,8-HexaCDF	2.5	10.0	50.0	200	1000	1,2,3,4,6,7,8-HeptaCDD	2.5	10.0	50.0	200	1000	1,2,3,4,6,7,8-HeptaCDF	2.5	10.0	50.0	200	1000	1,2,3,4,7,8,9-HeptaCDF	2.5	10.0	50.0	200	1000	OctaCDD	5.0	20.0	100	400	2000	OctaCDF	5.0	20.0	100	400	2000	<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200	200	200	200	200	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	200	200	200	200	200	
Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																					
2,3,7,8-TetraCDD	0.5	2.0	10.0	40.0	200																																																																																																																																																																																																																					
2,3,7,8-TetraCDF	0.5	2.0	10.0	40.0	200																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDD	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDF	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
2,3,4,7,8-HexaCDD	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDD	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDD	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDF	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDF	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDF	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
2,3,4,6,7,8-HexaCDF	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDD	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDF	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
1,2,3,4,7,8,9-HeptaCDF	2.5	10.0	50.0	200	1000																																																																																																																																																																																																																					
OctaCDD	5.0	20.0	100	400	2000																																																																																																																																																																																																																					
OctaCDF	5.0	20.0	100	400	2000																																																																																																																																																																																																																					
<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																					
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																																																																																																																																																					
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200	200	200	200	200																																																																																																																																																																																																																					
OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	200	200	200	200	200																																																																																																																																																																																																																					
CIL-EDF-4947-CS1	EN-1948 Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																								
CIL-EDF-4947-CS2	EN-1948 Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																								
CIL-EDF-4947-CS3	EN-1948 Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																								
CIL-EDF-4947-CS4	EN-1948 Calibration Solution [CS4]	0.2 mL																																																																																																																																																																																																																								
CIL-EDF-4947-CS5	EN-1948 Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																								
CIL-EF-4138	EN-1948 Sampling Standard Solution Solvent: Nonane 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL 1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL	1.2 mL																																																																																																																																																																																																																								
CIL-EF-4138-10	EN-1948 Sampling Standard Solution	2 x 5 mL																																																																																																																																																																																																																								
CIL-EDF-4139	EN-1948 Extraction Standard Solution Solvent: Nonane <sup>13</sup> C-Labelled Dioxins 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL <sup>13</sup> C-Labelled Furans 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL	1.2 mL																																																																																																																																																																																																																								
CIL-EDF-4139-10	EN-1948 Extraction Standard Solution	2 x 5 mL																																																																																																																																																																																																																								
CIL-ED-4140	EN-1948 Syringe Standard Solution Solvent: Nonane 1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 400 ng/mL	1.2 mL																																																																																																																																																																																																																								
	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 400 ng/mL																																																																																																																																																																																																																									

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit	
CIL-EDF-4175	EN-1948 Native Stock Response Factor Solution Solvent: Nonane Unlabelled Dioxins 2,3,7,8-TetraCDD .....1000 ng/mL 1,2,3,7,8-PentaCDD .....1000 ng/mL 1,2,3,4,7,8-HexaCDD .....1000 ng/mL 1,2,3,6,7,8-HexaCDD .....1000 ng/mL Unlabelled Furans 2,3,7,8-TetraCDF .....1000 ng/mL 1,2,3,7,8-PentaCDF .....1000 ng/mL 2,3,4,7,8-PentaCDF .....1000 ng/mL 1,2,3,4,7,8-HexaCDF .....1000 ng/mL 1,2,3,6,7,8-HexaCDF .....1000 ng/mL	1,2,3,7,8,9-HexaCDD ..... 4000 ng/mL 1,2,3,4,6,7,8-HeptaCDD ..... 2000 ng/mL OctaCDD ..... 2000 ng/mL 1,2,3,7,8,9-HexaCDF ..... 1000 ng/mL 2,3,4,6,7,8-HexaCDF ..... 1000 ng/mL 1,2,3,4,6,7,8-HeptaCDF ..... 2000 ng/mL 1,2,3,4,7,8,9-HeptaCDF ..... 2000 ng/mL OctaCDF ..... 2000 ng/mL	0.5 mL

### Performance evaluation standards

#### Fish tissue, soil, and sediment reference materials

In May of 2003 an announcement was sent to Environmental laboratories around the world for a new interlaboratory study conducted by CIL and Cerilliant. The purpose of this study was to characterize dioxin, PCB, pesticide, and other organic contaminant levels in soil, sediment, and fish tissue reference materials.

The objectives of this interlaboratory study were to quantitate the levels of a wide variety of environmental contaminants in two new matrices: a sample taken from river sediment in an area known to have PCB contamination and a soil sample taken from a location where no known contamination had occurred. Additionally, the three Fish Performance Evaluation samples were re-evaluated with new consensus values added to the existing consensus values. The existing analyte list has been expanded to include additional dioxins, furans, and PCBs. Additionally, other analyte groups such as Brominated Flame Retardants, Polyaromatic Hydrocarbons, Pesticides, and other Priority Pollutants have had consensus values obtained.

#### Participating Laboratories

AgriQuality New Zealand LTD	New Zealand
Alta Analytical Laboratory	USA
AnalyCen Nordic AB	Sweden
Analytical Solutions	Brazil
Anfaco-Cecopesca	Spain
Australian Government Analytical Laboratory (AGAL)	Australia
Axys Analytical Services	Canada
CARSO	France
Center for Environmental Safety and Health Technology Development/ITRI	Taiwan
Centro Oceanografico de Vigo	Spain
CERVA-CODA-VAR	Belgium
Chinese Academy of Sciences	China
Ciba Specialty Chemical, Inc.	Switzerland
CIEMAT (Energy, Environmental, & Technological Research Center)	Spain
Clean Harbors Environmental Services	USA
Columbia Analytical Services, Inc.	USA
Department of Toxic Substance Control	USA
Dow Chemical Company	USA
ECOChem, A.S.	Czech Republic
Environmental Protection Authority Victoria	Australia
Enviro-Test Laboratories	Canada
Freshwater Institute	Canada
Frontier Analytical Laboratory	USA
GfA (Gesellschaft für Arbeitsplatz und Umweltanalytik) mbH	Germany
Government Laboratory	China
GSF - National Research Center for Environment & Health	Germany
I.N.E.R.I.S.France Instituto Salud Carlos III	Spain
Institut Pasteur de Lille Laboratoire d'Etudes de Trace Organiques	France
Institute of Ecology & Evolution of Russian Academy of Sci. (IPEE-RAS)	Russia
Institute of Public Health (IPH)	Belgium
LABERCA	France
Maxxam Analytics, Inc.	Canada
Mississippi State Chemical Laboratory	USA
National Center for Scientific Research "Demokritos"	Greece
National Institute of Nutrition and Food Safety	China
National Public Health Institute	Finland
Norwegian Institute for Air Research (NILU)	Norway
Oekometric GmbH	Germany
Ontario Ministry of Environment	Canada
Pace Analytical Services, Inc.	USA
PSC Analytical Services	Canada
Research & Productivity Council (RPC)	Canada
RIKILT Institute for Food Safety	The Netherlands
Severn Trent Laboratories	USA
Shenzhen POPs Laboratory	China
Triangle Laboratories, Inc.	USA
UFR Sciences	France
Worthies Engineering Consultants Corporation	Taiwan

# Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EDF-5183	Soil - Organic contaminants	10 g
	Reference values	
	Polychlorinated dioxins and furans	
	2,3,78-TCDD.....	0.11 ± 0.14 ng/kg
	Total TCDD.....	0.32 ± 0.88 ng/kg
	1,2,3,7,8-PeCDD.....	0.39 ± 0.32 ng/kg
	Total PeCDD.....	2.96 ± 2.40 ng/kg
	1,2,3,4,7,8-HxCDD.....	1.12 ± 0.52 ng/kg
	1,2,3,6,7,8-HxCDD.....	4.39 ± 0.88 ng/kg
	1,2,3,7,8,9-HxCDD.....	2.00 ± 1.20 ng/kg
	Total HxCDD.....	50.9 ± 22.8 ng/kg
	1,2,3,4,6,7,8-HpCDD.....	153 ± 57.2 ng/kg
	Total HpCDD.....	492 ± 246 ng/kg
	OCDD.....	7870 ± 1650 ng/kg
	2,3,7,8-TCDF.....	0.70 ± 0.34 ng/kg
	Total TCDF.....	3.21 ± 2.12 ng/kg
	1,2,3,7,8-PeCDF.....	0.23 ± 0.22 ng/kg
	2,3,4,7,8-PeCDF.....	0.34 ± 0.14 ng/kg
	Total PeCDF.....	3.31 ± 5.74 ng/kg
	1,2,3,4,7,8-HxCDF.....	0.86 ± 0.44 ng/kg
	1,2,3,6,7,8-HxCDF.....	0.58 ± 0.26 ng/kg
	1,2,3,7,8,9-HxCDF.....	0.12 ± 0.16 ng/kg
	2,3,4,6,7,8-HxCDF.....	0.72 ± 0.92 ng/kg
	Total HxCDF.....	15.6 ± 12.7 ng/kg
	1,2,3,4,6,7,8-HpCDF.....	13.9 ± 3.68 ng/kg
	1,2,3,4,7,8,9-HpCDF.....	1.25 ± 0.62 ng/kg
	Total HpCDF.....	54.0 ± 16.0 ng/kg
	OCDF.....	58.2 ± 32.4 ng/kg
	Polychlorinated biphenyls	
	2,2',5'-TriCB (#18).....	78.9 ± 30.4 ng/kg
	2,4,4'-TriCB (#28).....	140 ± 127 ng/kg
	3,4,4'-TriCB (#37).....	1710 ± 440 ng/kg
	2,2',3,5'-TetraCB (#44).....	1070 ± 552 ng/kg
	2,2',4,5'-TetraCB (#49).....	638 ± 350 ng/kg
	2,2',5,5'-TetraCB (#52).....	2020 ± 744 ng/kg
	2,4,4',5'-TetraCB (#74).....	447000 ± 348000 ng/kg
	3,3',4,4'-TetraCB (#77).....	2,230 ± 988 ng/kg
	3,4,4',5'-TetraCB (#81).....	5.52 ± 7.42 ng/kg
	2,2',3,4,5'-PentaCB (#87).....	2370 ± 532 ng/kg
	2,2',4,4',5'-PentaCB (#99).....	1110 ± 444 ng/kg
	2,2',4,5,5'-PentaCB (#101).....	5370 ± 1564 ng/kg
	2,3,3',4,4'-PentaCB (#105).....	629 ± 158.4 ng/kg
	2,3,3',4',6'-PentaCB (#110).....	5880 ± 2,110 ng/kg
	2,3,4,4',5'-PentaCB (#114).....	34.6 ± 18.0 ng/kg
	2,3',4,4',5'-PentaCB (#118).....	6520 ± 2,300 ng/kg
	2',3,4,4',5'-PentaCB (#123).....	24.1 ± 23.2 ng/kg
	3,3',4,4',5'-PentaCB (#126).....	33.5 ± 10.3 ng/kg
	2,2',3,3',4,4'-HexaCB (#128).....	342 ± 135 ng/kg
	2,2',3,4,4',5'-HexaCB (#137).....	87.1 ± 32.8 ng/kg
	2,2',3,4,4',5'-HexaCB (#138).....	2350 ± 764 ng/kg
	2,2',3,4,5,5'-HexaCB (#141).....	514 ± 112 ng/kg
	2,2',3,4',5',6'-HexaCB (#149).....	2280 ± 424 ng/kg
	2,2',3,5,5',6'-HexaCB (#151).....	910 ± 752 ng/kg
	2,2',4,4',5,5'-HexaCB (#153).....	2330 ± 842 ng/kg
	2,3,3',4,4',5'-HexaCB (#156).....	189 ± 25.0 ng/kg
	2,3,3',4,4',5'-HexaCB (#157).....	31.0 ± 15.1 ng/kg
	2,3,3',4,4',6'-HexaCB (#158).....	224 ± 44.8 ng/kg
	2,3',4,4',5,5'-HexaCB (#167).....	83.2 ± 12.0 ng/kg
	3,3',4,4',5,5'-HexaCB (#169).....	0.57 ± 0.68 ng/kg
	2,2',3,3',4,4',5-HeptaCB (#170).....	436 ± 102 ng/kg
	2,2',3,3',4',5,6-HeptaCB (#177).....	362 ± 79.0 ng/kg
	2,2',3,3',5,5',6-HeptaCB (#178).....	135 ± 22.6 ng/kg
	2,2',3,4,4',5,5'-HeptaCB (#180).....	1116 ± 500 ng/kg
	2,2',3,4,4',5',6-HeptaCB (#183).....	360 ± 25.2 ng/kg
	2,2',3,4',5,5',6-HeptaCB (#187).....	679 ± 143 ng/kg
	2,3,3',4,4',5,5'-HeptaCB (#189).....	14.2 ± 5.32 ng/kg
	2,2',3,3',4,4',5,5'-OctaCB (#194).....	182 ± 44.6 ng/kg
	2,2',3,3',4,4',5,6-OctaCB (#195).....	90.6 ± 17.2 ng/kg
	2,2',3,3',4,5,6,6'-OctaCB (#199).....	229 ± 34.2 ng/kg
	2,2',3,3',4,4',5,5',6-NonaCB (#206).....	74.8 ± 108 ng/kg
	2,2',3,3',4,4',5,5',6,6'-NonaCB (#208).....	39.3 ± 61.4 ng/kg
	DecaCB (#209).....	12.9 ± 23.0 ng/kg
	Brominated diphenyl ethers	
	2,2',4'-TriBDE (#17).....	4.80 ± 6.10 ng/kg
	2,4,4'-TriBDE (#28).....	38.0 ± 79.8 ng/kg
	2,2',4,4'-TetraBDE (#47)5.....	192 ± 246 ng/kg
	2,2',4,5'-TetraBDE (#49).....	24.4 ± 19.7 ng/kg
	2,3',4,4'-TetraBDE (#66).....	12.6 ± 10.9 ng/kg
	2,2',3,4,4'-PentaBDE (#85).....	19.5 ± 17.9 ng/kg
	2,2',4,4',5'-PentaBDE (#99).....	213 ± 186 ng/kg
	2,2',4,4',6'-PentaBDE (#100).....	55.4 ± 31.0 ng/kg
	2,2',3,4,4',5'-HexaBDE (#138).....	25.8 ± 25.8 ng/kg
	2,2',4,4',5,5'-HexaBDE (#153).....	111 ± 24.0 ng/kg
	2,2',4,4',5,6'-HexaBDE (#154).....	46.0 ± 26.6 ng/kg
	2,2',3,4,4',5',6-HeptaBDE (#183).....	286 ± 70.8 ng/kg
	DecaBDE (#209).....	1930 ± 2300 ng/kg
	Polyaromatic hydrocarbons	
	Anthracene.....	9650 ± 5980 ng/kg
	Benz[a]anthracene.....	11200 ± 9420 ng/kg
	Benzo[b]fluoranthene.....	18100 ± 19200 ng/kg
	Benzo[k]fluoranthene.....	5870 ± 3320 ng/kg
	Benzo[g,h,i]perylene.....	8280 ± 2600 ng/kg
	Benzo[a]pyrene.....	7620 ± 6160 ng/kg
	Chrysene.....	16000 ± 7500 ng/kg
	Fluoranthene.....	33000 ± 10300 ng/kg
	Indeno[1,2,3-cd]pyrene.....	9550 ± 4140 ng/kg
	Phenanthrene.....	25900 ± 38200 ng/kg
	Pyrene.....	26300 ± 8680 ng/kg

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit	
CIL-EDF-5184	Contaminated sediment - Organic contaminants	10 g	
	Reference values		
	Polychlorinated dioxins and furans		
2,3,7,8-TCDD	1.96 ± 1.10 ng/kg	1,2,3,7,8-PeCDF	122 ± 24.0 ng/kg
Total TCDD	25.0 ± 13.6 ng/kg	2,3,4,7,8-PeCDF	164 ± 50.4 ng/kg
1,2,3,7,8-PeCDD	5.79 ± 2.12 ng/kg	Total PeCDF	1,490 ± 800 ng/kg
Total PeCDD	45.8 ± 49.2 ng/kg	1,2,3,4,7,8-HxCDF	277 ± 42.8 ng/kg
1,2,3,4,7,8-HxCDD	5.61 ± 2.72 ng/kg	1,2,3,6,7,8-HxCDF	159 ± 23.6 ng/kg
1,2,3,6,7,8-HxCDD	10.9 ± 3.50 ng/kg	1,2,3,7,8,9-HxCDF	7.44 ± 7.38 ng/kg
1,2,3,7,8,9-HxCDD	6.88 ± 1.94 ng/kg	2,3,4,6,7,8-HxCDF	48.4 ± 18.7 ng/kg
Total HxCDD	193 ± 134 ng/kg	Total HxCDF	1,240 ± 398 ng/kg
1,2,3,4,6,7,8-HpCDD	231 ± 77.6 ng/kg	1,2,3,4,6,7,8-HpCDF	346 ± 45.6 ng/kg
Total HpCDD	497 ± 304 ng/kg	1,2,3,4,7,8,9-HpCDF	80.2 ± 30.4 ng/kg
OCDD	2,050 ± 580 ng/kg	Total HpCDF	659 ± 462 ng/kg
2,3,7,8-TCDF	219 ± 47.8 ng/kg	OCDF	301 ± 50.6 ng/kg
Total TCDF	1,680 ± 486 ng/kg		
	Polychlorinated biphenyls		
2,2',5'-TriCB (#18)	27,600 ± 11,200 ng/kg		
2,4,4'-TriCB (#28)	54,200 ± 15,500 ng/kg		
3,4,4'-TriCB (#37)	16,800 ± 12,700 ng/kg		
2,2',3,5'-TetraCB (#44)	657,000 ± 159,000 ng/kg		
2,2',4,5'-TetraCB (#49)	476,000 ± 155,000 ng/kg		
2,2',5,5'-TetraCB (#52)	1,340,000 ± 260,000 ng/kg		
2,3',4,4'-TetraCB (#66)	403,000 ± 40,800 ng/kg		
2,4,4',5'-TetraCB (#74)	819,000 ± 1,660,000 ng/kg		
3,3',4,4'-TetraCB (#77)	11,700 ± 2,600 ng/kg		
3,4,4',5'-TetraCB (#81)	341 ± 402 ng/kg		
2,2',3,4,5'-PentaCB (#87)	1,810,000 ± 1,110,000 ng/kg		
2,2',3',4,5'-PentaCB (#97)	990,000 ± 1,870,000 ng/kg		
2,2',4,4',5'-PentaCB (#99)	1,160,000 ± 496,000 ng/kg		
2,2',4,5,5'-PentaCB (#101)	3,140,000 ± 552,000 ng/kg		
2,3,3',4,4'-PentaCB (#105)	1,050,000 ± 314,000 ng/kg		
2,3,3',4,6'-PentaCB (#110)	3,340,000 ± 768,000 ng/kg		
2,3,4,4',5'-PentaCB (#114)	70,000 ± 47,400 ng/kg		
2,3',4,4',5'-PentaCB (#118)	2,520,000 ± 904,000 ng/kg		
2',3,4,4',5'-PentaCB (#123)	46,200 ± 29,200 ng/kg		
3,3',4,4',5'-PentaCB (#126)	2,540 ± 1,080 ng/kg		
2,2',3,3',4,4'-HexaCB (#128)	694,000 ± 181,000 ng/kg		
2,2',3,4,4',5'-HexaCB (#137)	164,000 ± 106,000 ng/kg		
2,2',3,4,4',5'-HexaCB (#138)	3,970,000 ± 2,820,000 ng/kg		
2,2',3,4,5,5'-HexaCB (#141)	1,010,000 ± 346,000 ng/kg		
2,2',3,4',5,5'-HexaCB (#146)	623,000 ± 87,400 ng/kg		
2,2',3,4',5',6'-HexaCB (#149)	3,390,000 ± 838,000 ng/kg		
2,2',3,5,5',6'-HexaCB (#151)	1,410,000 ± 788,000 ng/kg		
2,2',4,4',5,5'-HexaCB (#153)	3,880,000 ± 902,000 ng/kg		
2,3,3',4,4',5'-HexaCB (#156)	457,000 ± 189,000 ng/kg		
2,3,3',4,4',5'-HexaCB (#157)	88,900 ± 28,000 ng/kg		
2,3,3',4,4',6'-HexaCB (#158)	512,000 ± 195,000 ng/kg		
2,3',4,4',5,5'-HexaCB (#167)	162,000 ± 18,800 ng/kg		
3,3',4,4',5,5'-HexaCB (#169)	139 ± 92.4 ng/kg		
2,2',3,3',4,4',5'-HeptaCB (#170)	1,250,000 ± 334,000 ng/kg		
2,2',3,3',4,5,5'-HeptaCB (#172)	207,000 ± 85,600 ng/kg		
2,2',3,3',4',5,6'-HeptaCB (#177)	743,000 ± 238,000 ng/kg		
2,2',3,3',5,5',6'-HeptaCB (#178)	290,000 ± 113,000 ng/kg		
2,2',3,4,4',5,5'-HeptaCB (#180)	2,940,000 ± 774,000 ng/kg		
2,2',3,4,4',5',6'-HeptaCB (#183)	810,000 ± 394,000 ng/kg		
2,2',3,4',5,5',6'-HeptaCB (#187)	1,520,000 ± 232,000 ng/kg		
2,3,3',4,4',5,5'-HeptaCB (#189)	50,200 ± 18,200 ng/kg		
2,2',3,3',4,4',5,5'-OctaCB (#194)	622,000 ± 146,000 ng/kg		
2,2',3,3',4,4',5,6'-OctaCB (#195)	268,000 ± 73,800 ng/kg		
2,2',3,3',4,5,5',6'-OctaCB (#199)	691,000 ± 226,000 ng/kg		
2,2',3,4,4',5,5',6'-OctaCB (#203)	442,000 ± 108,000 ng/kg		
2,2',3,3',4,4',5,5',6'-NonaCB (#206)	152,000 ± 35,400 ng/kg		
2,2',3,3',4,5,5',6',6'-NonaCB (#208)	31,800 ± 11,100 ng/kg		
DecaCB (#209)	6,030 ± 3,100 ng/kg		
	Polybrominated diphenyl ethers		
2,4,4'-TriBDE (#28) 6	25.8 ± 31.2 ng/kg		
2,2',4,4'-TetraBDE (#47)	94.7 ± 218 ng/kg		
2,2',4,5'-TetraBDE (#49)	14.5 ± 34.8 ng/kg		
2,3',4,4'-TetraBDE (#66)	32.0 ± 112 ng/kg		
3,3',4,4'-TetraBDE (#77)	106 ± 66.6 ng/kg		
2,2',3,4,4'-PentaBDE (#85)	14.4 ± 45.0 ng/kg		
2,2',4,4',5'-PentaBDE (#99)	95.1 ± 206 ng/kg		
2,2',4,4',6'-PentaBDE (#100)	17.6 ± 38.0 ng/kg		
2,2',3,4,4',5'-HexaBDE (#138)	12.2 ± 40.6 ng/kg		
2,2',4,4',5,5'-HexaBDE (#153)	22.4 ± 59.4 ng/kg		
2,2',4,4',5,6'-HexaBDE (#154)	25.3 ± 73.8 ng/kg		
2,2',3,4,4',5',6'-HeptaBDE (#183)	43.3 ± 82.8 ng/kg		
DecaBDE (#209)	9,900 ± 14,300 ng/kg		
	Polyaromatic hydrocarbons		
Acenaphthene	39,300 ± 14,800 ng/kg	Chrysene	2,490,000 ± 442,000 ng/kg
Acenaphthylene	419,000 ± 308,000 ng/kg	Dibenz[a,h]anthracene	243,000 ± 159,000 ng/kg
Anthracene	551,000 ± 258,000 ng/kg	Fluoranthene	3,690,000 ± 636,000 ng/kg
Benz[a]anthracene	2,620,000 ± 1,010,000 ng/kg	Fluorene	69,400 ± 76,800 ng/kg
Benzo[b]fluoranthene	1,550,000 ± 574,000 ng/kg	Indeno[1,2,3-cd]pyrene	1,320,000 ± 780,000 ng/kg
Benzo[k]fluoranthene	856,000 ± 290,000 ng/kg	Naphthalene	82,900 ± 33,800 ng/kg
Benzo[g,h,i]perylene	1,130,000 ± 428,000 ng/kg	Phenanthrene	622,000 ± 424,000 ng/kg
Benzo[a]pyrene	2,390,000 ± 1,010,000 ng/kg	Perylene	428,000 ± 470,000 ng/kg
Benzo[e]pyrene	1,740,000 ± 271,000 ng/kg	Pyrene	5,710,000 ± 445,000 ng/kg

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EDF-2524	Clean Fish (slurry) - Organic contaminants	10 g
	Reference values	
	Polychlorinated dioxins and furans	
2,3,7,8-TCDD	0.07 ± 0.06 ng/kg	1,2,3,7,8-PeCDF 0.09 ± 0.06 ng/kg
1,2,3,7,8-PeCDD	0.15 ± 0.03 ng/kg	2,3,4,7,8-PeCDF 0.21 ± 0.14 ng/kg
1,2,3,4,7,8-HxCDD	0.06 ± 0.03 ng/kg	Total-PeCDF 1.22 ± 1.13 ng/kg
1,2,3,6,7,8-HxCDD	0.24 ± 0.14 ng/kg	1,2,3,4,7,8-HxCDF 0.09 ± 0.14 ng/kg
1,2,3,7,8,9-HxCDD	0.07 ± 0.05 ng/kg	1,2,3,6,7,8-HxCDF 0.08 ± 0.12 ng/kg
1,2,3,4,6,7,8-HpCDD	0.29 ± 0.54 ng/kg	2,3,4,6,7,8-HxCDF 0.08 ± 0.05 ng/kg
Total HpCDD	0.23 ± 0.30 ng/kg	Total-HxCDF4 0.55 ± 1.31 ng/kg
OCDD	0.59 ± 0.82 ng/kg	1,2,3,4,6,7,8-HpCDF 0.17 ± 0.28 ng/kg
2,3,7,8-TCDF	2.42 ± 0.74 ng/kg	OCDF 0.24 ± 0.58 ng/kg
Total TCDF	2.49 ± 0.92 ng/kg	
	Polychlorinated biphenyls	
2,2',5'-TriCB (#18)	86.0 ± 60.4 ng/kg	
2,4,4'-TriCB (#28)	253 ± 244 ng/kg	
3,4,4'-TriCB (#37)	12.6 ± 4.52 ng/kg	
2,2',3,5'-TetraCB (#44)	274 ± 192 ng/kg	
2,2',4,5'-TetraCB (#49)	176 ± 41.6 ng/kg	
2,2',5,5'-TetraCB (#52)	653 ± 200 ng/kg	
2,3',4,4'-TetraCB (#66)	218 ± 212 ng/kg	
2,4,4',5-TetraCB (#74)	348 ± 398 ng/kg	
3,3',4,4'-TetraCB (#77)	8.82 ± 4.16 ng/kg	
3,4,4',5-TetraCB (#81)	1.27 ± 2.52 ng/kg	
2,2',4,4',5-PentaCB (#99)	588 ± 120 ng/kg	
2,2',4,5,5'-PentaCB (#101)	1,130 ± 274 ng/kg	
2,3,3',4,4'-PentaCB (#105)	280 ± 80.4 ng/kg	
2,3,3',4',6-PentaCB (#110)	789 ± 170 ng/kg	
2,3,4,4',5-PentaCB (#114)	18.6 ± 5.98 ng/kg	
2,3',4,4',5-PentaCB (#118)	692 ± 104 ng/kg	
2',3,4,4',5-PentaCB (#123)	11.4 ± 9.24 ng/kg	
3,3',4,4',5-PentaCB (#126)	2.14 ± 1.24 ng/kg	
2,2',3,3',4,4'-HexaCB (#128)	127 ± 62.2 ng/kg	
2,2',3,4,4',5-HexaCB (#137)	31.8 ± 26.8 ng/kg	
2,2',3,4,4',5'-HexaCB (#138)	1,110 ± 400 ng/kg	
2,2',3,4,5,5'-HexaCB (#141)	152 ± 119 ng/kg	
2,2',3,4',5,5'-HexaCB (#146)	261 ± 69.2 ng/kg	
2,2',3,4',5',6-HexaCB (#149)	608 ± 788 ng/kg	
2,2',3,5,5',6-HexaCB (#151)	279 ± 212 ng/kg	
2,2',4,4',5,5'-HexaCB (#153)	1,360 ± 516 ng/kg	
2,3,3',4,4',5-HexaCB (#156)	64.7 ± 18.4 ng/kg	
2,3,3',4,4',5'-HexaCB (#157)	19.2 ± 8.68 ng/kg	
2,3,3',4,4',6-HexaCB (#158)	73.2 ± 52.6 ng/kg	
2,3',4,4',5,5'-HexaCB (#167)	24.7 ± 17.1 ng/kg	
3,3',4,4',5,5'-HexaCB (#169)	0.65 ± 0.46 ng/kg	
2,2',3,3',4,4',5-HeptaCB (#170)	119 ± 42.0 ng/kg	
2,2',3,3',4,5,5'-HeptaCB (#172)	38.6 ± 12.0 ng/kg	
2,2',3,3',4',5,6-HeptaCB (#177)	126 ± 47.8 ng/kg	
2,2',3,3',5,5',6-HeptaCB (#178)	68.2 ± 5.80 ng/kg	
2,2',3,4,4',5,5'-HeptaCB (#180)	412 ± 182 ng/kg	
2,2',3,4,4',5',6-HeptaCB (#183)	125 ± 59.4 ng/kg	
2,2',3,4',5,5',6-HeptaCB (#187)	357 ± 222 ng/kg	
2,3,3',4,4',5,5'-HeptaCB (#189)	6.16 ± 2.72 ng/kg	
2,2',3,3',4,4',5,5'-OctaCB (#194)	48.1 ± 25.6 ng/kg	
2,2',3,3',4,4',5',6-OctaCB (#196)	44.8 ± 56.6 ng/kg	
2,2',3,3',4,5,5',6-OctaCB (#199)	81.7 ± 67.4 ng/kg	
2,2',3,3',4,4',5,5',6-NonaCB (#206)	10.4 ± 2.06 ng/kg	
DecaCB (#209)	14.4 ± 1.08 ng/kg	
	Polybrominated diphenyl ethers	
2,4,4'-TriBDE (#28)	26.6 ± 45.8 ng/kg	2,2',4,4',6-PentaBDE (#100) 113 ± 93.6 ng/kg
2,2',4,4'-TetraBDE (#47)	712 ± 818 ng/kg	2,2',4,4',5,5'-HexaBDE (#153) 21.6 ± 14.7 ng/kg
2,3',4,4'-TetraBDE (#66)	23.4 ± 21.6 ng/kg	2,2',4,4',5,6'-HexaBDE (#154) 30.9 ± 39.8 ng/kg
2,2',4,4',5-PentaBDE (#99)	184 ± 86.2 ng/kg	
	Polyaromatic hydrocarbons	
Acenaphthene	967 ± 604 ng/kg	Fluoranthene 4.930 ± 1.310 ng/kg
Acenaphthylene	516 ± 290 ng/kg	Fluorene 4.400 ± 3.530 ng/kg
Anthracene	592 ± 284 ng/kg	Naphthalene 15.600 ± 15.800 ng/kg
Benzo[b]fluoranthene	794 ± 157 ng/kg	Phenanthrene 12.000 ± 14.000 ng/kg
Benzo[k]fluoranthene	222 ± 7.60 ng/kg	Pyrene 6.300 ± 1.630 ng/kg
Chrysene	720 ± 314 ng/kg	
	Pesticides	
4,4'-DDE	10.100 ± 2.440 ng/kg	alpha-Hexachlorocyclohexane 267 ± 226 ng/kg
4,4'-DDD	1.640 ± 756 ng/kg	Lindane(gamma-HCH) 390 ± 136 ng/kg
4,4'-DDT	976 ± 1.390 ng/kg	Hexachlorobenzene 783 ± 360 ng/kg
Dieldrin	488 ± 74.6 ng/kg	cis-Nonachlor 211 ± 126 ng/kg
Endosulfan-I	534 ± 378 ng/kg	trans-Nonachlor 1.130 ± 542 ng/kg



## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit	
CIL-EDF-2525	Naturally Contaminated Fish (slurry) - Organic contaminants	10 g	
	Reference values		
	Polychlorinated dioxins and furans		
2,3,7,8-TCDD .....	17.0 ± 3.90 ng/kg	1,2,3,7,8-PeCDF .....	4.58 ± 1.42 ng/kg
Total TCDD .....	16.8 ± 1.54 ng/kg	2,3,4,7,8-PeCDF .....	14.5 ± 4.04 ng/kg
1,2,3,7,8-PeCDD .....	3.71 ± 0.90 ng/kg	Total PeCDF .....	23.4 ± 6.66 ng/kg
Total PeCDD .....	3.68 ± 0.84 ng/kg	1,2,3,4,7,8-HxCDF .....	5.95 ± 1.52 ng/kg
1,2,3,4,7,8-HxCDD .....	0.33 ± 0.18 ng/kg	1,2,3,6,7,8-HxCDF .....	1.73 ± 0.54 ng/kg
1,2,3,6,7,8-HxCDD .....	2.03 ± 0.60 ng/kg	1,2,3,7,8,9-HxCDF .....	0.10 ± 0.20 ng/kg
1,2,3,7,8,9-HxCDD .....	0.30 ± 0.14 ng/kg	2,3,4,6,7,8-HxCDF .....	1.04 ± 0.30 ng/kg
Total HxCDD .....	2.52 ± 1.10 ng/kg	Total HxCDF .....	10.7 ± 6.18 ng/kg
1,2,3,4,6,7,8-HpCDD .....	0.48 ± 0.36 ng/kg	1,2,3,4,6,7,8-HpCDF .....	0.59 ± 0.44 ng/kg
Total HpCDD .....	0.56 ± 0.62 ng/kg	1,2,3,4,7,8,9-HpCDF .....	0.16 ± 0.32 ng/kg
OCDD .....	1.71 ± 1.38 ng/kg	Total HpCDF .....	1.13 ± 1.48 ng/kg
2,3,7,8-TCDF .....	24.3 ± 4.74 ng/kg	OCDF .....	0.38 ± 0.50 ng/kg
Total TCDF .....	27.7 ± 9.40 ng/kg		
	Polychlorinated biphenyls		
2,2',5'-TriCB (#18) .....	1,390 ± 970 ng/kg		
2,4,4'-TriCB (#28) .....	7,100 ± 1,260 ng/kg		
2,4',5'-TriCB (#31) .....	4,000 ± 71.6 ng/kg		
2,4',6'-TriCB (#32) .....	220 ± 216 ng/kg		
3,4,4'-TriCB (#37) .....	165 ± 123 ng/kg		
2,2',3,5'-TetraCB (#44) .....	14,200 ± 9,660 ng/kg		
2,2',4,4'-TetraCB (#47) .....	16,000 ± 6,560 ng/kg		
2,2',4,5'-TetraCB (#49) .....	13,600 ± 9,100 ng/kg		
2,2',5,5'-TetraCB (#52) .....	27,100 ± 12,100 ng/kg		
2,3',4,4'-TetraCB (#66) .....	56,500 ± 20,800 ng/kg		
2,3',4',5'-TetraCB (#70) .....	44,400 ± 3,860 ng/kg		
2,4,4',5'-TetraCB (#74) .....	23,100 ± 8,440 ng/kg		
3,3',4,4'-TetraCB (#77) .....	1,850 ± 834 ng/kg		
3,4,4',5'-TetraCB (#81) .....	161 ± 74.0 ng/kg		
2,2',3,4,5'-PentaCB (#87) .....	38,400 ± 24,000 ng/kg		
2,2',3',4,5'-PentaCB (#97) .....	29,800 ± 14,700 ng/kg		
2,2',4,4',5'-PentaCB (#99) .....	94,300 ± 25,200 ng/kg		
2,2',4,5,5'-PentaCB (#101) .....	82,700 ± 21,400 ng/kg		
2,3,3',4,4'-PentaCB (#105) .....	50,100 ± 15,700 ng/kg		
2,3,3',4',6'-PentaCB (#110) .....	84,900 ± 19,100 ng/kg		
2,3,4,4',5'-PentaCB (#114) .....	3,410 ± 1,550 ng/kg		
2,3',4,4',5'-PentaCB (#118) .....	122,000 ± 38,000 ng/kg		
2',3,4,4',5'-PentaCB (#123) .....	3,280 ± 2,020 ng/kg		
3,3',4,4',5'-PentaCB (#126) .....	628 ± 242 ng/kg		
2,2',3,3',4,4'-HexaCB (#128) .....	28,200 ± 9,460 ng/kg		
2,2',3,4,4',5'-HexaCB (#137) .....	7,250 ± 2,440 ng/kg		
2,2',3,4,4',5'-HexaCB (#138) .....	178,000 ± 27,800 ng/kg		
2,2',3,4,5,5'-HexaCB (#141) .....	22,040 ± 3,500 ng/kg		
2,2',3,4',5,5'-HexaCB (#146) .....	39,500 ± 17,000 ng/kg		
2,2',3,4',5',6'-HexaCB (#149) .....	69,800 ± 24,600 ng/kg		
2,2',3,5,5',6'-HexaCB (#151) .....	24,900 ± 11,100 ng/kg		
2,2',4,4',5,5'-HexaCB (#153) .....	226,000 ± 71,200 ng/kg		
2,3,3',4,4',5'-HexaCB (#156) .....	13,100 ± 2,620 ng/kg		
2,3,3',4,4',5'-HexaCB (#157) .....	3,380 ± 1,010 ng/kg		
2,3,3',4,4',6'-HexaCB (#158) .....	11,600 ± 1,870 ng/kg		
2,3',4,4',5,5'-HexaCB (#167) .....	7,060 ± 3,020 ng/kg		
3,3',4,4',5,5'-HexaCB (#169) .....	52.1 ± 14.0 ng/kg		
2,2',3,3',4,4',5'-HeptaCB (#170) .....	35,100 ± 12,700 ng/kg		
2,2',3,3',4,5,5'-HeptaCB (#172) .....	8,450 ± 1,600 ng/kg		
2,2',3,3',4',5,6'-HeptaCB (#177) .....	18,800 ± 4,140 ng/kg		
2,2',3,3',5,5',6'-HeptaCB (#178) .....	12,100 ± 1,840 ng/kg		
2,2',3,4,4',5,5'-HeptaCB (#180) .....	108,000 ± 23,600 ng/kg		
2,2',3,4,4',5',6'-HeptaCB (#183) .....	28,300 ± 6,740 ng/kg		
2,2',3,4',5,5',6'-HeptaCB (#187) .....	62,900 ± 21,600 ng/kg		
2,3,3',4,4',5,5'-HeptaCB (#189) .....	1,440 ± 498 ng/kg		
2,2',3,3',4,4',5,5'-OctaCB (#194) .....	12,700 ± 3,200 ng/kg		
2,2',3,3',4,4',5,6'-OctaCB (#195) .....	4,620 ± 1,450 ng/kg		
2,2',3,3',4,4',5',6'-OctaCB (#196) .....	7,720 ± 3,240 ng/kg		
2,2',3,3',4,5,6,6'-OctaCB (#199) .....	16,700 ± 2,400 ng/kg		
2,2',3,4,4',5,5',6'-OctaCB (#203) .....	13,800 ± 2,360 ng/kg		
2,2',3,3',4,4',5,5',6'-NonaCB (#206) .....	4,960 ± 768 ng/kg		
2,2',3,3',4,5,5',6,6'-NonaCB (#208) .....	2,370 ± 350 ng/kg		
DecaCB (#209) .....	3,510 ± 982 ng/kg		
	Brominated flame retardants		
2,4,4'-TriBDE (#28)6 .....	312 ± 202 ng/kg		
2,2',4,4'-TetraBDE (#47) .....	9,080 ± 2,620 ng/kg		
2,2',4,5'-TetraBDE (#49) .....	524 ± 274 ng/kg		
2,3',4,4'-TetraBDE (#66) .....	262 ± 81.0 ng/kg		
2,2',4,4',5'-PentaBDE (#99) .....	2,280 ± 472 ng/kg		
2,2',4,4',6'-PentaBDE (#100) .....	1,720 ± 566 ng/kg		
2,2',4,4',5,5'-HexaBDE (#153) .....	2,030 ± 506 ng/kg		
2,2',4,4',5,6'-HexaBDE (#154) .....	2,550 ± 1,000 ng/kg		
2,2',3,4,4',5',6'-HexaBDE (#183) .....	137 ± 47.8 ng/kg		
DecaBDE (#209) .....	545 ± 1,999 ng/kg		
	Pesticides		
Chlordane .....	33,400 ± 6,300 ng/kg	Lindane (gamma-HCH) .....	492 ± 216 ng/kg
4,4'-DDE .....	587,000 ± 140,000 ng/kg	Heptachlor .....	1,970 ± 1,110 ng/kg
4,4'-DDD .....	97,600 ± 33,200 ng/kg	Heptachlor Epoxide .....	8,210 ± 1,560 ng/kg
4,4'-DDT .....	9,100 ± 2,700 ng/kg	Hexachlorobenzene .....	18,100 ± 15,300 ng/kg
Dieldrin .....	54,500 ± 17,300 ng/kg	Mirex .....	93,700 ± 23,200 ng/kg
Endosulfan I .....	1,310 ± 722 ng/kg	cis-Nonachlor .....	27,700 ± 6,400 ng/kg
Endosulfan II .....	10,100 ± 1,620 ng/kg	trans-Nonachlor .....	57,700 ± 51,000 ng/kg
Endrin .....	2,420 ± 434 ng/kg	Oxychlordane .....	18,100 ± 11,200 ng/kg
alpha-Hexachlorocyclohexane .....	1,400 ± 1,140 ng/kg	alpha-Chlordane .....	30,100 ± 19,000 ng/kg
beta-Hexachlorocyclohexane .....	834 ± 436 ng/kg	gamma-Chlordane .....	11,500 ± 7,240 ng/kg



## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit		
CIL-EDF-2526	Fortified Fish (slurry) - Organic contaminants	10 g		
	Reference values			
	Polychlorinated dioxins and furans			
	2,3,7,8 TCDD .....19.8 ± 4.18 ng/kg		1,2,3,7,8-PeCDF ..... 39.0 ± 7.36 ng/kg	
	Total TCDD .....19.0 ± 1.08 ng/kg		2,3,4,7,8-PeCDF ..... 37.8 ± 10.2 ng/kg	
	1,2,3,7,8-PeCDD .....39.9 ± 10.6 ng/kg		Total PeCDF ..... 72.0 ± 14.9 ng/kg	
	Total PeCDD .....38.9 ± 13.7 ng/kg		1,2,3,4,7,8-HxCDF ..... 83.3 ± 23.0 ng/kg	
	1,2,3,4,7,8-HxCDD .....54.9 ± 7.80 ng/kg		1,2,3,6,7,8-HxCDF ..... 62.8 ± 19.6 ng/kg	
	1,2,3,6,7,8-HxCDD .....51.1 ± 19.3 ng/kg		1,2,3,7,8,9-HxCDF ..... 57.3 ± 10.9 ng/kg	
	1,2,3,7,8,9-HxCDD .....52.9 ± 18.1 ng/kg		2,3,4,6,7,8-HxCDF ..... 58.6 ± 14.2 ng/kg	
	Total HxCDD .....149 ± 41.8 ng/kg		Total HxCDF ..... 243 ± 70.8 ng/kg	
	1,2,3,4,6,7,8-HpCDD .....70.7 ± 23.2 ng/kg		1,2,3,4,6,7,8-HpCDF ..... 81.6 ± 13.7 ng/kg	
	Total HpCDD .....66.9 ± 32.2 ng/kg		1,2,3,4,7,8,9-HpCDF ..... 76.7 ± 26.6 ng/kg	
	OCDD .....181 ± 53.4 ng/kg		Total HpCDF ..... 148 ± 23.0 ng/kg	
	2,3,7,8-TCDF .....18.7 ± 5.58 ng/kg		OCDF ..... 185 ± 57.4 ng/kg	
	Total TCDF .....19.0 ± 2.20 ng/kg			
	Polychlorinated biphenyls			
	2,2',5-TriCB (#18) .....100 ± 49.0 ng/kg		2',3,4,4',5-PentaCB (#123)..... 7.38 ± 9.58 ng/kg	
	2,4,4'-TriCB (#28) .....245 ± 268 ng/kg		3,3',4,4',5-PentaCB (#126)..... 431 ± 17.9 ng/kg	
	2,2',5,5'-TetraCB (#52) .....369 ± 124 ng/kg		2,2',3,4,4',5'-HexaCB (#138) ..... 395 ± 184 ng/kg	
	3,3',4,4'-TetraCB (#77) .....451 ± 179 ng/kg		2,2',3,5,5',6-HexaCB (#151)..... 99.8 ± 17.1 ng/kg	
	3,4,4',5-TetraCB (#81) .....3.00 ± 5.60 ng/kg		2,2',4,4',5,5'-HexaCB (#153) ..... 490 ± 334 ng/kg	
	2,2',4,4',5-PentaCB (#99) .....215 ± 204 ng/kg		2,3,3',4,4',5-HexaCB (#156)..... 23.3 ± 23.8 ng/kg	
	2,2',4,5,5'-PentaCB (#101) .....579 ± 362 ng/kg		2,3,3',4,4',5'-HexaCB (#157)..... 9.30 ± 9.16 ng/kg	
	2,3,3',4,4'-PentaCB (#105) .....108 ± 73.0 ng/kg		2,3',4,4',5,5'-HexaCB (#167) ..... 12.0 ± 9.54 ng/kg	
	2,3,3',4',6-PentaCB (#110) .....288 ± 112 ng/kg		3,3',4,4',5,5'-HexaCB (#169) ..... 512 ± 160 ng/kg	
	2,3,4,4',5-PentaCB (#114) .....7.73 ± 4.36 ng/kg		2,2',3,4,4',5,5'-HeptaCB (#180)..... 116 ± 64.4 ng/kg	
	2,3',4,4',5-PentaCB (#118) .....348 ± 392 ng/kg		2,3,3',4,4',5,5'-HeptaCB (#189)..... 3.51 ± 2.76 ng/kg	
	Polybrominated diphenyl ethers			
	2,2',4,4',5,5'-HexaBDE (#153) .....7.48 ± 14.7 ng/kg			
	CIL-EDF-4023		Set of three fish reference materials	3 x 10 g
			Clean Natural Matrix (EDF 2524)	
			Contaminated Natural Matrix (EDF 2525)	
			Fortified Natural Matrix (EDF 2526)	

## Fly ash reference material

In 2007, Cambridge Isotope Laboratories performed an international interlaboratory study on Fly Ash Reference Material purchased from Consorzio INCA in Italy. The ash comes from the filter of a municipal waste incinerator in northern Italy, and has been analyzed and given consensus values for numerous dioxin, furan, and PCB congeners. This sample is meant to be used to evaluate the performance of an analytical laboratory for the analytes given.

### Participating Laboratories

AgriQuality Limited – Wellington Laboratory	New Zealand
AIKEN	Japan
ALS Czech Republic s.r.o.	Czech Republic
ARPAT	Italy
Cheng-Shiu University	Taiwan
China Steel Cooperation	Taiwan
Clean Harbors Environmental Services	USA
Dalian Institute of Chemical Physics, CAS	China
The Dow Chemical Company	USA
Environmental Science Laboratory	Japan
Environment Canada	Ontario
Hiyoshi Corporation	Japan
Hokuriku Kankyo Kagaku Kenkyusho	Japan
Ishikawaken Prefectural Institute of Public Health and Environmental Services	Japan
Joetsu Kankyo Kagaku Center	Japan
Kankyo Techno Co., LTD	Japan
KOBELCO Research Institute, Inc.	Japan
Maxxam Analytics, Inc.	Canada
Miyagi Prefectural Institute of Public Health and Environment	Japan
Murata Keisokuki Service	Japan
Nagasaki Food Hygiene Association	Japan
National Central University Graduate Institute of Environmental Engineering	Taiwan
Niigata Kankyo Bunseki Center	Japan
Nippon Steel Techno Research	Japan
Nittech Research Corporation	Japan
Oekometric GmbH	Germany
RCLAB SrL	Italy
SGS Institut Fresenius GmbH Bayreuth	Germany
Shimadzu Techno-Research, Inc.	Japan
Sogo Mizu Kenkyusho	Japan
Sumika Chemical Analysis Service	Japan
Sun Dream Environmental Technology Corporation	Taiwan
Teijin Eco-Science Limited	Japan
Term Corporation	Japan
Tokyo Kensa Center Co., LTD	Japan
Tokyo Technical Service Co., LTD	Japan
Toyo Giken Corporation	Japan
Yunitika Environmental Technical Center	Japan

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product				Unit
<b>New</b> CIL-EDF-5369	Fly ash				10 g
	Analyte (all values in ng/kg)	Assigned Value <sup>1</sup>	Standard Deviation	Reference Value <sup>2</sup>	(n) <sup>3</sup>
	<b>Polychlorinated dioxins and furans</b>				
	1,3,6,8-TetraCDD	18.9	3.90	18.9 ± 7.8	20
	2,3,7,8-TetraCDD	11.4	2.98	11.4 ± 5.96	37
	Total TetraCDD	147	25.9	147 ± 51.8	30
	1,2,3,7,8-PentaCDD	38.4	9.72	38.4 ± 19.4	37
	Total PentaCDD	327	58.1	327 ± 116	30
	1,2,3,4,7,8-HexaCDD	31.3	10.9	31.3 ± 21.8	37
	1,2,3,6,7,8-HexaCDD	70.4	22.2	70.4 ± 44.4	37
	1,2,3,7,8,9-HexaCDD	56.3	19.2	56.3 ± 38.4	37
	Total HexaCDD	780	132	780 ± 264	30
	1,2,3,4,6,7,8-HeptaCDD	899	301	899 ± 602	37
	Total HeptaCDD	1810	440	1810 ± 880	30
	OctaCDD	3660	1150	3660 ± 2300	38
	1,3,6,8-TetraCDF	29.2	8.27	29.2 ± 16.5	9
	2,3,7,8-TetraCDF	21.8	5.87	21.8 ± 11.7	37
	Total TetraCDF	621	104	621 ± 208	30
	1,2,3,7,8-PentaCDF	59.6	14.4	59.6 ± 28.8	37
	2,3,4,7,8-PentaCDF	46.9	12.0	46.9 ± 24.0	37
	Total-PentaCDF	780	131	780 ± 262	30
	1,2,3,4,7,8-HexaCDF	89.7	28.8	89.7 ± 57.6	37
	1,2,3,6,7,8-HexaCDF	100	30.4	100 ± 60.8	37
	1,2,3,7,8,9-HexaCDF	13.3	2.54	13.3 ± 5.08	35
	2,3,4,6,7,8-HexaCDF	125	34.7	125 ± 69.4	37
	Total-HexaCDF	1000	154	1000 ± 308	30
	1,2,3,4,6,7,8-HeptaCDF	530	159	530 ± 318	37
	1,2,3,4,7,8,9-HeptaCDF	117	37.5	117 ± 75.0	37
	Total-HeptaCDF	1080	228	1080 ± 456	30
	OctaCDF	864	243	864 ± 486	37
	<b>Polychlorinated biphenyls<sup>4</sup></b>				
	3,3',4,4'-TetraCB (#77)	8.26	1.85	8.26 ± 3.70	23
	3,4,4',5-TetraCB (#81)	5.26	0.93	5.26 ± 1.86	23
	2,3,3',4,4'-PentaCB (#105)	7.61	3.29	7.61 ± 6.58	24
	2,3,4,4',5-PentaCB (#114)	2.75	0.65	2.75 ± 1.30	24
	2,3',4,4',5-PentaCB (#118)	8.26	4.48	8.26 ± 8.96	25
	2',3,4,4',5-PentaCB (#123)	1.72	0.45	1.72 ± 0.90	23
	3,3',4,4',5-PentaCB (#126)	13.9	2.52	13.9 ± 5.04	24
	2,3,3',4,4',5-HexaCB (#156)	9.43	1.65	9.43 ± 3.30	24
	2,3,3',4,4',5'-HexaCB (#157)	6.24	0.84	6.24 ± 1.68	24
	2,3',4,4',5,5'-HexaCB (#167)	4.26	0.69	4.26 ± 1.38	24
	3,3',4,4',5,5'-HexaCB (#169)	9.93	1.45	9.93 ± 2.90	24
	2,2',3,3',4,4',5-HeptaCB (#170)	20.2	7.90	20.2 ± 15.8	6
	2,2',3,4,4',5,5'-HeptaCB (#180)	11.4	5.07	11.4 ± 10.1	6
	2,3,3',4,4',5,5'-HeptaCB (#189)	14.3	2.22	14.3 ± 4.44	24
	<sup>1</sup> Assigned value as determined by Manna Associates in the UK using Cofino analysis of raw interlaboratory study data.				
	<sup>2</sup> Reference value is the Assigned Value plus or minus two standard deviations. Negative numbers resulting from two standard deviations being greater than the assigned value have no significance.				
	<sup>3</sup> Number of laboratories providing results for this analyte.				
	<sup>4</sup> All numbers in parentheses refer to the IUPAC designation for the compound.				

## Cod liver oil reference materials

In 2010, Cambridge Isotope Laboratories organized an international interlaboratory study on Cod Liver Oil Reference Materials purchased from TestAmerica Laboratories in TN, USA. Commercially available Cod Liver Oil was spiked with known amounts of Dioxins, Furans, and PCBs for the Fortified Cod Liver Oil reference material. A separate standard with no spike was also prepared as a blank. These samples are meant to be used to evaluate the performance of an analytical laboratory for the analytes given.

<b>New</b> CIL-EDF-5462	Fortified cod liver oil – PCDDs, PCDFs, PCBs, PBDEs	10 g
	Please ask for details!	
<b>New</b> CIL-EDF-5463	Fortified cod liver oil – PCBs, PBDEs	10 g
	Please ask for details!	

## Dioxin & furan method standards, standard mixtures & reference materials

Code Product Unit

### Dioxin and furan plus PCB standard mixtures

CIL-EDF-4143 Calibration Curve for Dioxin, Furan & PCB in tissue [CDC1 - CDC9] 9 x 0.2 mL

Solvent: Nonane

All Concentrations in ng/mL(ppb)

Unlabelled Compounds	CDC1	CDC2	CDC3	CDC4	CDC5	CDC6	CDC7	CDC8	CDC9
2,3,7,8-TetraCDD	0.04	0.10	0.20	1.00	2.00	7.00	20.0	35.0	50.0
2,3,7,8-TetraCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
1,2,3,7,8-PentaCDD	0.04	0.10	0.20	0.50	1.00	2.00	5.00	10.0	20.0
1,2,3,7,8-PentaCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
2,3,4,7,8-PentaCDD	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
1,2,3,4,7,8-HexaCDD	0.04	0.10	0.20	0.50	1.00	2.00	5.00	10.0	20.0
1,2,3,4,7,8-HexaCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
1,2,3,6,7,8-HexaCDD	0.10	0.25	0.50	1.25	2.50	5.00	12.5	25.0	50.0
1,2,3,6,7,8-HexaCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
1,2,3,7,8,9-HexaCDD	0.20	0.50	1.00	2.00	5.00	10.0	20.0	25.0	30.0
1,2,3,7,8,9-HexaCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
2,3,4,6,7,8-HexaCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
1,2,3,4,6,7,8-HeptaCDD	1.00	2.00	5.00	10.0	20.0	25.0	50.0	100	200
1,2,3,4,6,7,8-HeptaCDF	0.20	0.50	1.00	2.00	5.00	10.0	20.0	25.0	30.0
1,2,3,4,6,7,9-HeptaCDD	0.04	0.10	0.20	0.50	1.00	2.00	5.00	10.0	20.0
1,2,3,4,7,8,9-HeptaCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
OctaCDD	10.0	20.0	50.0	100	200	300	400	500	600
OctaCDF	0.04	0.10	0.20	0.50	1.00	2.00	5.00	7.50	10.0
Unlabelled PCBs	CDC1	CDC2	CDC3	CDC4	CDC5	CDC6	CDC7	CDC8	CDC9
3,3',4,4'-TetraCB (PCB-77)	0.80	1.60	4.00	8.00	16.0	20.0	40.0	80.0	160
3,4,4',5'-TetraCB (PCB-81)	0.80	1.60	4.00	8.00	16.0	20.0	40.0	80.0	160
3,3',4,4',5'-PentaCB (PCB-126)	0.80	1.60	4.00	8.00	16.0	20.0	40.0	80.0	160
3,3',4,4',5,5'-HexaCB (PCB-169)	0.80	1.60	4.00	8.00	16.0	20.0	40.0	80.0	160
Labelled Dioxins & Furans	CDC1	CDC2	CDC3	CDC4	CDC5	CDC6	CDC7	CDC8	CDC9
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>6</sub> ,99%)	25	25	25	25	25	25	25	25	25
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	50	50	50	50	50	50	50	50	50
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50	50	50	50	50	50	50	50	50
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	50	50	50	50	50	50	50	50	50
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50	50	50	50	50	50	50	50	50
2,3,4,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	50	50	50	50	50	50	50	50	50
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	120	120	120	120	120	120	120	120	120
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	125	125	125	125	125	125	125	125	125
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	120	120	120	120	120	120	120	120	120
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	125	125	125	125	125	125	125	125	125
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	120	120	120	120	120	120	120	120	120
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	125	125	125	125	125	125	125	125	125
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	125	125	125	125	125	125	125	125	125
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	120	120	120	120	120	120	120	120	120
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	125	125	125	125	125	125	125	125	125
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	250	250	250	250	250	250	250	250	250
OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	250	250	250	250	250	250	250	250	250
Labelled PCBs	CDC1	CDC2	CDC3	CDC4	CDC5	CDC6	CDC7	CDC8	CDC9
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	48	48	48	48	48	48	48	48	48
3,3',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	48	48	48	48	48	48	48	48	48
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	48	48	48	48	48	48	48	48	48
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	72	72	72	72	72	72	72	72	72
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	96	96	96	96	96	96	96	96	96

**New** CIL-EDF-4143-1 Calibration Curve for Dioxin, Furan & PCB in tissue CDC1 200 µL

**New** CIL-EDF-4143-7 Calibration Curve for Dioxin, Furan & PCB in tissue CDC7 200 µL

CIL-EDF-4144 Internal Standard for Dioxin, Furan and PCB in Tissue 0.75 mL

Solvent: Nonane

**<sup>13</sup>C-Labelled Dioxins**

2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	25.0 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	62.5 ng/mL
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	25.0 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	62.5 ng/mL
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	25.0 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	62.5 ng/mL
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	25.0 ng/mL	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	62.5 ng/mL
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	25.0 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	60.0 ng/mL
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	60.0 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	62.5 ng/mL
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	60.0 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	125 ng/mL
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	60.0 ng/mL	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	125 ng/mL

**<sup>13</sup>C-Labelled PCBs**

3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	24.0 ng/mL	3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	36.0 ng/mL
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	24.0 ng/mL	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	48.0 ng/mL

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EDF-4144-B	Internal Standard Dioxin, Furan and PCB in Tissue Solvent: 97.5% Methanol:2.5% Nonane <b><sup>13</sup>C-Labelled Dioxins</b> 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2.5 ng/mL 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2.5 ng/mL 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 6 ng/mL 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 6 ng/mL 1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 6 ng/mL 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 6 ng/mL OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 12.5 ng/mL 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2.5 ng/mL <b><sup>13</sup>C-Labelled PCBs</b> 3,3',4,4'-TetraCB (PCB-77) ( <sup>13</sup> C <sub>12</sub> ,99%) .. 2.4 ng/mL 3,4,4',5-TetraCB (PCB-81) ( <sup>13</sup> C <sub>12</sub> ,99%) .... 2.4 ng/mL	5 mL
CIL-EDF-4145	Recovery Standard for Dioxin, Furan and PCB Tissue Solvent: Nonane 1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 25.0 ng/mL 1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 62.5 ng/mL	0.75 mL
<b>New</b> CIL-EDF-4145-A	Recovery Standard for Dioxin, Furan and PCB in Tissue Solvent: Nonane 3,3',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 48 ng/mL 1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 62.5 ng/mL	0.5 mL
CIL-ES-5321	Multi-Analyte Recovery Spiking Standard Solvent: 88% hexane/2% dodecane/10% nonane 1,2,3,4-TCDD ( <sup>13</sup> C <sub>6</sub> , 99%) ..... 2.5 ng/mL 2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB-208) ..... 10 ng/mL 3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-77) ..... 7.5 ng/mL 2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-139) ..... 7.5 ng/mL	10 mL
CIL-EDF-5086-A	Alternative PCB & Dioxin/Furan Calibration Verification Standard Solvent: Nonane Labelled Compounds IUPAC# Concentration 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL 1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 10 ng/mL OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL 3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 77 ..... 10 ng/mL 3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 81 ..... 10 ng/mL 2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 105 ..... 10 ng/mL 2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 114 ..... 10 ng/mL 2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 118 ..... 10 ng/mL 2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 123 ..... 10 ng/mL 3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 126 ..... 10 ng/mL 2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 156 ..... 10 ng/mL 2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 157 ..... 10 ng/mL 2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 167 ..... 10 ng/mL 3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 169 ..... 10 ng/mL 2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 170 ..... 10 ng/mL 2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 180 ..... 10 ng/mL 2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 189 ..... 10 ng/mL	1.2 mL

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
<b>New</b> CIL-EDF-5393	Dioxin Clean-up Spike Solvent: Nonane Labelled Compounds	1.2 mL
	IUPAC#      Concentration	
	2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,3,6,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,4,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,6,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,7,8,9-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,4,6,7,8-HpCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	OCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 40 ng/mL	
	2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,3,6,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,4,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	2,3,4,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,7,8,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	1,2,3,4,7,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	
	OCDF (13C <sub>12</sub> ,99%) ..... 40 ng/mL	
	3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 81 ..... 20 ng/mL	
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 77 ..... 20 ng/mL	
	3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 126 ..... 20 ng/mL	
	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 169 ..... 20 ng/mL	
	2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 123 ..... 20 ng/mL	
	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 118 ..... 20 ng/mL	
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 105 ..... 20 ng/mL	
	2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 114 ..... 20 ng/mL	
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 167 ..... 20 ng/mL	
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 156 ..... 20 ng/mL	
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 157 ..... 20 ng/mL	
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 189 ..... 20 ng/mL	
	2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 170 ..... 20 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 180 ..... 20 ng/mL	
<b>New</b> CIL-EDF-5395	Dioxin Sampling Spike Solvent: Nonane Labelled Compounds	1.2 mL
	IUPAC#      Concentration	
	1,2,3,4-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 50 ng/mL	
	1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 50 ng/mL	
	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 79 ..... 50 ng/mL	
CIL-EF-5394	Dioxin Syringe Standard ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 1,2,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL      1,2,3,4,6,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL 1,2,3,4,6,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 20 ng/mL	1.2 mL
CIL-EDF-5338	Dioxin/Furan Syringe Spike ( <sup>13</sup> C <sub>12</sub> , 99%) Solvent: Nonane 1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL      1,2,3,4,6,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL 1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL      1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL	1.2 mL

# Dioxin & furan method standards, standard mixtures & reference materials

Code Product Unit

## Non-2,3,7,8-containing standard mixtures

Code	Product	Unit																																																																																																																																																																																																																																																																																																																																																														
<b>New</b> CIL-EDF-5392	Dioxin/Furan Calibration Solutions (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) [CS1-CS6] Solvent: Nonane All concentrations are in ng/mL	6 x 0.2 mL																																																																																																																																																																																																																																																																																																																																																														
	<table border="1"> <thead> <tr> <th>Native Compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TCDD</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,3,6,8-TCDD</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,3,7,9-TCDD</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,8,9-TCDD</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,7,8-PeCDD</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,4,7,8-HxCDD</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,6,7,8-HxCDD</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,7,8,9-HxCDD</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDD</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>OCDD</td><td>0.5</td><td>2.5</td><td>10</td><td>50</td><td>250</td><td>1000</td></tr> <tr><td>2,3,7,8-TCDF</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,3,6,8-TCDF</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,7,8-TCDF</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,8,9-TCDF</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,7,8-PeCDF</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3,4,7,8-PeCDF</td><td>0.1</td><td>0.5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,4,7,8-HxCDF</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,6,7,8-HxCDF</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3,4,6,7,8-HxCDF</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,7,8,9-HxCDF</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDF</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,4,7,8,9-HpCDF</td><td>0.2</td><td>1</td><td>4</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>OCDF</td><td>0.5</td><td>2.5</td><td>10</td><td>50</td><td>250</td><td>1000</td></tr> <tr> <th><sup>13</sup>C-Labelled Compound</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> <tr><td>1,2,3,4-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,3,6,8-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,7,8-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PeCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8,9-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,7,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,3,6,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,7,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,9-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,6,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8,9-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8,9-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,8,9-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> </tbody> </table>	Native Compounds	CS1	CS2	CS3	CS4	CS5	CS6	2,3,7,8-TCDD	0.1	0.5	2	10	50	200	1,3,6,8-TCDD	0.1	0.5	2	10	50	200	1,3,7,9-TCDD	0.1	0.5	2	10	50	200	1,2,8,9-TCDD	0.1	0.5	2	10	50	200	1,2,3,7,8-PeCDD	0.1	0.5	2	10	50	200	1,2,3,4,7,8-HxCDD	0.2	1	4	20	100	400	1,2,3,6,7,8-HxCDD	0.2	1	4	20	100	400	1,2,3,7,8,9-HxCDD	0.2	1	4	20	100	400	1,2,3,4,6,7,8-HpCDD	0.2	1	4	20	100	400	OCDD	0.5	2.5	10	50	250	1000	2,3,7,8-TCDF	0.1	0.5	2	10	50	200	1,3,6,8-TCDF	0.1	0.5	2	10	50	200	1,2,7,8-TCDF	0.1	0.5	2	10	50	200	1,2,8,9-TCDF	0.1	0.5	2	10	50	200	1,2,3,7,8-PeCDF	0.1	0.5	2	10	50	200	2,3,4,7,8-PeCDF	0.1	0.5	2	10	50	200	1,2,3,4,7,8-HxCDF	0.2	1	4	20	100	400	1,2,3,6,7,8-HxCDF	0.2	1	4	20	100	400	2,3,4,6,7,8-HxCDF	0.2	1	4	20	100	400	1,2,3,7,8,9-HxCDF	0.2	1	4	20	100	400	1,2,3,4,6,7,8-HpCDF	0.2	1	4	20	100	400	1,2,3,4,7,8,9-HpCDF	0.2	1	4	20	100	400	OCDF	0.5	2.5	10	50	250	1000	<sup>13</sup> C-Labelled Compound	CS1	CS2	CS3	CS4	CS5	CS6	1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,3,6,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,6,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,7,8,9-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6,7,8-HpCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	OCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,3,6,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	2,3,4,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,7,8,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,7,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	OCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	
Native Compounds	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																																																																																										
2,3,7,8-TCDD	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,3,6,8-TCDD	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,3,7,9-TCDD	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,2,8,9-TCDD	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8-PeCDD	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,7,8-HxCDD	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
1,2,3,6,7,8-HxCDD	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8,9-HxCDD	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,6,7,8-HpCDD	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
OCDD	0.5	2.5	10	50	250	1000																																																																																																																																																																																																																																																																																																																																																										
2,3,7,8-TCDF	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,3,6,8-TCDF	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,2,7,8-TCDF	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,2,8,9-TCDF	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8-PeCDF	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
2,3,4,7,8-PeCDF	0.1	0.5	2	10	50	200																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,7,8-HxCDF	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
1,2,3,6,7,8-HxCDF	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
2,3,4,6,7,8-HxCDF	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8,9-HxCDF	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,6,7,8-HpCDF	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,7,8,9-HpCDF	0.2	1	4	20	100	400																																																																																																																																																																																																																																																																																																																																																										
OCDF	0.5	2.5	10	50	250	1000																																																																																																																																																																																																																																																																																																																																																										
<sup>13</sup> C-Labelled Compound	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,3,6,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,6,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8,9-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,6,7,8-HpCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
OCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																										
2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,3,6,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,6-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,6,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
2,3,4,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,7,8,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,7,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
1,2,3,4,6,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																										
OCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EDF-5392-1	Dioxin/Furan Calibration Solution [CS0] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																														
<b>New</b> CIL-EDF-5392-2	Dioxin/Furan Calibration Solution [CS2] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																														
<b>New</b> CIL-EDF-5392-3	Dioxin/Furan Calibration Solution [CS3] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																														
<b>New</b> CIL-EDF-5392-4	Dioxin/Furan Calibration Solution [CS1] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																														
<b>New</b> CIL-EDF-5392-5	Dioxin/Furan Calibration Solution [CS5] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																														
<b>New</b> CIL-EDF-5392-6	Dioxin/Furan Calibration Solution [CS6] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																														



## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																																																																																																																																												
<b>New</b> CIL-EDF-5314	Dioxin/Furan Calibration Solution [CS1-CS5] Solvent: Nonane All concentrations are in ng/mL (ppb)	5 x 0.2 mL																																																																																																																																																																																																																																																																																																												
	<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Unlabelled Compounds</th> <th style="text-align: center;">CS1</th> <th style="text-align: center;">CS2</th> <th style="text-align: center;">CS3</th> <th style="text-align: center;">CS4</th> <th style="text-align: center;">CS5</th> </tr> </thead> <tbody> <tr><td>1,3,6,8-TCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,3,7,9-TCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,8,9-TCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>2,3,7,8-TCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,7,8-PeCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,7,8-HxCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,6,7,8-HxCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,7,8,9-HxCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDD</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>OCDD</td><td>0.4</td><td>2.0</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,3,6,8-TCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,7,8-TCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,8,9-TCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>2,3,7,8-TCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,7,8-PeCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>2,3,4,7,8-PeCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,7,8-HxCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,6,7,8-HxCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,7,8,9-HxCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>2,3,4,6,7,8-HxCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,7,8,9-HpCDF</td><td>0.2</td><td>1.0</td><td>5.0</td><td>20</td><td>100</td></tr> <tr><td>OCDF</td><td>0.4</td><td>2.0</td><td>10</td><td>40</td><td>200</td></tr> <tr> <th style="text-align: left;"><sup>13</sup>C-Labelled Compounds</th> <th style="text-align: center;">CS1</th> <th style="text-align: center;">CS2</th> <th style="text-align: center;">CS3</th> <th style="text-align: center;">CS4</th> <th style="text-align: center;">CS5</th> </tr> <tr><td>1,3,6,8-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,7,8-TCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PeCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8,9-HxCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>1,3,6,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,7,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,7,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,9-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8,9-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,6,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,8,9-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8,9-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> </tbody> </table>	Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5	1,3,6,8-TCDD	0.2	1.0	5.0	20	100	1,3,7,9-TCDD	0.2	1.0	5.0	20	100	1,2,8,9-TCDD	0.2	1.0	5.0	20	100	2,3,7,8-TCDD	0.2	1.0	5.0	20	100	1,2,3,7,8-PeCDD	0.2	1.0	5.0	20	100	1,2,3,4,7,8-HxCDD	0.2	1.0	5.0	20	100	1,2,3,6,7,8-HxCDD	0.2	1.0	5.0	20	100	1,2,3,7,8,9-HxCDD	0.2	1.0	5.0	20	100	1,2,3,4,6,7,8-HpCDD	0.2	1.0	5.0	20	100	OCDD	0.4	2.0	10	40	200	1,3,6,8-TCDF	0.2	1.0	5.0	20	100	1,2,7,8-TCDF	0.2	1.0	5.0	20	100	1,2,8,9-TCDF	0.2	1.0	5.0	20	100	2,3,7,8-TCDF	0.2	1.0	5.0	20	100	1,2,3,7,8-PeCDF	0.2	1.0	5.0	20	100	2,3,4,7,8-PeCDF	0.2	1.0	5.0	20	100	1,2,3,4,7,8-HxCDF	0.2	1.0	5.0	20	100	1,2,3,6,7,8-HxCDF	0.2	1.0	5.0	20	100	1,2,3,7,8,9-HxCDF	0.2	1.0	5.0	20	100	2,3,4,6,7,8-HxCDF	0.2	1.0	5.0	20	100	1,2,3,4,6,7,8-HpCDF	0.2	1.0	5.0	20	100	1,2,3,4,7,8,9-HpCDF	0.2	1.0	5.0	20	100	OCDF	0.4	2.0	10	40	200	<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5	1,3,6,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,6,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8,9-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,7,8-HpCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	OCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,3,6,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,4,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	OCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	
Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																																																									
1,3,6,8-TCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,3,7,9-TCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,8,9-TCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
2,3,7,8-TCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,7,8-PeCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,4,7,8-HxCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,6,7,8-HxCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,7,8,9-HxCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,4,6,7,8-HpCDD	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
OCDD	0.4	2.0	10	40	200																																																																																																																																																																																																																																																																																																									
1,3,6,8-TCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,7,8-TCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,8,9-TCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
2,3,7,8-TCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,7,8-PeCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
2,3,4,7,8-PeCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,4,7,8-HxCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,6,7,8-HxCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,7,8,9-HxCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
2,3,4,6,7,8-HxCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,4,6,7,8-HpCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
1,2,3,4,7,8,9-HpCDF	0.2	1.0	5.0	20	100																																																																																																																																																																																																																																																																																																									
OCDF	0.4	2.0	10	40	200																																																																																																																																																																																																																																																																																																									
<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																																																									
1,3,6,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,7,8-PeCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,6,7,8-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,7,8,9-HxCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,6,7,8-HpCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
OCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																																																									
1,3,6,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,6-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,6,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,7,8,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
2,3,4,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,6,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
1,2,3,4,7,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																																									
OCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5314-1	Dioxin/Furan Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																																																																																																												
<b>New</b> CIL-EDF-5314-2	Dioxin/Furan Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																																																																																																												
<b>New</b> CIL-EDF-5314-3	Dioxin/Furan Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																																																																																																												
<b>New</b> CIL-EDF-5314-4	Dioxin/Furan Calibration Solution [CS4]	0.2 mL																																																																																																																																																																																																																																																																																																												
<b>New</b> CIL-EDF-5314-5	Dioxin/Furan Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																																																																																																												

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																																																																																																																										
CIL-EDF-5185	Dioxin Furan Calibration Solutions with first and closest TetraCDD [CS1-CS5] Eluters & Non-2,3,7,8-Containing <sup>13</sup> C PCDFs Solvent: Nonane All concentrations are in ng/mL	5 x 0.2 mL																																																																																																																																																																																																																																																																																										
	<table border="1"> <thead> <tr> <th>Unlabelled Dioxins &amp; Furans</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr><td>1,3,6,8-TetraCDD</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,3,7,9-TetraCDD</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,2,8,9-TetraCDD</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,7,8-TetraCDD</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>OctaCDD</td><td>1</td><td>5</td><td>25</td><td>100</td><td>500</td></tr> <tr><td>1,3,6,8-TetraCDF</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,2,7,8-TetraCDF</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,2,8,9-TetraCDF</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,7,8-TetraCDF</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>OctaCDF</td><td>1</td><td>5</td><td>25</td><td>100</td><td>500</td></tr> <tr> <th>Labelled Dioxins &amp; Furans</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr><td>1,3,6,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>1,3,6,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OctaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> </tbody> </table>	Unlabelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5	1,3,6,8-TetraCDD	0.2	1	5	20	100	1,3,7,9-TetraCDD	0.2	1	5	20	100	1,2,8,9-TetraCDD	0.2	1	5	20	100	2,3,7,8-TetraCDD	0.2	1	5	20	100	1,2,3,7,8-PentaCDD	0.2	1	5	20	100	1,2,3,4,7,8-HexaCDD	0.4	2	10	40	200	1,2,3,6,7,8-HexaCDD	0.4	2	10	40	200	1,2,3,7,8,9-HexaCDD	0.4	2	10	40	200	1,2,3,4,6,7,8-HeptaCDD	0.4	2	10	40	200	OctaCDD	1	5	25	100	500	1,3,6,8-TetraCDF	0.2	1	5	20	100	1,2,7,8-TetraCDF	0.2	1	5	20	100	1,2,8,9-TetraCDF	0.2	1	5	20	100	2,3,7,8-TetraCDF	0.2	1	5	20	100	1,2,3,7,8-PentaCDF	0.2	1	5	20	100	2,3,4,7,8-PentaCDF	0.2	1	5	20	100	1,2,3,4,7,8-HexaCDF	0.4	2	10	40	200	1,2,3,6,7,8-HexaCDF	0.4	2	10	40	200	1,2,3,7,8,9-HexaCDF	0.4	2	10	40	200	2,3,4,6,7,8-HexaCDF	0.4	2	10	40	200	1,2,3,4,6,7,8-HeptaCDF	0.4	2	10	40	200	1,2,3,4,7,8,9-HeptaCDF	0.4	2	10	40	200	OctaCDF	1	5	25	100	500	Labelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5	1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	
Unlabelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																																							
1,3,6,8-TetraCDD	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,3,7,9-TetraCDD	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,2,8,9-TetraCDD	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
2,3,7,8-TetraCDD	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,2,3,7,8-PentaCDD	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,2,3,4,7,8-HexaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
1,2,3,6,7,8-HexaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
1,2,3,7,8,9-HexaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
1,2,3,4,6,7,8-HeptaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
OctaCDD	1	5	25	100	500																																																																																																																																																																																																																																																																																							
1,3,6,8-TetraCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,2,7,8-TetraCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,2,8,9-TetraCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
2,3,7,8-TetraCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,2,3,7,8-PentaCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
2,3,4,7,8-PentaCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																																							
1,2,3,4,7,8-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
1,2,3,6,7,8-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
1,2,3,7,8,9-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
2,3,4,6,7,8-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
1,2,3,4,6,7,8-HeptaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
1,2,3,4,7,8,9-HeptaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																																							
OctaCDF	1	5	25	100	500																																																																																																																																																																																																																																																																																							
Labelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																																							
1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																																							
1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																																																																							
OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																																							
CIL-EDF-5185-1	Dioxin Furan Calibration Solutions with first and closest TetraCDD [CS1] Eluters & Non-2,3,7,8-Containing <sup>13</sup> C PCDFs	0.2 mL																																																																																																																																																																																																																																																																																										
CIL-EDF-5185-2	Dioxin Furan Calibration Solutions with first and closest TetraCDD [CS2] Eluters & Non-2,3,7,8-Containing <sup>13</sup> C PCDFs	0.2 mL																																																																																																																																																																																																																																																																																										
CIL-EDF-5185-3	Dioxin Furan Calibration Solutions with first and closest TetraCDD [CS3] Eluters & Non-2,3,7,8-Containing <sup>13</sup> C PCDFs	0.2 mL																																																																																																																																																																																																																																																																																										
CIL-EDF-5185-4	Dioxin Furan Calibration Solutions with first and closest TetraCDD [CS4] Eluters & Non-2,3,7,8-Containing <sup>13</sup> C PCDFs	0.2 mL																																																																																																																																																																																																																																																																																										
CIL-EDF-5185-5	Dioxin Furan Calibration Solutions with first and closest TetraCDD [CS5] Eluters & Non-2,3,7,8-Containing <sup>13</sup> C PCDFs	0.2 mL																																																																																																																																																																																																																																																																																										

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																																																																																																								
CIL-EDF-5040	Non-2,3,7,8-containing PCDF Calibration Solutions [CS1-CS5] Solvent: Nonane	5 x 0.2 mL																																																																																																																																																																																																																																																																								
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Unlabelled Dioxins &amp; Furans</th> <th style="text-align: center;">CS1</th> <th style="text-align: center;">CS2</th> <th style="text-align: center;">CS3</th> <th style="text-align: center;">CS4</th> <th style="text-align: center;">CS5</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TetraCDD</td><td style="text-align: right;">0.2</td><td style="text-align: right;">1</td><td style="text-align: right;">5</td><td style="text-align: right;">20</td><td style="text-align: right;">100</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td style="text-align: right;">0.2</td><td style="text-align: right;">1</td><td style="text-align: right;">5</td><td style="text-align: right;">20</td><td style="text-align: right;">100</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>OctaCDD</td><td style="text-align: right;">1</td><td style="text-align: right;">5</td><td style="text-align: right;">25</td><td style="text-align: right;">100</td><td style="text-align: right;">500</td></tr> <tr><td>2,3,7,8-TetraCDF</td><td style="text-align: right;">0.2</td><td style="text-align: right;">1</td><td style="text-align: right;">5</td><td style="text-align: right;">20</td><td style="text-align: right;">100</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td style="text-align: right;">0.2</td><td style="text-align: right;">1</td><td style="text-align: right;">5</td><td style="text-align: right;">20</td><td style="text-align: right;">100</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td style="text-align: right;">0.2</td><td style="text-align: right;">1</td><td style="text-align: right;">5</td><td style="text-align: right;">20</td><td style="text-align: right;">100</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td></tr> <tr><td>OctaCDF</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">50</td><td style="text-align: right;">200</td><td style="text-align: right;">1000</td></tr> </tbody> </table> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Labelled Dioxins &amp; Furans</th> <th style="text-align: center;">CS1</th> <th style="text-align: center;">CS2</th> <th style="text-align: center;">CS3</th> <th style="text-align: center;">CS4</th> <th style="text-align: center;">CS5</th> </tr> </thead> <tbody> <tr><td>1,3,6,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td></tr> <tr><td>1,3,6,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,6-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,6,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,6,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>OctaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td><td style="text-align: right;">40</td></tr> </tbody> </table>	Unlabelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5	2,3,7,8-TetraCDD	0.2	1	5	20	100	1,2,3,7,8-PentaCDD	0.2	1	5	20	100	1,2,3,4,7,8-HexaCDD	0.4	2	10	40	200	1,2,3,6,7,8-HexaCDD	0.4	2	10	40	200	1,2,3,7,8,9-HexaCDD	0.4	2	10	40	200	1,2,3,4,6,7,8-HeptaCDD	0.4	2	10	40	200	OctaCDD	1	5	25	100	500	2,3,7,8-TetraCDF	0.2	1	5	20	100	1,2,3,7,8-PentaCDF	0.2	1	5	20	100	2,3,4,7,8-PentaCDF	0.2	1	5	20	100	1,2,3,4,7,8-HexaCDF	0.4	2	10	40	200	1,2,3,6,7,8-HexaCDF	0.4	2	10	40	200	1,2,3,7,8,9-HexaCDF	0.4	2	10	40	200	2,3,4,6,7,8-HexaCDF	0.4	2	10	40	200	1,2,3,4,6,7,8-HeptaCDF	0.4	2	10	40	200	1,2,3,4,7,8,9-HeptaCDF	0.4	2	10	40	200	OctaCDF	2	10	50	200	1000	Labelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5	1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,6,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	
Unlabelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																					
2,3,7,8-TetraCDD	0.2	1	5	20	100																																																																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDD	0.2	1	5	20	100																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDD	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
OctaCDD	1	5	25	100	500																																																																																																																																																																																																																																																																					
2,3,7,8-TetraCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																					
2,3,4,7,8-PentaCDF	0.2	1	5	20	100																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
2,3,4,6,7,8-HexaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
1,2,3,4,7,8,9-HeptaCDF	0.4	2	10	40	200																																																																																																																																																																																																																																																																					
OctaCDF	2	10	50	200	1000																																																																																																																																																																																																																																																																					
Labelled Dioxins & Furans	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																					
1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40																																																																																																																																																																																																																																																																					
1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,6,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20																																																																																																																																																																																																																																																																					
OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40																																																																																																																																																																																																																																																																					
<b>New</b> CIL-EDF-5040-1	Non-2,3,7,8-Containing PCDF Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																																																																								
<b>New</b> CIL-EDF-5040-2	Non-2,3,7,8-Containing PCDF Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																																																																								
CIL-EDF-5040-3	Non-2,3,7,8-Containing PCDF Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																																																																								
CIL-EDF-5040-4	Non-2,3,7,8-Containing PCDF Calibration Solution [CS4]	200 µL																																																																																																																																																																																																																																																																								
<b>New</b> CIL-EDF-5040-5	Non-2,3,7,8-Containing PCDF Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																																																																								
CIL-EDF-5041	Non-2,3,7,8-containing PCDF Clean-up Solution Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																								
	<table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> </tr> <tr> <td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> </tr> <tr> <td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> </tr> <tr> <td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> </tr> <tr> <td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td>2,3,4,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> </tr> <tr> <td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> </tr> <tr> <td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">4000 ng/mL</td> <td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> </tr> <tr> <td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td>OctaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">4000 ng/mL</td> </tr> <tr> <td>1,2,3,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: right;">2000 ng/mL</td> <td></td> <td></td> </tr> </tbody> </table>	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	4000 ng/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	4000 ng/mL	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																							
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																							
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																							
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																							
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																							
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																							
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																							
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	4000 ng/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																							
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	4000 ng/mL																																																																																																																																																																																																																																																																							
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5041-20	Non-2,3,7,8-containing PCDF Clean-up Solution 1/20 dilution	1.2 mL																																																																																																																																																																																																																																																																								
CIL-EF-5042	Non-2,3,7,8-containing PCDF Syringe Standard Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																								
	1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2 µg/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2 µg/mL																																																																																																																																																																																																																																																																						
CIL-EDF-5043	Non-2,3,7,8-containing PCDF Sampling Standard Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																								
	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																						
	1,2,3,4-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL	1,2,3,4,6,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2000 ng/mL																																																																																																																																																																																																																																																																						
CIL-EF-5188	Non-2,3,7,8-Containing <sup>13</sup> C Furan Syringe Spike Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																								
	1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL																																																																																																																																																																																																																																																																						

# Dioxin & furan method standards, standard mixtures & reference materials

Code Product Unit

## Two Column Dioxin and Furan Standard Mixtures

**New** CIL-EDF-5429-7H Two Column Dioxin & Duran Calibration Solutions [CS1H-CS7H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 7 x 0.2 mL

Solvent: Nonane

All concentrations are in ng/mL

**Native Compounds** CS1H CS2H CS3H CS4H CS5H CS6H CS7H

2,3,7,8-TetraCDF	0.1	0.5	2.0	10	50	200	500
1,3,6,8-TetraCDF	0.1	0.5	2.0	10	50	200	500
1,2,7,8-TetraCDF	0.1	0.5	2.0	10	50	200	500
1,2,8,9-TetraCDF	0.1	0.5	2.0	10	50	200	500
1,2,3,7,8-PentaCDF	0.1	0.5	2.0	10	50	200	500
2,3,4,7,8-PentaCDF	0.1	0.5	2.0	10	50	200	500
1,2,3,4,7,8-HexaCDF	0.2	1.0	4.0	20	100	400	1000
1,2,3,6,7,8-HexaCDF	0.2	1.0	4.0	20	100	400	1000
2,3,4,6,7,8-HexaCDF	0.2	1.0	4.0	20	100	400	1000
1,2,3,7,8,9-HexaCDF	0.2	1.0	4.0	20	100	400	1000
1,2,3,4,6,7,8-HeptaCDF	0.2	1.0	4.0	20	100	400	1000
1,2,3,4,7,8,9-HeptaCDF	0.2	1.0	4.0	20	100	400	1000
OctaCDF	0.5	2.5	10	50	250	1000	2500
2,3,7,8-TetraCDD	0.1	0.5	2.0	10	50	200	500
1,3,6,8-TetraCDD	0.1	0.5	2.0	10	50	200	500
1,3,7,9-TetraCDD	0.1	0.5	2.0	10	50	200	500
1,2,8,9-TetraCDD	0.1	0.5	2.0	10	50	200	500
1,2,3,7,8-PentaCDD	0.1	0.5	2.0	10	50	200	500
1,2,3,4,7,8-HexaCDD	0.2	1.0	4.0	20	100	400	1000
1,2,3,6,7,8-HexaCDD	0.2	1.0	4.0	20	100	400	1000
1,2,3,7,8,9-HexaCDD	0.2	1.0	4.0	20	100	400	1000
1,2,3,4,6,7,8-HeptaCDD	0.2	1.0	4.0	20	100	400	1000
OctaCDD	0.5	2.5	10	50	250	1000	2500

**13C-Labelled Compound** CS1H CS2H CS3H CS4H CS5H CS6H CS7H

2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,2,99%)	10	10	10	10	10	10	10
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,2,99%)	10	10	10	10	10	10	10
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	20
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,4,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	10
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	20

**New** CIL-EDF-5429-6H Two Column Dioxin & Duran Calibration Solutions [6H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 6 x 0.2 mL

**New** CIL-EDF-5429-CS1H Two Column Dioxin & Duran Calibration Solutions [CS1H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 0.2 mL

**New** CIL-EDF-5429-CS2H Two Column Dioxin & Duran Calibration Solutions [CS2H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 0.2 mL

**New** CIL-EDF-5429-CS3H Two Column Dioxin & Duran Calibration Solutions [CS3H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 0.2 mL

**New** CIL-EDF-5429-CS4H Two Column Dioxin & Duran Calibration Solutions [CS4H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 0.2 mL

**New** CIL-EDF-5429-CS5H Two Column Dioxin & Duran Calibration Solutions [CS5H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 0.2 mL

**New** CIL-EDF-5429-CS6H Two Column Dioxin & Duran Calibration Solutions [CS6H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 0.2 mL

**New** CIL-EDF-5429-CS7H Two Column Dioxin & Duran Calibration Solutions [CS7H] (unlabelled/<sup>13</sup>C<sub>12</sub>,99%) 0.2 mL

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																								
<b>New</b>	CIL-EDF-5429-CS8HTwo Column Dioxin & Duran Calibration Solutions [CS8H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	0.2 mL																																																																																																								
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Native Compounds</th> <th style="text-align: left;">Concentration</th> <th style="text-align: left;">Native Compounds</th> <th style="text-align: left;">Concentration</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TetraCDF</td><td>1000 ng/mL</td><td>OctaCDF</td><td>5000 ng/mL</td></tr> <tr><td>1,3,6,8-TetraCDF</td><td>1000 ng/mL</td><td>2,3,7,8-TetraCDD</td><td>1000 ng/mL</td></tr> <tr><td>1,2,7,8-TetraCDF</td><td>1000 ng/mL</td><td>1,3,6,8-TetraCDD</td><td>1000 ng/mL</td></tr> <tr><td>1,2,8,9-TetraCDF</td><td>1000 ng/mL</td><td>1,3,7,9-TetraCDD</td><td>1000 ng/mL</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td>1000 ng/mL</td><td>1,2,8,9-TetraCDD</td><td>1000 ng/mL</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td>1000 ng/mL</td><td>1,2,3,7,8-PentaCDD</td><td>1000 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td>2000 ng/mL</td><td>1,2,3,4,7,8-HexaCDD</td><td>2000 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td>2000 ng/mL</td><td>1,2,3,6,7,8-HexaCDD</td><td>2000 ng/mL</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td>2000 ng/mL</td><td>1,2,3,7,8,9-HexaCDD</td><td>2000 ng/mL</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td>2000 ng/mL</td><td>1,2,3,4,6,7,8-HeptaCDD</td><td>2000 ng/mL</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF</td><td>2000 ng/mL</td><td>OctaCDD</td><td>5000 ng/mL</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF</td><td>2000 ng/mL</td><td></td><td></td></tr> <tr> <th style="text-align: left;"><sup>13</sup>C-Labelled Compounds</th> <th style="text-align: left;">Concentration</th> <th style="text-align: left;"><sup>13</sup>C-Labelled Compounds</th> <th style="text-align: left;">Concentration</th> </tr> <tr><td>2,3,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,4,6,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>1,3,6,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>OctaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20 ng/mL</td></tr> <tr><td>1,2,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,4,6-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,4,6,7-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,7,8,9-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20 ng/mL</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10 ng/mL</td><td></td><td></td></tr> </tbody> </table>	Native Compounds	Concentration	Native Compounds	Concentration	2,3,7,8-TetraCDF	1000 ng/mL	OctaCDF	5000 ng/mL	1,3,6,8-TetraCDF	1000 ng/mL	2,3,7,8-TetraCDD	1000 ng/mL	1,2,7,8-TetraCDF	1000 ng/mL	1,3,6,8-TetraCDD	1000 ng/mL	1,2,8,9-TetraCDF	1000 ng/mL	1,3,7,9-TetraCDD	1000 ng/mL	1,2,3,7,8-PentaCDF	1000 ng/mL	1,2,8,9-TetraCDD	1000 ng/mL	2,3,4,7,8-PentaCDF	1000 ng/mL	1,2,3,7,8-PentaCDD	1000 ng/mL	1,2,3,4,7,8-HexaCDF	2000 ng/mL	1,2,3,4,7,8-HexaCDD	2000 ng/mL	1,2,3,6,7,8-HexaCDF	2000 ng/mL	1,2,3,6,7,8-HexaCDD	2000 ng/mL	2,3,4,6,7,8-HexaCDF	2000 ng/mL	1,2,3,7,8,9-HexaCDD	2000 ng/mL	1,2,3,7,8,9-HexaCDF	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDD	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDF	2000 ng/mL	OctaCDD	5000 ng/mL	1,2,3,4,7,8,9-HeptaCDF	2000 ng/mL			<sup>13</sup> C-Labelled Compounds	Concentration	<sup>13</sup> C-Labelled Compounds	Concentration	2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL	1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,7-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL			
Native Compounds	Concentration	Native Compounds	Concentration																																																																																																							
2,3,7,8-TetraCDF	1000 ng/mL	OctaCDF	5000 ng/mL																																																																																																							
1,3,6,8-TetraCDF	1000 ng/mL	2,3,7,8-TetraCDD	1000 ng/mL																																																																																																							
1,2,7,8-TetraCDF	1000 ng/mL	1,3,6,8-TetraCDD	1000 ng/mL																																																																																																							
1,2,8,9-TetraCDF	1000 ng/mL	1,3,7,9-TetraCDD	1000 ng/mL																																																																																																							
1,2,3,7,8-PentaCDF	1000 ng/mL	1,2,8,9-TetraCDD	1000 ng/mL																																																																																																							
2,3,4,7,8-PentaCDF	1000 ng/mL	1,2,3,7,8-PentaCDD	1000 ng/mL																																																																																																							
1,2,3,4,7,8-HexaCDF	2000 ng/mL	1,2,3,4,7,8-HexaCDD	2000 ng/mL																																																																																																							
1,2,3,6,7,8-HexaCDF	2000 ng/mL	1,2,3,6,7,8-HexaCDD	2000 ng/mL																																																																																																							
2,3,4,6,7,8-HexaCDF	2000 ng/mL	1,2,3,7,8,9-HexaCDD	2000 ng/mL																																																																																																							
1,2,3,7,8,9-HexaCDF	2000 ng/mL	1,2,3,4,6,7,8-HeptaCDD	2000 ng/mL																																																																																																							
1,2,3,4,6,7,8-HeptaCDF	2000 ng/mL	OctaCDD	5000 ng/mL																																																																																																							
1,2,3,4,7,8,9-HeptaCDF	2000 ng/mL																																																																																																									
<sup>13</sup> C-Labelled Compounds	Concentration	<sup>13</sup> C-Labelled Compounds	Concentration																																																																																																							
2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL																																																																																																							
1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,7-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																							
1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL																																																																																																							
1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL																																																																																																									
<b>New</b>	CIL-EDF-5430 Two column Dioxin & Furan clean up spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																								
	<table style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>2,3,7,8-Tetrachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,7,8-Pentachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>2,3,4,7,8-Pentachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-Hexachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-Hexachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>2,3,4,6,7,8-Hexachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,7,8,9-Hexachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,4,6,7,8-Heptachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,4,7,8,9-Heptachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>Octachlorodibenzofuran (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> <tr><td>2,3,7,8-Tetrachlorodibenzo-p-dioxin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,7,8-Pentachlorodibenzo-p-dioxin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>Octachlorodibenzo-p-dioxin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100 ng/mL</td></tr> </tbody> </table>	2,3,7,8-Tetrachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,7,8-Pentachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	2,3,4,7,8-Pentachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,6,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	2,3,4,6,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,7,8,9-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,6,7,8-Heptachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,7,8,9-Heptachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	Octachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,7,8-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	Octachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																							
2,3,7,8-Tetrachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,7,8-Pentachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
2,3,4,7,8-Pentachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,4,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,6,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
2,3,4,6,7,8-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,7,8,9-Hexachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,4,6,7,8-Heptachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,4,7,8,9-Heptachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
Octachlorodibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																									
2,3,7,8-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,7,8-Pentachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																									
Octachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																									
<b>New</b>	CIL-EDF-5431 Two column Dioxin & Furan syringe spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																								
	<table style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1,2,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td><td>1,2,3,4,6,7-HexaCDD(<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> <tr><td>1,2,3,4,6-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td><td>1,2,3,4,6,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>50 ng/mL</td></tr> </tbody> </table>	1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,6,7-HexaCDD( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																	
1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,6,7-HexaCDD( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																							
1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL																																																																																																							
<b>New</b>	CIL-EDF-5431-20X Two column Dioxin & Furan syringe spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																								
	<table style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1,2,7,8-TetraCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>1000 ng/mL</td><td>1,2,3,4,6,7-HexaCDD(<sup>13</sup>C<sub>12</sub>,99%)</td><td>1000 ng/mL</td></tr> <tr><td>1,2,3,4,6-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>1000 ng/mL</td><td>1,2,3,4,6,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>1000 ng/mL</td></tr> </tbody> </table>	1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL	1,2,3,4,6,7-HexaCDD( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL	1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL																																																																																																	
1,2,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL	1,2,3,4,6,7-HexaCDD( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL																																																																																																							
1,2,3,4,6-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL	1,2,3,4,6,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL																																																																																																							





## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5443	Two column Dioxin & Furan & PCB calibration solutions [CS1H-CS6H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane All concentrations are in ng/mL	6 x 0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Native Compounds</th> <th>CS1H</th> <th>CS2H</th> <th>CS3H</th> <th>CS4H</th> <th>CS5H</th> <th>CS6H</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TetraCDF</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,3,6,8-TetraCDF</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,7,8-TetraCDF</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,8,9-TetraCDF</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,7,8-PentaCDF</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3,4,7,8-PentaCDF</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,4,7,8-HexaCDF</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,6,7,8-HexaCDF</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3,4,6,7,8-HexaCDF</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,7,8,9-HexaCDF</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDF</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,4,7,8,9-HeptaCDF</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>OctaCDF</td><td>0.5</td><td>2.5</td><td>10</td><td>50</td><td>250</td><td>1000</td></tr> <tr><td>2,3,7,8-TetraCDD</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,3,6,8-TetraCDD</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,3,7,9-TetraCDD</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,8,9-TetraCDD</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,7,8-PentaCDD</td><td>0.1</td><td>0.5</td><td>2.0</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,7,8,9-HexaCDD</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>OctaCDD</td><td>0.5</td><td>2.5</td><td>10</td><td>50</td><td>250</td><td>1000</td></tr> <tr><td>3,4,4',5-TetraCB (PCB-81)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>3,3',4,4'-TetraCB (PCB-77)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>3,3',4,4',5-PentaCB (PCB-126)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (PCB-169)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2',3,4,4',5-PentaCB (PCB-123)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3',4,4',5-PentaCB (PCB-118)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3,3',4,4'-PentaCB (PCB-105)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3,4,4',5-PentaCB (PCB-114)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (PCB-167)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3,3',4,4',5-HexaCB (PCB-156)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (PCB-157)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (PCB-189)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB (PCB-170)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (PCB-180)</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td><td>400</td></tr> <tr> <th style="text-align: left;"><sup>13</sup>C-Labelled Compound</th> <th>CS1H</th> <th>CS2H</th> <th>CS3H</th> <th>CS4H</th> <th>CS5H</th> <th>CS6H</th> </tr> <tr><td>1,2,3,4-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,3,6,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,7,8-TetraCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PentaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HeptaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OctaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,7,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,7,8-TCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,7,8-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6-PeCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,6,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,6,7,8-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,7,8,9-HxCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,7,8-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,6,8,9-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>1,2,3,4,7,8,9-HpCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>OCDF (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>3,4,4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 81)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 77)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 126)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 169)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2',3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 123)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 118)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 105)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 114)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 167)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5-HexaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 156)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 157)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 189)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 170)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 180)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 70)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 111)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5-HexaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 138)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',5,5',6-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 178)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 79)</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> </tbody> </table>	Native Compounds	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H	2,3,7,8-TetraCDF	0.1	0.5	2.0	10	50	200	1,3,6,8-TetraCDF	0.1	0.5	2.0	10	50	200	1,2,7,8-TetraCDF	0.1	0.5	2.0	10	50	200	1,2,8,9-TetraCDF	0.1	0.5	2.0	10	50	200	1,2,3,7,8-PentaCDF	0.1	0.5	2.0	10	50	200	2,3,4,7,8-PentaCDF	0.1	0.5	2.0	10	50	200	1,2,3,4,7,8-HexaCDF	0.2	1.0	4.0	20	100	400	1,2,3,6,7,8-HexaCDF	0.2	1.0	4.0	20	100	400	2,3,4,6,7,8-HexaCDF	0.2	1.0	4.0	20	100	400	1,2,3,7,8,9-HexaCDF	0.2	1.0	4.0	20	100	400	1,2,3,4,6,7,8-HeptaCDF	0.2	1.0	4.0	20	100	400	1,2,3,4,7,8,9-HeptaCDF	0.2	1.0	4.0	20	100	400	OctaCDF	0.5	2.5	10	50	250	1000	2,3,7,8-TetraCDD	0.1	0.5	2.0	10	50	200	1,3,6,8-TetraCDD	0.1	0.5	2.0	10	50	200	1,3,7,9-TetraCDD	0.1	0.5	2.0	10	50	200	1,2,8,9-TetraCDD	0.1	0.5	2.0	10	50	200	1,2,3,7,8-PentaCDD	0.1	0.5	2.0	10	50	200	1,2,3,4,7,8-HexaCDD	0.2	1.0	4.0	20	100	400	1,2,3,6,7,8-HexaCDD	0.2	1.0	4.0	20	100	400	1,2,3,7,8,9-HexaCDD	0.2	1.0	4.0	20	100	400	1,2,3,4,6,7,8-HeptaCDD	0.2	1.0	4.0	20	100	400	OctaCDD	0.5	2.5	10	50	250	1000	3,4,4',5-TetraCB (PCB-81)	0.2	1.0	4.0	20	100	400	3,3',4,4'-TetraCB (PCB-77)	0.2	1.0	4.0	20	100	400	3,3',4,4',5-PentaCB (PCB-126)	0.2	1.0	4.0	20	100	400	3,3',4,4',5,5'-HexaCB (PCB-169)	0.2	1.0	4.0	20	100	400	2',3,4,4',5-PentaCB (PCB-123)	0.2	1.0	4.0	20	100	400	2,3',4,4',5-PentaCB (PCB-118)	0.2	1.0	4.0	20	100	400	2,3,3',4,4'-PentaCB (PCB-105)	0.2	1.0	4.0	20	100	400	2,3,4,4',5-PentaCB (PCB-114)	0.2	1.0	4.0	20	100	400	2,3',4,4',5,5'-HexaCB (PCB-167)	0.2	1.0	4.0	20	100	400	2,3,3',4,4',5-HexaCB (PCB-156)	0.2	1.0	4.0	20	100	400	2,3,3',4,4',5'-HexaCB (PCB-157)	0.2	1.0	4.0	20	100	400	2,3,3',4,4',5,5'-HeptaCB (PCB-189)	0.2	1.0	4.0	20	100	400	2,2',3,3',4,4',5-HeptaCB (PCB-170)	0.2	1.0	4.0	20	100	400	2,2',3,4,4',5,5'-HeptaCB (PCB-180)	0.2	1.0	4.0	20	100	400	<sup>13</sup> C-Labelled Compound	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H	1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	2,3,4,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,7,8,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,6,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	1,2,3,4,7,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10	OCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 81)	10	10	10	10	10	10	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 77)	10	10	10	10	10	10	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 126)	10	10	10	10	10	10	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 169)	10	10	10	10	10	10	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 123)	10	10	10	10	10	10	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 118)	10	10	10	10	10	10	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 105)	10	10	10	10	10	10	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 114)	10	10	10	10	10	10	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 167)	10	10	10	10	10	10	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 156)	10	10	10	10	10	10	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 157)	10	10	10	10	10	10	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 189)	10	10	10	10	10	10	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 170)	10	10	10	10	10	10	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 180)	10	10	10	10	10	10	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 70)	10	10	10	10	10	10	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 111)	10	10	10	10	10	10	2,2',3,4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 138)	10	10	10	10	10	10	2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 178)	10	10	10	10	10	10	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 79)	10	10	10	10	10	10	
Native Compounds	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,7,8-TetraCDF	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,3,6,8-TetraCDF	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,7,8-TetraCDF	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,8,9-TetraCDF	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDF	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,4,7,8-PentaCDF	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDF	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDF	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,4,6,7,8-HexaCDF	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDF	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDF	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,7,8,9-HeptaCDF	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
OctaCDF	0.5	2.5	10	50	250	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,7,8-TetraCDD	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,3,6,8-TetraCDD	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,3,7,9-TetraCDD	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,8,9-TetraCDD	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDD	0.1	0.5	2.0	10	50	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDD	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDD	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,7,8,9-HexaCDD	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDD	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
OctaCDD	0.5	2.5	10	50	250	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,4,4',5-TetraCB (PCB-81)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,3',4,4'-TetraCB (PCB-77)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5-PentaCB (PCB-126)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5,5'-HexaCB (PCB-169)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2',3,4,4',5-PentaCB (PCB-123)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5-PentaCB (PCB-118)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4'-PentaCB (PCB-105)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,4,4',5-PentaCB (PCB-114)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5,5'-HexaCB (PCB-167)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5-HexaCB (PCB-156)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5'-HexaCB (PCB-157)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5,5'-HeptaCB (PCB-189)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,2',3,3',4,4',5-HeptaCB (PCB-170)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,2',3,4,4',5,5'-HeptaCB (PCB-180)	0.2	1.0	4.0	20	100	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
<sup>13</sup> C-Labelled Compound	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,7,8-TCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,4,7,8-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,6-PeCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,4,6,7,8-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,7,8,9-HxCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,6,7,8-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,6,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1,2,3,4,7,8,9-HpCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
OCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 81)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 77)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 126)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 169)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 123)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 118)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 105)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 114)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 167)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 156)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 157)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 189)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 170)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 180)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 70)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 111)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,2',3,4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 138)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 178)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 79)	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
<b>New</b> CIL-EDF-5443-CS1H	Two column Dioxin & Furan & PCB calibration solutions [CS1H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5443-CS2H	Two column Dioxin & Furan & PCB calibration solutions [CS2H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5443-CS3H	Two column Dioxin & Furan & PCB calibration solutions [CS3H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5443-CS4H	Two column Dioxin & Furan & PCB calibration solutions [CS4H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5443-CS5H	Two column Dioxin & Furan & PCB calibration solutions [CS5H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
<b>New</b> CIL-EDF-5443-CS6H	Two column Dioxin & Furan & PCB calibration solutions [CS6H] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									



## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
<b>Mono-tri dioxin &amp; furan standard mixtures</b>		
CIL-EDF-4954	Mono-TriCDD/CDF Native Solution 1 µg/mL of each analyte in Nonane 2-MonoCDD                      2,3,7-TriCDD                      2,8-DiCDF 2,3-DiCDD                      2-MonoCDF                      2,4,8-TriCDF	1.2 mL
CIL-EDF-4955	Mono-TriCDD/CDF <sup>13</sup> C-Labelled Solution 1 µg/mL of each analyte in Nonane 2-MonoCDD ( <sup>13</sup> C <sub>12</sub> ,99%)      2,3,7-TriCDD ( <sup>13</sup> C <sub>12</sub> ,99%)      2,8-DiCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3-DiCDD ( <sup>13</sup> C <sub>12</sub> ,99%)      2-MonoCDF ( <sup>13</sup> C <sub>12</sub> ,99%)      2,4,8-TriCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL
<b>Isotope labelled dioxin and furan standard mixtures</b>		
CIL-EDF-957	Carbon - 13 Quantifying Cocktail (2,3,7,8 PentaCDD/PentaCDF Isomers) 1 µg/mL of each analyte in Nonane 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	3 x 0.4 mL
CIL-EDF-4067	Tetra-OctaCDD and CDF Standard Solution (2,3,7,8-isomers) 1 µg/mL of each analyte in Nonane. <sup>13</sup> C-Labelled Dioxins 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) <sup>13</sup> C-Labelled Furans 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL
CIL-EDF-4067-A	Tetra-Octa Chlorodibenzo-p-dioxin and Dibenzofuran Standard Solution (2,3,7,8-isomers excluding 1,2,3,7,8,9-HxCDD) 1 µg/mL of each analyte in Nonane. <sup>13</sup> C-Labelled Dioxins 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)                      OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) <sup>13</sup> C-Labelled Furans 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)                      OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL
CIL-EDF-4903	Tetra-Octa CDD & CDF Standard Solution (2,3,7,8 isomers + 1,3,6,8-TCDD) 1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2 µg/mL 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2 µg/mL	1.2 mL
CIL-EDF-5304	Dioxin & Furan Clean Up Spike ( <sup>13</sup> C <sub>12</sub> ,99%) (2,3,7,8 isomers + 1,3,6,8-TCDD and TCDF) Solvent: Nonane 1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2 µg/mL                      1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL 1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL                      OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2 µg/mL 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1 µg/mL	1.2 mL

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																				
CIL-ED-998	TetraCDD-OctaCDD Standard Solution (2,3,7,8 isomers) 1 µg/mL of each analyte in Nonane 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL  1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)																				
CIL-EF-999	TetraCDF-OctaCDF Standard Solution (2,3,7,8 isomers excluding 2,3,4,6,7,8-HexaCDF) 1 µg/mL of each analyte in Nonane. 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL  1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)																				
CIL-EDF-4136-A	Pre-Sampling Spike Mix ( <sup>13</sup> C <sub>12</sub> ,99%; <sup>37</sup> Cl <sub>4</sub> ,96%) <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Component</th> <th style="text-align: left;">Concentration</th> <th style="text-align: left;">Component</th> <th style="text-align: left;">Concentration</th> </tr> </thead> <tbody> <tr> <td>2,3-DiCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>2.5 µg/mL</td> <td>2,3,4,7,8-PentaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,8-DiCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>2.5 µg/mL</td> <td>1,2,3,4,7,8-HexaCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,3,7-TriCDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>2.5 µg/mL</td> <td>1,2,3,4,7,8-HexaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,3,7,8-TetraCDD (<sup>37</sup>Cl<sub>4</sub>,96%)</td> <td>1.25 µg/mL</td> <td>1,2,3,4,7,8,9-HeptaCDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>2.5 µg/mL</td> </tr> </tbody> </table>	Component	Concentration	Component	Concentration	2,3-DiCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	2,8-DiCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	2,3,7-TriCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	1.25 µg/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	1 mL
Component	Concentration	Component	Concentration																			
2,3-DiCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL																			
2,8-DiCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL																			
2,3,7-TriCDD ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL																			
2,3,7,8-TetraCDD ( <sup>37</sup> Cl <sub>4</sub> ,96%)	1.25 µg/mL	1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	2.5 µg/mL																			
CIL-EDF-4137-A	Internal Standard Mix-High ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 2-MonoCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 2-MonoCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,7/2,8-DiCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 2,4-DiCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,4,8-TriCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1 mL  1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%)																				
CIL-EDF-5192	Dioxin/Furan Cleanup Spike ( <sup>13</sup> C <sub>12</sub> , 99%) Solvent: Nonane 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL  2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,4,6,7,8-HexaCDF 1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)																				
CIL-EDF-5174-40X	1,3,6,8-TetraCDD/F Containing Clean-Up Spike (40x stock solution) Solvent: Nonane 1,3,6,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8-PentaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8,9-HexaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDD ( <sup>13</sup> C <sub>12</sub> ,99%) 1,3,6,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL  1,2,3,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,4,7,8-PentaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,7,8,9-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 2,3,4,6,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,6,7,8-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1,2,3,4,7,8,9-HeptaCDF ( <sup>13</sup> C <sub>12</sub> ,99%) OctaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)																				

### Unlabelled dioxin and furan standard mixtures

CIL-ED-906B-5	TetraCDD-HeptaCDD Standard Solution (B) (2,3,7,8 isomers) 5 µg/mL of each analyte in Nonane 2,3,7,8-TetraCDD 1,2,3,7,8-PentaCDD 1,2,3,4,7,8-HexaCDD	1.2 mL  1,2,3,6,7,8-HexaCDD 1,2,3,7,8,9-HexaCDD 1,2,3,4,6,7,8-HeptaCDD
CIL-ED-906B-25	TetraCDD-HeptaCDD Standard Solution (B) (2,3,7,8 isomers) 25 µg/mL of each analyte in Nonane 2,3,7,8-TetraCDD 1,2,3,7,8-PentaCDD 1,2,3,4,7,8-HexaCDD	1.2 mL  1,2,3,6,7,8-HexaCDD 1,2,3,7,8,9-HexaCDD 1,2,3,4,6,7,8-HeptaCDD
CIL-EF-909B-5	TetraCDF-HeptaCDF Standard Solution (B) (2,3,7,8 isomers) 5 µg/mL of each analyte in Nonane 2,3,7,8-TetraCDF 1,2,3,7,8-PentaCDF 2,3,4,7,8-PentaCDF 1,2,3,4,7,8-HexaCDF 1,2,3,6,7,8-HexaCDF	1.2 mL  1,2,3,7,8,9-HexaCDF 2,3,4,6,7,8-HexaCDF 1,2,3,4,6,7,8-HeptaCDF 1,2,3,4,7,8,9-HeptaCDF

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EF-909B-25	TetraCDF-HeptaCDF Standard Solution (B) (2,3,7,8 isomers) 25 µg/mL of each analyte in Nonane 2,3,7,8-TetraCDF 1,2,3,7,8-PentaCDF 2,3,4,7,8-PentaCDF 1,2,3,4,7,8-HexaCDF 1,2,3,6,7,8-HexaCDF	1.2 mL
CIL-ED-4135	Chlorodioxin Mix-High (unlabeled) Solvent: Nonane 2-MonoCDD ..... 5 µg/mL 2,8-DiCDD ..... 5 µg/mL 2,3,7-TriCDD ..... 5 µg/mL 2,3,7,8-TetraCDD ..... 5 µg/mL 1,2,3,7,8-PentaCDD ..... 5 µg/mL	1 mL
CIL-EF-4134	Chlorodibenzofuran Mix-High (unlabeled) Solvent: Nonane 2-MonoCDF ..... 5 µg/mL 2,4-DiCDF ..... 5 µg/mL 2,4,6-TriCDF ..... 5 µg/mL 2,3,7,8-TetraCDF ..... 5 µg/mL 1,2,3,7,8-PentaCDF ..... 5 µg/mL 2,3,4,7,8-PentaCDF ..... 5 µg/mL 1,2,3,4,7,8-HexaCDF ..... 5 µg/mL	1 mL

### Chlorodioxin and chlorofuran window defining mixtures

CIL-EDF-4147	PCDD/PCDF Window Defining and Isomer Specificity Mix (DB-5 and DB-225 Columns) Solvent: Nonane 1,3,6,8-TetraCDD ..... 200 ng/mL 1,2,8,9-TetraCDD ..... 200 ng/mL 2,3,7,8-TetraCDD ..... 200 ng/mL 2,3,7,8-TetraCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 200 ng/mL 1,2,3,7/1,2,3,8-TetraCDD ..... 200 ng/mL 1,2,3,9-TetraCDD ..... 200 ng/mL 1,3,6,8-TetraCDF ..... 200 ng/mL 1,2,8,9-TetraCDF ..... 200 ng/mL 2,3,7,8-TetraCDF ..... 200 ng/mL 2,3,7,8-TetraCDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 200 ng/mL 2,3,4,7-TetraCDF ..... 200 ng/mL 1,2,3,9-TetraCDF ..... 200 ng/mL	1.2 mL
<b>New</b> CIL-ED-1732-S	TCDD-HPCDD Window Defining (DB-5) Solvent: Nonane 1,3,6,8-TCDD ..... 800 ng/mL 1,2,8,9-TCDD ..... 800 ng/mL 1,2,4,6,8/1,2,4,7,9-PeCDD ..... 800 ng/mL 1,2,3,8,9-PeCDD ..... 800 ng/mL	vial
<b>New</b> CIL-EF-1731-S	TCDF-HPCDF Window Defining Mixture (DB-5) (unlabelled) Solvent: Nonane 1,3,6,8-Tetrachlorodibenzofuran ..... 800 ng/mL 1,2,8,9-Tetrachlorodibenzofuran ..... 800 ng/mL 1,3,4,6,8-Pentachlorodibenzofuran ..... 800 ng/mL 1,2,3,8,9-Pentachlorodibenzofuran ..... 800 ng/mL	0.5 mL

### TCDD & TCDF column performance mixtures

CIL-ED-908	TetraCDD Column Performance Solution Mixture Solvent: Nonane 1,2,3,4-TetraCDD ..... 10 µg/mL 1,2,3,7/1,2,3,8-TetraCDD ..... 10 µg/mL 1,2,7,8-TetraCDD ..... 10 µg/mL	1.2 mL
CIL-ED-935-A	Tetra-CDD Column Performance Check Solution Solvent: Nonane 2,3,7,8-TetraCDD ..... 100 ng/mL 1,2,3,4-TetraCDD ..... 100 ng/mL 1,4,7,8-TetraCDD ..... 100 ng/mL 1,2,3,7/1,2,3,8-TetraCDD ..... 100 ng/mL	0.55 mL

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																				
<b>Bromodioxin/Furan calibration mixtures</b>																																																																																																																																																																																						
<b>New</b> CIL-EDF-5407	Bromodioxin/furan calibration standard solution [CS1-CS5] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) All concentrations are in ng/mL	5 x 0.2 mL																																																																																																																																																																																				
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Native Compounds</th> <th style="text-align: center;">CS1</th> <th style="text-align: center;">CS2</th> <th style="text-align: center;">CS3</th> <th style="text-align: center;">CS4</th> <th style="text-align: center;">CS5</th> </tr> </thead> <tbody> <tr><td>2,3,7,8-TBDD</td><td>0.1</td><td>0.4</td><td>2.0</td><td>10</td><td>50</td></tr> <tr><td>1,2,3,7,8-PeBDD</td><td>0.2</td><td>1.0</td><td>4.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,4,7,8-HxBDD</td><td>0.6</td><td>2.4</td><td>12.0</td><td>60</td><td>300</td></tr> <tr><td>1,2,3,6,7,8-HxBDD</td><td>0.6</td><td>2.4</td><td>12.0</td><td>60</td><td>300</td></tr> <tr><td>1,2,3,7,8,9-HxBDD</td><td>0.6</td><td>2.4</td><td>12.0</td><td>60</td><td>300</td></tr> <tr><td>1,2,3,4,6,7,8-HpBDD</td><td>0.8</td><td>3.0</td><td>15.0</td><td>75</td><td>375</td></tr> <tr><td>OBDD</td><td>1.0</td><td>4.0</td><td>20.0</td><td>100</td><td>500</td></tr> <tr><td>2,3,7,8-TBDF</td><td>0.2</td><td>0.8</td><td>4.0</td><td>20</td><td>100</td></tr> <tr><td>2,4,6,8-TBDF</td><td>0.2</td><td>0.8</td><td>4.0</td><td>20</td><td>100</td></tr> <tr><td>1,2,3,7,8-PeBDF</td><td>0.4</td><td>1.6</td><td>8.0</td><td>40</td><td>200</td></tr> <tr><td>2,3,4,7,8-PeBDF</td><td>0.4</td><td>1.6</td><td>8.0</td><td>40</td><td>200</td></tr> <tr><td>1,2,3,4,7,8-HxBDF</td><td>0.6</td><td>2.4</td><td>12.0</td><td>60</td><td>300</td></tr> <tr><td>1,2,3,4,6,7,8-HpBDF</td><td>0.8</td><td>3.0</td><td>15.0</td><td>75</td><td>375</td></tr> <tr><td>OBDF</td><td>1.0</td><td>4.0</td><td>20.0</td><td>100</td><td>500</td></tr> <tr> <th style="text-align: left;"><sup>13</sup>C-Labelled Compounds</th> <th style="text-align: center;">CS1</th> <th style="text-align: center;">CS2</th> <th style="text-align: center;">CS3</th> <th style="text-align: center;">CS4</th> <th style="text-align: center;">CS5</th> </tr> <tr><td>2,3,7,8-TBDD (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>1,2,3,7,8-PeBDD (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>1,2,3,4,7,8-HxBDD (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>50</td><td>50</td><td>50</td><td>50</td><td>50</td></tr> <tr><td>1,2,3,6,7,8-HxBDD (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>50</td><td>50</td><td>50</td><td>50</td><td>50</td></tr> <tr><td>1,2,3,7,8,9-HxBDD (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>50</td><td>50</td><td>50</td><td>50</td><td>50</td></tr> <tr><td>1,2,3,4,6,7,8-HpBDD (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>OBDD (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>150</td><td>150</td><td>150</td><td>150</td><td>150</td></tr> <tr><td>2,3,7,8-TBDF (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,4,6,8-TBDF (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>1,2,3,7,8-PeBDF (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,4,7,8-PeBDF (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>1,2,3,4,7,8-HxBDF (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>50</td><td>50</td><td>50</td><td>50</td><td>50</td></tr> <tr><td>1,2,3,4,6,7,8-HpBDF (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>OBDF (<sup>13</sup>C<sub>12</sub>, 99%)</td><td>150</td><td>150</td><td>150</td><td>150</td><td>150</td></tr> </tbody> </table>	Native Compounds	CS1	CS2	CS3	CS4	CS5	2,3,7,8-TBDD	0.1	0.4	2.0	10	50	1,2,3,7,8-PeBDD	0.2	1.0	4.0	20	100	1,2,3,4,7,8-HxBDD	0.6	2.4	12.0	60	300	1,2,3,6,7,8-HxBDD	0.6	2.4	12.0	60	300	1,2,3,7,8,9-HxBDD	0.6	2.4	12.0	60	300	1,2,3,4,6,7,8-HpBDD	0.8	3.0	15.0	75	375	OBDD	1.0	4.0	20.0	100	500	2,3,7,8-TBDF	0.2	0.8	4.0	20	100	2,4,6,8-TBDF	0.2	0.8	4.0	20	100	1,2,3,7,8-PeBDF	0.4	1.6	8.0	40	200	2,3,4,7,8-PeBDF	0.4	1.6	8.0	40	200	1,2,3,4,7,8-HxBDF	0.6	2.4	12.0	60	300	1,2,3,4,6,7,8-HpBDF	0.8	3.0	15.0	75	375	OBDF	1.0	4.0	20.0	100	500	<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5	2,3,7,8-TBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20	1,2,3,7,8-PeBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20	1,2,3,4,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50	1,2,3,6,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50	1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50	1,2,3,4,6,7,8-HpBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	100	100	100	100	100	OBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	150	150	150	150	150	2,3,7,8-TBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20	2,4,6,8-TBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20	1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20	2,3,4,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20	1,2,3,4,7,8-HxBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50	1,2,3,4,6,7,8-HpBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	100	100	100	100	100	OBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	150	150	150	150	150	
Native Compounds	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																	
2,3,7,8-TBDD	0.1	0.4	2.0	10	50																																																																																																																																																																																	
1,2,3,7,8-PeBDD	0.2	1.0	4.0	20	100																																																																																																																																																																																	
1,2,3,4,7,8-HxBDD	0.6	2.4	12.0	60	300																																																																																																																																																																																	
1,2,3,6,7,8-HxBDD	0.6	2.4	12.0	60	300																																																																																																																																																																																	
1,2,3,7,8,9-HxBDD	0.6	2.4	12.0	60	300																																																																																																																																																																																	
1,2,3,4,6,7,8-HpBDD	0.8	3.0	15.0	75	375																																																																																																																																																																																	
OBDD	1.0	4.0	20.0	100	500																																																																																																																																																																																	
2,3,7,8-TBDF	0.2	0.8	4.0	20	100																																																																																																																																																																																	
2,4,6,8-TBDF	0.2	0.8	4.0	20	100																																																																																																																																																																																	
1,2,3,7,8-PeBDF	0.4	1.6	8.0	40	200																																																																																																																																																																																	
2,3,4,7,8-PeBDF	0.4	1.6	8.0	40	200																																																																																																																																																																																	
1,2,3,4,7,8-HxBDF	0.6	2.4	12.0	60	300																																																																																																																																																																																	
1,2,3,4,6,7,8-HpBDF	0.8	3.0	15.0	75	375																																																																																																																																																																																	
OBDF	1.0	4.0	20.0	100	500																																																																																																																																																																																	
<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																	
2,3,7,8-TBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20																																																																																																																																																																																	
1,2,3,7,8-PeBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20																																																																																																																																																																																	
1,2,3,4,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50																																																																																																																																																																																	
1,2,3,6,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50																																																																																																																																																																																	
1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50																																																																																																																																																																																	
1,2,3,4,6,7,8-HpBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	100	100	100	100	100																																																																																																																																																																																	
OBDD ( <sup>13</sup> C <sub>12</sub> , 99%)	150	150	150	150	150																																																																																																																																																																																	
2,3,7,8-TBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20																																																																																																																																																																																	
2,4,6,8-TBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20																																																																																																																																																																																	
1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20																																																																																																																																																																																	
2,3,4,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	20	20	20	20	20																																																																																																																																																																																	
1,2,3,4,7,8-HxBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	50	50	50	50	50																																																																																																																																																																																	
1,2,3,4,6,7,8-HpBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	100	100	100	100	100																																																																																																																																																																																	
OBDF ( <sup>13</sup> C <sub>12</sub> , 99%)	150	150	150	150	150																																																																																																																																																																																	
<b>New</b> CIL-EDF-5407-1	Bromodioxin/furan calibration standard solution [CS1] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																				
<b>New</b> CIL-EDF-5407-2	Bromodioxin/furan calibration standard solution [CS1] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																				
<b>New</b> CIL-EDF-5407-3	Bromodioxin/furan calibration standard solution [CS3] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																				
<b>New</b> CIL-EDF-5407-4	Bromodioxin/furan calibration standard solution [CS4] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																				
<b>New</b> CIL-EDF-5407-5	Bromodioxin/furan calibration standard solution [CS5] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																				
<b>New</b> CIL-EDF-5408	Bromodioxin/furan clean-up spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	0.5 mL																																																																																																																																																																																				
	<table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>2,3,7,8-TBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">100 ng/mL</td> <td>2,3,7,8-TBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">100 ng/mL</td> </tr> <tr> <td>1,2,3,7,8-PeBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">100 ng/mL</td> <td>2,3,4,7,8-PeBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">100 ng/mL</td> </tr> <tr> <td>1,2,3,4,7,8-HxBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">250 ng/mL</td> <td>1,2,3,4,7,8-HxBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">250 ng/mL</td> </tr> <tr> <td>1,2,3,6,7,8-HxBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">250 ng/mL</td> <td>1,2,3,4,6,7,8-HpBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">500 ng/mL</td> </tr> <tr> <td>1,2,3,4,6,7,8-HpBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">500 ng/mL</td> <td>OBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">750 ng/mL</td> </tr> <tr> <td>OBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">750 ng/mL</td> <td></td> <td></td> </tr> </tbody> </table>	2,3,7,8-TBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,7,8-TBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,7,8-PeBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,4,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	1,2,3,4,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	250 ng/mL	1,2,3,4,7,8-HxBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	250 ng/mL	1,2,3,6,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	250 ng/mL	1,2,3,4,6,7,8-HpBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	500 ng/mL	1,2,3,4,6,7,8-HpBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	500 ng/mL	OBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	750 ng/mL	OBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	750 ng/mL																																																																																																																																																															
2,3,7,8-TBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,7,8-TBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																			
1,2,3,7,8-PeBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,3,4,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																			
1,2,3,4,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	250 ng/mL	1,2,3,4,7,8-HxBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	250 ng/mL																																																																																																																																																																																			
1,2,3,6,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	250 ng/mL	1,2,3,4,6,7,8-HpBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	500 ng/mL																																																																																																																																																																																			
1,2,3,4,6,7,8-HpBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	500 ng/mL	OBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	750 ng/mL																																																																																																																																																																																			
OBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	750 ng/mL																																																																																																																																																																																					
<b>New</b> CIL-EDF-5409	Bromodioxin/furan syringe spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																																																																																																				
	<table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>1,2,3,7,8,9-HxBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">500 ng/mL</td> <td>1,2,3,7,8-PeBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td style="text-align: center;">200 ng/mL</td> </tr> </tbody> </table>	1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	500 ng/mL	1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL																																																																																																																																																																																	
1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	500 ng/mL	1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL																																																																																																																																																																																			
<b>New</b> CIL-EF-5410	Bromodioxin/furan sampling spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																																																																																																				
	2,4,6,8-TBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL																																																																																																																																																																																				

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit																																																																																																																																																																																																																																																
CIL-EDF-5381	PBDD/F calibration solutions [CS1-CS7] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane All concentrations are in ng/mL	7 x 0.2 mL																																																																																																																																																																																																																																																
	<table border="1"> <thead> <tr> <th>Native analytes</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> <th>CS7</th> </tr> </thead> <tbody> <tr> <td>2,3,7,8-TeBDD</td> <td>0.1</td> <td>0.4</td> <td>2</td> <td>10</td> <td>20</td> <td>40</td> <td></td> </tr> <tr> <td>1,2,3,7,8-PeBDD</td> <td>0.2</td> <td>0.8</td> <td>4</td> <td>20</td> <td>40</td> <td>80</td> <td></td> </tr> <tr> <td>1,2,3,4,7,8-HxBDD</td> <td>0.75</td> <td>3</td> <td>15</td> <td>75</td> <td>150</td> <td>300</td> <td></td> </tr> <tr> <td>1,2,3,6,7,8-HxBDD</td> <td>0.75</td> <td>3</td> <td>15</td> <td>75</td> <td>150</td> <td>300</td> <td></td> </tr> <tr> <td>1,2,3,7,8,9-HxBDD</td> <td>0.75</td> <td>3</td> <td>15</td> <td>75</td> <td>150</td> <td>300</td> <td></td> </tr> <tr> <td>OBDD</td> <td>1</td> <td>4</td> <td>20</td> <td>100</td> <td>200</td> <td>400</td> <td>800</td> </tr> <tr> <td>2,3,7,8-TeBDF</td> <td>0.5</td> <td>2</td> <td>10</td> <td>50</td> <td>100</td> <td>200</td> <td></td> </tr> <tr> <td>2,4,6,8-TeBDF</td> <td>0.5</td> <td>2</td> <td>10</td> <td>50</td> <td>100</td> <td>200</td> <td></td> </tr> <tr> <td>1,2,3,7,8-PeBDF</td> <td>0.5</td> <td>2</td> <td>10</td> <td>50</td> <td>100</td> <td>200</td> <td></td> </tr> <tr> <td>2,3,4,7,8-PeBDF</td> <td>0.5</td> <td>2</td> <td>10</td> <td>50</td> <td>100</td> <td>200</td> <td></td> </tr> <tr> <td>1,2,3,4,7,8-HxBDF</td> <td>0.75</td> <td>3</td> <td>15</td> <td>75</td> <td>150</td> <td>300</td> <td></td> </tr> <tr> <td>1,2,3,4,6,7,8-HpBDF</td> <td>0.75</td> <td>3</td> <td>15</td> <td>75</td> <td>150</td> <td>300</td> <td>600</td> </tr> <tr> <td>OBDF</td> <td>1</td> <td>4</td> <td>20</td> <td>100</td> <td>200</td> <td>400</td> <td>800</td> </tr> <tr> <th>Clean up standards</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> <th>CS7</th> </tr> <tr> <td>2,3,7,8-TeBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>10</td> <td>10</td> <td>10</td> <td>10</td> <td>10</td> <td>10</td> <td></td> </tr> <tr> <td>1,2,3,7,8-PeBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>20</td> <td>20</td> <td>20</td> <td>20</td> <td>20</td> <td>20</td> <td></td> </tr> <tr> <td>1,2,3,4,7,8-HxBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>75</td> <td>75</td> <td>75</td> <td>75</td> <td>75</td> <td>75</td> <td></td> </tr> <tr> <td>1,2,3,6,7,8-HxBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>75</td> <td>75</td> <td>75</td> <td>75</td> <td>75</td> <td>75</td> <td></td> </tr> <tr> <td>OBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> </tr> <tr> <td>2,3,7,8-TeBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td></td> </tr> <tr> <td>2,3,4,7,8-PeBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td></td> </tr> <tr> <td>1,2,3,4,7,8-HxBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td></td> </tr> <tr> <td>1,2,3,4,6,7,8-HpBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>OBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> </tr> <tr> <th>Syringe standard</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> <th>CS7</th> </tr> <tr> <td>1,2,3,7,8-PeBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td></td> </tr> <tr> <td>1,2,3,7,8,9-HxBDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <th>Sampling standard</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> <th>CS7</th> </tr> <tr> <td>2,4,6,8-TeBDF (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td></td> </tr> </tbody> </table>	Native analytes	CS1	CS2	CS3	CS4	CS5	CS6	CS7	2,3,7,8-TeBDD	0.1	0.4	2	10	20	40		1,2,3,7,8-PeBDD	0.2	0.8	4	20	40	80		1,2,3,4,7,8-HxBDD	0.75	3	15	75	150	300		1,2,3,6,7,8-HxBDD	0.75	3	15	75	150	300		1,2,3,7,8,9-HxBDD	0.75	3	15	75	150	300		OBDD	1	4	20	100	200	400	800	2,3,7,8-TeBDF	0.5	2	10	50	100	200		2,4,6,8-TeBDF	0.5	2	10	50	100	200		1,2,3,7,8-PeBDF	0.5	2	10	50	100	200		2,3,4,7,8-PeBDF	0.5	2	10	50	100	200		1,2,3,4,7,8-HxBDF	0.75	3	15	75	150	300		1,2,3,4,6,7,8-HpBDF	0.75	3	15	75	150	300	600	OBDF	1	4	20	100	200	400	800	Clean up standards	CS1	CS2	CS3	CS4	CS5	CS6	CS7	2,3,7,8-TeBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10		1,2,3,7,8-PeBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20		1,2,3,4,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	75	75	75	75	75	75		1,2,3,6,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	75	75	75	75	75	75		OBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	225	225	225	225	225	225	225	2,3,7,8-TeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40		2,3,4,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40		1,2,3,4,7,8-HxBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40		1,2,3,4,6,7,8-HpBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100	100	OBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	225	225	225	225	225	225	225	Syringe standard	CS1	CS2	CS3	CS4	CS5	CS6	CS7	1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40		1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100	100	Sampling standard	CS1	CS2	CS3	CS4	CS5	CS6	CS7	2,4,6,8-TeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40		
Native analytes	CS1	CS2	CS3	CS4	CS5	CS6	CS7																																																																																																																																																																																																																																											
2,3,7,8-TeBDD	0.1	0.4	2	10	20	40																																																																																																																																																																																																																																												
1,2,3,7,8-PeBDD	0.2	0.8	4	20	40	80																																																																																																																																																																																																																																												
1,2,3,4,7,8-HxBDD	0.75	3	15	75	150	300																																																																																																																																																																																																																																												
1,2,3,6,7,8-HxBDD	0.75	3	15	75	150	300																																																																																																																																																																																																																																												
1,2,3,7,8,9-HxBDD	0.75	3	15	75	150	300																																																																																																																																																																																																																																												
OBDD	1	4	20	100	200	400	800																																																																																																																																																																																																																																											
2,3,7,8-TeBDF	0.5	2	10	50	100	200																																																																																																																																																																																																																																												
2,4,6,8-TeBDF	0.5	2	10	50	100	200																																																																																																																																																																																																																																												
1,2,3,7,8-PeBDF	0.5	2	10	50	100	200																																																																																																																																																																																																																																												
2,3,4,7,8-PeBDF	0.5	2	10	50	100	200																																																																																																																																																																																																																																												
1,2,3,4,7,8-HxBDF	0.75	3	15	75	150	300																																																																																																																																																																																																																																												
1,2,3,4,6,7,8-HpBDF	0.75	3	15	75	150	300	600																																																																																																																																																																																																																																											
OBDF	1	4	20	100	200	400	800																																																																																																																																																																																																																																											
Clean up standards	CS1	CS2	CS3	CS4	CS5	CS6	CS7																																																																																																																																																																																																																																											
2,3,7,8-TeBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	10																																																																																																																																																																																																																																												
1,2,3,7,8-PeBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																												
1,2,3,4,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	75	75	75	75	75	75																																																																																																																																																																																																																																												
1,2,3,6,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	75	75	75	75	75	75																																																																																																																																																																																																																																												
OBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	225	225	225	225	225	225	225																																																																																																																																																																																																																																											
2,3,7,8-TeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40																																																																																																																																																																																																																																												
2,3,4,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40																																																																																																																																																																																																																																												
1,2,3,4,7,8-HxBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40																																																																																																																																																																																																																																												
1,2,3,4,6,7,8-HpBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100	100																																																																																																																																																																																																																																											
OBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	225	225	225	225	225	225	225																																																																																																																																																																																																																																											
Syringe standard	CS1	CS2	CS3	CS4	CS5	CS6	CS7																																																																																																																																																																																																																																											
1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40																																																																																																																																																																																																																																												
1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100	100																																																																																																																																																																																																																																											
Sampling standard	CS1	CS2	CS3	CS4	CS5	CS6	CS7																																																																																																																																																																																																																																											
2,4,6,8-TeBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	40	40	40	40	40	40																																																																																																																																																																																																																																												
<b>New</b> CIL-EDF-5381-CS1	PBDD/F calibration solutions [CS1] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																
<b>New</b> CIL-EDF-5381-CS2	PBDD/F calibration solutions [CS2] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																
<b>New</b> CIL-EDF-5381-CS3	PBDD/F calibration solutions [CS3] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																
<b>New</b> CIL-EDF-5381-CS4	PBDD/F calibration solutions [CS4] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																
<b>New</b> CIL-EDF-5381-CS5	PBDD/F calibration solutions [CS5] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																
<b>New</b> CIL-EDF-5381-CS6	PBDD/F calibration solutions [CS6] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																
<b>New</b> CIL-EDF-5381-CS7	PBDD/F calibration solutions [CS7] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																																
CIL-EDF-5382	PBDD/F cleanup spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 2,3,7,8-TeBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 50 ng/mL 1,2,3,7,8-PeBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ng/mL 1,2,3,4,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 375 ng/mL 1,2,3,6,7,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 375 ng/mL OBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1125 ng/mL 2,3,7,8-TeBDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 200 ng/mL 2,3,4,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 200 ng/mL 1,2,3,4,7,8-HxBDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 375 ng/mL 1,2,3,4,6,7,8-HpBDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 500 ng/mL OBDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1125 ng/mL	0.5 mL																																																																																																																																																																																																																																																
CIL-EDF-5383	PBDD/F syringe spike stock ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 500 ng/mL 1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 200 ng/mL	1.2 mL																																																																																																																																																																																																																																																
CIL-EDF-5383-4X	PBDD/F syringe spike stock ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 1,2,3,7,8,9-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2000 ng/mL 1,2,3,7,8-PeBDF ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 800 ng/mL	1.2 mL																																																																																																																																																																																																																																																
CIL-EF-5384	PBDD/F sampling spike stock ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 2,4,6,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 200 ng/mL	1.2 mL																																																																																																																																																																																																																																																
CIL-EF-5384-4X	PBDD/F sampling spike stock ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 2,4,6,8-HxBDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 800 ng/mL	1.2 mL																																																																																																																																																																																																																																																

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit
CIL-EDF-5070	Brominated Dioxin/Furan Calibration Solutions [BCS1-BCS5]	5 x 0.2 mL
	Solvent: Nonane	
	All concentrations are in ng/mL	
	<b>Unlabelled Dioxins &amp; Furans</b>	<b>BCS1    BCS2    BCS3    BCS4    BCS5</b>
	2,3,7,8-TetraBDD	0.5 ..... 2 ..... 10 ..... 40 ..... 100
	1,2,3,7,8-PentaBDD	2.5 ..... 10 ..... 50 ..... 200 ..... 500
	1,2,3,4,7,8-HexaBDD	2.5 ..... 10 ..... 50 ..... 200 ..... 500
	1,2,3,6,7,8-HexaBDD	2.5 ..... 10 ..... 50 ..... 200 ..... 500
	1,2,3,7,8,9-HexaBDD	2.5 ..... 10 ..... 50 ..... 200 ..... 500
	2,3,7,8-TetraBDF	0.5 ..... 2 ..... 10 ..... 40 ..... 100
	1,2,3,7,8-PentaBDF	2.5 ..... 10 ..... 50 ..... 200 ..... 500
	2,3,4,7,8-PentaBDF	2.5 ..... 10 ..... 50 ..... 200 ..... 500
	<b>Labelled Dioxins &amp; Furans</b>	<b>BCS1    BCS2    BCS3    BCS4    BCS5</b>
	1,2,3,7,8-PentaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ..... 100 ..... 100 ..... 100 ..... 100
	2,3,7,8-TetraBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ..... 100 ..... 100 ..... 100 ..... 100
	1,2,3,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ..... 100 ..... 100 ..... 100 ..... 100
	2,3,4,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ..... 100 ..... 100 ..... 100 ..... 100
	1,2,3,4,7,8-HexaCDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ..... 100 ..... 100 ..... 100 ..... 100
	<b>Clean-Up Standard</b>	<b>BCS1    BCS2    BCS3    BCS4    BCS5</b>
	1,2,3,4,7,8-HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	0.5 ..... 2 ..... 10 ..... 40 ..... 100
<b>Internal Standards</b>	<b>BCS1    BCS2    BCS3    BCS4    BCS5</b>	
2,3,7,8-TetraBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ..... 100 ..... 100 ..... 100 ..... 100	
1,2,3,6,7,8-HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	25 ..... 25 ..... 25 ..... 25 ..... 25	
1,2,3,7,8,9-HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	75 ..... 75 ..... 75 ..... 75 ..... 75	
<b>New</b> CIL-EDF-5070-1	Brominated Dioxin/Furan Calibration Solution [BCS1]	0.2 mL
<b>New</b> CIL-EDF-5070-2	Brominated Dioxin/Furan Calibration Solution [BCS2]	0.2 mL
<b>New</b> CIL-EDF-5070-3	Brominated Dioxin/Furan Calibration Solution [BCS3]	0.2 mL
<b>New</b> CIL-EDF-5070-4	Brominated Dioxin/Furan Calibration Solution [BCS4]	0.2 mL
<b>New</b> CIL-EDF-5070-5	Brominated Dioxin/Furan Calibration Solution [BCS5]	0.2 mL
CIL-EDF-5058	Tetra-Hexa Brominated Dioxin and Furan Standard Solutions	1.2 mL
	Solvent: Nonane	
	2,3,7,8-TetraBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL      2,3,7,8-TetraBDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1000 ng/mL
	1,2,3,7,8-PentaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL      2,3,4,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%) 1000 ng/mL
1,2,3,4,7,8-HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL	
<b>New</b> CIL-ED-5073	Brominated Dioxin/Furan internal standard ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL
	Solvent: Nonane	
	2,3,7,8-Tetrabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL
	1,2,3,6,7,8-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	50 ng/mL
1,2,3,7,8,9-Hexabromodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%)	150 ng/mL	
CIL-EDF-5071	Brominated Dioxin/Furan Labelled Compounds	1.2 mL
	Solvent: Nonane	
	1,2,3,7,8-PentaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL      2,3,4,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%) 100 ng/mL
	2,3,7,8-TetraBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL      1,2,3,4,7,8-HexaBDF ( <sup>13</sup> C <sub>12</sub> ,99%) 100 ng/mL
1,2,3,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	
CIL-EDF-2530	Tetra-Penta Brominated Dioxin and Furan Standard Solution	1.2 mL
	Solvent: Nonane	
	2,3,7,8-TetraBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL      1,2,3,7,8-PentaBDD ( <sup>13</sup> C <sub>12</sub> ,99%) 500 ng/mL
2,3,7,8-TetraBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	1000 ng/mL      2,3,4,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%) 5000 ng/mL	
CIL-EDF-4153	PBDD/PBDF Surrogate Spiking Solution	1 mL
	Solvent: Nonane	
	2,3,7,8-TetraBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL
	2,3,7,8-TetraBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL
	1,2,3,7,8-PentaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL
	1,2,3,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	20 ng/mL
	1,2,3,6,7,8 HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10 ng/mL
	1,2,3,7,8,9 HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	30 ng/mL
<b>New</b> CIL-EDF-4153-10X	PBDD/PBDF 10X Stock Surrogate Spiking Solution	0.5 mL
	Solvent: Nonane	
	2,3,7,8-TetraBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL
	2,3,7,8-TetraBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL
	1,2,3,7,8-PentaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL
	1,2,3,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	200 ng/mL
	1,2,3,6,7,8 HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL
1,2,3,7,8,9 HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%)	300 ng/mL	
CIL-EDF-4154	PBDD/PBDF Performance Standard Mix	1 mL
	Solvent: Nonane	
	2,3,4,7,8-PentaBDF ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL      1,2,3,4,7,8-HexaBDD ( <sup>13</sup> C <sub>12</sub> ,99%) 100 ng/mL

## Dioxin & furan method standards, standard mixtures & reference materials

Code	Product	Unit		
CIL-EDF-5059	Polybrominated Dioxin and Furan Mixture	1.2 mL		
	Solvent: Nonane			
	2,3,7,8-TetraBDD..... 1 µg/mL		1,2,3,7,8,9-HexaBDD .... 1 µg/mL	2,3,4,7,8-PentaBDF ..... 1 µg/mL
	1,2,3,7,8-PentaBDD..... 1 µg/mL		OctaBDD ..... 1 µg/mL	1,2,3,4,7,8-HexaBDF .... 1 µg/mL
	1,2,3,4,7,8-HexaBDD..... 1 µg/mL		2,3,7,8-TetraBDF..... 1 µg/mL	1,2,3,4,6,7,8-HeptaBDF 1 µg/mL
	1,2,3,6,7,8-HexaBDD..... 1 µg/mL		1,2,3,7,8-PentaBDF..... 1 µg/mL	
CIL-EDF-5074	Brominated Dioxin/Furan PAR Solution	1.2 mL		
	Solvent: Nonane			
	2,3,7,8-TetraBDD..... 100 ng/mL		1,2,3,6,7,8-HexaBDD 500 ng/mL	1,2,3,7,8-PentaBDF .. 500 ng/mL
	1,2,3,7,8-PentaBDD.. 500 ng/mL		1,2,3,7,8,9-HexaBDD 500 ng/mL	2,3,4,7,8-PentaBDF .. 500 ng/mL
	1,2,3,4,7,8-HexaBDD 500 ng/mL		2,3,7,8-TetraBDF..... 100 ng/mL	



## PCB standards and standard mixtures

### Unlabelled "Certified" PCB Standards

While CIL's primary business is isotopically labelled standards, it is important to remember that the accuracy and precision of a quantitative analysis is dependent upon the accuracy and precision of the unlabelled (native) standards. In the past, CIL utilized commercially available native standards from multiple vendors for the confirmation of our isotopically labelled standards. It was discovered, however, that there can be substantial variability among the commercial native standards. Thus CIL initiated the "Certified" PCB standards program. CIL prepares native "Certified" standards using good laboratory practice (GLP). Individual, native, crystalline PCB isomers (98%+ purity) are weighed in triplicate on a microbalance calibrated with NIST traceable Class S weights, and formulated to specific concentration. Triplicate analyses of each of the three solutions in isooctane are carried out using GC/MS. In order to establish statistical control, the relative standard deviation (RSD) of each solution must be less than 5%, and the RSD for the entire set of analyses for all three standards must be <5%. When these parameters have been met, the solutions are combined and the resulting solution analyzed again in triplicate by three chemists. If the RSD of these analyses is also <5%, the final product is the "Certified" PCB standard. These 100 µg/mL solutions are highly accurate native standards for quantitation of PCBs. These standards are used in all CIL calibration series and native standard mixtures, and are used to validate all isotope labelled standards from CIL.

### Isotope Labelled PCB Standards

CIL now offers more than 50 individual <sup>13</sup>C-labelled PCB standards to meet the growing needs of researchers utilizing Isotope Dilution MS. All <sup>13</sup>C-labelled PCB standards are quantified against CIL "Certified" unlabelled PCB standards for utmost precision and accuracy.

In addition to the "Dioxin-Like" (DL) congeners designated by the WHO, CIL also offers standards for the "non-Dioxin-Like" or "Marker" PCB congeners found in commercial mixtures, as well as a host of other <sup>13</sup>C-labelled PCB standards used for specialized purposes.

### NEW "High Purity" PCB Standards

For more than 20 years CIL has been a pioneer in developing high quality PCB standards, introducing the first <sup>13</sup>C-labelled PCBs used in the earliest IDMS methods, and more recently developing the first PCB standards formulated under the "Certified Standards" protocol. CIL is once again responding to the needs of the analytical community by providing High Purity PCB standards. As new instrumentation and methodologies drive detection limits lower, the presence of even very low levels of impurities in the labelled standards of other PCB congeners or polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/ Fs), become a hindrance to the laboratories minimum detection capabilities. CIL has developed aggressive cleanup procedures, and adopted much tighter quality control specifications for the eight mono-ortho substituted "dioxin-like" PCBs (DL-PCBs). These new specifications include extremely low allowances for <sup>13</sup>C-non-ortho DL-PCBs, native content, other PCB congeners and PCDD/ Fs.

Chemical Identity: Unambiguous identity by GC/MS, <sup>1</sup>H-NMR, <sup>13</sup>C-NMR, and MP determination

Isotopic Enrichment: 99% by GC/MS

Chemical Purity: >98% by GC/MS, GC/ECD, and <sup>1</sup>H-NMR

- Native Content: <0.1% by GC/MS SI
- <sup>13</sup>C-non-ortho DL-PCBs: <0.05% by GC/ECD vs. cal-curve, or HRGC/MS
- 17 (2,3,7,8) Containing PCDD/Fs: <0.05% for each compound by HRGC/MS

Concentration: 40 ± 2 µg/mL by comparison assay vs. native "Certified Standard"

Uncertainty: Conforming to Eurachem/CITAC Guide "Quantifying Uncertainty in Analytical Measurement"

### CEN Method EN-1948-4 PCB Standard Mixtures

In 2006, CIL collaborated with the CEN (European Committee for Standardization) organizing laboratory to develop and define PCB Calibration series and <sup>13</sup>C<sub>12</sub>-labelled spiking solutions to be used with method CEN / TS 1948-4. CIL supplied these standards to the organizing laboratory for use in their Interlaboratory Evaluation Study, and now these same standards are available to you from CIL.

### NEW Comprehensive Native PCB Mixtures

CIL has produced two large mixes of unlabelled PCBs, formulated entirely from CIL's PCB "Certified Standards" individual stock solutions. The Comprehensive Native PCB Mixture is a multipurpose mixture that includes all the WHO Dioxin-Like PCBs that have been assigned TEFs, the predominant congeners, and first- and last-eluting congeners from the Mono through Deca homologue groups. Since some pairs of these compounds coelute on certain columns, the Fully Resolved Native Mono-Deca PCB Mixture was formulated with no coeluting congeners under normal analytical conditions.

### NEW Mixed Bromo/Chloro Biphenyl Standards

CIL now offers a selection of labelled and unlabelled mixed halogenated biphenyl standards and standard mixtures. While very limited research has been done to date, these compounds have been identified in environmental matrices, and warrant further investigation.

Isotope labelled individual PCB standards

Code	Product	Unit
CIL-CLM-3235-1.2	Biphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-EC-4908-3	2-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #1) 40 µg/mL in Nonane	3 mL
CIL-EC-4908-1.2	2-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #1) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4990-3	4-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #3) 40 µg/mL in Nonane	3 mL
CIL-EC-4990-1.2	4-Monochlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #3) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4911-3	2,2'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #4) 40 µg/mL in Nonane	3 mL
CIL-EC-4911-1.2	2,2'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #4) 40 µg/mL in Nonane	1.2 mL
CIL-EC-5095-3	2,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #8) 40 µg/mL in Nonane	3 mL
CIL-EC-5095-1.2	2,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #8) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4165-3	2,5-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #9) 40 µg/mL in Nonane	3 mL
CIL-EC-4165-1.2	2,5-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #9) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1402-3	4,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #15) 40 µg/mL in Nonane	3 mL
CIL-EC-1402-1.2	4,4'-Dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #15) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4909-3	2,2',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #19) 40 µg/mL in Nonane	3 mL
CIL-EC-4909-1.2	2,2',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #19) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1413-3	2,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #28) 40 µg/mL in Nonane	3 mL
CIL-EC-1413-1.2	2,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #28) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4163-3	2,4',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #32) 40 µg/mL in Nonane	3 mL
CIL-EC-4163-1.2	2,4',6-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #32) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4901-3	3,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #37) 40 µg/mL in Nonane	3 mL
CIL-EC-4901-1.2	3,4,4'-Trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #37) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1434-3	2,2',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #47) 40 µg/mL in Nonane	3 mL
CIL-EC-1434-1.2	2,2',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #47) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1424-3	2,2',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #52) 40 µg/mL in Nonane	3 mL
CIL-EC-1424-1.2	2,2',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #52) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4912-3	2,2',6,6'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #54) 40 µg/mL in Nonane	3 mL
CIL-EC-4912-1.2	2,2',6,6'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #54) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4078-3	2,3,4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #60) 40 µg/mL in Nonane	3 mL
CIL-EC-4078-1.2	2,3,4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #60) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4914-3	2,3',4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #70) 40 µg/mL in Nonane	3 mL
CIL-EC-4914-1.2	2,3',4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #70) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1404-3	3,3',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #77) 40 µg/mL in Nonane	3 mL
CIL-EC-1404-1.2	3,3',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #77) 40 µg/mL in Nonane	1.2 mL
CIL-DLM-3063-3	3,3',4,4'-Tetrachlorobiphenyl (D <sub>6</sub> ,98%) (IUPAC #77) 40 µg/mL in Nonane	3 mL
CIL-DLM-3063-1.2	3,3',4,4'-Tetrachlorobiphenyl (D <sub>6</sub> ,98%) (IUPAC #77) 40 µg/mL in Nonane	1.2 mL
CIL-EC-5048-3	3,3',4,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #79) 40 µg/mL in Nonane	3 mL
CIL-EC-5048-1.2	3,3',4,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #79) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1414-3	3,3',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #80) 40 µg/mL in Nonane	3 mL
CIL-EC-1414-1.2	3,3',5,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #80) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1412-3	3,4,4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 81) 40 µg/mL in Nonane	3 mL
CIL-EC-1412-1.2	3,4,4',5-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 81) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4929-3	2,2',3,4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #85) 40 µg/mL in Nonane	3 mL
CIL-EC-4929-1.2	2,2',3,4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #85) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1428-3	2,2',3',4,5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #97) 40 µg/mL in Nonane	3 mL
CIL-EC-1428-1.2	2,2',3',4,5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #97) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1405-3	2,2',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #101) 40 µg/mL in Nonane	3 mL
CIL-EC-1405-1.2	2,2',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #101) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4910-3	2,2',4,6,6'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #104) 40 µg/mL in Nonane	3 mL
CIL-EC-4910-1.2	2,2',4,6,6'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #104) 40 µg/mL in Nonane	1.2 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-1420-3	2,3,3',4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #105) 40 µg/mL in Nonane	3 mL
CIL-EC-1420-1.2	2,3,3',4,4'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #105) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1415-3	2,3,3',5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #111) 40 µg/mL in Nonane	3 mL
CIL-EC-1415-1.2	2,3,3',5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #111) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4902-3	2,3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #114) 40 µg/mL in Nonane	3 mL
CIL-EC-4902-1.2	2,3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #114) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1435-3	2,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #118) 40 µg/mL in Nonane	3 mL
CIL-EC-1435-1.2	2,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #118) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4904-3	2',3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #123) 40 µg/mL in Nonane	3 mL
CIL-EC-4904-1.2	2',3,4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #123) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1425-3	3,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #126) 40 µg/mL in Nonane	3 mL
CIL-EC-1425-1.2	3,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #126) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1421-3	3,3',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #127) 40 µg/mL in Nonane	3 mL
CIL-EC-1421-1.2	3,3',4,5,5'-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #127) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1411-3	2,2',3,3',4,4'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 128) 40 µg/mL in Nonane	3 mL
CIL-EC-1411-1.2	2,2',3,3',4,4'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 128) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1436-3	2,2',3,4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #138) 40 µg/mL in Nonane	3 mL
CIL-EC-1436-1.2	2,2',3,4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #138) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1426-3	2,2',3,4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #141) 40 µg/mL in Nonane	3 mL
CIL-EC-1426-1.2	2,2',3,4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #141) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1406-3	2,2',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #153) 40 µg/mL in Nonane	3 mL
CIL-EC-1406-1.2	2,2',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #153) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4167-3	2,2',4,4',6,6'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #155) 40 µg/mL in Nonane	3 mL
CIL-EC-4167-1.2	2,2',4,4',6,6'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #155) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1422-3	2,3,3',4,4',5-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #156) 40 µg/mL in Nonane	3 mL
CIL-EC-1422-1.2	2,3,3',4,4',5-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #156) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4051-3	2,3,3',4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #157) 40 µg/mL in Nonane	3 mL
CIL-EC-4051-1.2	2,3,3',4,4',5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #157) 40 µg/mL in Nonane	1.2 mL
CIL-EC-5336-3	2,3,3',4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #159) 40 µg/mL in Nonane	3 mL
CIL-EC-5336-1.2	2,3,3',4,5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #159) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4050-3	2,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #167) 40 µg/mL in Nonane	3 mL
CIL-EC-4050-1.2	2,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #167) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1416-3	3,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #169) 40 µg/mL in Nonane	3 mL
CIL-EC-1416-1.2	3,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #169) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4905-3	2,2',3,3',4,4',5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #170) 40 µg/mL in Nonane	3 mL
CIL-EC-4905-1.2	2,2',3,3',4,4',5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #170) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1417-3	2,2',3,3',5,5',6-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #178) 40 µg/mL in Nonane	3 mL
CIL-EC-1417-1.2	2,2',3,3',4,4',5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #178) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1407-3	2,2',3,4,4',5,5'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #180) 40 µg/mL in Nonane	3 mL
CIL-EC-1407-1.2	2,2',3,4,4',5,5'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #180) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4913-3	2,2',3,4',5,6,6'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #188) 40 µg/mL in Nonane	3 mL
CIL-EC-4913-1.2	2,2',3,4',5,6,6'-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #188) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1409-3	2,3,3',4,4',5,5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 189) 40 µg/mL in Nonane	3 mL
CIL-EC-1409-1.2	2,3,3',4,4',5,5-Heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 189) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1418-3	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #194) 40 µg/mL in Nonane	3 mL
CIL-EC-1418-1.2	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #194) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1408-3	2,2',3,3',5,5',6,6'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 202) 40 µg/mL in Nonane	3 mL
CIL-EC-1408-1.2	2,2',3,3',5,5',6,6'-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 202) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4199-3	2,3,3',4,4',5,5',6-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #205) 40 µg/mL in Nonane	3 mL
CIL-EC-4199-1.2	2,3,3',4,4',5,5',6-Octachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #205) 40 µg/mL in Nonane	1.2 mL
CIL-EC-4900-3	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #206) 40 µg/mL in Nonane	3 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-4900-1.2	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #206) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1419-3	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #208) 40 µg/mL in Nonane	3 mL
CIL-EC-1419-1.2	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #208) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1410-3	Decachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 209) 40 µg/mL in Nonane	3 mL
CIL-EC-1410-1.2	Decachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 209) 40 µg/mL in Nonane	1.2 mL
CIL-EC-1410-10	Decachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC# 209) 40 µg/mL in Nonane	10 mL

### Unlabelled certified PCB standards

	CIL-PCB-1-CS	2-Monochlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-3-CS	4-Monochlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-4-CS	2,2'-Dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-8-CS	2,4'-Dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-9-CS	2,5-Dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-10-CS	2,6'-Dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-11-CS	3,3'-Dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-12-CS	3,4-Dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-15-CS	4,4'-Dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-18-CS	2,2',5-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-19-CS	2,2',6-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-28-CS	2,4,4'-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-30-CS	2,4,6-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-31-CS	2,4',5-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-32-CS	2,4',6-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-33-CS	2',3,4-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-35-CS	3,3',4-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-37-CS	3,4,4'-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-38-CS	3,4,5-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-39-CS	3,4',5-Trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-44-CS	2,2',3,5'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-47-CS	2,2',4,4'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-49-CS	2,2',4,5'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-52-CS	2,2',5,5'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-54-CS	2,2',6,6'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-57-CS	2,3,3',5-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-60-CS	2,3,4,4'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-66-CS	2,3',4,4'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-70-CS	2,3',4',5-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-74-CS	2,4,4',5-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-77-CS	3,3',4,4'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-78-CS	3,3',4,5-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-79-CS	3,3',4,5'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-80-CS	3,3',5,5'-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-81-CS	3,4,4',5-Tetrachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-85-CS	2,2',3,4,4'-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-87-CS	2,2',3,4,5'-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-95-CS	2,2',3,5,6-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-97-CS	2,2',3',4,5-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-99-CS	2,2',4,4',5-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-101-CS	2,2',4,5,5'-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-104-CS	2,2',4,6,6'-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-105-CS	2,3,3',4,4'-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL



## PCB standards and standard mixtures

	Code	Product	Unit
	CIL-PCB-110-CS	2,3,3',4',6-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-111-CS	2,3,3',5,5'-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-112-CS	2,3,3',5,6-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-114-CS	2,3,4,4',5-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-118-CS	2,3',4,4',5-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-123-CS	2',3,4,4',5-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-126-CS	3,3',4,4',5-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-127-CS	3,3',4,5,5'-Pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-128-CS	2,2',3,3',4,4'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-138-CS	2,2',3,4,4',5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-141-CS	2,2',3,4,5,5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-146-CS	2,2',3,4',5,5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-149-CS	2,2',3,4',5',6-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-151-CS	2,2',3,5,5',6-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-153-CS	2,2',4,4',5,5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-155-CS	2,2',4,4',6,6'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-156-CS	2,3,3',4,4',5-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-157-CS	2,3,3',4,4',5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-158-CS	2,3,3',4,4',6-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-159-CS	2,3,3',4,5,5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-162-CS	2,3,3',4',5,5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-167-CS	2,3',4,4',5,5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-169-CS	3,3',4,4',5,5'-Hexachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-170-CS	2,2',3,3',4,4',5-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-172-CS	2,2',3,3',4,5,5'-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-174-CS	2,2',3,3',4,5,6'-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-177-CS	2,2',3,3',4',5,6-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-178-CS	2,2',3,3',5,5',6-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-180-CS	2,2',3,4,4',5,5'-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-187-CS	2,2',3,4',5,5',6-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-188-CS	2,2',3,4',5,6,6'-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-189-CS	2,3,3',4,4',5,5'-Heptachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-194-CS	2,2',3,3',4,4',5,5'-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-195-CS	2,2',3,3',4,4',5,6-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-196-CS	2,2',3,3',4,4',5',6-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-198-CS	2,2',3,3',4,5,5',6-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PCB-199-CS	2,2',3,3',4,5,6,6'-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-201-CS	2,2',3,3',4,5,5',6'-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-202-CS	2,2',3,3',5,5',6,6'-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-203-CS	2,2',3,4,4',5,5',6-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-205-CS	2,3,3',4,4',5,5',6-Octachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-206-CS	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-208-CS	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
	CIL-PCB-209-CS	Decachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
<b>Unlabelled PCB standards</b>			
	CIL-ULM-1710-1.2	Biphenyl (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-PCB-1	2-Monochlorobiphenyl 35 µg/mL in Isooctane	1 mL
	CIL-PCB-1-C	2-Monochlorobiphenyl	5 mg
	CIL-PCB-2	3-Monochlorobiphenyl 35 µg/mL in Isooctane	1 mL
	CIL-PCB-2-C	3-Monochlorobiphenyl	5 mg

## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-3	4-Monochlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-3-C	4-Monochlorobiphenyl	5 mg
CIL-PCB-4	2,2'-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-4-C	2,2'-Dichlorobiphenyl	5 mg
CIL-PCB-5	2,3-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-5-C	2,3-Dichlorobiphenyl	5 mg
CIL-PCB-6	2,3'-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-6-C	2,3'-Dichlorobiphenyl	5 mg
CIL-PCB-7	2,4-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-7-C	2,4-Dichlorobiphenyl	5 mg
CIL-PCB-8	2,4'-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-8-C	2,4'-Dichlorobiphenyl	5 mg
CIL-PCB-9	2,5-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-9-C	2,5-Dichlorobiphenyl	5 mg
CIL-PCB-10	2,6-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-10-C	2,6-Dichlorobiphenyl	5 mg
CIL-PCB-11	3,3'-Dichlorobiphenyl 35 µg/mL Isooctane	1 mL
CIL-PCB-11-C	3,3'-Dichlorobiphenyl	5 mg
CIL-PCB-12	3,4-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-12-C	3,4-Dichlorobiphenyl	5 mg
CIL-PCB-13	3,4'-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-13-C	3,4'-Dichlorobiphenyl	5 mg
CIL-PCB-14	3,5-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-14-C	3,5-Dichlorobiphenyl	5 mg
CIL-PCB-15	4,4'-Dichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-15-C	4,4'-Dichlorobiphenyl	5 mg
CIL-PCB-16	2,2',3-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-16-C	2,2',3-Trichlorobiphenyl	5 mg
CIL-PCB-17	2,2',4-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-17-C	2,2',4-Trichlorobiphenyl	5 mg
CIL-PCB-18	2,2',5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-18-C	2,2',5-Trichlorobiphenyl	5 mg
CIL-PCB-19	2,2',6-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-19-C	2,2',6-Trichlorobiphenyl	5 mg
CIL-PCB-20	2,3,3'-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-20-C	2,3,3'-Trichlorobiphenyl	5 mg
CIL-PCB-21	2,3,4-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-21-C	2,3,4-Trichlorobiphenyl	5 mg
CIL-PCB-22	2,3,4'-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-22-C	2,3,4'-Trichlorobiphenyl	5 mg
CIL-PCB-23	2,3,5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-23-C	2,3,5-Trichlorobiphenyl	5 mg
CIL-PCB-24	2,3,6-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-24-C	2,3,6-Trichlorobiphenyl	5 mg
CIL-PCB-25	2,3',4-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-25-C	2,3',4-Trichlorobiphenyl	5 mg
CIL-PCB-26	2,3',5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-26-C	2,3',5-Trichlorobiphenyl	5 mg
CIL-PCB-27	2,3',6-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-27-C	2,3',6-Trichlorobiphenyl	5 mg
CIL-PCB-28	2,4,4'-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-28-C	2,4,4'-Trichlorobiphenyl	5 mg
CIL-PCB-29	2,4,5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-29-C	2,4,5-Trichlorobiphenyl	5 mg
CIL-PCB-30	2,4,6-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-30-C	2,4,6-Trichlorobiphenyl	5 mg
CIL-PCB-31	2,4',5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-31-C	2,4',5-Trichlorobiphenyl	5 mg
CIL-PCB-32	2,4',6-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-32-C	2,4',6-Trichlorobiphenyl	5 mg
CIL-PCB-33	2',3,4-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-33-C	2',3,4-Trichlorobiphenyl	5 mg
CIL-PCB-34	2',3,5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-34-C	2',3,5-Trichlorobiphenyl	5 mg
CIL-PCB-35	3,3',4-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-35-C	3,3',4-Trichlorobiphenyl	5 mg
CIL-PCB-36	3,3',5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-36-C	3,3',5-Trichlorobiphenyl	5 mg
CIL-PCB-37	3,4,4'-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-37-C	3,4,4'-Trichlorobiphenyl	5 mg
CIL-PCB-38	3,4,5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-38-C	3,4,5-Trichlorobiphenyl	5 mg
CIL-PCB-39	3,4',5-Trichlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-39-C	3,4',5-Trichlorobiphenyl	5 mg
CIL-PCB-40	2,2',3,3'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-40-C	2,2',3,3'-Tetrachlorobiphenyl	5 mg
CIL-PCB-41	2,2',3,4-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-41-C	2,2',3,4-Tetrachlorobiphenyl	5 mg
CIL-PCB-42	2,2',3,4'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-42-C	2,2',3,4'-Tetrachlorobiphenyl	5 mg
CIL-PCB-43	2,2',3,5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-43-C	2,2',3,5-Tetrachlorobiphenyl	5 mg
CIL-PCB-44	2,2',3,5'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-44-C	2,2',3,5'-Tetrachlorobiphenyl	5 mg
CIL-PCB-45	2,2',3,6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-45-C	2,2',3,6-Tetrachlorobiphenyl	5 mg
CIL-PCB-46	2,2',3,6'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-46-C	2,2',3,6'-Tetrachlorobiphenyl	5 mg
CIL-PCB-47	2,2',4,4'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-47-C	2,2',4,4'-Tetrachlorobiphenyl	5 mg
CIL-PCB-48	2,2',4,5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-48-C	2,2',4,5-Tetrachlorobiphenyl	5 mg
CIL-PCB-49	2,2',4,5'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-49-C	2,2',4,5'-Tetrachlorobiphenyl	5 mg
CIL-PCB-50	2,2',4,6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-50-C	2,2',4,6-Tetrachlorobiphenyl	5 mg
CIL-PCB-51	2,2',4,6'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-51-C	2,2',4,6'-Tetrachlorobiphenyl	5 mg
CIL-PCB-52	2,2',5,5'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-52-C	2,2',5,5'-Tetrachlorobiphenyl	5 mg
CIL-PCB-53	2,2',5,6'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-53-C	2,2',5,6'-Tetrachlorobiphenyl	5 mg



## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-54	2,2',6,6'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-54-C	2,2',6,6'-Tetrachlorobiphenyl	5 mg
CIL-PCB-55	2,3,3',4-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-55-C	2,3,3',4-Tetrachlorobiphenyl	5 mg
CIL-PCB-56	2,3,3',4'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-56-C	2,3,3',4'-Tetrachlorobiphenyl	5 mg
CIL-PCB-57	2,3,3',5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-57-C	2,3,3',5-Tetrachlorobiphenyl	5 mg
CIL-PCB-58	2,3,3',5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-58-C	2,3,3',5-Tetrachlorobiphenyl	5 mg
CIL-PCB-59	2,3,3',6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-59-C	2,3,3',6-Tetrachlorobiphenyl	5 mg
CIL-PCB-60	2,3,4,4'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-60-C	2,3,4,4'-Tetrachlorobiphenyl	5 mg
CIL-PCB-61	2,3,4,5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-61-C	2,3,4,5-Tetrachlorobiphenyl	5 mg
CIL-PCB-62	2,3,4,6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-62-C	2,3,4,6-Tetrachlorobiphenyl	5 mg
CIL-PCB-63	2,3,4',5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-63-C	2,3,4',5-Tetrachlorobiphenyl	5 mg
CIL-PCB-64	2,3,4',6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-64-C	2,3,4',6-Tetrachlorobiphenyl	5 mg
CIL-PCB-65	2,3,5,6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-65-C	2,3,5,6-Tetrachlorobiphenyl	5 mg
CIL-PCB-66	2,3',4,4'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-66-C	2,3',4,4'-Tetrachlorobiphenyl	5 mg
CIL-PCB-67	2,3',4,5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-67-C	2,3',4,5-Tetrachlorobiphenyl	5 mg
CIL-PCB-68	2,3',4,5'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-68-C	2,3',4,5'-Tetrachlorobiphenyl	5 mg
CIL-PCB-69	2,3',4,6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-69-C	2,3',4,6-Tetrachlorobiphenyl	5 mg
CIL-PCB-70	2,3',4',5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-70-C	2,3',4',5-Tetrachlorobiphenyl	5 mg
CIL-PCB-71	2,3',4',6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-71-C	2,3',4',6-Tetrachlorobiphenyl	5 mg
CIL-PCB-72	2,3',5,5'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-72-C	2,3',5,5'-Tetrachlorobiphenyl	5 mg
CIL-PCB-73	2,3',5',6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-73-C	2,3',5',6-Tetrachlorobiphenyl	5 mg
CIL-PCB-74	2,4,4',5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-74-C	2,4,4',5-Tetrachlorobiphenyl	5 mg
CIL-PCB-75	2,4,4',6-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-75-C	2,4,4',6-Tetrachlorobiphenyl	5 mg
CIL-PCB-76	2',3,4,5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-76-C	2',3,4,5-Tetrachlorobiphenyl	5 mg
CIL-PCB-77	3,3',4,4'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-77-C	3,3',4,4'-Tetrachlorobiphenyl	5 mg
CIL-PCB-78	3,3',4,5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-78-C	3,3',4,5-Tetrachlorobiphenyl	5 mg
CIL-PCB-79	3,3',4,5'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-79-C	3,3',4,5'-Tetrachlorobiphenyl	5 mg
CIL-PCB-80	3,3',5,5'-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-80-C	3,3',5,5'-Tetrachlorobiphenyl	5 mg
CIL-PCB-81	3,4,4',5-Tetrachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-81-C	3,4,4',5-Tetrachlorobiphenyl	5 mg
CIL-PCB-82	2,2',3,3',4-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-82-C	2,2',3,3',4-Pentachlorobiphenyl	5 mg
CIL-PCB-83	2,2',3,3',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-83-C	2,2',3,3',5-Pentachlorobiphenyl	5 mg
CIL-PCB-84	2,2',3,3',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-84-C	2,2',3,3',6-Pentachlorobiphenyl	5 mg
CIL-PCB-85	2,2',3,4,4'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-85-C	2,2',3,4,4'-Pentachlorobiphenyl	5 mg
CIL-PCB-86	2,2',3,4,5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-86-C	2,2',3,4,5-Pentachlorobiphenyl	5 mg
CIL-PCB-87	2,2',3,4,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-87-C	2,2',3,4,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-88	2,2',3,4,6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-88-C	2,2',3,4,6-Pentachlorobiphenyl	5 mg
CIL-PCB-89	2,2',3,4,6'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-89-C	2,2',3,4,6'-Pentachlorobiphenyl	5 mg
CIL-PCB-90	2,2',3,4',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-90-C	2,2',3,4',5-Pentachlorobiphenyl	5 mg
CIL-PCB-91	2,2',3,4',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-91-C	2,2',3,4',6-Pentachlorobiphenyl	5 mg
CIL-PCB-92	2,2',3,5,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-92-C	2,2',3,5,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-93	2,2',3,5,6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-93-C	2,2',3,5,6-Pentachlorobiphenyl	5 mg
CIL-PCB-94	2,2',3,5,6'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-94-C	2,2',3,5,6'-Pentachlorobiphenyl	5 mg
CIL-PCB-95	2,2',3,5',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-95-C	2,2',3,5',6-Pentachlorobiphenyl	5 mg
CIL-PCB-96	2,2',3,6,6'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-96-C	2,2',3,6,6'-Pentachlorobiphenyl	5 mg
CIL-PCB-97	2,2',3',4,5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-97-C	2,2',3',4,5-Pentachlorobiphenyl	5 mg
CIL-PCB-98	2,2',3',4,6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-98-C	2,2',3',4,6-Pentachlorobiphenyl	5 mg
CIL-PCB-99	2,2',4,4',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-99-C	2,2',4,4',5-Pentachlorobiphenyl	5 mg
CIL-PCB-100	2,2',4,4',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-100-C	2,2',4,4',6-Pentachlorobiphenyl	5 mg
CIL-PCB-101	2,2',4,5,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-101-C	2,2',4,5,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-102	2,2',4,5,6'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-102-C	2,2',4,5,6'-Pentachlorobiphenyl	5 mg
CIL-PCB-103	2,2',4,5',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-103-C	2,2',4,5',6-Pentachlorobiphenyl	5 mg
CIL-PCB-104	2,2',4,6,6'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-104-C	2,2',4,6,6'-Pentachlorobiphenyl	5 mg

## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-105	2,3,3',4,4'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-105-C	2,3,3',4,4'-Pentachlorobiphenyl	5 mg
CIL-PCB-106	2,3,3',4,5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-106-C	2,3,3',4,5-Pentachlorobiphenyl	5 mg
CIL-PCB-107	2,3,3',4',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-107-C	2,3,3',4',5-Pentachlorobiphenyl	5 mg
CIL-PCB-108	2,3,3',4,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-108-C	2,3,3',4,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-109	2,3,3',4,6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-109-C	2,3,3',4,6-Pentachlorobiphenyl	5 mg
CIL-PCB-110	2,3,3',4',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-110-C	2,3,3',4',6-Pentachlorobiphenyl	5 mg
CIL-PCB-111	2,3,3',5,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-111-C	2,3,3',5,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-112	2,3,3',5,6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-112-C	2,3,3',5,6-Pentachlorobiphenyl	5 mg
CIL-PCB-113	2,3,3',5',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-113-C	2,3,3',5',6-Pentachlorobiphenyl	5 mg
CIL-PCB-114	2,3,4,4',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-114-C	2,3,4,4',5-Pentachlorobiphenyl	5 mg
CIL-PCB-115	2,3,4,4',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-115-C	2,3,4,4',6-Pentachlorobiphenyl	5 mg
CIL-PCB-116	2,3,4,5,6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-116-C	2,3,4,5,6-Pentachlorobiphenyl	5 mg
CIL-PCB-117	2,3,4',5,6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-117-C	2,3,4',5,6-Pentachlorobiphenyl	5 mg
CIL-PCB-118	2,3',4,4',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-118-C	2,3',4,4',5-Pentachlorobiphenyl	5 mg
CIL-PCB-119	2,3',4,4',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-119-C	2,3',4,4',6-Pentachlorobiphenyl	5 mg
CIL-PCB-120	2,3',4,5,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-120-C	2,3',4,5,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-121	2,3',4,5',6-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-121-C	2,3',4,5',6-Pentachlorobiphenyl	5 mg
CIL-PCB-122	2',3,3',4,5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-122-C	2',3,3',4,5-Pentachlorobiphenyl	5 mg
CIL-PCB-123	2',3,4,4',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-123-C	2',3,4,4',5-Pentachlorobiphenyl	5 mg
CIL-PCB-124	2',3,4,5,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-124-C	2',3,4,5,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-125	2',3,4,5,6'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-125-C	2',3,4,5,6'-Pentachlorobiphenyl	5 mg
CIL-PCB-126	3,3',4,4',5-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-126-C	3,3',4,4',5-Pentachlorobiphenyl	5 mg
CIL-PCB-127	3,3',4,5,5'-Pentachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-127-C	3,3',4,5,5'-Pentachlorobiphenyl	5 mg
CIL-PCB-128	2,2',3,3',4,4'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-128-C	2,2',3,3',4,4'-Hexachlorobiphenyl	5 mg
CIL-PCB-129	2,2',3,3',4,5-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-129-C	2,2',3,3',4,5-Hexachlorobiphenyl	5 mg
CIL-PCB-130	2,2',3,3',4,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-130-C	2,2',3,3',4,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-131	2,2',3,3',4,6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-131-C	2,2',3,3',4,6-Hexachlorobiphenyl	5 mg
CIL-PCB-132	2,2',3,3',4,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-132-C	2,2',3,3',4,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-133	2,2',3,3',5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-133-C	2,2',3,3',5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-134	2,2',3,3',5,6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-134-C	2,2',3,3',5,6-Hexachlorobiphenyl	5 mg
CIL-PCB-135	2,2',3,3',5,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-135-C	2,2',3,3',5,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-136	2,2',3,3',6,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-136-C	2,2',3,3',6,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-137	2,2',3,4,4',5-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-137-C	2,2',3,4,4',5-Hexachlorobiphenyl	5 mg
CIL-PCB-138	2,2',3,4,4',5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-138-C	2,2',3,4,4',5'-Hexachlorobiphenyl	5 mg
CIL-PCB-139	2,2',3,4,4',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-139-C	2,2',3,4,4',6-Hexachlorobiphenyl	5 mg
CIL-PCB-140	2,2',3,4,4',6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-140-C	2,2',3,4,4',6'-Hexachlorobiphenyl	5 mg
CIL-PCB-141	2,2',3,4,5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-141-C	2,2',3,4,5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-142	2,2',3,4,5,6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-142-C	2,2',3,4,5,6-Hexachlorobiphenyl	5 mg
CIL-PCB-143	2,2',3,4,5,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-143-C	2,2',3,4,5,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-144	2,2',3,4,5',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-144-C	2,2',3,4,5',6-Hexachlorobiphenyl	5 mg
CIL-PCB-145	2,2',3,4,6,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-145-C	2,2',3,4,6,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-146	2,2',3,4',5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-146-C	2,2',3,4',5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-147	2,2',3,4',5,6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-147-C	2,2',3,4',5,6-Hexachlorobiphenyl	5 mg
CIL-PCB-148	2,2',3,4',5,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-148-C	2,2',3,4',5,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-149	2,2',3,4',5',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-149-C	2,2',3,4',5',6-Hexachlorobiphenyl	5 mg
CIL-PCB-150	2,2',3,4',6,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-150-C	2,2',3,4',6,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-151	2,2',3,5,5',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-151-C	2,2',3,5,5',6-Hexachlorobiphenyl	5 mg
CIL-PCB-152	2,2',3,5,6,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-152-C	2,2',3,5,6,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-153	2,2',4,4',5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-153-C	2,2',4,4',5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-154	2,2',4,4',5,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-154-C	2,2',4,4',5,6'-Hexachlorobiphenyl	5 mg
CIL-PCB-155	2,2',4,4',6,6'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-155-C	2,2',4,4',6,6'-Hexachlorobiphenyl	5 mg

## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-156	2,3,3',4,4',5-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-156-C	2,3,3',4,4',5-Hexachlorobiphenyl	5 mg
CIL-PCB-157	2,3,3',4,4',5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-157-C	2,3,3',4,4',5'-Hexachlorobiphenyl	5 mg
CIL-PCB-158	2,3,3',4,4',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-158-C	2,3,3',4,4',6-Hexachlorobiphenyl	5 mg
CIL-PCB-159	2,3,3',4,5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-159-C	2,3,3',4,5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-160	2,3,3',4,5,6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-160-C	2,3,3',4,5,6-Hexachlorobiphenyl	5 mg
CIL-PCB-161	2,3,3',4,5',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-161-C	2,3,3',4,5',6-Hexachlorobiphenyl	5 mg
CIL-PCB-162	2,3,3',4',5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-162-C	2,3,3',4',5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-163	2,3,3',4',5,6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-163-C	2,3,3',4',5,6-Hexachlorobiphenyl	5 mg
CIL-PCB-164	2,3,3',4',5',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-164-C	2,3,3',4',5',6-Hexachlorobiphenyl	5 mg
CIL-PCB-165	2,3,3',5,5',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-165-C	2,3,3',5,5',6-Hexachlorobiphenyl	5 mg
CIL-PCB-166	2,3,4,4',5,6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-166-C	2,3,4,4',5,6-Hexachlorobiphenyl	5 mg
CIL-PCB-167	2,3',4,4',5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-167-C	2,3',4,4',5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-168	2,3',4,4',5',6-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-168-C	2,3',4,4',5',6-Hexachlorobiphenyl	5 mg
CIL-PCB-169	3,3',4,4',5,5'-Hexachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-169-C	3,3',4,4',5,5'-Hexachlorobiphenyl	5 mg
CIL-PCB-170	2,2',3,3',4,4',5-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-170-C	2,2',3,3',4,4',5-Heptachlorobiphenyl	5 mg
CIL-PCB-171	2,2',3,3',4,4',6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-171-C	2,2',3,3',4,4',6-Heptachlorobiphenyl	5 mg
CIL-PCB-172	2,2',3,3',4,5,5'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-172-C	2,2',3,3',4,5,5'-Heptachlorobiphenyl	5 mg
CIL-PCB-173	2,2',3,3',4,5,6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-173-C	2,2',3,3',4,5,6-Heptachlorobiphenyl	5 mg
CIL-PCB-174	2,2',3,3',4,5,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-174-C	2,2',3,3',4,5,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-175	2,2',3,3',4,5',6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-175-C	2,2',3,3',4,5',6-Heptachlorobiphenyl	5 mg
CIL-PCB-176	2,2',3,3',4,6,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-176-C	2,2',3,3',4,6,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-177	2,2',3,3',4',5,6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-177-C	2,2',3,3',4',5,6-Heptachlorobiphenyl	5 mg
CIL-PCB-178	2,2',3,3',5,5',6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-178-C	2,2',3,3',5,5',6-Heptachlorobiphenyl	5 mg
CIL-PCB-179	2,2',3,3',5,6,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-179-C	2,2',3,3',5,6,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-180	2,2',3,4,4',5,5'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-180-C	2,2',3,4,4',5,5'-Heptachlorobiphenyl	5 mg
CIL-PCB-181	2,2',3,4,4',5,6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-181-C	2,2',3,4,4',5,6-Heptachlorobiphenyl	5 mg
CIL-PCB-182	2,2',3,4,4',5,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-182-C	2,2',3,4,4',5,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-183	2,2',3,4,4',5,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-183-C	2,2',3,4,4',5,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-184	2,2',3,4,4',6,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-184-C	2,2',3,4,4',6,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-185	2,2',3,4,5,5',6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-185-C	2,2',3,4,5,5',6-Heptachlorobiphenyl	5 mg
CIL-PCB-186	2,2',3,4,5,6,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-186-C	2,2',3,4,5,6,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-187	2,2',3,4',5,5',6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-187-C	2,2',3,4',5,5',6-Heptachlorobiphenyl	5 mg
CIL-PCB-188	2,2',3,4',5,6,6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-188-C	2,2',3,4',5,6,6'-Heptachlorobiphenyl	5 mg
CIL-PCB-189	2,3,3',4,4',5,5'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-189-C	2,3,3',4,4',5,5'-Heptachlorobiphenyl	5 mg
CIL-PCB-190	2,3,3',4,4',5,6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-190-C	2,3,3',4,4',5,6-Heptachlorobiphenyl	5 mg
CIL-PCB-191	2,3,3',4,4',5',6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-191-C	2,3,3',4,4',5',6-Heptachlorobiphenyl	5 mg
CIL-PCB-192	2,3,3',4,5,5',6'-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-192-C	2,3,3',4,5,5',6'-Heptachlorobiphenyl	5 mg
CIL-PCB-193	2,3,3',4',5,5',6-Heptachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-193-C	2,3,3',4',5,5',6-Heptachlorobiphenyl	5 mg
CIL-PCB-194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-194-C	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	5 mg
CIL-PCB-195	2,2',3,3',4,4',5,6-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-195-C	2,2',3,3',4,4',5,6-Octachlorobiphenyl	5 mg
CIL-PCB-196	2,2',3,3',4,4',5',6-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-196-C	2,2',3,3',4,4',5',6-Octachlorobiphenyl	5 mg
CIL-PCB-197	2,2',3,3',4,4',6,6'-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-197-C	2,2',3,3',4,4',6,6'-Octachlorobiphenyl	5 mg
CIL-PCB-198	2,2',3,3',4,5,5',6-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-198-C	2,2',3,3',4,5,5',6-Octachlorobiphenyl	5 mg
CIL-PCB-199	2,2',3,3',4,5,6,6'-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-199-C	2,2',3,3',4,5,6,6'-Octachlorobiphenyl	5 mg
CIL-PCB-200	2,2',3,3',4,5',6'-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-200-C	2,2',3,3',4,5',6'-Octachlorobiphenyl	5 mg
CIL-PCB-201	2,2',3,3',4,5,5',6'-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-201-C	2,2',3,3',4,5,5',6'-Octachlorobiphenyl	5 mg
CIL-PCB-202	2,2',3,3',5,5',6,6'-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-202-C	2,2',3,3',5,5',6,6'-Octachlorobiphenyl	5 mg
CIL-PCB-203	2,2',3,4,4',5,5',6-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-203-C	2,2',3,4,4',5,5',6-Octachlorobiphenyl	5 mg
CIL-PCB-204	2,2',3,4,4',5,6,6'-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-204-C	2,2',3,4,4',5,6,6'-Octachlorobiphenyl	5 mg
CIL-PCB-205	2,3,3',4,4',5,5',6-Octachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-205-C	2,3,3',4,4',5,5',6-Octachlorobiphenyl	5 mg
CIL-PCB-206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-206-C	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	5 mg



## PCB standards and standard mixtures

Code	Product	Unit
CIL-PCB-207	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-207-C	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl	5 mg
CIL-PCB-208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-208-C	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	5 mg
CIL-PCB-209	Decachlorobiphenyl 35 µg/mL in Isooctane	1 mL
CIL-PCB-209-C	Decachlorobiphenyl	5 mg

## U.S. EPA Method 1668A/B standard mixtures

CIL-EC-4976	Method 1668A PCB Calibration Solutions [CS1 - CS5]	5 x 0.2 mL
-------------	--	------------

Solvent: Nonane

All concentrations are in ng/mL (ppb)

Native Toxics/LOC Congeners	CS0.2	CS1	CS2	CS3	CS4	CS5
2-MonoCB	0.2	1.0	5.0	50	400	2000
4-MonoCB	0.2	1.0	5.0	50	400	2000
2,2'-DiCB	0.2	1.0	5.0	50	400	2000
4,4'-DiCB	0.2	1.0	5.0	50	400	2000
2,2',6-TriCB	0.2	1.0	5.0	50	400	2000
3,4,4'-TriCB	0.2	1.0	5.0	50	400	2000
2,2',6,6'-TetraCB	0.2	1.0	5.0	50	400	2000
3,3',4,4'-TetraCB	0.2	1.0	5.0	50	400	2000
3,4,4',5-TetraCB	0.2	1.0	5.0	50	400	2000
2,2',4,6,6'-PentaCB	0.2	1.0	5.0	50	400	2000
2,3,3',4,4'-PentaCB	0.2	1.0	5.0	50	400	2000
2,3,4,4',5-PentaCB	0.2	1.0	5.0	50	400	2000
2,3',4,4',5-PentaCB	0.2	1.0	5.0	50	400	2000
2',3,4,4',5-PentaCB	0.2	1.0	5.0	50	400	2000
3,3',4,4',5-PentaCB	0.2	1.0	5.0	50	400	2000
2,2',4,4',6,6'-HexaCB	0.2	1.0	5.0	50	400	2000
2,3,3',4,4',5-HexaCB	0.2	1.0	5.0	50	400	2000
2,3,3',4,4',5'-HexaCB	0.2	1.0	5.0	50	400	2000
2,3',4,4',5,5'-HexaCB	0.2	1.0	5.0	50	400	2000
3,3',4,4',5,5'-HexaCB	0.2	1.0	5.0	50	400	2000
2,2',3,4',5,6,6'-HeptaCB	0.2	1.0	5.0	50	400	2000
2,3,3',4,4',5,5'-HeptaCB	0.2	1.0	5.0	50	400	2000
2,2',3,3',5,5',6,6'-OctaCB	0.2	1.0	5.0	50	400	2000
2,3,3',4,4',5,5',6-OctaCB	0.2	1.0	5.0	50	400	2000
2,2',3,3',4,4',5,5',6-NonaCB	0.2	1.0	5.0	50	400	2000
2,2',3,3',4,5,5',6,6'-NonaCB	0.2	1.0	5.0	50	400	2000
DecaCB	0.2	1.0	5.0	50	400	2000
<sup>13</sup> C-Labelled Toxics/LOC	CS0.2	CS1	CS2	CS3	CS4	CS5
2-MonoCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
4-MonoCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',6-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
3,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',6,6'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',4,6,6'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',4,4',6,6'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',3,4',5,6,6'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',3,3',5,5',6,6'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3,3',4,4',5,5',6-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',3,3',4,4',5,5',6-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
<sup>13</sup> C-Labelled Clean-Up	CS0.2	CS1	CS2	CS3	CS4	CS5
2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
<sup>13</sup> C-Labelled Injection Internal	CS0.2	CS1	CS2	CS3	CS4	CS5
2,5-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100
2,2',3,3',4,4',5,5'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	100

CIL-EC-4976-0.2	Method 1668A High Sensitivity Calibration Solution [CS0.2] (not included in EC-4976)	0.2 mL
-----------------	--	--------



PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-4976-1	Method 1668A PCB Calibration Solutions [CS1]	0.2 mL
CIL-EC-4976-2	Method 1668A PCB Calibration Solutions [CS2]	0.2 mL
CIL-EC-4976-3	Method 1668A Calibration Verification Solution [CS3]	0.2 mL
<b>New</b> CIL-EC-4976-3-4	Method 1668A Calibration Verification Solution [CS3]	4 x 0.2mL
CIL-EC-4976-4	Method 1668A PCB Calibration Solutions [CS4]	0.2 mL
CIL-EC-4976-5	Method 1668A PCB Calibration Solutions [CS5]	0.2 mL
CIL-EC-4977	Method 1668A Labelled Toxics/LOC/Window Defining Solution Solvent: Nonane	1.2 mL
	Labelled PCBs	
	IUPAC#	Concentration
	2-MonoCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	1L ..... 1000 ng/mL
	4-MonoCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	3L ..... 1000 ng/mL
	2,2'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	4L ..... 1000 ng/mL
	4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	15L ..... 1000 ng/mL
	2,2',6-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	19L ..... 1000 ng/mL
	3,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	37L ..... 1000 ng/mL
	2,2',6,6'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	54L ..... 1000 ng/mL
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	77L ..... 1000 ng/mL
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	81L ..... 1000 ng/mL
	2,2',4,6,6'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	104L ..... 1000 ng/mL
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	105L ..... 1000 ng/mL
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	114L ..... 1000 ng/mL
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	118L ..... 1000 ng/mL
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	123L ..... 1000 ng/mL
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	126L ..... 1000 ng/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	155L ..... 1000 ng/mL
	2,2',4,4',6,6'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	156L ..... 1000 ng/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	157L ..... 1000 ng/mL
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	167L ..... 1000 ng/mL
	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	169L ..... 1000 ng/mL
	2,2',3,4',5,6,6'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	188L ..... 1000 ng/mL
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	189L ..... 1000 ng/mL
	2,2',3,3',5,5',6,6'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	202L ..... 1000 ng/mL
	2,3,3',4,4',5,5',6-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	205L ..... 1000 ng/mL
	2,2',3,3',4,4',5,5',6-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	206L ..... 1000 ng/mL
	2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	208L ..... 1000 ng/mL
	DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	209L ..... 1000 ng/mL
<b>New</b> CIL-EC-4977-5	Method 1668A Labelled Toxics/LOC/Window Defining Solution	5 mL
CIL-EC-4978	Method 1668A Labelled Clean-up Standard Solution Solvent: Nonane	1.2 mL
	Labelled PCBs	
	IUPAC#	Concentration
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	28L ..... 1.0 µg/mL
	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	111L ..... 1.0 µg/mL
	2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	178L ..... 1.0 µg/mL
CIL-EC-4979	Method 1668A Labelled Injection Internal Standard Solution Solvent: Nonane	1.2 mL
	Labelled PCBs	
	IUPAC#	Concentration
	2,5-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	9L ..... 5.0 µg/mL
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	52L ..... 5.0 µg/mL
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	101L ..... 5.0 µg/mL
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	138L ..... 5.0 µg/mL
	2,2',3,3',4,4',5,5'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	194L ..... 5.0 µg/mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-4989	Native 1668A Native Toxics/LOC Solution	1.2 mL
	Solvent: Nonane	
	Unlabelled PCBs	
	IUPAC#	Concentration
	2-MonoCB..... 1.....	2.0 µg/mL
	4-MonoCB..... 3.....	2.0 µg/mL
	2,2'-DiCB..... 4.....	2.0 µg/mL
	4,4'-DiCB..... 15.....	2.0 µg/mL
	2,2',6-TriCB..... 19.....	2.0 µg/mL
	3,4,4'-TriCB..... 37.....	2.0 µg/mL
	2,2',6,6'-TetraCB..... 54.....	2.0 µg/mL
	3,3',4,4'-TetraCB..... 77.....	2.0 µg/mL
	3,4,4',5-TetraCB..... 81.....	2.0 µg/mL
	2,2',4,6,6'-PentaCB..... 104.....	2.0 µg/mL
	2,3,3',4,4'-PentaCB..... 105.....	2.0 µg/mL
	2,3,4,4',5-PentaCB..... 114.....	2.0 µg/mL
	2,3',4,4',5-PentaCB..... 118.....	2.0 µg/mL
	2',3,4,4',5-PentaCB..... 123.....	2.0 µg/mL
	3,3',4,4',5-PentaCB..... 126.....	2.0 µg/mL
	2,2',4,4',6,6'-HexaCB..... 155.....	2.0 µg/mL
	2,3,3',4,4',5-HexaCB..... 156.....	2.0 µg/mL
	2,3,3',4,4',5'-HexaCB..... 157.....	2.0 µg/mL
	2,3',4,4',5,5'-HexaCB..... 167.....	2.0 µg/mL
	3,3',4,4',5,5'-HexaCB..... 169.....	2.0 µg/mL
	2,2',3,4',5,6,6'-HeptaCB..... 188.....	2.0 µg/mL
	2,3,3',4,4',5,5'-HeptaCB..... 189.....	2.0 µg/mL
	2,2',3,3',5,5',6,6'-OctaCB..... 202.....	2.0 µg/mL
	2,3,3',4,4',5,5',6-OctaCB..... 205.....	2.0 µg/mL
	2,2',3,3',4,4',5,5',6-NonaCB..... 206.....	2.0 µg/mL
	2,2',3,3',4,5,5',6,6'-NonaCB..... 208.....	2.0 µg/mL
	DecaCB..... 209.....	2.0 µg/mL

### EN-1948-4 PCB standards

CIL-EC-5380	EN-1948-4 WHO PCB Calibration Series	6 x 0.2 mL
	Solvent: Nonane	
	All concentrations are in ng/mL	
	<b>Native WHO PCBs</b>	<b>CS1 CS2 CS3 CS4 CS5 CS6</b>
	PCB #81.....0,1.....1.....10.....50.....200.....800	
	PCB #77.....0,1.....1.....10.....50.....200.....800	
	PCB #126.....0,1.....1.....10.....50.....200.....800	
	PCB #169.....0,1.....1.....10.....50.....200.....800	
	PCB #105.....0,1.....1.....10.....50.....200.....800	
	PCB #114.....0,1.....1.....10.....50.....200.....800	
	PCB #118.....0,6.....6.....60.....300.....1200.....4800	
	PCB #123.....0,1.....1.....10.....50.....200.....800	
	PCB #156.....0,1.....1.....10.....50.....200.....800	
	PCB #157.....0,1.....1.....10.....50.....200.....800	
	PCB #167.....0,1.....1.....10.....50.....200.....800	
	PCB #189.....0,1.....1.....10.....50.....200.....800	
	<b>Sampling Standards</b>	<b>CS1 CS2 CS3 CS4 CS5 CS6</b>
	<sup>13</sup> C PCB #60.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #127.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #159.....10.....10.....10.....10.....10.....10	
	<b>Extraction Standards</b>	<b>CS1 CS2 CS3 CS4 CS5 CS6</b>
	<sup>13</sup> C PCB #81.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #77.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #126.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #169.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #105.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #114.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #118.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #123.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #156.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #157.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #167.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #189.....10.....10.....10.....10.....10.....10	
	<b>Recovery Standards</b>	<b>CS1 CS2 CS3 CS4 CS5 CS6</b>
	<sup>13</sup> C PCB #70.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #111.....10.....10.....10.....10.....10.....10	
	<sup>13</sup> C PCB #170.....10.....10.....10.....10.....10.....10	
CIL-EC-5380-CS1	EN-1948-4 WHO PCB Calibration Series [CS1]	0.2 mL
CIL-EC-5380-CS2	EN-1948-4 WHO PCB Calibration Series [CS2]	0.2 mL
CIL-EC-5380-CS3	EN-1948-4 WHO PCB Calibration Series [CS3]	0.2 mL
CIL-EC-5380-CS4	EN-1948-4 WHO PCB Calibration Series [CS4]	0.2 mL
CIL-EC-5380-CS5	EN-1948-4 WHO PCB Calibration Series [CS5]	0.2 mL
CIL-EC-5380-CS6	EN-1948-4 WHO PCB Calibration Series [CS6]	0.2 mL

PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5370	EN-1948-4 PCB sampling standard Solvent: Nonane Labelled PCB IUPAC# Concentration 2,3,4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....60 ..... 100 ng/mL 3,3',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....127 ..... 100 ng/mL 2,3,3',4,5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....159 ..... 100 ng/mL	1.2 mL
<b>New</b> CIL-EC-5370-1/10X-10	EN-1948-4 PCB sampling standard (1/10 concentration) Solvent: Nonane Labelled PCB IUPAC# Concentration 2,3,4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....60 ..... 10 ng/mL 3,3',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....127 ..... 10 ng/mL 2,3,3',4,5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....159 ..... 10 ng/mL	10 mL
CIL-EC-5372	EN-1948-4 WHO PCB extraction standard Solvent: Nonane Labelled PCB IUPAC# Concentration 3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....81 ..... 100 ng/mL 3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....77 ..... 100 ng/mL 3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....126 ..... 100 ng/mL 3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....169 ..... 100 ng/mL 2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....105 ..... 100 ng/mL 2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....114 ..... 100 ng/mL 2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....118 ..... 100 ng/mL 2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....123 ..... 100 ng/mL 2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....156 ..... 100 ng/mL 2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....157 ..... 100 ng/mL 2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....167 ..... 100 ng/mL 2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....189 ..... 100 ng/mL	1.2 mL
CIL-EC-5372-1/10X-10	EN-1948-4 WHO PCB extraction standard Solvent: Nonane Labelled PCB IUPAC# Concentration 3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....81 ..... 10 ng/mL 3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....77 ..... 10 ng/mL 3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....126 ..... 10 ng/mL 3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....169 ..... 10 ng/mL 2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....105 ..... 10 ng/mL 2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....114 ..... 10 ng/mL 2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....118 ..... 10 ng/mL 2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....123 ..... 10 ng/mL 2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....156 ..... 10 ng/mL 2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....157 ..... 10 ng/mL 2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....167 ..... 10 ng/mL 2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....189 ..... 10 ng/mL	10 mL
CIL-EC-5371	EN-1948-4 PCB recovery standard Solvent: Nonane Labelled PCB IUPAC# Concentration 2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....70 ..... 100 ng/mL 2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....111 ..... 100 ng/mL 2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....170 ..... 100 ng/mL	1.2 mL
CIL-EC-5385	EN-1948-4 Marker PCB Calibration Series Solvent: Nonane All concentrations are in pg/μL <b>Native Marker PCBs</b> <b>CS1</b> <b>CS2</b> <b>CS3</b> <b>CS4</b> <b>CS5</b> <b>CS6</b> PCB #28 .....0,1 .....1 .....10 .....100 .....500 .....5000 PCB #52 .....0,1 .....1 .....10 .....100 .....500 .....5000 PCB #101 .....0,1 .....1 .....10 .....100 .....500 .....5000 PCB #153 .....0,1 .....1 .....10 .....100 .....500 .....5000 PCB #138 .....0,1 .....1 .....10 .....100 .....500 .....5000 PCB #180 .....0,1 .....1 .....10 .....100 .....500 .....5000 <b>Sampling Standards</b> <b>CS1</b> <b>CS2</b> <b>CS3</b> <b>CS4</b> <b>CS5</b> <b>CS6</b> <sup>13</sup> C PCB #60 .....10 .....10 .....10 .....10 .....10 .....10 <sup>13</sup> C PCB #127 .....10 .....10 .....10 .....10 .....10 .....10 <sup>13</sup> C PCB #159 .....10 .....10 .....10 .....10 .....10 .....10 <b>Extraction Standards</b> <b>CS1</b> <b>CS2</b> <b>CS3</b> <b>CS4</b> <b>CS5</b> <b>CS6</b> <sup>13</sup> C PCB #28 .....100 .....100 .....100 .....100 .....100 .....100 <sup>13</sup> C PCB #52 .....100 .....100 .....100 .....100 .....100 .....100 <sup>13</sup> C PCB #101 .....100 .....100 .....100 .....100 .....100 .....100 <sup>13</sup> C PCB #153 .....100 .....100 .....100 .....100 .....100 .....100 <sup>13</sup> C PCB #138 .....100 .....100 .....100 .....100 .....100 .....100 <sup>13</sup> C PCB #180 .....100 .....100 .....100 .....100 .....100 .....100 <b>Recovery Standards</b> <b>CS1</b> <b>CS2</b> <b>CS3</b> <b>CS4</b> <b>CS5</b> <b>CS6</b> <sup>13</sup> C PCB #70 .....10 .....10 .....10 .....10 .....10 .....10 <sup>13</sup> C PCB #111 .....10 .....10 .....10 .....10 .....10 .....10 <sup>13</sup> C PCB #170 .....10 .....10 .....10 .....10 .....10 .....10	6 x 0.2 mL
CIL-EC-5385-CS1	EN-1948-4 Marker PCB Calibration Series [CS1]	0.2 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5385-CS2	EN-1948-4 Marker PCB Calibration Series [CS2]	0.2 mL
CIL-EC-5385-CS3	EN-1948-4 Marker PCB Calibration Series [CS3]	0.2 mL
CIL-EC-5385-CS4	EN-1948-4 Marker PCB Calibration Series [CS4]	0.2 mL
CIL-EC-5385-CS5	EN-1948-4 Marker PCB Calibration Series [CS5]	0.2 mL
CIL-EC-5385-CS6	EN-1948-4 Marker PCB Calibration Series [CS6]	0.2 mL
CIL-EC-5379	EN-1948-4 Marker PCB extraction standard Solvent: Nonane	1.2 mL
	Labelled PCB	IUPAC#
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)	28
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	52
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	101
	2,2',3,4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	153
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180
<b>New</b> CIL-EC-5379-5X1.2	EN-1948-4 Marker PCB extraction standard	5 x 1.2 mL
CIL-EC-5379-1/10X-10	EN-1948-4 Marker PCB extraction standard Solvent: Nonane	10 mL
	Labelled PCB	IUPAC#
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)	28
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	52
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	101
	2,2',3,4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	153
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180

## Japanese Industrial Standard (JIS) Methods K0311 and K0312 standard mixtures

CIL-EC-5033...	JIS PCB Calibration Solutions Solvent: Nonane All concentrations are in ng/mL	Each
	<b>Unlabelled PCBs</b>	
	3,3',4,4'-TetraCB	77
	3,4,4',5-TetraCB	81
	2,3,3',4,4'-PentaCB	105
	2,3,4,4',5-PentaCB	114
	2,3',4,4',5-PentaCB	118
	2',3,4,4',5-PentaCB	123
	3,3',4,4',5-PentaCB	126
	2,3,3',4,4',5-HexaCB	156
	2,3,3',4,4',5'-HexaCB	157
	2,3',4,4',5,5'-HexaCB	167
	3,3',4,4',5,5'-HexaCB	169
	2,2',3,3',4,4',5-HeptaCB	170
	2,2',3,4,4',5,5'-HeptaCB	180
	2,3,3',4,4',5,5'-HeptaCB	189
	<b>Labelled PCBs</b>	
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167
	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189
CIL-EC-5033	JIS PCB Calibration Solutions : low concentrations [CS1-CS5]	5 x 0.2 mL
CIL-EC-5033-1	JIS PCB Calibration Solution: low concentration [CS1]	0.2 mL
CIL-EC-5033-2	JIS PCB Calibration Solution: low concentration [CS2]	0.2 mL
CIL-EC-5033-3	JIS PCB Calibration Solution: low concentration [CS3]	0.2 mL
CIL-EC-5033-4	JIS PCB Calibration Solution: low concentration [CS4]	0.2 mL
CIL-EC-5033-5	JIS PCB Calibration Solution: low concentration [CS5]	0.2 mL
CIL-EC-4970-A	JIS PCB Type 1 Syringe Standard Solution Solvent: Nonane	3 mL
	Labelled PCB	IUPAC#
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105

Code	Product	Unit																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-H-E	Modified JiS PCB Extended Calibration Solutions [CS0.4H-CS6H] Solvent: Nonane/Isooctane All concentrations are in ng/mL (ppb)	7 x 0.2 mL																																																																																																																																																																																																																																																																																																																										
	<table border="1"> <thead> <tr> <th>Unlabelled PCBs</th> <th>IUPAC</th> <th>CS0.4H</th> <th>CS1H</th> <th>CS2H</th> <th>CS3H</th> <th>CS4H</th> <th>CS5H</th> <th>CS6H</th> </tr> </thead> <tbody> <tr><td>3,4,4',5'-TetraCB</td><td>81</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4'-TetraCB</td><td>77</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4',5'-PentaCB</td><td>126</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB</td><td>169</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2',3,4,4',5'-PentaCB</td><td>123</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4',5'-PentaCB</td><td>118</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4'-PentaCB</td><td>105</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,4,4',5'-PentaCB</td><td>114</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB</td><td>167</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>156</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>157</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB</td><td>189</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',3,3',4,4',5'-HeptaCB</td><td>170</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB</td><td>180</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC</th> <th>CS0.4H</th> <th>CS1H</th> <th>CS2H</th> <th>CS3H</th> <th>CS4H</th> <th>CS5H</th> <th>CS6H</th> </tr> </thead> <tbody> <tr><td>3,4,4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2',3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',4,4',5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>180</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>70</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>111</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',5,5',6'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>178</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>79</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> </tbody> </table>	Unlabelled PCBs	IUPAC	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H	3,4,4',5'-TetraCB	81	0.1	0.25	1	5	20	100	500	3,3',4,4'-TetraCB	77	0.1	0.25	1	5	20	100	500	3,3',4,4',5'-PentaCB	126	0.1	0.25	1	5	20	100	500	3,3',4,4',5,5'-HexaCB	169	0.1	0.25	1	5	20	100	500	2',3,4,4',5'-PentaCB	123	0.1	0.25	1	5	20	100	500	2,3',4,4',5'-PentaCB	118	0.1	0.25	1	5	20	100	500	2,3,3',4,4'-PentaCB	105	0.1	0.25	1	5	20	100	500	2,3,4,4',5'-PentaCB	114	0.1	0.25	1	5	20	100	500	2,3',4,4',5,5'-HexaCB	167	0.1	0.25	1	5	20	100	500	2,3,3',4,4',5'-HexaCB	156	0.1	0.25	1	5	20	100	500	2,3,3',4,4',5'-HexaCB	157	0.1	0.25	1	5	20	100	500	2,3,3',4,4',5,5'-HeptaCB	189	0.1	0.25	1	5	20	100	500	2,2',3,3',4,4',5'-HeptaCB	170	0.1	0.25	1	5	20	100	500	2,2',3,4,4',5,5'-HeptaCB	180	0.1	0.25	1	5	20	100	500	Labelled PCBs	IUPAC	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H	3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	10	10	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	10	10	3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	10	10	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	10	10	2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	10	10	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	20	20	20	20	20	20	20	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	20	20	20	20	20	20	20	2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	10	10	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	10	10	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	20	20	20	20	20	20	20	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	10	10	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	10	10	2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	10	10	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	10	10	2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	10	10	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	10	10	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10	10	10	2,2',3,3',5,5',6'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	10	10	10	10	10	10	10	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10	10	10
Unlabelled PCBs	IUPAC	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H																																																																																																																																																																																																																																																																																																																				
3,4,4',5'-TetraCB	81	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
3,3',4,4'-TetraCB	77	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
3,3',4,4',5'-PentaCB	126	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
3,3',4,4',5,5'-HexaCB	169	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2',3,4,4',5'-PentaCB	123	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,3',4,4',5'-PentaCB	118	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4'-PentaCB	105	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,3,4,4',5'-PentaCB	114	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,3',4,4',5,5'-HexaCB	167	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4',5'-HexaCB	156	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4',5'-HexaCB	157	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4',5,5'-HeptaCB	189	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,2',3,3',4,4',5'-HeptaCB	170	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
2,2',3,4,4',5,5'-HeptaCB	180	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																				
Labelled PCBs	IUPAC	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H																																																																																																																																																																																																																																																																																																																				
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	20	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	20	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																				
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	20	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
2,2',3,3',5,5',6'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																				
<b>New</b> CIL-EC-5323-CS0.4H	Modified JiS PCB Extended Calibration Solution [CS0.4]	0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-H	Modified JiS PCB Calibration Solutions [CS1H-CS5H]	5 x 0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-CS1H	Modified JiS PCB Extended Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-CS2H	Modified JiS PCB Extended Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-CS3H	Modified JiS PCB Extended Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-CS4H	Modified JiS PCB Extended Calibration Solution [CS4]	0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-CS5H	Modified JiS PCB Extended Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5323-CS6H	Modified JiS PCB Extended Calibration Solution [CS6]	0.2 mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5324	Modified JiS PCB Cleanup Spike Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																																																																										
	<table border="1"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>3,4,4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>50 ng/mL</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>50 ng/mL</td></tr> <tr><td>2',3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>50 ng/mL</td></tr> <tr><td>2,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>100 ng/mL</td></tr> <tr><td>2,3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>50 ng/mL</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>100 ng/mL</td></tr> <tr><td>3,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>50 ng/mL</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>50 ng/mL</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>100 ng/mL</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>50 ng/mL</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>180</td><td>50 ng/mL</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>50 ng/mL</td></tr> <tr><td>2,2',3,3',4,4',5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>50 ng/mL</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>50 ng/mL</td></tr> </tbody> </table>	Labelled PCBs	IUPAC#	Concentration	3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	50 ng/mL	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	50 ng/mL	2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	50 ng/mL	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	100 ng/mL	2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	50 ng/mL	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	100 ng/mL	3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	50 ng/mL	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	50 ng/mL	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	100 ng/mL	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	50 ng/mL	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	50 ng/mL	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	50 ng/mL	2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	50 ng/mL	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	50 ng/mL																																																																																																																																																																																																																																																																														
Labelled PCBs	IUPAC#	Concentration																																																																																																																																																																																																																																																																																																																										
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	50 ng/mL																																																																																																																																																																																																																																																																																																																										
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	100 ng/mL																																																																																																																																																																																																																																																																																																																										
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	100 ng/mL																																																																																																																																																																																																																																																																																																																										
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	100 ng/mL																																																																																																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	50 ng/mL																																																																																																																																																																																																																																																																																																																										
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	50 ng/mL																																																																																																																																																																																																																																																																																																																										
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	50 ng/mL																																																																																																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5325	Modified JIS PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																																																																										
	<table border="1"> <thead> <tr> <th><sup>13</sup>C-Labelled PCBs</th> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td><sup>13</sup>C<sub>12</sub>-2,3',4',5'-Tetrachlorobiphenyl</td><td>70</td><td>50 ng/mL</td></tr> <tr><td><sup>13</sup>C<sub>12</sub>-2,3,3',5,5'-Pentachlorobiphenyl</td><td>111</td><td>50 ng/mL</td></tr> <tr><td><sup>13</sup>C<sub>12</sub>-2,2',3,4,4',5'-Hexachlorobiphenyl</td><td>138</td><td>50 ng/mL</td></tr> <tr><td><sup>13</sup>C<sub>12</sub>-2,2',3,3',5,5',6'-Heptachlorobiphenyl</td><td>178</td><td>50 ng/mL</td></tr> </tbody> </table>	<sup>13</sup> C-Labelled PCBs	IUPAC#	Concentration	<sup>13</sup> C <sub>12</sub> -2,3',4',5'-Tetrachlorobiphenyl	70	50 ng/mL	<sup>13</sup> C <sub>12</sub> -2,3,3',5,5'-Pentachlorobiphenyl	111	50 ng/mL	<sup>13</sup> C <sub>12</sub> -2,2',3,4,4',5'-Hexachlorobiphenyl	138	50 ng/mL	<sup>13</sup> C <sub>12</sub> -2,2',3,3',5,5',6'-Heptachlorobiphenyl	178	50 ng/mL																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C-Labelled PCBs	IUPAC#	Concentration																																																																																																																																																																																																																																																																																																																										
<sup>13</sup> C <sub>12</sub> -2,3',4',5'-Tetrachlorobiphenyl	70	50 ng/mL																																																																																																																																																																																																																																																																																																																										
<sup>13</sup> C <sub>12</sub> -2,3,3',5,5'-Pentachlorobiphenyl	111	50 ng/mL																																																																																																																																																																																																																																																																																																																										
<sup>13</sup> C <sub>12</sub> -2,2',3,4,4',5'-Hexachlorobiphenyl	138	50 ng/mL																																																																																																																																																																																																																																																																																																																										
<sup>13</sup> C <sub>12</sub> -2,2',3,3',5,5',6'-Heptachlorobiphenyl	178	50 ng/mL																																																																																																																																																																																																																																																																																																																										

## PCB standards and standard mixtures

Code	Product	Unit																																																																																																																																																																																																																																																																																																																											
<b>New</b> CIL-EC-5325-0.2X	Modified JIS PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane <sup>13</sup> C-Labeled PCBs	10 mL																																																																																																																																																																																																																																																																																																																											
	<table border="1"> <thead> <tr> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td><sup>13</sup>C<sub>12</sub>,2,3',4',5'-Tetrachlorobiphenyl</td> <td>70..... 10 ng/mL</td> </tr> <tr> <td><sup>13</sup>C<sub>12</sub>,2,3,3',5,5'-Pentachlorobiphenyl</td> <td>111..... 10 ng/mL</td> </tr> <tr> <td><sup>13</sup>C<sub>12</sub>,2,2',3,4,4',5'-Hexachlorobiphenyl</td> <td>138..... 10 ng/mL</td> </tr> <tr> <td><sup>13</sup>C<sub>12</sub>,2,2',3,3',5,5',6-Heptachlorobiphenyl</td> <td>178..... 10 ng/mL</td> </tr> </tbody> </table>	IUPAC#	Concentration	<sup>13</sup> C <sub>12</sub> ,2,3',4',5'-Tetrachlorobiphenyl	70..... 10 ng/mL	<sup>13</sup> C <sub>12</sub> ,2,3,3',5,5'-Pentachlorobiphenyl	111..... 10 ng/mL	<sup>13</sup> C <sub>12</sub> ,2,2',3,4,4',5'-Hexachlorobiphenyl	138..... 10 ng/mL	<sup>13</sup> C <sub>12</sub> ,2,2',3,3',5,5',6-Heptachlorobiphenyl	178..... 10 ng/mL																																																																																																																																																																																																																																																																																																																		
IUPAC#	Concentration																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,3',4',5'-Tetrachlorobiphenyl	70..... 10 ng/mL																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,3,3',5,5'-Pentachlorobiphenyl	111..... 10 ng/mL																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,2',3,4,4',5'-Hexachlorobiphenyl	138..... 10 ng/mL																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,2',3,3',5,5',6-Heptachlorobiphenyl	178..... 10 ng/mL																																																																																																																																																																																																																																																																																																																												
<b>New</b> CIL-EC-5325-20X	Modified JIS PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane <sup>13</sup> C-Labeled PCBs	1.2 mL																																																																																																																																																																																																																																																																																																																											
	<table border="1"> <thead> <tr> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td><sup>13</sup>C<sub>12</sub>,2,3',4',5'-Tetrachlorobiphenyl</td> <td>70..... 1000 ng/mL</td> </tr> <tr> <td><sup>13</sup>C<sub>12</sub>,2,3,3',5,5'-Pentachlorobiphenyl</td> <td>111..... 1000 ng/mL</td> </tr> <tr> <td><sup>13</sup>C<sub>12</sub>,2,2',3,4,4',5'-Hexachlorobiphenyl</td> <td>138..... 1000 ng/mL</td> </tr> <tr> <td><sup>13</sup>C<sub>12</sub>,2,2',3,3',5,5',6-Heptachlorobiphenyl</td> <td>178..... 1000 ng/mL</td> </tr> </tbody> </table>	IUPAC#	Concentration	<sup>13</sup> C <sub>12</sub> ,2,3',4',5'-Tetrachlorobiphenyl	70..... 1000 ng/mL	<sup>13</sup> C <sub>12</sub> ,2,3,3',5,5'-Pentachlorobiphenyl	111..... 1000 ng/mL	<sup>13</sup> C <sub>12</sub> ,2,2',3,4,4',5'-Hexachlorobiphenyl	138..... 1000 ng/mL	<sup>13</sup> C <sub>12</sub> ,2,2',3,3',5,5',6-Heptachlorobiphenyl	178..... 1000 ng/mL																																																																																																																																																																																																																																																																																																																		
IUPAC#	Concentration																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,3',4',5'-Tetrachlorobiphenyl	70..... 1000 ng/mL																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,3,3',5,5'-Pentachlorobiphenyl	111..... 1000 ng/mL																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,2',3,4,4',5'-Hexachlorobiphenyl	138..... 1000 ng/mL																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C <sub>12</sub> ,2,2',3,3',5,5',6-Heptachlorobiphenyl	178..... 1000 ng/mL																																																																																																																																																																																																																																																																																																																												
<b>New</b> CIL-EC-5326	Modified Jis PCB Sampling Spike Solvent: Nonane <b>Labelled PCB</b>	1.2 mL																																																																																																																																																																																																																																																																																																																											
	<table border="1"> <thead> <tr> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>79..... 50 ng/mL</td> </tr> </tbody> </table>	IUPAC#	Concentration	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79..... 50 ng/mL																																																																																																																																																																																																																																																																																																																								
IUPAC#	Concentration																																																																																																																																																																																																																																																																																																																												
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79..... 50 ng/mL																																																																																																																																																																																																																																																																																																																												
CIL-EC-5360	Modified JIS PCB Alt A Extended Calibration Solutions [CS0.4H-CS6H] (unlabeled/ <sup>13</sup> C <sup>12</sup> ,99%) Solvent: Nonane All concentrations are in ng/mL	7 x 0.2 mL																																																																																																																																																																																																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Unlabelled PCBs</th> <th>IUPAC #</th> <th>CS0.4H</th> <th>CS1H</th> <th>CS2H</th> <th>CS3H</th> <th>CS4H</th> <th>CS5H</th> <th>CS6H</th> </tr> </thead> <tbody> <tr><td>3,4,4',5-TetraCB</td><td>81</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4'-TetraCB</td><td>77</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4',5-PentaCB</td><td>126</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB</td><td>169</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2',3,4,4',5-PentaCB</td><td>123</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4',5-PentaCB</td><td>118</td><td>0.2</td><td>0.5</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,3',4,4'-PentaCB</td><td>105</td><td>0.2</td><td>0.5</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,4,4',5-PentaCB</td><td>114</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB</td><td>167</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4',5-HexaCB</td><td>156</td><td>0.2</td><td>0.5</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>157</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB</td><td>189</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB</td><td>170</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB</td><td>180</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr> <th>Labelled PCBs</th> <th>IUPAC #</th> <th>CS0.4H</th> <th>CS1H</th> <th>CS2H</th> <th>CS3H</th> <th>CS4H</th> <th>CS5H</th> <th>CS6H</th> </tr> <tr><td>3,4,4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2',3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>180</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>70</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>111</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',5,5',6-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>178</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>79</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> </tbody> </table>	Unlabelled PCBs	IUPAC #	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H	3,4,4',5-TetraCB	81	0.1	0.25	1	5	20	100	500	3,3',4,4'-TetraCB	77	0.1	0.25	1	5	20	100	500	3,3',4,4',5-PentaCB	126	0.1	0.25	1	5	20	100	500	3,3',4,4',5,5'-HexaCB	169	0.1	0.25	1	5	20	100	500	2',3,4,4',5-PentaCB	123	0.1	0.25	1	5	20	100	500	2,3',4,4',5-PentaCB	118	0.2	0.5	2	10	40	200	1000	2,3,3',4,4'-PentaCB	105	0.2	0.5	2	10	40	200	1000	2,3,4,4',5-PentaCB	114	0.1	0.25	1	5	20	100	500	2,3',4,4',5,5'-HexaCB	167	0.1	0.25	1	5	20	100	500	2,3,3',4,4',5-HexaCB	156	0.2	0.5	2	10	40	200	1000	2,3,3',4,4',5'-HexaCB	157	0.1	0.25	1	5	20	100	500	2,3,3',4,4',5,5'-HeptaCB	189	0.1	0.25	1	5	20	100	500	2,2',3,3',4,4',5-HeptaCB	170	0.1	0.25	1	5	20	100	500	2,2',3,4,4',5,5'-HeptaCB	180	0.1	0.25	1	5	20	100	500	Labelled PCBs	IUPAC #	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	10	10	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	10	10	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	10	10	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	10	10	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	10	10	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	20	20	20	20	20	20	20	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	20	20	20	20	20	20	20	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	10	10	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	10	10	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	20	20	20	20	20	20	20	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	10	10	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	10	10	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	10	10	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	10	10	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	10	10	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	10	10	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10	10	10	2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	10	10	10	10	10	10	10	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10	10	10	
Unlabelled PCBs	IUPAC #	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H																																																																																																																																																																																																																																																																																																																					
3,4,4',5-TetraCB	81	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
3,3',4,4'-TetraCB	77	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5-PentaCB	126	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5,5'-HexaCB	169	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
2',3,4,4',5-PentaCB	123	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5-PentaCB	118	0.2	0.5	2	10	40	200	1000																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4'-PentaCB	105	0.2	0.5	2	10	40	200	1000																																																																																																																																																																																																																																																																																																																					
2,3,4,4',5-PentaCB	114	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5,5'-HexaCB	167	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5-HexaCB	156	0.2	0.5	2	10	40	200	1000																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5'-HexaCB	157	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5,5'-HeptaCB	189	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
2,2',3,3',4,4',5-HeptaCB	170	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
2,2',3,4,4',5,5'-HeptaCB	180	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																																																					
Labelled PCBs	IUPAC #	CS0.4H	CS1H	CS2H	CS3H	CS4H	CS5H	CS6H																																																																																																																																																																																																																																																																																																																					
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	20	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	20	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																					
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	20	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10	10	10																																																																																																																																																																																																																																																																																																																					
CIL-EC-5360-CS0.4H	Modified JIS PCB alt A Extended Calibration Solution [CS0.4H]	0.2 mL																																																																																																																																																																																																																																																																																																																											
CIL-EC-5360-CS1H	Modified JIS PCB alt A Extended Calibration Solution [CS1H]	0.2 mL																																																																																																																																																																																																																																																																																																																											
CIL-EC-5360-CS2H	Modified JIS PCB alt A Extended Calibration Solution [CS2H]	0.2 mL																																																																																																																																																																																																																																																																																																																											
CIL-EC-5360-CS3H	Modified JIS PCB alt A Extended Calibration Solution [CS3H]	0.2 mL																																																																																																																																																																																																																																																																																																																											
CIL-EC-5360-CS4H	Modified JIS PCB alt A Extended Calibration Solution [CS4H]	0.2 mL																																																																																																																																																																																																																																																																																																																											
CIL-EC-5360-CS5H	Modified JIS PCB alt A Extended Calibration Solution [CS5H]	0.2 mL																																																																																																																																																																																																																																																																																																																											
CIL-EC-5360-CS6H	Modified JIS PCB alt A Extended Calibration Solution [CS6H]	0.2 mL																																																																																																																																																																																																																																																																																																																											



PCB standards and standard mixtures

Code	Product	Unit																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5418	Modified JIS PCB alternative calibration solutions [CS1H-CS5H] Solvent: Nonane All concentrations are in ng/mL (ppb)	5 x 0.2 mL																																																																																																																																																																																																																																																																																						
	<table border="0"> <thead> <tr> <th>Unlabelled PCBs</th> <th>IUPAC#</th> <th>CS0.4</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> </thead> <tbody> <tr><td>3,4,4',5'-TetraCB</td><td>81</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4'-TetraCB</td><td>77</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4',5'-PentaCB</td><td>126</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB</td><td>169</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2',3,4,4',5'-PentaCB</td><td>123</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4',5'-PentaCB</td><td>118</td><td>0.2</td><td>0.5</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,3',4,4'-PentaCB</td><td>105</td><td>0.2</td><td>0.5</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,4,4',5'-PentaCB</td><td>114</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB</td><td>167</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>156</td><td>0.2</td><td>0.5</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>157</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB</td><td>189</td><td>0.1</td><td>0.25</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> </tbody> </table> <table border="0"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC#</th> <th>CS0.4</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> </thead> <tbody> <tr><td>3,4,4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2',3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>8</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>8</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>8</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',4,4',5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>70</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>111</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>79</td><td>4</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> </tbody> </table>	Unlabelled PCBs	IUPAC#	CS0.4	CS1	CS2	CS3	CS4	CS5	CS6	3,4,4',5'-TetraCB	81	0.1	0.25	1	5	20	100	500	3,3',4,4'-TetraCB	77	0.1	0.25	1	5	20	100	500	3,3',4,4',5'-PentaCB	126	0.1	0.25	1	5	20	100	500	3,3',4,4',5,5'-HexaCB	169	0.1	0.25	1	5	20	100	500	2',3,4,4',5'-PentaCB	123	0.1	0.25	1	5	20	100	500	2,3',4,4',5'-PentaCB	118	0.2	0.5	2	10	40	200	1000	2,3,3',4,4'-PentaCB	105	0.2	0.5	2	10	40	200	1000	2,3,4,4',5'-PentaCB	114	0.1	0.25	1	5	20	100	500	2,3',4,4',5,5'-HexaCB	167	0.1	0.25	1	5	20	100	500	2,3,3',4,4',5'-HexaCB	156	0.2	0.5	2	10	40	200	1000	2,3,3',4,4',5'-HexaCB	157	0.1	0.25	1	5	20	100	500	2,3,3',4,4',5,5'-HeptaCB	189	0.1	0.25	1	5	20	100	500	Labelled PCBs	IUPAC#	CS0.4	CS1	CS2	CS3	CS4	CS5	CS6	3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	4	10	10	10	10	10	10	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	4	10	10	10	10	10	10	3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	4	10	10	10	10	10	10	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	4	10	10	10	10	10	10	2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	4	10	10	10	10	10	10	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	8	20	20	20	20	20	20	2,3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	8	20	20	20	20	20	20	2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	4	10	10	10	10	10	10	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	4	10	10	10	10	10	10	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	8	20	20	20	20	20	20	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	4	10	10	10	10	10	10	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	4	10	10	10	10	10	10	2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	4	10	10	10	10	10	10	2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	4	10	10	10	10	10	10	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	4	10	10	10	10	10	10	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	4	10	10	10	10	10	10	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	4	10	10	10	10	10	10
Unlabelled PCBs	IUPAC#	CS0.4	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																
3,4,4',5'-TetraCB	81	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
3,3',4,4'-TetraCB	77	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
3,3',4,4',5'-PentaCB	126	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
3,3',4,4',5,5'-HexaCB	169	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
2',3,4,4',5'-PentaCB	123	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
2,3',4,4',5'-PentaCB	118	0.2	0.5	2	10	40	200	1000																																																																																																																																																																																																																																																																																
2,3,3',4,4'-PentaCB	105	0.2	0.5	2	10	40	200	1000																																																																																																																																																																																																																																																																																
2,3,4,4',5'-PentaCB	114	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
2,3',4,4',5,5'-HexaCB	167	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
2,3,3',4,4',5'-HexaCB	156	0.2	0.5	2	10	40	200	1000																																																																																																																																																																																																																																																																																
2,3,3',4,4',5'-HexaCB	157	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
2,3,3',4,4',5,5'-HeptaCB	189	0.1	0.25	1	5	20	100	500																																																																																																																																																																																																																																																																																
Labelled PCBs	IUPAC#	CS0.4	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	8	20	20	20	20	20	20																																																																																																																																																																																																																																																																																
2,3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	8	20	20	20	20	20	20																																																																																																																																																																																																																																																																																
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	8	20	20	20	20	20	20																																																																																																																																																																																																																																																																																
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	4	10	10	10	10	10	10																																																																																																																																																																																																																																																																																
<b>New</b> CIL-EC-5418-CS0.4H	Modified JIS PCB alternative calibration solution [CS0.4H]	0.2 mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5418-CS1H	Modified JIS PCB alternative calibration solution [CS1H]	0.2 mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5418-CS2H	Modified JIS PCB alternative calibration solution [CS2H]	0.2 mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5418-CS3H	Modified JIS PCB alternative calibration solution [CS3H]	0.2 mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5418-CS4H	Modified JIS PCB alternative calibration solution [CS4H]	0.2 mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5418-CS5H	Modified JIS PCB alternative calibration solution [CS5H]	0.2 mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5418-CS6H	Modified JIS PCB alternative calibration solution [CS6H]	0.2 mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5419	Modified JIS PCB alternate B cleanup solution Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																																						
	<table border="0"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>3,4,4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>50 ng/mL</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>50 ng/mL</td></tr> <tr><td>2',3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>50 ng/mL</td></tr> <tr><td>2,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>100 ng/mL</td></tr> <tr><td>2,3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>50 ng/mL</td></tr> <tr><td>2,3,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>100 ng/mL</td></tr> <tr><td>3,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>50 ng/mL</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>50 ng/mL</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>100 ng/mL</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>50 ng/mL</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>50 ng/mL</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>50 ng/mL</td></tr> </tbody> </table>	Labelled PCBs	IUPAC#	Concentration	3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	50 ng/mL	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	50 ng/mL	2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	50 ng/mL	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	100 ng/mL	2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	50 ng/mL	2,3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	100 ng/mL	3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	50 ng/mL	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	50 ng/mL	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	100 ng/mL	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	50 ng/mL	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	50 ng/mL	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	50 ng/mL																																																																																																																																																																																																																																																
Labelled PCBs	IUPAC#	Concentration																																																																																																																																																																																																																																																																																						
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	50 ng/mL																																																																																																																																																																																																																																																																																						
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	50 ng/mL																																																																																																																																																																																																																																																																																						
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	50 ng/mL																																																																																																																																																																																																																																																																																						
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	100 ng/mL																																																																																																																																																																																																																																																																																						
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	50 ng/mL																																																																																																																																																																																																																																																																																						
2,3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	100 ng/mL																																																																																																																																																																																																																																																																																						
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	50 ng/mL																																																																																																																																																																																																																																																																																						
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	50 ng/mL																																																																																																																																																																																																																																																																																						
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	100 ng/mL																																																																																																																																																																																																																																																																																						
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	50 ng/mL																																																																																																																																																																																																																																																																																						
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	50 ng/mL																																																																																																																																																																																																																																																																																						
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	50 ng/mL																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-EC-5420	Modified JIS PCB alternate B syringe spike Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																																						
	<table border="0"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>2,3',4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>70</td><td>50 ng/mL</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>111</td><td>50 ng/mL</td></tr> <tr><td>2,2',3,4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>50 ng/mL</td></tr> <tr><td>2,2',3,3',4,4',5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>50 ng/mL</td></tr> </tbody> </table>	Labelled PCBs	IUPAC#	Concentration	2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	50 ng/mL	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	50 ng/mL	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	50 ng/mL	2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	50 ng/mL																																																																																																																																																																																																																																																																								
Labelled PCBs	IUPAC#	Concentration																																																																																																																																																																																																																																																																																						
2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	50 ng/mL																																																																																																																																																																																																																																																																																						
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	50 ng/mL																																																																																																																																																																																																																																																																																						
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	50 ng/mL																																																																																																																																																																																																																																																																																						
2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	50 ng/mL																																																																																																																																																																																																																																																																																						



# PCB standards and standard mixtures

Code Product Unit

## WHO PCB mixtures

CIL-EC-4939 WHO Coplanar & mono-ortho PCBs & PCB-170/180 Calibration Set 5 x 0.2 mL

Solvent: Nonane

All concentrations are in ng/mL (ppb)

Unlabelled PCBs	IUPAC#	CS1	CS2	CS3	CS4	CS5
3,3',4,4'-TetraCB	77	1.0	5.0	25	100	500
3,4,4',5'-TetraCB	81	1.0	5.0	25	100	500
2,3,3',4,4'-PentaCB	105	1.0	5.0	25	100	500
2,3,4,4',5'-PentaCB	114	1.0	5.0	25	100	500
2,3',4,4',5'-PentaCB	118	1.0	5.0	25	100	500
2',3,4,4',5'-PentaCB	123	1.0	5.0	25	100	500
3,3',4,4',5'-PentaCB	126	1.0	5.0	25	100	500
2,3,3',4,4',5'-HexaCB	156	1.0	5.0	25	100	500
2,3,3',4,4',5'-HexaCB	157	1.0	5.0	25	100	500
2,3',4,4',5,5'-HexaCB	167	1.0	5.0	25	100	500
3,3',4,4',5,5'-HexaCB	169	1.0	5.0	25	100	500
2,2',3,3',4,4',5'-HeptaCB	170	1.0	5.0	25	100	500
2,2',3,4,4',5,5'-HeptaCB	180	1.0	5.0	25	100	500
2,3,3',4,4',5,5'-HeptaCB	189	1.0	5.0	25	100	500
Labelled PCBs	IUPAC#	CS1	CS2	CS3	CS4	CS5
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	100	100	100	100	100
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	100	100	100	100	100
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	100	100	100	100	100
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	100	100	100	100	100
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	100	100	100	100	100
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	100	100	100	100	100
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	100	100	100	100	100
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	100	100	100	100	100
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	100	100	100	100	100
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	100	100	100	100	100
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	100	100	100	100	100
2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	100	100	100	100	100
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	100	100	100	100	100
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	100	100	100	100	100

CIL-EC-4939-1 WHO Coplanar & mono-ortho PCBs & PCB-170, 180 Calibration Solution [CS1] 200 µL

CIL-EC-4939-2 WHO Coplanar & mono-ortho PCBs & PCB-170, 180 Calibration Solution [CS2] 200 µL

CIL-EC-4939-3 WHO Coplanar & mono-ortho PCBs & PCB-170, 180 Calibration Solution [CS3] 200 µL

CIL-EC-4939-4 WHO Coplanar & mono-ortho PCBs & PCB-170, 180 Calibration Solution [CS4] 200 µL

CIL-EC-4939-5 WHO Coplanar & mono-ortho PCBs & PCB-170, 180 Calibration Solution [CS5] 200 µL

CIL-EC-5186 World Health Organization PCBs + PCB-170 + PCB-180 + Syringe PCB Calibration Solution [CS1 - CS5] 5 x 0.2 mL

Solvent: Nonane

All concentrations are in ng/mL

Unlabelled PCBs	IUPAC#	CS1	CS2	CS3	CS4	CS5
3,3',4,4'-TetraCB	77	0.5	2	10	50	250
3,4,4',5'-TetraCB	81	0.5	2	10	50	250
3,3',4,4',5'-PentaCB	126	0.5	2	10	50	250
3,3',4,4',5,5'-HexaCB	169	0.5	2	10	50	250
2',3,4,4',5'-PentaCB	123	0.5	2	10	50	250
2,3',4,4',5'-PentaCB	118	0.5	2	10	50	250
2,3,3',4,4',5'-PentaCB	105	0.5	2	10	50	250
2,3,4,4',5'-PentaCB	114	0.5	2	10	50	250
2,3',4,4',5,5'-HexaCB	167	0.5	2	10	50	250
2,3,3',4,4',5'-HexaCB	156	0.5	2	10	50	250
2,3,3',4,4',5'-HexaCB	157	0.5	2	10	50	250
2,3,3',4,4',5,5'-HeptaCB	189	0.5	2	10	50	250
2,2',3,4,4',5,5'-HeptaCB	180	0.5	2	10	50	250
2,2',3,3',4,4',5'-HeptaCB	170	0.5	2	10	50	250
Labelled PCBs	IUPAC#	CS1	CS2	CS3	CS4	CS5
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10
2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	10	10	10	10	10
2,3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	10	10	10	10	10
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	10	10	10	10	10
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10
2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10

**PCB standards and standard mixtures**

Code	Product	Unit																																																																																																																																																																																																																																														
CIL-EC-5186-CS1	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe PCB Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5186-CS2	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe PCB Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5186-CS3	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe PCB Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5186-CS4	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe PCB Calibration Solution [CS4]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5186-CS5	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe PCB Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5044	WHO PCB+PCB-170+PCB-180 Calibration Solutions [CS1-CS5] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane All concentrations are in ng/mL	5 x 0.2 mL																																																																																																																																																																																																																																														
	<table border="1"> <thead> <tr> <th>Unlabelled PCBs</th> <th>IUPAC #</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr><td>3,3',4,4'-TetraCB</td><td>77</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>3,4,4',5'-TetraCB</td><td>81</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>3,3',4,4',5'-PentaCB</td><td>126</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB</td><td>169</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3,3',4,4'-PentaCB</td><td>105</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3,4,4',5'-PentaCB</td><td>114</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3',4,4',5'-PentaCB</td><td>118</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2',3,4,4',5'-PentaCB</td><td>123</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>156</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>157</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB</td><td>167</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB</td><td>189</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB</td><td>180</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB</td><td>170</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td></tr> <tr> <th>Labelled PCBs</th> <th>IUPAC #</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr><td>2,3',4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>70</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>79</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>111</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,2',3,4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>3,4,4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>3,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3',4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2',3,4,4',5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>180</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> </tbody> </table>	Unlabelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	3,3',4,4'-TetraCB	77	0.4	2	10	40	200	3,4,4',5'-TetraCB	81	0.4	2	10	40	200	3,3',4,4',5'-PentaCB	126	0.4	2	10	40	200	3,3',4,4',5,5'-HexaCB	169	0.4	2	10	40	200	2,3,3',4,4'-PentaCB	105	0.4	2	10	40	200	2,3,4,4',5'-PentaCB	114	0.4	2	10	40	200	2,3',4,4',5'-PentaCB	118	0.4	2	10	40	200	2',3,4,4',5'-PentaCB	123	0.4	2	10	40	200	2,3,3',4,4',5'-HexaCB	156	0.4	2	10	40	200	2,3,3',4,4',5'-HexaCB	157	0.4	2	10	40	200	2,3',4,4',5,5'-HexaCB	167	0.4	2	10	40	200	2,3,3',4,4',5,5'-HeptaCB	189	0.4	2	10	40	200	2,2',3,4,4',5,5'-HeptaCB	180	0.4	2	10	40	200	2,2',3,3',4,4',5-HeptaCB	170	0.4	2	10	40	200	Labelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	20	20	20	20	20	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	20	20	20	20	20	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	20	20	20	20	20	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	20	20	20	20	20	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	20	20	20	20	20	3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	20	20	20	20	20	3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	20	20	20	20	20	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	20	20	20	20	20	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	20	20	20	20	20	2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	20	20	20	20	20	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	20	20	20	20	20	2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	20	20	20	20	20	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	20	20	20	20	20	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	20	20	20	20	20	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	20	20	20	20	20	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	20	20	20	20	20	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	20	20	20	20	20	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	20	20	20	20	20	
Unlabelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																										
3,3',4,4'-TetraCB	77	0.4	2	10	40	200																																																																																																																																																																																																																																										
3,4,4',5'-TetraCB	81	0.4	2	10	40	200																																																																																																																																																																																																																																										
3,3',4,4',5'-PentaCB	126	0.4	2	10	40	200																																																																																																																																																																																																																																										
3,3',4,4',5,5'-HexaCB	169	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,3,3',4,4'-PentaCB	105	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,3,4,4',5'-PentaCB	114	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,3',4,4',5'-PentaCB	118	0.4	2	10	40	200																																																																																																																																																																																																																																										
2',3,4,4',5'-PentaCB	123	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB	156	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB	157	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,3',4,4',5,5'-HexaCB	167	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,3,3',4,4',5,5'-HeptaCB	189	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,2',3,4,4',5,5'-HeptaCB	180	0.4	2	10	40	200																																																																																																																																																																																																																																										
2,2',3,3',4,4',5-HeptaCB	170	0.4	2	10	40	200																																																																																																																																																																																																																																										
Labelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																										
2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	20	20	20	20	20																																																																																																																																																																																																																																										
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	20	20	20	20	20																																																																																																																																																																																																																																										
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	20	20	20	20	20																																																																																																																																																																																																																																										
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	20	20	20	20	20																																																																																																																																																																																																																																										
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	20	20	20	20	20																																																																																																																																																																																																																																										
3,4,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	20	20	20	20	20																																																																																																																																																																																																																																										
3,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	20	20	20	20	20																																																																																																																																																																																																																																										
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	20	20	20	20	20																																																																																																																																																																																																																																										
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	20	20	20	20	20																																																																																																																																																																																																																																										
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	20	20	20	20	20																																																																																																																																																																																																																																										
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	20	20	20	20	20																																																																																																																																																																																																																																										
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	20	20	20	20	20																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	20	20	20	20	20																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	20	20	20	20	20																																																																																																																																																																																																																																										
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	20	20	20	20	20																																																																																																																																																																																																																																										
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	20	20	20	20	20																																																																																																																																																																																																																																										
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	20	20	20	20	20																																																																																																																																																																																																																																										
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	20	20	20	20	20																																																																																																																																																																																																																																										
<b>New</b> CIL-EC-5044-CS1	WHO PCB+PCB-170+PCB-180 Calibrations Solution [CS1] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																														
<b>New</b> CIL-EC-5044-CS2	WHO PCB+PCB-170+PCB-180 Calibrations solutions [CS2] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																														
<b>New</b> CIL-EC-5044-CS3	WHO PCB+PCB-170+PCB-180 Calibrations Solutions [CS3] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																														
<b>New</b> CIL-EC-5044-CS4	WHO PCB+PCB-170+PCB-180 Calibrations solutions [CS4] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																														
<b>New</b> CIL-EC-5044-CS5	WHO PCB+PCB-170+PCB-180 Calibrations solutions [CS5] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																																																																																																																														

## PCB standards and standard mixtures

Code	Product	Unit																																																																																																																																																																																																																																														
CIL-EC-5315	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe Low Calibration Solution [CS1 - CS5] Solvent: Nonane All concentrations are in ng/mL	5 x 0.2 mL																																																																																																																																																																																																																																														
	<table border="1"> <thead> <tr> <th>Unlabelled PCBs</th> <th>IUPAC #</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr><td>3,3',4,4'-TetraCB</td><td>77</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>3,4,4',5-TetraCB</td><td>81</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,3',4,4'-PentaCB</td><td>105</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,4,4',5-PentaCB</td><td>114</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3',4,4',5-PentaCB</td><td>118</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2',3,4,4',5-PentaCB</td><td>123</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>3,3',4,4',5-PentaCB</td><td>126</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,3',4,4',5-HexaCB</td><td>156</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB</td><td>157</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB</td><td>167</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB</td><td>169</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB</td><td>189</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB</td><td>180</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB</td><td>170</td><td>0.2</td><td>1</td><td>5</td><td>20</td><td>100</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC #</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr><td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>79</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>70</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>111</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,4,4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2',3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>180</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> </tbody> </table>	Unlabelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	3,3',4,4'-TetraCB	77	0.2	1	5	20	100	3,4,4',5-TetraCB	81	0.2	1	5	20	100	2,3,3',4,4'-PentaCB	105	0.2	1	5	20	100	2,3,4,4',5-PentaCB	114	0.2	1	5	20	100	2,3',4,4',5-PentaCB	118	0.2	1	5	20	100	2',3,4,4',5-PentaCB	123	0.2	1	5	20	100	3,3',4,4',5-PentaCB	126	0.2	1	5	20	100	2,3,3',4,4',5-HexaCB	156	0.2	1	5	20	100	2,3,3',4,4',5'-HexaCB	157	0.2	1	5	20	100	2,3',4,4',5,5'-HexaCB	167	0.2	1	5	20	100	3,3',4,4',5,5'-HexaCB	169	0.2	1	5	20	100	2,3,3',4,4',5,5'-HeptaCB	189	0.2	1	5	20	100	2,2',3,4,4',5,5'-HeptaCB	180	0.2	1	5	20	100	2,2',3,3',4,4',5-HeptaCB	170	0.2	1	5	20	100	Labelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	10	10	10	10	10	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	10	10	10	10	10	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	10	10	10	10	10	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	
Unlabelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																										
3,3',4,4'-TetraCB	77	0.2	1	5	20	100																																																																																																																																																																																																																																										
3,4,4',5-TetraCB	81	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,3,3',4,4'-PentaCB	105	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,3,4,4',5-PentaCB	114	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,3',4,4',5-PentaCB	118	0.2	1	5	20	100																																																																																																																																																																																																																																										
2',3,4,4',5-PentaCB	123	0.2	1	5	20	100																																																																																																																																																																																																																																										
3,3',4,4',5-PentaCB	126	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,3,3',4,4',5-HexaCB	156	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB	157	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,3',4,4',5,5'-HexaCB	167	0.2	1	5	20	100																																																																																																																																																																																																																																										
3,3',4,4',5,5'-HexaCB	169	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,3,3',4,4',5,5'-HeptaCB	189	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,2',3,4,4',5,5'-HeptaCB	180	0.2	1	5	20	100																																																																																																																																																																																																																																										
2,2',3,3',4,4',5-HeptaCB	170	0.2	1	5	20	100																																																																																																																																																																																																																																										
Labelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																										
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10																																																																																																																																																																																																																																										
2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10																																																																																																																																																																																																																																										
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10																																																																																																																																																																																																																																										
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10																																																																																																																																																																																																																																										
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10																																																																																																																																																																																																																																										
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10																																																																																																																																																																																																																																										
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	10	10	10	10	10																																																																																																																																																																																																																																										
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10																																																																																																																																																																																																																																										
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	10	10	10	10	10																																																																																																																																																																																																																																										
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10																																																																																																																																																																																																																																										
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10																																																																																																																																																																																																																																										
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	10	10	10	10	10																																																																																																																																																																																																																																										
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10																																																																																																																																																																																																																																										
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10																																																																																																																																																																																																																																										
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10																																																																																																																																																																																																																																										
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10																																																																																																																																																																																																																																										
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10																																																																																																																																																																																																																																										
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10																																																																																																																																																																																																																																										
CIL-EC-5315-1	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe Low Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5315-2	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe Low Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5315-3	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe Low Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5315-4	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe Low Calibration Solution [CS4]	0.2 mL																																																																																																																																																																																																																																														
CIL-EC-5315-5	World Health Organization PCBs + PCB-170 + PCB-180 + Syringe Low Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																																														

PCB standards and standard mixtures

Code	Product	Unit																																																																																																																																																																																																																																																																																								
CIL-EC-5396	CO-PCB Calibration Solutions [CS1-CS6] Solvent: Nonane All concentrations are in ng/mL	6 x 0.2 mL																																																																																																																																																																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Unlabelled PCBs</th> <th>IUPAC #</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> </thead> <tbody> <tr><td>3,4,4',5-TetraCB</td><td>81</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>3,3',4,4'-TetraCB</td><td>77</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>3,3',4,4',5-PentaCB</td><td>126</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB</td><td>169</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2',3,4,4',5-PentaCB</td><td>123</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3',4,4',5-PentaCB</td><td>118</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3,3',4,4'-PentaCB</td><td>105</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3,4,4',5-PentaCB</td><td>114</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB</td><td>167</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3,3',4,4',5-HexaCB</td><td>156</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3,3',4,4',5,5'-HexaCB</td><td>157</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB</td><td>189</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB</td><td>170</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB</td><td>180</td><td>0,2</td><td>0,5</td><td>2</td><td>10</td><td>50</td><td>200</td></tr> <tr> <th>Labelled PCBs</th> <th>IUPAC #</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> <tr><td>3,4,4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2',3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>180</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3',4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>70</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,3,3',5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>111</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>2,2',3,3',5,5',6-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>178</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> <tr><td>3,3',4,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>79</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td><td>10</td></tr> </tbody> </table>	Unlabelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	CS6	3,4,4',5-TetraCB	81	0,2	0,5	2	10	50	200	3,3',4,4'-TetraCB	77	0,2	0,5	2	10	50	200	3,3',4,4',5-PentaCB	126	0,2	0,5	2	10	50	200	3,3',4,4',5,5'-HexaCB	169	0,2	0,5	2	10	50	200	2',3,4,4',5-PentaCB	123	0,2	0,5	2	10	50	200	2,3',4,4',5-PentaCB	118	0,2	0,5	2	10	50	200	2,3,3',4,4'-PentaCB	105	0,2	0,5	2	10	50	200	2,3,4,4',5-PentaCB	114	0,2	0,5	2	10	50	200	2,3',4,4',5,5'-HexaCB	167	0,2	0,5	2	10	50	200	2,3,3',4,4',5-HexaCB	156	0,2	0,5	2	10	50	200	2,3,3',4,4',5,5'-HexaCB	157	0,2	0,5	2	10	50	200	2,3,3',4,4',5,5'-HeptaCB	189	0,2	0,5	2	10	50	200	2,2',3,3',4,4',5-HeptaCB	170	0,2	0,5	2	10	50	200	2,2',3,4,4',5,5'-HeptaCB	180	0,2	0,5	2	10	50	200	Labelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	CS6	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	10	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	10	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	10	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	10	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	10	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	10	10	10	10	10	10	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	10	10	10	10	10	10	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	10	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	10	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	10	10	10	10	10	10	2,3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	10	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	10	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	10	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	10	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	10	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	10	2,2',3,4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10	10	2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	10	10	10	10	10	10	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10	10	
Unlabelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																			
3,4,4',5-TetraCB	81	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
3,3',4,4'-TetraCB	77	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
3,3',4,4',5-PentaCB	126	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
3,3',4,4',5,5'-HexaCB	169	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2',3,4,4',5-PentaCB	123	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,3',4,4',5-PentaCB	118	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,3,3',4,4'-PentaCB	105	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,3,4,4',5-PentaCB	114	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,3',4,4',5,5'-HexaCB	167	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,3,3',4,4',5-HexaCB	156	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,3,3',4,4',5,5'-HexaCB	157	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,3,3',4,4',5,5'-HeptaCB	189	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,2',3,3',4,4',5-HeptaCB	170	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
2,2',3,4,4',5,5'-HeptaCB	180	0,2	0,5	2	10	50	200																																																																																																																																																																																																																																																																																			
Labelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																			
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,2',3,4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	10	10	10	10	10	10																																																																																																																																																																																																																																																																																			
CIL-EC-5396-CS1	CO-PCB Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																																																																																								
CIL-EC-5396-CS2	CO-PCB Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																																																																																								
CIL-EC-5396-CS3	CO-PCB Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																																																																																								
CIL-EC-5396-CS4	CO-PCB Calibration Solution [CS4]	0.2 mL																																																																																																																																																																																																																																																																																								
CIL-EC-5396-CS5	CO-PCB Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																																																																																								
CIL-EC-5396-CS6	CO-PCB Calibration Solution [CS6]	0.2 mL																																																																																																																																																																																																																																																																																								
CIL-EC-4937	World Health Organization Coplanar & Mono-Ortho PCBs Solvent: Nonane	3 mL																																																																																																																																																																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>1.0 µg/mL</td></tr> <tr><td>3,4,4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>1.0 µg/mL</td></tr> <tr><td>2,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>1.0 µg/mL</td></tr> <tr><td>2',3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>1.0 µg/mL</td></tr> <tr><td>3,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4',5-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>1.0 µg/mL</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>1.0 µg/mL</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>1.0 µg/mL</td></tr> </tbody> </table>	Labelled PCBs	IUPAC#	Concentration	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	1.0 µg/mL	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	1.0 µg/mL	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	1.0 µg/mL	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	1.0 µg/mL	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	1.0 µg/mL	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	1.0 µg/mL	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	1.0 µg/mL	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	1.0 µg/mL	2,3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	1.0 µg/mL	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	1.0 µg/mL	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	1.0 µg/mL	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	1.0 µg/mL																																																																																																																																																																																																																																																		
Labelled PCBs	IUPAC#	Concentration																																																																																																																																																																																																																																																																																								
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	1.0 µg/mL																																																																																																																																																																																																																																																																																								
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	1.0 µg/mL																																																																																																																																																																																																																																																																																								
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	1.0 µg/mL																																																																																																																																																																																																																																																																																								
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	1.0 µg/mL																																																																																																																																																																																																																																																																																								
CIL-EC-4995	World Health Organization Coplanar & Mono-Ortho PCBs & 170/180 Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Labelled PCBs</th> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>3,3',4,4'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>77</td><td>1.0 µg/mL</td></tr> <tr><td>3,4,4',5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>81</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>105</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>114</td><td>1.0 µg/mL</td></tr> <tr><td>2,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>118</td><td>1.0 µg/mL</td></tr> <tr><td>2',3,4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>123</td><td>1.0 µg/mL</td></tr> <tr><td>3,3',4,4',5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>126</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4',5-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>156</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>157</td><td>1.0 µg/mL</td></tr> <tr><td>2,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>167</td><td>1.0 µg/mL</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>169</td><td>1.0 µg/mL</td></tr> <tr><td>2,2',3,3',4,4',5-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>170</td><td>1.0 µg/mL</td></tr> <tr><td>2,2',3,4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>180</td><td>1.0 µg/mL</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>189</td><td>1.0 µg/mL</td></tr> </tbody> </table>	Labelled PCBs	IUPAC#	Concentration	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	1.0 µg/mL	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	1.0 µg/mL	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	1.0 µg/mL	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	1.0 µg/mL	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	1.0 µg/mL	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	1.0 µg/mL	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	1.0 µg/mL	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	1.0 µg/mL	2,3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	1.0 µg/mL	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	1.0 µg/mL	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	1.0 µg/mL	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	1.0 µg/mL	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	1.0 µg/mL	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	1.0 µg/mL																																																																																																																																																																																																																																												
Labelled PCBs	IUPAC#	Concentration																																																																																																																																																																																																																																																																																								
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	1.0 µg/mL																																																																																																																																																																																																																																																																																								
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	1.0 µg/mL																																																																																																																																																																																																																																																																																								
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	1.0 µg/mL																																																																																																																																																																																																																																																																																								
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	1.0 µg/mL																																																																																																																																																																																																																																																																																								
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	1.0 µg/mL																																																																																																																																																																																																																																																																																								

## PCB standards and standard mixtures

Code	Product	Unit
<b>New</b> CIL-EC-4995/5-1.2	World Health Organization Coplanar & Mono-Ortho PCBs & 170/180 Solvent: Nonane Labelled PCBs	1.2 mL
	IUPAC#      Concentration	
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 77 ..... 200 ng/mL	
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 81 ..... 200 ng/mL	
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 105 ..... 200 ng/mL	
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 114 ..... 200 ng/mL	
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 118 ..... 200 ng/mL	
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 123 ..... 200 ng/mL	
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 126 ..... 200 ng/mL	
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 156 ..... 200 ng/mL	
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 157 ..... 200 ng/mL	
	2,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 167 ..... 200 ng/mL	
	3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 169 ..... 200 ng/mL	
	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 170 ..... 200 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 180 ..... 200 ng/mL	
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 189 ..... 200 ng/mL	
<b>New</b> CIL-EC-4995/50-1.2	World Health Organization Coplanar & Mono-Ortho PCBs & 170/180 Solvent: Nonane Labelled PCBs	1.2 mL
	IUPAC#      Concentration	
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 77 ..... 20 ng/mL	
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 81 ..... 20 ng/mL	
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 105 ..... 20 ng/mL	
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 114 ..... 20 ng/mL	
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 118 ..... 20 ng/mL	
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 123 ..... 20 ng/mL	
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 126 ..... 20 ng/mL	
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 156 ..... 20 ng/mL	
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 157 ..... 20 ng/mL	
	2,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 167 ..... 20 ng/mL	
	3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 169 ..... 20 ng/mL	
	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 170 ..... 20 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 180 ..... 20 ng/mL	
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 189 ..... 20 ng/mL	
CIL-EC-5045	World Health Organization PCBs + PCB-170 + PCB-180 Clean-Up Standard Solvent: Nonane Labelled PCBs	1.2 mL
	IUPAC#      Concentration	
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 77 ..... 2000 ng/mL	
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 81 ..... 2000 ng/mL	
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 105 ..... 2000 ng/mL	
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 114 ..... 2000 ng/mL	
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 118 ..... 2000 ng/mL	
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 123 ..... 2000 ng/mL	
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 126 ..... 2000 ng/mL	
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 156 ..... 2000 ng/mL	
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 157 ..... 2000 ng/mL	
	2,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 167 ..... 2000 ng/mL	
	3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 169 ..... 2000 ng/mL	
	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 170 ..... 2000 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 180 ..... 2000 ng/mL	
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 189 ..... 2000 ng/mL	
CIL-EC-5047	PCB Sampling Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane Labelled PCB	1.2 mL
	IUPAC#      Concentration	
	3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 79 ..... 2000 ng/mL	
CIL-EC-5180	PCB Sampling Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane Labelled PCB	1.2 mL
	IUPAC#      Concentration	
	3,3',4,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 79 ..... 100 ng/mL	
CIL-EC-5181	PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane Labelled PCBs	1.2 mL
	IUPAC#      Concentration	
	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 70 ..... 100 ng/mL	
	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 111 ..... 100 ng/mL	
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 138 ..... 100 ng/mL	
CIL-EC-5181-10X-1.2	PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane Labelled PCBs	1.2 mL
	IUPAC#      Concentration	
	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 70 ..... 1000 ng/mL	
	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 111 ..... 1000 ng/mL	
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 138 ..... 1000 ng/mL	

PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5397	CO-PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane Labelled PCB	1.2 mL
	IUPAC #      Concentration	
	2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....70 ..... 20 ng/mL	
	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....111 ..... 20 ng/mL	
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....138 ..... 20 ng/mL	
	2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....178 ..... 20 ng/mL	
CIL-EC-4935	World Health Organization Coplanar & Mono-Ortho PCBs Solvent: Isooctane Unlabelled PCBs	1.2 mL
	IUPAC#      Concentration	
	3,3',4,4'-TetraCB .....77 ..... 2.0 µg/mL	
	3,4,4',5-TetraCB .....81 ..... 2.0 µg/mL	
	2,3,3',4,4'-PentaCB .....105 ..... 2.0 µg/mL	
	2,3,4,4',5-PentaCB .....114 ..... 2.0 µg/mL	
	2,3',4,4',5-PentaCB .....118 ..... 2.0 µg/mL	
	2',3,4,4',5-PentaCB .....123 ..... 2.0 µg/mL	
	3,3',4,4',5-PentaCB .....126 ..... 2.0 µg/mL	
	2,3,3',4,4',5-HexaCB .....156 ..... 2.0 µg/mL	
	2,3,3',4,4',5'-HexaCB .....157 ..... 2.0 µg/mL	
	2,3',4,4',5,5'-HexaCB .....167 ..... 2.0 µg/mL	
	3,3',4,4',5,5'-HexaCB .....169 ..... 2.0 µg/mL	
	2,3,3',4,4',5,5'-HeptaCB .....189 ..... 2.0 µg/mL	
CIL-EC-4935-A	World Health Organization Coplanar & Mono-Ortho PCBs Solvent: Isooctane Unlabelled PCBs	3 mL
	IUPAC#      Concentration	
	3,3',4,4'-TetraCB .....77 ..... 1.0 µg/mL	
	3,4,4',5-TetraCB .....81 ..... 1.0 µg/mL	
	2,3,3',4,4'-PentaCB .....105 ..... 1.0 µg/mL	
	2,3,4,4',5-PentaCB .....114 ..... 1.0 µg/mL	
	2,3',4,4',5-PentaCB .....118 ..... 1.0 µg/mL	
	2',3,4,4',5-PentaCB .....123 ..... 1.0 µg/mL	
	3,3',4,4',5-PentaCB .....126 ..... 1.0 µg/mL	
	2,3,3',4,4',5-HexaCB .....156 ..... 1.0 µg/mL	
	2,3,3',4,4',5'-HexaCB .....157 ..... 1.0 µg/mL	
	2,3',4,4',5,5'-HexaCB .....167 ..... 1.0 µg/mL	
	3,3',4,4',5,5'-HexaCB .....169 ..... 1.0 µg/mL	
	2,3,3',4,4',5,5'-HeptaCB .....189 ..... 1.0 µg/mL	
CIL-EC-5000	World Health Organization Coplanar & Mono-Ortho PCBs & 170/180 Solvent: Isooctane Unlabelled PCBs	1.2 mL
	IUPAC#      Concentration	
	3,3',4,4'-TetraCB .....77 ..... 2.0 µg/mL	
	3,4,4',5-TetraCB .....81 ..... 2.0 µg/mL	
	2,3,3',4,4'-PentaCB .....105 ..... 2.0 µg/mL	
	2,3,4,4',5-PentaCB .....114 ..... 2.0 µg/mL	
	2,3',4,4',5-PentaCB .....118 ..... 2.0 µg/mL	
	2',3,4,4',5-PentaCB .....123 ..... 2.0 µg/mL	
	3,3',4,4',5-PentaCB .....126 ..... 2.0 µg/mL	
	2,3,3',4,4',5-HexaCB .....156 ..... 2.0 µg/mL	
	2,3,3',4,4',5'-HexaCB .....157 ..... 2.0 µg/mL	
	2,3',4,4',5,5'-HexaCB .....167 ..... 2.0 µg/mL	
	3,3',4,4',5,5'-HexaCB .....169 ..... 2.0 µg/mL	
	2,2',3,3',4,4',5-HeptaCB .....170 ..... 2.0 µg/mL	
	2,2',3,4,4',5,5'-HeptaCB .....180 ..... 2.0 µg/mL	
	2,3,3',4,4',5,5'-HeptaCB .....189 ..... 2.0 µg/mL	
<b>New</b> CIL-EC-5000-1/2X	World Health Organization Coplanar & Mono-Ortho PCBs & 170/180 Solvent: Isooctane Unlabelled PCBs	1.2 mL
	IUPAC#      Concentration	
	3,3',4,4'-TetraCB .....77 ..... 1.0 µg/mL	
	3,4,4',5-TetraCB .....81 ..... 1.0 µg/mL	
	2,3,3',4,4'-PentaCB .....105 ..... 1.0 µg/mL	
	2,3,4,4',5-PentaCB .....114 ..... 1.0 µg/mL	
	2,3',4,4',5-PentaCB .....118 ..... 1.0 µg/mL	
	2',3,4,4',5-PentaCB .....123 ..... 1.0 µg/mL	
	3,3',4,4',5-PentaCB .....126 ..... 1.0 µg/mL	
	2,3,3',4,4',5-HexaCB .....156 ..... 1.0 µg/mL	
	2,3,3',4,4',5'-HexaCB .....157 ..... 1.0 µg/mL	
	2,3',4,4',5,5'-HexaCB .....167 ..... 1.0 µg/mL	
	3,3',4,4',5,5'-HexaCB .....169 ..... 1.0 µg/mL	
	2,2',3,3',4,4',5-HeptaCB .....170 ..... 1.0 µg/mL	
	2,2',3,4,4',5,5'-HeptaCB .....180 ..... 1.0 µg/mL	
	2,3,3',4,4',5,5'-HeptaCB .....189 ..... 1.0 µg/mL	



# PCB standards and standard mixtures

Code Product Unit

## Dioxin-like PCB RH12 standard mixtures

**New** CIL-EC-5421-H-E DL-PCB RH12 extended calibration solutions [CS0.4H-CS6H] 7 x 0.2 mL

Solvent: Nonane

All concentrations are in ng/mL (ppb)

Unlabelled PCBs	IUPAC	CS0.4	CS1	CS2	CS3	CS4	CS5	CS6
3,4,4',5-TetraCB	81	0.1	0.25	1	5	20	100	500
3,3',4,4'-TetraCB	77	0.1	0.25	1	5	20	100	500
2',3,4,4',5-PentaCB	123	0.1	0.25	1	5	20	100	500
2,3',4,4',5-PentaCB	118	0.2	0.5	2	10	40	200	1000
2,3,4,4',5-PentaCB	114	0.1	0.25	1	5	20	100	500
2,3,3',4,4',5-PentaCB	105	0.2	0.5	2	10	40	200	1000
3,3',4,4',5-PentaCB	126	0.1	0.25	1	5	20	100	500
2,3',4,4',5,5'-HexaCB	167	0.1	0.25	1	5	20	100	500
2,3,3',4,4',5-HexaCB	156	0.2	0.5	2	10	40	200	1000
2,3,3',4,4',5'-HexaCB	157	0.1	0.25	1	5	20	100	500
2,2',3,4,4',5,5'-HeptaCB	180	0.1	0.25	1	5	20	100	500
3,3',4,4',5,5'-HexaCB	169	0.1	0.25	1	5	20	100	500
2,2',3,3',4,4',5-HeptaCB	170	0.1	0.25	1	5	20	100	500
2,3,3',4,4',5,5'-HeptaCB	189	0.1	0.25	1	5	20	100	500
Labelled PCBs	IUPAC	CS0.4	CS1	CS2	CS3	CS4	CS5	CS6
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	10	10	10	10	10	10	10
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	10	10	10	10	10	10	10
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	10	10	10	10	10	10	10
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	20	20	20	20	20	20	20
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	10	10	10	10	10	10	10
2,3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	20	20	20	20	20	20	20
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	10	10	10	10	10	10	10
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	10	10	10	10	10	10	10
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	20	20	20	20	20	20	20
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	10	10	10	10	10	10	10
2,2',3,4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	10	10	10	10	10	10	10
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	10	10	10	10	10	10	10
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	10	10	10	10	10	10	10
2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	70	10	10	10	10	10	10	10
3,3',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	127	10	10	10	10	10	10	10
2,2',3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	128	10	10	10	10	10	10	10
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	10	10	10	10	10	10	10
2,3,4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	60	10	10	10	10	10	10	10
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	10	10	10	10	10	10	10
2,3,3',4,5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	159	10	10	10	10	10	10	10

**New** CIL-EC-5421-H DL-PCB RH12 calibration solution [CS1H-CS5H] 5 x 0.2 mL

**New** CIL-EC-5421-CS0.4H DL-PCB RH12 extended calibration solution [CS0.4H] 0.2 mL

**New** CIL-EC-5421-CS1H DL-PCB RH12 calibration solution [CS1H] 0.2 mL

**New** CIL-EC-5421-CS2H DL-PCB RH12 calibration solution [CS2H] 0.2 mL

**New** CIL-EC-5421-CS3H DL-PCB RH12 calibration solution [CS3H] 0.2 mL

**New** CIL-EC-5421-CS4H DL-PCB RH12 calibration solution [CS4H] 0.2 mL

**New** CIL-EC-5421-CS5H DL-PCB RH12 calibration solution [CS5H] 0.2 mL

**New** CIL-EC-5421-CS6H DL-PCB RH12 extended calibration solution [CS6H] 0.2 mL

**New** CIL-EC-5422 DL-PCB RH12 Extraction Spike 1.2 mL

Solvent: Nonane

Labelled PCBs	IUPAC#	Concentration
3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81	100 ng/mL
3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77	100 ng/mL
2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	100 ng/mL
2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	200 ng/mL
2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	100 ng/mL
2,3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	200 ng/mL
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	100 ng/mL
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	100 ng/mL
2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	200 ng/mL
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	100 ng/mL
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	100 ng/mL
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	100 ng/mL
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	100 ng/mL

**New** CIL-EC-5424 DL-PCB RH12 Sampling Spike 1.2 mL

Solvent: Nonane

Labelled PCBs	IUPAC#	Concentration
2,3,4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	60	100 ng/mL
2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	111	100 ng/mL
2,3,3',4,5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	159	100 ng/mL



Code	Product	Unit
<b>New</b> CIL-EC-5423	DL-PCB RH12 Syringe Spike Solvent: Nonane Labelled PCBs	1.2 mL
	IUPAC#      Concentration	
	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 70.....	100 ng/mL
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 127.....	100 ng/mL
	2,2',3,3',4,4'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 128.....	100 ng/mL
	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 170.....	100 ng/mL

**WHO "Non-Dioxin-like" marker PCB standard mixtures**

CIL-EC-4058	PCB Mixture Solvent: Nonane Labelled PCBs	3 mL
	IUPAC#      Concentration	
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%).....28.....	5 µg/mL
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....52.....	5 µg/mL
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....101.....	5 µg/mL
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....138.....	5 µg/mL
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....153.....	5 µg/mL
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....180.....	5 µg/mL
	DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....209.....	5 µg/mL
CIL-EC-5179	Unlabelled PCB Mixture Solvent: Isooctane Unlabelled PCBs	1.2 mL
	IUPAC#      Concentration	
	2,4,4'-TriCB.....28.....	5 µg/mL
	2,2',5,5'-TetraCB.....52.....	5 µg/mL
	2,2',4,5,5'-PentaCB.....101.....	5 µg/mL
	2,2',3,4,4',5'-HexaCB.....138.....	5 µg/mL
	2,2',4,4',5,5'-HexaCB.....153.....	5 µg/mL
	2,2',3,4,4',5,5'-HeptaCB.....180.....	5 µg/mL
	DecaCB.....209.....	5 µg/mL

**Rapid PCB screening standard mixtures**

<b>New</b> CIL-EC-5448	Rapid PCB Screening Calibration Solutions [CS1-CS4] (Unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane All concentrations are in ng/mL Unlabelled Compounds	4 x 0.2mL
	IUPAC#      CS1      CS2      CS3      CS4	
	2,4,4'-TriB.....28.....	1.....5.....10.....50
	2,2',5-TriB.....18.....	1.....5.....10.....50
	2,2',3,5'-TetraCB.....44.....	1.....5.....10.....50
	2,3',4',5-TetraCB.....70.....	1.....5.....10.....50
	2,2',5,5'-TetraCB.....52.....	1.....5.....10.....50
	2,2',4,5,5'-PentaCB.....101.....	1.....5.....10.....50
	2,3,3',4',6-PentaCB.....110.....	1.....5.....10.....50
	2,3',4,4',5-PentaCB.....118.....	1.....5.....10.....50
	2,2',3,4',5',6-HexaCB.....149.....	1.....5.....10.....50
	2,2',3,4,4',5'-HexaCB.....138.....	1.....5.....10.....50
	2,2',4,4',5,5'-HexaCB.....153.....	1.....5.....10.....50
	2,2',3,4,4',5,5'-HeptaCB.....180.....	1.....5.....10.....50
	2,2',3,4',5,5',6-HeptaCB.....187.....	1.....5.....10.....50
	<sup>13</sup> C-Labelled Compounds      IUPAC#      CS1      CS2      CS3      CS4	
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%).....28L.....	10.....10.....10.....10
	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....70L.....	10.....10.....10.....10
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....52L.....	10.....10.....10.....10
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....101L.....	10.....10.....10.....10
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....118L.....	10.....10.....10.....10
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....138L.....	10.....10.....10.....10
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....153L.....	10.....10.....10.....10
	2,2',3,4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....141L.....	10.....10.....10.....10
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....180L.....	10.....10.....10.....10
<b>New</b> CIL-EC-5448-CS1	Rapid PCB Screening Calibration Solutions CS1 (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL
<b>New</b> CIL-EC-5448-CS2	Rapid PCB Screening Calibration Solutions CS2 (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL
<b>New</b> CIL-EC-5448-CS3	Rapid PCB Screening Calibration Solutions CS3 (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL
<b>New</b> CIL-EC-5448-CS4	Rapid PCB Screening Calibration Solutions CS4 (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL
<b>New</b> CIL-EC-5450	Rapid PCB Screening Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane <sup>13</sup> C-Labelled Compounds	1.2 mL
	IUPAC#      Concentration	
	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 70L.....	2000 ng/mL
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 118L.....	2000 ng/mL
	2,2',3,4,5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 141L.....	2000 ng/mL

## PCB standards and standard mixtures

Code	Product	Unit
<b>New</b> CIL-EC-5453	Rapid PCB Screening Native PAR Solution (unlabelled) Solvent: Isooctane	0.5 mL
	Unlabelled Compounds IUPAC# Concentration	
	2,4,4'-TriCB ..... 28 ..... 1000 ng/mL	
	2,2',5'-TriCB ..... 18 ..... 1000 ng/mL	
	2,2',3,5'-TetraCB ..... 44 ..... 1000 ng/mL	
	2,3',4',5'-TetraCB ..... 70 ..... 1000 ng/mL	
	2,2',5,5'-TetraCB ..... 52 ..... 1000 ng/mL	
	2,2',4,5,5'-PentaCB ..... 101 ..... 1000 ng/mL	
	2,3,3',4',6'-PentaCB ..... 110 ..... 1000 ng/mL	
	2,3',4,4',5'-PentaCB ..... 118 ..... 1000 ng/mL	
	2,2',3,4',5',6'-HexaCB ..... 149 ..... 1000 ng/mL	
	2,2',3,4,4',5'-HexaCB ..... 138 ..... 1000 ng/mL	
	2,2',4,4',5,5'-HexaCB ..... 153 ..... 1000 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB ..... 180 ..... 1000 ng/mL	
	2,2',3,4',5,5',6'-HeptaCB ..... 187 ..... 1000 ng/mL	

## Mono-deca plus predominant PCB standard mixtures

CIL-EC-5414	Mono-Deca + Predominant PCB calibration series [CS1-CS5] Solvent: Nonane All concentrations are in ng/mL	5 x 0.2 mL
	<b>Native PCBs</b>	
	4-MonoCB ..... 3 ..... 4 ..... 20 ..... 100 ..... 500 ..... 2000	
	2,4'-DiCB ..... 8 ..... 4 ..... 20 ..... 100 ..... 500 ..... 2000	
	2,4,4'-TriCB ..... 28 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,2',5,5'-TetraCB ..... 52 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,2',4,5,5'-PentaCB ..... 101 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,3',4,4',5'-PentaCB ..... 118 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,3,4,4',5'-PentaCB ..... 114 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,2',4,4',5,5'-HexaCB ..... 153 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,2',3,4,4',5'-HexaCB ..... 138 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,2',3,4,4',5,5'-HeptaCB ..... 180 ..... 2 ..... 10 ..... 50 ..... 250 ..... 1000	
	2,2',3,3',4,4',5,5'-OctaCB ..... 194 ..... 4 ..... 20 ..... 100 ..... 500 ..... 2000	
	2,2',3,3',4,4',5,5',6'-NonaCB ..... 206 ..... 4 ..... 20 ..... 100 ..... 500 ..... 2000	
	2,2',3,3',4,4',5,5',6,6'-DecaCB ..... 209 ..... 4 ..... 20 ..... 100 ..... 500 ..... 2000	
	<b>Cleanup Standards</b>	
	<sup>13</sup> C 4-MonoCB ..... 3 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,4'-DiCB ..... 8 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,4,4'-TriCB ..... 28 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',5,5'-TetraCB ..... 52 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',4,5,5'-PentaCB ..... 101 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,3',4,4',5'-PentaCB ..... 118 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,3,4,4',5'-PentaCB ..... 114 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',4,4',5,5'-HexaCB ..... 153 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',3,4,4',5'-HexaCB ..... 138 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',3,4,4',5,5'-HeptaCB ..... 180 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',3,3',4,4',5,5'-OctaCB ..... 194 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',3,3',4,4',5,5',6'-NonaCB ..... 206 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',3,3',4,4',5,5',6,6'-DecaCB ..... 209 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<b>Syringe Standards</b>	
	<sup>13</sup> C 2,4',6'-TriCB ..... 32 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,3',4',5'-TetraCB ..... 70 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 3,3',4,5,5'-PentaCB ..... 127 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',3,3',4,4'-HexCB ..... 128 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
	<sup>13</sup> C 2,2',3,3',4,4',5'-HeptaCB ..... 170 ..... 100 ..... 100 ..... 100 ..... 100 ..... 100	
CIL-EC-5414-CS1	Mono-Deca + Predominant PCB Calibration Series [CS1]	0.2 mL
CIL-EC-5414-CS2	Mono-Deca + Predominant PCB Calibration Series [CS2]	0.2 mL
CIL-EC-5414-CS3	Mono-Deca + Predominant PCB Calibration Series [CS3]	0.2 mL
CIL-EC-5414-CS4	Mono-Deca + Predominant PCB Calibration Series [CS4]	0.2 mL
CIL-EC-5414-CS5	Mono-Deca + Predominant PCB Calibration Series [CS5]	0.2 mL
CIL-EC-5411	Mono-Deca + Predominant PCB Cleanup Spike Solvent: Nonane	1.2 mL
	Labelled PCBs IUPAC# Concentration	
	4-MonoCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 3 ..... 2000 ng/mL	
	2,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 8 ..... 2000 ng/mL	
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 28 ..... 2000 ng/mL	
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 52 ..... 2000 ng/mL	
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 101 ..... 2000 ng/mL	
	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 118 ..... 2000 ng/mL	
	2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 114 ..... 2000 ng/mL	
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 153 ..... 2000 ng/mL	
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 138 ..... 2000 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 180 ..... 2000 ng/mL	
	2,2',3,3',4,4',5,5'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 194 ..... 2000 ng/mL	
	2,2',3,3',4,4',5,5',6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 206 ..... 2000 ng/mL	
	2,2',3,3',4,4',5,5',6,6'-DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 209 ..... 2000 ng/mL	

PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5415	Mono-Deca + Predominant PCB Syringe Spike Solvent: Nonane Labelled PCBs	1.2 mL
	IUPAC#      Concentration	
	<sup>13</sup> C 2,4',6'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....32 ..... 2000 ng/mL	
	<sup>13</sup> C 2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....70 ..... 2000 ng/mL	
	<sup>13</sup> C 3,3',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....127 ..... 2000 ng/mL	
	<sup>13</sup> C 2,2',3,3',4,4'-HexCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....128 ..... 2000 ng/mL	
	<sup>13</sup> C 2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....170 ..... 2000 ng/mL	
CIL-EC-5412	Mono-Deca + Predominant PCB Native Spike Solvent: Nonane Unlabelled PCBs	1.2 mL
	IUPAC#      Concentration	
	4-MonoCB .....3 ..... 2000 ng/mL	
	2,4'-DiCB .....8 ..... 2000 ng/mL	
	2,4,4'-TriCB .....28 ..... 2000 ng/mL	
	2,2',5,5'-TetraCB .....52 ..... 2000 ng/mL	
	2,2',4,5,5'-PentaCB .....101 ..... 2000 ng/mL	
	2,3',4,4',5'-PentaCB .....118 ..... 2000 ng/mL	
	2,3,4,4',5'-PentaCB .....114 ..... 2000 ng/mL	
	2,2',4,4',5,5'-HexaCB .....153 ..... 2000 ng/mL	
	2,2',3,4,4',5'-HexaCB .....138 ..... 2000 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB .....180 ..... 2000 ng/mL	
	2,2',3,3',4,4',5,5'-OctaCB .....194 ..... 2000 ng/mL	
	2,2',3,3',4,4',5,5',6'-NonaCB .....206 ..... 2000 ng/mL	
	2,2',3,3',4,4',5,5',6,6'-DecaCB .....209 ..... 2000 ng/mL	
CIL-EC-4189-A	Mono-Deca PCB Mixture Solvent: Nonane Labelled PCBs	3 mL
	IUPAC#      Concentration	
	4-MonoCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....3 ..... 1.0 µg/mL	
	4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....15 ..... 1.0 µg/mL	
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....28 ..... 1.0 µg/mL	
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....52 ..... 1.0 µg/mL	
	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....118 ..... 1.0 µg/mL	
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....153 ..... 1.0 µg/mL	
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....180 ..... 1.0 µg/mL	
	2,2',3,3',4,4',5,5'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....194 ..... 1.0 µg/mL	
	2,2',3,3',4,4',5,5',6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....208 ..... 1.0 µg/mL	
	DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....209 ..... 1.0 µg/mL	
<b>New</b> CIL-EC-5087	Toxic and Predominant PCB Spiking Standard Solvent: Methanol Labelled PCBs	10 mL
	IUPAC#      Concentration	
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....28 ..... 7.5 ng/mL	
	2,4',6'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....32 ..... 7.5 ng/mL	
	2,2,5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....52 ..... 7.5 ng/mL	
	2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....70 ..... 7.5 ng/mL	
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....101 ..... 7.5 ng/mL	
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....105 ..... 7.5 ng/mL	
	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....111 ..... 7.5 ng/mL	
	2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....118 ..... 7.5 ng/mL	
	2,2',3,3',4,4'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....128 ..... 7.5 ng/mL	
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....138 ..... 7.5 ng/mL	
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....153 ..... 7.5 ng/mL	
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....156 ..... 7.5 ng/mL	
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....157 ..... 7.5 ng/mL	
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....167 ..... 7.5 ng/mL	
	2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....170 ..... 7.5 ng/mL	
	2,2',3,3',5,5',6'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....178 ..... 7.5 ng/mL	
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....180 ..... 7.5 ng/mL	
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....189 ..... 7.5 ng/mL	
	2,2',3,3',4,4',5,5'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....194 ..... 7.5 ng/mL	
	2,2',3,3',4,4',5,5',6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....206 ..... 7.5 ng/mL	
	DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%) .....209 ..... 7.5 ng/mL	

## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5085	Toxic and predominant PCB PAR Solution	1.2 mL
	Solvent: Nonane	
	Unlabelled PCBs	
	IUPAC#	Concentration
	2,2',5'-TriCB .....	18..... 250 ng/mL
	2,4,4'-TriCB .....	28..... 250 ng/mL
	2,2',3,5'-TetraCB .....	44..... 250 ng/mL
	2,2',4,5'-TetraCB .....	49..... 250 ng/mL
	2,2',5,5'-TetraCB .....	52..... 250 ng/mL
	2,3',4,4'-TetraCB .....	66..... 250 ng/mL
	2,4,4',5-TetraCB.....	74..... 250 ng/mL
	2,2',3,4,5'-PentaCB .....	87..... 250 ng/mL
	2,2',4,4',5-PentaCB .....	99..... 250 ng/mL
	2,2',4,5,5'-PentaCB .....	101..... 250 ng/mL
	2,3,3',4,4'-PentaCB .....	105..... 250 ng/mL
	2,3,3',4',6-PentaCB .....	110..... 250 ng/mL
	2,3',4,4',5-PentaCB .....	118..... 250 ng/mL
	2,2',3,3',4,4'-HexaCB .....	128..... 250 ng/mL
	2,2',3,4,4',5-HexaCB .....	138..... 250 ng/mL
	2,2',3,4',5,5'-HexaCB .....	146..... 250 ng/mL
	2,2',3,4',5',6-HexaCB .....	149..... 250 ng/mL
	2,2',3,5,5',6-HexaCB .....	151..... 250 ng/mL
	2,2',4,4',5,5'-HexaCB .....	153..... 250 ng/mL
	2,3,3',4,4',5-HexaCB .....	156..... 250 ng/mL
	2,3,3',4,4',5'-HexaCB .....	157..... 250 ng/mL
	2,3,3',4,4',6-HexaCB .....	158..... 250 ng/mL
	2,3',4,4',5,5'-HexaCB .....	167..... 250 ng/mL
	2,2',3,3',4,4',5-HeptaCB .....	170..... 250 ng/mL
	2,2',3,3',4,5,5'-HeptaCB .....	172..... 250 ng/mL
	2,2',3,3',4',5,6-HeptaCB .....	177..... 250 ng/mL
	2,2',3,3',5,5',6-HeptaCB .....	178..... 250 ng/mL
	2,2',3,4,4',5,5'-HeptaCB .....	180..... 250 ng/mL
	2,2',3,4,4',5',6-HeptaCB .....	183..... 250 ng/mL
	2,2',3,4',5,5',6-HeptaCB .....	187..... 250 ng/mL
	2,3,3',4,4',5,5'-HeptaCB .....	189..... 250 ng/mL
	2,2',3,3',4,4',5,5'-OctaCB .....	194..... 250 ng/mL
	2,2',3,3',4,4',5,6-OctaCB .....	195..... 250 ng/mL
	2,2',3,3',4,4',5',6-OctaCB .....	196..... 250 ng/mL
	2,2',3,3',4,5,5',6'-OctaCB .....	199..... 250 ng/mL
	2,2',3,4,4',5,5',6-OctaCB .....	203..... 250 ng/mL
	2,2',3,3',4,4',5,5',6-NonaCB .....	206..... 250 ng/mL
	DecaCB .....	209..... 250 ng/mL

Code Product Unit

**CDC PCB Standard Mixtures**

CIL-EC-5366 CDC PCB Calibration Solutions [CS1-CS10] (unlabelled/<sup>13</sup>C<sub>12</sub>) in Nonane 10 x 0.5 mL

Solvent: Nonane

All concentrations are in ng/mL

Unlabelled PCBs	IUPAC #	CS1	CS2	CS3	CS4	CS5	CS6	CS7	CS8	CS9	CS10
2,2',5'-TriCB	18	0,2	0,5	1	2,5	10	75	100	500		
2,4,4'-TriCB	28	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,5'-TetraCB	44	0,2	0,5	1	2,5	10	75	100	500		
2,2',4,5'-TetraCB	49	0,2	0,5	1	2,5	10	75	100	500		
2,2',5,5'-TetraCB	52	0,2	0,5	1	2,5	10	75	100	500		
2,3',4,4'-TetraCB	66	0,2	0,5	1	2,5	10	75	100	500		
2,4,4',5'-TetraCB	74	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,4,5'-PentaCB	87	0,2	0,5	1	2,5	10	75	100	500		
2,2',4,4',5'-PentaCB	99	0,2	0,5	1	2,5	10	75	100	500		
2,2',4,5,5'-PentaCB	101	0,2	0,5	1	2,5	10	75	100	500		
2,3,3',4,4'-PentaCB	105	0,2	0,5	1	2,5	10	75	100	500		
2,3,3',4',6'-PentaCB	110	0,2	0,5	1	2,5	10	75	100	500		
2,3,4,4',5'-PentaCB	114	0,2	0,5	1	2,5	10	75	100	500		
2,3',4,4',5'-PentaCB	118	0,2	0,5	1	2,5	10	75	100	500	3000	7500
2',3,4,4',5'-PentaCB	123	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,3',4,4'-HexaCB	128	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,4,4',5'-HexaCB	138	0,1	0,25	0,5	1,25	5	37,5	50	250	1500	3750
2,2',3,4',5,5'-HexaCB	146	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,4',5',6'-HexaCB	149	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,5,5',6'-HexaCB	151	0,2	0,5	1	2,5	10	75	100	500		
2,2',4,4',5,5'-HexaCB	153	0,2	0,5	1	2,5	10	75	100	500	3000	7500
2,3,3',4,4',5'-HexaCB	156	0,2	0,5	1	2,5	10	75	100	500		
2,3,3',4,4',5'-HexaCB	157	0,2	0,5	1	2,5	10	75	100	500		
2,3,3',4,4',6'-HexaCB	158	0,1	0,25	0,5	1,25	5	37,5	50	250	1500	3750
2,3',4,4',5,5'-HexaCB	167	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,3',4,4',5'-HeptaCB	170	0,2	0,5	1	2,5	10	75	100	500	3000	7500
2,2',3,3',4,5,5'-HeptaCB	172	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,3',4',5,6'-HeptaCB	177	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,3',5,5',6'-HeptaCB	178	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,4,4',5,5'-HeptaCB	180	0,2	0,5	1	2,5	10	75	100	500	3000	7500
2,2',3,4,4',5',6'-HeptaCB	183	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,4',5,5',6'-HeptaCB	187	0,2	0,5	1	2,5	10	75	100	500	3000	7500
2,3,3',4,4',5,5'-HeptaCB	189	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,3',4,4',5,5'-OctaCB	194	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,3',4,4',5,6'-OctaCB	195	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,3',4,4',5',6'-OctaCB	196	0,1	0,25	0,5	1,25	5	37,5	50	250		
2,2',3,3',4,5,5',6'-OctaCB	201	0,2	0,5	1	2,5	10	75	100	500		
2,2',3,4,4',5,5',6'-OctaCB	203	0,1	0,25	0,5	1,25	5	37,5	50	250		
2,2',3,3',4,4',5,5',6'-NonaCB	206	0,2	0,5	1	2,5	10	75	100	500		
DecaCB	209	0,2	0,5	1	2,5	10	75	100	500		
Labelled compounds	IUPAC #	CS1	CS2	CS3	CS4	CS5	CS6	CS7	CS8	CS9	CS10
1,2,3,4-TetraCDD ( <sup>13</sup> C <sub>6</sub> ,99%)	25	25	25	25	25	25	25	25	25	25	25
2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	208	100	100	100	100	100	100	100	100	100	100
3,3',4,4'-TetraCDE ( <sup>13</sup> C <sub>12</sub> ,99%)	77	75	75	75	75	75	75	75	75	75	75
2,2',3,4,4',6'-HexaCDE ( <sup>13</sup> C <sub>12</sub> ,99%)	139	75	75	75	75	75	75	75	75	75	75
2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)	28	75	75	75	75	75	75	75	75	75	75
2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	52	75	75	75	75	75	75	75	75	75	75
2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	101	75	75	75	75	75	75	75	75	75	75
2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105	75	75	75	75	75	75	75	75	75	75
2,3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114	75	75	75	75	75	75	75	75	75	75
2,3',4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118	75	75	75	75	75	75	75	75	75	75
2',3,4,4',5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123	75	75	75	75	75	75	75	75	75	75
2,2',3,3',4,4'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	128	75	75	75	75	75	75	75	75	75	75
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	75	75	75	75	75	75	75	75	75	75
2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	153	75	75	75	75	75	75	75	75	75	75
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156	75	75	75	75	75	75	75	75	75	75
2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157	75	75	75	75	75	75	75	75	75	75
2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167	75	75	75	75	75	75	75	75	75	75
2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	75	75	75	75	75	75	75	75	75	75
2,2',3,3',5,5',6'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	75	75	75	75	75	75	75	75	75	75
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	75	75	75	75	75	75	75	75	75	75
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	75	75	75	75	75	75	75	75	75	75
2,2',3,3',4,4',5,5'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	194	75	75	75	75	75	75	75	75	75	75
2,2',3,3',4,4',5,5',6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	206	75	75	75	75	75	75	75	75	75	75
DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	209	75	75	75	75	75	75	75	75	75	75

CDE = chlorodiphenyl ether

CIL-EC-5366-CS1	CDC PCB Calibration Solution [CS1]	0.5 mL
CIL-EC-5366-CS10	CDC PCB Calibration Solution [CS10]	0.5 mL
CIL-EC-5366-CS2	CDC PCB Calibration Solution [CS2]	0.5 mL
CIL-EC-5366-CS3	CDC PCB Calibration Solution [CS3]	0.5 mL
CIL-EC-5366-CS4	CDC PCB Calibration Solution [CS4]	0.5 mL
CIL-EC-5366-CS5	CDC PCB Calibration Solution [CS5]	0.5 mL
CIL-EC-5366-CS6	CDC PCB Calibration Solution [CS6]	0.5 mL
CIL-EC-5366-CS7	CDC PCB Calibration Solution [CS7]	0.5 mL
CIL-EC-5366-CS8	CDC PCB Calibration Solution [CS8]	0.5 mL
CIL-EC-5366-CS9	CDC PCB Calibration Solution [CS9]	0.5 mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5367	CDC PCB Spiking Standard	10 mL
	Solvent: Methanol	
	Labelled PCB	IUPAC# Concentration
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)	28..... 7.5 ng/mL
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	52..... 7.5 ng/mL
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	101..... 7.5 ng/mL
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123..... 7.5 ng/mL
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118..... 7.5 ng/mL
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114..... 7.5 ng/mL
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	153..... 7.5 ng/mL
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105..... 7.5 ng/mL
	2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178..... 7.5 ng/mL
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138..... 7.5 ng/mL
	2,2',3,3',4,4'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	128..... 7.5 ng/mL
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167..... 7.5 ng/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156..... 7.5 ng/mL
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157..... 7.5 ng/mL
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180..... 7.5 ng/mL
	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170..... 7.5 ng/mL
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189..... 7.5 ng/mL
	2,2',3,3',4,4',5,5'-OctaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	194..... 7.5 ng/mL
	2,2',3,3',4,4',5,5',6-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	206..... 7.5 ng/mL
	DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	209..... 7.5 ng/mL

## Isotope labelled PCB standard mixtures

CIL-EC-4937	World Health Organization Coplanar & Mono-Ortho PCBs	3 mL
	Solvent: Nonane	
	Labelled PCBs	IUPAC# Concentration
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77..... 1.0 µg/mL
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81..... 1.0 µg/mL
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105..... 1.0 µg/mL
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114..... 1.0 µg/mL
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118..... 1.0 µg/mL
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123..... 1.0 µg/mL
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126..... 1.0 µg/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156..... 1.0 µg/mL
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157..... 1.0 µg/mL
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167..... 1.0 µg/mL
	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169..... 1.0 µg/mL
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189..... 1.0 µg/mL
CIL-EC-4995	World Health Organization Coplanar & Mono-Ortho PCBs & 170/180	1.2 mL
	Solvent: Nonane	
	Labelled PCBs	IUPAC# Concentration
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77..... 1.0 µg/mL
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81..... 1.0 µg/mL
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105..... 1.0 µg/mL
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114..... 1.0 µg/mL
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118..... 1.0 µg/mL
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123..... 1.0 µg/mL
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126..... 1.0 µg/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156..... 1.0 µg/mL
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157..... 1.0 µg/mL
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167..... 1.0 µg/mL
	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169..... 1.0 µg/mL
	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170..... 1.0 µg/mL
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180..... 1.0 µg/mL
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189..... 1.0 µg/mL
CIL-EC-5045	World Health Organization PCBs + PCB-170 + PCB-180 Clean-Up Standard	1.2 mL
	Solvent: Nonane	
	Labelled PCBs	IUPAC# Concentration
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	77..... 2000 ng/mL
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	81..... 2000 ng/mL
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	105..... 2000 ng/mL
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	114..... 2000 ng/mL
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	118..... 2000 ng/mL
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	123..... 2000 ng/mL
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126..... 2000 ng/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	156..... 2000 ng/mL
	2,3,3',4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	157..... 2000 ng/mL
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	167..... 2000 ng/mL
	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169..... 2000 ng/mL
	2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170..... 2000 ng/mL
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180..... 2000 ng/mL
	2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189..... 2000 ng/mL

**PCB standards and standard mixtures**

Code	Product	Unit		
CIL-EC-4070	Coplanar PCB Mixture	3 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		77	5 µg/mL
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		126	5 µg/mL
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	5 µg/mL		
CIL-EC-4187	Coplanar PCB Standard Solution	3 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		77	1.0 µg/mL
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		81	1.0 µg/mL
3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	126	1.0 µg/mL		
3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	169	1.0 µg/mL		
CIL-EC-4188	Mono-Ortho PCB Mixture	3 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	2,3,3',4,4'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		105	1.0 µg/mL
	2,3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		114	1.0 µg/mL
	2,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		118	1.0 µg/mL
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		123	1.0 µg/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		156	1.0 µg/mL
	2,3,3',4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		157	1.0 µg/mL
	2,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		167	1.0 µg/mL
2,3,3',4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	189	1.0 µg/mL		
CIL-EC-4060	PCB Mixture	1.2 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		77	10 µg/mL
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		101	10 µg/mL
2,2',3,4,5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	141	10 µg/mL		
2,2',3,3',5,5',6-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	178	10 µg/mL		
CIL-EC-4938	PBC Mixture-A	3 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	3,3',4,4'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		77	1.0 µg/mL
	3,4,4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		81	1.0 µg/mL
	2',3,4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		123	1.0 µg/mL
	3,3',4,4',5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		126	1.0 µg/mL
	3,3',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		169	1.0 µg/mL
2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	180	1.0 µg/mL		
CIL-EC-4058	PCB Mixture	3 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	2,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%)		28	5 µg/mL
	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		52	5 µg/mL
	2,2',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		101	5 µg/mL
	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		138	5 µg/mL
	2,2',4,4',5,5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		153	5 µg/mL
	2,2',3,4,4',5,5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		180	5 µg/mL
DecaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	209	5 µg/mL		
CIL-EC-5047	PCB Sampling Spike ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL		
	Solvent: Nonane			
	Labelled PCB		IUPAC#	Concentration
3,3',4,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	79	2000 ng/mL		
CIL-EC-5180	PCB Sampling Spike ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL		
	Solvent: Nonane			
	Labelled PCB		IUPAC#	Concentration
3,3',4,5'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%)	79	100 ng/mL		
CIL-EC-5157-5	<sup>13</sup> C-Labeled PCB Standard (PCB-70 & PCB-170) ( <sup>13</sup> C <sub>12</sub> ,99%)	5 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		70	2 ng/mL
2,2',3,3',4,4',5-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	170	2 ng/mL		
CIL-EC-5181	PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%)	1.2 mL		
	Solvent: Nonane			
	Labelled PCBs		IUPAC#	Concentration
	2,3',4',5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)		70	100 ng/mL
	2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)		111	100 ng/mL
2,2',3,4,4',5-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	138	100 ng/mL		



## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5181-10X-1.2	PCB Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane Labelled PCBs IUPAC#      Concentration 2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 70..... 1000 ng/mL 2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 111..... 1000 ng/mL 2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 138..... 1000 ng/mL	1.2 mL
<b>New</b> CIL-EC-5163	PCB Mixture (PCB-70/111/138/170) Solvent: Nonane Labelled PCBs IUPAC#      Concentration 2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 70..... 1000 ng/mL 2,3,3',5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 111..... 1000 ng/mL 2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 138..... 1000 ng/mL 2,2',3,3',4,4',5'-HeptaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 170..... 1000 ng/mL	1.2 mL
<b>New</b> CIL-EC-5350	POPS Pesticides HRMS (PCB) Syringe Spike Solvent: Nonane Labelled PCBs IUPAC#      Concentration 4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 15..... 100 ng/mL 2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 70..... 100 ng/mL	1.2 mL
<b>New</b> CIL-EC-5350-L	POPS Pesticides LRMS (PCB) Syringe Spike Solvent: Nonane Labelled PCBs IUPAC#      Concentration 4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 15..... 1000 ng/mL 2,3',4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 70..... 1000 ng/mL	1.2 mL

## Unlabelled PCB standard mixtures

Code	Product	Unit
CIL-EC-4133	DSJ PCB Mixture Solvent: Isooctane Unlabelled PCBs IUPAC#      Concentration 2,2',4'-TriCB ..... 17..... 0.5 µg/mL 2,2',5'-TriCB ..... 18..... 2.0 µg/mL 2,4,4'-TriCB ..... 28..... 2.0 µg/mL 2,4',5'-TriCB ..... 31..... 1.5 µg/mL 2',3,4'-TriCB ..... 33..... 2.0 µg/mL 2,2',3,5'-TetraCB ..... 44..... 2.0 µg/mL 2,2',4,5'-TetraCB ..... 49..... 2.0 µg/mL 2,2',5,5'-TetraCB ..... 52..... 2.0 µg/mL 2,3',4',5'-TetraCB ..... 70..... 2.0 µg/mL 2,4,4',5'-TetraCB ..... 74..... 2.0 µg/mL 2,2',3,3',4'-PentaCB ..... 82..... 0.5 µg/mL 2,2',3,4,5'-PentaCB ..... 87..... 2.0 µg/mL 2,2',3,5',6'-PentaCB ..... 95..... 1.0 µg/mL 2,2',4,4',5'-PentaCB ..... 99..... 2.0 µg/mL 2,2',4,5,5'-PentaCB ..... 101..... 2.0 µg/mL 2,3,3',4,4'-PentaCB ..... 105..... 0.5 µg/mL 2,3,3',4',6'-PentaCB ..... 110..... 2.0 µg/mL 2,3',4,4',5'-PentaCB ..... 118..... 2.0 µg/mL 2,2',3,3',4,4'-HexaCB ..... 128..... 2.0 µg/mL 2,2',3,3',4,6'-HexaCB ..... 132..... 1.0 µg/mL 2,2',3,4,4',5'-HexaCB ..... 138..... 2.0 µg/mL 2,2',3,4',5',6'-HexaCB ..... 149..... 2.0 µg/mL 2,2',3,5,5',6'-HexaCB ..... 151..... 2.0 µg/mL 2,2',4,4',5,5'-HexaCB ..... 153..... 2.0 µg/mL 2,3,3',4,4',5'-HexaCB ..... 156..... 2.0 µg/mL 2,3,3',4,4',6'-HexaCB ..... 158..... 0.5 µg/mL 3,3',4,4',5,5'-HexaCB ..... 169..... 2.0 µg/mL 2,2',3,3',4,4',5'-HeptaCB ..... 170..... 2.0 µg/mL 2,2',3,3',4,4',6'-HeptaCB ..... 171..... 2.0 µg/mL 2,2',3,3',4',5,6'-HeptaCB ..... 177..... 2.0 µg/mL 2,2',3,4,4',5,5'-HeptaCB ..... 180..... 2.0 µg/mL 2,2',3,4,4',5',6'-HeptaCB ..... 183..... 2.0 µg/mL 2,2',3,4',5,5',6'-HeptaCB ..... 187..... 2.0 µg/mL 2,3,3',4,4',5',6'-HeptaCB ..... 191..... 2.0 µg/mL 2,2',3,3',4,4',5,5'-OctaCB ..... 194..... 2.0 µg/mL 2,2',3,3',4,4',5,6'-OctaCB ..... 195..... 2.0 µg/mL 2,2',3,3',4,5,5',6'-OctaCB ..... 199..... 1.5 µg/mL 2,3,3',4,4',5,5',6'-OctaCB ..... 205..... 2.0 µg/mL 2,2',3,3',4,4',5,5',6'-NonaCB ..... 206..... 2.0 µg/mL 2,2',3,3',4,5,5',6,6'-NonaCB ..... 208..... 2.0 µg/mL DecaCB ..... 209..... 2.0 µg/mL	1 mL

Code	Product	Unit
<b>New</b> CIL-EC-5433	Comprehensive Native PCB Mixture (unlabelled)	1.2 mL
	Solvent: Isooctane	
	Unlabelled PCBs	
	IUPAC#	Concentration
	2-MonoCB..... 1.....	2000 ng/mL
	4-MonoCB..... 3.....	2000 ng/mL
	2,2'-DiCB..... 4.....	2000 ng/mL
	2,4'-DiCB..... 8.....	2000 ng/mL
	2,5'-DiCB..... 9.....	2000 ng/mL
	2,6'-DiCB..... 10.....	2000 ng/mL
	3,3'-DiCB..... 11.....	2000 ng/mL
	3,4'-DiCB..... 12.....	2000 ng/mL
	4,4'-DiCB..... 15.....	2000 ng/mL
	2,2',5'-TriCB..... 18.....	1000 ng/mL
	2,2',6'-TriCB..... 19.....	1000 ng/mL
	2,4,4'-TriCB..... 28.....	1000 ng/mL
	2,4',5'-TriCB..... 31.....	1000 ng/mL
	2',3,4'-TriCB..... 33.....	1000 ng/mL
	3,3',4'-TriCB..... 35.....	1000 ng/mL
	3,4,4'-TriCB..... 37.....	1000 ng/mL
	3,4,5'-TriCB..... 38.....	1000 ng/mL
	2,2',3,5'-TetraCB..... 44.....	1000 ng/mL
	2,2',4,5'-TetraCB..... 49.....	1000 ng/mL
	2,2',5,5'-TetraCB..... 52.....	1000 ng/mL
	2,2',6,6'-TetraCB..... 54.....	1000 ng/mL
	2,3,3',5'-TetraCB..... 57.....	1000 ng/mL
	2,3',4,4'-TetraCB..... 66.....	1000 ng/mL
	2,3',4',5'-TetraCB..... 70.....	1000 ng/mL
	2,4,4',5'-TetraCB..... 74.....	1000 ng/mL
	3,3',4,4'-TetraCB..... 77.....	1000 ng/mL
	3,3',4,5'-TetraCB..... 78.....	1000 ng/mL
	3,3',4,5'-TetraCB..... 79.....	1000 ng/mL
	3,4,4',5'-TetraCB..... 81.....	1000 ng/mL
	2,2',3,4,5'-PentaCB..... 87.....	1000 ng/mL
	2,2',3,5',6'-PentaCB..... 95.....	1000 ng/mL
	2,2',4,4',5'-PentaCB..... 99.....	1000 ng/mL
	2,2',4,5,5'-PentaCB..... 101.....	1000 ng/mL
	2,2',4,6,6'-PentaCB..... 104.....	1000 ng/mL
	2,3,3',4,4'-PentaCB..... 105.....	1000 ng/mL
	2,3,3',4',6'-PentaCB..... 110.....	1000 ng/mL
	2,3,3',5,5'-PentaCB..... 111.....	1000 ng/mL
	2,3,4,4',5'-PentaCB..... 114.....	1000 ng/mL
	2,3',4,4',5'-PentaCB..... 118.....	1000 ng/mL
	2',3,4,4',5'-PentaCB..... 123.....	1000 ng/mL
	3,3',4,4',5'-PentaCB..... 126.....	1000 ng/mL
	2,2',3,4,4',5'-HexaCB..... 138.....	1000 ng/mL
	2,2',3,4',5',6'-HexaCB..... 149.....	1000 ng/mL
	2,2',4,4',5,5'-HexaCB..... 153.....	1000 ng/mL
	2,2',4,4',6,6'-HexaCB..... 155.....	1000 ng/mL
	2,3,3',4,4',5'-HexaCB..... 156.....	1000 ng/mL
	2,3,3',4,4',5'-HexaCB..... 157.....	1000 ng/mL
	2,3,3',4',5,5'-HexaCB..... 162.....	1000 ng/mL
	2,3',4,4',5,5'-HexaCB..... 167.....	1000 ng/mL
	3,3',4,4',5,5'-HexaCB..... 169.....	1000 ng/mL
	2,2',3,3',4,4',5'-HeptaCB..... 170.....	1000 ng/mL
	2,2',3,3',4,5,6'-HeptaCB..... 174.....	1000 ng/mL
	2,2',3,3',5,5',6'-HeptaCB..... 178.....	1000 ng/mL
	2,2',3,4,4',5,5'-HeptaCB..... 180.....	1000 ng/mL
	2,2',3,4',5,5',6'-HeptaCB..... 187.....	1000 ng/mL
	2,2',3,4',5,6,6'-HeptaCB..... 188.....	1000 ng/mL
	2,3,3',4,4',5,5'-HeptaCB..... 189.....	1000 ng/mL
	2,2',3,3',4,4',5,5'-OctaCB..... 194.....	1000 ng/mL
	2,2',3,3',4,4',5,6'-OctaCB..... 195.....	1000 ng/mL
	2,2',3,3',4,5,6,6'-OctaCB..... 199.....	1000 ng/mL
	2,2',3,3',5,5',6,6'-OctaCB..... 202.....	1000 ng/mL
	2,2',3,4,4',5,5',6'-OctaCB..... 203.....	1000 ng/mL
	2,3,3',4,4',5,5',6'-OctaCB..... 205.....	1000 ng/mL
	2,2',3,3',4,4',5,5',6'-NonaCB..... 206.....	1000 ng/mL
	2,2',3,3',4,5,5',6,6'-NonaCB..... 208.....	1000 ng/mL
	DecaCB..... 209.....	1000 ng/mL

## PCB standards and standard mixtures

Code	Product	Unit
<b>New</b> CIL-EC-5434	Fully Resolved Native Mono-Deca PCB Mixture (unlabelled) Solvent: Isooctane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	2-MonoCB ..... 1.....	2000 ng/mL
	4-MonoCB ..... 3.....	2000 ng/mL
	2,4'-DiCB..... 8.....	2000 ng/mL
	2,5-DiCB ..... 9.....	2000 ng/mL
	2,6-DiCB ..... 10.....	2000 ng/mL
	3,4-DiCB ..... 12.....	2000 ng/mL
	4,4'-DiCB..... 15.....	2000 ng/mL
	2,2',5'-TriCB..... 18.....	1000 ng/mL
	2,2',6'-TriCB..... 19.....	1000 ng/mL
	2',3,4'-TriCB..... 33.....	1000 ng/mL
	3,3',4'-TriCB..... 35.....	1000 ng/mL
	3,4,4'-TriCB..... 37.....	1000 ng/mL
	3,4,5'-TriCB ..... 38.....	1000 ng/mL
	2,2',3,5'-TetraCB..... 44.....	1000 ng/mL
	2,2',5,5'-TetraCB..... 52.....	1000 ng/mL
	2,2',6,6'-TetraCB..... 54.....	1000 ng/mL
	2,3,3',5'-TetraCB..... 57.....	1000 ng/mL
	2,4,4',5'-TetraCB..... 74.....	1000 ng/mL
	3,3',4,4'-TetraCB..... 77.....	1000 ng/mL
	3,3',4,5'-TetraCB..... 78.....	1000 ng/mL
	3,3',4,5'-TetraCB..... 79.....	1000 ng/mL
	3,4,4',5'-TetraCB..... 81.....	1000 ng/mL
	2,2',4,4',5'-PentaCB..... 99.....	1000 ng/mL
	2,2',4,6,6'-PentaCB..... 104.....	1000 ng/mL
	2,3,4,4',5'-PentaCB..... 114.....	1000 ng/mL
	2,3',4,4',5'-PentaCB..... 118.....	1000 ng/mL
	2',3,4,4',5'-PentaCB..... 123.....	1000 ng/mL
	3,3',4,4',5'-PentaCB..... 126.....	1000 ng/mL
	2,2',4,4',5,5'-HexaCB..... 153.....	1000 ng/mL
	2,2',4,4',6,6'-HexaCB..... 155.....	1000 ng/mL
	2,3,3',4,4',5'-HexaCB..... 156.....	1000 ng/mL
	2,3,3',4,4',5'-HexaCB..... 157.....	1000 ng/mL
	2,3,3',4',5,5'-HexaCB..... 162.....	1000 ng/mL
	2,3',4,4',5,5'-HexaCB..... 167.....	1000 ng/mL
	3,3',4,4',5,5'-HexaCB..... 169.....	1000 ng/mL
	2,2',3,4',5,6,6'-HeptaCB..... 188.....	1000 ng/mL
	2,3,3',4,4',5,5'-HeptaCB..... 189.....	1000 ng/mL
	2,2',3,3',4,4',5,5'-OctaCB..... 194.....	1000 ng/mL
	2,2',3,3',4,4',5,6'-OctaCB..... 195.....	1000 ng/mL
	2,2',3,3',5,5',6,6'-OctaCB..... 202.....	1000 ng/mL
	2,3,3',4,4',5,5',6'-OctaCB..... 205.....	1000 ng/mL
	2,2',3,3',4,4',5,5',6'-NonaCB..... 206.....	1000 ng/mL
	2,2',3,3',4,5,5',6,6'-NonaCB..... 208.....	1000 ng/mL
	DecaCB ..... 209.....	1000 ng/mL

Code	Product	Unit
CIL-EC-5085	Toxic and predominant PCB PAR Solution Solvent: Nonane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	2,2',5'-TriCB.....18	250 ng/mL
	2,4,4'-TriCB.....28	250 ng/mL
	2,2',3,5'-TetraCB.....44	250 ng/mL
	2,2',4,5'-TetraCB.....49	250 ng/mL
	2,2',5,5'-TetraCB.....52	250 ng/mL
	2,3',4,4'-TetraCB.....66	250 ng/mL
	2,4,4',5-TetraCB.....74	250 ng/mL
	2,2',3,4,5'-PentaCB.....87	250 ng/mL
	2,2',4,4',5-PentaCB.....99	250 ng/mL
	2,2',4,5,5'-PentaCB.....101	250 ng/mL
	2,3,3',4,4'-PentaCB.....105	250 ng/mL
	2,3,3',4',6-PentaCB.....110	250 ng/mL
	2,3',4,4',5-PentaCB.....118	250 ng/mL
	2,2',3,3',4,4'-HexaCB.....128	250 ng/mL
	2,2',3,4,4',5-HexaCB.....138	250 ng/mL
	2,2',3,4',5,5'-HexaCB.....146	250 ng/mL
	2,2',3,4',5',6-HexaCB.....149	250 ng/mL
	2,2',3,5,5',6-HexaCB.....151	250 ng/mL
	2,2',4,4',5,5'-HexaCB.....153	250 ng/mL
	2,3,3',4,4',5-HexaCB.....156	250 ng/mL
	2,3,3',4,4',5',6-HexaCB.....157	250 ng/mL
	2,3,3',4,4',6-HexaCB.....158	250 ng/mL
	2,3',4,4',5,5'-HexaCB.....167	250 ng/mL
	2,2',3,3',4,4',5-HeptaCB.....170	250 ng/mL
	2,2',3,3',4,5,5'-HeptaCB.....172	250 ng/mL
	2,2',3,3',4',5,6-HeptaCB.....177	250 ng/mL
	2,2',3,3',5,5',6-HeptaCB.....178	250 ng/mL
	2,2',3,4,4',5,5'-HeptaCB.....180	250 ng/mL
	2,2',3,4,4',5',6-HeptaCB.....183	250 ng/mL
	2,2',3,4',5,5',6-HeptaCB.....187	250 ng/mL
	2,3,3',4,4',5,5'-HeptaCB.....189	250 ng/mL
	2,2',3,3',4,4',5,5'-OctaCB.....194	250 ng/mL
	2,2',3,3',4,4',5,6-OctaCB.....195	250 ng/mL
	2,2',3,3',4,4',5',6-OctaCB.....196	250 ng/mL
	2,2',3,3',4,5,5',6'-OctaCB.....199	250 ng/mL
	2,2',3,4,4',5,5',6-OctaCB.....203	250 ng/mL
	2,2',3,3',4,4',5,5',6-NonaCB.....206	250 ng/mL
	DecaCB.....209	250 ng/mL
CIL-EC-4935	World Health Organization Coplanar & Mono-Ortho PCBs Solvent: Isooctane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	3,3',4,4'-TetraCB.....77	2.0 µg/mL
	3,4,4',5-TetraCB.....81	2.0 µg/mL
	2,3,3',4,4'-PentaCB.....105	2.0 µg/mL
	2,3,4,4',5-PentaCB.....114	2.0 µg/mL
	2,3',4,4',5-PentaCB.....118	2.0 µg/mL
	2',3,4,4',5-PentaCB.....123	2.0 µg/mL
	3,3',4,4',5-PentaCB.....126	2.0 µg/mL
	2,3,3',4,4',5-HexaCB.....156	2.0 µg/mL
	2,3,3',4,4',5'-HexaCB.....157	2.0 µg/mL
	2,3',4,4',5,5'-HexaCB.....167	2.0 µg/mL
	3,3',4,4',5,5'-HexaCB.....169	2.0 µg/mL
	2,3,3',4,4',5,5'-HeptaCB.....189	2.0 µg/mL
CIL-EC-4935-A	World Health Organization Coplanar & Mono-Ortho PCBs Solvent: Isooctane	3 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	3,3',4,4'-TetraCB.....77	1.0 µg/mL
	3,4,4',5-TetraCB.....81	1.0 µg/mL
	2,3,3',4,4'-PentaCB.....105	1.0 µg/mL
	2,3,4,4',5-PentaCB.....114	1.0 µg/mL
	2,3',4,4',5-PentaCB.....118	1.0 µg/mL
	2',3,4,4',5-PentaCB.....123	1.0 µg/mL
	3,3',4,4',5-PentaCB.....126	1.0 µg/mL
	2,3,3',4,4',5-HexaCB.....156	1.0 µg/mL
	2,3,3',4,4',5'-HexaCB.....157	1.0 µg/mL
	2,3',4,4',5,5'-HexaCB.....167	1.0 µg/mL
	3,3',4,4',5,5'-HexaCB.....169	1.0 µg/mL
	2,3,3',4,4',5,5'-HeptaCB.....189	1.0 µg/mL

## PCB standards and standard mixtures

Code	Product	Unit
CIL-EC-5000	World Health Organization Coplanar & Mono-Ortho PCBs & 170/180 Solvent: Isooctane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	3,3',4,4'-TetraCB.....	77..... 2.0 µg/mL
	3,4,4',5-TetraCB.....	81..... 2.0 µg/mL
	2,3,3',4,4'-PentaCB.....	105..... 2.0 µg/mL
	2,3,4,4',5-PentaCB.....	114..... 2.0 µg/mL
	2,3',4,4',5-PentaCB.....	118..... 2.0 µg/mL
	2',3,4,4',5-PentaCB.....	123..... 2.0 µg/mL
	3,3',4,4',5-PentaCB.....	126..... 2.0 µg/mL
	2,3,3',4,4',5-HexaCB.....	156..... 2.0 µg/mL
	2,3,3',4,4',5',5'-HexaCB.....	157..... 2.0 µg/mL
	2,3',4,4',5',5'-HexaCB.....	167..... 2.0 µg/mL
	3,3',4,4',5',5'-HexaCB.....	169..... 2.0 µg/mL
	2,2',3,3',4,4',5-HeptaCB.....	170..... 2.0 µg/mL
	2,2',3,4,4',5',5'-HeptaCB.....	180..... 2.0 µg/mL
	2,3,3',4,4',5',5'-HeptaCB.....	189..... 2.0 µg/mL
CIL-EC-4986	Non-Ortho Native PCB Solution Solvent: Isooctane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	3,3',4,4'-TetraCB.....	77..... 10 µg/mL
	3,4,4',5-TetraCB.....	81..... 10 µg/mL
	3,3',4,4',5-PentaCB.....	126..... 10 µg/mL
	3,3',4,4',5,5'-HexaCB.....	169..... 10 µg/mL
CIL-EC-4987	Mono-Ortho Native PCB Solution Solvent: Isooctane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	2,3,3',4,4'-PentaCB.....	105..... 10000 ng/mL
	2,3,4,4',5-PentaCB.....	114..... 10000 ng/mL
	2,3',4,4',5-PentaCB.....	118..... 10000 ng/mL
	2',3,4,4',5-PentaCB.....	123..... 10000 ng/mL
	2,3,3',4,4',5-HexaCB.....	156..... 10000 ng/mL
	2,3,3',4,4',5',5'-HexaCB.....	157..... 10000 ng/mL
	2,3',4,4',5',5'-HexaCB.....	167..... 10000 ng/mL
	2,3,3',4,4',5',5'-HeptaCB.....	189..... 10000 ng/mL
<b>New</b> CIL-EC-4987/100	Mono-Ortho Native PCB Solution Solvent: Isooctane	100 µL
	Unlabelled PCBs	
	IUPAC#	Concentration
	2,3,3',4,4'-PentaCB.....	105..... 100 ng/mL
	2,3,4,4',5-PentaCB.....	114..... 100 ng/mL
	2,3',4,4',5-PentaCB.....	118..... 100 ng/mL
	2',3,4,4',5-PentaCB.....	123..... 100 ng/mL
	2,3,3',4,4',5-HexaCB.....	156..... 100 ng/mL
	2,3,3',4,4',5',5'-HexaCB.....	157..... 100 ng/mL
	2,3',4,4',5',5'-HexaCB.....	167..... 100 ng/mL
	2,3,3',4,4',5',5'-HeptaCB.....	189..... 100 ng/mL
CIL-EC-5179	Unlabelled PCB Mixture Solvent: Isooctane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	2,4,4'-TriCB.....	28..... 5 µg/mL
	2,2',5,5'-TetraCB.....	52..... 5 µg/mL
	2,2',4,5,5'-PentaCB.....	101..... 5 µg/mL
	2,2',3,4,4',5-HexaCB.....	138..... 5 µg/mL
	2,2',4,4',5,5'-HexaCB.....	153..... 5 µg/mL
	2,2',3,4,4',5,5'-HeptaCB.....	180..... 5 µg/mL
	DecaCB.....	209..... 5 µg/mL
CIL-EC-7438	Unlabelled PCB Mixture PCBs 77/101/141/178 Solvent: Nonane	1.2 mL
	Unlabelled PCBs	
	IUPAC#	Concentration
	3,3',4,4'-TetraCB.....	77..... 10 µg/mL
	2,2',4,5,5'-PentaCB.....	101..... 10 µg/mL
	2,2',3,4,5,5'-HexaCB.....	141..... 10 µg/mL
	2,2',3,3',5,5',6-HeptaCB.....	178..... 10 µg/mL

Code	Product	Unit																																																																					
<b>PCB window defining mixture</b>																																																																							
CIL-EC-1430	PCB Window Defining Mixture (For use with DB-5 type GC/MS columns) Solvent: Isooctane	5 mL																																																																					
	<table border="1"> <thead> <tr> <th>Unlabelled PCBs</th> <th>IUPAC#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>Biphenyl</td><td>0</td><td>2.5 µg/mL</td></tr> <tr><td>2-MonoCB</td><td>1</td><td>2.5 µg/mL</td></tr> <tr><td>4-MonoCB</td><td>3</td><td>2.5 µg/mL</td></tr> <tr><td>2,6-DiCB</td><td>10</td><td>2.5 µg/mL</td></tr> <tr><td>4,4'-DiCB</td><td>15</td><td>2.5 µg/mL</td></tr> <tr><td colspan="3"><b>Note: #30 is 2nd tri eluter</b></td></tr> <tr><td>2,4,6-TriCB</td><td>30</td><td>2.5 µg/mL</td></tr> <tr><td>3,4,4'-TriCB</td><td>37</td><td>2.5 µg/mL</td></tr> <tr><td>2,2',6,6'-TetraCB</td><td>54</td><td>2.5 µg/mL</td></tr> <tr><td>3,3',4,4'-TetraCB</td><td>77</td><td>2.5 µg/mL</td></tr> <tr><td>2,2',4,6,6'-PentaCB</td><td>104</td><td>2.5 µg/mL</td></tr> <tr><td>3,3',4,4',5-PentaCB</td><td>126</td><td>2.5 µg/mL</td></tr> <tr><td>2,2',4,4',6,6'-HexaCB</td><td>155</td><td>2.5 µg/mL</td></tr> <tr><td>3,3',4,4',5,5'-HexaCB</td><td>169</td><td>2.5 µg/mL</td></tr> <tr><td>2,2',3,4',5,6,6'-HeptaCB</td><td>188</td><td>2.5 µg/mL</td></tr> <tr><td>2,3,3',4,4',5,5'-HeptaCB</td><td>189</td><td>2.5 µg/mL</td></tr> <tr><td>2,2',3,3',5,5',6,6'-OctaCB</td><td>202</td><td>2.5 µg/mL</td></tr> <tr><td colspan="3"><b>Note: #194 is 2nd to last octa eluter</b></td></tr> <tr><td>2,2',3,3',4,4',5,5'-OctaCB</td><td>194</td><td>2.5 µg/mL</td></tr> <tr><td>2,2',3,3',4,5,5',6,6'-NonaCB</td><td>208</td><td>2.5 µg/mL</td></tr> <tr><td>2,2',3,3',4,4',5,5',6-NonaCB</td><td>208</td><td>2.5 µg/mL</td></tr> <tr><td>DecaCB</td><td>209</td><td>2.5 µg/mL</td></tr> </tbody> </table>	Unlabelled PCBs	IUPAC#	Concentration	Biphenyl	0	2.5 µg/mL	2-MonoCB	1	2.5 µg/mL	4-MonoCB	3	2.5 µg/mL	2,6-DiCB	10	2.5 µg/mL	4,4'-DiCB	15	2.5 µg/mL	<b>Note: #30 is 2nd tri eluter</b>			2,4,6-TriCB	30	2.5 µg/mL	3,4,4'-TriCB	37	2.5 µg/mL	2,2',6,6'-TetraCB	54	2.5 µg/mL	3,3',4,4'-TetraCB	77	2.5 µg/mL	2,2',4,6,6'-PentaCB	104	2.5 µg/mL	3,3',4,4',5-PentaCB	126	2.5 µg/mL	2,2',4,4',6,6'-HexaCB	155	2.5 µg/mL	3,3',4,4',5,5'-HexaCB	169	2.5 µg/mL	2,2',3,4',5,6,6'-HeptaCB	188	2.5 µg/mL	2,3,3',4,4',5,5'-HeptaCB	189	2.5 µg/mL	2,2',3,3',5,5',6,6'-OctaCB	202	2.5 µg/mL	<b>Note: #194 is 2nd to last octa eluter</b>			2,2',3,3',4,4',5,5'-OctaCB	194	2.5 µg/mL	2,2',3,3',4,5,5',6,6'-NonaCB	208	2.5 µg/mL	2,2',3,3',4,4',5,5',6-NonaCB	208	2.5 µg/mL	DecaCB	209	2.5 µg/mL	
Unlabelled PCBs	IUPAC#	Concentration																																																																					
Biphenyl	0	2.5 µg/mL																																																																					
2-MonoCB	1	2.5 µg/mL																																																																					
4-MonoCB	3	2.5 µg/mL																																																																					
2,6-DiCB	10	2.5 µg/mL																																																																					
4,4'-DiCB	15	2.5 µg/mL																																																																					
<b>Note: #30 is 2nd tri eluter</b>																																																																							
2,4,6-TriCB	30	2.5 µg/mL																																																																					
3,4,4'-TriCB	37	2.5 µg/mL																																																																					
2,2',6,6'-TetraCB	54	2.5 µg/mL																																																																					
3,3',4,4'-TetraCB	77	2.5 µg/mL																																																																					
2,2',4,6,6'-PentaCB	104	2.5 µg/mL																																																																					
3,3',4,4',5-PentaCB	126	2.5 µg/mL																																																																					
2,2',4,4',6,6'-HexaCB	155	2.5 µg/mL																																																																					
3,3',4,4',5,5'-HexaCB	169	2.5 µg/mL																																																																					
2,2',3,4',5,6,6'-HeptaCB	188	2.5 µg/mL																																																																					
2,3,3',4,4',5,5'-HeptaCB	189	2.5 µg/mL																																																																					
2,2',3,3',5,5',6,6'-OctaCB	202	2.5 µg/mL																																																																					
<b>Note: #194 is 2nd to last octa eluter</b>																																																																							
2,2',3,3',4,4',5,5'-OctaCB	194	2.5 µg/mL																																																																					
2,2',3,3',4,5,5',6,6'-NonaCB	208	2.5 µg/mL																																																																					
2,2',3,3',4,4',5,5',6-NonaCB	208	2.5 µg/mL																																																																					
DecaCB	209	2.5 µg/mL																																																																					

### Isotope labelled mixed bromo/chlorobiphenyl standards

CIL-ECB-5269	3,4-Dichloro-3',4',5'-tribromobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
CIL-ECB-5270	3,4-Dibromo-3',4'-dichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
CIL-ECB-5271	3,4-Dibromo-3',4',5'-trichlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
CIL-ECB-5291	4'-Bromo-3,3',4,5-tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
CIL-ECB-5292	4'-Bromo-2,3',4,5-tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
CIL-ECB-5293	4'-Bromo-2,3,3',4-tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
CIL-ECB-5294	4'-Bromo-2,3,3',4,5-pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
CIL-ECB-5339	4'-Bromo-3,3',4,5,5'-pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL

### Unlabelled mixed bromo/chloro PCB standards

Mixed bromo/chloro biphenyls are thought to be produced by incinerator combustion and as by-products of BDE production. CIL has started a programme to synthesise this class of compounds to assist researchers in initial studies in this field.

CIL-PCBB-5272-CS	3,4-Dichloro-3',4',5'-tribromobiphenyl (unlabelled) 100 µg/mL in Isooctane	1.2 mL
CIL-PCBB-5273	3,4-Dibromo-3',4'-dichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
CIL-PCBB-5274	3,4-Dibromo-3',4',5'-trichlorobiphenyl 100 µg/mL in Isooctane	1.2 mL
CIL-PCBB-5295	4'-Bromo-3,3',4,5-tetrachlorobiphenyl 100 µg/mL in iso-Octane	1.2 mL
CIL-PCBB-5296	4'-Bromo-2,3',4,5-tetrachlorobiphenyl 100 µg/mL in iso-Octane	1.2 mL
CIL-PCBB-5297	4'-Bromo-2,3,3',4-tetrachlorobiphenyl 100 µg/mL in iso-Octane	1.2 mL
CIL-PCBB-5298	4'-Bromo-2,3,3',4,5-pentachlorobiphenyl 100 µg/mL in iso-Octane	1.2 mL
CIL-PCBB-5340-CS	4'-Bromo-3,3',4,5,5'-pentachlorobiphenyl 100 µg/mL in Isooctane	1.2 mL

### Mixed bromo/chlorobiphenyl standard mixtures

CIL-ECB-5390	PXB Calibration Solutions [CS1-CS5] Solvent: Nonane All concentrations are in ng/mL	5 x 0.2 mL																																																																																				
	<table border="1"> <thead> <tr> <th>Unlabelled Compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr><td>4'-Bromo-2,3',4,5-TetraCB</td><td>2</td><td>10</td><td>50</td><td>200</td><td>200</td></tr> <tr><td>4'-Bromo-2,3,3',4-TetraCB</td><td>2</td><td>10</td><td>50</td><td>200</td><td>200</td></tr> <tr><td>4'-Bromo-2,3,3',4,5-PentaCB</td><td>2</td><td>10</td><td>50</td><td>200</td><td>200</td></tr> <tr><td>4'-Bromo-3,3',4,5,5'-PentaCB</td><td>2</td><td>10</td><td>50</td><td>200</td><td>1000</td></tr> <tr><td>3,4-Dichloro-3',4',5'-TriBB</td><td>4</td><td>20</td><td>100</td><td>400</td><td>2000</td></tr> <tr> <th><sup>13</sup>C-Labelled Compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr><td>4'-Bromo-3,3',4,5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>4'-Bromo-2,3',4,5-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>4'-Bromo-2,3,3',4-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>4'-Bromo-2,3,3',4,5-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>4'-Bromo-3,3',4,5,5'-PentaCB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>3,4-Dichloro-3',4',5'-TriBB (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,2',3,4,5,5'-HexaCDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> </tbody> </table>	Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5	4'-Bromo-2,3',4,5-TetraCB	2	10	50	200	200	4'-Bromo-2,3,3',4-TetraCB	2	10	50	200	200	4'-Bromo-2,3,3',4,5-PentaCB	2	10	50	200	200	4'-Bromo-3,3',4,5,5'-PentaCB	2	10	50	200	1000	3,4-Dichloro-3',4',5'-TriBB	4	20	100	400	2000	<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5	4'-Bromo-3,3',4,5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	4'-Bromo-2,3',4,5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	4'-Bromo-2,3,3',4-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	4'-Bromo-2,3,3',4,5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	4'-Bromo-3,3',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	3,4-Dichloro-3',4',5'-TriBB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	2,2',3,4,5,5'-HexaCDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100	
Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5																																																																																	
4'-Bromo-2,3',4,5-TetraCB	2	10	50	200	200																																																																																	
4'-Bromo-2,3,3',4-TetraCB	2	10	50	200	200																																																																																	
4'-Bromo-2,3,3',4,5-PentaCB	2	10	50	200	200																																																																																	
4'-Bromo-3,3',4,5,5'-PentaCB	2	10	50	200	1000																																																																																	
3,4-Dichloro-3',4',5'-TriBB	4	20	100	400	2000																																																																																	
<sup>13</sup> C-Labelled Compounds	CS1	CS2	CS3	CS4	CS5																																																																																	
4'-Bromo-3,3',4,5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																	
4'-Bromo-2,3',4,5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																	
4'-Bromo-2,3,3',4-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																	
4'-Bromo-2,3,3',4,5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																	
4'-Bromo-3,3',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																	
3,4-Dichloro-3',4',5'-TriBB ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																	
2,2',3,4,5,5'-HexaCDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100	100	100	100	100																																																																																	

## PCB standards and standard mixtures

Code	Product	Unit
CIL-ECB-5390-CS1	PXB Calibration Solution [CS1]	0.2 mL
CIL-ECB-5390-CS2	PXB Calibration Solution [CS2]	0.2 mL
CIL-ECB-5390-CS3	PXB Calibration Solution [CS3]	0.2 mL
CIL-ECB-5390-CS4	PXB Calibration Solution [CS4]	0.2 mL
CIL-ECB-5390-CS5	PXB Calibration Solution [CS5]	0.2 mL
<b>New</b> CIL-ECB-5389	PXB Clean-up Spike (13C12,99%) Solvent: Nonane 4'-Bromo-3,3',4,5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL 4'-Bromo-2,3',4,5-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL 4'-Bromo-2,3,3',4-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL 4'-Bromo-2,3,3',4,5-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL 4'-Bromo-3,3',4,5,5'-PentaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL 3,4-Dichloro-3',4',5'-TriBB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 2000 ng/mL	1.2 mL
CIL-EO-5388	PXB Syringe Standard ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 2,2',3,4,5,5'-HexaCDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 1000 ng/mL	1.2 mL
<b>New</b> CIL-ECB-5387	PXB Native PAR Solution Solvent: Nonane 4'-Bromo-3,3',4,5-TetraCB ..... 1000 ng/mL 4'-Bromo-2,3,3',4,5-TetraCB ..... 1000 ng/mL 4'-Bromo-2,3,3',4-TetraCB ..... 1000 ng/mL 4'-Bromo-2,3,3',4,5-PentaCB ..... 1000 ng/mL 4'-Bromo-3,3',4,5,5'-PentaCB ..... 1000 ng/mL 3,4-Dichloro-3',4',5'-TriBB ..... 2000 ng/mL	0.5 mL

## Hydroxy-PCBs

CIL-OHCB-5114-1.2	4'-Hydroxy-3,3',4,5'-tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-OHCB-5115-1.2	4-Hydroxy-2,3,3',4',5-pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-OHCB-5117-1.2	4-Hydroxy-2,2',3,4',5,5'-hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-OHCB-5118-1.2	3'-Hydroxy-2,2',3,4,4',5'-hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-OHCB-5124-1.2	4'-Hydroxy-2,2',3,3',4,5,5'-heptachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL

## Methoxy-PCBs

CIL-MEOCB-5109-1.2	2,3,3',4',5-Pentachloro-4-methoxybiphenyl (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-MEOCB-5111-1.2	2,2',3,4',5,5'-Hexachloro-4-methoxybiphenyl (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-MEOCB-5135-1.2	2,2',3,4',5,5',6-Heptachloro-4-methoxybiphenyl (unlabelled) 50 µg/mL in Nonane	1.2 mL

## Unlabelled methyl sulfone PCB standards

Methyl Sulfone derivatives of polychlorinated biphenyls (MeSO<sub>2</sub>-PCBs) are known to be primary metabolic products of PCBs. These are persistent, lipophilic compounds which accumulate in the lung, liver and kidney tissues of mammals exposed to PCBs.

CIL-MSCB-4027	3-MeSO <sub>2</sub> -4-Me-2',3',4',5,5'-Penta-CB (internal standard) 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4007	3-MeSO <sub>2</sub> -2,2',4',5-TetraCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4008	4-MeSO <sub>2</sub> -2,2',4',5-TetraCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4043	4-MeSO <sub>2</sub> -2,2',4',5,6-PentaCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4009	3-MeSO <sub>2</sub> -2,2',4',5,5'-PentaCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4010	4-MeSO <sub>2</sub> -2,2',4',5,5'-PentaCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4012	4-MeSO <sub>2</sub> -2,3,3',4',6-PentaCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4044	3-MeSO <sub>2</sub> -2,2',3',4',5,6-HexaCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4013	3-MeSO <sub>2</sub> -2,2',4',5,5',6-HexaCB 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4015	3-MeSO <sub>2</sub> -DDE 40 µg/mL in Nonane	1.2 mL
CIL-MSCB-4045	4-MeSO <sub>2</sub> -2,2',3,3',4',6-HexaCB 40 µg/mL in Nonane	1.2 mL



## Brominated flame retardant standards

### Isotope Labelled Brominated Diphenyl Ether (BDE) Standards

Generally used as flame retardants, Brominated Diphenyl Ethers (BDEs) have become chemicals of significant environmental concern. BDEs may be generally considered as persistent and highly lipophilic substances, similar to well known environmental contaminants such as polychlorinated biphenyls (PCBs).

In 1996, Cambridge Isotope Laboratories (CIL) first introduced Chlorinated and Brominated Diphenyl Ether analytical standards. Since then, additional studies in Europe, Canada, Japan, and the United States have significantly increased interest in these products and enabled CIL to extend its flame-retardant offerings.

### U.S. EPA Method 1614 Standard Mixtures

The United States EPA has developed a standardized test method for analysis of Brominated Diphenyl Ethers in multiple matrices by High Resolution GC / MS. CIL worked closely with the EPA and their contracting laboratories to develop standard mixtures specifically for use in Method 1614.

### RoHS BDE Standard Mixtures

The Directive on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (2002 / 95 /EC), commonly referred to as the Restriction of Hazardous Substances Directive (RoHS) was adopted in February 2003 in Europe and took effect in July 2006. This directive restricts the use of several types of hazardous materials in the manufacture of various types of electronic and electrical equipment. CIL worked with laboratories in the European Union to develop standards for analysis of brominated diphenyl ethers under the RoHS guidelines.

### Brominated Flame Retardant Standards and Standard Mixtures

Following regulatory restrictions and voluntary removal of Brominated Diphenyl Ether (BDE) products from many flame retardant applications, new brominated compounds have been developed as replacements for BDEs. As monitoring of these possible environmental pollutants increased, CIL developed several labelled and unlabelled standards to allow accurate analysis of these new-use Brominated Flame Retardant (BFR) compounds. CIL further developed a series of standard mixtures which include a combination of BDEs and other BFRs in comprehensive mixtures.

### Isotope labelled and unlabelled BDE Metabolites

Researchers have suggested that BDE body burdens are not completely represented by measurements of BDEs in tissue or milk.

Analytical data indicates that the liver hydrolyzes BDEs in its attempts to expel them. BDE toxicity is still being established, but there is a likelihood that BDE metabolites have similar or greater toxicity than the parent BDEs. CIL has been producing both unlabelled and  $^{13}\text{C}_{12}$  Methoxy- and Hydroxy-BDEs. These items represent some of the BDE metabolites available from CIL; please contact LGC Standards for more information on these compounds.

## Isotope labelled brominated diphenyl ether (BDE) standards

Code	Product	Unit
CIL-CLM-1587-1.2	Diphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-0) 50 µg/mL in Nonane	1.2 mL
CIL-EO-4999	4-Monobromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE 3) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5001	4,4'-Dibromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE 15) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5002	2,4,4'-Tribromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE 28) 50 µg/mL in Nonane	1.2 mL
CIL-EO-4982	2,2',4,4'-Tetrabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-47) 50 µg/mL in Nonane	1.2 mL
CIL-EO-1439	3,3',4,4'-Tetrabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-77) 50 µg/mL in Nonane	1.2 mL
CIL-EO-4983	2,2',4,4',5-Pentabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-99) 50 µg/mL in Nonane	1.2 mL
CIL-EO-4993	2,2',4,4',6-Pentabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-100) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5034	2,3',4,4',5-Pentabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-118) 50 µg/mL in Nonane	1.2 mL
CIL-EO-4930	3,3',4,4',5-Pentabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-126) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5035	2,2',3,4,4',5'-Hexabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-138) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5165	2,2',3,4,4',6-Hexabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-139) 50 µg/mL in Nonane	1.2 mL
CIL-EO-4984	2,2',4,4',5,5'-Hexabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-153) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5161	2,2',4,4',5,6'-Hexabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-154) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EO-5413	2,2',4,4',6,6'-Hexabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-155) 50 µg/mL in Nonane	1.2 mL
CIL-EO-4985	2,2',3,4,4',5',6-Heptabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-183) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EO-5376	2,3,3',4,4',5,6-Heptabromodiphenyl ether ( $^{13}\text{C}_{12}$ ,99%) (BDE-190) 50 µg/mL in Nonane	1.2 mL

## Isotope labelled brominated diphenyl ether (BDE) standards

Code	Product	Unit
CIL-EO-5337	2,2',3,3',4,4',6,6'-Octabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-197) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5377	2,2',3,4,4',5,6,6'-Octabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-203) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EO-5355	2,2',3,4,4',5,6,6'-Octabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-204) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5362	2,3,3',4,4',5,5',6-Octabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-205) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5240	2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-206) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5241	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-207) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5242	2,2',3,3',4,5,5',6,6'-Nonabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-208) 50 µg/mL in Nonane	1.2 mL
CIL-EO-5003	Decabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-209) 50 µg/mL in n-Nonane	1.2 mL

## Unlabelled brominated diphenyl ether (BDE) standards

CIL-ULM-6782-1.2	Diphenyl ether (BDE-0) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-1-CS	2-Monobromodiphenyl ether (BDE-1) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-2-CS	3-Monobromodiphenyl ether (BDE-2) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-3-CS	4-Monobromodiphenyl ether (BDE-3) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-7-CS	2,4-Dibromodiphenyl ether (BDE-7) (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-8-CS	2,4'-Dibromodiphenyl ether (BDE-8) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-10-CS	2,6-Dibromodiphenyl ether (BDE-10) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-11-CS	3,3'-Dibromodiphenyl ether (BDE-11) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-12-CS	3,4-Dibromodiphenyl ether (BDE-12) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-13-CS	3,4'-Dibromodiphenyl ether (BDE-13) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-15-CS	4,4'-Dibromodiphenyl ether (BDE-15) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-17-CS	2,2',4-Tribromodiphenyl ether (BDE-17) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-25-CS	2,3',4-Tribromodiphenyl ether (BDE-25) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-28-CS	2,4,4'-Tribromodiphenyl ether (BDE-28) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-30-CS	2,4,6-Tribromodiphenyl ether (BDE-30) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-32-CS	2,4',6-Tribromodiphenyl ether (BDE-32) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-33-CS	2',3,4-Tribromodiphenyl ether (BDE-33) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-35-CS	3,3',4-Tribromodiphenyl ether (BDE-35) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-37-CS	3,4,4'-Tribromodiphenyl ether (BDE-37) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-47-CS	2,2',4,4'-Tetrabromodiphenyl ether (BDE-47) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-49-CS	2,2',4,5'-Tetrabromodiphenyl ether (BDE-49) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-51-CS	2,2',4,6'-Tetrabromodiphenyl ether (BDE-51) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-66-CS	2,3',4,4'-Tetrabromodiphenyl ether (BDE-66) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-71-CS	2,3',4',6-Tetrabromodiphenyl ether (BDE-71) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-75-CS	2,4,4',6-Tetrabromodiphenyl ether (BDE-75) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-77-CS	3,3',4,4'-Tetrabromodiphenyl ether (BDE-77) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-79-CS	3,3',4,5'-Tetrabromodiphenyl ether (BDE-79) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-85-CS	2,2',3,4,4'-Pentabromodiphenyl ether (BDE-85) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-99-CS	2,2',4,4',5-Pentabromodiphenyl ether (BDE-99) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-100-CS	2,2',4,4',6-Pentabromodiphenyl ether (BDE-100) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-105-CS	2,3,3',4,4'-Pentabromodiphenyl ether (BDE-105) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-116-CS	2,3,4,5,6-Pentabromodiphenyl ether (BDE-116) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-118-CS	2,3',4,4',5-Pentabromodiphenyl ether (BDE-118) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-119-CS	2,3',4,4',6-Pentabromodiphenyl ether (BDE-119) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-120-CS	2,3',4,5,5'-Pentabromodiphenyl ether (BDE-120) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-126-CS	3,3',4,4',5-Pentabromodiphenyl ether (BDE-126) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-128-CS	2,2',3,3',4,4'-Hexabromodiphenyl ether (BDE-128) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-138-CS	2,2',3,4,4',5'-Hexabromodiphenyl ether (BDE-138) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-139-CS	2,2',3,4,4',6-Hexabromodiphenyl ether (BDE-139) 50 µg/mL in Nonane	1.2 mL
CIL-BDE-140-CS	2,2',3,4,4',6'-Hexabromodiphenyl ether (BDE-140) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-BDE-148-CS	2,2',3,4',5,6'-Hexabromodiphenyl ether (BDE-148) 50 µg/mL in Nonane	1.2 mL

## Isotope labelled brominated diphenyl ether (BDE) standards

	Code	Product	Unit
	CIL-BDE-153-CS	2,2',4,4',5,5'-Hexabromodiphenyl ether (BDE-153) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-154-CS	2,2',4,4',5,6'-Hexabromodiphenyl ether (BDE-154) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-155-CS	2,2',4,4',6,6'-Hexabromodiphenyl ether (BDE-155) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-166-CS	2,3,4,4',5,6-Hexabromodiphenyl ether (BDE-166) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-BDE-175-CS	2,2',3,3',4,5',6-Heptabromodiphenyl ether (BDE-175) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-181-CS	2,2',3,4,4',5,6-Heptabromodiphenyl ether (BDE-181) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-183-CS	2,2',3,4,4',5',6-Heptabromodiphenyl ether (BDE-183) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-190-CS	2,3,3',4,4',5,6-Heptabromodiphenyl ether (BDE-190) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-197-CS	2,2',3,3',4,4',6,6'-Octabromodiphenyl ether (BDE-197) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-203-CS	2,2',3,4,4',5,5',6-Octabromodiphenyl ether (BDE-203) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-204-CS	2,2',3,4,4',5,6,6'-Octabromodiphenyl ether (BDE-204) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-205-CS	2,3,3',4,4',5,5',6-Octabromodiphenyl ether (BDE-205) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-206-CS	2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether (BDE-206) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-207-CS	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether (BDE-207) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-208-CS	2,2',3,3',4,5,5',6,6'-Nonabromodiphenyl ether (BDE-208) 50 µg/mL in Nonane	1.2 mL
	CIL-BDE-209-CS	Decabromodiphenyl ether (BDE-209) 50 µg/mL in Nonane	1.2 mL

### Isotope labelled polybrominated biphenyl (PBB) standards

	CIL-EB-5055	3,3',4,4'-Tetrabromobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (PBB-77) 40 µg/mL in Nonane	3 mL
	CIL-EB-5056	3,3',4,4',5-Pentabromobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (PBB-126) 40 µg/mL in Nonane	3 mL
<b>New</b>	CIL-EB-5162	2,2',4,4',5,5'-Hexabromobiphenyl (PBB-153) ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL
	CIL-EB-5106	2,3,3',4,4',5-Hexabromobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (PBB-157) 40 µg/mL in Nonane	3 mL
<b>New</b>	CIL-EB-5439	Decabromobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) 40 µg/mL in Nonane	3 mL

### Unlabelled polybrominated biphenyl (PBB) standards

	CIL-PBB-77-CS	3,3',4,4'-Tetrabromobiphenyl (PBB-77) 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PBB-126	3,3',4,4',5-Pentabromobiphenyl (unlabelled) 100 µg/mL in Isooctane	1.2 mL
	CIL-PBB-153-CS	2,2',4,4',5,5'-Hexabromobiphenyl (PBB-153) 100 µg/mL in Isooctane	1.2 mL
	CIL-PBB-157-CS	2,3,3',4,4',5-Hexabromobiphenyl (PBB-157) 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-PBB-209-CS	Decabromobiphenyl (PBB-209) 100 µg/mL in Isooctane	1.2 mL

### BDE technical mixtures

	CIL-EO-4958-1.2	Bromkal 70-5 Diphenyl Ether Technical Mixture 50 µg/mL in Methanol	1.2 mL
	CIL-EO-5031	PentaBDE Technical Mix (DE-71) 50 µg/mL in Methanol	1.2 mL
	CIL-EO-5030	OctaBDE Technical Mix (DE-79) 50 µg/mL in Methanol	1.2 mL
	CIL-EO-5060	DecaBDE Technical Mix (Saytex 102E) 10 µg/mL in Methanol	10 mL

### Tetrabromobisphenol A (TBBPA) and hexabromocyclododecane (HBCD) standards

	CIL-CLM-4694-1.2	Tetrabromobisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8734-1.2	Tetrabromobisphenol A (unlabelled) 50 µg/mL in Methanol	1.2 mL
	CIL-U LM-6236-1.2	Dimethyl tetrabromobisphenol A (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-CLM-7102-1.2	Hexabromocyclododecane (mix of alpha, beta and gamma isomers) ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Toluene	1.2 mL
	CIL-CLM-7922-0.5	alpha-Hexabromocyclododecane ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Toluene	0.5 mL
	CIL-U LM-4834-1.2	alpha-Hexabromocyclododecane (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-CLM-7923-1.2	beta-Hexabromocyclododecane ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-4835-1.2	beta-Hexabromocyclododecane (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-CLM-7924-1.2	gamma-Hexabromocyclododecane ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-4836-1.2	gamma-Hexabromocyclododecane (unlabelled) 50 µg/mL in Toluene	1.2 mL

### Other flame retardant standards

<b>New</b>	CIL-CLM-8569-1.2	Dechlorane Plus Syn <sup>®</sup> ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7886-1.2	Dechlorane Plus <sup>®</sup> syn-Isomer (unlabelled) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-8588-1.2	Dechlorane Plus <sup>®</sup> anti-Isomer ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL

## Isotope labelled brominated diphenyl ether (BDE) standards

Code	Product	Unit
CIL-ULM-7887-1.2	Dechlorane Plus® anti-Isomer (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-ULM-7777-1.2	Dechlorane Plus® Technical Product (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7375-2X1.2	1,2-Bis(pentabromophenyl)ethane (unlabelled) 25 µg/mL in Toluene (chemical purity 96%)	2 x 1.2 mL
CIL-ULM-7595-1.2	1,2-Bis(2,4,6-tribromophenoxy)ethane (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-CLM-8006-1.2	Tetrachlorobisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
CIL-ULM-7606-1.2	Tetrachlorobisphenol A (unlabelled) 50 µg/mL in Methanol	1.2 mL

## Hydroxy-BDEs

CIL-OHBDE-5190-1.2	6-Hydroxy-2,2',4,4'-tetrabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-OHBDE-5206-1.2	6-Hydroxy-2,2',4,4'-tetrabromodiphenyl ether (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-OHBDE-5191-1.2	2-Hydroxy-2',4,4',5',6-pentabromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-OHBDE-5212-1.2	4'-Hydroxy-2,2',4,5'-tetrabromodiphenyl ether (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-OHBDE-5214-1.2	6'-Hydroxy-2,2',4,5'-tetrabromodiphenyl ether (unlabelled) 50 µg/mL in Nonane	on request
<b>New</b> CIL-OHBDE-5228-1.2	6-Hydroxy-2,2',4,4',5-pentabromodiphenyl ether 50 µg/mL in Nonane	1.2 mL

## Methoxy-BDEs

CIL-MEOBDE-5153-1.2	2'-Methoxy-2,3',4,5'-tetrabromodiphenylether 50 µg/mL in Nonane	1.2 mL
CIL-MEOBDE-5205-1.2	6-Methoxy-2,2',4,4'-tetrabromodiphenyl ether 50 µg/mL in Nonane	1.2 mL

## U.S. EPA Method 1614 standard mixtures

CIL-EO-5279	Method 1614 Calibration Solutions [CS1-CS5] Solvent: Nonane All concentrations are in ng/mL	5 x 0.2 mL																																																																																																																																																																	
<table border="1"> <thead> <tr> <th>Native BDEs</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr> <td>2,4,4'-TriBDE</td> <td>28</td> <td>1</td> <td>5</td> <td>50</td> <td>500</td> <td>2500</td> </tr> <tr> <td>2,2',4,4'-TetraBDE</td> <td>47</td> <td>1</td> <td>5</td> <td>50</td> <td>500</td> <td>2500</td> </tr> <tr> <td>2,2',4,4',5-PentaBDE</td> <td>99</td> <td>1</td> <td>5</td> <td>50</td> <td>500</td> <td>2500</td> </tr> <tr> <td>2,2',4,4',6-PentaBDE</td> <td>100</td> <td>1</td> <td>5</td> <td>50</td> <td>500</td> <td>2500</td> </tr> <tr> <td>2,2',4,4',5,5'-HexaBDE</td> <td>153</td> <td>1</td> <td>5</td> <td>50</td> <td>500</td> <td>2500</td> </tr> <tr> <td>2,2',4,4',5,6'-HexaBDE</td> <td>154</td> <td>1</td> <td>5</td> <td>50</td> <td>500</td> <td>2500</td> </tr> <tr> <td>2,2',3,4,4',5',6-HeptaBDE</td> <td>183</td> <td>1</td> <td>5</td> <td>50</td> <td>500</td> <td>2500</td> </tr> <tr> <td>DecaBDE</td> <td>209</td> <td>10</td> <td>50</td> <td>500</td> <td>5000</td> <td>25000</td> </tr> <tr> <th>Labelled BDEs</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr> <td>2,4,4'-TriBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>28L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>2,2',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>47L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>2,2',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>99L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>2,2',4,4',6-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>2,2',4,4',5,5'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>153L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>2,2',4,4',5,6'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>154L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>2,2',3,4,4',5',6-HeptaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>183L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>DecaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>209L</td> <td>1000</td> <td>1000</td> <td>1000</td> <td>1000</td> <td>1000</td> </tr> <tr> <th>Labelled Clean-up</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr> <td>2,2',3,4,4',6-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>139L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <th>Labelled Injection Internal</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr> <td>2,2',5,5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>PCB-52L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> <tr> <td>2,2',3,4,4',5'-HexaCB (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>PCB-138L</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> <td>100</td> </tr> </tbody> </table>			Native BDEs	BDE#	CS1	CS2	CS3	CS4	CS5	2,4,4'-TriBDE	28	1	5	50	500	2500	2,2',4,4'-TetraBDE	47	1	5	50	500	2500	2,2',4,4',5-PentaBDE	99	1	5	50	500	2500	2,2',4,4',6-PentaBDE	100	1	5	50	500	2500	2,2',4,4',5,5'-HexaBDE	153	1	5	50	500	2500	2,2',4,4',5,6'-HexaBDE	154	1	5	50	500	2500	2,2',3,4,4',5',6-HeptaBDE	183	1	5	50	500	2500	DecaBDE	209	10	50	500	5000	25000	Labelled BDEs	BDE#	CS1	CS2	CS3	CS4	CS5	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28L	100	100	100	100	100	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47L	100	100	100	100	100	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99L	100	100	100	100	100	2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100L	100	100	100	100	100	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153L	100	100	100	100	100	2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154L	100	100	100	100	100	2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183L	100	100	100	100	100	DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209L	1000	1000	1000	1000	1000	Labelled Clean-up	BDE#	CS1	CS2	CS3	CS4	CS5	2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	139L	100	100	100	100	100	Labelled Injection Internal	BDE#	CS1	CS2	CS3	CS4	CS5	2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	PCB-52L	100	100	100	100	100	2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	PCB-138L	100	100	100	100	100
Native BDEs	BDE#	CS1	CS2	CS3	CS4	CS5																																																																																																																																																													
2,4,4'-TriBDE	28	1	5	50	500	2500																																																																																																																																																													
2,2',4,4'-TetraBDE	47	1	5	50	500	2500																																																																																																																																																													
2,2',4,4',5-PentaBDE	99	1	5	50	500	2500																																																																																																																																																													
2,2',4,4',6-PentaBDE	100	1	5	50	500	2500																																																																																																																																																													
2,2',4,4',5,5'-HexaBDE	153	1	5	50	500	2500																																																																																																																																																													
2,2',4,4',5,6'-HexaBDE	154	1	5	50	500	2500																																																																																																																																																													
2,2',3,4,4',5',6-HeptaBDE	183	1	5	50	500	2500																																																																																																																																																													
DecaBDE	209	10	50	500	5000	25000																																																																																																																																																													
Labelled BDEs	BDE#	CS1	CS2	CS3	CS4	CS5																																																																																																																																																													
2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28L	100	100	100	100	100																																																																																																																																																													
2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47L	100	100	100	100	100																																																																																																																																																													
2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99L	100	100	100	100	100																																																																																																																																																													
2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100L	100	100	100	100	100																																																																																																																																																													
2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153L	100	100	100	100	100																																																																																																																																																													
2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154L	100	100	100	100	100																																																																																																																																																													
2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183L	100	100	100	100	100																																																																																																																																																													
DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209L	1000	1000	1000	1000	1000																																																																																																																																																													
Labelled Clean-up	BDE#	CS1	CS2	CS3	CS4	CS5																																																																																																																																																													
2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	139L	100	100	100	100	100																																																																																																																																																													
Labelled Injection Internal	BDE#	CS1	CS2	CS3	CS4	CS5																																																																																																																																																													
2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%)	PCB-52L	100	100	100	100	100																																																																																																																																																													
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%)	PCB-138L	100	100	100	100	100																																																																																																																																																													
CIL-EO-5279-CS1	Method 1614 Calibration Solution [CS1]	0.2 mL																																																																																																																																																																	
CIL-EO-5279-CS2	Method 1614 Calibration Solution [CS2]	0.2 mL																																																																																																																																																																	
CIL-EO-5279-CS3	Method 1614 Calibration Solution [CS3]	0.2 mL																																																																																																																																																																	
CIL-EO-5279-CS4	Method 1614 Calibration Solution [CS4]	0.2 mL																																																																																																																																																																	
CIL-EO-5279-CS5	Method 1614 Calibration Solution [CS5]	0.2 mL																																																																																																																																																																	

## Isotope labelled brominated diphenyl ether (BDE) standards

Code	Product	Unit
CIL-EO-5277	Method 1614 Labelled Surrogate Stock Solution	1.2 mL
	Solvent: Nonane	
	Labelled BDEs	BDE#      Concentration
	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	28L ..... 1 µg/mL
	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	47L ..... 1 µg/mL
	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	99L ..... 1 µg/mL
	2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	100L ..... 1 µg/mL
	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	153L ..... 1 µg/mL
	2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	154L ..... 1 µg/mL
	2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	183L ..... 1 µg/mL
DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	209L ..... 10 µg/mL	
CIL-EO-5276	Method 1614 Labelled Clean-Up Stock Solution	1.2 mL
	Solvent: Nonane	
	Labelled BDE	BDE#      Concentration
2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	139L ..... 1 µg/mL	
CIL-EO-5275	Method 1614 Labelled Injection Internal Stock Solution	1.2 mL
	Solvent: Nonane	
	Labelled PCBs	IUPAC#      Concentration
2,2',5,5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	52L ..... 5 µg/mL	
2,2',3,4,4',5'-HexaCB ( <sup>13</sup> C <sub>12</sub> ,99%).....	138L ..... 5 µg/mL	
CIL-EO-5278	Method 1614 Native PAR Stock Solution	1.2 mL
	Solvent: Nonane	
	Unlabelled BDEs	BDE#      Concentration
	2,4,4'-TriBDE.....	28 ..... 1 µg/mL
	2,2',4,4'-TetraBDE.....	47 ..... 1 µg/mL
	2,2',4,4',5-PentaBDE.....	99 ..... 1 µg/mL
	2,2',4,4',6-PentaBDE.....	100 ..... 1 µg/mL
	2,2',4,4',5,5'-HexaBDE.....	153 ..... 1 µg/mL
	2,2',4,4',5,6'-HexaBDE.....	154 ..... 1 µg/mL
	2,2',3,4,4',5',6-HeptaBDE.....	183 ..... 1 µg/mL
DecaBDE.....	209 ..... 10 µg/mL	

## RoHS standards

From 1st July 2006 the use of Pb, Cd, Hg, Cr(VI) and certain polybrominated flame retardants in electric and electronic devices will be banned unless no technical substitute exists. This is a requirement of the Directive 2002/95/EC on the "Reduction of the use of certain hazardous substances in electrical and electronic equipment" (RoHS) and currently limit values of 1 g/kg (0.1 %) are being discussed.

Code	Product	Unit																																																																																																																																																																																																																																																																																																													
CIL-EO-5402	ROHS PBDE Calibration Solution [CS1-CS5] (Unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane All concentrations are in ng/mL	5 x 0.2 mL																																																																																																																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Unlabelled Congener</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr><td>4-MonoBDE</td><td>3</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,4-DiBDE</td><td>7</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>4,4'-DiBDE</td><td>15</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',4-TriBDE</td><td>17</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,4,4'-TriBDE</td><td>28</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',4,4'-TetraBDE</td><td>47</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',4,5'-TetraBDE</td><td>49</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4'-TetraBDE</td><td>66</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4',6-TetraBDE</td><td>71</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4'-TetraBDE</td><td>77</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',3,4,4'-PentaBDE</td><td>85</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',4,4',5-PentaBDE</td><td>99</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',4,4',6-PentaBDE</td><td>100</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,3',4,4',6-PentaBDE</td><td>119</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>3,3',4,4',5-PentaBDE</td><td>126</td><td>1</td><td>5</td><td>20</td><td>100</td><td>500</td></tr> <tr><td>2,2',3,4,4',5'-HexaBDE</td><td>138</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,2',4,4',5,5'-HexaBDE</td><td>153</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,2',4,4',5,6'-HexaBDE</td><td>154</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,2',4,4',6,6'-HexaBDE</td><td>155</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,4,4',5,6-HexaBDE</td><td>166</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,2',3,4,4',5,6-HeptaBDE</td><td>181</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,2',3,4,4',5',6-HeptaBDE</td><td>183</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,3',4,4',5,6-HeptaBDE</td><td>190</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,2',3,4,4',5,5',6-OctaBDE</td><td>203</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,3,3',4,4',5,5',6-OctaBDE</td><td>205</td><td>2</td><td>10</td><td>40</td><td>200</td><td>1000</td></tr> <tr><td>2,2',3,3',4,4',5,5',6-NonaBDE</td><td>206</td><td>5</td><td>25</td><td>100</td><td>500</td><td>2500</td></tr> <tr><td>2,2',3,3',4,4',5,6,6'-NonaBDE</td><td>207</td><td>5</td><td>25</td><td>100</td><td>500</td><td>2500</td></tr> <tr><td>DecaBDE</td><td>209</td><td>5</td><td>25</td><td>100</td><td>500</td><td>2500</td></tr> <tr> <th><sup>13</sup>C<sub>12</sub>-Labelled Congener</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> <tr><td>4-MonoBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>3</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>4,4'-DiBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>15</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,4,4'-TriBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>28</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,2',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>47</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,2',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>99</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>2,2',3,4,4',5-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>138</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> <tr><td>2,2',4,4',5,5'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>153</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> <tr><td>2,2',4,4',5,6'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>154</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> <tr><td>2,2',4,4',6,6'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>155</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> <tr><td>2,2',3,4,4',5,6-HeptaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>183</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> <tr><td>2,2',3,4,4',5,6,6'-OctaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>204</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td></tr> <tr><td>2,2',3,3',4,4',5,6,6'-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>207</td><td>500</td><td>500</td><td>500</td><td>500</td><td>500</td></tr> <tr><td>DecaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>209</td><td>500</td><td>500</td><td>500</td><td>500</td><td>500</td></tr> </tbody> </table>	Unlabelled Congener	BDE#	CS1	CS2	CS3	CS4	CS5	4-MonoBDE	3	1	5	20	100	500	2,4-DiBDE	7	1	5	20	100	500	4,4'-DiBDE	15	1	5	20	100	500	2,2',4-TriBDE	17	1	5	20	100	500	2,4,4'-TriBDE	28	1	5	20	100	500	2,2',4,4'-TetraBDE	47	1	5	20	100	500	2,2',4,5'-TetraBDE	49	1	5	20	100	500	2,3',4,4'-TetraBDE	66	1	5	20	100	500	2,3',4',6-TetraBDE	71	1	5	20	100	500	3,3',4,4'-TetraBDE	77	1	5	20	100	500	2,2',3,4,4'-PentaBDE	85	1	5	20	100	500	2,2',4,4',5-PentaBDE	99	1	5	20	100	500	2,2',4,4',6-PentaBDE	100	1	5	20	100	500	2,3',4,4',6-PentaBDE	119	1	5	20	100	500	3,3',4,4',5-PentaBDE	126	1	5	20	100	500	2,2',3,4,4',5'-HexaBDE	138	2	10	40	200	1000	2,2',4,4',5,5'-HexaBDE	153	2	10	40	200	1000	2,2',4,4',5,6'-HexaBDE	154	2	10	40	200	1000	2,2',4,4',6,6'-HexaBDE	155	2	10	40	200	1000	2,3,4,4',5,6-HexaBDE	166	2	10	40	200	1000	2,2',3,4,4',5,6-HeptaBDE	181	2	10	40	200	1000	2,2',3,4,4',5',6-HeptaBDE	183	2	10	40	200	1000	2,3,3',4,4',5,6-HeptaBDE	190	2	10	40	200	1000	2,2',3,4,4',5,5',6-OctaBDE	203	2	10	40	200	1000	2,3,3',4,4',5,5',6-OctaBDE	205	2	10	40	200	1000	2,2',3,3',4,4',5,5',6-NonaBDE	206	5	25	100	500	2500	2,2',3,3',4,4',5,6,6'-NonaBDE	207	5	25	100	500	2500	DecaBDE	209	5	25	100	500	2500	<sup>13</sup> C <sub>12</sub> -Labelled Congener	BDE#	CS1	CS2	CS3	CS4	CS5	4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	3	100	100	100	100	100	4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	15	100	100	100	100	100	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	100	100	100	100	100	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47	100	100	100	100	100	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	100	100	100	100	100	2,2',3,4,4',5-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	138	200	200	200	200	200	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153	200	200	200	200	200	2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154	200	200	200	200	200	2,2',4,4',6,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	155	200	200	200	200	200	2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	200	200	200	200	200	2,2',3,4,4',5,6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	204	200	200	200	200	200	2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	500	500	500	500	500	DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	500	500	500	500	500	
Unlabelled Congener	BDE#	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																																																									
4-MonoBDE	3	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,4-DiBDE	7	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
4,4'-DiBDE	15	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,2',4-TriBDE	17	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,4,4'-TriBDE	28	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,2',4,4'-TetraBDE	47	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,2',4,5'-TetraBDE	49	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,3',4,4'-TetraBDE	66	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,3',4',6-TetraBDE	71	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
3,3',4,4'-TetraBDE	77	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,2',3,4,4'-PentaBDE	85	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,2',4,4',5-PentaBDE	99	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,2',4,4',6-PentaBDE	100	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,3',4,4',6-PentaBDE	119	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
3,3',4,4',5-PentaBDE	126	1	5	20	100	500																																																																																																																																																																																																																																																																																																									
2,2',3,4,4',5'-HexaBDE	138	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,2',4,4',5,5'-HexaBDE	153	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,2',4,4',5,6'-HexaBDE	154	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,2',4,4',6,6'-HexaBDE	155	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,3,4,4',5,6-HexaBDE	166	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,2',3,4,4',5,6-HeptaBDE	181	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,2',3,4,4',5',6-HeptaBDE	183	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,3,3',4,4',5,6-HeptaBDE	190	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,2',3,4,4',5,5',6-OctaBDE	203	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,3,3',4,4',5,5',6-OctaBDE	205	2	10	40	200	1000																																																																																																																																																																																																																																																																																																									
2,2',3,3',4,4',5,5',6-NonaBDE	206	5	25	100	500	2500																																																																																																																																																																																																																																																																																																									
2,2',3,3',4,4',5,6,6'-NonaBDE	207	5	25	100	500	2500																																																																																																																																																																																																																																																																																																									
DecaBDE	209	5	25	100	500	2500																																																																																																																																																																																																																																																																																																									
<sup>13</sup> C <sub>12</sub> -Labelled Congener	BDE#	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																																																																																									
4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	3	100	100	100	100	100																																																																																																																																																																																																																																																																																																									
4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	15	100	100	100	100	100																																																																																																																																																																																																																																																																																																									
2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	100	100	100	100	100																																																																																																																																																																																																																																																																																																									
2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47	100	100	100	100	100																																																																																																																																																																																																																																																																																																									
2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	100	100	100	100	100																																																																																																																																																																																																																																																																																																									
2,2',3,4,4',5-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	138	200	200	200	200	200																																																																																																																																																																																																																																																																																																									
2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153	200	200	200	200	200																																																																																																																																																																																																																																																																																																									
2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154	200	200	200	200	200																																																																																																																																																																																																																																																																																																									
2,2',4,4',6,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	155	200	200	200	200	200																																																																																																																																																																																																																																																																																																									
2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	200	200	200	200	200																																																																																																																																																																																																																																																																																																									
2,2',3,4,4',5,6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	204	200	200	200	200	200																																																																																																																																																																																																																																																																																																									
2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	500	500	500	500	500																																																																																																																																																																																																																																																																																																									
DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	500	500	500	500	500																																																																																																																																																																																																																																																																																																									
CIL-EO-5402-CS1	ROHS PBDE Calibration Solution [CS1]	0.2 mL																																																																																																																																																																																																																																																																																																													
CIL-EO-5402-CS2	ROHS PBDE Calibration Solution [CS2]	0.2 mL																																																																																																																																																																																																																																																																																																													
CIL-EO-5402-CS3	ROHS PBDE Calibration Solution [CS3]	0.2 mL																																																																																																																																																																																																																																																																																																													
CIL-EO-5402-CS4	ROHS PBDE Calibration Solution [CS4]	0.2 mL																																																																																																																																																																																																																																																																																																													
CIL-EO-5402-CS5	ROHS PBDE Calibration Solution [CS5]	0.2 mL																																																																																																																																																																																																																																																																																																													
CIL-EO-5403	ROHS PBDE Clean-up Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Component</th> <th>BDE#</th> <th>Concentration (ng/mL)</th> </tr> </thead> <tbody> <tr><td>4-MonoBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>3</td><td>100</td></tr> <tr><td>4,4'-DiBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>15</td><td>100</td></tr> <tr><td>2,4,4'-TriBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>28</td><td>100</td></tr> <tr><td>2,2',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>47</td><td>100</td></tr> <tr><td>2,2',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>99</td><td>100</td></tr> <tr><td>2,2',4,4',5,5'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>153</td><td>200</td></tr> <tr><td>2,2',4,4',5,6'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>154</td><td>200</td></tr> <tr><td>2,2',3,4,4',5,6-HeptaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>183</td><td>200</td></tr> <tr><td>2,2',3,4,4',5,6,6'-OctaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>204</td><td>200</td></tr> <tr><td>2,2',3,3',4,4',5,6,6'-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>207</td><td>500</td></tr> <tr><td>DecaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>209</td><td>500</td></tr> </tbody> </table>	Component	BDE#	Concentration (ng/mL)	4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	3	100	4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	15	100	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	100	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47	100	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	100	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153	200	2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154	200	2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	200	2,2',3,4,4',5,6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	204	200	2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	500	DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	500																																																																																																																																																																																																																																																																										
Component	BDE#	Concentration (ng/mL)																																																																																																																																																																																																																																																																																																													
4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	3	100																																																																																																																																																																																																																																																																																																													
4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	15	100																																																																																																																																																																																																																																																																																																													
2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	100																																																																																																																																																																																																																																																																																																													
2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47	100																																																																																																																																																																																																																																																																																																													
2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	100																																																																																																																																																																																																																																																																																																													
2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153	200																																																																																																																																																																																																																																																																																																													
2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154	200																																																																																																																																																																																																																																																																																																													
2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	200																																																																																																																																																																																																																																																																																																													
2,2',3,4,4',5,6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	204	200																																																																																																																																																																																																																																																																																																													
2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	500																																																																																																																																																																																																																																																																																																													
DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	500																																																																																																																																																																																																																																																																																																													
CIL-EO-5404	ROHS PBDE Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane 2,2',3,4,4',5-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE 138) ..... 200 ng/mL	1.2 mL																																																																																																																																																																																																																																																																																																													



Code	Product	Unit																																																																																																																																		
CIL-EO-5405	ROHS PBDE Native PAR Spike Solvent: Nonane	1.2 mL																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Component</th> <th>BDE#</th> <th>Concentration (ng/mL)</th> </tr> </thead> <tbody> <tr><td>4-MonoBDE</td><td>3</td><td>1000</td></tr> <tr><td>2,4-DiBDE</td><td>7</td><td>1000</td></tr> <tr><td>4,4'-DiBDE</td><td>15</td><td>1000</td></tr> <tr><td>2,2',4-TriBDE</td><td>17</td><td>1000</td></tr> <tr><td>2,4,4'-TriBDE</td><td>28</td><td>1000</td></tr> <tr><td>2,2',4,4'-TetraBDE</td><td>47</td><td>1000</td></tr> <tr><td>2,2',4,5'-TetraBDE</td><td>49</td><td>1000</td></tr> <tr><td>2,3',4,4'-TetraBDE</td><td>66</td><td>1000</td></tr> <tr><td>2,3',4',6-TetraBDE</td><td>71</td><td>1000</td></tr> <tr><td>3,3',4,4'-TetraBDE</td><td>77</td><td>1000</td></tr> <tr><td>2,2',3,4,4'-PentaBDE</td><td>85</td><td>1000</td></tr> <tr><td>2,2',4,4',5-PentaBDE</td><td>99</td><td>1000</td></tr> <tr><td>2,2',4,4',6-PentaBDE</td><td>100</td><td>1000</td></tr> <tr><td>2,3',4,4',6-PentaBDE</td><td>119</td><td>1000</td></tr> <tr><td>3,3',4,4',5-PentaBDE</td><td>126</td><td>1000</td></tr> <tr><td>2,2',3,4,4',5'-HexaBDE</td><td>138</td><td>2000</td></tr> <tr><td>2,2',4,4',5,5'-HexaBDE</td><td>153</td><td>2000</td></tr> <tr><td>2,2',4,4',5,6'-HexaBDE</td><td>154</td><td>2000</td></tr> <tr><td>2,2',4,4',6,6'-HexaBDE</td><td>155</td><td>2000</td></tr> <tr><td>2,3,4,4',5,6'-HexaBDE</td><td>166</td><td>2000</td></tr> <tr><td>2,2',3,4,4',5,6-HeptaBDE</td><td>181</td><td>2000</td></tr> <tr><td>2,2',3,4,4',5',6-HeptaBDE</td><td>183</td><td>2000</td></tr> <tr><td>2,3,3',4,4',5,6-HeptaBDE</td><td>190</td><td>2000</td></tr> <tr><td>2,2',3,4,4',5,5',6-OctaBDE</td><td>203</td><td>2000</td></tr> <tr><td>2,3,3',4,4',5,5',6-OctaBDE</td><td>205</td><td>2000</td></tr> <tr><td>2,2',3,3',4,4',5,5',6-NonaBDE</td><td>206</td><td>5000</td></tr> <tr><td>2,2',3,3',4,4',5,6,6'-NonaBDE</td><td>207</td><td>5000</td></tr> <tr><td>DecaBDE</td><td>209</td><td>5000</td></tr> </tbody> </table>	Component	BDE#	Concentration (ng/mL)	4-MonoBDE	3	1000	2,4-DiBDE	7	1000	4,4'-DiBDE	15	1000	2,2',4-TriBDE	17	1000	2,4,4'-TriBDE	28	1000	2,2',4,4'-TetraBDE	47	1000	2,2',4,5'-TetraBDE	49	1000	2,3',4,4'-TetraBDE	66	1000	2,3',4',6-TetraBDE	71	1000	3,3',4,4'-TetraBDE	77	1000	2,2',3,4,4'-PentaBDE	85	1000	2,2',4,4',5-PentaBDE	99	1000	2,2',4,4',6-PentaBDE	100	1000	2,3',4,4',6-PentaBDE	119	1000	3,3',4,4',5-PentaBDE	126	1000	2,2',3,4,4',5'-HexaBDE	138	2000	2,2',4,4',5,5'-HexaBDE	153	2000	2,2',4,4',5,6'-HexaBDE	154	2000	2,2',4,4',6,6'-HexaBDE	155	2000	2,3,4,4',5,6'-HexaBDE	166	2000	2,2',3,4,4',5,6-HeptaBDE	181	2000	2,2',3,4,4',5',6-HeptaBDE	183	2000	2,3,3',4,4',5,6-HeptaBDE	190	2000	2,2',3,4,4',5,5',6-OctaBDE	203	2000	2,3,3',4,4',5,5',6-OctaBDE	205	2000	2,2',3,3',4,4',5,5',6-NonaBDE	206	5000	2,2',3,3',4,4',5,6,6'-NonaBDE	207	5000	DecaBDE	209	5000																																												
Component	BDE#	Concentration (ng/mL)																																																																																																																																		
4-MonoBDE	3	1000																																																																																																																																		
2,4-DiBDE	7	1000																																																																																																																																		
4,4'-DiBDE	15	1000																																																																																																																																		
2,2',4-TriBDE	17	1000																																																																																																																																		
2,4,4'-TriBDE	28	1000																																																																																																																																		
2,2',4,4'-TetraBDE	47	1000																																																																																																																																		
2,2',4,5'-TetraBDE	49	1000																																																																																																																																		
2,3',4,4'-TetraBDE	66	1000																																																																																																																																		
2,3',4',6-TetraBDE	71	1000																																																																																																																																		
3,3',4,4'-TetraBDE	77	1000																																																																																																																																		
2,2',3,4,4'-PentaBDE	85	1000																																																																																																																																		
2,2',4,4',5-PentaBDE	99	1000																																																																																																																																		
2,2',4,4',6-PentaBDE	100	1000																																																																																																																																		
2,3',4,4',6-PentaBDE	119	1000																																																																																																																																		
3,3',4,4',5-PentaBDE	126	1000																																																																																																																																		
2,2',3,4,4',5'-HexaBDE	138	2000																																																																																																																																		
2,2',4,4',5,5'-HexaBDE	153	2000																																																																																																																																		
2,2',4,4',5,6'-HexaBDE	154	2000																																																																																																																																		
2,2',4,4',6,6'-HexaBDE	155	2000																																																																																																																																		
2,3,4,4',5,6'-HexaBDE	166	2000																																																																																																																																		
2,2',3,4,4',5,6-HeptaBDE	181	2000																																																																																																																																		
2,2',3,4,4',5',6-HeptaBDE	183	2000																																																																																																																																		
2,3,3',4,4',5,6-HeptaBDE	190	2000																																																																																																																																		
2,2',3,4,4',5,5',6-OctaBDE	203	2000																																																																																																																																		
2,3,3',4,4',5,5',6-OctaBDE	205	2000																																																																																																																																		
2,2',3,3',4,4',5,5',6-NonaBDE	206	5000																																																																																																																																		
2,2',3,3',4,4',5,6,6'-NonaBDE	207	5000																																																																																																																																		
DecaBDE	209	5000																																																																																																																																		
CIL-EO-5425	RoHS Screening PBDE Calibration Solutions [CS1-CS3] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane All concentrations are in ng/mL	3 x 0.2 mL																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Unlabelled Congener</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> </tr> </thead> <tbody> <tr><td>4,4'-DiBDE</td><td>15</td><td>0.02</td><td>0.1</td><td>1</td></tr> <tr><td>2,4,4'-TriBDE</td><td>28</td><td>0.02</td><td>0.1</td><td>1</td></tr> <tr><td>2,2',4,4'-TetraBDE</td><td>47</td><td>0.02</td><td>0.1</td><td>1</td></tr> <tr><td>2,2',4,4',5-PentaBDE</td><td>99</td><td>0.02</td><td>0.1</td><td>1</td></tr> <tr><td>2,2',4,4',5,5'-HexaBDE</td><td>153</td><td>0.02</td><td>0.1</td><td>1</td></tr> <tr><td>2,2',4,4',5,6'-HexaBDE</td><td>154</td><td>0.02</td><td>0.1</td><td>1</td></tr> <tr><td>2,2',3,4,4',5,6-HeptaBDE</td><td>183</td><td>0.02</td><td>0.1</td><td>1</td></tr> <tr><td>2,2',3,3',4,4',6,6'-OctaBDE</td><td>197</td><td>0.05</td><td>0.25</td><td>2.5</td></tr> <tr><td>2,2',3,3',4,4',5,5',6-NonaBDE</td><td>206</td><td>0.1</td><td>0.5</td><td>5</td></tr> <tr><td>2,2',3,3',4,4',5,6,6'-NonaBDE</td><td>207</td><td>0.05</td><td>0.25</td><td>2.5</td></tr> <tr><td>2,2',3,3',4,5,5',6,6'-NonaBDE</td><td>208</td><td>0.05</td><td>0.25</td><td>2.5</td></tr> <tr><td>DecaBDE</td><td>209</td><td>0.5</td><td>2.5</td><td>25</td></tr> <tr> <th><sup>13</sup>C<sub>12</sub>Labelled Congener</th> <th>BDE#</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> </tr> <tr><td>4,4'-DiBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>15</td><td>0.1</td><td>0.1</td><td>0.1</td></tr> <tr><td>2,4,4'-TriBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>28</td><td>0.1</td><td>0.1</td><td>0.1</td></tr> <tr><td>2,2',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>47</td><td>0.1</td><td>0.1</td><td>0.1</td></tr> <tr><td>2,2',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>99</td><td>0.1</td><td>0.1</td><td>0.1</td></tr> <tr><td>2,2',4,4',5,5'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>153</td><td>0.1</td><td>0.1</td><td>0.1</td></tr> <tr><td>2,2',4,4',5,6'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>154</td><td>0.1</td><td>0.1</td><td>0.1</td></tr> <tr><td>2,2',3,4,4',5,6-HeptaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>183</td><td>0.1</td><td>0.1</td><td>0.1</td></tr> <tr><td>2,2',3,3',4,4',6,6'-OctaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>197</td><td>0.25</td><td>0.25</td><td>0.25</td></tr> <tr><td>2,2',3,3',4,4',5,5',6-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>206</td><td>0.5</td><td>0.5</td><td>0.5</td></tr> <tr><td>2,2',3,3',4,4',5,6,6'-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>207</td><td>0.25</td><td>0.25</td><td>0.25</td></tr> <tr><td>2,2',3,3',4,5,5',6,6'-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>208</td><td>0.25</td><td>0.25</td><td>0.25</td></tr> <tr><td>DecaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>209</td><td>2.5</td><td>2.5</td><td>2.5</td></tr> </tbody> </table>	Unlabelled Congener	BDE#	CS1	CS2	CS3	4,4'-DiBDE	15	0.02	0.1	1	2,4,4'-TriBDE	28	0.02	0.1	1	2,2',4,4'-TetraBDE	47	0.02	0.1	1	2,2',4,4',5-PentaBDE	99	0.02	0.1	1	2,2',4,4',5,5'-HexaBDE	153	0.02	0.1	1	2,2',4,4',5,6'-HexaBDE	154	0.02	0.1	1	2,2',3,4,4',5,6-HeptaBDE	183	0.02	0.1	1	2,2',3,3',4,4',6,6'-OctaBDE	197	0.05	0.25	2.5	2,2',3,3',4,4',5,5',6-NonaBDE	206	0.1	0.5	5	2,2',3,3',4,4',5,6,6'-NonaBDE	207	0.05	0.25	2.5	2,2',3,3',4,5,5',6,6'-NonaBDE	208	0.05	0.25	2.5	DecaBDE	209	0.5	2.5	25	<sup>13</sup> C <sub>12</sub> Labelled Congener	BDE#	CS1	CS2	CS3	4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	15	0.1	0.1	0.1	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	0.1	0.1	0.1	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47	0.1	0.1	0.1	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	0.1	0.1	0.1	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153	0.1	0.1	0.1	2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154	0.1	0.1	0.1	2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	0.1	0.1	0.1	2,2',3,3',4,4',6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	197	0.25	0.25	0.25	2,2',3,3',4,4',5,5',6-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	206	0.5	0.5	0.5	2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	0.25	0.25	0.25	2,2',3,3',4,5,5',6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	208	0.25	0.25	0.25	DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	2.5	2.5	2.5	
Unlabelled Congener	BDE#	CS1	CS2	CS3																																																																																																																																
4,4'-DiBDE	15	0.02	0.1	1																																																																																																																																
2,4,4'-TriBDE	28	0.02	0.1	1																																																																																																																																
2,2',4,4'-TetraBDE	47	0.02	0.1	1																																																																																																																																
2,2',4,4',5-PentaBDE	99	0.02	0.1	1																																																																																																																																
2,2',4,4',5,5'-HexaBDE	153	0.02	0.1	1																																																																																																																																
2,2',4,4',5,6'-HexaBDE	154	0.02	0.1	1																																																																																																																																
2,2',3,4,4',5,6-HeptaBDE	183	0.02	0.1	1																																																																																																																																
2,2',3,3',4,4',6,6'-OctaBDE	197	0.05	0.25	2.5																																																																																																																																
2,2',3,3',4,4',5,5',6-NonaBDE	206	0.1	0.5	5																																																																																																																																
2,2',3,3',4,4',5,6,6'-NonaBDE	207	0.05	0.25	2.5																																																																																																																																
2,2',3,3',4,5,5',6,6'-NonaBDE	208	0.05	0.25	2.5																																																																																																																																
DecaBDE	209	0.5	2.5	25																																																																																																																																
<sup>13</sup> C <sub>12</sub> Labelled Congener	BDE#	CS1	CS2	CS3																																																																																																																																
4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	15	0.1	0.1	0.1																																																																																																																																
2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	0.1	0.1	0.1																																																																																																																																
2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47	0.1	0.1	0.1																																																																																																																																
2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	0.1	0.1	0.1																																																																																																																																
2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153	0.1	0.1	0.1																																																																																																																																
2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	154	0.1	0.1	0.1																																																																																																																																
2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	0.1	0.1	0.1																																																																																																																																
2,2',3,3',4,4',6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	197	0.25	0.25	0.25																																																																																																																																
2,2',3,3',4,4',5,5',6-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	206	0.5	0.5	0.5																																																																																																																																
2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	0.25	0.25	0.25																																																																																																																																
2,2',3,3',4,5,5',6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	208	0.25	0.25	0.25																																																																																																																																
DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	2.5	2.5	2.5																																																																																																																																
<b>New</b> CIL-EO-5425-CS1	RoHS Screening PBDE Calibration Solutions [CS1] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																		
<b>New</b> CIL-EO-5425-CS2	RoHS Screening PBDE Calibration Solutions [CS2] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																		
<b>New</b> CIL-EO-5425-CS3	RoHS Screening PBDE Calibration Solutions [CS3] (unlabelled/ <sup>13</sup> C <sub>12</sub> ,99%)	0.2 mL																																																																																																																																		
CIL-EO-5426	RoHS Screening PBDE Clean-Up Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Component</th> <th>BDE#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>2,4,4'-TriBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>28</td><td>1 µg/mL</td></tr> <tr><td>2,2',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>99</td><td>1 µg/mL</td></tr> <tr><td>2,2',3,4,4',5,6-HeptaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>183</td><td>1 µg/mL</td></tr> <tr><td>2,2',3,3',4,4',5,5',6-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>206</td><td>5 µg/mL</td></tr> <tr><td>2,2',3,3',4,5,5',6,6'-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>208</td><td>2.5 µg/mL</td></tr> <tr><td>DecaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>209</td><td>25 µg/mL</td></tr> </tbody> </table>	Component	BDE#	Concentration	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	1 µg/mL	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	1 µg/mL	2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	1 µg/mL	2,2',3,3',4,4',5,5',6-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	206	5 µg/mL	2,2',3,3',4,5,5',6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	208	2.5 µg/mL	DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	25 µg/mL																																																																																																														
Component	BDE#	Concentration																																																																																																																																		
2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28	1 µg/mL																																																																																																																																		
2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99	1 µg/mL																																																																																																																																		
2,2',3,4,4',5,6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183	1 µg/mL																																																																																																																																		
2,2',3,3',4,4',5,5',6-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	206	5 µg/mL																																																																																																																																		
2,2',3,3',4,5,5',6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	208	2.5 µg/mL																																																																																																																																		
DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	209	25 µg/mL																																																																																																																																		
CIL-EO-5427	RoHS Screening PBDE Syringe Spike ( <sup>13</sup> C <sub>12</sub> ,99%) Solvent: Nonane	1.2 mL																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Component</th> <th>BDE#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr><td>2,2',3,3',4,4',5,6,6'-NonaBDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>207</td><td>2.5 µg/mL</td></tr> </tbody> </table>	Component	BDE#	Concentration	2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	2.5 µg/mL																																																																																																																													
Component	BDE#	Concentration																																																																																																																																		
2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	207	2.5 µg/mL																																																																																																																																		



## RoHS standards

Code	Product	Unit
CIL-EO-5428	RoHS Screening PBDE Native PAR Spike (unlabelled) Solvent: Nonane	1.2 mL
	Component	BDE# Concentration
	4,4'-DiBDE	15 1 µg/mL
	2,4,4'-TriBDE	28 1 µg/mL
	2,2',4,4'-TetraBDE	47 1 µg/mL
	2,2',4,4',5-PentaBDE	99 1 µg/mL
	2,2',4,4',5,5'-HexaBDE	153 1 µg/mL
	2,2',4,4',5,6'-HexaBDE	154 1 µg/mL
	2,2',3,4,4',5,6'-HeptaBDE	183 1 µg/mL
	2,2',3,3',4,4',6,6'-OctaBDE	197 2.5 µg/mL
	2,2',3,3',4,4',5,5',6'-NonaBDE	206 5 µg/mL
	2,2',3,3',4,5,5',6,6'-NonaBDE	208 2.5 µg/mL
	DecaBDE	209 25 µg/mL

## Brominated diphenyl ether (BDE) standard mixtures

Code	Product	Unit
CIL-EO-5104	Brominated Diphenyl Ether Calibration Solutions [CS1-CS6] Solvent: Nonane All concentrations are in ng/mL	6 x 0.2 mL
	<b>Unlabelled BDEs</b>	<b>BDE# CS1 CS2 CS3 CS4 CS5 CS6</b>
	2-MonoBDE	1 0.2 1 5 25 100 500
	3-MonoBDE	2 0.2 1 5 25 100 500
	4-MonoBDE	3 0.2 1 5 25 100 500
	2,4-DiBDE	7 0.2 1 5 25 100 500
	2,4'-DiBDE	8 0.2 1 5 25 100 500
	2,6-DiBDE	10 0.2 1 5 25 100 500
	3,3'-DiBDE	11 0.2 1 5 25 100 500
	3,4-DiBDE	12 0.2 1 5 25 100 500
	3,4'-DiBDE	13 0.2 1 5 25 100 500
	4,4'-DiBDE	15 0.2 1 5 25 100 500
	2,2',4-TriBDE	17 0.2 1 5 25 100 500
	2,3',4-TriBDE	25 0.2 1 5 25 100 500
	2,4,4'-TriBDE	28 0.2 1 5 25 100 500
	2,4,6-TriBDE	30 0.2 1 5 25 100 500
	2,4',6-TriBDE	32 0.2 1 5 25 100 500
	2',3,4-TriBDE	33 0.2 1 5 25 100 500
	3,3',4-TriBDE	35 0.2 1 5 25 100 500
	3,4,4'-TriBDE	37 0.2 1 5 25 100 500
	2,2',4,4'-TetraBDE	47 0.2 1 5 25 100 500
	2,2',4,5'-TetraBDE	49 0.2 1 5 25 100 500
	2,3',4,4'-TetraBDE	66 0.2 1 5 25 100 500
	2,3',4',6-TetraBDE	71 0.2 1 5 25 100 500
	2,4,4',6-TetraBDE	75 0.2 1 5 25 100 500
	3,3',4,4'-TetraBDE	77 0.2 1 5 25 100 500
	2,2',3,4,4'-PentaBDE	85 0.3 1.5 7.5 37.5 150 750
	2,2',4,4',5-PentaBDE	99 0.3 1.5 7.5 37.5 150 750
	2,2',4,4',6-PentaBDE	100 0.3 1.5 7.5 37.5 150 750
	2,3,4,5,6-PentaBDE	116 0.3 1.5 7.5 37.5 150 750
	2,3',4,4',5-PentaBDE	118 0.3 1.5 7.5 37.5 150 750
	2,3',4,4',6-PentaBDE	119 0.3 1.5 7.5 37.5 150 750
	3,3',4,4',5-PentaBDE	126 0.3 1.5 7.5 37.5 150 750
	2,2',3,4,4',5'-HexaBDE	138 0.6 3 15 75 300 1500
	2,2',4,4',5,5'-HexaBDE	153 0.4 2 10 50 200 1000
	2,2',4,4',5,6'-HexaBDE	154 0.4 2 10 50 200 1000
	2,2',4,4',6,6'-HexaBDE	155 0.4 2 10 50 200 1000
	2,3,4,4',5,6-HexaBDE	166 0.4 2 10 50 200 1000
	2,2',3,4,4',5,6-HeptaBDE	181 0.5 2.5 12.5 62.5 250 1250
	2,2',3,4,4',5',6-HeptaBDE	183 0.5 2.5 12.5 62.5 250 1250
	2,3,3',4,4',5,6-HeptaBDE	190 0.5 2.5 12.5 62.5 250 1250
	<b>Labelled BDEs</b>	<b>BDE# CS1 CS2 CS3 CS4 CS5 CS6</b>
	4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	3 100 100 100 100 100 100
	4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	15 100 100 100 100 100 100
	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	28 100 100 100 100 100 100
	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	47 100 100 100 100 100 100
	3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	77 100 100 100 100 100 100
	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	99 150 150 150 150 150 150
	2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100 150 150 150 150 150 150
	2,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	118 150 150 150 150 150 150
	3,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	126 150 150 150 150 150 150
	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	153 200 200 200 200 200 200
	2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%)	183 250 250 250 250 250 250
CIL-EO-5104-1	Brominated Diphenyl Ether Calibration Solution [CS1]	0.2 mL
CIL-EO-5104-2	Brominated Diphenyl Ether Calibration Solution [CS2]	0.2 mL
<b>New</b> CIL-EO-5104-2-6	Brominated Diphenyl Ether Calibration Solution [CS2-CS6]	5 x 0.2 mL
CIL-EO-5104-3	Brominated Diphenyl Ether Calibration Solution [CS3]	0.2 mL
CIL-EO-5104-4	Brominated Diphenyl Ether Calibration Solution [CS4]	0.2 mL
CIL-EO-5104-5	Brominated Diphenyl Ether Calibration Solution [CS5]	0.2 mL
<b>New</b> CIL-EO-5104-6	Brominated Diphenyl Ether Calibration Solutions [CS5]	0.2 mL

Code	Product	Unit																																													
CIL-EO-5100	Polybrominated Diphenyl Ether Surrogate Spiking Solution Solvent: Nonane	1.2 mL																																													
	<table border="0"> <thead> <tr> <th>Labelled BDEs</th> <th>BDE#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>4-MonoBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>3</td> <td>100 ng/mL</td> </tr> <tr> <td>4,4'-DiBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>15</td> <td>100 ng/mL</td> </tr> <tr> <td>2,4,4'-TriBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>28</td> <td>100 ng/mL</td> </tr> <tr> <td>2,2',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>47</td> <td>100 ng/mL</td> </tr> <tr> <td>2,2',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>99</td> <td>150 ng/mL</td> </tr> <tr> <td>2,2',4,4',6-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>100</td> <td>150 ng/mL</td> </tr> <tr> <td>2,3',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>118</td> <td>150 ng/mL</td> </tr> <tr> <td>2,2',4,4',5,5'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>153</td> <td>200 ng/mL</td> </tr> <tr> <td>2,2',3,4,4',5',6-HeptaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>183</td> <td>250 ng/mL</td> </tr> </tbody> </table>	Labelled BDEs	BDE#	Concentration	4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	3	100 ng/mL	4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	15	100 ng/mL	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	28	100 ng/mL	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	47	100 ng/mL	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	99	150 ng/mL	2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	100	150 ng/mL	2,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	118	150 ng/mL	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	153	200 ng/mL	2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	183	250 ng/mL																
Labelled BDEs	BDE#	Concentration																																													
4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	3	100 ng/mL																																													
4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	15	100 ng/mL																																													
2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	28	100 ng/mL																																													
2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	47	100 ng/mL																																													
2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	99	150 ng/mL																																													
2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	100	150 ng/mL																																													
2,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	118	150 ng/mL																																													
2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	153	200 ng/mL																																													
2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	183	250 ng/mL																																													
EO-5100-10x-0.5	Polybrominated Diphenyl Ether Surrogate Spiking Stock Solution Solvent: Nonane	0.5 mL																																													
	<table border="0"> <thead> <tr> <th>Labelled BDEs</th> <th>BDE#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>4-MonoBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>3</td> <td>1000 ng/mL</td> </tr> <tr> <td>4,4'-DiBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>15</td> <td>1000 ng/mL</td> </tr> <tr> <td>2,4,4'-TriBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>28</td> <td>1000 ng/mL</td> </tr> <tr> <td>2,2',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>47</td> <td>1000 ng/mL</td> </tr> <tr> <td>2,2',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>99</td> <td>1500 ng/mL</td> </tr> <tr> <td>2,2',4,4',6-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>100</td> <td>1500 ng/mL</td> </tr> <tr> <td>2,3',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>118</td> <td>1500 ng/mL</td> </tr> <tr> <td>2,2',4,4',5,5'-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>153</td> <td>2000 ng/mL</td> </tr> <tr> <td>2,2',3,4,4',5',6-HeptaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>183</td> <td>2500 ng/mL</td> </tr> </tbody> </table>	Labelled BDEs	BDE#	Concentration	4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	3	1000 ng/mL	4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	15	1000 ng/mL	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	28	1000 ng/mL	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	47	1000 ng/mL	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	99	1500 ng/mL	2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	100	1500 ng/mL	2,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	118	1500 ng/mL	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	153	2000 ng/mL	2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	183	2500 ng/mL																
Labelled BDEs	BDE#	Concentration																																													
4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	3	1000 ng/mL																																													
4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	15	1000 ng/mL																																													
2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	28	1000 ng/mL																																													
2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	47	1000 ng/mL																																													
2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	99	1500 ng/mL																																													
2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	100	1500 ng/mL																																													
2,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	118	1500 ng/mL																																													
2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	153	2000 ng/mL																																													
2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	183	2500 ng/mL																																													
CIL-EO-5101	Polybrominated Diphenyl Ether Performance Standard Solution Solvent: Nonane	1.2 mL																																													
	<table border="0"> <thead> <tr> <th>Labelled BDEs</th> <th>BDE#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>3,3',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>77</td> <td>100 ng/mL</td> </tr> <tr> <td>3,3',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>126</td> <td>150 ng/mL</td> </tr> </tbody> </table>	Labelled BDEs	BDE#	Concentration	3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	77	100 ng/mL	3,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	126	150 ng/mL																																					
Labelled BDEs	BDE#	Concentration																																													
3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	77	100 ng/mL																																													
3,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	126	150 ng/mL																																													
CIL-EO-5101-10X-1.2	Polybrominated Diphenyl Ether Performance Standard Stock (10x) Solution Solvent: Nonane	1.2 mL																																													
	<table border="0"> <thead> <tr> <th>Labelled BDEs</th> <th>BDE#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>3,3',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>77</td> <td>1000 ng/mL</td> </tr> <tr> <td>3,3',4,4',5-PentaBDE (<sup>13</sup>C<sub>12</sub>,99%).....</td> <td>126</td> <td>1500 ng/mL</td> </tr> </tbody> </table>	Labelled BDEs	BDE#	Concentration	3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	77	1000 ng/mL	3,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	126	1500 ng/mL																																					
Labelled BDEs	BDE#	Concentration																																													
3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	77	1000 ng/mL																																													
3,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%).....	126	1500 ng/mL																																													
CIL-EO-5103	Polybrominated Diphenyl Ether Predominant Congener Mixture Solvent : Nonane	1.2 mL																																													
	<table border="0"> <thead> <tr> <th>Unlabelled BDEs</th> <th>BDE#</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>2,2',4-TriBDE .....</td> <td>17</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,4,4'-TriBDE .....</td> <td>28</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,2',4,4'-TetraBDE .....</td> <td>47</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,3',4,4'-TetraBDE .....</td> <td>66</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,3',4',6-TetraBDE .....</td> <td>71</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,2',3,4,4'-PentaBDE .....</td> <td>85</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,2',4,4',5-PentaBDE .....</td> <td>99</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,2',4,4',6-PentaBDE .....</td> <td>100</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,2',3,4,4',5'-HexaBDE.....</td> <td>138</td> <td>3.75 µg/mL</td> </tr> <tr> <td>2,2',4,4',5,5'-HexaBDE.....</td> <td>153</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,2',4,4',5,6'-HexaBDE.....</td> <td>154</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,2',3,4,4',5',6-HeptaBDE .....</td> <td>183</td> <td>2.5 µg/mL</td> </tr> <tr> <td>2,3,3',4,4',5,6-HeptaBDE .....</td> <td>190</td> <td>2.5 µg/mL</td> </tr> <tr> <td>DecaBDE .....</td> <td>209</td> <td>10.0 µg/mL</td> </tr> </tbody> </table>	Unlabelled BDEs	BDE#	Concentration	2,2',4-TriBDE .....	17	2.5 µg/mL	2,4,4'-TriBDE .....	28	2.5 µg/mL	2,2',4,4'-TetraBDE .....	47	2.5 µg/mL	2,3',4,4'-TetraBDE .....	66	2.5 µg/mL	2,3',4',6-TetraBDE .....	71	2.5 µg/mL	2,2',3,4,4'-PentaBDE .....	85	2.5 µg/mL	2,2',4,4',5-PentaBDE .....	99	2.5 µg/mL	2,2',4,4',6-PentaBDE .....	100	2.5 µg/mL	2,2',3,4,4',5'-HexaBDE.....	138	3.75 µg/mL	2,2',4,4',5,5'-HexaBDE.....	153	2.5 µg/mL	2,2',4,4',5,6'-HexaBDE.....	154	2.5 µg/mL	2,2',3,4,4',5',6-HeptaBDE .....	183	2.5 µg/mL	2,3,3',4,4',5,6-HeptaBDE .....	190	2.5 µg/mL	DecaBDE .....	209	10.0 µg/mL	
Unlabelled BDEs	BDE#	Concentration																																													
2,2',4-TriBDE .....	17	2.5 µg/mL																																													
2,4,4'-TriBDE .....	28	2.5 µg/mL																																													
2,2',4,4'-TetraBDE .....	47	2.5 µg/mL																																													
2,3',4,4'-TetraBDE .....	66	2.5 µg/mL																																													
2,3',4',6-TetraBDE .....	71	2.5 µg/mL																																													
2,2',3,4,4'-PentaBDE .....	85	2.5 µg/mL																																													
2,2',4,4',5-PentaBDE .....	99	2.5 µg/mL																																													
2,2',4,4',6-PentaBDE .....	100	2.5 µg/mL																																													
2,2',3,4,4',5'-HexaBDE.....	138	3.75 µg/mL																																													
2,2',4,4',5,5'-HexaBDE.....	153	2.5 µg/mL																																													
2,2',4,4',5,6'-HexaBDE.....	154	2.5 µg/mL																																													
2,2',3,4,4',5',6-HeptaBDE .....	183	2.5 µg/mL																																													
2,3,3',4,4',5,6-HeptaBDE .....	190	2.5 µg/mL																																													
DecaBDE .....	209	10.0 µg/mL																																													

## RoHS standards

Code	Product	Unit
CIL-EO-5113	Polybrominated Diphenyl Ether PAR Solution (unlabelled) Solvent: Nonane	0.5 mL
	Unlabelled Congeners	
	BDE#	Concentration
	2-MonoBDE .....	1..... 100 ng/mL
	3-MonoBDE .....	2..... 100 ng/mL
	4-MonoBDE .....	3..... 100 ng/mL
	2,4-DiBDE .....	7..... 100 ng/mL
	2,4'-DiBDE .....	8..... 100 ng/mL
	2,6-DiBDE .....	10..... 100 ng/mL
	3,3'-DiBDE .....	11..... 100 ng/mL
	3,4-DiBDE .....	12..... 100 ng/mL
	3,4'-DiBDE .....	13..... 100 ng/mL
	4,4'-DiBDE .....	15..... 100 ng/mL
	2,2',4-TriBDE .....	17..... 100 ng/mL
	2,3',4-TriBDE .....	25..... 100 ng/mL
	2,4,4'-TriBDE .....	28..... 100 ng/mL
	2,4,6-TriBDE .....	30..... 100 ng/mL
	2,4',6-TriBDE .....	32..... 100 ng/mL
	2',3,4-TriBDE .....	33..... 100 ng/mL
	3,3',4-TriBDE .....	35..... 100 ng/mL
	3,4,4'-TriBDE .....	37..... 100 ng/mL
	2,2',4,4'-TetraBDE .....	47..... 100 ng/mL
	2,2',4,5'-TetraBDE .....	49..... 100 ng/mL
	2,3',4,4'-TetraBDE .....	66..... 100 ng/mL
	2,3',4',6-TetraBDE .....	71..... 100 ng/mL
	2,4,4',6-TetraBDE .....	75..... 100 ng/mL
	3,3',4,4'-TetraBDE .....	77..... 100 ng/mL
	2,2',3,4,4'-PentaBDE .....	85..... 150 ng/mL
	2,2',4,4',5-PentaBDE .....	99..... 150 ng/mL
	2,2',4,4',6-PentaBDE .....	100..... 150 ng/mL
	2,3,4,5,6-PentaBDE .....	116..... 150 ng/mL
	2,3',4,4',5-PentaBDE .....	118..... 150 ng/mL
	2,3',4,4',6-PentaBDE .....	119..... 150 ng/mL
	3,3',4,4',5-PentaBDE .....	126..... 150 ng/mL
	2,2',3,4,4',5'-HexaBDE .....	138..... 300 ng/mL
	2,2',4,4',5,5'-HexaBDE .....	153..... 200 ng/mL
	2,2',4,4',5,6'-HexaBDE .....	154..... 200 ng/mL
	2,2',4,4',6,6'-HexaBDE .....	155..... 200 ng/mL
	2,3,4,4',5,6-HexaBDE .....	166..... 200 ng/mL
	2,2',3,4,4',5,6-HeptaBDE .....	181..... 250 ng/mL
	2,2',3,4,4',5',6-HeptaBDE .....	183..... 250 ng/mL
	2,3,3',4,4',5,6-HeptaBDE .....	190..... 250 ng/mL
CIL-EO-5113-7.5X-0.5	Polybrominated Diphenyl Ether PAR Solution (7.5X stock) Solvent: Nonane	0.5 mL
	Unlabelled Congeners	
	BDE#	Concentration
	2-MonoBDE .....	1..... 750 ng/mL
	3-MonoBDE .....	2..... 750 ng/mL
	4-MonoBDE .....	3..... 750 ng/mL
	2,4-DiBDE .....	7..... 750 ng/mL
	2,4'-DiBDE .....	8..... 750 ng/mL
	2,6-DiBDE .....	10..... 750 ng/mL
	3,3'-DiBDE .....	11..... 750 ng/mL
	3,4-DiBDE .....	12..... 750 ng/mL
	3,4'-DiBDE .....	13..... 750 ng/mL
	4,4'-DiBDE .....	15..... 750 ng/mL
	2,2',4-TriBDE .....	17..... 750 ng/mL
	2,3',4-TriBDE .....	25..... 750 ng/mL
	2,4,4'-TriBDE .....	28..... 750 ng/mL
	2,4,6-TriBDE .....	30..... 750 ng/mL
	2,4',6-TriBDE .....	32..... 750 ng/mL
	2',3,4-TriBDE .....	33..... 750 ng/mL
	3,3',4-TriBDE .....	35..... 750 ng/mL
	3,4,4'-TriBDE .....	37..... 750 ng/mL
	2,2',4,4'-TetraBDE .....	47..... 750 ng/mL
	2,2',4,5'-TetraBDE .....	49..... 750 ng/mL
	2,3',4,4'-TetraBDE .....	66..... 750 ng/mL
	2,3',4',6-TetraBDE .....	71..... 750 ng/mL
	2,4,4',6-TetraBDE .....	75..... 750 ng/mL
	3,3',4,4'-TetraBDE .....	77..... 750 ng/mL
	2,2',3,4,4'-PentaBDE .....	85..... 1125 ng/mL
	2,2',4,4',5-PentaBDE .....	99..... 1125 ng/mL
	2,2',4,4',6-PentaBDE .....	100..... 1125 ng/mL
	2,3,4,5,6-PentaBDE .....	116..... 1125 ng/mL
	2,3',4,4',5-PentaBDE .....	118..... 1125 ng/mL
	2,3',4,4',6-PentaBDE .....	119..... 1125 ng/mL
	3,3',4,4',5-PentaBDE .....	126..... 1125 ng/mL
	2,2',3,4,4',5'-HexaBDE .....	138..... 2250 ng/mL
	2,2',4,4',5,5'-HexaBDE .....	153..... 1500 ng/mL
	2,2',4,4',5,6'-HexaBDE .....	154..... 1500 ng/mL
	2,2',4,4',6,6'-HexaBDE .....	155..... 1500 ng/mL
	2,3,4,4',5,6-HexaBDE .....	166..... 1500 ng/mL
	2,2',3,4,4',5,6-HeptaBDE .....	181..... 1875 ng/mL
	2,2',3,4,4',5',6-HeptaBDE .....	183..... 1875 ng/mL
	2,3,3',4,4',5,6-HeptaBDE .....	190..... 1875 ng/mL

Code	Product	Unit
CIL-EO-5099	Polybrominated Diphenyl Ether Analytical Standard Solution Solvent: Nonane	1.2 mL
	Unlabelled BDEs	
	BDE#	Concentration
	2-MonoBDE .....1	100 ng/mL
	3-MonoBDE .....2	100 ng/mL
	4-MonoBDE .....3	100 ng/mL
	2,4-DiBDE .....7	100 ng/mL
	2,4'-DiBDE .....8	100 ng/mL
	2,6-DiBDE .....10	100 ng/mL
	3,3'-DiBDE .....11	100 ng/mL
	3,4-DiBDE .....12	100 ng/mL
	3,4'-DiBDE .....13	100 ng/mL
	4,4'-DiBDE .....15	100 ng/mL
	2,2',4-TriBDE .....17	100 ng/mL
	2,3',4-TriBDE .....25	100 ng/mL
	2,4,4'-TriBDE .....28	100 ng/mL
	2,4,6-TriBDE .....30	100 ng/mL
	2,4',6-TriBDE .....32	100 ng/mL
	2',3,4-TriBDE .....33	100 ng/mL
	3,3',4-TriBDE .....35	100 ng/mL
	3,4,4'-TriBDE .....37	100 ng/mL
	2,2',4,4'-TetraBDE .....47	100 ng/mL
	2,2',4,5'-TetraBDE .....49	100 ng/mL
	2,3',4,4'-TetraBDE .....66	100 ng/mL
	2,3',4',6-TetraBDE .....71	100 ng/mL
	2,4,4',6-TetraBDE .....75	100 ng/mL
	3,3',4,4'-TetraBDE .....77	100 ng/mL
	2,2',3,4,4'-PentaBDE .....85	150 ng/mL
	2,2',4,4',5-PentaBDE .....99	150 ng/mL
	2,2',4,4',6-PentaBDE .....100	150 ng/mL
	2,3,4,5,6-PentaBDE .....116	150 ng/mL
	2,3',4,4',5-PentaBDE .....118	150 ng/mL
	2,3',4,4',6-PentaBDE .....119	150 ng/mL
	3,3',4,4',5-PentaBDE .....126	150 ng/mL
	2,2',3,4,4',5'-HexaBDE .....138	300 ng/mL
	2,2',4,4',5,5'-HexaBDE .....153	200 ng/mL
	2,2',4,4',5,6'-HexaBDE .....154	200 ng/mL
	2,2',4,4',6,6'-HexaBDE .....155	200 ng/mL
	2,3,4,4',5,6-HexaBDE .....166	200 ng/mL
	2,2',3,4,4',5,6-HeptaBDE .....181	250 ng/mL
	2,2',3,4,4',5',6-HeptaBDE .....183	250 ng/mL
	2,3,3',4,4',5,6-HeptaBDE .....190	250 ng/mL
	Labelled BDEs	
	BDE#	Concentration
	4-MonoBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....3	100 ng/mL
	4,4'-DiBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....15	100 ng/mL
	2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....28	100 ng/mL
	2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....47	100 ng/mL
	3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....77	100 ng/mL
	2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....99	150 ng/mL
	2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....100	150 ng/mL
	2,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....118	150 ng/mL
	3,3',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....126	150 ng/mL
	2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....153	200 ng/mL
	2,2',3,4,4',5',6-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....183	250 ng/mL

# RoHS standards

Code	Product	Unit
<b>New</b> CIL-EO-5319-A	CDC BFR Multi-Analyte Calibration Solution [CS1-CS10] Solvent: Nonane All concentrations are in ng/mL <b>Native BDEs</b> <b>IUPAC# CS1 CS2 CS3 CS4 CS5 CS6 CS7 CS8 CS9CS10</b> 2,2',4'-TriBDE ..... 17..0.2..0.5.....1 .....5....10...50..100..50010002000 2,4,4'-TriBDE ..... 28..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',4,4'-TetraBDE ..... 47..0.2..0.5.....1 .....5....10...50..100..50010002000 2,3',4,4'-TetraBDE ..... 66..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',4,4',6-PentaBDE ..... 100..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',4,4',5-PentaBDE ..... 99..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,4,4'-PentaBDE ..... 85..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',4,4',5,6'-HexaBDE ..... 154..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',4,4',5,5'-HexaBDE ..... 153..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,4,4',5,6'-HeptaBDE ..... 183..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,3',4,4',5,6'-OctaBDE ..... 196..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,3',4,4',6,6'-OctaBDE ..... 197..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,4,4',5,5',6'-OctaBDE ..... 203..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,3',4,4',5,5',6'-NonaBDE ..... 206..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,3',4,4',5,6,6'-NonaBDE ..... 207..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',3,3',4,5,5',6,6'-NonaBDE ..... 208..0.2..0.5.....1 .....5....10...50..100..50010002000 DecaBDE ..... 209..0.2..0.5.....1 .....5....10...50..100..50010002000 2,2',4,4',5,5'-Hexabromobiphenyl ..... 153..0.2..0.5.....1 .....5....10...50..100..50010002000 Hexabromobenzene ..... 0.2..0.5.....1 .....5....10...50..100..50010002000 1,2-(Bispentabromophenyl)ethane ..... 0.2..0.5.....1 .....5....10...50..100..50010002000 1,2-Bis(2,4,6-Tribromophenoxy)ethane ..... 0.2..0.5.....1 .....5....10...50..100..50010002000 gamma-Hexabromocyclododecane ..... 0.2..0.5.....1 .....5....10...50..100..50010002000 <b><sup>13</sup>C-Labelled Compounds</b> <b>IUPAC#.CS1 CS2 CS3 CS4 CS5 CS6 CS7 CS8 CS9CS10</b> 1,2,3,4-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 25 ... 25 ... 25 ... 25 ... 25 ... 25 ... 25 ... 25 ... 25 2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 208..100..100..100..100..100..100..100..100..100..100 2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 28..75...75...75...75...75...75...75...75...75...75 2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 47..75...75...75...75...75...75...75...75...75...75 3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 77..75...75...75...75...75...75...75...75...75...75 2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100..75...75...75...75...75...75...75...75...75...75 2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 99..75...75...75...75...75...75...75...75...75...75 2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 154..75...75...75...75...75...75...75...75...75...75 2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 153..75...75...75...75...75...75...75...75...75...75 2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 139..75...75...75...75...75...75...75...75...75...75 2,2',3,4,4',5,6'-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 183..75...75...75...75...75...75...75...75...75...75 2,2',3,3',4,4',6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 197..75...75...75...75...75...75...75...75...75...75 2,2',3,4,4',5,5',6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 203..75...75...75...75...75...75...75...75...75...75 2,2',3,3',4,4',5,5',6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 206..75...75...75...75...75...75...75...75...75...75 2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 207..75...75...75...75...75...75...75...75...75...75 2,2',3,3',4,5,5',6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 208..75...75...75...75...75...75...75...75...75...75 DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 209..500..500..500..500..500..500..500..500..500..500 2,2',4,4',5,5'-Hexabromobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 153..75...75...75...75...75...75...75...75...75...75 Hexabromobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 75...75...75...75...75...75...75...75...75...75...75 1,2-(Bispentabromophenyl)ethane ( <sup>13</sup> C <sub>14</sub> ,99%) ..... 75...75...75...75...75...75...75...75...75...75...75 1,2-Bis(2,4,6-Tribromophenoxy)ethane ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 75...75...75...75...75...75...75...75...75...75...75 gamma-Hexabromocyclododecane ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 75...75...75...75...75...75...75...75...75...75...75	10 x 0.5 mL
<b>New</b> CIL-EO-5319-A-CS1	CDC BFR Multi-Analyte Calibration Solution [CS1]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS2	CDC BFR Multi-Analyte Calibration Solution [CS2]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS3	CDC BFR Multi-Analyte Calibration Solution [CS3]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS4	CDC BFR Multi-Analyte Calibration Solution [CS4]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS5	CDC BFR Multi-Analyte Calibration Solution [CS5]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS6	CDC BFR Multi-Analyte Calibration Solution [CS6]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS7	CDC BFR Multi-Analyte Calibration Solution [CS7]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS8	CDC BFR Multi-Analyte Calibration Solution [CS8]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS9	CDC BFR Multi-Analyte Calibration Solution [CS9]	0.5 mL
<b>New</b> CIL-EO-5319-A-CS10	CDC BFR Multi-Analyte Calibration Solution [CS10]	0.5 mL
<b>New</b> CIL-EO-5320-A	BFR Multi-analyte Spiking Solution Solvent: Methanol Labelled compound <b>BDE/PBB#</b> <b>Concentration</b> 2,4,4'-TriBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 28 ..... 7.5 ng/mL 2,2',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 47 ..... 7.5 ng/mL 2,2',4,4',6-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 100 ..... 7.5 ng/mL 2,2',4,4',5-PentaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 99 ..... 7.5 ng/mL 2,2',4,4',5,6'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 154 ..... 7.5 ng/mL 2,2',4,4',5,5'-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 153 ..... 7.5 ng/mL 2,2',3,4,4',5,6'-HeptaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 183 ..... 7.5 ng/mL 2,2',3,3',4,4',6,6'-OctaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 197 ..... 7.5 ng/mL 2,2',3,3',4,4',5,5',6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 206 ..... 7.5 ng/mL 2,2',3,3',4,4',5,6,6'-NonaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 207 ..... 7.5 ng/mL DecaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 209 ..... 50 ng/mL 2,2',4,4',5,5'-HexaBB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 153 ..... 7.5 ng/mL Hexabromobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 75 ..... 7.5 ng/mL 1,2-Bis(pentabromophenyl)ethane ( <sup>13</sup> C <sub>14</sub> ,99%) ..... 75 ..... 7.5 ng/mL 1,2-Bis(2,4,6-Tribromophenoxy)ethane ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 75 ..... 7.5 ng/mL gamma-Hexabromocyclododecane ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 75 ..... 7.5 ng/mL	10 mL
<b>New</b> CIL-EO-5320-A-5X10ML	BFR Multi-analyte Spiking Solution	5 x 10 mL





## Polycyclic aromatic hydrocarbons (PAH)

Code	Product	Unit
CIL-CLM-3601-1.2	Pyrene ( <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>Deuterated polycyclic aromatic hydrocarbon (PAH) standards</b>		
CIL-DLM-108-1.2	Acenaphthene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-108-0.1	Acenaphthene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-108-1	Acenaphthene (D <sub>10</sub> ,98%)	1 g
CIL-DLM-108-5	Acenaphthene (D <sub>10</sub> ,98%)	5 g
CIL-DLM-2204-1.2	Acenaphthylene (D <sub>8</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2204-0.1	Acenaphthylene (D <sub>8</sub> ,98%)	0.1 g
CIL-DLM-849-0.1	Acridine (D <sub>9</sub> ,98%)	0.1 g
CIL-DLM-849-0.5	Acridine (D <sub>9</sub> ,98%)	0.5 g
CIL-DLM-102-1.2	Anthracene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-102-1	Anthracene (D <sub>10</sub> ,98%)	1 g
CIL-DLM-102-5	Anthracene (D <sub>10</sub> ,98%)	5 g
CIL-DLM-610-1.2	Benzo[a]anthracene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-610-0.1	Benzo[a]anthracene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-2136-1.2	Benzo[b]fluoranthene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2136-0.01	Benzo[b]fluoranthene (D <sub>12</sub> ,98%)	0.01 g
CIL-DLM-1923-1.2	Benzo[k]fluoranthene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-1923-0.01	Benzo[k]fluoranthene (D <sub>12</sub> ,98%)	0.01 g
CIL-DLM-2135-1.2	Benzo[ghi]perylene (D <sub>12</sub> ,98%) 200 µg/mL in Toluene-d <sub>8</sub>	1.2 mL
CIL-DLM-2135-0.01	Benzo[ghi]perylene (D <sub>12</sub> ,98%)	0.01 g
CIL-DLM-258-1.2	Benzo[a]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-258-0.01	Benzo[a]pyrene (D <sub>12</sub> ,98%)	0.01 g
CIL-DLM-258-0.05	Benzo[a]pyrene (D <sub>12</sub> ,98%)	0.05 g
CIL-DLM-258-0.1	Benzo[a]pyrene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-257-1.2	Benzo[e]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-257-0.01	Benzo[e]pyrene (D <sub>12</sub> ,98%)	0.01 g
<b>New</b> CIL-DLM-2005-1.2	2-Chloronaphthalene (D <sub>7</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2005-0.01	2-Chloronaphthalene (D <sub>7</sub> ,98%)	0.01 g
CIL-DLM-2005-0.1	2-Chloronaphthalene (D <sub>7</sub> ,98%)	0.1 g
CIL-DLM-261-1.2	Chrysene (D <sub>12</sub> ,98%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-261-0.1	Chrysene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-261-1	Chrysene (D <sub>12</sub> ,98%)	1 g
CIL-DLM-2715-1.2	Coronene (D <sub>12</sub> ,97%) 200 µg/mL in Benzene	1.2 mL
<b>New</b> CIL-DLM-2715-0.01	Coronene (D <sub>12</sub> ,97%)	0.01 g
CIL-DLM-2715-0.1	Coronene (D <sub>12</sub> ,97%)	0.1 g
CIL-DLM-3843-1.2	Dibenzo[a,j]acridine (D <sub>13</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-677-1.2	Dibenzo[a,h]anthracene (D <sub>14</sub> ,97%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-677-0.1	Dibenzo[a,h]anthracene (D <sub>14</sub> ,97%)	0.1 g
CIL-DLM-3841-1.2	7H-Dibenzo[c,g]carbazole (D <sub>12</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 ml
CIL-DLM-3740-1.2	Dibenzo[a,i]pyrene (D <sub>14</sub> ,98%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-2845-1.2	9,10-Dimethylantracene (D <sub>14</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-2852-1.2	1,6-Dimethylnaphthalene (D <sub>12</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-2854-1.2	1,8-Dimethylnaphthalene (D <sub>12</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-2853-1.2	2,6-Dimethylnaphthalene (D <sub>12</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-4304-10	Ethylbenzene (D <sub>10</sub> ,99%)	10 g
CIL-DLM-2140-1.2	Fluoranthene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2140-0.1	Fluoranthene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-1123-1.2	Fluorene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-1123-0.1	Fluorene (D <sub>10</sub> ,98%)	0.1 g



## Polycyclic aromatic hydrocarbons (PAH)

Code	Product	Unit
CIL-DLM-1123-1	Fluorene (D <sub>10</sub> ,98%)	1 g
CIL-DLM-2148-1.2	Indeno[1,2,3-cd]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2148-0.01	Indeno[1,2,3-cd]pyrene (D <sub>12</sub> ,98%)	0.01 g
CIL-DLM-3842-1.2	5-Methylchrysene (methyl-D <sub>3</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-1607-1	1-Methylnaphthalene (D <sub>10</sub> ,98%)	1 g
CIL-DLM-1322-1.2	2-Methylnaphthalene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-365-1.2	Naphthalene (D <sub>8</sub> ,99%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-365-1	Naphthalene (D <sub>8</sub> ,99%)	1 g
CIL-DLM-365-5	Naphthalene (D <sub>8</sub> ,99%)	5 g
CIL-DLM-365-10	Naphthalene (D <sub>8</sub> ,99%)	10 g
CIL-DLM-3875-10	Naphthalene (D <sub>8</sub> ,99.5%)	10 g
CIL-DLM-3836-1.2	5-Nitroacenphthene (D <sub>9</sub> ,98 %) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-4712-1.2	9-Nitroanthracene (D <sub>9</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub> (Chemical purity: 87%)	1.2 mL
CIL-DLM-3839-1.2	6-Nitrochrysene (D <sub>11</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-4711-1.2	3-Nitrofluoranthene (D <sub>9</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-3837-1.2	2-Nitrofluorene (D <sub>9</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-1528-1.2	1-Nitropyrene (D <sub>9</sub> ,98%) 50 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-366-1.2	Perylene (D <sub>12</sub> ,98%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-366-0.1	Perylene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-366-1	Perylene (D <sub>12</sub> ,98%)	1 g
CIL-DLM-371-1.2	Phenanthrene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-371-0.1	Phenanthrene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-371-1	Phenanthrene (D <sub>10</sub> ,98%)	1 g
CIL-DLM-155-1.2	Pyrene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-155-0.1	Pyrene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-155-0.5	Pyrene (D <sub>10</sub> ,98%)	0.5 g
CIL-DLM-601-0.1	Triphenylene (D <sub>12</sub> ,98%)	0.1 g
CIL-DLM-601-1	Triphenylene (D <sub>12</sub> ,98%)	1 g

### Unlabelled polycyclic aromatic hydrocarbon (PAH) standards

	CIL-U LM-7413-1.2	Acenaphthene (unlabelled) 200 µg/mL Isooctane	1.2 mL
	CIL-U LM-7422-1.2	Acenaphthylene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-7412-1.2	Anthracene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-2415-1.2	Benzo[a]anthracene (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-2415-I-1.2	Benzo[a]anthracene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-2415-0.1	Benzo[a]anthracene (unlabelled)	0.1 g
	CIL-U LM-2416-1.2	Benzo[b]fluoranthene (unlabelled) 1000 µg/mL in Acetone	1.2 mL
	CIL-U LM-2416-0.1	Benzo[b]fluoranthene (unlabelled)	0.1 g
<b>New</b>	CIL-U LM-8155-25	Benzo[c]phenanthrene (unlabelled)	25 mg
	CIL-U LM-2411-25	Benzo[j]fluoranthene (unlabelled)	25 mg
	CIL-U LM-2417-0.1	Benzo[k]fluoranthene (unlabelled)	0.1 g
	CIL-U LM-2418-1.2	Benzo[g,h,i]perylene (unlabelled) 1000 µg/mL in Methylene chloride	1.2 mL
	CIL-U LM-2418-25	Benzo[g,h,i]perylene (unlabelled)	25 mg
<b>New</b>	CIL-U LM-2418-0.1	Benzo[g,h,i]perylene (unlabelled)	0.1 g
	CIL-U LM-2412-0.1	Benzo[a]pyrene (unlabelled)	0.1 g
<b>New</b>	CIL-U LM-8717-1.2	Benzo[a]pyrene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-U LM-7423-1.2	Benzo[e]pyrene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-U LM-8269-1.2	9-Chloroanthracene (unlabelled) 50 µg/mL in Toluene	1.2 mL
<b>New</b>	CIL-U LM-8270-1.2	9-Chlorophenanthrene (unlabelled) 50 µg/mL in Toluene	1.2 mL
<b>New</b>	CIL-U LM-8268-1.2	1-Chloropyrene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-7424-1.2	Chrysene (unlabelled) 200 µg/mL in Toluene	1.2 mL

## Polycyclic aromatic hydrocarbons (PAH)

	Code	Product	Unit
<b>New</b>	CIL-U LM-6576-1.2	Coronene (unlabelled) 200 µg/mL in Benzene	1.2 mL
	CIL-U LM-6891-0.01	Cyclopenta[c,d]pyrene (unlabelled)	0.01 g
	CIL-U LM-3884-25	Dibenzo[a,j]acridine (unlabelled)	25 mg
	CIL-U LM-2422-1.2	Dibenzo[a,h]anthracene (unlabelled) 1000 µg/mL in Methylene chloride	1.2 mL
	CIL-U LM-2422-0.1	Dibenzo[a,h]anthracene (unlabelled)	0.1 g
	CIL-U LM-3885-1.2	7H-Dibenzo[c,g]carbazole (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-6671-1.2	Dibenzo[a,e]fluoranthene (unlabelled) 200 µg/mL in Toluene	1.2 mL
	CIL-U LM-1226-0.01	Dibenzo[a,e]pyrene (unlabelled)	10 mg
<b>New</b>	CIL-U LM-1227-0.01	Dibenzo[a,h]pyrene (unlabelled)	10 mg
	CIL-U LM-2423-1.2	Dibenzo[a,i]pyrene (unlabelled) 200 µg/mL in Toluene	1.2 mL
	CIL-U LM-1253-1.2	Dibenzo[a,l]pyrene (unlabelled) 200 µg/mL in Toluene	1.2 mL
	CIL-U LM-1253-25	Dibenzo[a,l]pyrene (unlabelled)	25 mg
	CIL-U LM-7421-1.2	Fluoranthene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-7414-1.2	Fluorene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-6234-1.2	9,10-Dimethylantracene (unlabeled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-6182-1.2	1,6-Dimethylnaphthalene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-6181-1.2	1,8-Dimethylnaphthalene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-7271-1.2	2,6-Dimethylnaphthalene 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-7552-1.2	6-Hydroxychrysene (unlabelled) 50 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-U LM-8464-1.2	2-Hydroxyphenanthrene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-7446-1.2	3-Hydroxyphenanthrene (unlabelled) 50 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-U LM-7954-1.2	9-Hydroxyphenanthrene (unlabelled) 50 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-2426-1.2	Indeno[1,2,3-cd]pyrene (unlabelled) 1000 µg/mL in Methylene chloride	1.2 mL
	CIL-U LM-2426-25	Indeno[1,2,3-c,d]pyrene (unlabelled)	25 mg
	CIL-U LM-6235-1.2	5-Methylchrysene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-7416-1.2	2-Methylnaphthalene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-7425-1.2	Naphthalene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-U LM-8365-1.2	9-Nitroanthracene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-3881-1.2	6-Nitrochrysene 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-6600-1.2	3-Nitrofluoranthene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-3883-1.2	2-Nitrofluorene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-3978-1.2	1-Nitropyrene (unlabelled) 50 µg/mL in Toluene	1.2 mL
	CIL-U LM-7426-1.2	Perylene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-7427-1.2	Phenanthrene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-U LM-7417-1.2	Pyrene (unlabelled) 200 µg/mL in Toluene	1.2 mL
	CIL-U LM-7428-1.2	p-Terphenyl (unlabelled) 200 µg/mL in Isooctane	1.2 mL

## Isotope labelled PAH standard mixtures

CIL-ES-4087	US EPA 16 PAH Cocktail ( <sup>13</sup> C,99%) 5 µg/mL of each analyte in Nonane Acenaphthene ( <sup>13</sup> C <sub>6</sub> ,99%) Acenaphthylene ( <sup>13</sup> C <sub>6</sub> ,99%) Anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) Benz(a)anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) Benzo(b)fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) Benzo(k)fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) Benzo(ghi)perylene ( <sup>13</sup> C <sub>12</sub> ,99%) Benzo(a)pyrene ( <sup>13</sup> C <sub>6</sub> ,99%)	Chrysene ( <sup>13</sup> C <sub>6</sub> ,99%) Dibenz(ah)anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) Fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) Fluorene ( <sup>13</sup> C <sub>6</sub> ,99%) Indeno(1,2,3-cd)pyrene ( <sup>13</sup> C <sub>6</sub> ,99%) Naphthalene ( <sup>13</sup> C <sub>6</sub> ,99%) Phenanthrene ( <sup>13</sup> C <sub>6</sub> ,99%) Pyrene ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL
CIL-ES-2528	PAH Cocktail for CARB 429 method 100 µg/mL of each analyte in Benzene (D <sub>6</sub> ,99.6%) Acenaphthene (D <sub>10</sub> ,98%) Acenaphthylene (D <sub>8</sub> ,98%) Anthracene (D <sub>10</sub> ,98%) Benz(a)anthracene (D <sub>12</sub> ,98%) Benzo(b)fluoranthene (D <sub>12</sub> ,98%) Benzo(k)fluoranthene (D <sub>12</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,99%) Benzo(a)pyrene (D <sub>12</sub> ,98%)	Chrysene (D <sub>12</sub> ,98%) Dibenz(ah)anthracene (D <sub>14</sub> ,98%) Fluoranthene (D <sub>10</sub> ,98%) Fluorene (D <sub>10</sub> ,98%) Indeno(1,2,3-cd)pyrene (D <sub>12</sub> ,98%) Naphthalene (D <sub>8</sub> ,98%) Phenanthrene (D <sub>10</sub> ,98%) Pyrene (D <sub>10</sub> ,98%)	1 mL

## Polychlorinated naphthalene (PCN) standards

Code	Product	Unit
CIL-ES-2044	PAH Surrogate Cocktail 200 µg/mL of each analyte in 50% Methylene chloride (D <sub>2</sub> ,99.9%) and 50% Methanol (D <sub>2</sub> ,99.8%). Acenaphthylene (D <sub>8</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,99%) Benzo(a)pyrene (D <sub>12</sub> ,98%) Fluoranthene (D <sub>10</sub> ,98%)	1 mL
CIL-ES-5386	PAH-SIM Recovery Standard Mixture (D,98%), 1 mg/mL in Methylene chloride Solvent: Methylene chloride-D <sub>2</sub> 2-Methylnaphthalene-D <sub>10</sub> ..... 1 mg/mL Anthracene-D <sub>10</sub> ..... 1 mg/mL	1.2 mL
CIL-ES-2043	'EEC Six' PAH Cocktail 1 µg/mL of each analyte in Benzene (D <sub>6</sub> ,99.6%) Benzo(b)fluoranthene (D <sub>12</sub> ,98%) Benzo(k)fluoranthene (D <sub>12</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,98%)	1 mL
<b>New</b> CIL-ES-5164	PAH Surrogate Standard Mix 200 µg/mL of each analyte in 10% Iso-octane / 90% Toluene Naphthalene (D <sub>8</sub> ,98%) Phenanthrene (D <sub>10</sub> ,98%) Benzo(b)fluoranthene (D <sub>12</sub> ,98%) Benzo(ghi)perylene (D <sub>12</sub> ,99%) Dibenz(ah)anthracene (D <sub>14</sub> ,98%) Acenaphthene (D <sub>10</sub> ,98%) Pyrene (D <sub>10</sub> ,98%) Perylene (D <sub>12</sub> ,98%)	10 mL
<b>New</b> CIL-ES-5438	PAH Native Standard Mixture (unlabelled) Solvent: 90% Toluene/ 10% Isooctane Naphthalene ..... 200 µg/mL Benz[a]anthracene ..... 200 µg/mL Phenanthrene ..... 200 µg/mL Fluoranthene ..... 200 µg/mL Benzo[b]fluoranthene ..... 200 µg/mL Benzo[a]pyrene ..... 200 µg/mL Benzo[g,h,i]perylene ..... 200 µg/mL Indeno[1,2,3-cd]pyrene ..... 200 µg/mL	1.2 mL
	Dibenz(a,h)anthracene ..... 200 µg/mL Acenaphthylene ..... 200 µg/mL Acenaphthene ..... 200 µg/mL Fluorene ..... 200 µg/mL Pyrene ..... 200 µg/mL Benzo[k]fluoranthene ..... 200 µg/mL Perylene ..... 200 µg/mL Chrysene ..... 200 µg/mL	

## Polychlorinated naphthalene (PCN) standards

### Isotope labelled polychlorinated naphthalene (PCN) standards

Code	Product	Unit
CIL-ECN-5240	1,2,3,4-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) (Chemical purity: 96%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-5241	1,3,5,7-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-5250	1,2,3,5,7-Pentachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-5260	1,2,3,4,5,7-Hexachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL
CIL-ECN-5261	1,2,3,5,6,7-Hexachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) 10 µg/mL in Isooctane (contains 0.2% native)	1.2 mL
CIL-ECN-5270	1,2,3,4,5,6,7-Heptachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) 10 µg/mL in Isooctane (contains 2% native)	1.2 mL
CIL-ECN-5280	Octachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Isooctane	1.2 mL

### Unlabelled polychlorinated naphthalene (PCN) standards

CIL-ECN-2610	1-Chloronaphthalene 100 µg/mL in Nonane (Chemical purity: 90%, 10% 2-Monochloronaphthalene)	1 mL
CIL-ECN-2611	2-Chloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2620	1,2-Dichloronaphthalene 100 µg/mL in Nonane (Chemical purity: 92%)	1 mL
CIL-ECN-2621	1,4-Dichloronaphthalene 100 µg/mL in Nonane (Chemical purity: 92%)	1 mL
CIL-ECN-2622	1,5-Dichloronaphthalene 100 µg/mL in Nonane (Chemical purity: 91%)	1 mL
CIL-ECN-2623	1,8-Dichloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2624	2,3-Dichloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2630	1,2,3-Trichloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2640	1,2,3,4-Tetrachloronaphthalene 100 µg/ml in Nonane	1 mL
CIL-ECN-2642	1,2,5,6-Tetrachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2641	1,3,5,7-Tetrachloronaphthalene 100 µg/mL in Nonane	1 mL

## Substituted benzothiophenes

Code	Product	Unit
CIL-ECN-2643	2,3,6,7-Tetrachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2652	1,2,3,4,6-Pentachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2651	1,2,3,5,7-Pentachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2650	1,2,3,5,8-Pentachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2653	1,2,3,6,7-Pentachloronaphthalene 100 µg/mL in Nonane (Chemical purity: 96%)	1 mL
CIL-ECN-2660	1,2,3,4,6,7-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2663	1,2,3,5,6,7-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2664	1,2,3,5,6,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2662	1,2,3,5,7,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2665	1,2,3,6,7,8-Hexachloronaphthalene 100 µg/mL in Nonane (Chemical purity: 97%)	1 mL
CIL-ECN-2666	1,2,4,5,6,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2661	1,2,4,5,7,8-Hexachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2670	1,2,3,4,5,6,7-Heptachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2671	1,2,3,4,5,6,8-Heptachloronaphthalene 100 µg/mL in Nonane	1 mL
CIL-ECN-2680	Octachloronaphthalene 100 µg/mL in Nonane	1 mL

## Polychlorinated naphthalene (PCN) standard mixtures

CIL-ECN-5102	Tetra-Octa PCN Mixture Solvent: Isooctane 1,2,3,4-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL 1,3,5,7-Tetrachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL 1,2,3,5,7-Pentachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL 1,2,3,5,6,7-Hexachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) ..... 1.0 µg/mL 1,2,3,4,5,6,7-Heptachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,98%) ..... 1.0 µg/mL Octachloronaphthalene ( <sup>13</sup> C <sub>10</sub> ,99%) ..... 1.0 µg/mL	1.2 mL
CIL-ECN-5178	Tetra-Octa PCN Mixture Solvent: Nonane 1,2,3,4-Tetrachloronaphthalene..... 1 µg/mL 1,3,5,7-Tetrachloronaphthalene..... 1 µg/mL 1,2,3,5,7-Pentachloronaphthalene..... 1 µg/mL 1,2,3,5,6,7-Hexachloronaphthalene ..... 1 µg/mL 1,2,3,4,5,6,7-Heptachloronaphthalene..... 1 µg/mL Octachloronaphthalene ..... 1 µg/mL	1.2 mL

## Halowax technical mixtures

CIL-ECN-1000	Halowax 1000 100 µg/mL in Hexane	2 mL
CIL-ECN-1013	Halowax 1013 100 µg/mL in Hexane	2 mL
CIL-ECN-1051	Halowax 1051 100 µg/mL in Hexane	2 mL

## Substituted benzothiophenes

Substituted dibenzothiophenes, sulfur analogues of the chlorinated dibenzofurans, are of interest to analysts due to their remarkable similarities to the chlorinated dioxin class of compounds. A very high mass resolution is necessary to distinguish a chlorinated dibenzothiophene from a chlorinated dioxin. This fact, coupled with the lack of commercially available pure isomers of these sulfur-containing compounds, has led to some speculation that in certain cases, compounds being quantitated as dioxins were, in reality, dibenzothiophenes.

Code	Product	Unit
CIL-ET-4025	2,3,7,8-Tetrachlorodibenzothiophene (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-DLM-4308-1.2	Benzo[b]naphtho[2,1-d]thiophene (D <sub>10</sub> ,96%) 100 µg/mL in Benzene	1.2 mL
CIL-ULM-7430-1.2	Benzo[b]naphtho[2,1-d]-thiophene (unlabelled) 100 µg/mL in Benzene	1.2 mL

## Priority pollutant standard mixtures

### Chlorobenzene and Chlorophenol Standard Mixtures

Owing to the sheer volume of use in commercial products, Halogenated Benzenes and Phenols remain among the largest contributors to environmental contamination. The standards listed here are in routine use in many laboratories around the world.

#### U.S. EPA Method 1653a

U.S EPA method 1653A is used for the determination of Pollutants in Pulp and Paper industry wastewater. This revision was promulgated in 1997, superseding the earlier method 1653. While still used primarily for the determination of Chlorophenolic compounds, Revision A incorporates several changes to the analytical procedure, including the use of specially formulated standard mixtures applicable to this revision.

#### U.S. EPA CIP DMC Standard Mixtures

EPA's Contract Laboratory Program (CLP) has developed methods for the analysis of volatile and semi-volatile compounds which utilize isotopically labelled internal standards. These Deuterated Monitoring Compounds (DMCs) have been added to strengthen the analysis by providing sample-by-sample internal standard addition. CIL's CLP DMC standard mixtures are designed to match requirements of the OLC and SOM test methods.

#### U.S. EPA Method 1624/1625

CIL maintains a full suite of standards used for the analysis of volatile and semi-volatile organic compounds by US EPA Method 1624/1625.

## Isotope labelled chlorobenzene & chlorophenol mixtures

Code	Product	Unit
CIL-EM-1724-A	Chlorobenzene Cocktail Solution Mono, Di, Tri Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Isooctane Chlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 1,4-Dichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL 1,2,4-Trichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)
CIL-EM-1724-B	Chlorobenzene Cocktail Solution Mono, Di, Tri Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Methanol Chlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 1,4-Dichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL 1,2,4-Trichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)
CIL-EM-1725-A	Chlorobenzene Cocktail Solution Tetra, Penta, Hexa Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Isooctane 1,2,4,5-Tetrachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)
CIL-EM-1725-B	Chlorobenzene Cocktail Solution Tetra, Penta, Hexa Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Methanol 1,2,4,5-Tetrachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)
CIL-ES-5401	Mono-Hexa Chlorobenzene Solution ( <sup>13</sup> C <sub>6</sub> ,99%) 500 µg/mL in Toluene Solvent: Nonane Chlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 500 µg/mL 1,4-Dichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 500 µg/mL 1,2,3-Trichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 500 µg/mL	1.2 mL 1,2,3,4-Tetrachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)... 500 µg/mL Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 500 µg/mL Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 500 µg/mL
CIL-ES-5406	Mono-Hexa Chlorobenzene Solution (unlabelled) Solvent: Toluene Chlorobenzene ..... 500 µg/mL 1,4-Dichlorobenzene..... 500 µg/mL 1,2,3-Trichlorobenzene..... 500 µg/mL	1.2 mL 1,2,3,4-Tetrachlorobenzene ..... 500 µg/mL Pentachlorobenzene ..... 500 µg/mL Hexachlorobenzene ..... 500 µg/mL
CIL-EM-1726-A	Chlorophenol Cocktail Solution Mono, Di, Tri Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Isooctane 4-Chlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 2,4-Dichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL 2,4,6-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)
CIL-EM-1726-B	Chlorophenol Cocktail Solution Mono, Di, Tri Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Methanol 4-Chlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 2,4-Dichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL 2,4,6-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)
CIL-EM-1727-A	Chlorophenol Cocktail Solution Tri, Tetra, Penta Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Isooctane 2,4,5-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 2,3,4,5-Tetrachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)

## Priority pollutant standard mixtures

Code	Product	Unit
CIL-EM-1727-B	Chlorophenol Cocktail Solution Tri, Tetra, Penta Isomers ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL of each analyte in Methanol 2,4,5-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 2,3,4,5-Tetrachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL
	Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)	

## U.S. EPA Method 1653A standard mixtures

CIL-EM-4173	US EPA Method 1653A Labelled Chlorophenolic Derivatives Mixture <b>Vial 1 (Methanol)</b> 2,4-Dichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL 4-Chloroguaiacol ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL 4,5-Dichlorocatechol (ring- <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL 4,5,6-Trichloroguaiacol ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL 3,4,5,6-Tetrachloroguaiacol ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL 3,4,5,6-Tetrachlorocatechol (ring- <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL 3,4,5-Trichlorophenol (unlabelled) (I.S.) ..... 250 µg/mL <b>Vial 2 (Acetone)</b> 5-Chlorovanillin (ring- <sup>13</sup> C <sub>6</sub> ,99%) ..... 250 µg/mL	2 x 1 mL
CIL-EM-4181	Regulated Chlorophenolics Mixture-1 Solvent: Methanol Pentachlorophenol ..... 1000 µg/mL Tetrachloroguaiacol ..... 1000 µg/mL 3,4,5-Trichlorocatechol ..... 1000 µg/mL 3,4,5-Trichloroguaiacol ..... 500 µg/mL 4,5,6-Trichloroguaiacol ..... 500 µg/mL 2,4,6-Trichlorophenol ..... 500 µg/mL Tetrachlorocatechol ..... 1000 µg/mL 2,3,4,6-Tetrachlorophenol ..... 500 µg/mL 3,4,6-Trichlorocatechol ..... 1000 µg/mL 3,4,6-Trichloroguaiacol ..... 500 µg/mL 2,4,5-Trichlorophenol ..... 500 µg/mL	1 mL
CIL-EM-4182	US EPA Method 1653A Regulated Chlorophenolics Mixture-2 Solvent: Acetone Trichlorosyringol ..... 500 µg/mL	1 mL
CIL-EM-4183	Method 1653A Other Chlorophenolics Mixture-1 Solvent: Methanol 4-Chlorocatechol ..... 250 µg/mL 4-Chlorophenol ..... 250 µg/mL 3,6-Dichlorocatechol ..... 500 µg/mL 3,4-Dichloroguaiacol ..... 500 µg/mL 4,6-Dichloroguaiacol ..... 500 µg/mL 2,6-Dichlorophenol ..... 500 µg/mL 4-Chloroguaiacol ..... 250 µg/mL 3,4-Dichlorocatechol ..... 500 µg/mL 4,5-Dichlorocatechol ..... 500 µg/mL 4,5-Dichloroguaiacol ..... 500 µg/mL 2,4-Dichlorophenol ..... 500 µg/mL	1 mL
CIL-EM-4184	Method 1653A Other Chlorophenolics Mixture-2 Solvent: Acetone 2-Chlorosyringaldehyde ..... 500 µg/mL 5-Chlorovanillin ..... 500 µg/mL 6-Chlorovanillin ..... 500 µg/mL 2,6-Dichlorosyringaldehyde ..... 1000 µg/mL 5,6-Dichlorovanillin ..... 1000 µg/mL	1 mL
CIL-EM-4185	Set of Regulated Chlorophenolics Mixtures 1 Ampoule Each: EM-4181 and EM-4182	2 x 1 mL
CIL-EM-4186	Set of Other Chlorophenolics Mixtures 1 Ampoule Each: EM-4183 and EM-4184	2 x 1 mL
CIL-EM-4180	Set of all Chlorophenolic Mixtures 1 Ampoule Each: EM-4181, EM-4182, EM-4183 and EM-4184	4 x 1 mL

## U.S. EPA Method 1653 standard mixtures

CIL-EM-4018	US EPA Method 1653 Unlabelled Chlorophenolic Cocktail Solvent: Acetone 4-Chloroguaiacol ..... 250 µg/mL 3,4-Dichloroguaiacol ..... 500 µg/mL 4,5-Dichloroguaiacol ..... 500 µg/mL 4,6-Dichloroguaiacol ..... 500 µg/mL 3,4,5-Trichloroguaiacol ..... 500 µg/mL 3,4,6-Trichloroguaiacol ..... 500 µg/mL 4,5,6-Trichloroguaiacol ..... 500 µg/mL Tetrachloroguaiacol ..... 1000 µg/mL	1 mL
CIL-EM-4028	Instrument Performance Standard Solvent: Acetone 2,2'-Difluorobiphenyl ..... 5000 µg/mL	1 mL



Code	Product	Unit
<b>U.S. EPA CLP DMC standard mixtures</b>		
CIL-ES-5037	CLP Semi-Volatiles DMC Stock Solution Solvent: Methylene chloride Phenol-D <sub>5</sub> ..... 2000 µg/mL Bis-(2-chloroethyl)ether-D <sub>8</sub> ..... 2000 µg/mL 2-Chlorophenol-D <sub>4</sub> ..... 2000 µg/mL 4-Methylphenol-D <sub>8</sub> ..... 2000 µg/mL Nitrobenzene-D <sub>5</sub> ..... 2000 µg/mL 2-Nitrophenol-D <sub>4</sub> ..... 2000 µg/mL 2,4-Dichlorophenol-D <sub>3</sub> ..... 2000 µg/mL 4-Chloroaniline-D <sub>4</sub> ..... 2000 µg/mL Dimethylphthalate-D <sub>6</sub> ..... 2000 µg/mL Acenaphthylene-D <sub>8</sub> ..... 2000 µg/mL 4-Nitrophenol-D <sub>4</sub> ..... 2000 µg/mL Fluorene-D <sub>10</sub> ..... 2000 µg/mL 4,6-Dinitro-2-methylphenol-D <sub>2</sub> ..... 2000 µg/mL Anthracene-D <sub>10</sub> ..... 2000 µg/mL Pyrene-D <sub>10</sub> ..... 2000 µg/mL Benzo[a]pyrene-D <sub>12</sub> ..... 2000 µg/mL	1.2 mL
CIL-ES-5038	CLP Volatiles DMC Stock Solutions 1 ampoule each of ES-5038-1 ES-5038-2	set
CIL-ES-5038-1	CLP Volatiles Non-Ketone DMC Stock Solution Solvent: Methanol-D <sub>4</sub> Vinyl chloride-D <sub>3</sub> ..... 100 µg/mL Chloroethane-D <sub>5</sub> ..... 100 µg/mL 1,1-Dichloroethene-D <sub>2</sub> ..... 100 µg/mL Chloroform-D <sub>1</sub> ..... 100 µg/mL 1,2-Dichloroethane-D <sub>4</sub> ..... 100 µg/mL Benzene-D <sub>6</sub> ..... 100 µg/mL 1,2-Dichloropropane-D <sub>6</sub> ..... 100 µg/mL Toluene-D <sub>8</sub> ..... 100 µg/mL trans-1,3-Dichloropropene-D <sub>4</sub> ..... 100 µg/mL Bromoform-D <sub>1</sub> ..... 100 µg/mL 1,1,2,2-Tetrachloroethane-D <sub>2</sub> ..... 100 µg/mL 1,2-Dichlorobenzene-D <sub>4</sub> ..... 100 µg/mL	1 mL
CIL-ES-5038-2	CLP Volatiles Ketone DMC Stock Solution Solvent: Methanol-d <sub>4</sub> 2-Butanone-D <sub>5</sub> ..... 200 µg/mL 2-Hexanone-D <sub>8</sub> ..... 200 µg/mL	0.5 mL
CIL-ES-5038-10X	CLP Volatiles DMC Stock Solution (10x concentration) 1 ampoule each of ES-5038-1-10x (10x concentration of ES-5038-1) ES-5038-2-10x (10x concentration of ES-5038-2)	set
<b>New</b> CIL-ES-5038-2-10X-0.5	CLP Volatiles Ketone DMC 10 x Stock Solution Solvent: Methanol-d <sub>4</sub> 2-Butanone-D <sub>5</sub> ..... 2000 µg/mL 2-Hexanone-D <sub>8</sub> ..... 2000 µg/mL	0.5 mL
<b>New</b> CIL-ES-5038-1-10X-1	CLP Volatile non-Ketone DMC 10x Stock Solution Solvent: Methanol-D <sub>4</sub> Vinyl chloride-D <sub>3</sub> ..... 1000 µg/mL Chloroethane-D <sub>5</sub> ..... 1000 µg/mL 1,1-Dichloroethene-D <sub>2</sub> ..... 1000 µg/mL Chloroform-D <sub>1</sub> ..... 1000 µg/mL 1,2-Dichloroethane-D <sub>4</sub> ..... 1000 µg/mL Benzene-D <sub>6</sub> ..... 1000 µg/mL 1,2-Dichloropropane-D <sub>6</sub> ..... 1000 µg/mL Toluene-D <sub>8</sub> ..... 1000 µg/mL trans-1,3-Dichloropropene-D <sub>4</sub> ..... 1000 µg/mL Bromoform-D <sub>1</sub> ..... 1000 µg/mL 1,1,2,2-Tetrachloroethane-D <sub>2</sub> ..... 1000 µg/mL 1,2-Dichlorobenzene-D <sub>4</sub> ..... 1000 µg/mL	1 mL
<b>New</b> CIL-ES-5286	CIP SOM volatiles Non-Ketone DMC Stock Solution Solvent: Methanol-OD Vinyl chloride (D <sub>3</sub> ,98%) ..... 100 µg/mL Chloroethane (D <sub>5</sub> ,98%) ..... 100 µg/mL 1,1-Dichloroethylene (2,2-D <sub>2</sub> ,98%) ..... 100 µg/mL Chloroform (D <sub>1</sub> ,99.8%) ..... 100 µg/mL 1,2-Dichloroethane (D <sub>4</sub> ,99%) ..... 100 µg/mL Benzene (D <sub>6</sub> ,99.5%) ..... 100 µg/mL 1,2-Dichloropropane (D <sub>6</sub> ,98%) ..... 100 µg/mL Toluene (D <sub>8</sub> ,99.5%) ..... 100 µg/mL 1,3-Dichloropropene (D <sub>4</sub> ,98%) cis/trans mix ..... 100 µg/mL 1,1,2,2-Tetrachloroethane (D <sub>2</sub> ,99.6%) ..... 100 µg/mL 1,2-Dichlorobenzene (D <sub>4</sub> ,99%) ..... 100 µg/mL	1 mL
<b>New</b> CIL-ES-5286-10X	CIP SOM volatiles Non-Ketone DMC 10X Stock Solution Solvent: Methanol-OD Vinyl chloride (D <sub>3</sub> ,98%) ..... 1000 µg/mL Chloroethane (D <sub>5</sub> ,98%) ..... 1000 µg/mL 1,1-Dichloroethylene (2,2-D <sub>2</sub> ,98%) ..... 1000 µg/mL Chloroform (D <sub>1</sub> ,99.8%) ..... 1000 µg/mL 1,2-Dichloroethane (D <sub>4</sub> ,99%) ..... 1000 µg/mL Benzene (D <sub>6</sub> ,99.5%) ..... 1000 µg/mL 1,2-Dichloropropane (D <sub>6</sub> ,98%) ..... 1000 µg/mL Toluene (D <sub>8</sub> ,99.5%) ..... 1000 µg/mL 1,3-Dichloropropene (D <sub>4</sub> ,98%) cis/trans mix ..... 1000 µg/mL 1,1,2,2-Tetrachloroethane (D <sub>2</sub> ,99.6%) ..... 1000 µg/mL 1,2-Dichlorobenzene (D <sub>4</sub> ,99%) ..... 1000 µg/mL	1 mL
<b>New</b> CIL-ES-5287	CIP SOM volatiles Ketone DMC Stock Solution Solvent: Methanol-OD 2-Butanone (1,1,1,3,3-D <sub>5</sub> ,98%) ..... 500 µg/mL 2-Hexanone (1,1,1,3,3-D <sub>5</sub> ,98%) ..... 500 µg/mL	0.5 mL



## Priority pollutant standard mixtures

	Code	Product	Unit
<b>New</b>	CIL-ES-5287-10X	CIP SOM volatiles Ketone DMC 10X Stock Solution Solvent: Methanol-OD 2-Butanone (1,1,1,3,3-D <sub>5</sub> ,98%)..... 5000 µg/mL      2-Hexanone (1,1,1,3,3-D <sub>5</sub> ,98%)..... 5000 µg/mL	0.5 mL
<b>New</b>	CIL-ES-5288	CIP SOM volatiles 1,4-Dioxane DMC Stock Solution Solvent: Methanol-OD 1,4-Dioxane (p-Dioxane) (D <sub>8</sub> ,99%) ..... 1250 µg/mL	1 mL
<b>New</b>	CIL-ES-5288-10X	CIP SOM volatiles 1,4-Dioxane 10X DMC Stock Solution Solvent: Methanol-OD 1,4-Dioxane (p-Dioxane) (D <sub>8</sub> ,99%) ..... 12500 µg/mL	1 mL

## U.S. EPA Methods 1624/1625 standard mixtures

	CIL-ES-2036	Acid Extractables Mixture-3 Solvent: Benzene (D <sub>6</sub> ,99.6%) (EPA 222A) 4-Chloro-3-methylphenol (2,6-D <sub>2</sub> ,98%) ..... 5000 µg/mL (EPA 224A) 2-Chlorophenol (3,4,5,6-D <sub>4</sub> ,99%) ..... 5000 µg/mL (EPA 231A) 2,4-Dichlorophenol (3,5,6-D <sub>3</sub> ,98%)..... 5000 µg/mL (EPA 234A) 2,4-Dimethylphenol (3,5,6-D <sub>3</sub> ,98%) ..... 5000 µg/mL (EPA 260A) 4,6-Dinitro-2-methylphenol (3,5-D <sub>2</sub> ,98%)..... 5000 µg/mL (EPA 259A) 2,4-Dinitrophenol (3,5,6-D <sub>3</sub> ,98%)..... 5000 µg/mL (EPA 257A) 2-Nitrophenol (3,4,5,6-D <sub>4</sub> ,98%) ..... 5000 µg/mL (EPA 258A) 4-Nitrophenol (2,3,5,6-D <sub>4</sub> ,98%) ..... 5000 µg/mL (EPA 264A) Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)..... 5000 µg/mL (EPA 265A) Phenol (2,3,4,5,6-D <sub>5</sub> ,98%)..... 5000 µg/mL (EPA 631A) 4,5-Trichlorophenol (3,6-D <sub>2</sub> ,98%) ..... 5000 µg/mL (EPA 221A) 2,4,6-Trichlorophenol (3,5-D <sub>2</sub> ,98%) ..... 5000 µg/mL	1 mL
	CIL-ES-2022-A	Base Neutrals Mixture-4.1 Solvent: Benzene (D <sub>6</sub> ,99.6%) (EPA 277B) Acenaphthylene (D <sub>8</sub> ,98%) ..... 5000 µg/mL (EPA 274B) Benzo[b]fluoranthene (D <sub>12</sub> ,98%)..... 5000 µg/mL (EPA 279B) Benzo[ghi]perylene (D <sub>12</sub> ,98%) ..... 5000 µg/mL (EPA 273B) Benzo[a]pyrene (D <sub>12</sub> ,98%) ..... 5000 µg/mL (EPA 242B) bis(2-Chloroisopropyl)ether (D <sub>12</sub> ,95%)..... 5000 µg/mL (EPA 226B) 1,3-Dichlorobenzene (D <sub>4</sub> ,98%) ..... 5000 µg/mL (EPA 235B) 2,4-Dinitrotoluene (3,5,6-D <sub>3</sub> ,98%)..... 5000 µg/mL (EPA 231B) Fluoranthene (D <sub>10</sub> ,98%) ..... 5000 µg/mL (EPA 252B) Hexachloro-1,3-butadiene ( <sup>13</sup> C <sub>4</sub> ,98%) ..... 5000 µg/mL (EPA 253B) Hexachlorocyclopentadiene (random- <sup>13</sup> C <sub>4</sub> ,99%)* ..... 5000 µg/mL (EPA 281B) Phenanthrene (D <sub>10</sub> ,98%) ..... 5000 µg/mL  *NOTE: Hexachlorocyclopentadiene decomposes upon exposure to light and is usually not observed.	1 mL
	CIL-ES-2002	Base Neutrals Mixture-4.3 Solvent: Benzene (D <sub>6</sub> ,99.6%) (EPA 241B) 4-Bromophenyl phenyl ether (phenyl-D <sub>5</sub> ,98%) ..... 5000 µg/mL (EPA 220B) 2-Chloronaphthalene (D <sub>7</sub> ,98%)..... 5000 µg/mL (EPA 240B) 4-Chlorophenyl phenyl ether (phenyl-D <sub>5</sub> ,98%)..... 5000 µg/mL (EPA 268B) Di-n-butyl phthalate (3,4,5,6-D <sub>4</sub> ,99%) ..... 5000 µg/mL (EPA 270B) Diethyl phthalate (3,4,5,6-D <sub>4</sub> ,99%) ..... 5000 µg/mL (EPA 269B) Di-n-octyl phthalate (3,4,5,6-D <sub>4</sub> ,99%) ..... 5000 µg/mL (EPA 209B) Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 5000 µg/mL (EPA 212B) Hexachloroethane (1- <sup>13</sup> C,99%)..... 5000 µg/mL (EPA 254B) Isophorone (3-methyl-D <sub>3</sub> ;2,4,4,6,6-D <sub>5</sub> ,98%) ..... 5000 µg/mL (EPA 208B) 1,2,4-Trichlorobenzene (3,5,6-D <sub>3</sub> ,98%) ..... 5000 µg/mL	1 mL
	CIL-ES-2041-A	Base Neutrals Dilution Mixture-5 Solvent: Benzene (D <sub>6</sub> ,99.6%) (EPA 602B) 2-Aminonaphthalene (ring-D <sub>7</sub> ,98%) ..... 500 µg/mL (EPA 205B) Benzidine (ring-D <sub>8</sub> ,98%) ..... 500 µg/mL (EPA 511B) Di-n-butylamine (D <sub>18</sub> ,98%) ..... 500 µg/mL (EPA 228B) 3,3-Dichlorobenzidine (ring-D <sub>6</sub> ,98%) ..... 500 µg/mL (EPA 607B) Diphenylamine (D <sub>10</sub> ,98%) ..... 500 µg/mL (EPA 237B) 1,2-Diphenylhydrazine (D <sub>10</sub> ,98%) ..... 500 µg/mL (EPA 603B) 2-Methylpyridine (D <sub>7</sub> ,98%) ..... 500 µg/mL (EPA 262B) N-Nitrosodiphenylamine (2,2',4,4',6,6'-D <sub>6</sub> ,98%) ..... 500 µg/mL	10 mL
	CIL-ES-2026	Base Neutrals Mixture-5.2 Solvent: Benzene (D <sub>6</sub> ,99.6%) (EPA 628B) Carbazole-NH (D <sub>8</sub> ,98%) ..... 5 µg/mL (EPA 261B) N-Nitrosodimethylamine (dimethyl-D <sub>6</sub> ,98%) ..... 5 µg/mL (EPA 263B) N-Nitrosodi-n-propylamine (dipropyl-D <sub>14</sub> ,98%) ..... 5 µg/mL	1 mL
	CIL-ES-2025-A	Base Neutrals Dilution Mixture-5.1 Contains one ampoule each of ES-2026 and ES-2041-A	set

## Priority pollutant standard mixtures

Code	Product	Unit	
CIL-ES-2003	<b>Base Neutrals Mixture-6.2</b>	2 x 1 mL	
	Solvent: in 50% Benzene (D <sub>6</sub> ,99.6%) and 50% Methylene chloride (D <sub>2</sub> ,99.9%)		
	(EPA 201B) Acenaphthene (D <sub>10</sub> ,99%)	2500 µg/mL	
	(EPA 278B) Anthracene (D <sub>10</sub> ,98%)	2500 µg/mL	
	(EPA 275B) Benzo[k]fluoranthene (D <sub>12</sub> ,98%)	2500 µg/mL	
	(EPA 218B) Bis(2-chloroethyl) ether (D <sub>8</sub> ,98%)	2500 µg/mL	
	(EPA 276B) Chrysene (D <sub>12</sub> ,98%)	2500 µg/mL	
	(EPA 280B) Fluorene (D <sub>10</sub> ,98%)	2500 µg/mL	
	(EPA 255B) Naphthalene (D <sub>8</sub> ,99%)	2500 µg/mL	
	(EPA 284B) Pyrene (D <sub>10</sub> ,98%)	2500 µg/mL	
	<hr/>		
	CIL-ES-2004	<b>Base Neutrals Mixture-6.3</b>	1 mL
		Solvent: Benzene (D <sub>6</sub> ,99.6%)	
(EPA 272B) Benz[a]anthracene (D <sub>12</sub> ,98%)		5000 µg/mL	
(EPA 267B) Butyl Benzyl phthalate (3,4,5,6-D <sub>4</sub> ,99%)		5000 µg/mL	
(EPA 243B) Bis(2-chloroethoxy)methane (D <sub>8</sub> ,98%)		5000 µg/mL	
(EPA 266B) Bis(2-ethylhexyl) phthalate (3,4,5,6-D <sub>4</sub> ,99%)		5000 µg/mL	
(EPA 282B) Dibenz[ah]anthracene (D <sub>14</sub> ,98%)		5000 µg/mL	
(EPA 225B) 1,2-Dichlorobenzene (D <sub>4</sub> ,98%)		5000 µg/mL	
(EPA 227B) 1,4-Dichlorobenzene (D <sub>4</sub> ,98%)		5000 µg/mL	
(EPA 271B) Dimethyl phthalate (3,4,5,6-D <sub>4</sub> ,99%)		5000 µg/mL	
(EPA 236B) 2,6-Dinitrotoluene (methyl-D <sub>3</sub> ,98%)		5000 µg/mL	
(EPA 256B) Nitrobenzene (D <sub>5</sub> ,99%)		5000 µg/mL	
(EPA 629B) 1,2,3-Trichlorobenzene (4,5,6-D <sub>3</sub> ,98%)		5000 µg/mL	
<hr/>			
CIL-ES-2032	<b>Purgeables/Volatiles Mixture-E.1</b>	1 mL	
	Solvent: Methanol (D <sub>4</sub> ,99.8%)		
	(EPA 206V) Carbon tetrachloride ( <sup>13</sup> C,99%)	50 µg/mL	
	(EPA 207V) Chlorobenzene (D <sub>5</sub> ,99%)	50 µg/mL	
	(EPA 223V) Chloroform ( <sup>13</sup> C,99%)	50 µg/mL	
	(EPA 213V) 1,1-Dichloroethane (2,2,2-D <sub>3</sub> ,98%)	50 µg/mL	
	(EPA 229V) 1,1-Dichloroethylene (2,2-D <sub>2</sub> ,98%)	50 µg/mL	
	(EPA 244V) Methylene chloride (D <sub>2</sub> ,99.9%)	50 µg/mL	
	(EPA 232V) 1,2-Dichloropropane (D <sub>6</sub> ,98%)	50 µg/mL	
	(EPA 214V) 1,1,2-Trichloroethane ( <sup>13</sup> C <sub>2</sub> ,99%)	50 µg/mL	
	<hr/>		
	CIL-ES-2006	<b>Purgeables/Volatiles Mixture-F</b>	1 mL
		Solvent: Methanol (D <sub>4</sub> , 99.8%)	
(EPA 204V) Benzene (D <sub>6</sub> ,99.6%)		50 µg/mL	
(EPA 247V) Bromoform ( <sup>13</sup> C,99%)		50 µg/mL	
(EPA 210V) 1,2-Dichloroethane (D <sub>4</sub> ,99%)		50 µg/mL	
(EPA 238V) Ethylbenzene (D <sub>10</sub> ,98%)		50 µg/mL	
(EPA 215V) 1,1,2,2-Tetrachloroethane (D <sub>2</sub> ,99.6%)		50 µg/mL	
(EPA 286V) Toluene (D <sub>8</sub> ,99.6%)		50 µg/mL	
(EPA 211V) 1,1,1-Trichloroethane (2,2,2-D <sub>3</sub> ,98%)		50 µg/mL	
<hr/>			
<b>New</b> CIL-ES-2007-A		<b>Purgeables/Volatiles Mixture-G</b>	1 mL
		Solvent: Methanol (D <sub>4</sub> ,99.8%)	
		(EPA 616V) Acetone (D <sub>6</sub> ,99.9%)	250 µg/mL
	(EPA 203V) Acrylonitrile (D <sub>3</sub> ,99%)	250 µg/mL	
	(EPA 246V) Bromomethane (D <sub>3</sub> ,99.5%)	250 µg/mL	
	(EPA 614V) 2-Butanone (4,4,4-D <sub>3</sub> ,98%)	250 µg/mL	
	(EPA 216V) Chloroethane (D <sub>5</sub> ,98%)	250 µg/mL	
	(EPA 245V) Chloromethane (D <sub>3</sub> ,99%)	250 µg/mL	
	(EPA 615V) Diethyl Ether (D <sub>10</sub> ,99%)	250 µg/mL	
	(EPA 288V) Vinyl Chloride (D <sub>3</sub> ,98%)	250 µg/mL	
	<hr/>		
	CIL-ES-2008	<b>Purgeables/Volatiles Mixture-H</b>	1 mL
		Solvent: Methanol (D <sub>4</sub> ,99.8%)	
(EPA 248V) Bromodichloromethane ( <sup>13</sup> C,99%)		50 µg/mL	
(EPA 251V) Chlorodibromomethane ( <sup>13</sup> C,99%)		50 µg/mL	
(EPA 30V) 1,2-Dichloroethylene (1,2-D <sub>2</sub> ,98%)		50 µg/mL	
(EPA 33V) 1,3-Dichloropropene (D <sub>4</sub> ,98%)		50 µg/mL	
(EPA 627V) 1,4-Dioxane (D <sub>8</sub> ,99%)		50 µg/mL	
(EPA 285V) Tetrachloroethylene ( <sup>13</sup> C <sub>2</sub> ,99%)		50 µg/mL	
(EPA 287V) 1,1,2-Trichloroethylene ( <sup>13</sup> C <sub>2</sub> ,99%)		50 µg/mL	
<hr/>			
CIL-ES-2033		<b>Semi-Volatiles Mixture-1/Appendix C</b>	1 mL
		Solvent: Benzene (D <sub>6</sub> ,99.6%)	
		(EPA 617B) n-Decane (D <sub>22</sub> ,98%)	5000 µg/mL
	(EPA 605B) Dibenzofuran (D <sub>8</sub> ,98%)	5000 µg/mL	
	(EPA 604B) Dibenzothiophene (D <sub>8</sub> ,98%)	5000 µg/mL	
	(EPA 612B) Biphenyl (D <sub>10</sub> ,98%)	5000 µg/mL	
	(EPA 608B) Diphenyl ether (phenyl-D <sub>10</sub> ,98%)	5000 µg/mL	
	(EPA 606B) n-Dodecane (D <sub>26</sub> ,98%)	5000 µg/mL	
	(EPA 621B) n-Eicosane (D <sub>42</sub> ,98%)	5000 µg/mL	
	(EPA 619B) n-Hexadecane (D <sub>34</sub> ,98%)	5000 µg/mL	
	(EPA 613B) 2-(4-Methylphenyl)propane (D <sub>14</sub> ,98%)	5000 µg/mL	
	(EPA 610B) Styrene (2,3,4,5,6-D <sub>5</sub> ,98%)	5000 µg/mL	
	(EPA 609B) α-Terpineol (D <sub>3</sub> ,98%)	5000 µg/mL	
(EPA 623B) n-Tetracosane (D <sub>50</sub> ,98%)	5000 µg/mL		
(EPA 626B) n-Triacontane (D <sub>62</sub> ,98%)	5000 µg/mL		

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-ES-2042	EPA 1624/1625 Standards Kit Contains 1 ampoule of each of the following: ES-2036 Acid Extractables Mixture-3 ES-2022-A Base Neutrals Mixture-4.1 ES-2002 Base Neutrals Mixture-4.3 ES-2025-A Base Neutrals Mixture-5.1 (ES-2041-A and ES-2026) ES-2003 Base Neutrals Mixture-6.2 ES-2004 Base Neutrals Mixture-6.3 ES-2032 Purgeables/Volatiles Mixture-E.1 ES-2006 Purgeables/Volatiles Mixture-F ES-2007-A Purgeables/Volatiles Mixture-G ES-2008 Purgeables/Volatiles Mixture-H ES-2033 Semi-Volatiles Mixture-1/Appendix C	set

## Priority pollutants, endocrine disruptor and chemical contaminant standards

### Pharmaceutical and Personal Care Product (PPCP) Standards

Concern about environmental and human exposure to Pharmaceuticals and Personal Care Products (PPCPs) has grown significantly.

This classification encompasses a broad range of chemicals, ranging from antibiotics to hormones to pesticides. One common theme among these groups is the need for high-quality isotopically labelled standards to strengthen the analysis of PPCPs in difficult matrices such as sewage sludge and wastewater. CIL, with guidance from leading laboratories around the world, has been working diligently to produce representative standards for the analysis of PPCPs.

### Food and Drinking Water analysis Standards

Increased attention to possible contamination of food and water has caused analysts to broaden the scope of trace food and water testing by Isotope Dilution Mass Spectrometry. Of particular interest are veterinary antibiotics used to improve the health of feed animals, ranging from shrimp to poultry to cattle. Human antibiotics, pharmaceuticals, and hormones that are not removed during wastewater treatment are also of interest, as is the routine analysis of POPs, pesticides, and other industrial contaminants that have entered the food and water supply.

### Phthalate and Phthalate Metabolite Standards

Phthalates continue to be a growing environmental concern, especially as more is learned about the effect of continued exposure on the environment and the human body. Phthalate diesters are ubiquitous in the laboratory environment, so many analysts are now examining phthalate monoesters and metabolites of phthalate monoesters to reduce background interferences.

Adipate esters are also anticipated to be of interest to exposure analysts; please inquire if you are interested in additional adipate standards.

### Perfluorinated Compound (PFC) Standards

From stain-resistant textiles to non-stick surface coatings and much more, Poly- and Perfluorinated compounds (PFCs) are nearly ubiquitous chemicals in the environment. CIL offers several new labelled and unlabelled Perfluorinated Carboxylic Acid standards (PFCAs) in this catalog. CIL will be continuously adding to our offerings, so we recommend visiting our website for product updates in this rapidly growing field

### Nitrosamine Standards

Nitrosamine compounds are contaminants that may be found in food and tobacco products, and some have been classified as carcinogenic. While efforts have been made to reduce the levels of nitrosamines in commercial products, the need to monitor trace levels of this pollutant has prompted CIL to expand our offerings of labelled and unlabelled Nitrosamine standards.

### Endocrine Disrupting Compounds and Xenoestrogen Standards

CIL is committed to supporting the analysis of Endocrine Disrupting Compounds (EDCs) using Isotope Dilution Mass Spectrometry. If you require an EDC not listed, please contact us to discuss preparation.

### Halogenated and Substituted Benzene and Phenol Standards

Many industrial and consumer products are composed of chemicals that contain halogenated or substituted benzene or phenol functional groups. Resistant to decomposition and metabolism, these chemicals may persist even after the parent molecule has undergone partial decomposition, or they may exist as a product or an industrial byproduct. The increased use of brominated compounds is expected to lead to more brominated benzenes and phenols in the environment, and the continued presence of chlorinated compounds ensures that chlorinated benzenes and phenols will be found in the environment for years to come.

## Priority pollutants, endocrine disruptor and chemical contaminant standards

### Personal care product (PPCP) standards

	Code	Product	Unit
	CIL-DLM-183-1.2	Benzophenone (D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-U LM-8303-1.2	Benzophenone (unlabelled) 100 ug/mL in Nonane	1.2 mL
	CIL-CLM-8285-1.2	n-Butyl paraben (ring- <sup>13</sup> C <sub>6</sub> ,99%) 1 mg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8287-1.2	n-Butyl paraben (unlabelled) 1 mg/mL in Methanol	1.2 mL
	CIL-DLM-4762-1.2	DEET (N,N-Diethyl-m-toluamide) (dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Dichloromethane	1.2 mL
<b>New</b>	CIL-DLM-4762-D-1.2	DEET (N,N-Diethyl-m-toluamide) (dimethyl-D <sub>6</sub> , 98%) 100 µg/mL in Dioxane	1.2 mL
	CIL-U LM-7975-1.2	DEET (N,N-Diethyl-m-toluamide) (unlabelled) 100 µg/ml in Dichloromethane	1.2 mL
<b>New</b>	CIL-U LM-7975-D-1.2	DEET (N,N-Diethyl-m-toluamide) (unlabelled) 100 µg/mL in Dioxane	1.2 mL
	CIL-CLM-8008-1.2	Hexachlorophene ( <sup>13</sup> C <sub>13</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
	CIL-U LM-8009-1.2	Hexachlorophene (unlabelled) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-CLM-4745-1.2	4-Hydroxybenzoic acid (ring- <sup>13</sup> C <sub>6</sub> ,99%) 1 mg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8251-1.2	4-Hydroxybenzoic acid (unlabelled) 1 mg/mL in Methanol	1.2 mL
<b>New</b>	CIL-CLM-8249-1.2	Methyl paraben (Methyl-4-hydroxybenzoate) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 1 mg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8250-1.2	Methyl paraben (Methyl-4-hydroxybenzoate) (unlabelled) 1 mg/mL in Methanol	1.2 mL
	CIL-CLM-7885-1.2	Methyl triclosan (ring- <sup>13</sup> C <sub>12</sub> , 99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7884-1.2	Methyl triclosan (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-8525-1.2	Oxybenzone (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-U LM-8531-1.2	Oxybenzone (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-7286-1.2	3,4,4'-Trichlorocarbanilide (Triclocarban) (4'-chlorophenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7968-1.2	3,4,4'-Trichlorocarbanilide (Triclocarban) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-6779-1.2	Triclosan (2',4,4'-Trichloro-2-hydroxydiphenyl ether) ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-6935-1.2	Triclosan (2',4,4'-Trichloro-2-hydroxydiphenyl ether) (unlabelled) 100 µg/mL in Nonane	1.2 mL

### Sex and steroidal hormone standards

<b>New</b>	CIL-DLM-2607-0.1	Cholesterol (2,2,3,4,4,6-D <sub>6</sub> ,97-98%)	0.1 g
<b>New</b>	CIL-DLM-2218-0.1MG	Cortisol (9,11,12,12-D <sub>4</sub> ,98%)	0.1 mg
<b>New</b>	CIL-DLM-2218-A-1.2	Cortisol (9,11,12,12-D <sub>4</sub> ,98%) 100 µg/mL in Methylene chloride	1.2 mL
<b>New</b>	CIL-U LM-7823-A-1.2	Cortisol (unlabelled) 100 µg/mL in Dichloromethane	1.2 mL
<b>New</b>	CIL-DLM-8049-0.005	Dehydroepiandrosterone (DHEA) (2,2,3,4,4,6-D <sub>6</sub> ,99%) chemical purity 97%	5 mg
	CIL-DLM-170-1.2	Diethylstilbestrol (cis/trans mix) (ring-3,3',5,5'-diethyl-1,1,1',1'-D <sub>8</sub> ,98%) 100 µg/mL in Dichloromethane-D <sub>2</sub>	1.2 mL
<b>New</b>	CIL-DLM-170-D-1.2	Diethylstilbestrol (cis/trans mix) (ring-3,3',5,5'-diethyl-1,1,1',1'-D <sub>8</sub> ,98%) 100 µg/mL in Dioxane	1.2 mL
	CIL-U LM-7921-1.2	Diethylstilbestrol (cis/trans mix) (unlabelled) 100 µg/mL in Dichloromethane	1.2 mL
<b>New</b>	CIL-U LM-7921-D-1.2	Diethylstilbestrol (cis/trans Mix) (unlabelled) 100 µg/mL in Dioxane	1.2 mL
<b>New</b>	CIL-CLM-7936-0.1MG	DL-Estradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
	CIL-CLM-7936-1.2	DL-Estradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-803-1.2	Estradiol (3,4- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7449-1.2	Estradiol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-DLM-8583	Estriol (2,4,16,17-D <sub>4</sub> ,98%)	on request
<b>New</b>	CIL-U LM-8218	Estriol (unlabelled)	1.2 mL
	CIL-U LM-8218-1.2	Estriol (unlabelled) 100 µg/mL in p-Dioxane	1.2 mL
<b>New</b>	CIL-CLM-7935-0.1MG	DL-Estrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
<b>New</b>	CIL-CLM-7935-1.2	DL-Estrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-673-1.2	Estrone (3,4- <sup>13</sup> C <sub>2</sub> ,90%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-3375-1.2	Ethynylestradiol (20,21- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7211-1.2	Ethynylestradiol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8012-0.1MG	2-Hydroxyestradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg

## Priority pollutants, endocrine disruptor and chemical contaminant standards

	Code	Product	Unit
<b>New</b>	CIL-ULM-8135-0.1MG	2-Hydroxyestradiol (unlabelled)	0.1 mg
<b>New</b>	CIL-CLM-8011-0.1MG	2-Hydroxyestrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
<b>New</b>	CIL-ULM-8134-0.1MG	2-Hydroxyestrone (unlabelled)	0.1 mg
<b>New</b>	CIL-CLM-8016-0.1MG	DL-2-Hydroxyestrone-3-methyl ether (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
<b>New</b>	CIL-ULM-8133-0.1MG	2-Hydroxyestrone-3-methyl ester (unlabelled)	0.1 mg
<b>New</b>	CIL-CLM-8013-0.1MG	DL-4-Hydroxyestrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
<b>New</b>	CIL-ULM-8261-0.1MG	4-Hydroxyestrone (unlabelled)	0.1 mg
<b>New</b>	CIL-CLM-8015-0.1MG	DL-2-Methoxyestradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
<b>New</b>	CIL-ULM-8137-0.1MG	2-Methoxyestradiol (unlabelled)	0.1 mg
<b>New</b>	CIL-CLM-8014-0.1MG	DL-2-Methoxyestrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
<b>New</b>	CIL-ULM-8263-0.1MG	2-Methoxyestrone (unlabelled)	0.1 mg
<b>New</b>	CIL-CLM-8017-0.1MG	DL-4-Methoxyestrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 mg
<b>New</b>	CIL-ULM-8262-0.1MG	4-Methoxyestrone (unlabelled)	0.1 mg
<b>New</b>	CIL-DLM-3979-5	19-Nortestosterone (16,16,17-D <sub>3</sub> ,98%)	5 mg
	CIL-DLM-6909-1.2	Progesterone (2,2,6,6,17,21,21,21-D <sub>8</sub> ,96%) 100 µg/mL in p-Dioxane	1.2 mL
	CIL-ULM-8219-1.2	Progesterone (unlabelled) 100 µg/mL in p-Dioxane	1.2 mL
	CIL-DLM-8085-1.2	Testosterone (D <sub>5</sub> ,98%) 100 µg/mL in Methylene chloride	1.2 mL
<b>New</b>	CIL-DLM-8085-D-1.2	Testosterone (D <sub>5</sub> ,98%) 100 µg/mL in p-Dioxane	1.2 mL
<b>New</b>	CIL-DLM-683-1.2	Testosterone (1,2-D <sub>2</sub> ,98%) 100 µg/mL in Methylene chloride	1.2 mL
	CIL-ULM-8081-1.2	Testosterone (unlabelled) 100 µg/mL in Methylene chloride	1.2 mL
<b>New</b>	CIL-ULM-8081-D-1.2	Testosterone (unlabelled) 100 µg/mL in p-Dioxane	1.2 mL
<b>New</b>	CIL-CLM-6725-0.1MG	L-Thyroxine (Thyrosine-ring- <sup>13</sup> C <sub>6</sub> ,99%), chemical purity 90%	0.1 mg

## Prescription and non-prescription drug standards

	CIL-CNLM-3726-1.2	Acetaminophen (acetyl- <sup>13</sup> C <sub>2</sub> ,99%; <sup>15</sup> N,98%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7629-1.2	Acetaminophen (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-DLM-3008-1.2	Amitriptyline:HCl ((N,N-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-8350-1.2	Amitriptyline:HCl (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-514-1.2	Caffeine (trimethyl- <sup>13</sup> C <sub>3</sub> , 99%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-7653-1.2	Caffeine (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-DLM-2806-1.2	Carbamazepine (D <sub>10</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	CIL-ULM-6581-1.2	Carbamazepine (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-1287-1.2	Clonidine (D <sub>4</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-8349-1.2	Clonidine (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-CNLM-411-1.2	5,5-Diphenylhydantoin (2- <sup>13</sup> C,99%; 1,3- <sup>15</sup> N <sub>2</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-8533-1.2	5,5-Diphenylhydantoin (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-DLM-8221-1.2	Gemfibrozil (2,2-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Dioxane	1.2 mL
	CIL-ULM-8225-1.2	Gemfibrozil (unlabelled) 100 µg/mL in Dioxane	1.2 mL
	CIL-CLM-6943-1.2	Ibuprofen (propionic- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7275-1.2	Ibuprofen (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-3035-1.2	Imipramine:HCl (D <sub>4</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	CIL-CDLM-7665-1.2	Naproxen (methyl- <sup>13</sup> C,99%; methyl-D <sub>3</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL



## Priority pollutants, endocrine disruptor and chemical contaminant standards

	Code	Product	Unit
	CIL-ULM-7709-1.2	Naproxen (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-DLM-3039-1MG	Phenylbutazone (diphenyl-D <sub>10</sub> ,98%)	1 mg
	CIL-ULM-7378-1.2	Phenylbutazone (unlabelled)	1.2 mL
<b>New</b>	CIL-CLM-7892	Resorcinol ( <sup>13</sup> C <sub>6</sub> ,99%)	on request
<b>New</b>	CIL-CLM-8370-1.2	Thiabendazole (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8371-1.2	Thiabendazole (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-6861-1.2	Warfarin (phenyl-D <sub>5</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	CIL-ULM-7242-1.2	Warfarin (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>Veterinary and human antibiotic standards</b>			
<b>New</b>	CIL-CLM-7407-1MG	Amoxicillin 3H <sub>2</sub> O (phenyl- <sup>13</sup> C <sub>6</sub> ,99%)	1 mg
<b>New</b>	CIL-DLM-119-1.2	Chloramphenicol (D <sub>5</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-6687-1.2	(+/-)-Chloramphenicol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CNLM-7539-1.2	Ciprofloxacin (2,3,carboxyl- <sup>13</sup> C <sub>3</sub> , 99%; quinoline- <sup>15</sup> N, 98%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-7710-1.2	Ciprofloxacin (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-3672-1.2	Erythromycin (N,N-dimethyl- <sup>13</sup> C <sub>2</sub> ,~90%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-4322-1.2	Erythromycin (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-3045-1.2	Sulfamethazine (phenyl- <sup>13</sup> C <sub>6</sub> ,90%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7220-1.2	Sulfamethazine (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-6944-1.2	Sulfamethoxazole (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7527-1.2	Sulfamethoxazole (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-7988-A-1.2	Trimethoprim ( <sup>13</sup> C <sub>3</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-7989-A-1.2	Trimethoprim (unlabelled) 50 µg/ml in Methanol	1.2 mL
<b>Food and drinking water analysis standards</b>			
	CIL-CLM-813-1.2	Acrylamide (1,2,3- <sup>13</sup> C <sub>3</sub> ,99%) (+100 ppm Hydroquinone) 1000 µg/mL in Methanol	1.2 mL
	CIL-DLM-821-0.1	Acrylamide (2,3,3-D <sub>3</sub> ,98%)	0.1 g
	CIL-DLM-821-0.25	Acrylamide (2,3,3-D <sub>3</sub> ,98%)	0.25 g
	CIL-ULM-6721-1.2	Acrylamide (unlabelled) (+100 ppm Hydroquinone 100 µg/mL in Methanol	1.2 mL
	CIL-DLM-7170-1.2	1-Aminohydantoin hydrochloride (5,5-D <sub>2</sub> ,98%) (AHD) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7188-1.2	1-Aminohydantoin hydrochloride (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-DLM-7171-1.2	3-Amino-2-oxazolidone (AOZ) (ring-D <sub>4</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7189-1.2	3-Amino-2-oxazolidone (AOZ) (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-DLM-3008-1.2	Amitriptyline:HCl ((N,N-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-8350-1.2	Amitriptyline:HCl (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-CLM-8589-1.2	Ammelide (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Water/Diethylamine (80/20 v/v)	1.2 mL
<b>New</b>	CIL-ULM-8590-1.2	Ammelide (unlabelled) 100 µg/mL in Water/Diethylamine (80/20 v/v)	1.2 mL
	CIL-CLM-4748-1.2	1,6-Anhydro-beta-d-glucose (Levoglucosan) (U- <sup>13</sup> C <sub>6</sub> ,98%) 100 µg/mL in DMSO	1.2 mL
	CIL-ULM-8000-1.2	1,6-Anhydro-beta-d-glucose (Levoglucosan) (unlabelled ) 100 µg/mL in DMSO	1.2 mL
<b>New</b>	CIL-DLM-119-1.2	Chloramphenicol (D <sub>5</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-6687-1.2	(+/-)-Chloramphenicol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-4633-1.2	3-Chloro-1,2-propanediol (propane-D <sub>5</sub> ,98%) 1 mg/mL in Methanol	1.2 mL
	CIL-DLM-4633-0.1	3-Chloro-1,2-propandiol (propane-D <sub>5</sub> ,98%) (contains 10% 2-Chloro-1,3-propandiol)	0.1 g
	CIL-CNLM-4661-1.2	Cyanuric acid (U- <sup>13</sup> C <sub>3</sub> , 99%; U- <sup>15</sup> N <sub>3</sub> , 98%+) 100 µg/mL in Water	1.2 mL
<b>New</b>	CIL-CNLM-4661-10X-1.2	Cyanuric acid (90%+ chemical purity) (U- <sup>13</sup> C <sub>3</sub> ,99%; U- <sup>15</sup> N <sub>3</sub> ,98%+) 1000 µg/mL in Water	1.2 mL
	CIL-ULM-8157-1.2	Cyanuric acid 100 µg/mL in Water	1.2 mL
<b>New</b>	CIL-DLM-1632-1.2	Diethylene glycol (D <sub>8</sub> ,98%) 1 mg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-8235-1.2	Diethylene glycol (unlabelled) 1 mg/mL in methanol	1.2 mL
<b>New</b>	CIL-CLM-8316-1.2	Desethylisopropylhydroxyatrazine (Ammeline) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8323-1.2	Desethylisopropylhydroxyatrazine (Ammeline) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CNLM-8150-1.2	Melamine ( <sup>13</sup> C <sub>3</sub> ,99%; Amino- <sup>15</sup> N <sub>3</sub> ,98%) 100 µg/mL in Water	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

	Code	Product	Unit
<b>New</b>	CIL-CNLM-8150-10X-1.2	Melamine ( <sup>13</sup> C <sub>3</sub> ,99%; amino- <sup>15</sup> N <sub>3</sub> ,98%) 1000 µg/mL in Water	1.2 mL
	CIL-ULM-8156-1.2	Melamine (unlabelled) 100 µg/mL in Water	1.2 mL
	CIL-DLM-4412-25	(-)-Menthol (1,2,6,6-D <sub>4</sub> ,98%)	25 mg
	CIL-DLM-4766-1.2	2-Methylisoborneol (2-methyl-D <sub>3</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-7172-1.2	5-(4-Morpholinylmethyl)-3-amino-2-oxazolidinone (AMOZ) (4,4,5,5',5,'-D <sub>5</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	CIL-ULM-7190-1.2	5-(4-Morpholinylmethyl)-3-amino-2-oxazolidinone (AMOZ) (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-CDLM-7279-S	N-Nitrosodimethylamine ( <sup>13</sup> C <sub>2</sub> ,99%;D <sub>6</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL
	CIL-OLM-7310-1.2	Perchloric acid sodium salt ( <sup>18</sup> O <sub>4</sub> ,90%+) 100 µg/mL in Water	1.2 mL
	CIL-ULM-7312-1.2	Perchloric acid sodium salt (unlabelled) 100 µg/mL in Water	1.2 mL
	CIL-CLM-3733-1.2	2-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7396-1.2	2-Phenylphenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-3748-1.2	4-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-OLM-8283-1.2	Potassium bromate ( <sup>18</sup> O <sub>3</sub> ,98%) 100 µg/mL in Water (90-95% chemical purity)	1.2 mL
<b>New</b>	CIL-ULM-8451-1.2	Potassium bromate (unlabelled) 100 µg/mL in Water	1.2 mL
	CIL-CNLM-7221-1.2	Semicarbazide hydrochloride (SEM) ( <sup>13</sup> C,99%; <sup>15</sup> N <sub>2</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	CIL-ULM-7187-1.2	Semicarbazide hydrochloride (SEM) (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-DLM-6083-1.2	2,4,6-Trichloroanisole (D <sub>5</sub> ,98%) 1 mg/mL in Methanol-D <sub>4</sub>	1.2 mL
	CIL-ULM-7999-1.2	2,4,6-Trichloroanisole 1 mg/mL in Methanol	1.2 mL
	CIL-DLM-2080-1.2	1,2,3-Trichloropropane (D <sub>5</sub> ,98%) (Chemical purity 95%) 1000 µg/mL in Methanol	1.2 mL
	CIL-ULM-6911-1.2	1,2,3-Trichloropropane (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	CIL-CLM-6779-1.2	Triclosan (2',4,4'-Trichloro-2-hydroxydiphenyl ether) ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6935-1.2	Triclosan (2',4,4'-Trichloro-2-hydroxydiphenyl ether) (unlabelled) 100 µg/mL in Nonane	1.2 mL

### Phthalate & phthalate metabolite standards

Phthalates are emerging as a growing environmental concern, especially as more is learned about the effect of continued exposure on the environment and the human body. Phthalate diesters are ubiquitous in the laboratory environment, so many analysts are now examining phthalate monoesters and metabolites of phthalate monoesters to reduce background interferences. Adipate esters are also anticipated to be of interest to exposure analysts and additional adipate standards are expected to be made available.

	CIL-DLM-1369-1.2	Benzyl butyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4675-1.2	Bis(2-ethylhexyl) adipate (adipate- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6566-1.2	Bis(2-ethylhexyl) adipate (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1368-1.2	Bis(2-ethylhexyl) phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-6241-1.2	Bis(2-ethylhexyl) phthalate (unlabelled) 1000 µg/mL in Nonane	1.2 mL
	CIL-DLM-1367-1.2	Di-n-butyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4670-1.2	Dicyclohexyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-8785-1.2	Dicyclohexyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1629-1.2	Diethyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6174-1.2	Diethyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1366-1.2	Dimethyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6783-1.2	Dimethyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4669-1.2	Di-n-hexyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7434-1.2	Di-n-hexyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1630-1.2	Di-n-octyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6129-1.2	Di-n-octyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4668-1.2	Di-n-pentyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7433-1.2	Di-n-pentyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4671-1.2	Di-n-propyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4591-1.2	Monobenzyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ,99%; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-6149-1.2	Monobenzyl phthalate (unlabelled) 100 µg/mL in tert Butyl methyl ether	1.2 mL



## Priority pollutants, endocrine disruptor and chemical contaminant standards

	Code	Product	Unit
	CIL-CLM-4590-1.2	Mono-n-butyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-6148-1.2	Mono-n-butyl phthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8148-1.2	Mono-(5-carboxy-2-ethylpentyl) phthalate (DEHP Metabolite V) ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8149-1.2	Mono-(5-carboxy-2-ethylpentyl) phthalate (unlabelled) (DEHP Metabolite V) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8232	Mono-[(3-carboxymethyl)hexyl]phthalate (DEHP metabolite IV) (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>4</sub> ,99%)	on request
<b>New</b>	CIL-ULM-8233-1.2	Mono-(2-Carboxymethylhexyl) phthalate (DEHP metabolite IV) 100 µg/mL in Methylene chloride	1.2 mL
	CIL-CLM-6847-1.2	Mono(3-carboxypropyl)phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> , dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-6848-1.2	Mono(3-carboxypropyl)phthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4592-1.2	Monocyclohexyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> , dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7394-1.2	Monocyclohexyl phthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4584-1.2	Mono-2-ethylhexyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-4583-1.2	Mono-2-ethylhexylphthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-6641-1.2	Mono-(2-ethyl-5-hydroxyhexyl) phthalate (DEHP Metabolite IX) (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-4662-1.2	Mono-(2-ethyl-5-hydroxyhexyl)phthalate (DEHP Metabolite IX) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-6640-1.2	Mono-(2-ethyl-5-oxohexyl) phthalate (DEHP Metabolite VI) ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-4663-1.2	Mono-(2-ethyl-5-oxohexyl) phthalate (DEHP Metabolite VI) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4586-1.2	Monoethyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-4585-1.2	Monoethylphthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7919-1.2	Monoisobutyl phthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-4652-1.2	Mono-isodecylphthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4587-1.2	Monoisononyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-4651-1.2	Mono-isononylphthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-7395-1.2	Monoisopropyl phthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-6071-1.2	Monomethyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-6697-1.2	Monomethyl phthalate (unlabelled) 100 µg/mL Acetonitrile	1.2 mL
	CIL-CLM-4589-1.2	Mono-n-octyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-4593-1.2	Mono-n-octyl phthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7393-1.2	Mono-n-pentyl phthalate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8301-1.2	Phthalic acid (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>Nonylphenol and nonylphenol metabolites</b>			
<b>New</b>	CIL-CLM-8356-1.2	4-(1,3-Dimethyl-1-ethylpentyl) phenol (ring- <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL
<b>New</b>	CIL-ULM-8360-1.2	4-(1,3-Dimethyl-1-ethylpentyl) phenol (unlabelled)	1.2 mL
<b>New</b>	CIL-CLM-8357-1.2	4-(1,4-Dimethyl-1-ethylpentyl) phenol (unlabelled)	1.2 mL
<b>New</b>	CIL-ULM-8361-1.2	4-(1,4-Dimethyl-1-ethylpentyl) phenol (unlabelled)	1.2 mL
<b>New</b>	CIL-CLM-8359-1.2	4-(1-Ethyl-1-methylhexyl) phenol (ring- <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL
<b>New</b>	CIL-ULM-8363-1.2	4-(1-Ethyl-1-methylhexyl) phenol (unlabelled)	1.2 mL
	CIL-CLM-4306-1.2	p-n-Nonylphenol (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-4559-1.2	p-n-Nonylphenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4307-1.2	p-n-Nonylphenol diethoxylate (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-4521-1.2	p-n-Nonylphenol diethoxylate (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-4521-SA-5X-1.2	p-n-Nonylphenol diethoxylate (unlabelled) 500 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4512-1.2	p-n-Nonylphenol monoethoxylate (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-4520-1.2	p-n-Nonylphenol monoethoxylate (unlabelled) 100 µg/mL in Nonane	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

	Code	Product	Unit
<b>New</b>	CIL-U LM-4520-SA-5X-1.2	p-n-Nonylphenol monoethoxylate (unlabelled) 500 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4516-1.2	p-n-Nonylphenol triethoxylate (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ES-4157	Set of p-Nonylphenol/Ethoxlates (ring- <sup>13</sup> C <sub>6</sub> ,99%) Each set contains one 1.2 mL ampoule of CLM 4306-1.2 CLM 4512-1.2 CLM 4307-1.2 CLM 4157-1.2	4 x 1.2 mL
	CIL-U LM-6560-1.2	p-Nonylphenol-technical grade (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7146-1.2	Nonylphenol monoethoxylate-branched isomers (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7147-1.2	Nonylphenol diethoxylate-branched isomers (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-4688-1.2	Nonylphenoxyacetic acid (ring/chain isomers) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-4690-1.2	p-Nonylphenoxyethoxyacetic acid (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-8358-1.2	4-(1,1,5-Trimethylhexyl) phenol (ring- <sup>13</sup> C <sub>6</sub> ,99%)	1.2 mL
<b>New</b>	CIL-U LM-8362-1.2	4-(1,1,5-Trimethylhexyl) phenol (unlabelled)	1.2 mL

### Perfluorinated compounds

<b>New</b>	CIL-CLM-8340-1.2	Perfluorohexanoic acid (PFHxA), sodium salt ( <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8342-1.2	Perfluorohexanoic acid (PFHxA), sodium salt (unlabelled) 50 µg/mL in Methanol	1.2 mL
	CIL-CLM-8005-1.2	Perfluorooctanoic acid (PFOA) ( <sup>13</sup> C <sub>8</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
	CIL-U LM-7451-1.2	Perfluorooctanoic acid (PFOA) (unlabelled) 50 µg/mL in Methanol	1.2 mL
	CIL-CLM-8060-1.2	Perfluorononanoic acid ( <sup>13</sup> C <sub>9</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
	CIL-U LM-8066-1.2	Perfluorononanoic acid (PFNA) (unlabelled) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-CLM-8172-1.2	Perfluorodecanoic acid (PFDA) ( <sup>13</sup> C <sub>9</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8067-1.2	Perfluorodecanoic acid (PFDA) (unlabelled) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-CLM-8240-1.2	Perfluoroundecanoic acid ( <sup>13</sup> C <sub>9</sub> ) 50 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8084-1.2	Perfluoroundecanoic acid (unlabelled) 50 µg/mL in Methanol	1.2 mL

### Nitrosamine standards

	CIL-DLM-7779-S	N-Nitrodimethylamine (dimethyl-D <sub>6</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL
	CIL-U LM-7780-S	N-Nitrodimethylamine (unlabelled) 1 mg/mL in Methylene chloride	1 mL
	CIL-U LM-7168-1.2	NAB (Nitrosoanabasine) (unlabelled) 0.5 mg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7207-1.2	NAT (Nitrosoanatabine) (unlabelled) 2000 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-7982-S	N-Nitrosodiethylamine (D <sub>10</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL
	CIL-U LM-7984-1.2	N-Nitrosodiethylamine (unlabelled) 1 mg/mL in Methylene chloride	1.2 mL
	CIL-CDLM-7279-S	N-Nitrosodimethylamine ( <sup>13</sup> C <sub>2</sub> ,99%;D <sub>6</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL
	CIL-DLM-2130-S	N-Nitrosodimethylamine (2,2',4,4',6,6'-D <sub>6</sub> ,98%) 1000 µg/mL in Methylene chloride-D <sub>2</sub>	1 mL
	CIL-NLM-7647-S	N-Nitrosodimethylamine ( <sup>15</sup> N <sub>2</sub> ,98%) 1 mg/mL in Methylene chloride	1 mL
	CIL-DLM-3098-S	N-Nitrosodiphenylamine (2,2',4,4',6,6'-D <sub>6</sub> ,98%) 1000 µg/mL in Methylene chloride-D <sub>2</sub>	1 mL
<b>New</b>	CIL-U LM-7219-1.2	N-Nitrosodiphenylamine (unlabelled) 1 mg/mL in Methylene chloride	1.2 mL
	CIL-DLM-2131-S	N-Nitroso-di-n-propylamine (D <sub>14</sub> ,98%) 1000 µg/mL in Methylene chloride	1 mL
	CIL-U LM-6637-S	N-Nitroso-di-n-propylamine (unlabelled) 1000 µg/mL in Methylene chloride	1.2 mL
	CIL-DLM-8254-1.2	N-Nitrosomorpholine (D <sub>8</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1.2 mL
<b>New</b>	CIL-U LM-8255-1.2	N-Nitrosomorpholine (unlabelled) 1 mg/mL in Methylene chloride	1.2 mL
	CIL-DLM-8252-1.2	N-Nitrosopyrrolidone (D <sub>8</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1.2 mL
<b>New</b>	CIL-U LM-8253-1.2	N-Nitrosopyrrolidone 1 mg/mL in Methylene chloride	1.2 mL
	CIL-CLM-4555-1.2	NNK (Nicotine-derived nitrosamine ketone) (1,2',3',4',5',6'- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane/Ethanol (9:1)	1.2 mL
	CIL-CLM-4557-1.2	NNN (N-Nitrosornornicotine) (2,2',3,4,5,6- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane/Ethanol (9:1)	1.2 mL

### Tobacco metabolite and flavoring standards

		In addition to the compounds listed below, CIL is involved in ongoing programs to create standards for the analysis of tobacco products and the chemicals it produces when burned.	
	CIL-CLM-6023-1.2	4-Methylumbelliferone (2,3,4-methyl- <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-ULM-7309-1.2	4-Methylumbelliferone (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-7168-1.2	NAB (Nitrosoanabasine) (unlabelled) 0.5 mg/mL in Acetonitrile	1.2 mL
CIL-ULM-7207-1.2	NAT (Nitrosoanatabine) (unlabelled) 2000 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4555-1.2	NNK (Nicotine-derived nitrosamine ketone) (1,2',3',4',5',6'- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane/Ethanol (9:1)	1.2 mL
CIL-CLM-4557-1.2	NNN (N-Nitrosornicotine) (2,2',3,4,5,6- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane/Ethanol (9:1)	1.2 mL
CIL-DLM-4412-25	(-)-Menthol (1,2,6,6-D <sub>4</sub> ,98%)	25 mg

### Halogenated and substituted benzene and phenol standards

Many industrial and consumer products are composed of chemicals that contain halogenated or substituted benzene, or phenol functional groups. Resistant to decomposition and metabolism, these chemicals may persist even after the parent molecule has undergone partial decomposition, or they may exist as a product or industrial byproduct. The increased use of brominated compounds is expected to lead to more brominated benzenes and phenols in the environment, and the continued presence of chlorinated compounds ensures that chlorinated benzenes and phenols will be found in the environment for years to come.

CIL-CLM-2268-1.2	4-Bromophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-6917-1.2	4-Bromophenol (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-1913-1.2	4-Chlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-7420-1.2	4-Chlorophenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6058-1.2	2,4-Dibromophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-8007-1.2	2,6-Dibromophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-7603-1.2	2,6-Dibromophenol (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-6918-1.2	2,4-Dibromophenol (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-126-1.2	1,2-Dichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-ULM-7415-1.2	1,2-Dichlorobenzene (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-4484-1.2	1,3-Dichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-ULM-7431-1.2	1,3-Dichlorobenzene (unlabelled) 100 µg/mL in Isooctane	1.2 mL
<b>New</b> CIL-DLM-1359-0.5	2,4-Dichlorophenol (ring-D <sub>3</sub> ,98%)	0.5 g
CIL-ULM-6822-1.2	2,4-Dichlorophenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1365-1.2	2,5-Dichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
CIL-CLM-1921-1.2	Hexabromobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-7607-1.2	Hexabromobenzene (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-1959-1.2	Pentabromophenol ( <sup>13</sup> C <sub>6</sub> ,98%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-6922-1.2	Pentabromophenol (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-8003-1.2	Pentachloroanisole ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-7605-1.2	Pentachloroanisole (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-2050-1.2	Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-ULM-7234-1.2	Pentachlorobenzene (unlabelled) 100 µg/mL in Isooctane	1.2 mL
CIL-CLM-1955-1.2	Pentachloronitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-661-1.2	Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6894-1.2	Pentachlorophenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1996-1.2	2,3,4,5-Tetrabromophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-6778-1.2	2,3,4,5-Tetrabromophenol (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-1982-1.2	1,2,3,4-Tetrachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-ULM-6195-1.2	1,2,3,4-Tetrachlorobenzene 100 µg/mL (unlabelled) in Isooctane	1.2 mL
<b>New</b> CIL-ULM-7599-1.2	1,2,3,5-Tetrachlorobenzene (unlabelled) 100 µg/mL in Isooctane	1.2 mL
<b>New</b> CIL-ULM-7598-1.2	1,2,4,5-Tetrachlorobenzene (unlabelled) 100 µg/mL in Isooctane	1.2 mL
CIL-CLM-8006-1.2	Tetrachlorobisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
CIL-ULM-7606-1.2	Tetrachlorobisphenol A (unlabelled) 50 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-CLM-7488	2,3,4-Tribromophenol ( <sup>13</sup> C <sub>6</sub> ,99%)	on request
CIL-CLM-6151-1.2	2,4,5-Tribromophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
CIL-ULM-6084-1.2	2,4,5-Tribromophenol (unlabelled) 100 µg/mL in Toluene	1.2 mL
CIL-CLM-6743-1.2	2,4,6-Tribromophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

	Code	Product	Unit
<b>New</b>	CIL-DLM-7506	2,4,6-Tribromophenol (3,5-D2, 98%)	on request
<b>New</b>	CIL-ULM-4210-1.2	2,4,6-Tribromophenol (unlabelled) 100 µg/mL in Toluene	1.2 mL
	CIL-CLM-1836-1.2	3,4,5-Tribromophenol ( <sup>13</sup> C <sub>6</sub> ,98%) 100 µg/mL in Toluene	1.2 mL
<b>New</b>	CIL-CLM-513-SI-1.2	2,4,5-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
	CIL-ULM-7525-1.2	2,4,5-Trichlorophenol (unlabeled) 100 µg/ml in Methanol	1.2 mL
	CIL-CLM-1804-SI-1.2	2,4,6-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-ULM-7600-1.2	2,4,6-Trichlorophenol (unlabelled) 100 µg/mL in Methanol	1.2 mL

## Endocrine disrupting compounds and xenoestrogen standards

CIL is committed to supporting the analysis of Endocrine Disrupting Compounds (EDCs) using Isotope Dilution Mass Spectrometry. If you require an EDC not listed, please contact us to discuss preparation.

	CIL-CLM-1643-1.2	Acenaphthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-108-1.2	Acenaphthene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
	CIL-ULM-7413-1.2	Acenaphthene (unlabelled) 200 µg/mL Isooctane	1.2 mL
	CIL-CLM-3727-1.2	Alachlor (ring- <sup>13</sup> C <sub>6</sub> ,98%) 100 µg/mL in Nonane (Chemical purity 96%)	1.2 mL
	CIL-CLM-4725-1.2	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-1333-1.2	Anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-102-1.2	Anthracene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
	CIL-ULM-7412-1.2	Anthracene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-CLM-3737-1.2	Atrazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-3737-D-1.2	Atrazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Dioxane	1.2 mL
	CIL-CLM-3602-1.2	Benzo[a]anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-610-1.2	Benzo[a]anthracene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
	CIL-ULM-2415-1.2	Benzo[a]anthracene (unlabelled) 1000 µg/mL in Methanol	1.2 mL
	CIL-CLM-2722-1.2	Benzo[a]pyrene ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-258-1.2	Benzo[a]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
<b>New</b>	CIL-ULM-7423-1.2	Benzo[e]pyrene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-CLM-3599-1.2	Benzo[b]fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-2136-1.2	Benzo[b]fluoranthene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
	CIL-ULM-2416-1.2	Benzo[b]fluoranthene (unlabelled) 1000 µg/mL in Acetone	1.2 mL
	CIL-CLM-3756-1.2	Benzo[k]fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1923-1.2	Benzo[k]fluoranthene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
	CIL-DLM-183-1.2	Benzophenone (D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1369-1.2	Benzyl butyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-6241-1.2	Bis(2-ethylhexyl) phthalate (unlabelled) 1000 µg/mL in Nonane	1.2 mL
	CIL-CLM-4675-1.2	Bis(2-ethylhexyl) adipate (adipate- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1368-1.2	Bis(2-ethylhexyl) phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4325-1.2	Bisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-DLM-1839-0.1	Bisphenol A (D <sub>16</sub> ,98%)	0.1 g
	CIL-ULM-7106-1.2	Bisphenol A (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-8654-1.2	2,4'-Bisphenol A (2-(2-Hydroxyphenyl)-2-(4-hydroxyphenyl)propane) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4674-1.2	n-Butyl benzene (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4682-1.2	Carbaryl (ring- <sup>13</sup> C <sub>6</sub> , 99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4792-1.2	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-2419-1.2	cis-Chlordane (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4814-1.2	Chlordecone (Kepone <sup>®</sup> ) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2301-1.2	Chlordecone (Kepone <sup>®</sup> ) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4758-1.2	Chlordene ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7443-1.2	Chlordene (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-4360-1.2	Chlorpyrifos (diethyl-D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-CLM-3757-1.2	Chrysene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-261-1.2	Chrysene (D <sub>12</sub> ,98%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-U LM-7424-1.2	Chrysene (unlabelled) 200 µg/mL in Toluene	1.2 mL
CIL-DLM-4461-1.2	Daidzein (3',5',8-D <sub>3</sub> ,97%) 60 µg/mL in Acetonitrile-D <sub>3</sub>	2 x 1.2 mL
CIL-U LM-4459-1.2	Daidzein (unlabelled) 60 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-1148-1.2	Diazinon (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2943-1.2	2,6-Di-(tert-butyl)-4-methylphenol (BHT) (D <sub>21</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-3533-1.2	4,4'-DDD (ring-D <sub>8</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4693-1.2	2,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6251-1.2	2,4'-DDE (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1627-1.2	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4692-1.2	2,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> , 99 %) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6134-1.2	2,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1281-1.2	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6135-1.2	4,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1669-0.1	2,4-Dichlorophenol (ring-D <sub>3</sub> ,OD,98%)	0.1 g
CIL-CLM-1858-1.2	2,4-D (2,4-Dichlorophenoxyacetic acid) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4726-1.2	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7230-1.2	Dieldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1629-1.2	Diethyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1367-1.2	Di-n-butyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4669-1.2	Di-n-hexyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7434-1.2	Di-n-hexyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4668-1.2	Di-n-pentyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7433-1.2	Di-n-pentyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4671-1.2	Di-n-propyl phthalate (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>2</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6025-1.2	Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2862-1.2	Endosulfan I (D <sub>4</sub> ,97%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7447-1.2	Endosulfan I (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6026-1.2	Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7448-1.2	Endosulfan II (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4782-1.2	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7444-1.2	Endrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4815-50	Endrin aldehyde ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-CLM-4816-50	Endrin ketone ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-DLM-4460-1.2	Genistein (3',5',6,8-D <sub>4</sub> ,95%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-U LM-4458-1.2	Genistein (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-2482-1.2	alpha-HCH (alpha-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3623-1.2	beta-HCH (beta-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	2 x 1.2 mL
CIL-CLM-1282-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4759-1.2	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2424-1.2	Heptachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4734-1.2	cis-Heptachlor epoxide (isomer B) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2425-1.2	cis-Heptachlor epoxide (isomer B) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-351-1.2	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3600-1.2	Indeno[1,2,3-cd]pyrene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2148-1.2	Indeno[1,2,3-cd]pyrene (D <sub>12</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-CLM-4727-1.2	Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7442-1.2	Isodrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-4476-1.2	Malathion (D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4683-1.2	Methoxychlor (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL



## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-ULM-7440-1.2	Methoxychlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3712-1.2	Metolachlor (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7314-1.2	Metolachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4813-1.2	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2427-1.2	Mirex (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8232	Mono-[(3-carboxymethyl)hexyl]phthalate (DEHP metabolite IV) (ring-1,2- <sup>13</sup> C <sub>2</sub> ; dicarboxyl- <sup>13</sup> C <sub>4</sub> ,99%)	on request
CIL-CLM-3913-S	4-Nitrotoluene (ring- <sup>13</sup> C <sub>6</sub> ,99%) 1000 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-3891-1.2	4-Nitrotoluene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4811-1.2	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4735-1.2	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7229-1.2	trans-Nonachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4306-1.2	p-n-Nonylphenol (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-4559-1.2	p-n-Nonylphenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4512-1.2	p-n-Nonylphenol monoethoxylate (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-4520-1.2	p-n-Nonylphenol monoethoxylate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4729-1.2	Oxychlorane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6139-1.2	Oxychlorane (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2970-1.2	Parathion-ethyl (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2970-0.01	Parathion-ethyl (diethyl-D <sub>10</sub> ,98%)	10 mg
CIL-ULM-8144-1.2	Parathion 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-7930-1.2	Parlar 26 (2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane) (U- <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7828-1.2	Parlar 26 (2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8705-1.2	Parlar 32 (2,2,5-endo,6-exo,8,9,10-Heptachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8665-1.2	Parlar 32 (2,2,5-endo,6-exo,8,9,10-Heptachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-7931-1.2	Parlar 50 (2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane) (U- <sup>13</sup> C <sub>10</sub> , 99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7829-1.2	Parlar 50 (2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-7932-1.2	Parlar 62 (2-endo,2-exo,5-endo,5-exo,8,9,9,10,10-Nonachlorobornane) (U- <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7830-1.2	Parlar 62 (2-endo,2-exo,5-endo,5-exo,8,9,9,10,10-Nonachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8720-1.2	Parlar 69 (2,2,5,5,6-exo,8,9,9,10,10-Decachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8768-1.2	Parlar 69 (2,2,5,5,6-exo,8,9,9,10,10-Decachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8721-1.2	Parlar 70 (2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8769-1.2	Parlar 70 (2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
CIL-EC-1404-3	3,3',4,4'-Tetrachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #77) 40 µg/mL in Nonane	3 mL
CIL-EC-1425-3	3,3',4,4',5-Pentachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #126) 40 µg/mL in Nonane	3 mL
CIL-EC-1416-3	3,3',4,4',5,5'-Hexachlorobiphenyl ( <sup>13</sup> C <sub>12</sub> ,99%) (IUPAC #169) 40 µg/mL in Nonane	3 mL
CIL-CLM-2050-1.2	Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-ULM-7234-1.2	Pentachlorobenzene (unlabelled) 100 µg/mL in Isooctane	1.2 mL
CIL-CLM-1955-1.2	Pentachloronitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7597-1.2	Pentachloronitrobenzene (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-661-1.2	Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6894-1.2	Pentachlorophenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-7322-1.2	cis-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8526-1.2	cis-Permethrin (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-CLM-7323-1.2	trans-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-CLM-2451-1.2	Phenanthrene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-371-1.2	Phenanthrene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-ULM-7427-1.2	Phenanthrene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
CIL-CLM-3739-1.2	Simazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
CIL-CLM-4694-1.2	Tetrabromobisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-ULM-8734-1.2	Tetrabromobisphenol A (unlabelled) 50 µg/mL in Methanol	1.2 mL
CIL-ED-900	2,3,7,8-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-ED-901	2,3,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	4 x 1.2 mL
CIL-CLM-4551-1.2	2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methylene chloride	1.2 mL
CIL-ULM-7213-1.2	2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) (unlabelled) 100 µg/mL in Methylene chloride	1.2 mL
CIL-DLM-4479-1.2	Trifluralin (di-n-propyl-D <sub>14</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
<b>Isotope labelled chlorinated diphenyl ether standards</b>		
<b>New</b> CIL-EO-4907	2,3',4,5'-Tetrachlorodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in n-Nonane	1.2 mL
<b>New</b> CIL-EO-1449	3,3',4,4'-Tetrachlorodiphenyl ether (TetraCDE) ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EO-1480	2,2',3,3',4,4'-Hexachlorodiphenyl ether (HexaCDE) ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-EO-1469	2,3,3',4,4',5-Hexachlorodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EO-5051	2,2',3,4,5,5'-Hexachlorodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in n-Nonane	1.2 mL
CIL-EO-1489	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>Unlabelled chlorinated diphenyl ether standards</b>		
CIL-EO-4119	4-Monochlorodiphenyl ether (unlabelled) 50 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-EO-1448	3,3',4,4'-Tetrachlorobiphenyl ether (unlabelled) 50 µg/mL in n-Nonane	1.2 mL
<b>New</b> CIL-EO-5066	2,2',3,4,5,5'-Hexachlorodiphenyl ether (unlabelled) 50 µg/mL in n-Nonane	1.2 mL
<b>New</b> CIL-EO-1488	2,2',3,3',4,4',5,5'-Octachlorodiphenyl ether (OctaCDE) (unlabelled) 50 µg/mL in Nonane	1.2 mL
<b>Other industrial chemicals</b>		
CIL-DLM-183-1.2	Benzophenone (D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8303-1.2	Benzophenone (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4325-1.2	Bisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-7106-1.2	Bisphenol A (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-8654-1.2	2,4'-Bisphenol A (2-(2-Hydroxyphenyl)-2-(4-hydroxyphenyl)propane) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4674-1.2	n-Butyl benzene (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4695-1.2	1,2-Dibromo-3-chloropropane ( <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
CIL-ULM-6583-1.2	1,2-Dibromo-3-chloropropane (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-CLM-6144-1.2	1,1-Dichloroethylene (random- <sup>13</sup> C,99%) (stabilised with Hydroquinone) 100 µg/mL in Methanol	1.2 mL
CIL-ULM-7214-1.2	1,1-Dichloroethylene (stabilized with hydroquinone) 100 µg/mL in Methanol	1.2 mL
CIL-CLM-6145-1.2	1,2-Dichloroethylene ( <sup>13</sup> C <sub>1</sub> ,99%) (cis/trans mix) (stabilised with hydroquinone) 100 µg/mL in Methanol	1.2 mL
CIL-ULM-7215-1.2	1,2-Dichloroethylene (cis/trans mix) (stabilised with hydroquinone) (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-CLM-1305-1.2	2,4-Dichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3374-1.2	Epichlorohydrin ( <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-1008-1	Epichlorohydrin (D <sub>5</sub> ,98%)	1 g
<b>New</b> CIL-ULM-7403-1.2	Epichlorohydrin (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-8008-1.2	Hexachlorophene ( <sup>13</sup> C <sub>13</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
CIL-ULM-8009-1.2	Hexachlorophene (unlabelled) 50 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-CLM-4745-1.2	4-Hydroxybenzoic acid (ring- <sup>13</sup> C <sub>6</sub> ,99%) 1 mg/mL in Methanol	1.2 mL
<b>New</b> CIL-ULM-8251-1.2	4-Hydroxybenzoic acid (unlabelled) 1 mg/mL in Methanol	1.2 mL
CIL-CLM-4694-1.2	Tetrabromobisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-ULM-8734-1.2	Tetrabromobisphenol A (unlabelled) 50 µg/mL in Methanol	1.2 mL
CIL-CLM-8006-1.2	Tetrachlorobisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Methanol	1.2 mL
CIL-ULM-7606-1.2	Tetrachlorobisphenol A (unlabelled) 50 µg/mL in Methanol	1.2 mL
CIL-DLM-7136-1.2	Tributyltin chloride (D <sub>27</sub> ,98%) 100 µg/mL in Methylene chloride-D <sub>2</sub>	1.2 mL



## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-ULM-8061-1.2	Tributyltin chloride 100 µg/mL in Methylene chloride	1.2 mL
CIL-CLM-6185-1.2	1,1,1-Trichloroethane (2- <sup>13</sup> C,99%) 100 µg/mL in Methanol	1.2 mL
CIL-ULM-6709-1.2	1,1,1-Trichloroethane (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-DLM-2080-1.2	1,2,3-Trichloropropane (D <sub>5</sub> ,98%) (Chemical purity 95%) 1000 µg/mL in Methanol	1.2 mL
CIL-ULM-6911-1.2	1,2,3-Trichloropropane (unlabelled) 1000 µg/mL in Methanol	1.2 mL

### Explosive standards

	CIL-CLM-1519-S	1,3-Dinitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 1000 µg/mL in Acetonitrile	1 mL
<b>New</b>	CIL-CLM-1519-0.1	1,3-Dinitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.1 g
	CIL-ULM-3850-1.2	1,3-Dinitrobenzene 1000 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-DLM-299-10	2,4-Dinitrophenol (ring-D <sub>3</sub> ,98%) (contains 0.35 mg/mL deuterium) 1000 µg/mL in D <sub>2</sub> O	10 mL
	CIL-DLM-2207-S	2,4-Dinitrotoluene (ring-D <sub>3</sub> ,98%) 1000 µg/mL in Acetonitrile	1 mL
	CIL-ULM-3888-S	2,4-Dinitrotoluene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-1939-S	2,6-Dinitrotoluene (methyl-D <sub>3</sub> ,98%) 1000 µg/mL in Acetonitrile	1 mL
	CIL-ULM-3889-S	2,6-Dinitrotoluene (unlabelled) 1000 µg/mL in Acetonitrile	1 mL
	CIL-CNLM-7963-S	HMX ( <sup>13</sup> C <sub>4</sub> ,99%; ring- <sup>15</sup> N <sub>4</sub> ,98%) 1 mg/mL in Acetonitrile	1 mL
	CIL-ULM-7969-S	HMX (unlabelled) 1 mg/mL in Acetonitrile	1 mL
	CIL-CLM-675-S	Nitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 1000 µg/ml in Acetonitrile	1 mL
<b>New</b>	CIL-CLM-675-0.25	Nitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.25 g
<b>New</b>	CIL-CLM-675-0.5	Nitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.5 g
	CIL-ULM-3892-1.2	Nitrobenzene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-3893-S	Nitroglycerin (Trinitroglycerol) 1000 µg/mL in Acetonitrile	1 mL
	CIL-CLM-3912-S	2-Nitrotoluene (ring- <sup>13</sup> C <sub>6</sub> ,99%) 1000 µg/mL in Acetonitrile	1 mL
	CIL-ULM-3890-1.2	2-Nitrotoluene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-3913-S	4-Nitrotoluene (ring- <sup>13</sup> C <sub>6</sub> ,99%) 1000 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-3913-0	4-Nitrotoluene (ring- <sup>13</sup> C <sub>6</sub> ,99%)	on request
	CIL-ULM-3891-1.2	4-Nitrotoluene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
	CIL-CNLM-7987-S	RDX ( <sup>13</sup> C <sub>3</sub> , 99%; <sup>15</sup> N <sub>3</sub> , 98%) 1 mg/mL in Acetonitrile	1 mL
	CIL-ULM-3847-S	RDX (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-3848-S	1,3,5-Trinitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 1000 µg/mL in Acetonitril	1.2 mL
	CIL-ULM-3849-1.2	1,3,5-Trinitrobenzene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-3849-1.2	1,3,5-Trinitrobenzene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
	CIL-CNLM-3643-S	2,4,6-Trinitrotoluene ( <sup>15</sup> N <sub>3</sub> ,98%; <sup>13</sup> C <sub>7</sub> ,99%) 1000 µg/mL in Benzene wetted with H <sub>2</sub> O 33% by weight	1.2 mL
	CIL-ULM-3845-S	2,4,6-Trinitrotoluene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL

### Individual n-alkane standards

	CIL-DLM-1213-1	n-Pentane (D <sub>12</sub> ,98%)	1 g
	CIL-DLM-1213-5	n-Pentane (D <sub>12</sub> ,98%)	5 g
	CIL-DLM-139-1	n-Hexane (D <sub>14</sub> ,99%)	1 g
	CIL-DLM-139-5	n-Hexane (D <sub>14</sub> ,99%)	5 g
	CIL-DLM-423-1	n-Heptane (D <sub>16</sub> ,98%)	1 g
	CIL-DLM-423-5	n-Heptane (D <sub>16</sub> ,98%)	5 g
	CIL-DLM-50-1	n-Octane (D <sub>18</sub> ,99%)	1 g
	CIL-DLM-50-5	n-Octane (D <sub>18</sub> ,99%)	5 g
	CIL-DLM-2438-1	n-Nonane (D <sub>20</sub> ,98%)	1 g
	CIL-DLM-2438-5	n-Nonane (D <sub>20</sub> ,98%)	5 g
	CIL-DLM-133-1	n-Decane (D <sub>22</sub> ,99%)	1 g
	CIL-DLM-133-5	n-Decane (D <sub>22</sub> ,99%)	5 g
	CIL-DLM-338-1	n-Dodecane (D <sub>26</sub> ,98%)	1 g
	CIL-DLM-338-5	n-Dodecane (D <sub>26</sub> ,98%)	5 g
	CIL-DLM-1354-0.5	n-Tridecane (D <sub>28</sub> ,98%)	0.5 g

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-DLM-670-1	n-Tetradecane (D <sub>30</sub> ,98%)	1 g
CIL-DLM-670-5	n-Tetradecane (D <sub>30</sub> ,98%)	5 g
CIL-DLM-1283-1	n-Pentadecane (D <sub>32</sub> ,98%)	1 g
CIL-DLM-1283-5	n-Pentadecane (D <sub>32</sub> ,98%)	5 g
CIL-DLM-203-0.1	n-Hexadecane (D <sub>34</sub> ,98%)	0.1 g
CIL-DLM-203-5	n-Hexadecane (D <sub>34</sub> ,98%)	5 g
CIL-DLM-1342-5	n-Heptadecane (D <sub>36</sub> ,98%)	5 g
CIL-DLM-1346-0.1	n-Nonadecane (D <sub>40</sub> ,98%)	0.1 g
CIL-DLM-1346-1	n-Nonadecane (D <sub>40</sub> ,98%)	1 g
CIL-DLM-2208-0.5	n-Eicosane (D <sub>42</sub> ,98%)	0.5 g
CIL-DLM-2208-1	n-Eicosane (D <sub>42</sub> ,98%)	1 g
CIL-DLM-3336-1	n-Tricosane (D <sub>48</sub> ,98%)	1 g
CIL-DLM-2209-0.5	n-Tetracosane (D <sub>50</sub> ,98%)	0.5 g
CIL-DLM-2210-0.5	n-Triacontane (D <sub>62</sub> ,98%)	0.5 g
CIL-DLM-2724-1	n-Dotriacontane (D <sub>66</sub> ,98%)	1 g
CIL-DLM-2634-1	n-Hexatriacontane (D <sub>74</sub> ,98%)	1 g

### Priority pollutant standards

	CIL-CLM-1643-1.2	Acenaphthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7413-1.2	Acenaphthene (unlabelled) 200 µg/mL Isooctane	1.2 mL
	CIL-CLM-2477-1.2	Acenaphthylene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7422-1.2	Acenaphthylene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-DLM-9-10	Acetone (D <sub>6</sub> ,99,9%)	10 g
	CIL-DLM-9-25	Acetone (D <sub>6</sub> ,99,9%)	25 g
	CIL-CLM-856-0.1	Acrylonitrile ( <sup>13</sup> C <sub>3</sub> ,99%) (inhibited with 0.1% 4-methoxyphenol)	0.1 g
	CIL-DLM-820-1	Acrylonitrile (D <sub>3</sub> ,98%) (inhibited with 0.1% 4-methoxyphenol)	1 g
	CIL-DLM-820-5	Acrylonitrile (D <sub>3</sub> ,98%) (inhibited with 0.1% 4-methoxyphenol)	5 g
	CIL-CLM-4725-1.2	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7441-1.2	Aldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-2030-1.2	2-Aminonaphthalene (ring-D <sub>7</sub> ,98%) 1000 µg/mL in Benzene	1.2 mL
<b>New</b>	CIL-DLM-7658	1-Amino-2-propanol (D <sub>9</sub> ,98%)	1.2 mL
	CIL-CLM-714-0.1	Aniline ( <sup>13</sup> C <sub>6</sub> ,99%)	0.1 g
	CIL-CLM-714-0.25	Aniline ( <sup>13</sup> C <sub>6</sub> ,99%)	0.25 g
	CIL-DLM-862-1	Aniline (ring-D <sub>5</sub> ,98%)	1 g
	CIL-DLM-862-5	Aniline (ring-D <sub>5</sub> ,98%)	5 g
	CIL-DLM-106-5	Aniline (D <sub>7</sub> ,98%)	5 g
	CIL-CLM-1333-1.2	Anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7412-1.2	Anthracene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-CLM-3602-1.2	Benzo[a]anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-U LM-2415-I-1.2	Benzo[a]anthracene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-CLM-182-0.1	Benzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.1 g
	CIL-CLM-182-0.5	Benzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.5 g
	CIL-DLM-1101-5	Benzene (D <sub>1</sub> ,98%)	5 g
<b>New</b>	CIL-DLM-256	Benzene (D <sub>5</sub> ,98%)	on request
	CIL-DLM-1-5	Benzene (D <sub>6</sub> ,99.6%)	5 g
	CIL-DLM-1-10	Benzene (D <sub>6</sub> ,99.6%)	10 g
	CIL-DLM-1-25	Benzene (D <sub>6</sub> ,99.6%)	25 g
	CIL-DLM-1-50	Benzene (D <sub>6</sub> ,99.6%)	50 g
	CIL-CDLM-629-0.1	Benzene ( <sup>13</sup> C <sub>6</sub> ,99%;D <sub>6</sub> ,98%)	0.1 g
	CIL-DLM-1338-1.2	Benidine (ring-D <sub>8</sub> ,98%) 100 µg/mL in Toluene	1.2 mL
	CIL-DLM-122-1	Benzoic acid (ring-D <sub>5</sub> ,98%)	1 g

## Priority pollutants, endocrine disruptor and chemical contaminant standards

	Code	Product	Unit
	CIL-DLM-122-5	Benzoic acid (ring-D <sub>5</sub> ,99%)	5 g
	CIL-CLM-2722-1.2	Benzo[a]pyrene ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-U LM-8717-1.2	Benzo[a]pyrene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
	CIL-CLM-3599-1.2	Benzo[b]fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-3756-1.2	Benzo[k]fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-1364-1.2	Benzo[ghi]perylene ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-2418-1.2	Benzo[g,h,i]perylene (unlabelled) 1000 µg/mL in Methylene chloride	1.2 mL
	CIL-DLM-1663-1	1,4-Benzoquinone (D <sub>4</sub> ,98%)	1 g
	CIL-DLM-1369-1.2	Benzyl butyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1369-0.1	Butyl benzyl phthalate (ring-D <sub>4</sub> ,98%)	0.1 g
	CIL-DLM-494-1	Biphenyl (D <sub>10</sub> ,98%)	1 g
	CIL-DLM-494-5	Biphenyl (D <sub>10</sub> ,99%)	5 g
	CIL-U LM-1710-1.2	Biphenyl (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-U LM-1710-0.5	Biphenyl (unlabelled)	0.5 g
	CIL-DLM-1945-0.1	Bis(2-chloroethoxy) methane (chloroethoxy-D <sub>8</sub> ,98%)	0.1 g
	CIL-DLM-2004-0.05	Bis(2-chloroethyl) ether (D <sub>8</sub> ,98%)	0.05 g
	CIL-DLM-2004-0.1	Bis(2-chloroethyl) ether (D <sub>8</sub> ,98%)	0.1 g
<b>New</b>	CIL-DLM-2138	Bis(2-chloroisopropyl) ether (D <sub>12</sub> ,95%)	1 g
<b>New</b>	CIL-U LM-3693	Bis(2-chloroisopropyl) ether (unlabelled)	on request
	CIL-CLM-4325-1.2	Bisphenol A (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7106-1.2	Bisphenol A (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-8654-1.2	2,4'-Bisphenol A (2-(2-Hydroxyphenyl)-2-(4-hydroxyphenyl)propane) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-1368-1.2	Bis(2-ethylhexyl) phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1368-0.1	Bis(2-ethylhexyl) phthalate (ring-D <sub>4</sub> ,98%)	0.1 g
	CIL-DLM-1368-0.25	Bis(2-ethylhexyl) phthalate (ring-D <sub>4</sub> ,98%)	0.25 g
	CIL-CLM-871-0.5	Bromobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.5 g
	CIL-DLM-398-5	Bromobenzene (D <sub>5</sub> ,99%)	5 g
	CIL-DLM-398-10	Bromobenzene (D <sub>5</sub> ,99%)	10 g
	CIL-DLM-398-25	Bromobenzene (D <sub>5</sub> ,99%)	25 g
	CIL-DLM-872-0.1	Bromochloromethane (D <sub>2</sub> ,98%)	0.1 g
<b>New</b>	CIL-CLM-2090-1	Bromodichloromethane ( <sup>13</sup> C,99%) (stabilized with K <sub>2</sub> CO <sub>3</sub> )	1 g
<b>New</b>	CIL-U LM-8480	Bromodichloromethane (unlabelled)	on request
	CIL-DLM-874-10	Bromoethane (D <sub>5</sub> ,98%)	10 g
	CIL-DLM-103-1	2-Bromoethanol (1,1,2,2-D <sub>4</sub> ,98%)	1 g
	CIL-DLM-103-5	2-Bromoethanol (1,1,2,2-D <sub>4</sub> ,98%)	5 g
	CIL-CLM-726-0.1	Bromoform ( <sup>13</sup> C,99%) (stabilised with copper wire)	0.1 g
	CIL-DLM-400-10	Bromoform (D,99,5%) (stabilised with copper wire)	10 g
	CIL-EO-4999	4-Monobromodiphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE 3) 50 µg/mL in Nonane	1.2 mL
	CIL-DLM-1947-0.1	4-Bromophenylphenyl ether (phenyl-D <sub>5</sub> ,98%)	0.1 g
	CIL-DLM-1910-0.1	2-Butanone (methyl ethyl ketone) (4,4,4-D <sub>3</sub> ,98%)	0.1 g
	CIL-DLM-1910-1	2-Butanone (methyl ethyl ketone) (4,4,4-D <sub>3</sub> ,98%)	1 g
	CIL-DLM-663-0.1	2-Butanone (methyl ethyl ketone) (1,1,1,3,3-D <sub>5</sub> ,98%)	0.1 g
	CIL-DLM-663-1	2-Butanone (methyl ethyl ketone) (1,1,1,3,3-D <sub>5</sub> ,98%)	1 g
	CIL-DLM-663-5	2-Butanone (methyl ethyl ketone) (1,1,1,3,3-D <sub>5</sub> ,98%)	5 g
	CIL-DLM-2134-0.1	Carbazole (D <sub>8</sub> ,98%)	0.1 g
	CIL-CLM-731-0.1	Carbon tetrachloride ( <sup>13</sup> C,99%)	0.1 g
	CIL-CLM-731-0.5	Carbon tetrachloride ( <sup>13</sup> C,99%)	0.5 g
	CIL-CLM-731-1	Carbon tetrachloride ( <sup>13</sup> C,99%)	1 g
	CIL-CLM-1520-1	Catechol ( <sup>13</sup> C <sub>6</sub> ,99%)	1 mg
	CIL-DLM-1912-5	Catechol (D <sub>6</sub> ,98%)	5 g

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-DLM-263-1	Chlorobenzene (D <sub>5</sub> ,99%)	1 g
CIL-DLM-263-5	Chlorobenzene (D <sub>5</sub> ,99%)	5 g
CIL-CLM-2284-1	4-Chlorocatechol (13C <sub>6</sub> ,99%)	1 mg
<b>New</b> CIL-U LM-1701-0.1	4-Chlorocatechol (unlabelled) (Chemical purity: 90-95%)	0.1 g
CIL-CLM-8087-1.2	cis-Chlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-U LM-2419-25	cis-Chlordane (unlabelled)	25 mg
CIL-CLM-4792-1.2	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2420-25	trans-Chlordane (unlabelled)	25 mg
<b>New</b> CIL-CLM-2091	Chlorodibromomethane ( <sup>13</sup> C,99%)	on request
CIL-DLM-1171-5	Chloroethane (D <sub>5</sub> ,98%)	5 g
CIL-CLM-262-0.1	Chloroform ( <sup>13</sup> C,99%)	0.1 g
CIL-CLM-262-0.5	Chloroform ( <sup>13</sup> C,99%)	0.5 g
CIL-CLM-262-1	Chloroform ( <sup>13</sup> C,99%)	1 g
CIL-DLM-7-50	Chloroform (D,99.8%)	50 g
CIL-DLM-7-100	Chloroform (D,99.8%)	100 g
<b>New</b> CIL-U LM-1705-0.1	4-Chloroguaiacol (unlabelled) (Chemical purity: 85-90%)	0.1 g
CIL-DLM-2037-1	Chloriodomethane (D <sub>2</sub> ,98%) (stabilised with copper wire)	1 g
CIL-DLM-2205-0.01	4-Chloro-3-methylphenol (ring-2,6-D <sub>2</sub> ,98%)	0.01 g
CIL-DLM-2205-0.1	4-Chloro-3-methylphenol (ring-2,6-D <sub>2</sub> ,98%)	0.1 g
<b>New</b> CIL-DLM-2005-1.2	2-Chloronaphthalene (D <sub>7</sub> ,98%) 100 µg/mL in Nonane 2-Chloronaphthalene (D <sub>7</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2005-0.01	2-Chloronaphthalene (D <sub>7</sub> ,98%)	0.01 g
CIL-DLM-2005-0.1	2-Chloronaphthalene (D <sub>7</sub> ,98%)	0.1 g
CIL-CLM-1559-1	4-Chloronitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1 mg
CIL-DLM-1638-0.1	2-Chlorophenol (ring-D <sub>4</sub> ,99%)	0.1 g
CIL-DLM-1638-0.25	2-Chlorophenol (ring-D <sub>4</sub> ,99%)	0.25 g
CIL-DLM-1930-0.1	4-Chlorophenyl phenyl ether (phenyl-D <sub>5</sub> ,98%)	0.1 g
CIL-U LM-2421-0.1	4-Chlorophenyl phenyl ether (unlabelled)	0.1 g
CIL-DLM-3014-1	2-Chloropropene (D <sub>5</sub> ,98%)	1 g
CIL-DLM-3014-5	2-Chloropropene (D <sub>5</sub> ,98%)	5 g
CIL-DLM-3016-5	o-Cresol (D <sub>8</sub> ,98%)	5 g
CIL-DLM-3017-5	p-Cresol (D <sub>8</sub> ,98%)	5 g
<b>New</b> CIL-CLM-7341	p-Cresol (ring- <sup>13</sup> C <sub>6</sub> , 99%)	1.2 mL
CIL-CLM-6999-1.2	2,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-U LM-7450-1.2	2,4'-DDD (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-CLM-7100-1.2	4,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-3533-1.2	4,4'-DDD (ring-D <sub>8</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7216-1.2	4,4'-DDD (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4693-1.2	2,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6251-1.2	2,4'-DDE (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1627-1.2	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1627-5	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
CIL-U LM-6137-1.2	4,4'-DDE (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4692-1.2	2,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> , 99 %) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6134-1.2	2,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1281-1.2	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1281-5	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
CIL-U LM-6135-1.2	4,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1386-1	Decalin (D <sub>18</sub> ,99%) (cis/trans mixture)	1 g
CIL-DLM-1386-5	Decalin (D <sub>18</sub> ,99%) (cis/trans mixture)	5 g
CIL-DLM-1843-5	trans-Decalin (D <sub>18</sub> ,98%)	5 g

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-CLM-3598-1.2	Dibenz[a,h]anthracene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-677-1.2	Dibenzo[a,h]anthracene (D <sub>14</sub> ,97%) 200 µg/mL in Toluene-D <sub>8</sub>	1.2 mL
CIL-DLM-677-0.1	Dibenzo[a,h]anthracene (D <sub>14</sub> ,97%)	0.1 g
CIL-ULM-2422-1.2	Dibenzo[a,h]anthracene (unlabelled) 1000 µg/mL in Methylene chloride	1.2 mL
CIL-ULM-2422-0.1	Dibenzo[a,h]anthracene (unlabelled)	0.1 g
CIL-CLM-1544-1.2	Dibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-ULM-1711-1.2	Dibenzo-p-dioxin (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-ULM-1711-0.01	Dibenzo-p-dioxin (unlabelled)	0.01 g
CIL-CLM-1561-1.2	Dibenzofuran ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-DLM-2276-0.05	Dibenzofuran (D <sub>8</sub> ,98%)	0.05 g
CIL-ULM-1712-1.2	Dibenzofuran 50 µg/mL in Nonane	1.2 mL
CIL-ULM-1712-0.05	Dibenzofuran (unlabelled)	0.05 g
CIL-DLM-2206-0.1	Dibenzothiophene (D <sub>8</sub> ,98%)	0.1 g
CIL-CLM-1340-0.1	1,4-Dibromobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.1 g
CIL-DLM-341-5	1,4-Dibromobenzene (D <sub>4</sub> ,98%)	5 g
CIL-DLM-1367-1.2	Di-n-butyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1367-0.1	Di-n-butyl phthalate (ring-D <sub>4</sub> ,98%)	0.1 g
CIL-DLM-1367-0.25	Di-n-butyl phthalate (ring-D <sub>4</sub> ,98%)	0.25 g
CIL-CLM-735-1	3,4-Dichloroaniline ( <sup>13</sup> C <sub>6</sub> ,99%)	1 mg
CIL-DLM-158-1	1,2-Dichlorobenzene (D <sub>4</sub> ,98%)	1 g
CIL-DLM-158-5	1,2-Dichlorobenzene (D <sub>4</sub> ,98%)	5 g
CIL-CLM-4484-1.2	1,3-Dichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-CLM-1518-1	1,4-Dichlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1 mg
CIL-DLM-268-5	1,4-Dichlorobenzene (D <sub>4</sub> ,98%)	5 g
CIL-DLM-3022-1.2	3,3'-Dichlorobenzidine (ring-D <sub>6</sub> ,98%) 1000 µg/mL in Benzene	1.2 mL
<b>New</b> CIL-ULM-1702-0.1	4,5-Dichlorocatechol (unlabelled) (chemical purity: 95-99%)	0.1 g
CIL-DLM-1934-0.1	1,1-Dichloroethane (2,2,2-D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-1934-0.25	1,1-Dichloroethane (2,2,2-D <sub>3</sub> ,98%)	0.25 g
CIL-DLM-18-1	1,2-Dichloroethane (D <sub>4</sub> ,99%)	1 g
CIL-DLM-18-5	1,2-Dichloroethane (D <sub>4</sub> ,99%)	5 g
CIL-DLM-1935-0.1	1,1-Dichloroethylene (2,2-D <sub>2</sub> ,98%) (inhibited with hydroquinone)	0.1 g
CIL-DLM-1935-1	1,1-Dichloroethylene (2,2-D <sub>2</sub> ,98%) (inhibited with hydroquinone)	1 g
CIL-DLM-1936-0.1	1,2-Dichloroethylene (1,2-D <sub>2</sub> ,98%) (cis/trans mixture)	0.1 g
CIL-DLM-1936-1	1,2-Dichloroethylene (1,2-D <sub>2</sub> ,98%) (cis/trans mixture)	1 g
CIL-DLM-1359-0.1	2,4-Dichlorophenol (ring-D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-1669-0.1	2,4-Dichlorophenol (ring-D <sub>3</sub> ,OD,98%)	0.1 g
CIL-DLM-1937-0.1	1,2-Dichloropropane (D <sub>6</sub> ,98%)	0.1 g
<b>New</b> CIL-DLM-1937-0.25	1,2-Dichloropropane (D <sub>6</sub> ,98%)	0.25 g
CIL-DLM-2112-1.2	1,3-Dichloro-2-propanol (D <sub>5</sub> ,98%) 1 mg/mL in Methanol	1.2 mL
CIL-ULM-8092-1.2	1,3-Dichloro-2-propanol (unlabelled) 1 mg/mL in Methanol	1.2 mL
CIL-DLM-1938-0.1	1,3-Dichloropropene (D <sub>4</sub> ,98%) (cis/trans mixture)	0.1 g
<b>New</b> CIL-ULM-1700-0.1	5,6-Dichlorovanillin (unlabelled)	0.1 g
CIL-CLM-4726-1.2	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7230-1.2	Dieldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1592-1	Diethyl ether (D <sub>10</sub> ,99%)	1 g
CIL-DLM-1592-5	Diethyl ether (D <sub>10</sub> ,99%)	5 g
CIL-DLM-1629-1.2	Diethyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1629-0.1	Diethyl phthalate (ring-D <sub>4</sub> ,98%)	0.1 g
CIL-DLM-1629-0.25	Diethyl phthalate (ring-D <sub>4</sub> ,98%)	0.25 g
CIL-CLM-1006-0.5	Diiodomethane ( <sup>13</sup> C,99%) (stabilised with copper wire)	0.5 g
CIL-DLM-3190-1	N,N-Dimethylaniline (D <sub>11</sub> ,98%)	1 g



## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-CLM-503-0.5	N,N-Dimethylformamide (carbonyl- <sup>13</sup> C,99%)	0.5 g
CIL-CLM-503-1	N,N-Dimethylformamide (carbonyl- <sup>13</sup> C,99%)	1 g
CIL-DLM-3073-0.1	2,4-Dimethylphenol (ring-D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-3073-0.25	2,4-Dimethylphenol (ring-D <sub>3</sub> ,98%)	0.25 g
CIL-DLM-1366-1.2	Dimethyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1366-0.1	Dimethyl phthalate (ring-D <sub>4</sub> ,98%)	0.1 g
CIL-DLM-3024-5	1,3-Dinitrobenzene (D <sub>4</sub> ,98%)	5 g
CIL-DLM-3173-0.1	4,6-Dinitro-2-methylphenol (3,5-D <sub>2</sub> ,98%)	0.1 g
<b>New</b> CIL-DLM-299-10	2,4-Dinitrophenol (ring-D <sub>3</sub> ,98%) (contains 0.35 mg/mL deuterium) 1000 µg/mL in D <sub>2</sub> O	10 mL
CIL-DLM-2207-S	2,4-Dinitrotoluene (ring-D <sub>3</sub> ,98%) 1000 µg/mL in Acetonitrile	1 mL
CIL-DLM-1939-S	2,6-Dinitrotoluene (methyl-D <sub>3</sub> ,98%) 1000 µg/mL in Acetonitrile	1 mL
CIL-DLM-1630-1.2	Di-n-octyl phthalate (ring-D <sub>4</sub> ,98%) 100 µg/mL in in Nonane	1.2 mL
CIL-DLM-1630-0.1	Di-n-octyl phthalate (ring-D <sub>4</sub> ,98%)	0.1 g
CIL-ULM-6129-1.2	Di-n-octyl phthalate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-28-SM-1.2	1,4-Dioxane (p-Dioxane) (D <sub>8</sub> ,98%) 1 mg/mL in Methanol	1.2 mL
CIL-DLM-28-5	1,4-Dioxane (D <sub>8</sub> ,99%)	5 g
CIL-DLM-28-10	1,4-Dioxane (D <sub>8</sub> ,99%)	10 g
CIL-DLM-28-25	1,4-Dioxane (D <sub>8</sub> ,99%)	25 g
CIL-ULM-7840-1.2	1,4-Dioxane (p-Dioxane) 1 mg/mL in Methanol	1.2 mL
CIL-DLM-2133-0.1	Diphenylamine (diphenyl-D <sub>10</sub> ,98%)	0.1 g
CIL-CLM-1587-1.2	Diphenyl ether ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-0) 50 µg/mL in Nonane	1.2 mL
CIL-DLM-2211-0.1	Diphenyl ether (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-3026-0.05	1,2-Diphenylhydrazine (diphenyl-D <sub>10</sub> ,98%)	0.05 g
CIL-DLM-3026-0.1	1,2-Diphenylhydrazine (diphenyl-D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-2943-1.2	2,6-Di-(tert-butyl)-4-methylphenol (BHT) (D <sub>21</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-411-5	Durene (1,2,4,5-tetramethylbenzene) (D <sub>14</sub> ,98%)	5 g
CIL-CLM-6025-1.2	Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2862-1.2	Endosulfan I (D <sub>4</sub> ,97%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7447-1.2	Endosulfan I (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6026-1.2	Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7448-1.2	Endosulfan II (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-7531-1.2	Endosulfan sulfate ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7990-1.2	Endosulfan sulfate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4782-1.2	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7444-1.2	Endrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4815-50	Endrin aldehyde ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-CLM-3374-1.2	Epichlorohydrin ( <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-1008-1	Epichlorohydrin (D <sub>5</sub> ,98%)	1 g
<b>New</b> CIL-ULM-7403-1.2	Epichlorohydrin (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-686-5	Ethylbenzene (ethyl-D <sub>5</sub> ,98%)	5 g
CIL-DLM-199-10	Ethylbenzene (D <sub>10</sub> ,98%)	10 g
CIL-DLM-4304-10	Ethylbenzene (D <sub>10</sub> ,99%)	10 g
CIL-CLM-3597-1.2	Fluoranthene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2140-1.2	Fluoranthene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2140-0.1	Fluoranthene (D <sub>10</sub> ,98%)	0.1 g
CIL-ULM-7421-1.2	Fluoranthene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
CIL-CLM-3596-1.2	Fluorene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1123-1.2	Fluorene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-1123-0.1	Fluorene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-1123-1	Fluorene (D <sub>10</sub> ,98%)	1 g
CIL-ULM-7414-1.2	Fluorene (unlabelled) 200 µg/mL in Isooctane	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-CLM-810-1	Guaiacol (ring- <sup>13</sup> C <sub>6</sub> ,99%)	1 mg
CIL-CLM-2482-1.2	alpha-HCH (alpha-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7232-1.2	alpha-HCH (alpha-BHC) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3623-1.2	beta-HCH (beta-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	2 x 1.2 mL
CIL-U LM-6132-1.2	beta-HCH (beta-BHC) (unlabelled) 50 µg/mL Nonane	2 x 1.2 mL
CIL-U LM-6132-SM-1.2	beta-HCH (beta-BHC) (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-CDLM-624-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%;D <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1282-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6133-1.2	gamma-HCH (Lindane) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6133-SM-1.2	gamma-HCH (Lindane) (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-CLM-3648-1.2	delta-HCH ( <sup>13</sup> C <sub>6</sub> 99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7233-1.2	delta-HCH (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4759-1.2	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2424-1.2	Heptachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2424-0.1	Heptachlor (unlabelled)	0.1 g
CIL-CLM-4734-1.2	cis-Heptachlor epoxide (isomer B) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2425-1.2	cis-Heptachlor epoxide (isomer B) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2425-0.1	Heptachlor epoxide (unlabelled)	0.1 g
CIL-U LM-7869-1.2	trans-Heptachlor epoxide (isomer A) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-351-1.2	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-351-0.01	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.01 g
CIL-U LM-6130-1.2	Hexachlorobenzene (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-2145-1.2	Hexachloro-1,3-butadiene ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-CLM-2145-0.01	Hexachloro-1,3-butadiene ( <sup>13</sup> C <sub>4</sub> ,99%)	0.01 g
CIL-CLM-2003-0.1	Hexachloroethane (1- <sup>13</sup> C,99%)	0.1 g
CIL-CLM-2003-0.5	Hexachloroethane (1- <sup>13</sup> C,99%)	0.5 g
CIL-U LM-6074-60	1,2,4,5,7,8-Hexachloroxanthene (unlabelled)	60 µg
CIL-CLM-2110-5	Hexachlorocyclopentadiene ( <sup>13</sup> C <sub>4</sub> ,99%)	5 mg
CIL-CLM-2110-10	Hexachlorocyclopentadiene ( <sup>13</sup> C <sub>4</sub> ,99%)	10 mg
CIL-DLM-277-0.1	Hexanoic acid (D <sub>11</sub> ,98%)	0.1 g
CIL-DLM-277-1	Hexanoic acid (D <sub>11</sub> ,98%)	1 g
<b>New</b> CIL-DLM-1522-1	Hydroquinone (ring-D <sub>4</sub> ,98%)	1 g
<b>New</b> CIL-U LM-2-4X25	Isooctane (unlabelled)	4 x 25 mL
CIL-DLM-1943-0.1	Isophorone (3-methyl-D <sub>3</sub> ; 2,4,4,6,6-D <sub>5</sub> ,98%)	0.1 g
CIL-CLM-7864-1.2	Leucomalachite green (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-U LM-7870-1.2	Leucomalachite green (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-24-5	Methanol (D <sub>4</sub> ,99.8%)	5 g
CIL-DLM-24-10	Methanol (D <sub>4</sub> ,99.8%)	10 g
CIL-DLM-24-25	Methanol (D <sub>4</sub> ,99.8%)	25 g
CIL-CLM-1593-0.25	Methylene chloride ( <sup>13</sup> C,99%)	0.25 g
CIL-CLM-1593-0.5	Methylene chloride ( <sup>13</sup> C,99%)	0.5 g
CIL-DLM-23-5	Methylene chloride (D <sub>2</sub> ,99.9%)	5 g
CIL-DLM-23-10	Methylene chloride (D <sub>2</sub> ,99.9%)	10 g
CIL-DLM-23-25	Methylene chloride (D <sub>2</sub> ,99.9%)	25 g
CIL-DLM-2277-1	2-(4-Methylphenyl) propane (D <sub>14</sub> ,98%)	1 g
CIL-CLM-1332-1.2	Naphthalene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-365-1.2	Naphthalene (D <sub>8</sub> ,99%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-365-1	Naphthalene (D <sub>8</sub> ,99%)	1 g
CIL-DLM-365-5	Naphthalene (D <sub>8</sub> ,99%)	5 g



## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-DLM-365-10	Naphthalene (D <sub>8</sub> ,99%)	10 g
CIL-DLM-3875-10	Naphthalene (D <sub>8</sub> ,99.5%)	10 g
CIL-ULM-7425-1.2	Naphthalene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
CIL-CLM-675-S	Nitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 1000 µg/ml in Acetonitrile	1 mL
CIL-DLM-294-5	Nitrobenzene (D <sub>5</sub> ,99%)	5 g
CIL-DLM-294-10	Nitrobenzene (D <sub>5</sub> ,99%)	10 g
CIL-ULM-3892-1.2	Nitrobenzene (unlabelled) 1000 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-7779-S	N-Nitrodimethylamine (dimethyl-D <sub>6</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL
CIL-ULM-7780-S	N-Nitrodimethylamine (unlabelled) 1 mg/mL in Methylene chloride	1 mL
CIL-DLM-295-0.1	2-Nitrophenol (ring-D <sub>4</sub> ,98%)	0.1 g
CIL-DLM-295-0.25	2-Nitrophenol (ring-D <sub>4</sub> ,98%)	0.25 g
CIL-DLM-296-0.1	4-Nitrophenol (ring-D <sub>4</sub> ,98%)	0.1 g
CIL-DLM-296-0.25	4-Nitrophenol (ring-D <sub>4</sub> ,98%)	0.25 g
CIL-DLM-7982-S	N-Nitrosodiethylamine (D <sub>10</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL
CIL-ULM-7984-1.2	N-Nitrosodiethylamine (unlabelled) 1 mg/mL in Methylene chloride	1.2 mL
CIL-CDLM-7279-S	N-Nitrosodimethylamine ( <sup>13</sup> C <sub>2</sub> ,99%;D <sub>6</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1 mL
CIL-NLM-7647-S	N-Nitrosodimethylamine ( <sup>15</sup> N <sub>2</sub> ,98%) 1 mg/mL in Methylene chloride	1 mL
CIL-DLM-2130-S	N-Nitrosodimethylamine (2,2',4,4',6,6'-D <sub>6</sub> ,98%) 1000 µg/mL in Methylene chloride-D <sub>2</sub>	1 mL
CIL-DLM-3098-S	N-Nitrosodiphenylamine (2,2',4,4',6,6'-D <sub>6</sub> ,98%) 1000 µg/mL in Methylene chloride-D <sub>2</sub>	1 mL
CIL-DLM-3098-0.01	N-Nitrosodiphenylamine (2,2',4,4',6,6'-D <sub>6</sub> ,98%)	0.01 g
CIL-DLM-2131-S	N-Nitroso-di-n-propylamine (D <sub>14</sub> ,98%) 1000 µg/mL in Methylene chloride	1 mL
<b>New</b> CIL-DLM-2131-0.05	N-Nitrosodi-n-propylamine (D <sub>14</sub> ,98%)	50 mg
CIL-ULM-6637-S	N-Nitroso-di-n-propylamine (unlabelled) 1000 µg/mL in Methylene chloride	1.2 mL
CIL-DLM-8254-1.2	N-Nitrosomorpholine (D <sub>8</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1.2 mL
<b>New</b> CIL-ULM-8255-1.2	N-Nitrosomorpholine (unlabelled) 1 mg/mL in Methylene chloride	1.2 mL
CIL-DLM-8252-1.2	N-Nitrosopyrrolidone (D <sub>8</sub> ,98%) 1 mg/mL in Methylene chloride-D <sub>2</sub>	1.2 mL
<b>New</b> CIL-ULM-8253-1.2	N-Nitrosopyrrolidone 1 mg/mL in Methylene chloride	1.2 mL
<b>New</b> CIL-ULM-2323-4X25	n-Nonane	4 x 25 mL
CIL-CLM-6680-1.2	Octachlorostyrene ( <sup>13</sup> C <sub>8</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL
CIL-ULM-1709-1.2	Octachlorostyrene (unlabelled) 100 µg/mL in Isooctane	1.2 mL
<b>New</b> CIL-CLM-7930-1.2	Parlar 26 (2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane) (U- <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7828-1.2	Parlar 26 (2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8705-1.2	Parlar 32 (2,2,5-endo,6-exo,8,9,10-Heptachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8665-1.2	Parlar 32 (2,2,5-endo,6-exo,8,9,10-Heptachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8719-1.2	Parlar 39 (2,2,3-exo,5-endo,6-exo,8,9,10-Octachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8767-1.2	Parlar 39 (2,2,3-exo,5-endo,6-exo,8,9,10-Octachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-7931-1.2	Parlar 50 (2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane) (U- <sup>13</sup> C <sub>10</sub> , 99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7829-1.2	Parlar 50 (2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-7932-1.2	Parlar 62 (2-endo,2-exo,5-endo,5-exo,8,9,9,10,10-Nonachlorobornane) (U- <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7830-1.2	Parlar 62 (2-endo,2-exo,5-endo,5-exo,8,9,9,10,10-Nonachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8720-1.2	Parlar 69 (2,2,5,5,6-exo,8,9,9,10,10-Decachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8768-1.2	Parlar 69 (2,2,5,5,6-exo,8,9,9,10,10-Decachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8721-1.2	Parlar 70 (2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-8769-1.2	Parlar 70 (2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
CIL-CLM-2050-1.2	Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Isooctane	1.2 mL

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-CLM-1955-1.2	Pentachloronitrobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-661-1.2	Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-661-0.01	Pentachlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%)	0.01 g
CIL-ULM-6894-1.2	Pentachlorophenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-OLM-7310-1.2	Perchloric acid sodium salt ( <sup>18</sup> O <sub>4</sub> ,90%+) 100 µg/mL in Water	1.2 mL
CIL-ULM-7312-1.2	Perchloric acid sodium salt (unlabelled) 100 µg/mL in Water	1.2 mL
CIL-CLM-2451-1.2	Phenanthrene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-371-1.2	Phenanthrene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-371-0.1	Phenanthrene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-371-1	Phenanthrene (D <sub>10</sub> ,98%)	1 g
CIL-ULM-7427-1.2	Phenanthrene (unlabelled) 200 µg/mL in Isooctane	1.2 mL
CIL-CLM-216-0.1	Phenol ( <sup>13</sup> C <sub>6</sub> ,99%)	0.1 g
CIL-DLM-695-1	Phenol (ring-D <sub>5</sub> ,98%)	1 g
CIL-DLM-695-5	Phenol (ring-D <sub>5</sub> ,98%)	5 g
CIL-DLM-370-5	Phenol (D <sub>6</sub> ,98%)	5 g
CIL-DLM-3039	Phenylbutazone (diphenyl-D <sub>10</sub> ,98%)	
CIL-ULM-7378-1.2	Phenylbutazone (unlabelled)	1.2 mL
CIL-CLM-3733-1.2	2-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7396-1.2	2-Phenylphenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3748-1.2	4-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3040-0.5	Phthalic acid (carboxyl- <sup>13</sup> C,99%)	0.5 g
CIL-DLM-787-5	Phthalic acid (ring-D <sub>4</sub> ,98%)	5 g
CIL-DLM-1293-0.1	2-Picoline (D <sub>7</sub> ,98%) (2-Methylpyridine)	0.1 g
CIL-DLM-1293-1	2-Picoline (D <sub>7</sub> ,98%) (2-Methylpyridine)	1 g
CIL-DLM-1541-1	3-Picoline (3-Methylpyridine) (D <sub>7</sub> ,98%)	1 g
CIL-DLM-1294-1	4-Picoline (4-Methylpyridine) (D <sub>7</sub> ,98%)	1 g
CIL-DLM-1067-5	1,2-Propylene Oxide (D <sub>6</sub> ,98%)	5 g
CIL-CLM-3601-1.2	Pyrene ( <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-155-1.2	Pyrene (D <sub>10</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-155-0.1	Pyrene (D <sub>10</sub> ,98%)	0.1 g
CIL-DLM-155-0.5	Pyrene (D <sub>10</sub> ,98%)	0.5 g
CIL-ULM-7417-1.2	Pyrene (unlabelled) 200 µg/mL in Toluene	1.2 mL
CIL-DLM-1158-0.1	Quinoline (D <sub>7</sub> ,98%)	0.1 g
CIL-DLM-1158-1	Quinoline (D <sub>7</sub> ,98%)	1 g
CIL-DLM-3322-0.5	trans-Stilbene (D <sub>12</sub> ,98%)	0.5 g
CIL-DLM-1083-5	Styrene (vinyl-D <sub>3</sub> ,98%) (stabilised with BHT)	5 g
CIL-DLM-809-5	Styrene (ring-D <sub>5</sub> ,98%) (stabilised with BHT)	5 g
<b>New</b> CIL-DLM-380-1.2	Styrene (D <sub>8</sub> ,98%) (stabilized with BHT) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-380-1	Styrene (D <sub>8</sub> ,98%) (stabilised with BHT)	1 g
CIL-DLM-380-5	Styrene (D <sub>8</sub> ,98%) (stabilised with BHT)	5 g
CIL-DLM-1088-1	Terephthalic acid (ring-D <sub>4</sub> ,98%)	1 g
CIL-DLM-1088-5	Terephthalic acid (ring-D <sub>4</sub> ,98%)	5 g
CIL-DLM-450-1	o-Terphenyl (D <sub>14</sub> ,98%)	1 g
CIL-DLM-450-5	o-Terphenyl (D <sub>14</sub> ,98%)	5 g
CIL-DLM-382-1.2	p-Terphenyl (D <sub>14</sub> ,98%) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-382-1	p-Terphenyl (D <sub>14</sub> ,98%)	1 g
CIL-DLM-382-5	p-Terphenyl (D <sub>14</sub> ,98%)	5 g
CIL-ULM-7428-1.2	p-Terphenyl (unlabelled) 200 µg/mL in Isooctane	1.2 mL
CIL-DLM-2279-0.1	alpha-Terpineol (propyl methyl-D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-2279-0.5	alpha-Terpineol (propyl methyl-D <sub>3</sub> ,98%)	0.5 g
CIL-CLM-585-5	1,2,4,5-Tetrachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	5 mg

## Priority pollutants, endocrine disruptor and chemical contaminant standards

Code	Product	Unit
CIL-CLM-585-0.1	1,2,4,5-Tetrachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	0.1 g
CIL-DLM-1177-1	1,2,4,5-Tetrachlorobenzene (D <sub>2</sub> ,98%)	1 g
CIL-DLM-1177-5	1,2,4,5-Tetrachlorobenzene (D <sub>2</sub> ,98%)	5 g
CIL-ULM-1704-0.1	3,4,5,6-Tetrachlorocatechol (unlabelled)	0.1 g
CIL-ED-900	2,3,7,8-Tetrachlorodibenzo-p-dioxin ( <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-ED-901	2,3,7,8-Tetrachlorodibenzo-p-dioxin 50 µg/mL in Nonane	4 x 1.2 mL
CIL-DLM-35-5	1,1,2,2-Tetrachloroethane (D <sub>2</sub> ,99.6%)	5 g
CIL-DLM-35-10	1,1,2,2-Tetrachloroethane (D <sub>2</sub> ,99.6%)	10 g
CIL-CLM-1965-0.1	Tetrachloroethylene (1,2- <sup>13</sup> C <sub>2</sub> ,99%)	0.1 g
<b>New</b> CIL-ULM-1708-0.1	3,4,5,6-Tetrachloroguaiacol (unlabelled)	0.1 g
CIL-ULM-2428-0.1	2,3,4,5-Tetrachlorophenol (unlabelled)	0.1 g
CIL-ULM-2429-0.1	2,3,4,6-Tetrachlorophenol (unlabelled)	0.1 g
CIL-ULM-2430-0.1	2,3,5,6-Tetrachlorophenol (unlabelled)	0.1 g
CIL-DLM-2053-0.1	cis-1,2,3,6-Tetrahydrophthalic anhydride (3,3,4,5,6,6-D <sub>6</sub> ,98%)	0.1 g
CIL-DLM-2054-0.1	1,2-cis-1,2,3,6-Tetrahydrophthalimide (3,3,4,5,6,6-D <sub>6</sub> ,98%)	0.1 g
<b>New</b> CIL-CLM-6069-0.1	Toluene (ring- <sup>13</sup> C <sub>6</sub> ,99%)	0.1 g
CIL-CLM-309-0.5	Toluene (methyl- <sup>13</sup> C,99%)	0.5 g
CIL-CLM-309-1	Toluene (methyl- <sup>13</sup> C,99%)	1 g
CIL-DLM-1175-1	Toluene (methyl-D <sub>3</sub> ,98%)	1 g
CIL-DLM-1175-5	Toluene (methyl-D <sub>3</sub> ,98%)	5 g
CIL-DLM-1176-1	Toluene (ring-D <sub>5</sub> ,98%)	1 g
CIL-DLM-1176-5	Toluene (ring-D <sub>5</sub> ,98%)	5 g
CIL-DLM-5-5	Toluene (D <sub>8</sub> ,99.6%)	5 g
CIL-DLM-5-10	Toluene (D <sub>8</sub> ,99.6%)	10 g
CIL-DLM-5-25	Toluene (D <sub>8</sub> ,99.6%)	25 g
CIL-DLM-7136-1.2	Tributyltin chloride (D <sub>27</sub> ,98%) 100 µg/mL in Methylene chloride-D <sub>2</sub>	1.2 mL
CIL-ULM-8061-1.2	Tributyltin chloride 100 µg/mL in Methylene chloride	1.2 mL
CIL-DLM-6083-1.2	2,4,6-Trichloroanisole (D <sub>5</sub> ,98%) 1 mg/mL in Methanol-D <sub>4</sub>	1.2 mL
CIL-DLM-6083-0.1	2,4,6-Trichloroanisole (D <sub>5</sub> ,98%)	0.1 g
CIL-ULM-7999-1.2	2,4,6-Trichloroanisole 1 mg/mL in Methanol	1.2 mL
CIL-DLM-1972-0.1	1,2,3-Trichlorobenzene (D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-1178-0.1	1,2,4-Trichlorobenzene (D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-1178-1	1,2,4-Trichlorobenzene (D <sub>3</sub> ,98%)	1 g
CIL-DLM-1178-5	1,2,4-Trichlorobenzene (D <sub>3</sub> ,98%)	5 g
<b>New</b> CIL-DLM-799-1	1,3,5-Trichlorobenzene (D <sub>3</sub> ,98%)	1 g
CIL-ULM-1703-0.1	3,4,5-Trichlorocatechol (unlabelled) (chemical purity: 95%)	0.1 g
CIL-DLM-1974-0.1	1,1,1-Trichloroethane (2,2,2-D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-1974-1	1,1,1-Trichloroethane (2,2,2-D <sub>3</sub> ,98%)	1 g
CIL-CLM-2075-0.1	1,1,2-Trichloroethane ( <sup>13</sup> C <sub>2</sub> ,99%)	0.1 g
CIL-DLM-1975-0.1	1,1,2-Trichloroethane (1,2,2-D <sub>3</sub> ,98%)	0.1 g
CIL-DLM-1975-0.5	1,1,2-Trichloroethane (1,2,2-D <sub>3</sub> ,98%)	0.5 g
CIL-CLM-129-0.1	Trichloroethylene ( <sup>13</sup> C <sub>2</sub> ,99%)	0.1 g
CIL-DLM-3049-1	Trichloroethylene (D,98%)	1 g
CIL-CLM-513-1	2,4,5-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1 mL
CIL-DLM-2143-0.1	2,4,5-Trichlorophenol (ring-D <sub>2</sub> ,98%)	0.1 g
CIL-CLM-1804-1	2,4,6-Trichlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1 mL
CIL-DLM-3093-0.01	2,4,6-Trichlorophenol (ring-D <sub>2</sub> ,98%)	0.01 g
CIL-DLM-3093-0.1	2,4,6-Trichlorophenol (ring-D <sub>2</sub> ,98%)	0.1 g
CIL-DLM-2080-0.1	1,2,3-Trichloropropane (D <sub>5</sub> ,98%) (chemical purity: 95%)	0.1 g
<b>New</b> CIL-DLM-7663	Triethanolamine (D <sub>15</sub> ,98%)	1 mg
CIL-DLM-167-1.2	Vinyl chloride (D <sub>3</sub> ,98%) 50 µg/mL in Methanol-OD	1.2 mL

## Pesticide and chemical weapon standards

Code	Product	Unit
CIL-DLM-808-5	o-Xylene (D <sub>10</sub> ,98%)	5 g
CIL-DLM-2398-5	m-Xylene (D <sub>10</sub> ,98%)	5 g
CIL-DLM-313-5	p-Xylene (D <sub>10</sub> ,98%)	5 g

## Pesticide and chemical weapon standards

### Pesticide Standards

CIL continues to add to our already extensive inventory of isotopically labeled standards for pesticide and pesticide metabolite analysis. As a result of this development over the past few years, we can now present our standards by category, including: Organochlorine, Organophosphorous, Carbamate, Triazine, or Pyrethroid pesticide standards. You can still find our complete listing as well if you wish to scan through the comprehensive array of standards.

### Chlorinated Cyclodiene Pesticide Standards

Chlorinated Cyclodiene Pesticides account for seven of the compounds governed by the Stockholm Convention. While production and use of these compounds is stringently regulated if not banned outright, their widespread use for decades and persistence in the environment ensures their presence in the environment and biota for years to come. CIL offers a comprehensive selection of the individual standards, as well as a growing list of convenient mixes.

### Organochlorine Pesticide Standards

Organochlorinated Pesticides, like Chlorinated Cyclodiene Pesticides, are heavily represented in the list of compounds governed by the Stockholm Convention. Also like Chlorinated Cyclodiene Pesticides, their widespread use for decades and persistence in the environment ensures their presence in the environment and biota for years to come. Organophosphate (OP), Pyrethroid and Carbamate Pesticides As man's quest for less toxic (to larger species) and less environmentally persistent pesticides expands, the need for new testing has expanded as well. CIL continues to prepare and provide standards for the analysis of alternative and minor pesticides and herbicides.

### Triazine Herbicide and Metabolite Standards

Atrazine is one of the most widely used herbicides in the world. In recent years, studies on the correlation of physical and reproductive disorders in frogs with Atrazine exposure have been a controversial topic. With CIL's comprehensive collection of carefully purified and prepared standards of Atrazine and its many metabolites, researchers should have some powerful tools to refine their investigations.

### Toxaphene Standards

CIL has put considerable effort into developing the first set of <sup>13</sup>C-labeled Toxaphene standards! Listed by Parlar congener#, our labeled and unlabeled standard offerings continue to grow, so keep an eye on our website and future product announcements for more details. Our new POPs Toxaphene mixtures are ideal for researchers interested in primary investigations of the most prevalent congeners.

### Pesticide Standard Mixtures

New applications and increased testing by Isotope Dilution MS have led to the development of several new pesticides mixtures being offered for the first time in this catalog. Our new Expanded POPs pesticide calibration series and related spiking mixtures contain all pesticides listed as Stockholm Convention POPs compounds, including the recently added Kepone (aka Chlordecone), HCHs (including Lindane), Pentachlorobenzene, and Endosulfan I and II. These new solutions allow analysts to use preformulated mixtures for detection and quantification of the complete series of these important POPs compounds.

### Chemical Weapon Metabolite Standards

Often quite similar to metabolites of common pesticides, Chemical Weapons metabolite standards assist researchers determine potential contamination from dangerous compounds such as nerve agents and other toxic chemicals. Several metabolites, degradation byproducts and more are represented in this section.

## Individual chlorinated cyclodiene pesticide standards

Code	Product	Unit
CIL-CLM-4725-1.2	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7441-1.2	Aldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-8087-1.2	cis-Chlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-2419-25	cis-Chlordane (unlabelled)	25 mg
CIL-CLM-4792-1.2	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL

## Pesticide and chemical weapon standards

Code	Product	Unit
CIL-ULM-2420-1.2	trans-Chlordane (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4814-1.2	Chlordecone (Kepone®) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2301-1.2	Chlordecone (Kepone®) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4758-1.2	Chlordene ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7443-1.2	Chlordene (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4726-1.2	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7230-1.2	Dieldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6025-1.2	Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2862-1.2	Endosulfan I (D <sub>4</sub> ,97%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7447-1.2	Endosulfan I (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6026-1.2	Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-7531-1.2	Endosulfan sulfate ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7990-1.2	Endosulfan sulfate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4782-1.2	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7444-1.2	Endrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4815-50	Endrin aldehyde ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-CLM-4816-50	Endrin ketone ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-CLM-4759-1.2	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2424-1.2	Heptachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4734-1.2	cis-Heptachlor epoxide (isomer B) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2425-1.2	cis-Heptachlor epoxide (isomer B) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7869-1.2	trans-Heptachlor epoxide (isomer A) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4727-1.2	Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7442-1.2	Isodrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4813-1.2	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2427-1.2	Mirex (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4811-1.2	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7445-1.2	cis-Nonachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4735-1.2	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7229-1.2	trans-Nonachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4729-1.2	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6139-1.2	Oxychlordane (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6139-SM-1.2	Oxychlordane (unlabelled) 100 µg/mL in Methanol	1.2 mL

### Organochlorine (OC) pesticide and metabolite standards

CIL-CLM-4725-1.2	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7441-1.2	Aldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-8087-1.2	cis-Chlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-2419-25	cis-Chlordane (unlabelled)	25 mg
CIL-CLM-4792-1.2	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2420-25	trans-Chlordane (unlabelled)	25 mg
CIL-CLM-4814-1.2	Chlordecone (Kepone®) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2301-1.2	Chlordecone (Kepone®) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2301-0.1	Chlordecone (Kepone®) (unlabelled)	0.1 g
CIL-CLM-4758-1.2	Chlordene ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7443-1.2	Chlordene (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6999-1.2	2,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
CIL-ULM-7450-1.2	2,4'-DDD (unlabelled) 50 µg/mL in Nonane	1.2 mL
CIL-CLM-7100-1.2	4,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-3533-1.2	4,4'-DDD (ring-D <sub>8</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7216-1.2	4,4'-DDD (unlabelled) 100 µg/mL in Nonane	1.2 mL



## Pesticide and chemical weapon standards

Code	Product	Unit
CIL-CLM-4693-1.2	2,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6251-1.2	2,4'-DDE (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1627-1.2	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1627-5	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
CIL-U LM-6137-1.2	4,4'-DDE (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4692-1.2	2,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> , 99 %) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6134-1.2	2,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1281-1.2	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1281-5	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
CIL-U LM-6135-1.2	4,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-816-1.2	Dichlorane (2,6-Dichloro-4-nitroaniline) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4726-1.2	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7230-1.2	Dieldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6025-1.2	Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2862-1.2	Endosulfan I (D <sub>4</sub> ,97%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7447-1.2	Endosulfan I (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6026-1.2	Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7448-1.2	Endosulfan II (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-7531-1.2	Endosulfan sulfate ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7990-1.2	Endosulfan sulfate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4782-1.2	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7444-1.2	Endrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4815-50	Endrin aldehyde ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-CLM-4816-50	Endrin ketone ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-CLM-2482-1.2	alpha-HCH (alpha-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7232-1.2	alpha-HCH (alpha-BHC) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-3623-1.2	beta-HCH (beta-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	2 x 1.2 mL
CIL-U LM-6132-1.2	beta-HCH (beta-BHC) (unlabelled) 50 µg/mL Nonane	2 x 1.2 mL
CIL-U LM-6132-SM-1.2	beta-HCH (beta-BHC) (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-CDLM-624-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%;D <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1282-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6133-1.2	gamma-HCH (Lindane) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6133-SM-1.2	gamma-HCH (Lindane) (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-CLM-3648-1.2	delta-HCH ( <sup>13</sup> C <sub>6</sub> 99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7233-1.2	delta-HCH (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4759-1.2	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2424-1.2	Heptachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2424-0.1	Heptachlor (unlabelled)	0.1 g
CIL-CLM-4734-1.2	cis-Heptachlor epoxide (isomer B) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2425-1.2	cis-Heptachlor epoxide (isomer B) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-2425-0.1	Heptachlor epoxide (unlabelled)	0.1 g
CIL-U LM-7869-1.2	trans-Heptachlor epoxide (isomer A) (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-351-1.2	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-6130-1.2	Hexachlorobenzene (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4727-1.2	Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7442-1.2	Isodrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4683-1.2	Methoxychlor (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-U LM-7440-1.2	Methoxychlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4813-1.2	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL

## Pesticide and chemical weapon standards

Code	Product	Unit
CIL-CLM-2078-1	Mirex ( <sup>13</sup> C <sub>8</sub> ,99%) 200 µg/mL in Toluene	1 mL
CIL-ULM-2427-1.2	Mirex (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-2427-SM-1.2	Mirex (unlabelled) 100 µg/mL in Methanol	1.2 mL
CIL-ULM-2427-0.1	Mirex (unlabelled)	0.1 g
CIL-CLM-4811-1.2	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7445-1.2	cis-Nonachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4735-1.2	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7229-1.2	trans-Nonachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4729-1.2	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6139-1.2	Oxychlordane (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6139-SM-1.2	Oxychlordane (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>Organophosphorous pesticide metabolites</b>		
CIL-DLM-6000-1.2	Acephate (D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
CIL-ULM-7263-1.2	Acephate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CDNLM-6786-1.2	Aminomethylphosphonic acid (AMPA) ( <sup>13</sup> C, 99%; <sup>15</sup> N,98%; methylene-D <sub>2</sub> ,98%) 100 µg/mL in Water	1.2 mL
CIL-DLM-4360-1.2	Chlorpyrifos (diethyl-D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-7489-1.2	Chlorpyrifos (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-7153	Chlorpyrifos methyl (dimethyl-D <sub>6</sub> ,98%)	on request
CIL-DLM-1148-1.2	Diazinon (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-ULM-6575-S-10X-1.2	Diazinon (unlabelled) 1000 ug/mL in Nonane	1.2 mL
CIL-DLM-2829-0.01	Dichlorvos (dimethyl-D <sub>6</sub> ,98%)	10 mg
CIL-ULM-7217-1.2	Dichlorvos (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-4852-1.2	O,O-Diethyl hydrogen thiophosphate potassium salt (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
CIL-DLM-7151-1.2	Dimethoate (O,O-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-7972-1.2	Dimethoate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b> CIL-ULM-4617-1.2	O,O-Dimethyl thiophosphate sodium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-ULM-6089	O,S-Dimethyl hydrogen thiophosphate sodium salt (unlabelled)	on request
<b>New</b> CIL-DLM-7183	Disulfoton (O,O-diethyl-D <sub>10</sub> ,98%)	on request
<b>New</b> CIL-CLM-6090	Ethyl hydrogen dimethylamidophosphate sodium salt ( <sup>13</sup> C <sub>4</sub> ,99%)	on request
CIL-ULM-6091-1.2	Ethyl hydrogen dimethylamidophosphate sodium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-DLM-6098-1.2	Ethyl hydrogen methylphosphonate (ethyl-D <sub>5</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
CIL-DLM-2878-0.01	Fenitrothion (O,O-dimethyl-D <sub>6</sub> ,98%)	10 mg
CIL-CLM-4545-1.2	Fonofos (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6694-1.2	Fonofos (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CNLM-4666-1.2	Glyphosate (2- <sup>13</sup> C,99%; <sup>15</sup> N,98%) 100 µg/mL in Water	1.2 mL
<b>New</b> CIL-CNLM-4666-10	Glyphosate (2- <sup>13</sup> C,99%; <sup>15</sup> N,98%) 100 µg/mL in Water	10 mL
CIL-ULM-6876-1.2	Glyphosate (unlabelled) 100 µg/mL in Water	1.2 mL
CIL-DLM-4476-1.2	Malathion (D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-8122-1.2	Malathion 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-DLM-7149	Methamidophos (dimethyl-D <sub>6</sub> ,98%)	on request
CIL-DLM-6196-1.2	Methylphosphonic acid (methyl-D <sub>3</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
CIL-CDLM-6100-1.2	Methylphosphonic acid ( <sup>13</sup> C, 99%; methyl-D <sub>3</sub> , 98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-DLM-7150-1.2	Oxydemeton methyl (di-O-methyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b> CIL-ULM-8579-1.2	Oxydemeton methyl (Chemical purity 95%) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-2970-1.2	Parathion-ethyl (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-8144-1.2	Parathion 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4544-1.2	Phorate (diethoxy- <sup>13</sup> C <sub>4</sub> , 99%) 100 µg/mL in Acetonitrile	1.2 mL



## Pesticide and chemical weapon standards

	Code	Product	Unit
<b>New</b>	CIL-U LM-7567-1.2	Phorate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-D LM-4667-1.2	Phosmet (dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-U LM-8454-1.2	Phosmet (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-4543	Terbufos (diethoxy- <sup>13</sup> C <sub>4</sub> ,99%)	on request
	CIL-CLM-6620-1.2	1,2,2-Trimethylpropyl hydrogen methylphosphonate (trimethylpropyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL

## Carbamate pesticide and metabolite standards

<b>New</b>	CIL-CLM-7140	Bendiocarb ( <sup>13</sup> C <sub>3</sub> ,99%)	on request
<b>New</b>	CIL-U LM-8638	Bendiocarb (unlabelled)	on request
	CIL-CLM-4682-1.2	Carbaryl (ring- <sup>13</sup> C <sub>6</sub> , 99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-8096-1.2	Carbaryl (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-1911-1.2	Carbofuran (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in p-Dioxane	1.2 mL
	CIL-U LM-7419-1.2	Carbofuran (unlabelled) 200 µg/mL in p-Dioxane	1.2 mL
<b>New</b>	CIL-CLM-1859-1.2	Carbofuran phenol (ring- <sup>13</sup> C <sub>6</sub> ,99%) 200 µg/mL in Methanol	2 x 1.2 mL
	CIL-U LM-6875-1.2	Carbofuran phenol (unlabelled) 200 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-CNLM-7148-1.2	Methomyl (acetohydroxamate- <sup>13</sup> C <sub>2</sub> ,99%; <sup>15</sup> N,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-U LM-8639-1.2	Methomyl (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-D LM-7141	Propoxur (isopropyl-D <sub>7</sub> ,98%)	on request

## Pyrethroid pesticide and metabolite standards

	CIL-CLM-7293-1.2	Cyfluthrin (mix of stereoisomers) (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7454-1.2	Cyfluthrin (mix of stereoisomers) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-7292-1.2	Cypermethrin (mix of stereoisomers) (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7453-1.2	Cypermethrin (mix of stereoisomers) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CDLM-6002-1.2	DCCA (3-(2,2-Dichlorovinyl)-2,2-dimethyl-1-cyclopropane) carboxylic acid ( <sup>13</sup> C <sub>2</sub> , 99%; 1-D,98%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7303-1.2	DCCA (3-(2,2-Dichlorovinyl)-2,2-dimethyl-1-Cyclopropane) carboxylic acid (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-7389-1.2	4-Fluoro-3-phenoxybenzoic acid ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7391-1.2	4-Fluoro-3-phenoxybenzoic acid (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-7322-1.2	cis-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-U LM-8526-1.2	cis-Permethrin (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-CLM-7323-1.2	trans-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-U LM-8527-1.2	trans-Permethrin (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-CLM-4542-1.2	3-Phenoxybenzoic acid (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) (Permethrin metabolite) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4542-SA-1.2	3-Phenoxybenzoic acid (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) (Permethrin metabolite) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-6781-1.2	3-Phenoxybenzoic acid (unlabelled) (Permethrin metabolite) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-U LM-6781-SA-1.2	3-Phenoxybenzoic acid (unlabelled) (Permethrin metabolite) 100 µg/mL in Acetonitrile	1.2 mL

## Triazine herbicide and metabolite standards

	CIL-CLM-3737-1.2	Atrazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-D LM-1149-1.2	Atrazine (ethylamine-D <sub>5</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-U LM-7235-1.2	Atrazine (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-U LM-7235-D-1.2	Atrazine (unlabelled) 100 µg/mL in p-Dioxan	1.2 mL
	CIL-CLM-3894-1.2	Atrazine mercapturate (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-U LM-7346-1.2	Atrazine mercapturate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8311-1.2	Atrazinethiol (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-U LM-8318-1.2	Atrazinethiol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8313-1.2	Atrazine-desethyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-U LM-8320-1.2	Atrazine-desethyl (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-7528-1.2	Atrazine-desethyl-desisopropyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL

## Pesticide and chemical weapon standards

	Code	Product	Unit
	CIL-ULM-8001-1.2	Atrazine-desethyl-desisopropyl 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8316-1.2	Desethylisopropylhydroxyatrazine (Ammeline) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8323-1.2	Desethylisopropylhydroxyatrazine (Ammeline) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8315-1.2	Atrazine-desethylhydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
<b>New</b>	CIL-ULM-8322-1.2	Atrazine-desethylhydroxy (unlabelled) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
<b>New</b>	CIL-CLM-8312-1.2	Atrazine-desisopropyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8319-1.2	Atrazine-desisopropyl (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8314-1.2	Atrazine-desisopropylhydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8321-1.2	Atrazine-desisopropylhydroxy (unlabelled) 100 µg/mL in 80% Water/20% Diethylamine	1.2 mL
<b>New</b>	CIL-CLM-8310-1.2	Atrazine-hydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
<b>New</b>	CIL-ULM-8317-1.2	Hydroxyatrazine (unlabelled) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
	CIL-CLM-3738-1.2	Propazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-3739-1.2	Simazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-7893-1.2	Simazine (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>Camphechlor (Toxphene) congeners</b>			
<b>New</b>	CIL-CLM-7930-1.2	Parlar 26 (2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane) (U- <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-7828-1.2	Parlar 26 (2-endo,3-exo,5-endo,6-exo,8,8,10,10-Octachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-7931-1.2	Parlar 50 (2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane) (U- <sup>13</sup> C <sub>10</sub> , 99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-7829-1.2	Parlar 50 (2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-7932-1.2	Parlar 62 (2-endo,2-exo,5-endo,5-exo,8,9,9,10,10-Nonachlorobornane) (U- <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-7830-1.2	Parlar 62 (2-endo,2-exo,5-endo,5-exo,8,9,9,10,10-Nonachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-8705-1.2	Parlar 32 (2,2,5-endo,6-exo,8,9,10-Heptachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-8665-1.2	Parlar 32 (2,2,5-endo,6-exo,8,9,10-Heptachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-8719-1.2	Parlar 39 (2,2,3-exo,5-endo,6-exo,8,9,10-Octachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-8767-1.2	Parlar 39 (2,2,3-exo,5-endo,6-exo,8,9,10-Octachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-8720-1.2	Parlar 69 (2,2,5,5,6-exo,8,9,9,10,10-Decachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-8768-1.2	Parlar 69 (2,2,5,5,6-exo,8,9,9,10,10-Decachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-8721-1.2	Parlar 70 (2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane) ( <sup>13</sup> C <sub>10</sub> ,99%) 10 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-8769-1.2	Parlar 70 (2,2,3-exo,5,5,8,9,9,10,10-Decachlorobornane) (unlabelled) 10 µg/mL in Nonane	1.2 mL
<b>Individual pesticide standards and pesticide metabolite standards</b>			
	CIL-DLM-6000-1.2	Acephate (D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	CIL-ULM-7263-1.2	Acephate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-3727-1.2	Alachlor (ring- <sup>13</sup> C <sub>6</sub> ,98%) 100 µg/mL in Nonane (Chemical purity 96%)	1.2 mL
	CIL-CLM-3687-1.2	Alachlor acetylcysteine adduct (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4725-1.2	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7441-1.2	Aldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-3737-1.2	Atrazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1149-1.2	Atrazine (ethylamine-D <sub>5</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-1149-5	Atrazine (ethylamine-D <sub>5</sub> ,98%)	5 mg
	CIL-ULM-7235-1.2	Atrazine (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-7235-D-1.2	Atrazine (unlabelled) 100 µg/mL in p-Dioxan	1.2 mL
<b>New</b>	CIL-CLM-8313-1.2	Atrazine-desethyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8320-1.2	Atrazine-desethyl (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8315-1.2	Atrazine-desethylhydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL

## Pesticide and chemical weapon standards

	Code	Product	Unit
<b>New</b>	CIL-ULM-8322-1.2	Atrazine-desethylhydroxy (unlabelled) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
<b>New</b>	CIL-CLM-8312-1.2	Atrazine-desisopropyl (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8319-1.2	Atrazine-desisopropyl (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8314-1.2	Atrazine-desisopropylhydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8321-1.2	Atrazine-desisopropylhydroxy (unlabelled) 100 µg/mL in 80% Water/20% Diethylamine	1.2 mL
<b>New</b>	CIL-CLM-8310-1.2	Atrazine-hydroxy (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
<b>New</b>	CIL-ULM-8317-1.2	Hydroxyatrazine (unlabelled) 100 µg/mL in 80% H <sub>2</sub> O/Diethylamine	1.2 mL
	CIL-CLM-3894-1.2	Atrazine mercapturate (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7346-1.2	Atrazine mercapturate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-8311-1.2	Atrazinethiol (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8318-1.2	Atrazinethiol (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-CLM-7140	Bendiocarb ( <sup>13</sup> C <sub>3</sub> ,99%)	on request
	CIL-DLM-7152	Bensulide (isoproxy-D <sub>14</sub> ,98%)	on request
	CIL-CLM-3741-1.2	Bromoxynil (ring- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	2 x 1.2 mL
	CIL-ULM-6205-1.2	Bromoxynil (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-CLM-4682-1.2	Carbaryl (ring- <sup>13</sup> C <sub>6</sub> , 99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-8096-1.2	Carbaryl (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-1911-1.2	Carbofuran (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in p-Dioxane	1.2 mL
	CIL-ULM-7419-1.2	Carbofuran (unlabelled) 200 µg/mL in p-Dioxane	1.2 mL
<b>New</b>	CIL-CLM-1859-1.2	Carbofuran phenol (ring- <sup>13</sup> C <sub>6</sub> ,99%) 200 µg/mL in Methanol	2 x 1.2 mL
	CIL-ULM-6875-1.2	Carbofuran phenol (unlabelled) 200 µg/mL in Methanol	1.2 mL
	CIL-CLM-8087-1.2	cis-Chlordane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-2419-25	cis-Chlordane (unlabelled)	25 mg
	CIL-CLM-4792-1.2	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2420-25	trans-Chlordane (unlabelled)	25 mg
	CIL-CLM-4758-1.2	Chlordene ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7443-1.2	Chlordene (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-6759	4-Chloro-2-hydroxymethylphenoxyacetic acid (HMCPA) (ring- <sup>13</sup> C <sub>6</sub> ,99%)	on request
<b>New</b>	CIL-CLM-6758	4-Chloro-2-methylphenoxyacetic acid (MCPA) (ring- <sup>13</sup> C <sub>6</sub> ,99%)	on request
	CIL-CLM-1913-1.2	4-Chlorophenol ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Toluene	1.2 mL
	CIL-ULM-7420-1.2	4-Chlorophenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-3760-0.01	Chlorotoluron (N,N-dimethyl-D <sub>6</sub> ,98%)	0.01 g
	CIL-DLM-4360-1.2	Chlorpyrifos (diethyl-D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-7489-1.2	Chlorpyrifos (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-7153	Chlorpyrifos methyl (dimethyl-D <sub>6</sub> ,98%)	on request
	CIL-CLM-7293-1.2	Cyfluthrin (mix of stereoisomers) (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7454-1.2	Cyfluthrin (mix of stereoisomers) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-7292-1.2	Cypermethrin (mix of stereoisomers) (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7453-1.2	Cypermethrin (mix of stereoisomers) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-6999-1.2	2,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
	CIL-ULM-7450-1.2	2,4'-DDD (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-CLM-7100-1.2	4,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-3533-1.2	4,4'-DDD (ring-D <sub>8</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7216-1.2	4,4'-DDD (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4693-1.2	2,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6251-1.2	2,4'-DDE (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-1627-1.2	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-1627-5	4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
	CIL-ULM-6137-1.2	4,4'-DDE (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4692-1.2	2,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> , 99 %) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6134-1.2	2,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL

## Pesticide and chemical weapon standards

Code	Product	Unit
CIL-CLM-1281-1.2	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-1281-5	4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%)	5 mg
CIL-ULM-6135-1.2	4,4'-DDT (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-CLM-8316-1.2	Desethylisopropylhydroxyatrazine (Ammeline) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b> CIL-ULM-8323-1.2	Desethylisopropylhydroxyatrazine (Ammeline) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-1148-1.2	Diazinon (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-1148-5	Diazinon (diethyl-D <sub>10</sub> ,98%)	5 mg
<b>New</b> CIL-ULM-6575-S-10X-1.2	Diazinon (unlabelled) 1000 ug/mL in Nonane	1.2 mL
CIL-CLM-816-1.2	Dichlorane (2,6-Dichloro-4-nitroaniline) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-1858-1.2	2,4-D (2,4-Dichlorophenoxyacetic acid) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-DLM-1146-5	2,4-D (2,4-Dichlorophenoxyacetic acid) (ring-D <sub>3</sub> ,98%)	5 mg
CIL-ULM-7418-1.2	2,4-D (2,4-Dichlorophenoxyacetic acid) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CDLM-6002-1.2	DCCA (3-(2,2-Dichlorovinyl)-2,2-dimethyl-1-cyclopropane) carboxylic acid ( <sup>13</sup> C <sub>2</sub> , 99%; 1-D,98%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-7303-1.2	DCCA (3-(2,2-Dichlorovinyl)-2,2-dimethyl-1-Cyclopropane) carboxylic acid (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-3722-1.2	Dichlorprop (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7313-1.2	Dichlorprop (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2829-0.01	Dichlorvos (dimethyl-D <sub>6</sub> ,98%)	10 mg
CIL-ULM-7217-1.2	Dichlorvos (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4726-1.2	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7230-1.2	Dieldrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-4852-1.2	O,O-Diethyl hydrogen thiophosphate potassium salt (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b> CERERD-155	O,O-Dimethyl hydrogen dithiophosphate (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-ULM-4617-1.2	O,O-Dimethyl thiophosphate sodium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-ULM-6089	O,S-Dimethyl hydrogen thiophosphate sodium salt (unlabelled)	on request
CIL-DLM-4762-1.2	DEET (N,N-Diethyl-m-toluamide) (dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Dichloromethane	1.2 mL
<b>New</b> CIL-DLM-4762-D-1.2	DEET (N,N-Diethyl-m-toluamide) (dimethyl-D <sub>6</sub> , 98%) 100 µg/mL in Dioxane	1.2 mL
CIL-ULM-7975-1.2	DEET (N,N-Diethyl-m-toluamide) (unlabelled) 100 µg/ml in Dichloromethane	1.2 mL
<b>New</b> CIL-ULM-7975-D-1.2	DEET (N,N-Diethyl-m-toluamide) (unlabelled) 100 µg/mL in Dioxane	1.2 mL
CIL-DLM-7151-1.2	Dimethoate (O,O-dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-ULM-7972-1.2	Dimethoate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-3373-1.2	Dinocap (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
<b>New</b> CIL-DLM-7183	Disulfoton (O,O-diethyl-D <sub>10</sub> ,98%)	on request
CIL-CLM-6025-1.2	Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-DLM-2862-1.2	Endosulfan I (D <sub>4</sub> ,97%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7447-1.2	Endosulfan I (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-6026-1.2	Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7448-1.2	Endosulfan II (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-7531-1.2	Endosulfan sulfate ( <sup>13</sup> C <sub>9</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7990-1.2	Endosulfan sulfate (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4782-1.2	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7444-1.2	Endrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4815-50	Endrin aldehyde ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-CLM-4816-50	Endrin ketone ( <sup>13</sup> C <sub>12</sub> ,99%)	50 µg
CIL-DLM-2878-0.01	Fenitrothion (O,O-dimethyl-D <sub>6</sub> ,98%)	10 mg
CIL-CLM-7389-1.2	4-Fluoro-3-phenoxybenzoic acid ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-7391-1.2	4-Fluoro-3-phenoxybenzoic acid (unlabelled) 100 µg/mL in Nonane	1.2 mL
CIL-CLM-4545-1.2	Fonofos (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
CIL-ULM-6694-1.2	Fonofos (unlabelled) 100 µg/mL in Nonane	1.2 mL

## Pesticide and chemical weapon standards

	Code	Product	Unit
	CIL-CNLM-4666-1.2	Glyphosate (2- <sup>13</sup> C,99%; <sup>15</sup> N,98%) 100 µg/mL in Water	1.2 mL
<b>New</b>	CIL-CNLM-4666-10	Glyphosate (2- <sup>13</sup> C,99%; <sup>15</sup> N,98%) 100 µg/mL in Water	10 mL
	CIL-ULM-6876-1.2	Glyphosate (unlabelled) 100 µg/mL in Water	1.2 mL
	CIL-CLM-2482-1.2	alpha-HCH (alpha-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7232-1.2	alpha-HCH (alpha-BHC) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-3623-1.2	beta-HCH (beta-BHC) ( <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	2 x 1.2 mL
	CIL-ULM-6132-1.2	beta-HCH (beta-BHC) (unlabelled) 50 µg/mL Nonane	2 x 1.2 mL
	CIL-ULM-6132-SM-1.2	beta-HCH (beta-BHC) (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-CDLM-624-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%;D <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-1282-1.2	gamma-HCH (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6133-1.2	gamma-HCH (Lindane) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6133-SM-1.2	gamma-HCH (Lindane) (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-3648-1.2	delta-HCH ( <sup>13</sup> C <sub>6</sub> 99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7233-1.2	delta-HCH (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4759-1.2	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2424-1.2	Heptachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2424-0.1	Heptachlor (unlabelled)	0.1 g
	CIL-CLM-4734-1.2	cis-Heptachlor epoxide (isomer B) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2425-1.2	cis-Heptachlor epoxide (isomer B) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2425-0.1	Heptachlor epoxide (unlabelled)	0.1 g
	CIL-CLM-351-1.2	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6130-1.2	Hexachlorobenzene (unlabelled) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-DLM-8512-1.2	Imidacloprid (4,4,5,5-D <sub>4</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-8513-1.2	Imidacloprid (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-4727-1.2	Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7442-1.2	Isodrin (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4814-1.2	Chlordecone (Kepone <sup>®</sup> ) ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2301-1.2	Chlordecone (Kepone <sup>®</sup> ) (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2301-0.1	Chlordecone (Kepone <sup>®</sup> ) (unlabelled)	0.1 g
	CIL-DLM-4476-1.2	Malathion (D <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-8122-1.2	Malathion 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-DLM-7149	Methamidophos (dimethyl-D <sub>6</sub> ,98%)	on request
<b>New</b>	CIL-CNLM-7148-1.2	Methomyl (acetohydroxamate- <sup>13</sup> C <sub>2</sub> ,99%; <sup>15</sup> N,98%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-8639-1.2	Methomyl (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-4683-1.2	Methoxychlor (ring- <sup>13</sup> C <sub>12</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7440-1.2	Methoxychlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-DLM-6196-1.2	Methylphosphonic acid (methyl-D <sub>3</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
	CIL-CLM-3712-1.2	Metolachlor (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7314-1.2	Metolachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4813-1.2	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-2078-1	Mirex ( <sup>13</sup> C <sub>8</sub> ,99%) 200 µg/mL in Toluene	1 mL
	CIL-ULM-2427-1.2	Mirex (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-2427-SM-1.2	Mirex (unlabelled) 100 µg/mL in Methanol	1.2 mL
	CIL-ULM-2427-0.1	Mirex (unlabelled)	0.1 g
	CIL-CLM-4811-1.2	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7445-1.2	cis-Nonachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4735-1.2	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7229-1.2	trans-Nonachlor (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4729-1.2	Oxychlorane ( <sup>13</sup> C <sub>10</sub> ,99%) 100 µg/mL in Nonane	1.2 mL



## Pesticide and chemical weapon standards

	Code	Product	Unit
	CIL-ULM-6139-1.2	Oxychlorane (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-6139-SM-1.2	Oxychlorane (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-DLM-7150-1.2	Oxydemeton methyl (di-O-methyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8579-1.2	Oxydemeton methyl (Chemical purity 95%) (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4538-1.2	Oxypyrimidine (methyl-4,5,6- <sup>13</sup> C <sub>4</sub> , 99%) (diazinon metabolite) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-7432-1.2	Oxypyrimidine (unlabelled) (diazinon metabolite) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-2970-1.2	Parathion-ethyl (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-8144-1.2	Parathion 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-7322-1.2	cis-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-8526-1.2	cis-Permethrin (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-CLM-7323-1.2	trans-Permethrin (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) 50 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-8527-1.2	trans-Permethrin (unlabelled) 50 µg/mL in Nonane	1.2 mL
	CIL-CLM-3733-1.2	2-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7396-1.2	2-Phenylphenol (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-3748-1.2	4-Phenylphenol (phenyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4542-1.2	3-Phenoxybenzoic acid (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) (Permethrin metabolite) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-4542-SA-1.2	3-Phenoxybenzoic acid (phenoxy- <sup>13</sup> C <sub>6</sub> ,99%) (Permethrin metabolite) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-ULM-6781-1.2	3-Phenoxybenzoic acid (unlabelled) (Permethrin metabolite) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-ULM-6781-SA-1.2	3-Phenoxybenzoic acid (unlabelled) (Permethrin metabolite) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-4544-1.2	Phorate (diethoxy- <sup>13</sup> C <sub>4</sub> , 99%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-7567-1.2	Phorate (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-DLM-4667-1.2	Phosmet (dimethyl-D <sub>6</sub> ,98%) 100 µg/mL in Acetonitrile	1.2 mL
<b>New</b>	CIL-ULM-8454-1.2	Phosmet (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL
	CIL-CLM-3738-1.2	Propazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-DLM-7141	Propoxur (isopropyl-D <sub>7</sub> ,98%)	on request
	CIL-CLM-3739-1.2	Simazine (ring- <sup>13</sup> C <sub>3</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-ULM-7893-1.2	Simazine (unlabelled) 100 µg/mL in Methanol	1.2 mL
<b>New</b>	CIL-DLM-380-1.2	Styrene (D <sub>8</sub> ,98%) (stabilized with BHT) 100 µg/mL in Nonane	1.2 mL
<b>New</b>	CIL-CLM-4543	Terbufos (diethoxy- <sup>13</sup> C <sub>4</sub> ,99%)	on request
	CIL-CLM-4551-1.2	2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) (ring- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methylene chloride	1.2 mL
	CIL-ULM-7213-1.2	2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) (unlabelled) 100 µg/mL in Methylene chloride	1.2 mL
	CIL-DLM-4479-1.2	Trifluralin (di-n-propyl-D <sub>14</sub> ,98%) 100 µg/mL in Nonane	1.2 mL
	CIL-ULM-7236-1.2	Trifluralin (unlabelled) 100 µg/mL in Nonane	1.2 mL
	CIL-CLM-6620-1.2	1,2,2-Trimethylpropyl hydrogen methylphosphonate (trimethylpropyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
	CIL-DLM-6861-1.2	Warfarin (phenyl-D <sub>5</sub> ,98%) 100 µg/mL in Acetonitrile-D <sub>3</sub>	1.2 mL
	CIL-ULM-7242-1.2	Warfarin (unlabelled) 100 µg/mL in Acetonitrile	1.2 mL

# Pesticide and chemical weapon standards

Code Product Unit

## Pesticide standard mixtures

<b>New</b>	CIL-ES-5464	Expanded POPS Pesticides Calibration Solutions [CS1-CS6] (unlabelled/ <sup>13</sup> C,99%) Solvent: Nonane All concentrations are in ng/mL (ppb)	6 x 0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																													
		<table border="1"> <thead> <tr> <th>Unlabelled compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> </thead> <tbody> <tr><td>Hexachlorobenzene</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Pentachlorobenzene</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Aldrin</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Dieldrin</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Endrin</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>4,4'-DDT</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>4,4'-DDE</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>4,4'-DDD</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>2,4'-DDT</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>2,4'-DDE</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>2,4'-DDD</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>trans-Chlordane (gamma)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>cis-Chlordane (alpha)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>trans-Nonachlor</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>cis-Nonachlor</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Oxychlordane</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Heptachlor</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>trans-Heptachlor epoxide (A isomer)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>cis-Heptachlor epoxide (B isomer)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Mirex</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Kepone (Chlordecone)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>alpha-BHC (alpha-HCH)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>beta-BHC (beta-HCH)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>gamma-BHC (gamma-HCH) (Lindane)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>delta-BHC (delta-HCH)</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Endosulfan I</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr><td>Endosulfan II</td><td>0.4</td><td>2</td><td>10</td><td>40</td><td>200</td><td>800</td></tr> <tr> <th>Labelled compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> </tr> <tr><td>Hexachlorobenzene (<sup>13</sup>C<sub>6</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Pentachlorobenzene (<sup>13</sup>C<sub>6</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Aldrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Endrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Dieldrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>4,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>4,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>4,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>trans-Chlordane (gamma) (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>trans-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>cis-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Oxychlordane (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Heptachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>cis-Heptachlor epoxide (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Mirex (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Kepone (Chlordecone) (<sup>13</sup>C<sub>10</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>alpha-BHC (alpha-HCH) (<sup>13</sup>C<sub>6</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>beta-BHC (beta-HCH) (<sup>13</sup>C<sub>6</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>gamma-BHC (gamma-HCH) (Lindane) (<sup>13</sup>C<sub>6</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Delta-BHC (delta-HCH) (<sup>13</sup>C<sub>6</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Endosulfan I (<sup>13</sup>C<sub>9</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>Endosulfan II (<sup>13</sup>C<sub>9</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr> <th>Syringe standard</th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr><td>4,4'-DiCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 15)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr><td>2,3',4',5-TeCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 70)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> <tr> <th>Sampling standard</th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr><td>Isodrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td><td>20</td></tr> </tbody> </table>	Unlabelled compounds	CS1	CS2	CS3	CS4	CS5	CS6	Hexachlorobenzene	0.4	2	10	40	200	800	Pentachlorobenzene	0.4	2	10	40	200	800	Aldrin	0.4	2	10	40	200	800	Dieldrin	0.4	2	10	40	200	800	Endrin	0.4	2	10	40	200	800	4,4'-DDT	0.4	2	10	40	200	800	4,4'-DDE	0.4	2	10	40	200	800	4,4'-DDD	0.4	2	10	40	200	800	2,4'-DDT	0.4	2	10	40	200	800	2,4'-DDE	0.4	2	10	40	200	800	2,4'-DDD	0.4	2	10	40	200	800	trans-Chlordane (gamma)	0.4	2	10	40	200	800	cis-Chlordane (alpha)	0.4	2	10	40	200	800	trans-Nonachlor	0.4	2	10	40	200	800	cis-Nonachlor	0.4	2	10	40	200	800	Oxychlordane	0.4	2	10	40	200	800	Heptachlor	0.4	2	10	40	200	800	trans-Heptachlor epoxide (A isomer)	0.4	2	10	40	200	800	cis-Heptachlor epoxide (B isomer)	0.4	2	10	40	200	800	Mirex	0.4	2	10	40	200	800	Kepone (Chlordecone)	0.4	2	10	40	200	800	alpha-BHC (alpha-HCH)	0.4	2	10	40	200	800	beta-BHC (beta-HCH)	0.4	2	10	40	200	800	gamma-BHC (gamma-HCH) (Lindane)	0.4	2	10	40	200	800	delta-BHC (delta-HCH)	0.4	2	10	40	200	800	Endosulfan I	0.4	2	10	40	200	800	Endosulfan II	0.4	2	10	40	200	800	Labelled compounds	CS1	CS2	CS3	CS4	CS5	CS6	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	cis-Heptachlor epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	Kepone (Chlordecone) ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	alpha-BHC (alpha-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	beta-BHC (beta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	gamma-BHC (gamma-HCH) (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	Delta-BHC (delta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%)	20	20	20	20	20	20	Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%)	20	20	20	20	20	20	Syringe standard							4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 15)	20	20	20	20	20	20	2,3',4',5-TeCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 70)	20	20	20	20	20	20	Sampling standard							Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	
Unlabelled compounds	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																																																																																																																																																										
Hexachlorobenzene	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Pentachlorobenzene	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Aldrin	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Dieldrin	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Endrin	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
4,4'-DDT	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
4,4'-DDE	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
4,4'-DDD	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
2,4'-DDT	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
2,4'-DDE	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
2,4'-DDD	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
trans-Chlordane (gamma)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
cis-Chlordane (alpha)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
trans-Nonachlor	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
cis-Nonachlor	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Oxychlordane	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Heptachlor	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
trans-Heptachlor epoxide (A isomer)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
cis-Heptachlor epoxide (B isomer)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Mirex	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Kepone (Chlordecone)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
alpha-BHC (alpha-HCH)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
beta-BHC (beta-HCH)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
gamma-BHC (gamma-HCH) (Lindane)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
delta-BHC (delta-HCH)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Endosulfan I	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Endosulfan II	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																																																																																																										
Labelled compounds	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																																																																																																																																																										
Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Pentachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
cis-Heptachlor epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Kepone (Chlordecone) ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
alpha-BHC (alpha-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
beta-BHC (beta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
gamma-BHC (gamma-HCH) (Lindane) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Delta-BHC (delta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Endosulfan I ( <sup>13</sup> C <sub>9</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Endosulfan II ( <sup>13</sup> C <sub>9</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Syringe standard																																																																																																																																																																																																																																																																																																																																																																																																																																
4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 15)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
2,3',4',5-TeCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 70)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
Sampling standard																																																																																																																																																																																																																																																																																																																																																																																																																																
Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																																																																																																										
<b>New</b>	CIL-ES-5464-CS1	Expanded POPS Pesticides Calibration Solutions [CS1] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																													
<b>New</b>	CIL-ES-5464-CS2	Expanded POPS Pesticides Calibration Solutions [CS2] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																													
<b>New</b>	CIL-ES-5464-CS3	Expanded POPS Pesticides Calibration Solutions [CS3] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																													
<b>New</b>	CIL-ES-5464-CS4	Expanded POPS Pesticides Calibration Solutions [CS4] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																													
<b>New</b>	CIL-ES-5464-CS5	Expanded POPS Pesticides Calibration Solutions [CS5] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																													
<b>New</b>	CIL-ES-5464-CS6	Expanded POPS Pesticides Calibration Solutions [CS6] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																													





## Pesticide and chemical weapon standards

Code	Product	Unit																														
<b>New</b> CIL-ES-5467	Expanded POPS Pesticides PAR Solution (unlabelled) in Nonane Solvent: Nonane HCB ..... 1000 ng/mL      cis-Nonachlor ..... 1000 ng/mL Pentachlorobenzene ..... 1000 ng/mL      Oxychlorodane ..... 1000 ng/mL Aldrin ..... 1000 ng/mL      Heptachlor ..... 1000 ng/mL Dieldrin ..... 1000 ng/mL      trans-Heptachlor epoxide ..... 1000 ng/mL Endrin ..... 1000 ng/mL      cis-Heptachlor epoxide ..... 1000 ng/mL p,p'-DDT ..... 1000 ng/mL      Mirex ..... 1000 ng/mL p,p'-DDE ..... 1000 ng/mL      Kepone (Chlordecone) ..... 1000 ng/mL p,p'-DDD ..... 1000 ng/mL      alpha-HCH ..... 1000 ng/mL o,p'-DDT ..... 1000 ng/mL      beta-HCH ..... 1000 ng/mL o,p'-DDE ..... 1000 ng/mL      gamma-HCH ..... 1000 ng/mL o,p'-DDD ..... 1000 ng/mL      delta-HCH ..... 1000 ng/mL trans-Chlordane ..... 1000 ng/mL      Endosulfan 1 ..... 1000 ng/mL cis-Chlordane ..... 1000 ng/mL      Endosulfan 2 ..... 1000 ng/mL trans-Nonachlor ..... 1000 ng/mL	1.2 mL																														
CIL-ES-5345	POPS Toxaphene calibration solution [CS1-CS5] (unlabelled/ <sup>13</sup> C <sub>10</sub> ,99%) Solvent: Nonane All concentrations in ng/mL <table border="1"> <thead> <tr> <th>Component</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> </tr> </thead> <tbody> <tr> <td>Parlar-26 .....</td> <td>10.....</td> <td>30.....</td> <td>100.....</td> <td>300.....</td> <td>1000</td> </tr> <tr> <td>Parlar-50 .....</td> <td>10.....</td> <td>30.....</td> <td>100.....</td> <td>300.....</td> <td>1000</td> </tr> <tr> <td>Parlar-62 .....</td> <td>10.....</td> <td>30.....</td> <td>100.....</td> <td>300.....</td> <td>1000</td> </tr> <tr> <td>trans-Chlordane-<sup>13</sup>C<sub>10</sub>.....</td> <td>1.....</td> <td>1.....</td> <td>1.....</td> <td>1.....</td> <td>1</td> </tr> </tbody> </table>	Component	CS1	CS2	CS3	CS4	CS5	Parlar-26 .....	10.....	30.....	100.....	300.....	1000	Parlar-50 .....	10.....	30.....	100.....	300.....	1000	Parlar-62 .....	10.....	30.....	100.....	300.....	1000	trans-Chlordane- <sup>13</sup> C <sub>10</sub> .....	1.....	1.....	1.....	1.....	1	5 x 0.2 mL
Component	CS1	CS2	CS3	CS4	CS5																											
Parlar-26 .....	10.....	30.....	100.....	300.....	1000																											
Parlar-50 .....	10.....	30.....	100.....	300.....	1000																											
Parlar-62 .....	10.....	30.....	100.....	300.....	1000																											
trans-Chlordane- <sup>13</sup> C <sub>10</sub> .....	1.....	1.....	1.....	1.....	1																											
CIL-ES-5345-CS1	POPS Toxaphene calibration solution [CS1]	0.2 mL																														
CIL-ES-5345-CS2	POPS Toxaphene calibration solution [CS2]	0.2 mL																														
CIL-ES-5345-CS3	POPS Toxaphene calibration solution [CS3]	0.2 mL																														
CIL-ES-5345-CS4	POPS Toxaphene calibration solution [CS4]	0.2 mL																														
CIL-ES-5345-CS5	POPS Toxaphene calibration solution [CS5]	0.2 mL																														
CIL-ES-5352-L	POPS Toxaphene surrogate solution with PCB syringe ( <sup>13</sup> C <sub>10</sub> ,99%) Solvent: Nonane <i>trans</i> -Chlordane (gamma)- <sup>13</sup> C <sub>10</sub> ..... 1 µg/mL	1.2 mL																														
<b>New</b> CIL-ES-5353	Predominant Bioaccumulative Toxaphene Congeners (Parlar 26, 50 and 62) Solvent: Nonane Parlar 26 ..... 2000 ng/mL      Parlar 50 ..... 2000 ng/mL      Parlar 62 ..... 2000 ng/mL	1.2 mL																														

## Pesticide and chemical weapon standards

Code	Product	Unit																																																																																																																																																																																																																																																																																																																																																
CIL-ES-5348	POPS Pesticides Calibration Solution [CS1-CS6] (unlabelled/ <sup>13</sup> C,99%) Solvent: Nonane All concentrations in ng/mL <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Unlabelled component</th> <th style="text-align: right;">CS1</th> <th style="text-align: right;">CS2</th> <th style="text-align: right;">CS3</th> <th style="text-align: right;">CS4</th> <th style="text-align: right;">CS5</th> <th style="text-align: right;">CS6</th> </tr> </thead> <tbody> <tr><td>Hexachlorobenzene</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>Aldrin</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>Dieldrin</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>Endrin</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>4,4'-DDT</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>4,4'-DDE</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>4,4'-DDD</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>2,4'-DDT</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>2,4'-DDE</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>2,4'-DDD</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>trans-Chlordane (gamma)</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>cis-Chlordane (alpha)</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>trans-Nonachlor</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>cis-Nonachlor</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>Oxychlordane</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>Heptachlor</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>trans-Heptachlor Epoxide</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>cis-Heptachlor Epoxide</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>Mirex</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>alpha-BHC</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>beta-BHC</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>Lindane</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr><td>delta-BHC</td><td style="text-align: right;">0.4</td><td style="text-align: right;">2</td><td style="text-align: right;">10</td><td style="text-align: right;">40</td><td style="text-align: right;">200</td><td style="text-align: right;">800</td></tr> <tr> <th style="text-align: left;"><sup>13</sup>C-Labelled component</th> <th style="text-align: right;">CS1</th> <th style="text-align: right;">CS2</th> <th style="text-align: right;">CS3</th> <th style="text-align: right;">CS4</th> <th style="text-align: right;">CS5</th> <th style="text-align: right;">CS6</th> </tr> <tr><td>Hexachlorobenzene (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>Aldrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>Dieldrin-<sup>13</sup>C<sub>12</sub></td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>Endrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>4,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>4,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>4,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>trans-Chlordane (gamma) (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>trans-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>cis-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>Oxychlordane (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>Heptachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>cis-Heptachlor Epoxide (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>Mirex (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>alpha-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>beta-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>Lindane (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>delta-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>4,4'-DiCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB-15)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> <tr><td>2,3,4',5'-TetraCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB-70)</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td><td style="text-align: right;">20</td></tr> </tbody> </table>	Unlabelled component	CS1	CS2	CS3	CS4	CS5	CS6	Hexachlorobenzene	0.4	2	10	40	200	800	Aldrin	0.4	2	10	40	200	800	Dieldrin	0.4	2	10	40	200	800	Endrin	0.4	2	10	40	200	800	4,4'-DDT	0.4	2	10	40	200	800	4,4'-DDE	0.4	2	10	40	200	800	4,4'-DDD	0.4	2	10	40	200	800	2,4'-DDT	0.4	2	10	40	200	800	2,4'-DDE	0.4	2	10	40	200	800	2,4'-DDD	0.4	2	10	40	200	800	trans-Chlordane (gamma)	0.4	2	10	40	200	800	cis-Chlordane (alpha)	0.4	2	10	40	200	800	trans-Nonachlor	0.4	2	10	40	200	800	cis-Nonachlor	0.4	2	10	40	200	800	Oxychlordane	0.4	2	10	40	200	800	Heptachlor	0.4	2	10	40	200	800	trans-Heptachlor Epoxide	0.4	2	10	40	200	800	cis-Heptachlor Epoxide	0.4	2	10	40	200	800	Mirex	0.4	2	10	40	200	800	alpha-BHC	0.4	2	10	40	200	800	beta-BHC	0.4	2	10	40	200	800	Lindane	0.4	2	10	40	200	800	delta-BHC	0.4	2	10	40	200	800	<sup>13</sup> C-Labelled component	CS1	CS2	CS3	CS4	CS5	CS6	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	Dieldrin- <sup>13</sup> C <sub>12</sub>	20	20	20	20	20	20	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	cis-Heptachlor Epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20	alpha-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	beta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	delta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20	4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB-15)	20	20	20	20	20	20	2,3,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB-70)	20	20	20	20	20	20	6 x 0.2 mL
Unlabelled component	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																																																																												
Hexachlorobenzene	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
Aldrin	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
Dieldrin	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
Endrin	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
4,4'-DDT	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
4,4'-DDE	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
4,4'-DDD	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
2,4'-DDT	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
2,4'-DDE	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
2,4'-DDD	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
trans-Chlordane (gamma)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
cis-Chlordane (alpha)	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
trans-Nonachlor	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
cis-Nonachlor	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
Oxychlordane	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
Heptachlor	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
trans-Heptachlor Epoxide	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
cis-Heptachlor Epoxide	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
Mirex	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
alpha-BHC	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
beta-BHC	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
Lindane	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
delta-BHC	0.4	2	10	40	200	800																																																																																																																																																																																																																																																																																																																																												
<sup>13</sup> C-Labelled component	CS1	CS2	CS3	CS4	CS5	CS6																																																																																																																																																																																																																																																																																																																																												
Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
Dieldrin- <sup>13</sup> C <sub>12</sub>	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
cis-Heptachlor Epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
alpha-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
beta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
delta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
4,4'-DiCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB-15)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
2,3,4',5'-TetraCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB-70)	20	20	20	20	20	20																																																																																																																																																																																																																																																																																																																																												
CIL-ES-5348-CS1	POPS Pesticides Calibration Solution [CS1] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																
CIL-ES-5348-CS2	POPS Pesticides Calibration Solution [CS2] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																
CIL-ES-5348-CS3	POPS Pesticides Calibration Solution [CS3] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																
CIL-ES-5348-CS4	POPS Pesticides Calibration Solution [CS3] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																
CIL-ES-5348-CS5	POPS Pesticides Calibration Solution [CS5] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																
CIL-ES-5348-CS6	POPS Pesticides Calibration Solution [CS6] (unlabelled/ <sup>13</sup> C,99%)	0.2 mL																																																																																																																																																																																																																																																																																																																																																
CIL-ES-5349	POPS Pesticides HRMS HCH clean-up spike ( <sup>13</sup> C,99%) Solvent: Nonane <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 50%;">alpha-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td> <td style="width: 50%;">100 ng/mL</td> <td style="width: 50%;">trans-Nonachlor(<sup>13</sup>C<sub>10</sub>,99%)</td> <td style="width: 50%;">100 ng/mL</td> </tr> <tr> <td>Hexachlorobenzene (<sup>13</sup>C<sub>6</sub>,99%)</td> <td>100 ng/mL</td> <td>4,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>Lindane (<sup>13</sup>C<sub>6</sub>,99%)</td> <td>100 ng/mL</td> <td>Dieldrin (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>beta-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td> <td>100 ng/mL</td> <td>2,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>delta-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td> <td>100 ng/mL</td> <td>Endrin (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>Heptachlor (<sup>13</sup>C<sub>10</sub>,99%)</td> <td>100 ng/mL</td> <td>2,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>Aldrin (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> <td>cis-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>Oxychlordane (<sup>13</sup>C<sub>10</sub>,99%)</td> <td>100 ng/mL</td> <td>4,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>cis-Heptachlor epoxide (<sup>13</sup>C<sub>10</sub>,99%)</td> <td>100 ng/mL</td> <td>4,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>2,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td> <td>100 ng/mL</td> <td>Mirex (<sup>13</sup>C<sub>10</sub>,99%)</td> <td>100 ng/mL</td> </tr> <tr> <td>trans-Chlordane (gamma) (<sup>13</sup>C<sub>10</sub>,99%)</td> <td>100 ng/mL</td> <td></td> <td></td> </tr> </tbody> </table>	alpha-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	trans-Nonachlor( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	beta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	delta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	cis-Heptachlor epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL			1.2 mL																																																																																																																																																																																																																																																																																																				
alpha-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	trans-Nonachlor( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
beta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
delta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	100 ng/mL	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
cis-Heptachlor epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	100 ng/mL	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																															
trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	100 ng/mL																																																																																																																																																																																																																																																																																																																																																	



## Pesticide and chemical weapon standards

Code	Product	Unit																																																																																																																																																																																																																																				
CIL-ES-5341	POPS Pesticide, non-toxaphene, non-HCH, calibration solution [CS1-CS5] (unlabelled/ <sup>13</sup> C,99%) Solvent: Nonane All concentrations in ng/mL <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Unlabelled component</th> <th style="text-align: right;">CS1</th> <th style="text-align: right;">CS2</th> <th style="text-align: right;">CS3</th> <th style="text-align: right;">CS4</th> <th style="text-align: right;">CS5</th> </tr> </thead> <tbody> <tr><td>Hexachlorobenzene</td><td style="text-align: right;">0.05</td><td style="text-align: right;">0.15</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td></tr> <tr><td>Aldrin</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td><td style="text-align: right;">15</td><td style="text-align: right;">50</td></tr> <tr><td>Dieldrin</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>Endrin</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td><td style="text-align: right;">15</td><td style="text-align: right;">50</td></tr> <tr><td>4,4'-DDT</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td><td style="text-align: right;">15</td><td style="text-align: right;">50</td></tr> <tr><td>4,4'-DDE</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>4,4'-DDD</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td><td style="text-align: right;">15</td><td style="text-align: right;">50</td></tr> <tr><td>2,4'-DDT</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td><td style="text-align: right;">15</td><td style="text-align: right;">50</td></tr> <tr><td>2,4'-DDE</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>2,4'-DDD</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td><td style="text-align: right;">15</td><td style="text-align: right;">50</td></tr> <tr><td>trans-Chlordane (gamma)</td><td style="text-align: right;">0.05</td><td style="text-align: right;">0.15</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td></tr> <tr><td>cis-Chlordane (alpha)</td><td style="text-align: right;">0.05</td><td style="text-align: right;">0.15</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td></tr> <tr><td>trans-Nonachlor</td><td style="text-align: right;">0.05</td><td style="text-align: right;">0.15</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td></tr> <tr><td>cis-Nonachlor</td><td style="text-align: right;">0.05</td><td style="text-align: right;">0.15</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td></tr> <tr><td>Oxychlordane</td><td style="text-align: right;">0.5</td><td style="text-align: right;">1.5</td><td style="text-align: right;">5</td><td style="text-align: right;">15</td><td style="text-align: right;">50</td></tr> <tr><td>Heptachlor</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>trans-Heptachlor Epoxide</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>cis-Heptachlor Epoxide</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>Mirex</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr> <th style="text-align: left;"><sup>13</sup>C-Labelled component</th> <th style="text-align: right;">CS1</th> <th style="text-align: right;">CS2</th> <th style="text-align: right;">CS3</th> <th style="text-align: right;">CS4</th> <th style="text-align: right;">CS5</th> </tr> <tr><td>Hexachlorobenzene (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td></tr> <tr><td>Aldrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td></tr> <tr><td>Dieldrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>Endrin (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td></tr> <tr><td>4,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td></tr> <tr><td>4,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>4,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td></tr> <tr><td>2,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td></tr> <tr><td>2,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>2,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%)</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td></tr> <tr><td>trans-Chlordane (gamma) (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td></tr> <tr><td>trans-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td></tr> <tr><td>cis-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td><td style="text-align: right;">1</td></tr> <tr><td>Oxychlordane (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td><td style="text-align: right;">10</td></tr> <tr><td>Heptachlor (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>cis-Heptachlor Epoxide (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>Mirex (<sup>13</sup>C<sub>10</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> </tbody> </table>	Unlabelled component	CS1	CS2	CS3	CS4	CS5	Hexachlorobenzene	0.05	0.15	0.5	1.5	5	Aldrin	0.5	1.5	5	15	50	Dieldrin	0.1	0.3	1	3	10	Endrin	0.5	1.5	5	15	50	4,4'-DDT	0.5	1.5	5	15	50	4,4'-DDE	0.1	0.3	1	3	10	4,4'-DDD	0.5	1.5	5	15	50	2,4'-DDT	0.5	1.5	5	15	50	2,4'-DDE	0.1	0.3	1	3	10	2,4'-DDD	0.5	1.5	5	15	50	trans-Chlordane (gamma)	0.05	0.15	0.5	1.5	5	cis-Chlordane (alpha)	0.05	0.15	0.5	1.5	5	trans-Nonachlor	0.05	0.15	0.5	1.5	5	cis-Nonachlor	0.05	0.15	0.5	1.5	5	Oxychlordane	0.5	1.5	5	15	50	Heptachlor	0.1	0.3	1	3	10	trans-Heptachlor Epoxide	0.1	0.3	1	3	10	cis-Heptachlor Epoxide	0.1	0.3	1	3	10	Mirex	0.1	0.3	1	3	10	<sup>13</sup> C-Labelled component	CS1	CS2	CS3	CS4	CS5	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1	1	1	1	1	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	2	2	2	2	2	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	2	2	2	2	2	4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	2	2	2	2	2	2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	1	1	1	1	1	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	1	1	1	1	1	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	1	1	1	1	1	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	10	10	10	10	10	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	2	2	2	2	2	cis-Heptachlor Epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	2	2	2	2	2	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	2	2	2	2	2	5 x 0.2 mL
Unlabelled component	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																	
Hexachlorobenzene	0.05	0.15	0.5	1.5	5																																																																																																																																																																																																																																	
Aldrin	0.5	1.5	5	15	50																																																																																																																																																																																																																																	
Dieldrin	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
Endrin	0.5	1.5	5	15	50																																																																																																																																																																																																																																	
4,4'-DDT	0.5	1.5	5	15	50																																																																																																																																																																																																																																	
4,4'-DDE	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
4,4'-DDD	0.5	1.5	5	15	50																																																																																																																																																																																																																																	
2,4'-DDT	0.5	1.5	5	15	50																																																																																																																																																																																																																																	
2,4'-DDE	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
2,4'-DDD	0.5	1.5	5	15	50																																																																																																																																																																																																																																	
trans-Chlordane (gamma)	0.05	0.15	0.5	1.5	5																																																																																																																																																																																																																																	
cis-Chlordane (alpha)	0.05	0.15	0.5	1.5	5																																																																																																																																																																																																																																	
trans-Nonachlor	0.05	0.15	0.5	1.5	5																																																																																																																																																																																																																																	
cis-Nonachlor	0.05	0.15	0.5	1.5	5																																																																																																																																																																																																																																	
Oxychlordane	0.5	1.5	5	15	50																																																																																																																																																																																																																																	
Heptachlor	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
trans-Heptachlor Epoxide	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
cis-Heptachlor Epoxide	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
Mirex	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
<sup>13</sup> C-Labelled component	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																	
Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)	1	1	1	1	1																																																																																																																																																																																																																																	
Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																	
Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																	
4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																	
4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																	
2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																	
2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																	
trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%)	1	1	1	1	1																																																																																																																																																																																																																																	
trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	1	1	1	1	1																																																																																																																																																																																																																																	
cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	1	1	1	1	1																																																																																																																																																																																																																																	
Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%)	10	10	10	10	10																																																																																																																																																																																																																																	
Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
cis-Heptachlor Epoxide ( <sup>13</sup> C <sub>10</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
CIL-ES-5341-CS1	POPS Pesticide, non-toxaphene, non-HCH, calibration solution [CS1]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5341-CS2	POPS Pesticide, non-toxaphene, non-HCH, calibration solution [CS2]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5341-CS3	POPS Pesticide, non-toxaphene, non-HCH, calibration solution [CS3]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5341-CS4	POPS Pesticide, non-toxaphene, non-HCH, calibration solution [CS4]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5341-CS5	POPS Pesticide, non-toxaphene, non-HCH, calibration solution [CS5]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5342	POPS Pesticide, non-toxaphene, non-HCH, HRMS clean-up spike ( <sup>13</sup> C,99%) Solvent: Nonane <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 50%;">Hexachlorobenzene (<sup>13</sup>C<sub>6</sub>,99%).....10 ng/mL</td> <td style="width: 50%;">Dieldrin (<sup>13</sup>C<sub>12</sub>,99%).....20 ng/mL</td> </tr> <tr> <td>Heptachlor (<sup>13</sup>C<sub>10</sub>,99%).....20 ng/mL</td> <td>2,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%).....100 ng/mL</td> </tr> <tr> <td>Aldrin (<sup>13</sup>C<sub>12</sub>,99%).....100 ng/mL</td> <td>Endrin (<sup>13</sup>C<sub>12</sub>,99%).....100 ng/mL</td> </tr> <tr> <td>Oxychlordane (<sup>13</sup>C<sub>10</sub>,99%).....100 ng/mL</td> <td>2,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%).....100 ng/mL</td> </tr> <tr> <td>cis-Heptachlor epoxide (<sup>13</sup>C<sub>10</sub>,99%).....20 ng/mL</td> <td>cis-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%).....10 ng/mL</td> </tr> <tr> <td>2,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%).....20 ng/mL</td> <td>4,4'-DDD (<sup>13</sup>C<sub>12</sub>,99%).....100 ng/mL</td> </tr> <tr> <td>trans-Chlordane (gamma) (<sup>13</sup>C<sub>10</sub>,99%).....10 ng/mL</td> <td>4,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%).....100 ng/mL</td> </tr> <tr> <td>trans-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%).....10 ng/mL</td> <td>Mirex (<sup>13</sup>C<sub>10</sub>,99%).....20 ng/mL</td> </tr> <tr> <td>4,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%).....20 ng/mL</td> <td></td> </tr> </tbody> </table>	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%).....10 ng/mL	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%).....20 ng/mL	Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%).....20 ng/mL	2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL	Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%).....100 ng/mL	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL	cis-Heptachlor epoxide ( <sup>13</sup> C <sub>10</sub> ,99%).....20 ng/mL	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%).....10 ng/mL	2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%).....20 ng/mL	4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%).....10 ng/mL	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%).....10 ng/mL	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%).....20 ng/mL	4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%).....20 ng/mL		1.2 mL																																																																																																																																																																																																																		
Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%).....10 ng/mL	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%).....20 ng/mL																																																																																																																																																																																																																																					
Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%).....20 ng/mL	2,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL																																																																																																																																																																																																																																					
Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL																																																																																																																																																																																																																																					
Oxychlordane ( <sup>13</sup> C <sub>10</sub> ,99%).....100 ng/mL	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL																																																																																																																																																																																																																																					
cis-Heptachlor epoxide ( <sup>13</sup> C <sub>10</sub> ,99%).....20 ng/mL	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%).....10 ng/mL																																																																																																																																																																																																																																					
2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%).....20 ng/mL	4,4'-DDD ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL																																																																																																																																																																																																																																					
trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%).....10 ng/mL	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%).....100 ng/mL																																																																																																																																																																																																																																					
trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%).....10 ng/mL	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%).....20 ng/mL																																																																																																																																																																																																																																					
4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%).....20 ng/mL																																																																																																																																																																																																																																						
CIL-ES-5343	POPS HRMS HCH calibration solution [CS1-CS5] (unlabelled/ <sup>13</sup> C <sub>6</sub> ,99%) Solvent: Nonane All concentrations in ng/mL <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Component</th> <th style="text-align: right;">CS1</th> <th style="text-align: right;">CS2</th> <th style="text-align: right;">CS3</th> <th style="text-align: right;">CS4</th> <th style="text-align: right;">CS5</th> </tr> </thead> <tbody> <tr><td>alpha-BHC</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>beta-BHC</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>Lindane</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>delta-BHC</td><td style="text-align: right;">0.1</td><td style="text-align: right;">0.3</td><td style="text-align: right;">1</td><td style="text-align: right;">3</td><td style="text-align: right;">10</td></tr> <tr><td>alpha-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>beta-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>Lindane (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> <tr><td>delta-BHC (<sup>13</sup>C<sub>6</sub>,99%)</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td><td style="text-align: right;">2</td></tr> </tbody> </table>	Component	CS1	CS2	CS3	CS4	CS5	alpha-BHC	0.1	0.3	1	3	10	beta-BHC	0.1	0.3	1	3	10	Lindane	0.1	0.3	1	3	10	delta-BHC	0.1	0.3	1	3	10	alpha-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2	beta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2	Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2	delta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2	5 x 0.2 mL																																																																																																																																																																														
Component	CS1	CS2	CS3	CS4	CS5																																																																																																																																																																																																																																	
alpha-BHC	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
beta-BHC	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
Lindane	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
delta-BHC	0.1	0.3	1	3	10																																																																																																																																																																																																																																	
alpha-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
beta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
delta-BHC ( <sup>13</sup> C <sub>6</sub> ,99%)	2	2	2	2	2																																																																																																																																																																																																																																	
CIL-ES-5343-CS1	POPS HRMS HCH calibration solution [CS1]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5343-CS2	POPS HRMS HCH calibration solution [CS2]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5343-CS3	POPS HRMS HCH calibration solution [CS3]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5343-CS4	POPS HRMS HCH calibration solution [CS4]	0.2 mL																																																																																																																																																																																																																																				
CIL-ES-5343-CS5	POPS HRMS HCH calibration solution [CS5]	0.2 mL																																																																																																																																																																																																																																				

## Pesticide and chemical weapon standards

Code	Product	Unit
CIL-ES-5344	POPS HRMS HCH clean-up spike ( <sup>13</sup> C <sub>6</sub> ,99%) Solvent: Nonane alpha-BHC (alpha-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 20 ng/mL      beta-BHC (beta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 20 ng/mL Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)..... 20 ng/mL      delta-BHC (delta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 20 ng/mL	1.2 mL
<b>New</b> CIL-ES-5344-50X-0.5	POPS HRMS HCH clean-up spike ( <sup>13</sup> C <sub>6</sub> ,99%) Solvent: Nonane alpha-BHC (alpha-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1000 ng/mL      beta-BHC (beta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1000 ng/mL Lindane ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1000 ng/mL      delta-BHC (delta-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1000 ng/mL	0.5 mL
<b>New</b> CIL-ES-5019-A	Persistent pesticide calibration solutions [CS1-CS10] Solvent: Nonane All concentrations are in ng/mL Unlabelled Component      CS1   CS2   CS3   CS4   CS5   CS6   CS7   CS8   CS9   CS10 Hexachlorobenzene .....1.0.....2.5..... 10...355... 100...300...500...1000 beta-BHC .....1.0.....2.5..... 10...355... 100...300...500...1000 Lindane .....1.0.....2.5..... 10...355... 100...300...500...1000 cis-Heptachlor Epoxide .....1.0.....2.5..... 10...355... 100...300...500...1000 Oxychlorodane .....1.0.....2.5..... 10...355... 100...300...500...1000 trans-Nonachlor.....1.0.....2.5..... 10...355... 100...300...500...1000 4,4'-DDE .....1.0.....2.5..... 10...355... 100...300...500...1000 Dieldrin .....1.0.....2.5..... 10...355... 100...300...500...1000 2,4'-DDT .....1.0.....2.5..... 10...355... 100...300...500...1000 4,4'-DDT .....1.0.....2.5..... 10...355... 100...300...500...1000 Mirex .....1.0.....2.5..... 10...355... 100...300...500...1000 Decchlorane Plus Syn.....1.0.....2.5..... 10...355... 100...300...500...1000 Decchlorane Plus Anti.....1.0.....2.5..... 10...355... 100...300...500...1000 <sup>13</sup> C-Labelled Component      CS1   CS2   CS3   CS4   CS5   CS6   CS7   CS8   CS9   CS10 Hexachlorobenzene (13C6,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 Dieldrin (13C12,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 beta-BHC (13C6,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 Lindane (13C6,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 cis-Heptachlor Epoxide (13C10,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 Oxychlorodane (13C10,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 trans-Nonachlor (13C10,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 Mirex (13C10,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 2,4'-DDT (13C12,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 4,4'-DDT (13C12,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 1,2,3,4-TCDD (13C6,99%).....25.....25..... 25..... 25..... 25..... 25..... 25..... 25..... 25..... 25 2,2',3,3',4,5,5',6,6'-NonaCB (13C12,99%).....100.....100..... 100..... 100..... 100..... 100..... 100..... 100..... 100..... 100 3,3',4,4'-TetraBDE (13C12,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75 2,2',3,4,4',6-HexaBDE (13C12,99%).....75.....75..... 75..... 75..... 75..... 75..... 75..... 75..... 75..... 75	10 x 0.25 mL
<b>New</b> CIL-ES-5019-A-CS1-8	Persistent Pesticide Calibration Solutions [CS1-CS8]	8 x 0.25 mL
<b>New</b> CIL-ES-5019-A-CS2	Persistent pesticide calibration solutions [CS2]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS3	Persistent pesticide calibration solutions [CS3]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS4	Persistent pesticide calibration solutions [CS4]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS5	Persistent pesticide calibration solutions [CS5]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS6	Persistent pesticide calibration solutions [CS6]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS7	Persistent pesticide calibration solutions [CS7]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS9	Persistent pesticide calibration solutions [CS9]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS10	Persistent pesticide calibration solutions [CS10]	0.25 mL
<b>New</b> CIL-ES-5019-A-CS9-CS10	Persistent Pesticide Calibration Solutions [CS9-CS10]	2 x 0.25 mL
<b>New</b> CIL-ES-5019-A-CS11	Persistent pesticide calibration solutions [CS11]	0.25 mL
CIL-ES-5020	Persistent Pesticide Reconstituting Solution ( <sup>13</sup> C,99%) Solvent: Nonane Labelled Compound      IUPAC#      Concentration 3,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 37..... 100 ng/mL 2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 208..... 100 ng/mL 1,2,3,4-TCDD ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 25..... 25 ng/mL 2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 25..... 25 ng/mL	10 x 1 mL
CIL-ES-5020-1ML	Persistent Pesticide Reconstituting Solution ( <sup>13</sup> C,99%) Solvent: Nonane Labelled Compound      IUPAC#      Concentration 3,4,4'-TriCB ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 37..... 100 ng/mL 2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%)..... 208..... 100 ng/mL 1,2,3,4-TCDD ( <sup>13</sup> C <sub>6</sub> ,99%) ..... 25..... 25 ng/mL 2,3,7,8-TCDD ( <sup>13</sup> C <sub>12</sub> ,99%) ..... 25..... 25 ng/mL	1 mL
CIL-ES-5321	Multi-Analyte Recovery Spiking Standard Solvent: 88% hexane/2% dodecane/10% nonane 1,2,3,4-TCDD ( <sup>13</sup> C <sub>6</sub> , 99%) .....2.5 ng/mL 2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB-208) ..... 10 ng/mL 3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-77).....7.5 ng/mL 2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE-139).....7.5 ng/mL	10 mL

## Pesticide and chemical weapon standards

Code	Product	Unit
CIL-ES-5021	<b>Persistent Pesticide Spiking Solution (<sup>13</sup>C,99%)</b> Solvent: Nonane Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 100 ng/mL Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)..... 100 ng/mL beta-HCH ( <sup>13</sup> C <sub>6</sub> ,99%)..... 100 ng/mL Lindane (γ-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 100 ng/mL Heptachlor epoxide, B isomer ( <sup>13</sup> C <sub>10</sub> ,99%)..... 100 ng/mL Oxychlorane ( <sup>13</sup> C <sub>10</sub> ,99%)..... 100 ng/mL trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)..... 100 ng/mL Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)..... 100 ng/mL 2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)..... 100 ng/mL 4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)..... 100 ng/mL 4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)..... 250 ng/mL	2.5 mL
<b>New</b> CIL-ES-5177-500X-N-0.5	<b>Persistent Pesticide Spiking Solution (<sup>13</sup>C,99%)</b> Solvent: Nonane Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 5000 ng/mL Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)..... 5000 ng/mL beta-HCH ( <sup>13</sup> C <sub>6</sub> ,99%)..... 5000 ng/mL Lindane (γ-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 5000 ng/mL Heptachlor epoxide, B isomer ( <sup>13</sup> C <sub>10</sub> ,99%)..... 5000 ng/mL Oxychlorane ( <sup>13</sup> C <sub>10</sub> ,99%)..... 5000 ng/mL trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)..... 5000 ng/mL Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)..... 5000 ng/mL 2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)..... 5000 ng/mL 4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)..... 5000 ng/mL 4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)..... 12.500 ng/mL	0.5 mL
<b>New</b> CIL-ES-5177-5X10	<b>Persistent Pesticide Spiking Solution (<sup>13</sup>C,99%)</b> Solvent: Methanol Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 10 ng/mL Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)..... 10 ng/mL beta-HCH ( <sup>13</sup> C <sub>6</sub> ,99%)..... 10 ng/mL Lindane (γ-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 10 ng/mL Heptachlor epoxide, B isomer ( <sup>13</sup> C <sub>10</sub> ,99%)..... 10 ng/mL Oxychlorane ( <sup>13</sup> C <sub>10</sub> ,99%)..... 10 ng/mL trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)..... 10 ng/mL Mirex ( <sup>13</sup> C <sub>10</sub> ,99%)..... 10 ng/mL 2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)..... 10 ng/mL 4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%)..... 10 ng/mL 4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%)..... 2.5 ng/mL	5 x 10 mL
CIL-ES-5261-1.2	<b>Persistent Organic Pollutants Clean-Up Spike (<sup>13</sup>C,99%)</b> Solvent: Nonane Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1 µg/mL alpha-HCH ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1 µg/mL beta-HCH ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1 µg/mL Lindane (γ-HCH) ( <sup>13</sup> C <sub>6</sub> ,99%)..... 1 µg/mL Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%)..... 1 µg/mL Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%)..... 1 µg/mL Endrin ( <sup>13</sup> C <sub>12</sub> ,99%)..... 1 µg/mL trans-Chlordane ( <sup>13</sup> C <sub>10</sub> ,99%)..... 1 µg/mL Oxychlorane ( <sup>13</sup> C <sub>10</sub> ,99%)..... 1 µg/mL trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%)..... 1 µg/mL Heptachlor ( <sup>13</sup> C <sub>10</sub> ,99%)..... 1 µg/mL Heptachlor epoxide, B isomer ( <sup>13</sup> C <sub>10</sub> ,99%)..... 1 µg/mL 4,4'-DDT (ring- <sup>13</sup> C <sub>12</sub> ,99%)..... 1 µg/mL 4,4'-DDE (ring- <sup>13</sup> C <sub>12</sub> ,99%)..... 1 µg/mL 4,4'-DDD (ring- <sup>13</sup> C <sub>12</sub> ,99%)..... 1 µg/mL	1.2 mL



## Pesticide and chemical weapon standards

Code	Product	Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442	CDC POPS (W/ Parlars) Calibration Solutions [CS1-CS9] Solvent: Nonane All concentrations are in ng/mL (ppb)	9 x 0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	<table border="1"> <thead> <tr> <th>Unlabelled Compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> <th>CS7</th> <th>CS8</th> <th>CS9</th> </tr> </thead> <tbody> <tr><td>Parlar .....</td><td>26</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td></tr> <tr><td>Parlar .....</td><td>50</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td></tr> <tr><td>Parlar .....</td><td>62</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td></tr> <tr><td>Hexachlorobenzene .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>beta-BHC (beta-HCH) .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Lindane .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Aldrin .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>cis-Heptachlor epoxide (B isomer) .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Oxychlorthane .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>trans-Nonachlor .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>4,4'-DDE .....</td><td>0.2</td><td>0.5</td><td>1</td><td>2.5</td><td>10</td><td>75</td><td>1000</td><td>3000</td><td>7500</td></tr> <tr><td>Dieldrin .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Endrin .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Isodrin .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>2,4'-DDT .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td>3000</td><td>7500</td></tr> <tr><td>4,4'-DDT .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Mirex .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>alpha-BHC (alpha-HCH) .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>cis-Chlordane (a) .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>trans-Chlordane (y) .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>2,4'-DDE .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>cis-Nonachlor .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Methoxychlor .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Pentachloroanisole .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr><td>Octachlorostyrene .....</td><td>2.5</td><td>5</td><td>10</td><td>30</td><td>100</td><td>300</td><td>1000</td><td></td><td></td></tr> <tr> <th>Labelled Compounds</th> <th>CS1</th> <th>CS2</th> <th>CS3</th> <th>CS4</th> <th>CS5</th> <th>CS6</th> <th>CS7</th> <th>CS8</th> <th>CS9</th> </tr> <tr><td>1,2,3,4-TCDD (<sup>13</sup>C<sub>8</sub>,99%) .....</td><td>25</td><td>25</td><td>25</td><td>25</td><td>25</td><td>25</td><td>25</td><td>25</td><td>25</td></tr> <tr><td>2,2',3,3',4,5,5',6,6'-NonaCB (<sup>13</sup>C<sub>12</sub>,99%) (PCB 208) .....</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td><td>100</td></tr> <tr><td>3,3',4,4'-TetraBDE (<sup>13</sup>C<sub>12</sub>,99%) (PCB 77) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>2,2',3,4,4',6-HexaBDE (<sup>13</sup>C<sub>12</sub>,99%) (BDE 139) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Parlar 26 (U-<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Parlar 50 (U-<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Parlar 62 (U-<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Hexachlorobenzene (<sup>13</sup>C<sub>6</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>beta-HCH (<sup>13</sup>C<sub>6</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Lindane (<sup>13</sup>C<sub>6</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Aldrin (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>cis-Heptachlor epoxide (B isomer) (<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Oxychlorthane (<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>trans-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>4,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>150</td><td>150</td><td>150</td><td>150</td><td>150</td><td>150</td><td>150</td><td>150</td><td>150</td></tr> <tr><td>Dieldrin (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Endrin (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Isodrin (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>2,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>4,4'-DDT (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Mirex (<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>alpha-HCH (<sup>13</sup>C<sub>6</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>trans-Chlordane (gamma) (<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>2,4'-DDE (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>cis-Nonachlor (<sup>13</sup>C<sub>10</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Methoxychlor (<sup>13</sup>C<sub>12</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Pentachloroanisole (<sup>13</sup>C<sub>6</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> <tr><td>Octachlorostyrene (<sup>13</sup>C<sub>8</sub>,99%) .....</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td><td>75</td></tr> </tbody> </table>	Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5	CS6	CS7	CS8	CS9	Parlar .....	26	2.5	5	10	30	100	300	1000		Parlar .....	50	2.5	5	10	30	100	300	1000		Parlar .....	62	2.5	5	10	30	100	300	1000		Hexachlorobenzene .....	2.5	5	10	30	100	300	1000			beta-BHC (beta-HCH) .....	2.5	5	10	30	100	300	1000			Lindane .....	2.5	5	10	30	100	300	1000			Aldrin .....	2.5	5	10	30	100	300	1000			cis-Heptachlor epoxide (B isomer) .....	2.5	5	10	30	100	300	1000			Oxychlorthane .....	2.5	5	10	30	100	300	1000			trans-Nonachlor .....	2.5	5	10	30	100	300	1000			4,4'-DDE .....	0.2	0.5	1	2.5	10	75	1000	3000	7500	Dieldrin .....	2.5	5	10	30	100	300	1000			Endrin .....	2.5	5	10	30	100	300	1000			Isodrin .....	2.5	5	10	30	100	300	1000			2,4'-DDT .....	2.5	5	10	30	100	300	1000	3000	7500	4,4'-DDT .....	2.5	5	10	30	100	300	1000			Mirex .....	2.5	5	10	30	100	300	1000			alpha-BHC (alpha-HCH) .....	2.5	5	10	30	100	300	1000			cis-Chlordane (a) .....	2.5	5	10	30	100	300	1000			trans-Chlordane (y) .....	2.5	5	10	30	100	300	1000			2,4'-DDE .....	2.5	5	10	30	100	300	1000			cis-Nonachlor .....	2.5	5	10	30	100	300	1000			Methoxychlor .....	2.5	5	10	30	100	300	1000			Pentachloroanisole .....	2.5	5	10	30	100	300	1000			Octachlorostyrene .....	2.5	5	10	30	100	300	1000			Labelled Compounds	CS1	CS2	CS3	CS4	CS5	CS6	CS7	CS8	CS9	1,2,3,4-TCDD ( <sup>13</sup> C <sub>8</sub> ,99%) .....	25	25	25	25	25	25	25	25	25	2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 208) .....	100	100	100	100	100	100	100	100	100	3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 77) .....	75	75	75	75	75	75	75	75	75	2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE 139) .....	75	75	75	75	75	75	75	75	75	Parlar 26 (U- <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Parlar 50 (U- <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Parlar 62 (U- <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	beta-HCH ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Lindane ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	cis-Heptachlor epoxide (B isomer) ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Oxychlorthane ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....	150	150	150	150	150	150	150	150	150	Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Mirex ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	alpha-HCH ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Methoxychlor ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Pentachloroanisole ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	Octachlorostyrene ( <sup>13</sup> C <sub>8</sub> ,99%) .....	75	75	75	75	75	75	75	75	75	
Unlabelled Compounds	CS1	CS2	CS3	CS4	CS5	CS6	CS7	CS8	CS9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Parlar .....	26	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Parlar .....	50	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Parlar .....	62	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Hexachlorobenzene .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
beta-BHC (beta-HCH) .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Lindane .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aldrin .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
cis-Heptachlor epoxide (B isomer) .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Oxychlorthane .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
trans-Nonachlor .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
4,4'-DDE .....	0.2	0.5	1	2.5	10	75	1000	3000	7500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Dieldrin .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Endrin .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Isodrin .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2,4'-DDT .....	2.5	5	10	30	100	300	1000	3000	7500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
4,4'-DDT .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Mirex .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
alpha-BHC (alpha-HCH) .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
cis-Chlordane (a) .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
trans-Chlordane (y) .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2,4'-DDE .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
cis-Nonachlor .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Methoxychlor .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Pentachloroanisole .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Octachlorostyrene .....	2.5	5	10	30	100	300	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Labelled Compounds	CS1	CS2	CS3	CS4	CS5	CS6	CS7	CS8	CS9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1,2,3,4-TCDD ( <sup>13</sup> C <sub>8</sub> ,99%) .....	25	25	25	25	25	25	25	25	25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
2,2',3,3',4,5,5',6,6'-NonaCB ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 208) .....	100	100	100	100	100	100	100	100	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
3,3',4,4'-TetraBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (PCB 77) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
2,2',3,4,4',6-HexaBDE ( <sup>13</sup> C <sub>12</sub> ,99%) (BDE 139) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Parlar 26 (U- <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Parlar 50 (U- <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Parlar 62 (U- <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Hexachlorobenzene ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
beta-HCH ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Lindane ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Aldrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
cis-Heptachlor epoxide (B isomer) ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Oxychlorthane ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
trans-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
4,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....	150	150	150	150	150	150	150	150	150																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Dieldrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Endrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Isodrin ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
2,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
4,4'-DDT ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Mirex ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
alpha-HCH ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
trans-Chlordane (gamma) ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
2,4'-DDE ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
cis-Nonachlor ( <sup>13</sup> C <sub>10</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Methoxychlor ( <sup>13</sup> C <sub>12</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Pentachloroanisole ( <sup>13</sup> C <sub>6</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Octachlorostyrene ( <sup>13</sup> C <sub>8</sub> ,99%) .....	75	75	75	75	75	75	75	75	75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
<b>New</b> CIL-ES-5442-CS1	CDC POPS (W/ Parlars) Calibration Solutions [CS1]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS2	CDC POPS (W/ Parlars) Calibration Solutions [CS2]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS3	CDC POPS (W/ Parlars) Calibration Solutions [CS3]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS4	CDC POPS (W/ Parlars) Calibration Solutions [CS4]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS5	CDC POPS (W/ Parlars) Calibration Solutions [CS5]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS6	CDC POPS (W/ Parlars) Calibration Solutions [CS6]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS7	CDC POPS (W/ Parlars) Calibration Solutions [CS7]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS8	CDC POPS (W/ Parlars) Calibration Solutions [CS8]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>New</b> CIL-ES-5442-CS9	CDC POPS (W/ Parlars) Calibration Solutions [CS9]	0.2 mL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

### Chemical weapon metabolite standards

CIL-CDNLM-6786-1.2	Aminomethylphosphonic acid (AMPA) ( <sup>13</sup> C, 99%; <sup>15</sup> N,98%; methylene-D <sub>2</sub> ,98%) 100 µg/mL in Water	1.2 mL
CIL-CLM-6096-1.2	Cyclohexyl hydrogen methylphosphonate (cyclohexyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
ERC-034	Cyclohexyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
ERD-117	O,O-Diethyl hydrogen dithiophosphate potassium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b> CERERD-155	O,O-Dimethyl hydrogen dithiophosphate (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CERERD-118	Diethyl hydrogen phosphate 1000 µg/mL(as free acid)	1.2 mL
CIL-DLM-4852-1.2	O,O-Diethyl hydrogen thiophosphate potassium salt (diethyl-D <sub>10</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
ERD-119	O,O-Diethyl hydrogen thiophosphate potassium salt 1000 µg/mL (unlabelled) in Methanol	1.2 mL

## Pesticide and chemical weapon standards

Code	Product	Unit
ERD-086	Diisopropyl methyl phosphonate (D <sub>14</sub> ,98%) 1000 µg/mL in Methanol	1.2 mL
ERD-083	Diisopropyl methyl phosphonate (unlabelled) 1000 µg/mL in Methanol	1.2 mL
ERD-121	Dimethyl hydrogen phosphate (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-ULM-4617-1.2	O,O-Dimethyl thiophosphate sodium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-ULM-6089	O,S-Dimethyl hydrogen thiophosphate sodium salt (unlabelled)	on request
ERD-085	1,4-Dithiane (D <sub>4</sub> ,98%) 1000 µg/mL in Methanol	1.2 mL
ERD-087	1,4-Dithiane (unlabelled) 1000 µg/mL in Methanol	1.2 mL
<b>New</b> CIL-CLM-6090	Ethyl hydrogen dimethylamidophosphate sodium salt ( <sup>13</sup> C <sub>4</sub> ,99%)	on request
CIL-ULM-6091-1.2	Ethyl hydrogen dimethylamidophosphate sodium salt (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-DLM-6098-1.2	Ethyl hydrogen methylphosphonate (ethyl-D <sub>5</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
ERE-024	Ethyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-CLM-4874-1.2	1,5-Bis(2-hydroxyethyl thio)-n-pentane (bis-2-hydroxyethyl- <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4872-1.2	1,4-Bis(2-hydroxyethyl thio) butane (bis-2-hydroxyethyl- <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Acetonitrile	1.2 mL
ERI-015	Isopropyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
ERI-017	Isopropyl methylphosphonic acid (D <sub>7</sub> ,98%) 1000 µg/mL in Methanol	1.2 mL
CIL-DLM-6196-1.2	Methylphosphonic acid (methyl-D <sub>3</sub> ,98%) 100 µg/mL in Methanol	1.2 mL
CIL-CDLM-6100-1.2	Methylphosphonic acid ( <sup>13</sup> C, 99%; methyl-D <sub>3</sub> , 98%) 100 µg/mL in Methanol	1.2 mL
ERM-038	Methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
ERP-083	Pinacolyl methylphosphonic acid (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-CLM-6106-1.2	Ricinine (ring- <sup>13</sup> C <sub>5</sub> ,99%; cyano- <sup>13</sup> C,99%) 100 µg/mL in Acetonitrile	1.2 mL
CIL-CLM-4806-1.2	Thiodiglycol ( <sup>13</sup> C <sub>4</sub> ,99%) 100 µg/mL in Methanol	1.2 mL
ERT-054	Thiodiglycol (D <sub>8</sub> ,98%) 1000 µg/mL in Methanol	1.2 mL
ERT-053	Thiodiglycol (unlabelled) 1000 µg/mL in Methanol	1.2 mL
ERT-052	Thiodiglycol sulfoxide (unlabelled) 1000 µg/mL in Methanol	1.2 mL
CIL-CLM-6620-1.2	1,2,2-Trimethylpropyl hydrogen methylphosphonate (trimethylpropyl- <sup>13</sup> C <sub>6</sub> ,99%) 100 µg/mL in Methanol	1.2 mL

We constantly add new products to our range, so please contact us to find out about new products and services and to make sure you are automatically kept up to date by subscribing to our free newsletter.

Just send an e-mail to: [askus@lgcstandards.com](mailto:askus@lgcstandards.com)

# ULTRAcHECK and standards for EPA methods



*Excellence through measurement*

# Environmental standards from ULTRA Scientific



LGC Standards, in partnership with ULTRA Scientific®, recognised as a leading producer of environmental standards, now offers thousands of organic and inorganic standards covering all the major contaminants.

- Over 25 years of expertise
- ISO Guide 34 accreditation
- Expert local customer service and technical support
- Assistance in finding the right material to suit your needs
- Custom standards tailored to specific individual requirements

For further information or to place an order, please contact your local office.

**Pesticides and metabolites**

**Polychlorinated biphenyls**

**Dioxins and furans**

**Polyaromatic hydrocarbons**

**Petrochemicals including  
biodiesel standards**

**Petrochemicals**

**Individual elements and  
mixes for AA and ICP**

**Ion chromatography standards**

**High concentration  
EnviroConcentrates™**

**EPA methods**

**Total organic and total  
inorganic carbon**

**ULTRAgold® ISO Guide 34  
inorganic standards**

**ULTRA QuECh™ standards**

[www.lgcstandards.com](http://www.lgcstandards.com)



*Excellence through measurement*

## ULTRAcHECK® blind, quality control check standards

ULTRAcHECK® is a series of blind quality control standards used to check whether or not your analytical system is in control. ULTRAcHECK® is designed to mimic real world samples for specific EPA methods and run as blind samples. The analytical data generated using the method is then compared to the true value supplied with the ULTRAcHECK® standard. Agreement between the data generated for ULTRAcHECK® used as a blind sample and the true value of the ULTRAcHECK® standard indicated that the analytical system is in control.

Use ULTRAcHECK® on a Regular Basis to:

Train Personnel  
Establish and maintain EPA method proficiency  
Verify analytical system accuracy and precision

ULTRAcHECK® true values are provided in a separate, sealed envelope. Data obtained using the ULTRAcHECK® blind sample can be immediately compared against true values supplied. Complete instructions are included with each sample.

### Inorganic blind QC samples for drinking water analysis

Code	Product	Unit
U-QCI-706A	<b>ULTRAcHECK® Metals 1</b> 11 Analytes Sb ..... 6 - 50 µg/L      Cd ..... 2 - 50 µg/L      Ni ..... 10 - 500 µg/L As ..... 25 - 150 µg/L      Cr ..... 10 - 200 µg/L      Se ..... 10 - 100 µg/L Ba ..... 500 - 3000 µg/L      Cu ..... 50 - 2000 µg/L      Tl ..... 2 - 10 µg/L Be ..... 1 - 10 µg/L      Pb ..... 5 - 100 µg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL
U-QCI-706B	<b>ULTRAcHECK® Metals 2</b> 4 Analytes B ..... 400 - 2000      Mo ..... 5 - 150 µg/L Mn ..... 20 - 1000 µg/L      Zn ..... 400 - 3000 µg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL
U-QCI-706C	<b>ULTRAcHECK® Mercury</b> 1 Analyte Hg ..... 0.25 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	5 mL
<b>New</b> U-QCI-717	<b>ULTRAcHECK Corrosivity</b> 5 Analytes Sample consists of two solutions. Alkalinity as CaCO <sub>3</sub> ..... 25-200 mg/L      Total filterable residue ..... 200-450 mg/L Hardness as CaCO <sub>3</sub> ..... 75-375 mg/L      Sodium ..... 12-24 mg/L pH ..... 5-10 units Dilute 10 mL of each solution to 1 L in the same flask for final working test sample.	2 x 20 mL
<b>New</b> U-QCI-757	<b>ULTRAcHECK Anions</b> 4 Analytes Sample consists of two solutions. Fluoride ..... 1-8 mg/L      Nitrite as N ..... 0.4-2.0 mg/L Nitrate as N ..... 3-10 mg/L      Orthophosphate as P ..... 0.5-5.5 mg/L Dilute 10 mL of each solution to 1 L in the same flask for final working test sample.	2 x 20 mL
U-QCI-718	<b>ULTRAcHECK® Sulfate / TOC</b> 2 Analytes Sulfate ..... 6 - 500 mg/L Total organic carbon (TOC) ..... 0.9 - 5 mg/L Dilute 10 mL of sample to 1L for final working test sample.	20 mL
<b>New</b> U-QCI-787	<b>ULTRAcHECK® WS Inorganic Disinfection By-Products</b> 4 Analytes Sample consists of two solutions Bromate ..... 7-50 µg/L      Chlorate ..... 60-180 µg/L Bromide ..... 75-500 µg/L      Chlorite ..... 100-1000 µg/L Dilute 10 mL of each solution to 1 L in the same flask for final working test sample.	kit
<b>New</b> U-QCI-786	<b>ULTRAcHECK WS Residual Free Chlorine</b> Residual free chlorine ..... 0.5-3.0 mg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL

## ULTRAcHECK® blind, quality control check standards

Code	Product	Unit
<b>New</b> U-QCI-795	ULTRAcHECK WS Turbidity Turbidity .....0.5-8 NTU Dilute 10 mL of sample to 200 mL for final working test sample.	20 mL
U-QCI-756	ULTRAcHECK® Free Cyanide 1 Analyte free cyanide ..... 0.1 - 0.5 mg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL
<b>New</b> U-QCI-701	ULTRAcHECK® Metals 18 Analytes Sample consists of two solutions. Aluminum (Al) ..... 40-2000 µg/L      Calcium (Ca) ..... 30-75 mg/L      Mercury (Hg) ..... 2-20 µg/L Antimony (Sb) ..... 4-500 µg/L      Chromium (Cr) ..... 40-2000 µg/L      Nickel (Ni) ..... 40-2000 µg/L Arsenic (As) ..... 4-500 µg/L      Copper (Cu) ..... 40-2000 µg/L      Selenium (Se) ..... 4-500 µg/L Barium (Ba) ..... 20-2000 µg/L      Iron (Fe) ..... 40-2000 µg/L      Silver (Ag) ..... 4-500 µg/L Beryllium (Be) ..... 4-500 µg/L      Lead (Pb) ..... 2-250 µg/L      Thallium (Tl) ..... 4-500 µg/L Cadmium (Cd) ..... 4-500 µg/L      Manganese (Mn) .. 40-2000 µg/L      Zinc (Zn) ..... 100-1000 µg/L Dilute 10 mL of QCI-701A and 1 mL of QCI-701B to 2 L in the same flask for final working test sample.	kit
U-QCI-710	ULTRAcHECK® Minerals 9 Analytes Alkalinity as CaCO <sub>3</sub> ..... 100 - 600 mg/L      Chloride ..... 10 - 250 mg/L pH ..... 5 - 10 units      Sulfate ..... 3 - 400 mg/L Conductivity ..... 500 - 2500 µmhos      Fluoride ..... 1 - 10 mg/L K ..... 2 - 330 mg/L      Nitrate as N ..... 1 - 14 mg/L Na ..... 50 - 300 mg/L Ready-to-use whole volume standard.	500 mL
U-QCI-720	ULTRAcHECK® Hardness 3 Analytes Calcium, soluble compounds as Ca ..... 10 - 150 mg/L Magnesium ..... 5 - 50 mg/L Total hardness as CaCO <sub>3</sub> ..... 45 - 575 mg/L Ready-to-use whole volume standard.	500 mL
U-QCI-712	ULTRAcHECK® ICR Minerals 5 Analytes Calcium, soluble compounds as Ca ..... 10 - 150 mg/L Alkalinity as CaCO <sub>3</sub> ..... 25 - 200 mg/L pH ..... 5 - 10 units Total hardness as CaCO <sub>3</sub> ..... 50 - 500 mg/L Bromide ..... 1 - 10 mg/L Ready-to-use whole volume standard.	500 mL
U-QCI-731	ULTRAcHECK® Total Organic Carbon 1 Analyte Total organic carbon (TOC) ..... 0.5 - 50 mg/L One 10 mL ampule to be diluted to 2 L.	10 mL
U-QCI-750	ULTRAcHECK® Cyanide 3 Analytes free cyanide ..... 0.02 - 0.5 mg/L Complex cyanide ..... 0.02 - 0.5 mg/L Total cyanide ..... 0.04 - 1.0 mg/L Dilute 10 mL of sample to 2 L for final working test sample.	10 mL
U-QCI-711	ULTRAcHECK® Solids 3 Analytes Non-filterable residue (total suspended solids) ..... 20 - 200 mg/L Filterable residue (total dissolved solids) ..... 50 - 5000 mg/L Total solids ..... 70 - 5200 mg/L Ready-to-use whole volume standard.	500 mL
U-QCI-751	ULTRAcHECK® Nitrite Nitrite as N ..... 0.1 - 1.0 mg/L Dilute 10 mL of sample to 1 L for final working test sample.	10 mL
U-QCI-780	ULTRAcHECK® Total Residual Chlorine Total residual chlorine ..... 0.3 - 5 mg/L Dilute 10 mL of sample to 2 L for final working test sample.	10 mL
U-QCI-790	ULTRAcHECK® Turbidity Turbidity ..... 0.3 - 40 NTU Dilute 10 mL of sample to 1 L of final working test sample.	10 mL



## ULTRAcHECK® blind, quality control check standards

Code	Product	Unit
U-QCI-761	<b>ULTRAcHECK® Total Organic Halides</b> 1 Analyte Total organic halides ..... 5 - 200 µg/L One 2 mL ampoule to be diluted to 2 L.	2 mL

### Organic blind QC samples for drinking water analysis

<b>New</b>	<b>U-QCM-115</b> <b>ULTRAcHECK WS Regulated VOCs</b> 21 Analytes Benzene ..... 2.5 - 20 µg/L Carbon tetrachloride ..... 2.5 - 20 µg/L Chlorobenzene ..... 2 - 50 µg/L 1,2-Dichlorobenzene ..... 5 - 20 µg/L 1,4-Dichlorobenzene ..... 2.5 - 20 µg/L 1,2-Dichloroethane ..... 2 - 20 µg/L 1,1-Dichloroethene ..... 2 - 20 µg/L cis-1,2-Dichloroethene ..... 2 - 50 µg/L trans-1,2-Dichloroethene ..... 2 - 50 µg/L Dichloromethane ..... 5 - 20 µg/L 1,2-Dichloropropane ..... 2.5 - 20 µg/L Ethylbenzene ..... 2 - 20 µg/L Styrene ..... 2 - 20 µg/L Tetrachloroethene ..... 2 - 20 µg/L Toluene ..... 2 - 20 µg/L 1,2,4-Trichlorobenzene ..... 2 - 20 µg/L 1,1,1-Trichloroethane ..... 2 - 20 µg/L 1,1,2-Trichloroethane ..... 2 - 20 µg/L Trichloroethene ..... 2 - 20 µg/L Vinyl chloride ..... 1 - 50 µg/L Xylenes (total) ..... 2 - 50 µg/L Dilute 20 µL of sample to 100 mL for final working test sample.	2 mL
<b>New</b>	<b>U-QCM-116</b> <b>ULTRAcHECK® WS Unregulated VOCs</b> 30 Analytes 2 - 50 µg/L of each analyte Bromobenzene ..... 2-Chlorotoluene Bromochloromethane ..... 4-Chlorotoluene bromomethane ..... Dibromomethane n-Butylbenzene ..... 1,3-Dichlorobenzene sec-Butylbenzene ..... Dichlorodifluoromethane tert-Butylbenzene ..... 1,1-Dichloroethane Chloroethane ..... 1,3-Dichloropropane Chloromethane ..... 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene n-Propylbenzene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane 1,2,3-Trichlorobenzene Trichlorofluoromethane 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene Dilute 20 µL of sample to 100 mL for final working test sample.	2 mL
<b>New</b>	<b>U-QCM-125</b> <b>ULTRAcHECK® Trihalomethanes</b> 5 Analytes Bromodichloromethane ..... 10 - 50 µg/L Bromoform ..... 10 - 50 µg/L Chloroform ..... 10 - 50 µg/L Dibromochloromethane ..... 10 - 50 µg/L Total trihalomethanes ..... 40-150 µg/L Dilute 20 µL of sample to 100 mL for final working test sample.	2 mL
	<b>U-QCM-211</b> <b>ULTRAcHECK® WS Pesticides 1</b> 11 Analytes Aldrin ..... 0.1 - 10 µg/L Dieldrin ..... 0.1 - 10 µg/L Endrin ..... 0.1 - 10 µg/L Heptachlor ..... 0.1 - 10 µg/L Heptachlor epoxide - isomer B ..... 0.1 - 10 µg/L Hexachlorobenzene ..... 0.1 - 10 µg/L Hexachlorocyclopentadiene ..... 0.1 - 10 µg/L Lindane (gamma-BHC) ..... 0.1 - 10 µg/L Methoxychlor ..... 0.1 - 10 µg/L Propachlor ..... 0.1 - 10 µg/L Trifluralin ..... 0.1 - 10 µg/L Dilute 5 µL of sample to 100 mL for final working test sample.	2 mL
	<b>U-QCM-212</b> <b>ULTRAcHECK® WS Pesticides 2</b> 3 Analytes Alachlor ..... 0.1 - 10 µg/L Atrazine ..... 0.1 - 10 µg/L Simazine ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1L for final working test sample.	2 mL
	<b>U-QCM-251</b> <b>ULTRAcHECK® WS Carbamates</b> 6 Analytes Aldicarb ..... 0.1 - 10 µg/L Aldicarb sulfone ..... 0.1 - 10 µg/L Aldicarb sulfoxide ..... 0.1 - 10 µg/L Carbofuran ..... 0.1 - 10 µg/L Methomyl ..... 0.1 - 10 µg/L Oxamyl ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 100 mL for final working test sample.	2 mL
	<b>U-QCM-501</b> <b>ULTRAcHECK® WS Herbicides</b> 8 Analytes 2,4-D ..... 0.1 - 10 µg/L Silvex (2,4,5-TP) ..... 0.1 - 10 µg/L Acifluorfen ..... 0.1 - 10 µg/L Dalapon ..... 0.1 - 10 µg/L Dicamba ..... 0.1 - 10 µg/L Dinoseb ..... 0.1 - 10 µg/L Pentachlorophenol ..... 0.1 - 10 µg/L Picloram ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
	<b>U-QCM-230</b> <b>ULTRAcHECK® Chlordane</b> 1 Analyte Chlordane ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL

## ULTRAccheck® blind, quality control check standards

Code	Product	Unit
U-QCM-220	<b>ULTRAccheck® Toxaphene</b> 1 Analyte Toxaphene ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-260	<b>ULTRAccheck® Regulated SOCs</b> 3 Analytes Diquat (corrected from dibromide) ..... 0.1 - 500 µg/L Endothall ..... 0.1 - 500 µg/L Glyphosate ..... 0.1 - 500 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-249	<b>ULTRAccheck® PCB Screening</b> 1 Analyte Aroclor 1260 (PCB 1260)..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-312	<b>ULTRAccheck® WS Phthalate and Adipate</b> 2 Analytes Bis(2-ethylhexyl) adipate ..... 0.1 - 200 µg/L Bis(2-ethylhexyl)phthalate ..... 0.1 - 200 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-550	<b>ULTRAccheck® WS Disinfection By-Products</b> 6 Analytes Bromochloroacetic acid ..... 0.1 - 100 µg/L      Bromoacetic acid ..... 0.1 - 100 µg/L Dibromoacetic acid ..... 0.1 - 100 µg/L      Chloroacetic acid ..... 0.1 - 100 µg/L Dichloroacetic acid ..... 0.1 - 100 µg/L      Trichloroacetic acid ..... 0.1 - 100 µg/L Dilute 1 mL of sample to 100 mL for final working test sample.	2 mL
U-QCM-311	<b>ULTRAccheck® WS PAH</b> 1 Analyte Benzo(a)pyrene ..... 0.1 - 200 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-551	<b>ULTRAccheck® WS Chloral Hydrate</b> 1 Analyte Chloral hydrate ..... 0.1 - 100 µg/L Dilute 1 mL of sample to 100 mL for final working test sample.	2 mL
U-QCM-111	<b>ULTRAccheck® WS Regulated VOCs</b> 23 Analytes Benzene ..... 1 - 20 µg/L      Styrene ..... 1 - 20 µg/L Carbon tetrachloride ..... 1 - 20 µg/L      Tetrachloroethene ..... 1 - 20 µg/L Chlorobenzene ..... 1 - 20 µg/L      Toluene ..... 1 - 20 µg/L 1,2-Dichlorobenzene ..... 1 - 20 µg/L      1,2,4-Trichlorobenzene ..... 1 - 20 µg/L 1,4-Dichlorobenzene ..... 1 - 20 µg/L      1,1,1-Trichloroethane ..... 1 - 20 µg/L 1,2-Dichloroethane ..... 1 - 20 µg/L      1,1,2-Trichloroethane ..... 1 - 20 µg/L 1,1-Dichloroethene ..... 1 - 20 µg/L      Trichloroethene ..... 1 - 20 µg/L cis-1,2-Dichloroethene ..... 1 - 20 µg/L      Vinyl chloride ..... 1 - 20 µg/L trans-1,2-Dichloroethene ..... 1 - 20 µg/L      o-Xylene ..... 1 - 20 µg/L 1,2-Dichloropropane ..... 1 - 20 µg/L      m-Xylene ..... 1 - 20 µg/L Ethylbenzene ..... 1 - 20 µg/L      p-Xylene ..... 1 - 20 µg/L Methylene chloride (Dichloromethane) .... 1 - 20 µg/L Dilute 5 µL of sample to 100 mL for final working test sample.	2 mL
U-QCM-112	<b>ULTRAccheck® WS Unregulated VOCs</b> 29 Analytes Bromobenzene ..... 1 - 20 µg/L      1,1-Dichloropropene ..... 1 - 20 µg/L Bromomethane ..... 1 - 20 µg/L      trans-1,3-Dichloropropene ..... 1 - 20 µg/L n-Butylbenzene ..... 1 - 20 µg/L      cis-1,3-Dichloropropene ..... 1 - 20 µg/L sec-Butylbenzene ..... 1 - 20 µg/L      Hexachlorobutadiene ..... 1 - 20 µg/L tert-Butylbenzene ..... 1 - 20 µg/L      Isopropylbenzene ..... 1 - 20 µg/L Chloroethane ..... 1 - 20 µg/L      4-Isopropyltoluene ..... 1 - 20 µg/L Chloroform ..... 1 - 20 µg/L      n-Propylbenzene ..... 1 - 20 µg/L Chloromethane ..... 1 - 20 µg/L      1,1,1,2-Tetrachloroethane ..... 1 - 20 µg/L 2-Chlorotoluene ..... 1 - 20 µg/L      1,1,2,2-Tetrachloroethane ..... 1 - 20 µg/L 4-Chlorotoluene ..... 1 - 20 µg/L      1,2,3-Trichlorobenzene ..... 1 - 20 µg/L Dibromomethane ..... 1 - 20 µg/L      Trichlorofluoromethane ..... 1 - 20 µg/L 1,3-Dichlorobenzene ..... 1 - 20 µg/L      1,2,3-Trichloropropane ..... 1 - 20 µg/L 1,1-Dichloroethane ..... 1 - 20 µg/L      1,2,4-Trimethylbenzene ..... 1 - 20 µg/L 1,3-Dichloropropane ..... 1 - 20 µg/L      1,3,5-Trimethylbenzene ..... 1 - 20 µg/L 2,2-Dichloropropane ..... 1 - 20 µg/L Dilute 5 µL of sample to 100 mL for final working test sample.	2 mL

## ULTRAcHECK® blind, quality control check standards

Code	Product	Unit
U-QCM-120	<b>ULTRAcHECK® Trihalomethanes</b> 4 Analytes Bromodichloromethane ..... 1 - 20 µg/L      Chloroform ..... 1 - 20 µg/L Bromoform ..... 1 - 20 µg/L                      Dibromochloromethane ..... 1 - 20 µg/L Dilute 5 µl of sample to 10 mL for final working test sample.	2 mL
U-QCM-130	<b>ULTRAcHECK® EDB / DBCP</b> 2 Analytes 1,2-Dibromo-3-chloropropane (DBCP) .... 1 - 20 µg/L 1,2-Dibromoethane (EDB) ..... 1 - 20 µg/L Dilute 5 µL of sample to 100 mL for final working test sample.	2 mL
U-QCM-110	<b>ULTRAcHECK® Volatiles</b> 20 - 30 Analytes from the following list: Benzene ..... 1 - 20 µg/L                      1,1-Dichloropropene ..... 1 - 20 µg/L Bromochloromethane ..... 1 - 20 µg/L      Ethylbenzene ..... 1 - 20 µg/L Bromoform ..... 1 - 20 µg/L                      Isopropylbenzene ..... 1 - 20 µg/L n-Butylbenzene ..... 1 - 20 µg/L                      4-Isopropyltoluene ..... 1 - 20 µg/L sec-Butylbenzene ..... 1 - 20 µg/L                      Methylene chloride (Dichloromethane) ..... 1 - 20 µg/L tert-Butylbenzene ..... 1 - 20 µg/L                      n-Propylbenzene ..... 1 - 20 µg/L Carbon tetrachloride ..... 1 - 20 µg/L                      Styrene ..... 1 - 20 µg/L Chlorobenzene ..... 1 - 20 µg/L                      1,1,1,2-Tetrachloroethane ..... 1 - 20 µg/L Chloroform ..... 1 - 20 µg/L                      1,1,2,2-Tetrachloroethane ..... 1 - 20 µg/L 2-Chlorotoluene ..... 1 - 20 µg/L                      Tetrachloroethene ..... 1 - 20 µg/L 4-Chlorotoluene ..... 1 - 20 µg/L                      Toluene ..... 1 - 20 µg/L Dibromochloromethane ..... 1 - 20 µg/L                      1,2,4-Trichlorobenzene ..... 1 - 20 µg/L 1,2-Dibromo-3-chloropropane (DBCP) .... 1 - 20 µg/L                      1,1,1-Trichloroethane ..... 1 - 20 µg/L 1,2-Dibromoethane (EDB) ..... 1 - 20 µg/L                      1,1,2-Trichloroethane ..... 1 - 20 µg/L Dibromomethane ..... 1 - 20 µg/L                      Trichloroethene ..... 1 - 20 µg/L 1,2-Dichlorobenzene ..... 1 - 20 µg/L                      1,2,4-Trimethylbenzene ..... 1 - 20 µg/L 1,3-Dichlorobenzene ..... 1 - 20 µg/L                      1,3,5-Trimethylbenzene ..... 1 - 20 µg/L 1,4-Dichlorobenzene ..... 1 - 20 µg/L                      Vinyl chloride ..... 1 - 20 µg/L 1,2-Dichloroethane ..... 1 - 20 µg/L                      o-Xylene ..... 1 - 20 µg/L 1,1-Dichloroethene ..... 1 - 20 µg/L                      m-Xylene ..... 1 - 20 µg/L cis-1,2-Dichloroethene ..... 1 - 20 µg/L                      p-Xylene ..... 1 - 20 µg/L trans-1,2-Dichloroethene ..... 1 - 20 µg/L Dilute 5 µL of sample to 100 mL for final working test sample.	2 mL
U-QCM-310	<b>ULTRAcHECK® Semi-Volatiles</b> 10 - 15 Analytes Acenaphthylene ..... 1 - 20 µg/L                      Di-n-butyl phthalate ..... 1 - 20 µg/L Anthracene ..... 1 - 20 µg/L                      Diethyl phthalate ..... 1 - 20 µg/L Benzo(a)anthracene ..... 1 - 20 µg/L                      Dimethyl phthalate ..... 1 - 20 µg/L Benzo(b)fluoranthene ..... 1 - 20 µg/L                      Fluorene ..... 1 - 20 µg/L Benzo(j)fluoranthene ..... 1 - 20 µg/L                      Hexachlorobenzene ..... 1 - 20 µg/L Benzo(ghi)perylene ..... 1 - 20 µg/L                      Hexachlorocyclopentadiene ..... 1 - 20 µg/L Benzo(a)pyrene ..... 1 - 20 µg/L                      Indeno(1,2,3-cd)pyrene ..... 1 - 20 µg/L Bis(2-ethoxyethyl) phthalate ..... 1 - 20 µg/L                      Pentachlorophenol ..... 1 - 20 µg/L Bis(2-ethylhexyl)phthalate ..... 1 - 20 µg/L                      Phenanthrene ..... 1 - 20 µg/L Butyl benzyl phthalate ..... 1 - 20 µg/L                      Pyrene ..... 1 - 20 µg/L Dibenz(a,h)anthracene ..... 1 - 20 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-210	<b>ULTRAcHECK® Pesticides</b> 8 - 12 Analytes Alachlor ..... 0.1 - 10 µg/L                      Dieldrin ..... 0.1 - 10 µg/L Aldrin ..... 0.1 - 10 µg/L                      Endosulfan I ..... 0.1 - 10 µg/L Atrazine ..... 0.1 - 10 µg/L                      Endosulfan II ..... 0.1 - 10 µg/L alpha-BHC (alpha-HCH) ..... 0.1 - 10 µg/L                      Endosulfan sulfate ..... 0.1 - 10 µg/L beta-BHC (beta-HCH) ..... 0.1 - 10 µg/L                      Endrin ..... 0.1 - 10 µg/L delta-BHC (delta-HCH) ..... 0.1 - 10 µg/L                      Endrin aldehyde ..... 0.1 - 10 µg/L gamma-BHC (Lindane) ..... 0.1 - 10 µg/L                      Heptachlor ..... 0.1 - 10 µg/L 4,4'-DDD ..... 0.1 - 10 µg/L                      Heptachlor epoxide - isomer B ..... 0.1 - 10 µg/L 4,4'-DDT ..... 0.1 - 10 µg/L                      Methoxychlor ..... 0.1 - 10 µg/L 4,4'-DDE ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-250	<b>ULTRAcHECK® Carbamate Pesticides</b> 5 - 7 Analytes Aldicarb ..... 0.1 - 10 µg/L                      Carbofuran ..... 0.1 - 10 µg/L Aldicarb sulfoxide ..... 0.1 - 10 µg/L                      Methomyl ..... 0.1 - 10 µg/L Aldicarb sulfone ..... 0.1 - 10 µg/L                      Propoxur ..... 0.1 - 10 µg/L Carbaryl (Sevin) ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-213	<b>ULTRAcHECK® WS Pesticides 3</b> 4 Analytes Butachlor ..... 0.1 - 10 µg/L                      Metribuzin ..... 0.1 - 10 µg/L Metolachlor ..... 0.1 - 10 µg/L                      Prometon ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL

## ULTRAccheck® blind, quality control check standards

Code	Product	Unit
U-QCM-500	ULTRAccheck® Herbicides 4 - 7 Analytes 2,4-D ..... 0.1 - 10 µg/L      MCPA ..... 0.1 - 10 µg/L Dalapon ..... 0.1 - 10 µg/L      MCPP ..... 0.1 - 10 µg/L 2,4-DB ..... 0.1 - 10 µg/L      Silvex (2,4,5-TP) ..... 0.1 - 10 µg/L Dinoseb ..... 0.1 - 10 µg/L      2,4,5-T ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
<b>Inorganic blind QC samples for non-potable water analysis</b>		
U-QCI-705A	ULTRAccheck® Trace Metals 1 13 Analytes Al ..... 130 - 4000 µg/L      Cu ..... 18 - 900 µg/L      Se ..... 90 - 2000 µg/L As ..... 70 - 900 µg/L      Fe ..... 30 - 4000 µg/L      V ..... 200 - 10000 µg/L Cd ..... 8 - 750 µg/L      Pb ..... 70 - 3000 µg/L      Zn ..... 30 - 2000 µg/L Cr ..... 17 - 1000 µg/L      Mn ..... 70 - 4000 µg/L Co ..... 28 - 1000 µg/L      Ni ..... 80 - 3000 µg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL
U-QCI-705B	ULTRAccheck® Trace Metals 2 7 Analytes Sb ..... 95 - 900 µg/L      Ag ..... 26 - 600 µg/L      Ti ..... 35 - 300 µg/L Be ..... 8 - 900 µg/L      Sr ..... 4 - 300 µg/L Mo ..... 24 - 600 µg/L      Tl ..... 60 - 900 µg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL
U-QCI-705C	ULTRAccheck® Mercury 1 Analyte Hg ..... 0.25 - 15 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	5 mL
U-QCI-715	ULTRAccheck® Minerals 11 Analytes Ca ..... 3.5 - 110 mg/L      Sulfate ..... 5 - 125 mg/L Mg ..... 0.9 - 40 mg/L      Specific conductance ..... 50 - 1050 µmhos/cm K ..... 2.6 - 40 mg/L      Total dissolved solids ..... 30 - 650 mg/L Na ..... 7 - 100 mg/L      Alkalinity as CaCO <sub>3</sub> ..... 10 - 120 mg/L Chloride ..... 35 - 250 mg/L      Total hardness as CaCO <sub>3</sub> ..... 45 - 350 mg/L Fluoride ..... 0.2 - 4 mg/L Sample consist of two solutions. Dilute 10 mL of each solution to 1 L in the same flask for final working test sample.	2 x 20 mL
<b>New</b> U-QCI-745	ULTRAccheck® WP Nutrients 5 Analytes Sample consists of two solutions. Ammonia as N ..... 0.65-19 mg/L      Total kjeldahl nitrogen as N ..... 1.5-35 mg/L Nitrate as N ..... 0.25-40 mg/L      Total phosphorus as P ..... 0.5-10 mg/L Orthophosphate as P ..... 0.5-5.5 mg/L Dilute 10 mL of each solution to 1 L in separate flasks for final working test samples.	kit
U-QCI-735	ULTRAccheck® Demands Total organic carbon (TOC) ..... 6 - 100 mg/L Chemical oxygen demand COD ..... 15 - 250 mg/L 5-day biochemical oxygen demand (BOD) ..... 15 - 250 mg/L Carbonaceous biochemical oxygen demand (CBOD) ..... 15 - 250 mg/L	20 mL
U-QCI-770	ULTRAccheck® Oil & Grease Total oil and grease ..... 8 - 50 mg/L One 10 mL ampoule to be diluted to 1 L.	10 mL
<b>New</b> U-QCI-765	ULTRAccheck® WP Total Phenolics Total phenolics ..... 0.06-5 mg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL
<b>New</b> U-QCI-713	ULTRAccheck® pH pH ..... 5-10 Ready-to-use, whole volume standard.	250 mL
<b>New</b> U-QCI-785	ULTRAccheck® WP Total Residual Chlorine Total residual chlorine ..... 0.5-3.0 mg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL
U-QCI-755	ULTRAccheck® Complex Cyanide 1 Analyte Complex cyanide ..... 0.03 - 1.0 mg/L Dilute 10 mL of sample to 1 L for final working test sample.	20 mL

## ULTRAccheck® blind, quality control check standards

Code	Product	Unit
U-QCI-716	<b>ULTRAccheck® Non-Filterable Residue</b> 1 Analyte Non-filterable residue (total suspended solids) .....23 - 100 mg/L Add 500 mg of sample to 1 L of water for final working test sample.	1 g
<b>New</b> U-QCI-700	<b>ULTRAccheck® Trace Metals</b> 22 Analytes Sample consists of two solutions. Aluminum (Al) ..... 100-1000 µg/L      Lead (Pb) ..... 100-1000 µg/L Antimony (Sb) ..... 20-250 µg/L      Manganese (Mn) ..... 100-1000 µg/L Arsenic (As) ..... 20-250 µg/L      Mercury (Hg) ..... 2-20 µg/L Barium (Ba) ..... 100-1000 µg/L      Molybdenum (Mo) ..... 100-1000 µg/L Beryllium (Be) ..... 20-250 µg/L      Nickel (Ni) ..... 100-1000 µg/L Boron (B) ..... 100-1000 µg/L      Selenium (Se) ..... 20-250 µg/L Cadmium (Cd) ..... 20-250 µg/L      Silver (Ag) ..... 20-250 µg/L Chromium (Cr) ..... 100-1000 µg/L      Strontium (Sr) ..... 100-1000 µg/L Cobalt (Co) ..... 100-1000 µg/L      Thallium (Tl) ..... 20-250 µg/L Copper (Cu) ..... 100-1000 µg/L      Vanadium (V) ..... 100-1000 µg/L Iron (Fe) ..... 100-1000 µg/L      Zinc (Zn) ..... 100-1000 µg/L Dilute 10 mL of QCI-700A and 1 mL of QCI-700B to 1 L in the same flask for final working test sample.	kit
U-QCI-710	<b>ULTRAccheck® Minerals</b> 9 Analytes Alkalinity as CaCO <sub>3</sub> ..... 100 - 600 mg/L      Chloride ..... 10 - 250 mg/L pH ..... 5 - 10 units      Sulfate ..... 3 - 400 mg/L Conductivity ..... 500 - 2500 µmhos      Fluoride ..... 1 - 10 mg/L K ..... 2 - 330 mg/L      Nitrate as N ..... 1 - 14 mg/L Na ..... 50 - 300 mg/L Ready-to-use whole volume standard.	500 mL
U-QCI-720	<b>ULTRAccheck® Hardness</b> 3 Analytes Calcium, soluble compounds as Ca ..... 10 - 150 mg/L Magnesium ..... 5 - 50 mg/L Total hardness as CaCO <sub>3</sub> ..... 45 - 575 mg/L Ready-to-use whole volume standard.	500 mL
U-QCI-750	<b>ULTRAccheck® Cyanide</b> 3 Analytes free cyanide ..... 0.02 - 0.5 mg/L Complex cyanide ..... 0.02 - 0.5 mg/L Total cyanide ..... 0.04 - 1.0 mg/L Dilute 10 mL of sample to 2 L for final working test sample.	10 mL
U-QCI-760	<b>ULTRAccheck® Phenolics</b> Total phenolics ..... 0.02-0.5 mg/L One 10 mL ampoule to be diluted to 2 L.	10 mL
U-QCI-780	<b>ULTRAccheck® Total Residual Chlorine</b> Total residual chlorine ..... 0.3 - 5 mg/L Dilute 10 mL of sample to 2 L for final working test sample.	10 mL
U-QCI-740	<b>ULTRAccheck® Nutrients</b> Each Kit contains two ampoules, vials, or bottles Vial 1 Ammonia as N ..... 1 - 20 mg/L Nitrate as N ..... 1 - 20 mg/L Orthophosphate as P ..... 1 - 10 mg/L Vial 2 Total kjeldahl nitrogen as N ..... 1 - 20 mg/L Total phosphorus as P ..... 1 - 10 mg/L Two 10 mL ampoules to be diluted to 2 L each.	kit
U-QCI-711	<b>ULTRAccheck® Solids</b> 3 Analytes Non-filterable residue (total suspended solids) .....20 - 200 mg/L Filterable residue (total dissolved solids) ..... 50 - 5000 mg/L Total solids ..... 70 - 5200 mg/L Ready-to-use whole volume standard.	500 mL
<b>New</b> U-QCI-702	<b>ULTRAccheck® Cations</b> 4 Analytes Calcium (Ca) ..... 20-200 mg/L      Potassium (K) ..... 10-100 mg/L Magnesium (Mg) ..... 20-200 mg/L      Sodium (Na) ..... 20-250 mg/L Dilute 10 mL of sample to 1 L for final working test sample.	10 mL

## ULTRAcHECK® blind, quality control check standards

Code	Product	Unit
U-QCI-761	ULTRAcHECK® Total Organic Halides 1 Analyte Total organic halides..... 5 - 200 µg/L One 2 mL ampoule to be diluted to 2 L.	2 mL

### Organic blind QC samples for non-potable water analysis

Suitable for the EPA 600, 8000, and CLP Methods

<b>New</b>	U-QCM-105	ULTRAcHECK® Volatile Halocarbons 11 Analytes Bromodichloromethane..... 8-115 µg/L Bromoform ..... 11-100 µg/L Carbon tetrachloride ..... 10-140 µg/L Chlorobenzene..... 10-120 µg/L Chloroform ..... 12-95 µg/L Dibromochloromethane ..... 11-140 µg/L 1,2-Dichloroethane..... 10-150 µg/L Methylene chloride ..... 10-125 µg/L Tetrachloroethene ..... 10-150 µg/L 1,1,1-Trichloroethane ..... 10-90 µg/L Trichloroethene ..... 10-95 µg/L Dilute 20 µL of sample to 100 mL for final working test sample.	2 mL
<b>New</b>	U-QCM-106	ULTRAcHECK® Volatile Aromatics 6 Analytes Benzene ..... 8-120 µg/L 1,2-Dichlorobenzene ..... 8-100 µg/L 1,3-dichlorobenzene ..... 9-125 µg/L 1,4-Dichlorobenzene ..... 8-115 µg/L Ethylbenzene ..... 9-100 µg/L Toluene ..... 7-100 µg/L Dilute 20 µL of sample to 100 mL for final working test sample.	2 mL
<b>New</b>	U-QCM-205	ULTRAcHECK® Pesticides 7 Analytes Aldrin ..... 0.5-15 µg/L Dieldrin ..... 1-13 µg/L 4,4'-DDD ..... 2-10 µg/L 4,4'-DDE ..... 2-10 µg/L 4,4'-DDT ..... 1-10 µg/L Heptachlor ..... 1-10 µg/L Heptachlor epoxide ..... 1-10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
	U-QCM-230	ULTRAcHECK® Chlordane 1 Analyte Chlordane ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
<b>New</b>	U-QCM-276	ULTRAcHECK® PCBs 1-13 µg/L; the Aroclor used is randomly selected from the following list: Aroclor 1016/1242 Aroclor 1232 Aroclor 1248 Aroclor 1254 Aroclor 1260 Dilute 1 mL of solution to 1 L in for final working test sample.	2 mL
	U-QCM-100	ULTRAcHECK® Volatiles 18 - 20 Analytes from the following list : Benzene ..... 5 - 20 µg/L Bromodichloromethane..... 5 - 20 µg/L Bromoform ..... 5 - 20 µg/L Carbon tetrachloride ..... 5 - 20 µg/L Chlorobenzene..... 5 - 20 µg/L Chloroform ..... 5 - 20 µg/L Dibromochloromethane ..... 5 - 20 µg/L 1,2-Dichlorobenzene ..... 5 - 20 µg/L 1,3-Dichlorobenzene ..... 5 - 20 µg/L 1,4-Dichlorobenzene ..... 5 - 20 µg/L 1,2-Dichloroethane ..... 5 - 20 µg/L 1,1-Dichloroethene ..... 5 - 20 µg/L trans-1,2-Dichloroethene..... 5 - 20 µg/L 1,2-Dichloropropane..... 5 - 20 µg/L Ethylbenzene ..... 5 - 20 µg/L Methylene chloride (dichloromethane) ..... 5 - 20 µg/L 4-Methyl-2-pentanone (MIBK) ..... 5 - 20 µg/L 1,1,2,2-Tetrachloroethane ..... 5 - 20 µg/L Tetrachloroethene ..... 5 - 20 µg/L Toluene ..... 5 - 20 µg/L 1,1,1-Trichloroethane ..... 5 - 20 µg/L 1,1,2-Trichloroethane ..... 5 - 20 µg/L Trichloroethene ..... 5 - 20 µg/L Final working sample: 5 - 20 µg/L of each analyte.	2 mL
	U-QCM-300	ULTRAcHECK® Base/Neutrals 14 - 19 Analytes from the following list: Acenaphthene ..... 10 - 200 µg/L Anthracene ..... 10 - 200 µg/L Benz[a]anthracene ..... 10 - 200 µg/L Benzo[b]fluoranthene ..... 10 - 200 µg/L Benzo[ghi]perylene ..... 10 - 200 µg/L Benzo[a]pyrene ..... 10 - 200 µg/L Bis(2-ethylhexyl)phthalate ..... 10 - 200 µg/L 4-Bromophenyl phenyl ether ..... 10 - 200 µg/L Butyl benzyl phthalate ..... 10 - 200 µg/L Chrysene ..... 10 - 200 µg/L Dibenz(a,h)anthracene ..... 10 - 200 µg/L Dibenzofuran ..... 10 - 200 µg/L 1,2-Dichlorobenzene ..... 10 - 200 µg/L 1,4-Dichlorobenzene ..... 10 - 200 µg/L Diethyl phthalate ..... 10 - 200 µg/L Dimethyl phthalate ..... 10 - 200 µg/L 2,4-Dinitrotoluene ..... 10 - 200 µg/L Di-n-octyl phthalate ..... 10 - 200 µg/L Fluoranthene ..... 10 - 200 µg/L Hexachlorobenzene ..... 10 - 200 µg/L Isophorone ..... 10 - 200 µg/L Naphthalene ..... 10 - 200 µg/L Nitrobenzene ..... 10 - 200 µg/L Phenanthrene ..... 10 - 200 µg/L Pyrene ..... 10 - 200 µg/L 1,2,4-Trichlorobenzene ..... 10 - 200 µg/L Final working sample: 10 - 200 µg/L of each analyte.	2 mL

## ULTRAccheck® blind, quality control check standards

Code	Product	Unit
U-QCM-400	<b>ULTRAccheck® Acids</b> 5 - 8 Analytes from the following list: 4-Chloro-3-methylphenol ..... 10 - 200 µg/L 2-Chlorophenol ..... 10 - 200 µg/L o-Cresol (2-Methylphenol) ..... 10 - 200 µg/L 2,4-Dichlorophenol..... 10 - 200 µg/L 2,4-Dimethylphenol..... 10 - 200 µg/L Final working sample: 10 - 200 µg/L of each analyte.	2 mL  2-Nitrophenol ..... 10 - 200 µg/L 4-Nitrophenol ..... 10 - 200 µg/L Pentachlorophenol..... 10 - 200 µg/L Phenol..... 10 - 200 µg/L 2,4,6-Trichlorophenol ..... 10 - 200 µg/L
U-QCM-200	<b>ULTRAccheck® Pesticides</b> 9 - 14 Analytes from the following list Aldrin..... 0.1 - 10 µg/L alpha-BHC (alpha-HCH) ..... 0.1 - 10 µg/L beta-BHC (beta-HCH) ..... 0.1 - 10 µg/L delta-BHC (delta-HCH)..... 0.1 - 10 µg/L gamma-BHC (Lindane)..... 0.1 - 10 µg/L 4,4'-DDD ..... 0.1 - 10 µg/L 4,4'-DDT ..... 0.1 - 10 µg/L 4,4'-DDE ..... 0.1 - 10 µg/L Dieldrin..... 0.1 - 10 µg/L Final working sample: 0.1- 10 µg/L of each analyte.	2 mL  Endosulfan I ..... 0.1 - 10 µg/L Endosulfan II ..... 0.1 - 10 µg/L Endosulfan sulfate ..... 0.1 - 10 µg/L Endrin..... 0.1 - 10 µg/L Endrin aldehyde ..... 0.1 - 10 µg/L Heptachlor..... 0.1 - 10 µg/L Heptachlor epoxide - isomer B..... 0.1 - 10 µg/L Methoxychlor..... 0.1 - 10 µg/L
U-QCM-220	<b>ULTRAccheck® Toxaphene</b> 1 Analyte Toxaphene ..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-240	<b>ULTRAccheck® PCBs</b> 1 - 2 Analytes from the following list: Aroclor 1016 (PCB 1016) ..... 0.1 - 10 µg/L Aroclor 1221 (PCB 1221) ..... 0.1 - 10 µg/L Aroclor 1232 (PCB 1232) ..... 0.1 - 10 µg/L Aroclor 1242 (PCB 1242) ..... 0.1 - 10 µg/L Final working sample: 0.1 - 10 µg/L of each analyte.	2 mL  Aroclor 1248 (PCB 1248)..... 0.1 - 10 µg/L Aroclor 1254 (PCB 1254)..... 0.1 - 10 µg/L Aroclor 1260 (PCB 1260)..... 0.1 - 10 µg/L
U-QCK-900	<b>ULTRAccheck® Waste Water Series Kit</b> Each Kit contains 1 x 2 mL each of the following: Volatiles ..... U-QCM-100 Pesticides ..... U-QCM-200 Toxaphene..... U-QCM-220	kit  Chlordane..... U-QCM-230 PCBs..... U-QCM-240 Base/Neutrals..... U-QCM-300 Acids ..... U-QCM-400

### Blind QC samples for underground storage tanks, hydrocarbon fuels and TPH

U-QCM-600	<b>ULTRAccheck® Gasoline</b> 1 Analyte Gasoline (regular unleaded) ..... 0.1 - 5 mg/L Final working sample: 0.1 - 5 mg/L.	2 mL
U-QCM-610	<b>ULTRAccheck® Diesel Oil</b> Diesel fuel #2 ..... 0.1 - 5 mg/L Final working sample: 0.1 - 5 mg/L.	2 mL
U-QCM-630	<b>ULTRAccheck® TPH In Water</b> Without fatty acids Total petroleum hydrocarbons ..... 10 - 200 mg/L	250 mL
U-QCM-140	<b>ULTRAccheck® BETX</b> 4 Analytes Benzene..... 1 - 200 µg/L Ethylbenzene ..... 1 - 200 µg/L Toluene..... 1 - 200 µg/L Final working sample: 1 - 200 µg/L of each analyte.	2 mL  m-Xylene ..... 1 - 200 µg/L p-Xylene ..... 1 - 200 µg/L o-Xylene ..... 1 - 200 µg/L
U-QCM-620	<b>ULTRAccheck® Gasoline Additives</b> 4 Analytes tert-Butylmethyl ether (MTBE) ..... 10 - 2000 µg/L 1,2-Dibromoethane (EDB)..... 10 - 2000 µg/L Final working sample: 10 - 200 µg/mL of each analyte.	2 mL  Dibromomethane ..... 10 - 2000 µg/L 1,2-Dichloroethane..... 10 - 2000 µg/L
U-QCM-631	<b>ULTRAccheck® TPH In Water w/ Fatty Acids</b> With fatty acids Total petroleum hydrocarbons ..... 10 - 200 mg/L Dodecanoic acid (Lauric acid) ..... 100 mg/L	250 mL



## ULTRAcHECK® blind, quality control check standards

Code	Product	Unit
<b>Blind QC samples for aroclors</b>		
U-QCM-241	ULTRAcHECK® Aroclor 1242 in Transformer Oil 1 Analyte Aroclor 1242 (PCB 1242)..... 10 - 50 mg/kg	5 mL
U-QCM-242	ULTRAcHECK® Aroclor 1242 in Transformer Oil 1 Analyte Aroclor 1242 (PCB 1242)..... 51 - 500 mg/kg	5 mL
U-QCM-243	ULTRAcHECK® Aroclor 1248 in Transformer Oil 1 Analyte Aroclor 1248 (PCB 1248)..... 10 - 50 mg/kg	5 mL
U-QCM-244	ULTRAcHECK® Aroclor 1248 in Transformer Oil 1 Analyte Aroclor 1248 (PCB 1248)..... 51 - 500 mg/kg	5 mL
U-QCM-245	ULTRAcHECK® Aroclor 1254 in Transformer Oil 1 Analyte Aroclor 1254 (PCB 1254)..... 10 - 50 mg/kg	5 mL
U-QCM-246	ULTRAcHECK® Aroclor 1254 in Transformer Oil 1 Analyte Aroclor 1254 (PCB 1254)..... 51 - 500 mg/kg	5 mL
U-QCM-247	ULTRAcHECK® Aroclor 1260 in Transformer Oil 1 Analyte Aroclor 1260 (PCB 1260)..... 10 - 50 mg/kg	5 mL
U-QCM-248	ULTRAcHECK® Aroclor 1260 in Transformer Oil 1 Analyte Aroclor 1260 (PCB 1260)..... 51 - 500 mg/kg	5 mL
U-QCM-249	ULTRAcHECK® PCB Screening 1 Analyte Aroclor 1260 (PCB 1260)..... 0.1 - 10 µg/L Dilute 1 mL of sample to 1 L for final working test sample.	2 mL
U-QCM-240	ULTRAcHECK® PCBs 1 - 2 Analytes from the following list: Aroclor 1016 (PCB 1016)..... 0.1 - 10 µg/L      Aroclor 1248 (PCB 1248)..... 0.1 - 10 µg/L Aroclor 1221 (PCB 1221)..... 0.1 - 10 µg/L      Aroclor 1254 (PCB 1254)..... 0.1 - 10 µg/L Aroclor 1232 (PCB 1232)..... 0.1 - 10 µg/L      Aroclor 1260 (PCB 1260)..... 0.1 - 10 µg/L Aroclor 1242 (PCB 1242)..... 0.1 - 10 µg/L Final working sample: 0.1 - 10 µg/L of each analyte.	2 mL
<b>New</b> U-QCM-276	ULTRAcHECK® PCBs 1-13 µg/L; the Aroclor used is randomly selected from the following list: Aroclor 1016/1242 Aroclor 1232 Aroclor 1248 Aroclor 1254 Aroclor 1260 Dilute 1 mL of solution to 1 L in for final working test sample.	2 mL



# EPA 500 Methods

Code	Product	Unit
U-DWM-580-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Dibromochloromethane Dibromomethane Methylene chloride 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane Benzene	1 mL n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-580	VOC Mixture	4 x 1 mL
U-DWM-588-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Dibromochloromethane Dibromomethane Methylene chloride 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane Benzene	1 mL n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-588	VOC Mixture	4 x 1 mL
U-STM-240N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol 2-Bromo-1-chloropropane	1 mL Fluorobenzene
U-STM-240N	Internal Standard Mixture	4 x 1 mL

Code	Product	Unit
U-DWM-583-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene
U-DWM-583	VOC Mixture	4 x 1 mL
U-DWM-589N-1	VOC Mixture 2000 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene
U-DWM-589N	VOC Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-544	VOC Gas Mixture	4 x 1 mL
U-STM-460-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol 2-Bromo-1-chloropropane	1 mL 1-Chloro-2-fluorobenzene
U-STM-460	Internal Standard Mixture	4 x 1 mL
U-STS-190-1	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	1 mL
U-STS-190	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	4 x 1 mL

## EPA 500 Methods

Code	Product	Unit																																																								
U-ST5-450-1	1-Chloro-2-fluorobenzene 2000 µg/mL in Methanol	1 mL																																																								
U-ST5-450	1-Chloro-2-fluorobenzene 2000 µg/mL in Methanol	4 x 1 mL																																																								
U-ST5-200-1	1,4-Dichlorobutane 2000 µg/mL in Methanol	1 mL																																																								
U-ST5-200	1,4-Dichlorobutane 2000 µg/mL in Methanol	4 x 1 mL																																																								
U-ST5-160-1	Fluorobenzene 2000 µg/mL in Methanol	1 mL																																																								
U-ST5-160	Fluorobenzene 2000 µg/mL in Methanol	4 x 1 mL																																																								
<b>New</b> U-DWM-596-1	VOC Mixture with MTBE 55 analytes 2000 µg/mL of each analyte in Methanol	1 mL																																																								
	<table border="0"> <tr> <td>Benzene</td> <td>2,2-Dichloropropane</td> </tr> <tr> <td>Bromobenzene</td> <td>1,1-Dichloropropene</td> </tr> <tr> <td>Bromochloromethane</td> <td>cis-1,3-Dichloropropene</td> </tr> <tr> <td>Bromodichloromethane</td> <td>trans-1,3-Dichloropropene</td> </tr> <tr> <td>Bromoform</td> <td>dthylbenzene</td> </tr> <tr> <td>n-Butylbenzene</td> <td>Hexachlorobutadiene</td> </tr> <tr> <td>sec-Butylbenzene</td> <td>Isopropylbenzene</td> </tr> <tr> <td>tert-Butylbenzene</td> <td>4-isopropyltoluene</td> </tr> <tr> <td>tert-Butyl methyl ether</td> <td>Methylene chloride</td> </tr> <tr> <td>Carbon tetrachloride</td> <td>Naphthalene</td> </tr> <tr> <td>Chlorobenzene</td> <td>n-propylbenzene</td> </tr> <tr> <td>Chloroform</td> <td>Styrene</td> </tr> <tr> <td>2-Chlorotoluene</td> <td>1,1,1,2-Tetrachloroethane</td> </tr> <tr> <td>4-Chlorotoluene</td> <td>1,1,2,2-tetrachloroethane</td> </tr> <tr> <td>Dibromochloromethane</td> <td>Tetrachloroethene</td> </tr> <tr> <td>1,2-Dibromo-3-chloropropane</td> <td>Toluene</td> </tr> <tr> <td>1,2-Dibromoethane</td> <td>1,2,3-Trichlorobenzene</td> </tr> <tr> <td>Dibromomethane</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>1,2-Dichlorobenzene</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>1,3-Dichlorobenzene</td> <td>1,1,2-Trichloroethane</td> </tr> <tr> <td>1,4-dichlorobenzene</td> <td>Trichloroethene</td> </tr> <tr> <td>1,1-Dichloroethane</td> <td>1,2,3-Trichloropropane</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>1,2,4-Trimethylbenzene</td> </tr> <tr> <td>1,1-Dichloroethene</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>cis-1,2-Dichloroethene</td> <td>o-Xylene</td> </tr> <tr> <td>trans-1,2-Dichloroethene</td> <td>m-Xylene</td> </tr> <tr> <td>1,2-Dichloropropane</td> <td>p-Xylene</td> </tr> <tr> <td>1,3-Dichloropropane</td> <td></td> </tr> </table>	Benzene	2,2-Dichloropropane	Bromobenzene	1,1-Dichloropropene	Bromochloromethane	cis-1,3-Dichloropropene	Bromodichloromethane	trans-1,3-Dichloropropene	Bromoform	dthylbenzene	n-Butylbenzene	Hexachlorobutadiene	sec-Butylbenzene	Isopropylbenzene	tert-Butylbenzene	4-isopropyltoluene	tert-Butyl methyl ether	Methylene chloride	Carbon tetrachloride	Naphthalene	Chlorobenzene	n-propylbenzene	Chloroform	Styrene	2-Chlorotoluene	1,1,1,2-Tetrachloroethane	4-Chlorotoluene	1,1,2,2-tetrachloroethane	Dibromochloromethane	Tetrachloroethene	1,2-Dibromo-3-chloropropane	Toluene	1,2-Dibromoethane	1,2,3-Trichlorobenzene	Dibromomethane	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,1,1-Trichloroethane	1,3-Dichlorobenzene	1,1,2-Trichloroethane	1,4-dichlorobenzene	Trichloroethene	1,1-Dichloroethane	1,2,3-Trichloropropane	1,2-Dichloroethane	1,2,4-Trimethylbenzene	1,1-Dichloroethene	1,3,5-Trimethylbenzene	cis-1,2-Dichloroethene	o-Xylene	trans-1,2-Dichloroethene	m-Xylene	1,2-Dichloropropane	p-Xylene	1,3-Dichloropropane		
Benzene	2,2-Dichloropropane																																																									
Bromobenzene	1,1-Dichloropropene																																																									
Bromochloromethane	cis-1,3-Dichloropropene																																																									
Bromodichloromethane	trans-1,3-Dichloropropene																																																									
Bromoform	dthylbenzene																																																									
n-Butylbenzene	Hexachlorobutadiene																																																									
sec-Butylbenzene	Isopropylbenzene																																																									
tert-Butylbenzene	4-isopropyltoluene																																																									
tert-Butyl methyl ether	Methylene chloride																																																									
Carbon tetrachloride	Naphthalene																																																									
Chlorobenzene	n-propylbenzene																																																									
Chloroform	Styrene																																																									
2-Chlorotoluene	1,1,1,2-Tetrachloroethane																																																									
4-Chlorotoluene	1,1,2,2-tetrachloroethane																																																									
Dibromochloromethane	Tetrachloroethene																																																									
1,2-Dibromo-3-chloropropane	Toluene																																																									
1,2-Dibromoethane	1,2,3-Trichlorobenzene																																																									
Dibromomethane	1,2,4-Trichlorobenzene																																																									
1,2-Dichlorobenzene	1,1,1-Trichloroethane																																																									
1,3-Dichlorobenzene	1,1,2-Trichloroethane																																																									
1,4-dichlorobenzene	Trichloroethene																																																									
1,1-Dichloroethane	1,2,3-Trichloropropane																																																									
1,2-Dichloroethane	1,2,4-Trimethylbenzene																																																									
1,1-Dichloroethene	1,3,5-Trimethylbenzene																																																									
cis-1,2-Dichloroethene	o-Xylene																																																									
trans-1,2-Dichloroethene	m-Xylene																																																									
1,2-Dichloropropane	p-Xylene																																																									
1,3-Dichloropropane																																																										
<b>New</b> U-DWM-596	VOC Mixture with MTBE	4 x 1 mL																																																								
U-DWM-540-1	Haloalkanes Mixture 200 µg/mL of each analyte in Methanol.	1 mL																																																								
	<table border="0"> <tr> <td>Bromochloromethane</td> <td>1,2-Dichloropropane</td> </tr> <tr> <td>Bromodichloromethane</td> <td>1,3-Dichloropropane</td> </tr> <tr> <td>Bromoform</td> <td>2,2-Dichloropropane</td> </tr> <tr> <td>Bromomethane</td> <td>1,1-Dichloropropene</td> </tr> <tr> <td>Carbon tetrachloride</td> <td>cis-1,3-Dichloropropene</td> </tr> <tr> <td>Chloroethane</td> <td>trans-1,3-Dichloropropene</td> </tr> <tr> <td>Chloroform</td> <td>Hexachlorobutadiene</td> </tr> <tr> <td>Chloromethane</td> <td>Methylene chloride</td> </tr> <tr> <td>Dibromochloromethane</td> <td>1,1,1,2-Tetrachloroethane</td> </tr> <tr> <td>1,2-Dibromo-3-chloropropane</td> <td>1,1,2,2-Tetrachloroethane</td> </tr> <tr> <td>1,2-Dibromoethane</td> <td>Tetrachloroethene</td> </tr> <tr> <td>Dibromomethane</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>Dichlorodifluoromethane</td> <td>1,1,2-Trichloroethane</td> </tr> <tr> <td>1,1-Dichloroethane</td> <td>Trichloroethene</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>Trichlorofluoromethane</td> </tr> <tr> <td>1,1-Dichloroethene</td> <td>1,2,3-Trichloropropane</td> </tr> <tr> <td>cis-1,2-Dichloroethene</td> <td>Vinyl chloride</td> </tr> <tr> <td>trans-1,2-Dichloroethene</td> <td></td> </tr> </table>	Bromochloromethane	1,2-Dichloropropane	Bromodichloromethane	1,3-Dichloropropane	Bromoform	2,2-Dichloropropane	Bromomethane	1,1-Dichloropropene	Carbon tetrachloride	cis-1,3-Dichloropropene	Chloroethane	trans-1,3-Dichloropropene	Chloroform	Hexachlorobutadiene	Chloromethane	Methylene chloride	Dibromochloromethane	1,1,1,2-Tetrachloroethane	1,2-Dibromo-3-chloropropane	1,1,2,2-Tetrachloroethane	1,2-Dibromoethane	Tetrachloroethene	Dibromomethane	1,1,1-Trichloroethane	Dichlorodifluoromethane	1,1,2-Trichloroethane	1,1-Dichloroethane	Trichloroethene	1,2-Dichloroethane	Trichlorofluoromethane	1,1-Dichloroethene	1,2,3-Trichloropropane	cis-1,2-Dichloroethene	Vinyl chloride	trans-1,2-Dichloroethene																						
Bromochloromethane	1,2-Dichloropropane																																																									
Bromodichloromethane	1,3-Dichloropropane																																																									
Bromoform	2,2-Dichloropropane																																																									
Bromomethane	1,1-Dichloropropene																																																									
Carbon tetrachloride	cis-1,3-Dichloropropene																																																									
Chloroethane	trans-1,3-Dichloropropene																																																									
Chloroform	Hexachlorobutadiene																																																									
Chloromethane	Methylene chloride																																																									
Dibromochloromethane	1,1,1,2-Tetrachloroethane																																																									
1,2-Dibromo-3-chloropropane	1,1,2,2-Tetrachloroethane																																																									
1,2-Dibromoethane	Tetrachloroethene																																																									
Dibromomethane	1,1,1-Trichloroethane																																																									
Dichlorodifluoromethane	1,1,2-Trichloroethane																																																									
1,1-Dichloroethane	Trichloroethene																																																									
1,2-Dichloroethane	Trichlorofluoromethane																																																									
1,1-Dichloroethene	1,2,3-Trichloropropane																																																									
cis-1,2-Dichloroethene	Vinyl chloride																																																									
trans-1,2-Dichloroethene																																																										
U-DWM-540	Haloalkanes Mixture	4 x 1 mL																																																								
U-DWM-510-1	Halomethanes Mixture 200 µg/mL of each analyte in Methanol.	1 mL																																																								
	<table border="0"> <tr> <td>Bromochloromethane</td> <td>Bromomethane</td> <td>Chloromethane</td> <td>Dichlorodifluoromethane</td> </tr> <tr> <td>Bromodichloromethane</td> <td>Carbon tetrachloride</td> <td>Dibromochloromethane</td> <td>Methylene chloride</td> </tr> <tr> <td>Bromoform</td> <td>Chloroform</td> <td>Dibromomethane</td> <td>Trichlorofluoromethane</td> </tr> </table>	Bromochloromethane	Bromomethane	Chloromethane	Dichlorodifluoromethane	Bromodichloromethane	Carbon tetrachloride	Dibromochloromethane	Methylene chloride	Bromoform	Chloroform	Dibromomethane	Trichlorofluoromethane																																													
Bromochloromethane	Bromomethane	Chloromethane	Dichlorodifluoromethane																																																							
Bromodichloromethane	Carbon tetrachloride	Dibromochloromethane	Methylene chloride																																																							
Bromoform	Chloroform	Dibromomethane	Trichlorofluoromethane																																																							
U-DWM-510	Halomethanes Mixture	4 x 1 mL																																																								
U-DWM-520-1	Haloethanes Mixture 200 µg/mL of each analyte in Methanol.	1 mL																																																								
	<table border="0"> <tr> <td>Chloroethane</td> <td>1,1,1,2-Tetrachloroethane</td> </tr> <tr> <td>1,2-Dibromoethane</td> <td>1,1,2,2-Tetrachloroethane</td> </tr> <tr> <td>1,1-Dichloroethane</td> <td>Tetrachloroethene</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>1,1-Dichloroethene</td> <td>1,1,2-Trichloroethane</td> </tr> <tr> <td>cis-1,2-Dichloroethene</td> <td>Trichloroethene</td> </tr> <tr> <td>trans-1,2-Dichloroethene</td> <td>Vinyl chloride</td> </tr> </table>	Chloroethane	1,1,1,2-Tetrachloroethane	1,2-Dibromoethane	1,1,2,2-Tetrachloroethane	1,1-Dichloroethane	Tetrachloroethene	1,2-Dichloroethane	1,1,1-Trichloroethane	1,1-Dichloroethene	1,1,2-Trichloroethane	cis-1,2-Dichloroethene	Trichloroethene	trans-1,2-Dichloroethene	Vinyl chloride																																											
Chloroethane	1,1,1,2-Tetrachloroethane																																																									
1,2-Dibromoethane	1,1,2,2-Tetrachloroethane																																																									
1,1-Dichloroethane	Tetrachloroethene																																																									
1,2-Dichloroethane	1,1,1-Trichloroethane																																																									
1,1-Dichloroethene	1,1,2-Trichloroethane																																																									
cis-1,2-Dichloroethene	Trichloroethene																																																									
trans-1,2-Dichloroethene	Vinyl chloride																																																									
U-DWM-520	Haloethanes Mixture	4 x 1 mL																																																								

Code	Product	Unit																					
U-DWM-530-1	Halopropanes Mixture 200 µg/mL of each analyte in Methanol. 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene	1 mL																					
	<table border="0"> <tr> <td></td> <td></td> <td>cis-1,3-Dichloropropene</td> <td></td> </tr> <tr> <td></td> <td></td> <td>trans-1,3-Dichloropropene</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Hexachlorobutadiene</td> <td></td> </tr> <tr> <td></td> <td></td> <td>1,2,3-Trichloropropane</td> <td></td> </tr> </table>			cis-1,3-Dichloropropene				trans-1,3-Dichloropropene				Hexachlorobutadiene				1,2,3-Trichloropropane							
		cis-1,3-Dichloropropene																					
		trans-1,3-Dichloropropene																					
		Hexachlorobutadiene																					
		1,2,3-Trichloropropane																					
U-DWM-530	Halopropanes Mixture	4 x 1 mL																					
U-DWM-550-1	Aromatic Hydrocarbons Mixture 200 µg/mL of each analyte in Methanol. Benzene n-Butylbenzene sec-Butylbenzene tert-Butylbenzene	1 mL																					
	<table border="0"> <tr> <td>Ethylbenzene</td> <td>n-Propylbenzene</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>Isopropylbenzene</td> <td>Styrene</td> <td>m-Xylene</td> </tr> <tr> <td>4-Isopropyltoluene</td> <td>Toluene</td> <td>o-Xylene</td> </tr> <tr> <td>Naphthalene</td> <td>1,2,4-Trimethylbenzene</td> <td>p-Xylene</td> </tr> </table>	Ethylbenzene	n-Propylbenzene	1,3,5-Trimethylbenzene	Isopropylbenzene	Styrene	m-Xylene	4-Isopropyltoluene	Toluene	o-Xylene	Naphthalene	1,2,4-Trimethylbenzene	p-Xylene										
Ethylbenzene	n-Propylbenzene	1,3,5-Trimethylbenzene																					
Isopropylbenzene	Styrene	m-Xylene																					
4-Isopropyltoluene	Toluene	o-Xylene																					
Naphthalene	1,2,4-Trimethylbenzene	p-Xylene																					
U-DWM-550	Aromatic Hydrocarbons Mixture	4 x 1 mL																					
U-DWM-560-1	Aromatic Halocarbons Mixture 200 µg/mL of each analyte in Methanol. Bromobenzene Chlorobenzene 2-Chlorotoluene	1 mL																					
	<table border="0"> <tr> <td>4-Chlorotoluene</td> <td>1,4-Dichlorobenzene</td> </tr> <tr> <td>1,2-Dichlorobenzene</td> <td>1,2,3-Trichlorobenzene</td> </tr> <tr> <td>1,3-Dichlorobenzene</td> <td>1,2,4-Trichlorobenzene</td> </tr> </table>	4-Chlorotoluene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	1,2,3-Trichlorobenzene	1,3-Dichlorobenzene	1,2,4-Trichlorobenzene																
4-Chlorotoluene	1,4-Dichlorobenzene																						
1,2-Dichlorobenzene	1,2,3-Trichlorobenzene																						
1,3-Dichlorobenzene	1,2,4-Trichlorobenzene																						
U-DWM-560	Aromatic Halocarbons Mixture	4 x 1 mL																					
U-DWM-570-1	Aromatics Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Chlorobenzene 2-Chlorotoluene	1 mL																					
	<table border="0"> <tr> <td>4-Chlorotoluene</td> <td>Naphthalene</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>1,2-Dichlorobenzene</td> <td>n-Propylbenzene</td> <td>m-Xylene</td> </tr> <tr> <td>1,3-Dichlorobenzene</td> <td>Styrene</td> <td>o-Xylene</td> </tr> <tr> <td>1,4-Dichlorobenzene</td> <td>Toluene</td> <td>p-Xylene</td> </tr> <tr> <td>Ethylbenzene</td> <td>1,2,3-Trichlorobenzene</td> <td></td> </tr> <tr> <td>Isopropylbenzene</td> <td>1,2,4-Trichlorobenzene</td> <td></td> </tr> <tr> <td>4-Isopropyltoluene</td> <td>1,2,4-Trimethylbenzene</td> <td></td> </tr> </table>	4-Chlorotoluene	Naphthalene	1,3,5-Trimethylbenzene	1,2-Dichlorobenzene	n-Propylbenzene	m-Xylene	1,3-Dichlorobenzene	Styrene	o-Xylene	1,4-Dichlorobenzene	Toluene	p-Xylene	Ethylbenzene	1,2,3-Trichlorobenzene		Isopropylbenzene	1,2,4-Trichlorobenzene		4-Isopropyltoluene	1,2,4-Trimethylbenzene		
4-Chlorotoluene	Naphthalene	1,3,5-Trimethylbenzene																					
1,2-Dichlorobenzene	n-Propylbenzene	m-Xylene																					
1,3-Dichlorobenzene	Styrene	o-Xylene																					
1,4-Dichlorobenzene	Toluene	p-Xylene																					
Ethylbenzene	1,2,3-Trichlorobenzene																						
Isopropylbenzene	1,2,4-Trichlorobenzene																						
4-Isopropyltoluene	1,2,4-Trimethylbenzene																						
U-DWM-570	Aromatics Mixture	4 x 1 mL																					

## EPA Method 503.1

### Volatile aromatics and unsaturated organic compounds

Method 503.1 is applicable for the determination of volatile aromatic and unsaturated compounds. It is purge and trap method, using GC with a high temperature photoionization detector.

#### Recommended standards

Calibration standard: U-DWM-503  
Internal standard: U-STS-220N

U-DWM-503-1	Aromatics & Alkenes Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Chlorobenzene 2-Chlorotoluene	1 mL																					
	<table border="0"> <tr> <td>4-Chlorotoluene</td> <td>4-Isopropyltoluene</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>1,2-Dichlorobenzene</td> <td>Naphthalene</td> <td>Trichloroethene</td> </tr> <tr> <td>1,3-Dichlorobenzene</td> <td>n-Propylbenzene</td> <td>1,2,4-Trimethylbenzene</td> </tr> <tr> <td>1,4-Dichlorobenzene</td> <td>Styrene</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>Ethylbenzene</td> <td>Tetrachloroethene</td> <td>m-Xylene</td> </tr> <tr> <td>Hexachlorobutadiene</td> <td>Toluene</td> <td>o-Xylene</td> </tr> <tr> <td>Isopropylbenzene</td> <td>1,2,3-Trichlorobenzene</td> <td>p-Xylene</td> </tr> </table>	4-Chlorotoluene	4-Isopropyltoluene	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	Naphthalene	Trichloroethene	1,3-Dichlorobenzene	n-Propylbenzene	1,2,4-Trimethylbenzene	1,4-Dichlorobenzene	Styrene	1,3,5-Trimethylbenzene	Ethylbenzene	Tetrachloroethene	m-Xylene	Hexachlorobutadiene	Toluene	o-Xylene	Isopropylbenzene	1,2,3-Trichlorobenzene	p-Xylene	
4-Chlorotoluene	4-Isopropyltoluene	1,2,4-Trichlorobenzene																					
1,2-Dichlorobenzene	Naphthalene	Trichloroethene																					
1,3-Dichlorobenzene	n-Propylbenzene	1,2,4-Trimethylbenzene																					
1,4-Dichlorobenzene	Styrene	1,3,5-Trimethylbenzene																					
Ethylbenzene	Tetrachloroethene	m-Xylene																					
Hexachlorobutadiene	Toluene	o-Xylene																					
Isopropylbenzene	1,2,3-Trichlorobenzene	p-Xylene																					
U-DWM-503	Aromatics & Alkenes Mixture	4 x 1 mL																					
U-STS-220N-1	alpha,alpha,alpha-Trifluorotoluene 2000 µg/mL in Methanol	1 mL																					
U-STS-220N	alpha,alpha,alpha-Trifluorotoluene 2000 µg/mL in Methanol	4 x 1 mL																					
U-STS-221-1	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol	1 mL																					
U-STS-221	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol	4 x 1 mL																					
U-DWM-550-1	Aromatic Hydrocarbons Mixture 200 µg/mL of each analyte in Methanol. Benzene n-Butylbenzene sec-Butylbenzene tert-Butylbenzene	1 mL																					
	<table border="0"> <tr> <td>Ethylbenzene</td> <td>n-Propylbenzene</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>Isopropylbenzene</td> <td>Styrene</td> <td>m-Xylene</td> </tr> <tr> <td>4-Isopropyltoluene</td> <td>Toluene</td> <td>o-Xylene</td> </tr> <tr> <td>Naphthalene</td> <td>1,2,4-Trimethylbenzene</td> <td>p-Xylene</td> </tr> </table>	Ethylbenzene	n-Propylbenzene	1,3,5-Trimethylbenzene	Isopropylbenzene	Styrene	m-Xylene	4-Isopropyltoluene	Toluene	o-Xylene	Naphthalene	1,2,4-Trimethylbenzene	p-Xylene										
Ethylbenzene	n-Propylbenzene	1,3,5-Trimethylbenzene																					
Isopropylbenzene	Styrene	m-Xylene																					
4-Isopropyltoluene	Toluene	o-Xylene																					
Naphthalene	1,2,4-Trimethylbenzene	p-Xylene																					
U-DWM-550	Aromatic Hydrocarbons Mixture	4 x 1 mL																					
U-DWM-563-1	Halocarbons Mixture 200 µg/mL of each analyte in Methanol. Bromobenzene Chlorobenzene 2-Chlorotoluene	1 mL																					
	<table border="0"> <tr> <td>4-Chlorotoluene</td> <td>1,4-Dichlorobenzene</td> <td>1,2,3-Trichlorobenzene</td> </tr> <tr> <td>1,2-Dichlorobenzene</td> <td>Hexachlorobutadiene</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>1,3-Dichlorobenzene</td> <td>Tetrachloroethene</td> <td>Trichloroethene</td> </tr> </table>	4-Chlorotoluene	1,4-Dichlorobenzene	1,2,3-Trichlorobenzene	1,2-Dichlorobenzene	Hexachlorobutadiene	1,2,4-Trichlorobenzene	1,3-Dichlorobenzene	Tetrachloroethene	Trichloroethene													
4-Chlorotoluene	1,4-Dichlorobenzene	1,2,3-Trichlorobenzene																					
1,2-Dichlorobenzene	Hexachlorobutadiene	1,2,4-Trichlorobenzene																					
1,3-Dichlorobenzene	Tetrachloroethene	Trichloroethene																					

## EPA 500 Methods

Code	Product	Unit
U-DWM-563	Halocarbons Mixture	4 x 1 mL

### EPA Method 504, 504.1

#### EDB, DBCP, and 123TCP

Method 504 is used to measure low concentrations of 1,2-dibromo-3-chloropropane (DBCP) and 1,2-dibromoethane (EDB). It is an extraction method, using GC with a capture column and electron capture detector. Method 504.1 adds 1,2,3-trichloropropane to the analyte list.

#### Recommended Standards

##### Method 504

Calibration Standards: U-DWM-504N  
U-HCM-812

##### Method 504.1

Calibration Standard: U-DWM-514

U-DWM-504N-1	DBCP-EDB Mixture 200 µg/mL of each analyte in Methanol. 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane	1 mL
U-DWM-504N	DBCP-EDB Mixture	4 x 1 mL
U-HCM-812-1	DBCP/EDB Mixture 2000 µg/mL of each analyte in Methanol 1,2-Dibromo-3-chloropropane	1 mL
U-HCM-812	DBCP-EDB Mixture	4 x 1 mL
U-DWM-514-1	EPA Method 504.1 Mixture 200 µg/mL of each analyte in Methanol 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane	1 mL
U-DWM-514	EPA Method 504.1 Mixture	4 x 1 mL

### EPA Method 505

#### Organohalide pesticides and aroclors

Method 505 is used to analyse for organohalide pesticides and commercial PCBs. It is a microextraction method, using GC with a capillary column and electron capture detector.

#### Recommended standards

Calibration standards: U-PPM-505D  
U-PPM-505E

U-PPM-505D-1	Organochlorine Pesticides Mixture 12 Analytes in Acetone Alachlor..... 50 µg/mL Aldrin..... 20 µg/mL Atrazine..... 500 µg/mL gamma-BHC (Lindane)..... 20 µg/mL Dieldrin..... 20 µg/mL Endrin..... 20 µg/mL Heptachlor..... 20 µg/mL Heptachlor epoxide - isomer B..... 20 µg/mL Hexachlorobenzene..... 10 µg/mL Hexachlorocyclopentadiene..... 20 µg/mL Methoxychlor..... 200 µg/mL Simazine..... 100 µg/mL	1 mL
U-PPM-505D	Organochlorine Pesticides Mixture	4 x 1 mL
U-PPM-505E-1	Organochlorine Pesticides Mixture 16 Analytes in Acetone Alachlor..... 10 µg/mL Atrazine..... 250 µg/mL Simazine..... 250 µg/mL Methoxychlor..... 5 µg/mL Aldrin..... 1 µg/mL alpha-Chlordane..... 1 µg/mL gamma-Chlordane..... 1 µg/mL Dieldrin..... 1 µg/mL Endrin..... 1 µg/mL gamma-HCH (Lindane)..... 1 µg/mL Heptachlor..... 1 µg/mL Heptachlor epoxide - isomer B..... 1 µg/mL Hexachlorobenzene..... 1 µg/mL Hexachlorocyclopentadiene..... 1 µg/mL cis-Nonachlor..... 1 µg/mL trans-Nonachlor..... 1 µg/mL	1 mL
U-PPM-505E	Organochlorine Pesticides Mixture	4 x 1 mL
U-PP-150-1	Chlordane 100 µg/mL in Methanol	1 mL
U-PP-150	Chlordane 100 µg/mL in Methanol	4 x 1 mL
U-PP-270-1	Toxaphene 100 µg/mL in Methanol	1 mL
U-PP-270	Toxaphene 100 µg/mL in Methanol	4 x 1 mL
U-PP-280-1	Aroclor 1016 100 µg/mL in Methanol	1 mL
U-PP-280	Aroclor 1016 100 µg/mL in Methanol	4 x 1 mL
U-PP-290-1	Aroclor 1221 100 µg/mL in Methanol	1 mL



Code	Product	Unit
U-PP-290	Aroclor 1221 100 µg/mL in Methanol	4 x 1 mL
U-PP-300-1	Aroclor 1232 100 µg/mL in Methanol	1 mL
U-PP-300	Aroclor 1232 100 µg/mL in Methanol	4 x 1 mL
U-PP-310-1	Aroclor 1242 100 µg/mL in Methanol	1 mL
U-PP-310	Aroclor 1242 100 µg/mL in Methanol	4 x 1 mL
U-PP-340-1	Aroclor 1248 100 µg/mL in Methanol	1 mL
U-PP-340	Aroclor 1248 100 µg/mL in Methanol	4 x 1 mL
U-PP-350-1	Aroclor 1254 100 µg/mL in Methanol	1 mL
U-PP-350	Aroclor 1254 100 µg/mL in Methanol	4 x 1 mL
U-PP-360-1	Aroclor 1260 100 µg/mL in Methanol	1 mL
U-PP-360	Aroclor 1260 100 µg/mL in Methanol	4 x 1 mL

## EPA Method 506

### Phthalate and adipate

Method 606 is an extraction method, using GC with a capillary column and a photoionization detector.

### Recommended standards

Calibration standard: U-PSM-506

U-PSM-506-1	Phthalates Mixture 1000 µg/mL of each analyte in iso-Octane (2,2,4-Trimethylpentane) Bis(2-ethylhexyl) adipate Bis(2-ethylhexyl) phthalate Butyl benzyl phthalate Di-n-butyl phthalate	Diethyl phthalate Dimethyl phthalate Di-n-octyl phthalate	1 mL
U-PSM-506	Phthalates Mixture		4 x 1 mL
U-PSM-516-1	Phthalates Mixture 7 Analytes in Methanol Bis(2-ethylhexyl) adipate..... 1200 µg/mL Bis(2-ethylhexyl)phthalate..... 250 µg/mL Butyl benzyl phthalate..... 250 µg/mL Di-n-butyl phthalate..... 100 µg/mL	Diethyl phthalate ..... 100 µg/mL Dimethyl phthalate ..... 100 µg/mL Di-n-octyl phthalate ..... 650 µg/mL	1 mL
U-PSM-516	Phthalates Mixture		4 x 1 mL

## EPA Method 507

### Nitrogen and phosphorus containing pesticides

Method 507 is used to determine nitrogen and phosphorous containing pesticides. It is an extraction method, using GC with a capillary column and a Nitrogen-Phosphorous detector.

### Recommended standards

Calibration standards: U-NPM-101  
U-NPM-102  
U-NPM-103  
U-NPM-104A  
U-NPM-105  
U-NPM-109  
Internal standard: U-PPS-110  
Surrogate standard: U-PPS-100

U-NPM-101-1	Pesticides Mixture 1 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE) Ametryn Cycloate	Disulfoton Fenamiphos	Merphos Prometon	1 mL
U-NPM-101	Pesticides Mixture 1			4 x 1 mL
U-NPM-102-1	Pesticides Mixture 2 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE) Atrazine Diphenamid EPTC	Ethoprop (Ethoprosfos) Mevinphos (Phosdrin) Prometryn	Propazine Terbutryn Triadimefon	1 mL
U-NPM-102	Pesticides Mixture 2			4 x 1 mL
U-NPM-103-1	Pesticides Mixture 3 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE) Butachlor Carboxin Diazinon	Metolachlor Metribuzin MGK-264 (mixed, total)	Norflurazon Terbufos Vernolate	1 mL

## EPA 500 Methods

Code	Product	Unit
U-NPM-103	Pesticides Mixture 3	4 x 1 mL
U-NPM-104A-1	Pesticides Mixture 4 1000 µg/mL of each analyte in Acetone	1 mL
	Alachlor Atraton Bromacil	Butylate Chlorpropham Hexazinone
		Molinatate Pronamide Tetrachlorvinphos (Stirofos)
		Tricyclazole
U-NPM-104A	Pesticides Mixture 4	4 x 1 mL
U-NPM-105-1	Pesticides Mixture 5 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE)	1 mL
	Dichlorvos Fenarimol	Fluridone Napropamide
		Pebulate Simetryn
		Tebuthiuron Terbacil
U-NPM-105	Pesticides Mixture 5	4 x 1 mL
U-NPM-109-1	Pesticides Mixture 7 1000 µg/mL in of each analyte Acetone	1 mL
	Simazine	Methyl paraoxon
U-NPM-109	Pesticides Mixture 7	4 x 1 mL
U-PPS-100-1	1,3-Dimethyl-2-nitrobenzene 250 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-100	1,3-Dimethyl-2-nitrobenzene 250 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
U-PPS-110-1	Triphenyl phosphate (TPP) 500 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-110	Triphenyl phosphate (TPP) 500 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
<b>New</b> U-NPM-507-1	Laboratory Performance Check Solution 6 Analytes in Methyl tert-butyl ether	1 mL
	Atrazine..... 150 ng/mL	Vernolate..... 50 ng/mL
	Bromacil..... 5000 ng/mL	1,3-Dimethyl-2-nitrobenzene..... 2500 ng/mL
	Prometon..... 300 ng/mL	Triphenyl phosphate (TPP)..... 2500 ng/mL
<b>New</b> U-NPM-507	Laboratory Performance Check Solution	4 x 1 mL
U-NPM-106-1	Pesticides Mixture 6 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE)	1 mL
	Propachlor Trifluralin	Benefin (benfluralin) Profuralin
		Isopropalin Pendimethalin
		Oxadiazon Oxyfluorfen
U-NPM-106	Pesticides Mixture 6	4 x 1 mL
U-NPM-107A-1	Simazine 1000 µg/mL in Acetone	1 mL
U-NPM-107A	Simazine 1000 µg/mL in Acetone	4 x 1 mL
U-NPM-108-1	DEF 1000 µg/mL in Methyl tert.-butyl ether (MTBE)	1 mL
U-NPM-108	DEF 1000 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL

## EPA Method 508, 508.1

### Chlorinated pesticides

Method 508 and 508.1 are used to determine chlorinated pesticides. They are extraction methods, using GC with a capillary column and electron capture detector.

### Recommended standards

#### Method 508

Calibration standards: U-PPM-508B  
U-PPM-508D  
Internal standard: U-PPS-130  
Surrogate standard: U-PPS-120

#### Method 508.1

Calibration standards: U-PPM-508F  
U-PPM-508G  
Internal standard: U-PPS-132  
Surrogate standard: U-PPS-420

U-PPM-508B-1	Organochlorine Pesticides Mixture 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE)	1 mL
	Aldrin	Endosulfan I
	alpha-BHC (alpha-HCH)	Endosulfan II
	beta-BHC (beta-HCH)	Endosulfan sulfate
	delta-BHC (delta-HCH)	Endrin
	gamma-BHC (lindane)	Endrin aldehyde
	4,4'-DDD	Heptachlor
	4,4'-DDE	Heptachlor epoxide - isomer B
	4,4'-DDT	Methoxychlor
	Dieldrin	

Code	Product	Unit
U-PPM-508B	Organochlorine Pesticides Mixture	4 x 1 mL
U-PPM-508D-1	Organochlorine Pesticides Mixture 12 Analytes in Methyl tert-butyl ether (MTBE)	1 mL
	alpha-Chlordane ..... 1000 µg/mL      DCPA (Dacthal) ..... 1000 µg/mL gamma-Chlordane ..... 1000 µg/mL      Etridiazole ..... 1000 µg/mL Chlorobenzilate ..... 1000 µg/mL      Hexachlorobenzene ..... 1000 µg/mL Chloroneb ..... 1000 µg/mL      Propachlor ..... 1000 µg/mL Chlorothalonil ..... 1000 µg/mL      Trifluralin ..... 1000 µg/mL Chlorpyrifos ..... 1000 µg/mL      Permethrins (mixed isomers, total) ..... 2000 µg/mL	
U-PPM-508D	Organochlorine Pesticides Mixture	4 x 1 mL
U-PPS-240-1	Toxaphene 2500 µg/mL in Acetone	1 mL
U-PPS-240	Toxaphene 2500 µg/mL in Acetone	4 x 1 mL
U-PPS-120-1	4,4'-Dichlorobiphenyl 500 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-120	4,4'-Dichlorobiphenyl 500 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
U-PPS-130-1	Pentachloronitrobenzene 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL
U-PPS-130	Pentachloronitrobenzene 100 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL
U-EPA-1165	Cyanazine 1000 µg/mL in Methanol	1 mL
U-PPM-508-1	Laboratory Performance Check Solution 4 Analytes in Methyl tert-butyl ether (MTBE)	1 mL
	delta-BHC (delta-HCH) ..... 40 ng/ml      Chlorpyrifos ..... 2 ng/ml Chlorothalonil ..... 50 ng/ml      DCPA (Dacthal) ..... 50 ng/ml	
U-PPM-508	Laboratory Performance Check Solution	4 x 1 mL
U-PPM-508F-1	Method 508.1 Organochlorine Pesticide Mixture 100 µg/mL of each analyte in Ethyl acetate	1 mL
	Aldrin ..... Endosulfan I alpha-BHC (alpha-HCH) ..... Endosulfan II beta-BHC (beta-HCH) ..... Endosulfan sulfate delta-BHC (delta-HCH) ..... Endrin gamma-BHC (Lindane) ..... Endrin aldehyde 4,4'-DDD ..... Heptachlor 4,4'-DDE ..... Heptachlor epoxide - isomer B 4,4'-DDT ..... Methoxychlor Dieldrin	
U-PPM-508F	Method 508.1 Organochlorine Pesticide Mixture	4 x 1 mL
U-PPM-508G-1	Method 508.1 Organochlorine Pesticide Mixture 19 Analytes in Ethyl acetate	1 mL
	Alachlor ..... 100 µg/mL      Etridiazole ..... 100 µg/mL Atrazine ..... 100 µg/mL      Hexachlorobenzene ..... 100 µg/mL Butachlor ..... 100 µg/mL      Hexachlorocyclopentadiene ..... 100 µg/mL alpha-Chlordane ..... 100 µg/mL      Metolachlor ..... 100 µg/mL gamma-Chlordane ..... 100 µg/mL      Metribuzin ..... 100 µg/mL Chlorobenzilate ..... 100 µg/mL      Permethrins (mixed isomers, total) ..... 200 µg/mL Chloroneb ..... 100 µg/mL      Propachlor ..... 100 µg/mL Chlorothalonil ..... 100 µg/mL      Simazine ..... 100 µg/mL Cyanazine ..... 100 µg/mL      Trifluralin ..... 100 µg/mL DCPA (Dacthal) ..... 100 µg/mL	
U-PPM-508G	Method 508.1 Organochlorine Pesticide Mixture	4 x 1 mL
U-ISM-451-1	Pesticide Degradation Check Solution 1 µg/mL of each analyte in Ethyl acetate	1 mL
	4,4'-DDT                      Endrin	
U-ISM-451	Pesticide Degradation Check Solution	4 x 1 mL
U-PPS-132-1	Pentachloronitrobenzene 1000 µg/mL in Ethyl acetate	1 mL
U-PPS-132	Pentachloronitrobenzene 1000 µg/mL in Ethyl acetate	4 x 1 mL
U-PPS-420-1	4,4'-Dibromobiphenyl 1000 µg/mL in Ethyl acetate	1 mL
U-PPS-420	4,4'-Dibromobiphenyl 1000 µg/mL in Ethyl acetate	4 x 1 mL

## EPA Method 508A

### Polychlorinated biphenyls

Method 508A is used to screen for PCBs. It is an extraction method, using GC with either a packed or a capillary column, and an electron capture detector.

U-PPS-141-1	Aroclor 1260 Stock 1000 µg/mL in Methanol	1 mL
U-PPS-141	Aroclor 1260 Stock 1000 µg/mL in Methanol	4 x 1 mL
U-PPS-150-1	Decachlorobiphenyl 1000 µg/mL in Toluene	1 mL

## EPA 500 Methods

Code	Product	Unit
U-PPS-150	Decachlorobiphenyl 1000 µg/mL in Toluene	4 x 1 mL

### EPA Method 515.1 and 515.2

#### Chlorinated acids

Methods 515.1 and 515.2 are used to determine chlorinated acids. They are extraction followed by derivatisation methods, using GC with a capillary column and electron capture detector.

#### Recommended standards

##### Method 515.1

Calibration standard:	U-HBM-5155A
Internal standard:	U-PPS-170
Surrogate standard:	U-PPS-160

##### Method 515.2

Calibration standards:	U-HBM-5152A U-HBM-5153A
Internal standard:	U-PPS-172
Surrogate standard:	U-PPS-162

U-HBM-5155A-1	Chlorinated Herbicides Mixture 16 Analytes in Methyl tert-butyl ether (MTBE)	1 mL																																
	<table> <tr> <td>Acifluorfen.....</td> <td>100 µg/mL</td> <td>3,5-Dichlorobenzoic acid.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Bentazon.....</td> <td>200 µg/mL</td> <td>Dichlorprop.....</td> <td>300 µg/mL</td> </tr> <tr> <td>Chloramben.....</td> <td>100 µg/mL</td> <td>Dinoseb.....</td> <td>200 µg/mL</td> </tr> <tr> <td>2,4-D.....</td> <td>200 µg/mL</td> <td>4-Nitrophenol.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dalapon.....</td> <td>1300 µg/mL</td> <td>Pentachlorophenol.....</td> <td>100 µg/mL</td> </tr> <tr> <td>2,4-DB.....</td> <td>800 µg/mL</td> <td>Picloram.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Tetrachloroterephthalic acid.....</td> <td>100 µg/mL</td> <td>Silvex (2,4,5-TP).....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dicamba.....</td> <td>100 µg/mL</td> <td>2,4,5-T.....</td> <td>100 µg/mL</td> </tr> </table>	Acifluorfen.....	100 µg/mL	3,5-Dichlorobenzoic acid.....	100 µg/mL	Bentazon.....	200 µg/mL	Dichlorprop.....	300 µg/mL	Chloramben.....	100 µg/mL	Dinoseb.....	200 µg/mL	2,4-D.....	200 µg/mL	4-Nitrophenol.....	100 µg/mL	Dalapon.....	1300 µg/mL	Pentachlorophenol.....	100 µg/mL	2,4-DB.....	800 µg/mL	Picloram.....	100 µg/mL	Tetrachloroterephthalic acid.....	100 µg/mL	Silvex (2,4,5-TP).....	100 µg/mL	Dicamba.....	100 µg/mL	2,4,5-T.....	100 µg/mL	
Acifluorfen.....	100 µg/mL	3,5-Dichlorobenzoic acid.....	100 µg/mL																															
Bentazon.....	200 µg/mL	Dichlorprop.....	300 µg/mL																															
Chloramben.....	100 µg/mL	Dinoseb.....	200 µg/mL																															
2,4-D.....	200 µg/mL	4-Nitrophenol.....	100 µg/mL																															
Dalapon.....	1300 µg/mL	Pentachlorophenol.....	100 µg/mL																															
2,4-DB.....	800 µg/mL	Picloram.....	100 µg/mL																															
Tetrachloroterephthalic acid.....	100 µg/mL	Silvex (2,4,5-TP).....	100 µg/mL																															
Dicamba.....	100 µg/mL	2,4,5-T.....	100 µg/mL																															
U-HBM-5155A	Chlorinated Herbicides Mixture	4 x 1 mL																																
U-HBM-5155M-1	Chlorinated Herbicides Mixture 16 Analytes in Methyl tert-butyl ether (MTBE)	1 mL																																
	<table> <tr> <td>Acifluorfen methyl ester.....</td> <td>100 µg/mL</td> <td>Methyl-3,5-Dichlorobenzoate.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Bentazon methyl derivative.....</td> <td>200 µg/mL</td> <td>Dichlorprop methyl ester.....</td> <td>300 µg/mL</td> </tr> <tr> <td>Chloramben methyl ester.....</td> <td>100 µg/mL</td> <td>Dinoseb methyl ether.....</td> <td>200 µg/mL</td> </tr> <tr> <td>2,4-D methyl ester.....</td> <td>200 µg/mL</td> <td>4-nitroanisole.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dalapon methyl ester.....</td> <td>1300 µg/mL</td> <td>Pentachloroanisole.....</td> <td>100 µg/mL</td> </tr> <tr> <td>2,4-DB methyl ester.....</td> <td>800 µg/mL</td> <td>Picloram methyl ester.....</td> <td>100 µg/mL</td> </tr> <tr> <td>D CPA (dacthal).....</td> <td>100 µg/mL</td> <td>Silvex methyl ester.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dicamba methyl ester.....</td> <td>100 µg/mL</td> <td>2,4,5-T methyl ester.....</td> <td>100 µg/mL</td> </tr> </table>	Acifluorfen methyl ester.....	100 µg/mL	Methyl-3,5-Dichlorobenzoate.....	100 µg/mL	Bentazon methyl derivative.....	200 µg/mL	Dichlorprop methyl ester.....	300 µg/mL	Chloramben methyl ester.....	100 µg/mL	Dinoseb methyl ether.....	200 µg/mL	2,4-D methyl ester.....	200 µg/mL	4-nitroanisole.....	100 µg/mL	Dalapon methyl ester.....	1300 µg/mL	Pentachloroanisole.....	100 µg/mL	2,4-DB methyl ester.....	800 µg/mL	Picloram methyl ester.....	100 µg/mL	D CPA (dacthal).....	100 µg/mL	Silvex methyl ester.....	100 µg/mL	Dicamba methyl ester.....	100 µg/mL	2,4,5-T methyl ester.....	100 µg/mL	
Acifluorfen methyl ester.....	100 µg/mL	Methyl-3,5-Dichlorobenzoate.....	100 µg/mL																															
Bentazon methyl derivative.....	200 µg/mL	Dichlorprop methyl ester.....	300 µg/mL																															
Chloramben methyl ester.....	100 µg/mL	Dinoseb methyl ether.....	200 µg/mL																															
2,4-D methyl ester.....	200 µg/mL	4-nitroanisole.....	100 µg/mL																															
Dalapon methyl ester.....	1300 µg/mL	Pentachloroanisole.....	100 µg/mL																															
2,4-DB methyl ester.....	800 µg/mL	Picloram methyl ester.....	100 µg/mL																															
D CPA (dacthal).....	100 µg/mL	Silvex methyl ester.....	100 µg/mL																															
Dicamba methyl ester.....	100 µg/mL	2,4,5-T methyl ester.....	100 µg/mL																															
U-HBM-5155M	Chlorinated Herbicides Mixture	4 x 1 mL																																
U-PPS-160-1	DCAA (2,4-Dichlorophenylacetic acid) 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL																																
U-PPS-160	DCAA (2,4-Dichlorophenylacetic acid) 100 µg/mL in Methyl tert.-butyl ether (MTBE)	4 x 1 mL																																
U-PPS-161-1	DCAA methyl ester 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL																																
U-PPS-161	DCAA methyl ester 100 µg/mL in Methyl tert.-butyl ether (MTBE)	4 x 1 mL																																
U-PPS-170-1	4,4'-Dibromooctafluorobiphenyl 100 µg/mL in Methyl tert-butyl ether (MTBE)	1 mL																																
U-PPS-170	4,4'-Dibromooctafluorobiphenyl 100 µg/mL in Methyl tert-butyl ether (MTBE)	4 x 1 mL																																
U-HBM-5154A-1	SDWA Herbicides Mixture 6 Analytes in Methanol	1 mL																																
	<table> <tr> <td>2,4-D.....</td> <td>200 µg/mL</td> <td>Dinoseb.....</td> <td>200 µg/mL</td> <td>Pentachlorophenol....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dalapon.....</td> <td>1300 µg/mL</td> <td>Silvex (2,4,5-TP).....</td> <td>100 µg/mL</td> <td>Picloram.....</td> <td>100 µg/mL</td> </tr> </table>	2,4-D.....	200 µg/mL	Dinoseb.....	200 µg/mL	Pentachlorophenol....	100 µg/mL	Dalapon.....	1300 µg/mL	Silvex (2,4,5-TP).....	100 µg/mL	Picloram.....	100 µg/mL																					
2,4-D.....	200 µg/mL	Dinoseb.....	200 µg/mL	Pentachlorophenol....	100 µg/mL																													
Dalapon.....	1300 µg/mL	Silvex (2,4,5-TP).....	100 µg/mL	Picloram.....	100 µg/mL																													
U-HBM-5154A	SDWA Herbicides Mixture	4 x 1 mL																																
U-HBM-5154M-1	SDWA Methylated Herbicides Mixture 6 Analytes in Methanol	1 mL																																
	<table> <tr> <td>2,4-D methyl ester.....</td> <td>200 µg/mL</td> <td>Silvex methyl ester.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dalapon methyl ester.....</td> <td>1300 µg/mL</td> <td>Pentachloroanisole.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dinoseb methyl ether.....</td> <td>200 µg/mL</td> <td>Picloram methyl ester.....</td> <td>100 µg/mL</td> </tr> </table>	2,4-D methyl ester.....	200 µg/mL	Silvex methyl ester.....	100 µg/mL	Dalapon methyl ester.....	1300 µg/mL	Pentachloroanisole.....	100 µg/mL	Dinoseb methyl ether.....	200 µg/mL	Picloram methyl ester.....	100 µg/mL																					
2,4-D methyl ester.....	200 µg/mL	Silvex methyl ester.....	100 µg/mL																															
Dalapon methyl ester.....	1300 µg/mL	Pentachloroanisole.....	100 µg/mL																															
Dinoseb methyl ether.....	200 µg/mL	Picloram methyl ester.....	100 µg/mL																															
U-HBM-5154M	SDWA Methylated Herbicides Mixture	4 x 1 mL																																
U-HBM-5152A-1	Chlorinated Herbicides Mixture 6 Analytes in Methanol	1 mL																																
	<table> <tr> <td>Tetrachloroterephthalic acid.....</td> <td>100 µg/mL</td> <td>Dinoseb.....</td> <td>200 µg/mL</td> </tr> <tr> <td>3,5-Dichlorobenzoic acid.....</td> <td>500 µg/mL</td> <td>Pentachlorophenol.....</td> <td>100 µg/mL</td> </tr> <tr> <td>Dichlorprop.....</td> <td>100 µg/mL</td> <td>2,4,5-T.....</td> <td>100 µg/mL</td> </tr> </table>	Tetrachloroterephthalic acid.....	100 µg/mL	Dinoseb.....	200 µg/mL	3,5-Dichlorobenzoic acid.....	500 µg/mL	Pentachlorophenol.....	100 µg/mL	Dichlorprop.....	100 µg/mL	2,4,5-T.....	100 µg/mL																					
Tetrachloroterephthalic acid.....	100 µg/mL	Dinoseb.....	200 µg/mL																															
3,5-Dichlorobenzoic acid.....	500 µg/mL	Pentachlorophenol.....	100 µg/mL																															
Dichlorprop.....	100 µg/mL	2,4,5-T.....	100 µg/mL																															
U-HBM-5152A	Chlorinated Herbicides Mixture	4 x 1 mL																																



## EPA 500 Methods

	Code	Product	Unit
<b>New</b>	U-PPS-168-1	DCAA methyl ester 1000 µg/mL in Acetone	1 mL
<b>New</b>	U-PPS-168	DCAA methyl ester 1000 µg/mL in Acetone	4 x 1 mL
<b>New</b>	U-PPS-174-1	4,4'-Dibromooctafluorobiphenyl 2000 µg/mL in Methyl tert-butyl ether	1 mL
<b>New</b>	U-PPS-174	4,4'-Dibromooctafluorobiphenyl 2000 µg/mL in Methyl tert-butyl ether	4 x 1 mL

## EPA Method 515.4

### Chlorinated acids

Method 515.4 is used to determine chlorinated acids. It is an extraction followed by derivatization method, using fast GC with a capillary column and electron capture detector.

### Recommended standards

Calibration standard:	HBM-5157A
Internal standard:	PPS-174
Surrogate standards:	PPS-167 PPS-168

<b>New</b>	U-HBM-5157A-1	Chlorinated Herbicides Mixture 16 Analytes in Acetone	1 mL																																
		<table> <tr> <td>Acifluorfen.....</td> <td>5 µg/mL</td> <td>3,5-Dichlorobenzoic acid.....</td> <td>5 µg/mL</td> </tr> <tr> <td>Bentazon.....</td> <td>10 µg/mL</td> <td>Dichlorprop.....</td> <td>10 µg/mL</td> </tr> <tr> <td>Chloramben.....</td> <td>5 µg/mL</td> <td>Dinoseb.....</td> <td>10 µg/mL</td> </tr> <tr> <td>2,4-D.....</td> <td>10 µg/mL</td> <td>Pentachlorophenol.....</td> <td>1 µg/mL</td> </tr> <tr> <td>Dalapon.....</td> <td>10 µg/mL</td> <td>Picloram.....</td> <td>5 µg/mL</td> </tr> <tr> <td>2,4-DB.....</td> <td>10 µg/mL</td> <td>silvex (2,4,5-TP).....</td> <td>2.5 µg/mL</td> </tr> <tr> <td>Dacthal acid metabolites.....</td> <td>5 µg/mL</td> <td>2,4,5-T.....</td> <td>2.5 µg/mL</td> </tr> <tr> <td>Dicamba.....</td> <td>5 µg/mL</td> <td>Quinclorac.....</td> <td>5 µg/mL</td> </tr> </table>	Acifluorfen.....	5 µg/mL	3,5-Dichlorobenzoic acid.....	5 µg/mL	Bentazon.....	10 µg/mL	Dichlorprop.....	10 µg/mL	Chloramben.....	5 µg/mL	Dinoseb.....	10 µg/mL	2,4-D.....	10 µg/mL	Pentachlorophenol.....	1 µg/mL	Dalapon.....	10 µg/mL	Picloram.....	5 µg/mL	2,4-DB.....	10 µg/mL	silvex (2,4,5-TP).....	2.5 µg/mL	Dacthal acid metabolites.....	5 µg/mL	2,4,5-T.....	2.5 µg/mL	Dicamba.....	5 µg/mL	Quinclorac.....	5 µg/mL	
Acifluorfen.....	5 µg/mL	3,5-Dichlorobenzoic acid.....	5 µg/mL																																
Bentazon.....	10 µg/mL	Dichlorprop.....	10 µg/mL																																
Chloramben.....	5 µg/mL	Dinoseb.....	10 µg/mL																																
2,4-D.....	10 µg/mL	Pentachlorophenol.....	1 µg/mL																																
Dalapon.....	10 µg/mL	Picloram.....	5 µg/mL																																
2,4-DB.....	10 µg/mL	silvex (2,4,5-TP).....	2.5 µg/mL																																
Dacthal acid metabolites.....	5 µg/mL	2,4,5-T.....	2.5 µg/mL																																
Dicamba.....	5 µg/mL	Quinclorac.....	5 µg/mL																																
<b>New</b>	U-HBM-5157A	Chlorinated Herbicides Mixture	4 x 1 mL																																
<b>New</b>	U-PPS-167-1	DCAA (2,4-Dichlorophenylacetic acid) 1000 µg/mL in Acetone	1 mL																																
<b>New</b>	U-PPS-167	DCAA (2,4-Dichlorophenylacetic acid) 1000 µg/mL in Acetone	4 x 1 mL																																
<b>New</b>	U-PPS-168-1	DCAA methyl ester 1000 µg/mL in Acetone	1 mL																																
<b>New</b>	U-PPS-168	DCAA methyl ester 1000 µg/mL in Acetone	4 x 1 mL																																
<b>New</b>	U-PPS-174-1	4,4'-Dibromooctafluorobiphenyl 2000 µg/mL in Methyl tert-butyl ether	1 mL																																
<b>New</b>	U-PPS-174	4,4'-Dibromooctafluorobiphenyl 2000 µg/mL in Methyl tert-butyl ether	4 x 1 mL																																

## EPA Method 521

### Nitrosamines

Method 521 is used to determine nitrosamines. It uses solid phase extraction and GC/MS.

### Recommended standards

Calibration standard:	U-US-113N
Internal standard:	U-IST-770
Surrogate standard:	U-IST-760

	U-US-113N	Nitrosamines Mixture 2000 µg/mL of each analyte in Methylene chloride.	1 mL										
		<table> <tr> <td>N-Nitrosodi-n-butylamine</td> <td>N-Nitrosomethylethylamine</td> </tr> <tr> <td>N-Nitrosodiethylamine</td> <td>N-Nitrosomorpholine</td> </tr> <tr> <td>N-Nitrosodimethylamine</td> <td>N-Nitrosopiperidine</td> </tr> <tr> <td>N-Nitrosodiphenylamine</td> <td>N-Nitrosopyrrolidine</td> </tr> <tr> <td>N-Nitrosodi-n-propylamine</td> <td></td> </tr> </table>	N-Nitrosodi-n-butylamine	N-Nitrosomethylethylamine	N-Nitrosodiethylamine	N-Nitrosomorpholine	N-Nitrosodimethylamine	N-Nitrosopiperidine	N-Nitrosodiphenylamine	N-Nitrosopyrrolidine	N-Nitrosodi-n-propylamine		
N-Nitrosodi-n-butylamine	N-Nitrosomethylethylamine												
N-Nitrosodiethylamine	N-Nitrosomorpholine												
N-Nitrosodimethylamine	N-Nitrosopiperidine												
N-Nitrosodiphenylamine	N-Nitrosopyrrolidine												
N-Nitrosodi-n-propylamine													
	U-US-113N-4	Nitrosamines Mixture	4 x 1 mL										
<b>New</b>	U-IST-760-1	N-Nitrosodimethylamine-d6 1000 µg/mL in Methylene chloride	1 mL										
<b>New</b>	U-IST-760	N-Nitrosodimethylamine-d6 1000 µg/mL in Methylene chloride	4 x 1 mL										
<b>New</b>	U-IST-770-1	N-Nitrosodi-n-propylamine-d14 1000 µg/mL in Methylene chloride	1 mL										
<b>New</b>	U-IST-770	N-Nitrosodi-n-propylamine-d14 1000 µg/mL in Methylene chloride	4 x 1 mL										

## EPA Method 524.2

### Purgeable organic compounds

Method 524.2 is a purge and trap GC/MS method allowing determination of all VOCs using capillary column.

### Recommended standards

Calibration standards:	U-DWM-580 U-DWM-588 U-DWM-592
Internal & Surrogate standard:	U-STM-320N

Code	Product	Unit	
U-DWM-580-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Dibromochloromethane Dibromomethane Methylene chloride 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane Benzene	n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride	1 mL
U-DWM-580	VOC Mixture	4 x 1 mL	
U-DWM-588-1	VOC Mixture 2000 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Dibromochloromethane Dibromomethane Methylene chloride 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane Benzene	n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride	1 mL
U-DWM-588	VOC Mixture	4 x 1 mL	
U-DWM-592-1	VOC Mixture 2000 µg/mL of each analyte in Methanol. Acetone Acrylonitrile Allyl chloride 2-Butanone (MEK) Carbon disulfide Chloroacetonitrile 1-Chlorobutane trans-1,4-Dichloro-2-butene 1,1-Dichloro-2-propanone Diethyl ether Ethyl methacrylate Hexachloroethane	2-Hexanone Methacrylonitrile Methyl acrylate Methyl iodide (Iodomethane) Methyl methacrylate 4-Methyl-2-pentanone (MIBK) tert-Butylmethyl ether (MTBE) Nitrobenzene 2-Nitropropane Pentachloroethane Propionitrile Tetrahydrofuran (THF)	1 mL
U-DWM-592	VOC Mixture	4 x 1 mL	



## EPA 500 Methods

Code	Product	Unit
U-ST5-110N-1	4-Bromofluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-110N	4-Bromofluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-STM-320N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol. 4-Bromofluorobenzene 1,2-Dichlorobenzene-D <sub>4</sub>	1 mL Fluorobenzene
U-STM-320N	Internal Standard Mixture	4 x 1 mL
U-DWM-583-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene
U-DWM-583	VOC Mixture	4 x 1 mL
U-DWM-589N-1	VOC Mixture 2000 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene
U-DWM-589N	VOC Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride

Code	Product	Unit
U-DWM-544	VOC Gas Mixture	4 x 1 mL
U-ST5-210-1	1,2-Dichlorobenzene-D <sub>4</sub> 2000 µg/mL in Methanol	1 mL
U-ST5-210	1,2-Dichlorobenzene-D <sub>4</sub> 2000 µg/mL in Methanol	4 x 1 mL
<b>New</b> U-STM-590-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol 4-Bromofluorobenzene 1,2-Dichlorobenzene-D <sub>4</sub>	1 mL
<b>New</b> U-STM-590	Surrogate Standard Mixture	4 x 1 mL
U-ST5-160-1	Fluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-160	Fluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-STM-250N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol. 1,2-Dichlorobenzene-D <sub>4</sub> Fluorobenzene	1 mL
U-STM-250N	Internal Standard Mixture	4 x 1 mL
U-EPA-2044N-1	Volatile Organic Contaminants Mixture 1 (VOC-1) 50 µg/mL of each analyte in Methanol. Bromobenzene 4-Chlorotoluene 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane	1 mL
	2,2-Dichloropropane 1,1-Dichloropropene Styrene p-Xylene	
U-EPA-2044N	Volatile Organic Contaminants Mixture 1 (VOC-1)	4 x 1 mL
U-EPA-2045N-1	Volatile Organic Contaminants Mixture 2 (VOC-2) 50 µg/mL of each analyte in Methanol. Bromochloromethane 2-Chlorotoluene cis-1,2-Dichloroethene 1,3-Dichloropropane	1 mL
	1,1,1,2-Tetrachloroethane 1,2,3-Trichloropropane o-Xylene	
U-EPA-2045N	Volatile Organic Contaminants Mixture 2 (VOC-2)	4 x 1 mL
<b>New</b> U-DWM-596-1	VOC Mixture with MTBE 55 analytes 2000 µg/mL of each analyte in Methanol Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene tert-Butyl methyl ether Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL
	2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene dthylbenzene Hexachlorobutadiene Isopropylbenzene 4-isopropyltoluene Methylene chloride Naphthalene n-propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene	
<b>New</b> U-DWM-596	VOC Mixture with MTBE	4 x 1 mL
U-EPA-2043N-1	Discretionary Aromatic Volatiles Mixture (VOB) 50 µg/mL of each analyte in Methanol. n-Butylbenzene sec-Butylbenzene tert-Butylbenzene	1 mL
	Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene	
	Naphthalene n-Propylbenzene 1,2,3-Trichlorobenzene	
	1,2,4-Trichlorobenzene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene	
U-EPA-2043N	Discretionary Aromatic Volatiles Mixture (VOB)	4 x 1 mL

# EPA 500 Methods

Code	Product	Unit	
U-DWM-540-1	<b>Haloalkanes Mixture</b> 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chloroethane Chloroform Chloromethane Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane Dichlorodifluoromethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene	1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene Methylene chloride 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane 1,2,3-Trichloropropane Vinyl chloride	1 mL
U-DWM-540	<b>Haloalkanes Mixture</b>	4 x 1 mL	
U-DWM-570-1	<b>Aromatics Mixture</b> 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene m-Xylene o-Xylene p-Xylene		1 mL
U-DWM-570	<b>Aromatics Mixture</b>	4 x 1 mL	
U-DWM-550-1	<b>Aromatic Hydrocarbons Mixture</b> 200 µg/mL of each analyte in Methanol. Benzene n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene m-Xylene o-Xylene p-Xylene		1 mL
U-DWM-550	<b>Aromatic Hydrocarbons Mixture</b>	4 x 1 mL	
U-DWM-560-1	<b>Aromatic Halocarbons Mixture</b> 200 µg/mL of each analyte in Methanol. Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene		1 mL
U-DWM-560	<b>Aromatic Halocarbons Mixture</b>	4 x 1 mL	
U-DWM-510-1	<b>Halomethanes Mixture</b> 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chloroform Chloromethane Dibromochloromethane Dibromomethane Dichlorodifluoromethane Methylene chloride Trichlorofluoromethane		1 mL
U-DWM-510	<b>Halomethanes Mixture</b>	4 x 1 mL	
U-DWM-520-1	<b>Haloethanes Mixture</b> 200 µg/mL of each analyte in Methanol. Chloroethane 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Vinyl chloride		1 mL
U-DWM-520	<b>Haloethanes Mixture</b>	4 x 1 mL	
U-DWM-530-1	<b>Halopropanes Mixture</b> 200 µg/mL of each analyte in Methanol. 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane		1 mL
U-DWM-530	<b>Halopropanes Mixture</b>	4 x 1 mL	

Code	Product	Unit
<b>EPA Method 525.1</b>		
<b>Organic compounds</b>		
Method 525.1 is used to determine synthetic organic compounds (SOCs). It is a liquid-solid extraction method, using GC/MS with a capillary column.		
<b>Recommended standards</b>		
Calibration standards:		U-PM-525A U-PPM-525C U-PSM-525 U-RPCM-525 U-EPA-1161
Internal & Surrogate standard:		U-ISM-310
U-PM-525A-1	PAH Mixture 100 µg/mL of each analyte in Acetone Acenaphthylene      Benzo(k)fluoranthene      Dibenzo(a,h)anthracene      Pyrene Anthracene            Benzo(ghi)perylene        Fluorene Benzo(a)anthracene    Benzo(a)pyrene            Indeno(1,2,3-cd)pyrene Benzo(b)fluoranthene   Chrysene                    Phenanthrene	1 mL
U-PM-525A	PAH Mixture	4 x 1 mL
<b>New</b> U-PM-525B-1	PAH Mixture 50 µg/mL of each analyte in Acetone Acenaphthylene      Benzo(k)fluoranthene      Dibenzo(a,h)anthracene      Pyrene Anthracene            Benzo(ghi)perylene        Fluorene Benzo(a)anthracene    Benzo(a)pyrene            Indeno(1,2,3-cd)pyrene Benzo(b)fluoranthene   Chrysene                    Phenanthrene	1 mL
<b>New</b> U-PM-525B	PAH Mixture	4 x 1 mL
U-PPM-525C-1	Organochlorine Pesticides Mixture 100 µg/mL of each analyte in Acetone Alachlor Aldrin Atrazine alpha-chlordane gamma-chlordane gamma-BHC (Lindane)	Endrin Heptachlor Heptachlor epoxide - isomer B Methoxychlor trans-Nonachlor Simazine
U-PPM-525C	Organochlorine Pesticides Mixture	4 x 1 mL
U-PPM-525D-1	Organochlorine Pesticides Mixture 500 µg/mL in Acetone list of compounds see U-PPM-525C-1	1 mL
U-PPM-525D	Organochlorine Pesticides Mixture	4 x 1 mL
<b>New</b> U-PPM-525F-1	Drinking Water Pesticides Mixture 14 Analytes 100 µg/mL of each analyte in Acetone Alachlor Aldrin Atrazine Dieldrin Endrin Heptachlor Heptachlor epoxide - isomer B	Hexachlorobenzene Hexachlorocyclopentadiene Lindane (gamma-BHC) Methoxychlor propachlor Simazine Trifluralin
<b>New</b> U-PPM-525F	Drinking Water Pesticides Mixture	4 x 1 mL
U-PSM-525-1	Extractables Mixture 9 Analytes in Acetone Bis(2-ethylhexyl) adipate..... 100 µg/mL      Dimethyl phthalate ..... 100 µg/mL Bis(2-ethylhexyl) phthalate..... 100 µg/mL      Hexachlorobenzene ..... 100 µg/mL Butyl benzyl phthalate..... 100 µg/mL      Hexachlorocyclopentadiene ..... 100 µg/mL Di-n-butyl phthalate..... 100 µg/mL      Pentachlorophenol ..... 400 µg/mL Diethyl phthalate ..... 100 µg/mL	1 mL
U-PSM-525	Extractables Mixture	4 x 1 mL
U-PSM-525A-1	Extractables Mixture 500 µg/mL in Acetone list of compounds see U-PSM-525-1	1 mL
U-PSM-525A	Extractables Mixture	4 x 1 mL

## EPA 500 Methods

Code	Product	Unit
U-RPCM-525-1	PCB Mixture 100 µg/mL of each analyte in Acetone 2-Chlorobiphenyl 2,3-Dichlorobiphenyl 2,4,5-Trichlorobiphenyl 2,2',4,4'-Tetrachlorobiphenyl	1 mL
	2,2',3',4,6-Pentachlorobiphenyl 2,2',4,4',5,6'-Hexachlorobiphenyl 2,2',3,3',4,4',6-Heptachlorobiphenyl 2,2',3,3',4,5',6,6'-Octachlorobiphenyl	
U-RPCM-525	PCB Mixture	4 x 1 mL
U-RPCM-525A-1	PCB Mixture 500 µg/mL in Acetone list of compounds see U-RPCM-525-1	1 mL
U-RPCM-525A	PCB Mixture	4 x 1 mL
U-PPS-240-1	Toxaphene 2500 µg/mL in Acetone	1 mL
U-PPS-240	Toxaphene 2500 µg/mL in Acetone	4 x 1 mL
U-ISM-310-1	Internal & Surrogate Standard Solution 500 µg/mL of each analyte in Acetone Acenaphthene-D <sub>10</sub> Chrysene-D <sub>12</sub> Perylene-D <sub>12</sub> Phenanthrene-D <sub>10</sub>	1 mL
U-ISM-310	Internal & Surrogate Standard Solution	4 x 1 mL
U-IST-341-1	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	1 mL
U-IST-341	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	4 x 1 mL
U-47995N-1	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	1 mL
U-47995N	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	4 x 1 mL
U-IST-370-1	Pyrene-D <sub>10</sub> 500 µg/mL in Acetone	1 mL
U-IST-370	Pyrene-D <sub>10</sub> 500 µg/mL in Acetone	4 x 1 mL
U-SVM-500-1	SDWA SOCs Mixture 6 Analytes in Acetone Benzo(a)pyrene ..... 500 µg/mL                      Hexachlorobenzene ..... 500 µg/mL Bis(2-ethylhexyl) adipate ..... 500 µg/mL                      Hexachlorocyclopentadiene ..... 500 µg/mL Bis(2-ethylhexyl) phthalate ..... 500 µg/mL                      Pentachlorophenol ..... 2000 µg/mL	1 mL
U-SVM-500	SDWA SOCs Mixture	4 x 1 mL
U-ATS-161-1	p-Terphenyl-D <sub>14</sub> 500 µg/mL in Methylene chloride	1 mL
U-ATS-161	p-Terphenyl-D <sub>14</sub> 500 µg/mL in Methylene chloride	4 x 1 mL
U-DWM-525K-C	EPA Method 525.1 Kit PAH Mixture (100 µg/mL in Acetone) ..... U-PM-525A ( 1 x 1 mL ) Extractables Mixture (in Acetone) ..... U-PSM-525 ( 1 x 1 mL ) PCB Mixture (100 µg/mL in Acetone) ..... U-RPCM-525 ( 1 x 1 mL ) Organochlorine Pesticides Mixture (100 µg/mL in Acetone) ..... U-PPM-525C ( 1 x 1 mL ) Toxaphene Solution (1000 µg/mL in Methanol) ..... U-EPA-1161 ( 1 x 1 mL ) Internal & Surrogate Standard Solution (500 µg/mL in Acetone) ..... U-ISM-310 ( 1 x 1 mL )	kit

## EPA Method 525.2

### Organic compounds

Method 525.2 is used to determine synthetic organic compounds (SOCs). It is a liquid-solid extraction method, using GC/MS with a capillary column.

### Recommended standards

Calibration standards:	U-SVM-525 U-PPM-525E U-NPM-525C U-NPM-525B U-PPS-240 U-NPM-108B
Internal & Surrogate standards:	U-ISM-510 U-ISM-511X

Code	Product	Unit		
U-SVM-525-1	Semi-Volatile Mixture 100 µg/mL of each analyte in Acetone Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Butyl benzyl phthalate 2-Chlorobiphenyl Chrysene Dibenzo(a,h)anthracene 2,3-Dichlorobiphenyl Bis(2-ethylhexyl) adipate Bis(2-ethylhexyl)phthalate Diethyl phthalate Dimethyl phthalate Di-n-butyl phthalate	1 mL 2,4-Dinitrotoluene 2,6-Dinitrotoluene Fluorene Hexachlorobenzene 2,2',4,4',5,6'-Hexachlorobiphenyl 2,2',3,3',4,4',6-Heptachlorobiphenyl Hexachlorocyclopentadiene Indeno(1,2,3-cd)pyrene Isophorone 2,2',3,3',4,5',6,6'-Octachlorobiphenyl 2,2',3',4,6-Pentachlorobiphenyl Phenanthrene Pyrene 2,2',4,4'-Tetrachlorobiphenyl 2,4,5-Trichlorobiphenyl Pentachlorophenol		
U-SVM-525	Semi-Volatile Mixture	4 x 1 mL		
U-PPM-525E-1	Organochlorine Pesticide Mixture 100 µg/mL of each analyte in Acetone Alachlor Aldrin alpha-Chlordane alpha-BHC (alpha-HCH) Atrazine beta-BHC (beta-HCH) Chlorobenzilate Chlorothalonil Chloroneb DCPA (Dacthal) delta-BHC (delta-HCH) 4,4'-DDD 4,4'-DDT 4,4'-DDE Dieldrin	1 mL Endosulfan I Endosulfan II Endosulfan sulfate Endrin Endrin aldehyde Etridiazole gamma-Chlordane Heptachlor Heptachlor epoxide - isomer B gamma-BHC (Lindane) Methoxychlor trans-Nonachlor Permethrins (mixed isomers,total) Simazine		
U-PPM-525E	Organochlorine Pesticide Mixture	4 x 1 mL		
U-PPS-240-1	Toxaphene 2500 µg/mL in Acetone	1 mL		
U-PPS-240	Toxaphene 2500 µg/mL in Acetone	4 x 1 mL		
U-NPM-525C-1	Nitrogen/Phosphorus Pesticide Mixture 100 µg/mL of each analyte in Acetone Alachlor Ametryn Atraton  Atrazine Bromacil Butachlor Butylate Chlorpropham Chlorpyrifos Cycloate	Cyanazine Dichlorvos Diphenamid  EPTC Ethoprop (Ethoprofos) Fenarimol Fluridone Hexazinone Methyl paraoxon Metolachlor	Mevinphos (Phosdrin) MGK-264 (mixed, total) Molinate  Napropamide Norflurazon Pebulate Prometon Prometryn Pronamide Propachlor	Propazine Simetryn Tetrachlorvinphos (Stirofos) Tebuthiuron Terbacil Terbutryn Triadimefon Tricyclazole Trifluralin Vernolate
U-NPM-525C	Nitrogen/Phosphorus Pesticide Mixture	4 x 1 mL		
U-NPM-525B-1	Nitrogen/Phosphorus Pesticide Mixture 100 µg/mL of each analyte in Acetone Carboxin Diazinon	1 mL Disulfoton Fenamiphos Merphos Terbufos		
U-NPM-525B	Nitrogen/Phosphorus Pesticide Mixture	4 x 1 mL		
U-DWK-5252	EPA Method 525.2 Kit Semi-Volatile Mixture (100 µg/mL in Acetone) ..... U-SVM-525 ( 1 x 1 mL ) Organochlorine Pesticide Mixture (100 µg/mL in Acetone) ..... U-PPM-525E ( 1 x 1 mL ) Nitrogen/Phosphorous Pesticide Mixture (100 µg/mL in Acetone) ..... U-NPM-525C ( 1 x 1 mL ) Nitrogen/Phosphorous Pesticide Mixture (100 µg/mL in Acetone) ..... U-NPM-525B ( 1 x 1 mL ) Toxaphene Solution (2500 µg/mL in Acetone) ..... U-PPS-240 ( 1 x 1 mL ) DEF Solution (500 µg/mL in Acetone) ..... U-NPM-108B ( 1 x 1 mL ) Internal & Surrogate Std. Fortification Solution (500 µg/mL in Acetone) ..... U-ISM-510 ( 1 x 1 mL ) GC/MS Performance Check Solution (1000 µg/mL in Acetone) ..... U-GCM-160A ( 1 x 1 mL )	kit		
U-GCM-160A-1	GC/MS Performance Check Solution 1000 µg/mL of each analyte in Acetone Decafluorotriphenylphosphine Endrin	1 mL 4,4'-DDT		
U-GCM-160A	GC/MS Performance Check Solution	4 x 1 mL		

## EPA 500 Methods

Code	Product	Unit
U-ISM-510-1	Internal & Surrogate Standard Fortification Solution 500 µg/mL of each analyte in Acetone Acenaphthene-D <sub>10</sub> Perylene-D <sub>12</sub> Phenanthrene-D <sub>10</sub> Triphenyl phosphate (TPP) Chrysene-D <sub>12</sub> Pyrene-D <sub>10</sub> 1,3-Dimethyl-2-nitrobenzene	1 mL
U-ISM-510	Internal & Surrogate Standard Fortification Solution	4 x 1 mL
U-ISM-520-1	Internal Standard Solution 500 µg/mL of each analyte in Acetone Acenaphthene-D <sub>10</sub> Phenanthrene-D <sub>10</sub> Chrysene-D <sub>12</sub>	1 mL
U-ISM-520	Internal Standard Solution	4 x 1 mL
U-ISM-530-1	Surrogate Standard Fortification Solution 500 µg/mL of each analyte in Acetone 1,3-Dimethyl-2-nitrobenzene Triphenyl phosphate (TPP) Perylene-D <sub>12</sub> Pyrene-D <sub>10</sub>	1 mL
U-ISM-530	Surrogate Standard Fortification Solution	4 x 1 mL
U-IST-341-1	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	1 mL
U-IST-341	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	4 x 1 mL
U-47995N-1	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	1 mL
U-47995N	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	4 x 1 mL
U-NPM-108B-1	DEF 500 µg/mL in Acetone	1 mL
U-NPM-108B	DEF 500 µg/mL in Acetone	4 x 1 mL
U-SVM-500-1	SDWA SOCs Mixture 6 Analytes in Acetone Benzo(a)pyrene ..... 500 µg/mL Hexachlorobenzene ..... 500 µg/mL Bis(2-ethylhexyl) adipate ..... 500 µg/mL Hexachlorocyclopentadiene ..... 500 µg/mL Bis(2-ethylhexyl) phthalate ..... 500 µg/mL Pentachlorophenol ..... 2000 µg/mL	1 mL
U-SVM-500	SDWA SOCs Mixture	4 x 1 mL
<b>New</b> U-ISM-511X	Internal & Surrogate Standard Fortification Solution Shooters® 7 Analytes 50 µg/mL of each analyte in Acetone Acenaphthene-d <sub>10</sub> Perylene-d <sub>12</sub> Phenanthrene-d <sub>10</sub> Triphenylphosphate Chrysene-d <sub>12</sub> Pyrene-d <sub>10</sub> 1,3-Dimethyl-2-nitrobenzene	25 mL

## EPA Method 526

### Organic Compounds

Method 526 is used to determine SOCs. It is a solid phase extraction method, using GC/MS with a capillary column.

### Recommended standards

Calibration standard: U-SVM-526  
Surrogate standard: U-ISM-690  
Internal standard: U-ISM-520

<b>New</b> U-SVM-526-1	Method 526 Calibration Mixture 11 Analytes 200 µg/mL of each analyte in Ethyl acetate Acetochlor 2,4-dichlorophenol Fonofos Terbufos Cyanazine 1,2-Diphenylhydrazine Nitrobenzene 2,4,6-Trichlorophenol diazinon disulfoton Prometon	1 mL
<b>New</b> U-SVM-526	Method 526 Calibration Mixture	4 x 1 mL
<b>New</b> U-ISM-690-1	Surrogate Standard Mixture 2 Analytes 500 µg/mL of each analyte in Acetone 1,3-Dimethyl-2-nitrobenzene Triphenylphosphate	1 mL
<b>New</b> U-ISM-690	Surrogate Standard Mixture	4 x 1 mL
U-ISM-520-1	Internal Standard Solution 500 µg/mL of each analyte in Acetone Acenaphthene-D <sub>10</sub> Phenanthrene-D <sub>10</sub> Chrysene-D <sub>12</sub>	1 mL
U-ISM-520	Internal Standard Solution	4 x 1 mL



Code	Product	Unit
<b>EPA Method 527</b>		
<b>Pesticides and flame retardants</b>		
Method 527 is used to determine selected pesticides and flame retardants. It is a solid phase extraction method, using GC/ MS with a capillary column.		
<b>Recommended standards</b>		
Calibration standards:	U-PPM-527A U-PPM-527B U-PPM-527C	
Surrogate standard:	U-ISM-710	
Internal standard:	U-ISM-520	
U-PPM-527A-1	Method 527 Pesticide Mixture 1 500 µg/mL of each analyte in Ethyl Acetate Atrazine                      Esfenvalerate                      Mirex                      Prometryn Bifenthrin                      Fenvalerate                      Nitrofen                      Propazine Bromacil                      Hexazinone                      Norflurazon                      Thiobencarb EsbioI                      Kepone                      Oxychlordane                      Vinclozolin	1 mL
U-PPM-527A	Method 527 Pesticide Mixture 1	4 x 1 mL
U-PPM-527B-1	Method 527 Pesticide Mixture 2 500 µg/mL of each analyte in Ethyl acetate Chlorpyrifos                      Malathion                      Terbufos sulfone Dimethoate                      Parathion	1 mL
U-PPM-527B	Method 527 Pesticide Mixture 2	4 x 1 mL
U-PPM-527C-1	Method 527 PBDE Mixture 500 µg/mL of each analyte in Ethyl acetate 2,2',4,4'-Tetrabromodiphenyl ether                      2,2',4,4',5,5'-Hexabromobiphenyl 2,2',4,4',5-Pentabromodiphenyl ether                      2,2',4,4',5,5'-Hexabromodiphenyl 2,2',4,4',6-Pentabromodiphenyl ether	1 mL
U-PPM-527C	Method 527 PBDE Mixture	4 x 1 mL
U-ISM-520-1	Internal Standard Solution 500 µg/mL of each analyte in Acetone Acenaphthene-D <sub>10</sub> Phenanthrene-D <sub>10</sub> Chrysene-D <sub>12</sub>	1 mL
U-ISM-520	Internal Standard Solution	4 x 1 mL
U-ISM-710-1	Surrogate Standard Mixture 500 µg/mL of each analyte in Acetone 1,3-Dimethyl-2-nitrobenzene                      Triphenylphosphate Perylene-d <sub>12</sub>	1 mL
U-ISM-710	Surrogate Standard Mixture	4 x 1 mL

**EPA Method 529****Explosives and related compounds**

EPA METHOD 529 provides procedures for the determination of explosives and related compounds in finished drinking water. The method is applicable to untreated source waters and other types of water samples.

**Recommended standards**

Calibration standard: U-NAIM-529A

Surrogate standards: U-IST-705

U-IST-706

U-IST-210

Internal standard: U-IST-704

U-NAIM-529A-1	Recommended Method 529 Calibration Standard 100 µg/mL of each analyte in ethyl acetate 2-Amino-4,6-dinitrotoluene                      Nitrobenzene 4-Amino-2,6-dinitrotoluene                      2-Nitrotoluene 3,5-Dinitroaniline                      3-Nitrotoluene m-Dinitrobenzene                      4-Nitrotoluene 2,4-dinitrotoluene                      1,3,5-Trinitrobenzene 2,6-Dinitrotoluene                      Tetryl RDX                      2,4,6-Trinitrotoluene (TNT)	1 mL
U-NAIM-529A	Recommended Method 529 Calibration Standard	4 x 1 mL

## EPA 500 Methods

Code	Product	Unit
U-NAIM-529B-1	Method 529 Analyte Fortification Standard 100 µg/mL of each analyte in Methanol 2-Amino-4,6-dinitrotoluene 4-Amino-2,6-dinitrotoluene 3,5-Dinitroaniline m-Dinitrobenzene 2,4-dinitrotoluene 2,6-Dinitrotoluene RDX	1 mL
	Nitrobenzene 2-Nitrotoluene 3-Nitrotoluene 4-Nitrotoluene 1,3,5-Trinitrotoluene Tetryl 2,4,6-Trinitrotoluene (TNT)	
U-NAIM-529B	Method 529 Analyte Fortification Standard	4 x 1 mL
	Recommended Method 529 Internal and Surrogate Standards	
U-IST-704-1	3,4-Dinitrotoluene 2000 µg/mL in Ethyl acetate	1 mL
U-IST-704	3,4-Dinitrotoluene 2000 µg/mL in Ethyl acetate	4 x 1 mL
U-IST-705-1	1,3,5-Trimethyl-2-nitrobenzene 1000 µg/mL in Methanol	1 mL
U-IST-705	1,3,5-Trimethyl-2-nitrobenzene 1000 µg/mL in Methanol	4 x 1 mL
U-IST-706-1	1,2,4-Trimethyl-5-nitrobenzene 1000 µg/mL in Methanol	1 mL
U-IST-706	1,2,4-Trimethyl-5-nitrobenzene 1000 µg/mL in Methanol	4 x 1 mL
U-IST-210-1	Nitrobenzene-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-210	Nitrobenzene-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL

### EPA Method 531.1, 531.2

#### N-Methylcarbamoyloximes and N-methylcarbamates

Method 531.1 and 531.2 are used to measure N-methylcarbamoyloximes and N-methylcarbamates. It uses direct injection of the sample on to a HPLC, with post-column derivatisation and a fluorescence detector.

U-PPM-530-1	Carbamate Pesticide Mixture (531.1) 100 µg/mL of each analyte in Methanol Aldicarb Aldicarb sulfone Aldicarb sulfoxide	Carbaryl Carbofuran 3-Hydroxycarbofuran	Methiocarb Methomyl Oxamyl	Propoxur	1 mL
U-PPM-530	Carbamate Pesticide Mixture (531.1)				4 x 1 mL
<b>New</b> U-PPM-530C-1	Carbamate Pesticides Mixture (531.2) 11 Analytes 100 µg/mL of each analyte in Methanol Aldicarb Aldicarb sulfone aldicarb sulfoxide	Carbaryl Carbofuran 1-Naphthol	3-hydroxycarbofuran Methiocarb Methomyl	Oxamyl Propoxur (Baygon)	1 mL
<b>New</b> U-PPM-530C	Carbamate Pesticides Mixture (531.2)				4 x 1 mL
U-PPM-530B-1	Carbamyl Pesticides Mixture 100 µg/mL of each analyte in Methanol Carbofuran	Oxamyl			1 mL
U-PPM-530B	Carbamyl Pesticides Mixture				4 x 1 mL
U-PPM-831-1	Carbamates Mixture 100 µg/mL of each analyte in Methanol Aldicarb Aldicarb sulfone Carbaryl	Carbofuran Dioxacarb 3-Hydroxycarbofuran	Methiocarb Methomyl Promecarb	Propoxur	1 mL
U-PPM-831	Carbamates Mixture				4 x 1 mL
U-PPM-531-1	Laboratory Performance Check Solution 4 Analytes in Methanol Aldicarb sulfoxide..... 100 µg/mL 3-Hydroxycarbofuran..... 2 µg/mL		Methiocarb ..... 20 µg/mL BDMC..... 10 µg/mL		1 mL
U-PPM-531	Laboratory Performance Check Solution				4 x 1 mL
U-PPS-180-1	BDMC 100 µg/mL in Methanol				1 mL
U-PPS-180	BDMC 100 µg/mL in Methanol				4 x 1 mL

Code	Product	Unit
------	---------	------

**EPA Method 532****Phenylurea compounds**

Method 532 is used to determine phenylurea pesticides. It is a solid phase extraction method, using HPLC with a UV detector

**Recommended standards**

Calibration standard	U-PPM-532
Surrogate standard	U-PPM-532A

<b>New</b>	U-PPM-532-1	Pesticides Mixture 8 Analytes 200 µg/mL of each analyte in Methanol/Acetone				1 mL
		Diflufenzuron	Fluometuron	Propanil	Tebuthiuron	
		Diuron	Linuron	Siduron	Thidiazuron	
<b>New</b>	U-PPM-532	Pesticides Mixture				4 x 1 mL
<b>New</b>	U-PPM-532A-1	Pesticides Mixture 2 Analytes 500 µg/mL of each analyte in Methanol/Acetonitrile				1 mL
		Carbazole	Monuron			
<b>New</b>	U-PPM-532A	Pesticides Mixture				4 x 1 mL

**EPA Method 535****Chloroacetanilide and other acetamide herbicide degradates**

Method 535 is used to determine the ethanesulfonic acid (ESA) and oxanilic acid (OA) degradates of the chloroacetanilide and other acetamide herbicides. It uses solid phase extraction and GC/MS.

**Recommended standards**

Calibration standard:	U-PPM-535
Internal standard:	U-PPS-450
Surrogate standard:	U-PPS-440

<b>New</b>	U-PPM-535	UCMR Acetanilide Pesticide Degradates Mixture				4 x 1 mL
<b>New</b>	U-PPM-535-1	UCMR Acetanilide Pesticide Degradates Mixture 6 Analytes in Methanol				1 mL
		Acetochlor ESA ..... 20 µg/mL	Alachlor ESA ..... 20 µg/mL	Metolachlor ESA ..... 80 µg/mL		
		Acetochlor OA ..... 40 µg/mL	Alachlor OA ..... 40 µg/mL	Metolachlor OA ..... 10 µg/mL		
<b>New</b>	U-PPS-440-1	Dimethachlor ESA 20 µg/mL in Methanol				1 mL
<b>New</b>	U-PPS-440	Dimethachlor ESA 20 µg/mL in Methanol				4 x 1 mL
<b>New</b>	U-PPS-450-1	Butachlor ESA 20 µg/mL in Methanol				1 mL
<b>New</b>	U-PPS-450	Butachlor ESA 20 µg/mL in Methanol				4 x 1 mL

**EPA Method 547****Glyphosate**

Method 547 is used to determine glyphosate. It uses direct injection of the sample on HPLC, with post-column derivatisation on a fluorescence detector.

U-PPS-190-1	Glyphosate 100 µg/mL in Water	1 mL
U-PPS-190	Glyphosate 100 µg/mL in Water	4 x 1 mL

**EPA Method 548, 548.1****Endothall**

Method 548 is used to determine endothall. It is a derivatisation following by liquid-solid extraction method, using GC with a capillary column and an electron capture detector. Method 548.1 is the GC/MS version of the method.

**Recommended standards****Method 548**

Calibration standard:	U-PPS-210
Internal standard:	U-PPS-220

**Method 548.1**

Calibration standard:	U-PPS-211
Internal standard:	U-ATS-111

U-PPS-210-1	Endothall 50 µg/mL in Water	1 mL
-------------	-----------------------------	------

## EPA 500 Methods

Code	Product	Unit
U-PPS-210	Endothall 50 µg/mL in Water	4 x 1 mL
U-PPS-211-1	Endothall 50 µg/mL in Methanol	1 mL
U-PPS-211	Endothall 50 µg/mL in Methanol	4 x 1 mL
U-PPS-220-1	Endosulfan I 10 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-220	Endosulfan I 10 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-ATS-111-1	Acenaphthene-D <sub>10</sub> 500 µg/mL in Methanol	1 mL
U-ATS-111	Acenaphthene-D <sub>10</sub> 500 µg/mL in Methanol	4 x 1 mL
U-PPS-280-1	Dimethyl endothall 50 µg/mL in Methanol	1 mL
U-PPS-280	Dimethyl endothall 50 µg/mL in Methanol	4 x 1 mL

### EPA Method 549.2

#### Diquat and paraquat

Method 549.2 is used to determine diquat and paraquat. It is a liquid-solid extraction method, using HPLC and a UV detector.

#### Recommended standards

Calibration standard: U-PPM-549

U-PPM-549-1	Diquat & Paraquat Mixture 1000 µg/ml of each analyte in water Diquat (corrected from dibromide) Paraquat (corrected from dichloride)	1 mL
U-PPM-549	Diquat & Paraquat Mixture	4 x 1 mL

### EPA Method 550,550.1

#### Polycyclic aromatic hydrocarbons

Method 550 is used to determine polycyclic aromatic hydrocarbons. It is a liquid-liquid extraction method, using HPLC and couples fluorescence and UV detectors. Method 550.1 used liquid-solid extraction.

#### Recommended standards

Calibration standard: U-PM-551

Internal standards: U-PPS-270  
U-PPS-271

U-PM-551-1	PAH Fortification Mixture 16 Analytes in Acetonitrile Acenaphthene..... 1000 µg/mL Acenaphthylene..... 1000 µg/mL Anthracene..... 62.5 µg/mL Chrysene..... 62.5 µg/mL Fluorene..... 100 µg/mL Naphthalene..... 1000 µg/mL Phenanthrene..... 50 µg/mL Pyrene..... 62.5 µg/mL Benzo(a)anthracene..... 1 µg/mL Benzo(b)fluoranthene..... 1 µg/mL Benzo(k)fluoranthene..... 1 µg/mL Benzo(ghi)perylene..... 5 µg/mL Benzo(a)pyrene..... 5 µg/mL Dibenzo(a,h)anthracene..... 12 µg/mL Fluoranthene..... 3 µg/mL Indeno(1,2,3-cd)pyrene..... 12 µg/mL	1 mL
U-PM-551	PAH Fortification Mixture	4 x 1 mL
U-PPS-270-1	4,4'-Difluorobiphenyl 100 µg/mL in Acetonitrile	1 mL
U-PPS-270	4,4'-Difluorobiphenyl 100 µg/mL in Acetonitrile	4 x 1 mL
U-PPS-271-1	4,4'-Difluorobiphenyl 2000 µg/mL in Acetone	1 mL
U-PPS-271	4,4'-Difluorobiphenyl 2000 µg/mL in Acetone	4 x 1 mL

### EPA Method 551.1

#### Chlorination disinfection by-products and chlorinated solvents, and halogenated pesticides and herbicides

Method 551.1 is used to determine chlorination disinfection by-products and chlorinated solvents. It is an extraction method, using GC with capillary column and an electron capture detector.

#### Recommended standards

Calibration standards: U-HCM-551D  
U-PPM-551B  
U-EPA-1244  
U-PST-1535S  
Internal standard: U-STS-113  
Surrogate standard: U-IST-152

Code	Product	Unit
U-HCM-551D-1	Disinfection By-products and Chlorinated Solvent Mixture 2000 µg/mL of each analyte in Acetone Bromochloroacetonitrile Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Chloropicrin Dibromoacetonitrile Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane	1 mL Dichloroacetonitrile 1,1-Dichloro-2-propanone Trichloroacetonitrile Tetrachloroethene 1,1,1-Trichloroethane Trichloroethene 1,1,1-Trichloro-2-propanone 1,1,2-Trichloroethane 1,2,3-Trichloropropane
U-HCM-551D	Disinfection By-products and Chlorinated Solvents Mixture	4 x 1 mL
U-HCM-551B-1	Disinfection By-products Mixture 5000 µg/mL of each analyte in Acetone Bromochloroacetonitrile Chloropicrin Dibromoacetonitrile Dichloroacetonitrile	1 mL 1,1-Dichloro-2-propanone Trichloroacetonitrile 1,1,1-Trichloro-2-propanone
U-HCM-551B	Disinfection By-products Mixture	4 x 1 mL
U-PPM-551B-1	Pesticides Mixture 100 µg/mL of each analyte in Acetone Alachlor Atrazine gamma-BHC (Lindane) Bromacil Cyanazine Endrin Endrin aldehyde Endrin ketone	1 mL Heptachlor Heptachlor epoxide - isomer B Hexachlorobenzene Hexachlorocyclopentadiene Methoxychlor Metolachlor Simazine Trifluralin
U-PPM-551B	Pesticides Mixture	4 x 1 mL
U-EPA-1244	Chloral hydrate 1000 µg/mL in Methanol	1 mL
U-IST-152-1	Decafluorobiphenyl 1000 µg/mL in Acetone	1 mL
U-IST-152	Decafluorobiphenyl 1000 µg/mL in Acetone	4 x 1 mL
U-ST5-113-1	4-Bromofluorobenzene 1000 µg/mL in Acetone	1 mL
U-ST5-113	4-Bromofluorobenzene 1000 µg/mL in Acetone	4 x 1 mL
U-HCM-551E-1	Trihalomethanes and Chlorinated Solvents Mixture Solvent: Acetone Alachlor..... 83 µg/mL gamma-HCH (Lindane) ..... 0.2 µg/mL Bromacil..... 83 µg/mL Bromodichloromethane ..... 30 µg/mL	1 mL Endrin..... 30 µg/mL Hexachlorocyclopentadien ..... 20 µg/mL Trichloroethene ..... 30 µg/mL
U-HCM-551E	Trihalomethanes and Chlorinated Solvents Mixture	4 x 1 mL

# EPA 500 Methods

Code	Product	Unit
------	---------	------

## EPA Methods 552, 552.1, 552.2 and 552.3

### Haloacetic acids and dapalon

Method 552, 552.1 and 552.2 and 553.3 are used to determine halogenated acetic acids. They are ion exchange liquid-solid extraction followed by GC methods, using a capillary column and electron capture detector.

### Recommended standards

#### Method 552

Calibration standard:	U-PHM-552A
Internal standard:	U-PPS-250
Surrogate standards:	U-PPS-261 U-PPS-290

#### Method 552.1

Calibration standard:	U-PHM-5521A
Internal standard:	U-PPS-251
Surrogate standard:	U-PPS-300

#### Method 552.2

Calibration standards:	U-PHM-5523A PHM-5524A
Internal standard:	U-PPS-251
Surrogate standard:	U-PPS-390

#### Method 552.3

Calibration standard:	U-PHM-5524A
Internal standard:	U-PPS-251
Surrogate standard:	U-PPS-430

U-PHM-552A	Haloacetic Acids Mixture 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE) Chloroacetic acid Dichloroacetic acid Trichloroacetic acid 2,4-Dichlorophenol	Bromoacetic acid Bromochloroacetic acid Dibromoacetic acid 2,4,6-Trichlorophenol	1 mL
<b>New</b> U-PHM-552A-4	Haloacetic Acids Mixture		4 x 1 mL
U-PHM-552M	Methylated Haloacetic Acids Mixture 1000 µg/mL of each analyte in Methyl tert-butyl ether (MTBE) Methyl chloroacetate Methyl dichloroacetate Methyl trichloroacetate Methyl bromoacetate	Methyl dibromoacetate Methyl bromochloroacetate 2,4-Dichloroanisole 2,4,6-Trichloroanisole	1 mL
<b>New</b> U-PHM-552M-4	Methylated Haloacetic Acids Mixture		4 x 1 mL
U-PHM-5522A-1	ICR Methylated Haloacetic Acids Mixture 11 Analytes in Methyl tert-butyl ether (MTBE) Chloroacetic acid ..... 3000 µg/mL Chlorodibromoacetic acid ..... 2000 µg/mL Dichloroacetic acid ..... 3000 µg/mL Trichloroacetic acid ..... 1000 µg/mL Bromoacetic acid ..... 2000 µg/mL Bromochloroacetic acid ..... 2000 µg/mL	Bromodichloroacetic acid ..... 2000 µg/mL Dibromoacetic acid ..... 1000 µg/mL Tribromoacetic acid ..... 1000 µg/mL Dalapon ..... 2000 µg/mL 2-Bromopropionic acid ..... 1000 µg/mL	1 mL
U-PHM-5522A	ICR Methylated Haloacetic Acids Mixture		4 x 1 mL
<b>New</b> U-PHM-5522M-1	ICR Methylated Haloacetic Acids Mixture		1 mL
<b>New</b> U-PHM-5522M	ICR Methylated Haloacetic Acids Mixture		4 x 1 mL
U-PHM-5521A-1	Haloacetic Acids Mixture 7 Analytes in Methyl tert-butyl ether (MTBE) Chloroacetic acid ..... 3000 µg/mL Dichloroacetic acid ..... 3000 µg/mL Trichloroacetic acid ..... 1000 µg/mL Bromoacetic acid ..... 2000 µg/mL	Bromochloroacetic acid ..... 2000 µg/mL Dibromoacetic acid ..... 1000 µg/mL Dalapon ..... 2000 µg/mL	1 mL
U-PHM-5521A	Haloacetic Acids Mixture		4 x 1 mL
U-PHM-5521M-1	Methylated Haloacetic Acids Mixture 7 Analytes in Methyl tert-butyl ether (MTBE) Methyl chloroacetate ..... 3000 µg/mL Methyl dichloroacetate ..... 3000 µg/mL Methyl trichloroacetate ..... 1000 µg/mL Methyl bromoacetate ..... 2000 µg/mL	Methyl bromochloroacetate ..... 2000 µg/mL Methyl dibromoacetate ..... 1000 µg/mL Dalapon methyl ester ..... 2000 µg/mL	1 mL
U-PHM-5521M	Methylated Haloacetic Acids Mixture		4 x 1 mL

Code	Product	Unit
U-PHM-5523A-1	Haloacetic Acid Mixture 11 Analytes in Methyl tert-butyl ether (MTBE) Chloroacetic acid ..... 600 µg/mL Chlorodibromoacetic acid ..... 1000 µg/mL Dichloroacetic acid ..... 600 µg/mL Trichloroacetic acid ..... 200 µg/mL Bromoacetic acid ..... 400 µg/mL Bromochloroacetic acid ..... 400 µg/mL Bromodichloroacetic acid ..... 400 µg/mL Dibromoacetic acid ..... 200 µg/mL Tribromoacetic acid ..... 2000 µg/mL Dalapon ..... 400 µg/mL 2,3-Dibromopropionic acid ..... 1000 µg/mL	1 mL
U-PHM-5523A	Haloacetic Acid Mixture	4 x 1 mL
U-PHM-5524A-1	Haloacetic Acid Mixture 10 Analytes in Methyl tert-butyl ether (MTBE) Chloroacetic acid ..... 600 µg/mL Chlorodibromoacetic acid ..... 1000 µg/mL Dichloroacetic acid ..... 600 µg/mL Trichloroacetic acid ..... 200 µg/mL Bromoacetic acid ..... 400 µg/mL Bromochloroacetic acid ..... 400 µg/mL Bromodichloroacetic acid ..... 400 µg/mL Dibromoacetic acid ..... 200 µg/mL Tribromoacetic acid ..... 2000 µg/mL Dalapon ..... 400 µg/mL	1 mL
U-PHM-5524A	Haloacetic Acid Mixture	4 x 1 mL
U-PHM-5524M-1	Methylated Haloacetic Acids Mixture 10 Analytes in Methyl tert-butyl ether (MTBE) Methyl chloroacetate ..... 600 µg/mL Methyl chlorodibromoacetate ..... 1000 µg/mL Methyl dichloroacetate ..... 600 µg/mL Methyl trichloroacetate ..... 200 µg/mL Methyl bromoacetate ..... 400 µg/mL Methyl bromochloroacetate ..... 400 µg/mL Methyl bromodichloroacetate ..... 400 µg/mL Methyl dibromoacetate ..... 200 µg/mL Methyl tribromoacetate ..... 2000 µg/mL Dalapon methyl ester ..... 400 µg/mL	1 mL
U-PHM-5524M	Methylated Haloacetic Acids Mixture	4 x 1 mL
U-PPS-261-1	3,5-Dichlorobenzoic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-261	3,5-Dichlorobenzoic acid 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-PPS-262-1	Methyl-3,5-dichlorobenzoate 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-262	Methyl-3,5-dichlorobenzoate 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-PPS-290-1	2,3-Dichloropropionic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-290	2,3-Dichloropropionic acid 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-PPS-300-1	2-Bromopropionic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-300	2-Bromopropionic acid 1000 µg/mL in Methyl tert.-butyl ether	4 x 1 mL
U-PPS-301-1	Methyl-2-bromopropionate 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-301	Methyl-2-bromopropionate 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-PPS-390-1	2,3-Dibromopropionic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-390	2,3-Dibromopropionic acid 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
<b>New</b> U-PPS-430-1	2-Bromobutanoic acid 1000 µg/mL in Methyl tert-butyl ether	1 mL
<b>New</b> U-PPS-430	2-Bromobutanoic acid 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL
U-PPS-250-1	1,2,3-Trichloropropane 1000 µg/mL in Methanol	1 mL
U-PPS-250	1,2,3-Trichloropropane 1000 µg/mL in Methanol	4 x 1 mL
U-PPS-251-1	1,2,3-Trichloropropane 1000 µg/mL in Methyl tert-butyl ether	1 mL
U-PPS-251	1,2,3-Trichloropropane 1000 µg/mL in Methyl tert-butyl ether	4 x 1 mL

## EPA Method 554

### Carbonyl compounds

Method 554 is used to determine carbonyl compounds. It is derivatisation followed by an HPLC method.

### Recommended standards

Calibration standard: U-ALD-554

U-ALD-554-1	Carbonyl Compounds Mixture 1000 µg/mL of each analyte in Methanol Formaldehyde Acetaldehyde Propanal Butanal Pentanal (Valeraldehyde) Hexanal Heptanal Octanal Nonanal Decanal Cyclohexanone Crotonaldehyde	1 mL
U-ALD-554	Carbonyl Compounds Mixture	4 x 1 mL
U-ALD-554D-1	Derivatised Carbonyl Compounds Mixture 1000 µg/ml of each analyte in Methanol/Acetonitrile (4:1) Formaldehyde-DNPH Acetaldehyde-DNPH Propanal-DNPH Butanal-DNPH Pentanal-DNPH Hexanal-DNPH Heptanal-DNPH Octanal-DNPH Nonanal-DNPH Decanal-DNPH Cyclohexanone-DNPH Crotonaldehyde-DNPH	1 mL



## EPA 600 Methods

Code	Product	Unit
U-ALD-554D	Derivatised Carbonyl Compounds Mixture	4 x 1 mL

### EPA Method 555

#### Chlorinated acids

Method 555 is used to determine chlorinated acids. It is an extraction followed by an HPLC method.

#### Recommended standards

Calibration standards: U-HBM-555A  
U-HBM-555B

U-HBM-555A-1	Chlorinated Acids Mixture A 1000 µg/mL of each analyte in Acetonitrile				1 mL
	Acifluorfen Bentazon	Chloramben 2,4-D	Dicamba Dichlorprop	Picloram Silvex (2,4,5-TP)	
U-HBM-555A	Chlorinated Acids Mixture A				4 x 1 mL
U-HBM-555B-1	Chlorinated Acids Mixture B 1000 µg/mL of each analyte in Acetonitrile				1 mL
	2,4-DB 3,5-Dichlorobenzoic acid 4-Nitrophenol Dinoseb		MCPA MCPP Pentachlorophenol 2,4,5-T		
U-HBM-555B	Chlorinated Acids Mixture B				4 x 1 mL

### EPA Methods 556, 556.1

#### Carbonyl compounds

Method 556 and 556.1 are used to determine carbonyl compounds. They are a derivatisation followed by GC/ECD methods.

#### Recommended standards

Calibration standard: U-ALD-556A  
Internal standard: U-PPS-400  
Surrogate standard: U-PPS-410

<b>New</b> U-ALD-556X	Aldehydes Mixture 100 µg/mL of each analyte in Acetonitrile/Water				2 mL
	Formaldehyde Acetaldehyde Propanal Butanal	Pentanal (Valeraldehyde) Hexanal Heptanal Octanal	Nonanal Decanal Cyclohexanone Benzaldehyde	Glyoxal Methyl glyoxal	
U-PPS-400-1	1,2-Dibromopropane 10000 µg/mL in Hexane				1 mL
U-PPS-400	1,2-Dibromopropane 10000 µg/mL in Hexane				4 x 1 mL
U-PPS-410-1	2',4',5'-Trifluoroacetophenone 10000 µg/mL in Acetonitrile				1 mL
U-PPS-410	2',4',5'-Trifluoroacetophenone 10000 µg/mL in Acetonitrile				4 x 1 mL

## EPA 600 Methods

### Analysis of organic compounds in industrial and municipal waste water discharges.

The 600 series methods are designed for monitoring organic pollutants in industrial and municipal discharges under the Clean Water Act.

ULTRA Scientific has prepared a series reference standards for the 60 series methods as well as the necessary surrogate and internal standards. Each analyte in a reference standard is pre-analysed, with most analytes being >99% pure. All solvents are of the highest quality available. All solutions are gravimetrically prepared to a precision of ±0.5%. A certificate showing the actual weights used is supplied with each mixture.

Code	Product	Unit
------	---------	------

### EPA Method 601

#### Purgeable halocarbons

Method 601 is a purge and trap method for determining purgeable halocarbons using an electrolytic conductivity (Hall) detector.

#### Recommended standards

Calibration standards: U-HCM-601  
U-HC-070  
Surrogate standard: U-STM-290N

Code	Product	Unit
U-HCM-601-1	Purgeable Halocarbon Mixture 100 µg/mL of each analyte in Methanol. Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane Dibromochloromethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Dichlorodifluoromethane 1,1-Dichloroethane	1 mL
	1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane Vinyl chloride	
U-HCM-601	Purgeable Halocarbon Mixture	4 x 1 mL
U-HC-070-1	2-Chloroethylvinyl ether 100 µg/mL in Methanol	1 mL
U-HC-070	2-Chloroethylvinyl ether 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1016	2-Chloroethylvinyl ether 5000 µg/mL in Methanol	1 mL
U-HCM-601G-1	Purgeable Gas Mixture 100 µg/mL of each analyte in Methanol. Bromomethane Chloroethane Chloromethane	1 mL
	Dichlorodifluoromethane Vinyl chloride	
U-HCM-601G	Purgeable Gas Mixture	4 x 1 mL
U-STM-290N-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol Bromochloromethane 2-Bromo-1-chloropropane	1 mL
	1,4-Dichlorobutane	
U-STM-290N	Surrogate Standard Mixture	4 x 1 mL
U-STM-291-1	Surrogate Standard Mixture 20000 µg/mL of each analyte in Methanol. Bromochloromethane 2-Bromo-1-chloropropane	1 mL
	1,4-Dichlorobutane	
U-STM-291	Surrogate Standard Mixture	4 x 1 mL
U-HCM-621-1	Purgeable Halocarbon & Aromatics Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromodichloromethane Bromoform Carbon tetrachloride Chlorobenzene Chloroform Dibromochloromethane	1 mL
	1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene	
	1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene	
	Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene	
U-HCM-621	Purgeable Halocarbon & Aromatics Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL
	Chloromethane Dichlorodifluoromethane	
	Trichlorofluoromethane Vinyl chloride	
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL
	Chloromethane Dichlorodifluoromethane	
	Trichlorofluoromethane Vinyl chloride	
U-DWM-544	VOC Gas Mixture	4 x 1 mL
U-EPA-2041N-1	Volatiles Mixture 1 50 µg/mL of each analyte in Methanol Carbon tetrachloride Chlorobenzene 1,3-Dichlorobenzene	1 mL
	1,4-Dichlorobenzene 1,2-Dichloroethane 1,1-Dichloroethene	
	trans-1,2-Dichloroethene 1,2-Dichloropropane Ethylbenzene	
	Tetrachloroethene 1,1,2-Trichloroethane	
U-EPA-2041N	Volatiles Mixture 1	4 x 1 mL
U-EPA-2141N-1	Volatiles Mixture 1 500 µg/mL of each analyte in Acetone Carbon tetrachloride Chlorobenzene 1,3-Dichlorobenzene	1 mL
	1,4-Dichlorobenzene 1,2-Dichloroethane 1,1-Dichloroethene	
	trans-1,2-Dichloroethene 1,2-Dichloropropane Ethylbenzene	
	Tetrachloroethene 1,1,2-Trichloroethane	

## EPA 600 Methods

Code	Product	Unit																																																												
U-EPA-2141N	Volatiles Mixture 1	4 x 1 mL																																																												
U-EPA-2042N-1	Volatiles Mixture 2 50 µg/mL of each analyte in Methanol	1 mL																																																												
	<table border="0"> <tr> <td>Benzene</td> <td>Chloroform</td> <td>1,1-Dichloroethane</td> <td>Toluene</td> </tr> <tr> <td>Bromodichloromethane</td> <td>Dibromochloromethane</td> <td>Methylene chloride</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>Bromoform</td> <td>1,2-Dichlorobenzene</td> <td>1,1,2,2-Tetrachloroethane</td> <td>Trichloroethene</td> </tr> </table>	Benzene	Chloroform	1,1-Dichloroethane	Toluene	Bromodichloromethane	Dibromochloromethane	Methylene chloride	1,1,1-Trichloroethane	Bromoform	1,2-Dichlorobenzene	1,1,2,2-Tetrachloroethane	Trichloroethene																																																	
Benzene	Chloroform	1,1-Dichloroethane	Toluene																																																											
Bromodichloromethane	Dibromochloromethane	Methylene chloride	1,1,1-Trichloroethane																																																											
Bromoform	1,2-Dichlorobenzene	1,1,2,2-Tetrachloroethane	Trichloroethene																																																											
U-EPA-2042N	Volatiles Mixture 2	4 x 1 mL																																																												
U-EPA-2142N-1	Volatiles Mixture 2 500 µg/mL of each analyte in Methanol	1 mL																																																												
	<table border="0"> <tr> <td>Benzene</td> <td>Chloroform</td> <td>1,1-Dichloroethane</td> <td>Toluene</td> </tr> <tr> <td>Bromodichloromethane</td> <td>Dibromochloromethane</td> <td>Methylene chloride</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>Bromoform</td> <td>1,2-Dichlorobenzene</td> <td>1,1,2,2-Tetrachloroethane</td> <td>Trichloroethene</td> </tr> </table>	Benzene	Chloroform	1,1-Dichloroethane	Toluene	Bromodichloromethane	Dibromochloromethane	Methylene chloride	1,1,1-Trichloroethane	Bromoform	1,2-Dichlorobenzene	1,1,2,2-Tetrachloroethane	Trichloroethene																																																	
Benzene	Chloroform	1,1-Dichloroethane	Toluene																																																											
Bromodichloromethane	Dibromochloromethane	Methylene chloride	1,1,1-Trichloroethane																																																											
Bromoform	1,2-Dichlorobenzene	1,1,2,2-Tetrachloroethane	Trichloroethene																																																											
U-EPA-2142N	Volatiles Mixture 2	4 x 1 mL																																																												
U-STS-180-1	Bromochloromethane 2000 µg/mL in Methanol	1 mL																																																												
U-STS-180	Bromochloromethane 2000 µg/mL in Methanol	4 x 1 mL																																																												
U-STS-190-1	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	1 mL																																																												
U-STS-190	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	4 x 1 mL																																																												
U-STS-200-1	1,4-Dichlorobutane 2000 µg/mL in Methanol	1 mL																																																												
U-STS-200	1,4-Dichlorobutane 2000 µg/mL in Methanol	4 x 1 mL																																																												
U-EPA-100-1	Performance Check Mixture 200 µg/mL of each analyte in Methanol	1 mL																																																												
	<table border="0"> <tr> <td>Benzene</td> <td>1,4-Dichlorobenzene</td> <td>1,1-Dichloroethene</td> <td>Trichloroethene</td> </tr> <tr> <td>Carbon tetrachloride</td> <td>1,2-Dichloroethane</td> <td>1,1,1-Trichloroethane</td> <td>Vinyl chloride</td> </tr> </table>	Benzene	1,4-Dichlorobenzene	1,1-Dichloroethene	Trichloroethene	Carbon tetrachloride	1,2-Dichloroethane	1,1,1-Trichloroethane	Vinyl chloride																																																					
Benzene	1,4-Dichlorobenzene	1,1-Dichloroethene	Trichloroethene																																																											
Carbon tetrachloride	1,2-Dichloroethane	1,1,1-Trichloroethane	Vinyl chloride																																																											
U-EPA-100	Performance Check Mixture	4 x 1 mL																																																												
U-HCK-601	Purgeable Halocarbons Kit	kit																																																												
	<table border="0"> <tr> <td>Bromodichloromethane (100 µg/mL in Methanol)</td> <td>U-HC-010 (1 x 1 mL)</td> </tr> <tr> <td>Bromoform (100 µg/mL in Methanol)</td> <td>U-HC-020 (1 x 1 mL)</td> </tr> <tr> <td>Bromomethane (100 µg/mL in Methanol)</td> <td>U-HC-030 (1 x 1 mL)</td> </tr> <tr> <td>Carbon Tetrachloride (100 µg/mL in Methanol)</td> <td>U-HC-040 (1 x 1 mL)</td> </tr> <tr> <td>Chlorobenzene (100 µg/mL in Methanol)</td> <td>U-HC-050 (1 x 1 mL)</td> </tr> <tr> <td>Chloroethane (100 µg/mL in Methanol)</td> <td>U-HC-060 (1 x 1 mL)</td> </tr> <tr> <td>2-Chloroethylvinyl Ether (100 µg/mL in Methanol)</td> <td>U-HC-070 (1 x 1 mL)</td> </tr> <tr> <td>Chloroform (100 µg/mL in Methanol)</td> <td>U-HC-080 (1 x 1 mL)</td> </tr> <tr> <td>Chloromethane (100 µg/mL in Methanol)</td> <td>U-HC-090 (1 x 1 mL)</td> </tr> <tr> <td>Dibromochloromethane (100 µg/mL in Methanol)</td> <td>U-HC-100 (1 x 1 mL)</td> </tr> <tr> <td>1,2-Dichlorobenzene (100 µg/mL in Methanol)</td> <td>U-HC-110 (1 x 1 mL)</td> </tr> <tr> <td>1,3-Dichlorobenzene (100 µg/mL in Methanol)</td> <td>U-HC-120 (1 x 1 mL)</td> </tr> <tr> <td>1,4-Dichlorobenzene (100 µg/mL in Methanol)</td> <td>U-HC-130 (1 x 1 mL)</td> </tr> <tr> <td>Dichlorodifluoromethane (100 µg/mL in Methanol)</td> <td>U-HC-140 (1 x 1 mL)</td> </tr> <tr> <td>1,1-Dichloroethane (100 µg/mL in Methanol)</td> <td>U-HC-150 (1 x 1 mL)</td> </tr> <tr> <td>1,2-Dichloroethane (100 µg/mL in Methanol)</td> <td>U-HC-160 (1 x 1 mL)</td> </tr> <tr> <td>1,1-Dichloroethene (100 µg/mL in Methanol)</td> <td>U-HC-170 (1 x 1 mL)</td> </tr> <tr> <td>trans-1,2-Dichloroethene (100 µg/mL in Methanol)</td> <td>U-HC-180 (1 x 1 mL)</td> </tr> <tr> <td>1,2-Dichloropropane (100 µg/mL in Methanol)</td> <td>U-HC-190 (1 x 1 mL)</td> </tr> <tr> <td>cis-1,3-Dichloropropene (100 µg/mL in Methanol)</td> <td>U-HC-200 (1 x 1 mL)</td> </tr> <tr> <td>trans-1,3-Dichloropropene (100 µg/mL in Methanol)</td> <td>U-HC-210 (1 x 1 mL)</td> </tr> <tr> <td>Methylene Chloride (100 µg/mL in Methanol)</td> <td>U-HC-220 (1 x 1 mL)</td> </tr> <tr> <td>1,1,2,2-Tetrachloroethane (100 µg/mL in Methanol)</td> <td>U-HC-230 (1 x 1 mL)</td> </tr> <tr> <td>Tetrachloroethene (100 µg/mL in Methanol)</td> <td>U-HC-240 (1 x 1 mL)</td> </tr> <tr> <td>1,1,1-Trichloroethane (100 µg/mL in Methanol)</td> <td>U-HC-250 (1 x 1 mL)</td> </tr> <tr> <td>1,1,2-Trichloroethane (100 µg/mL in Methanol)</td> <td>U-HC-260 (1 x 1 mL)</td> </tr> <tr> <td>Trichloroethene (100 µg/mL in Methanol)</td> <td>U-HC-270 (1 x 1 mL)</td> </tr> <tr> <td>Trichlorofluoromethane (100 µg/mL in Methanol)</td> <td>U-HC-280 (1 x 1 mL)</td> </tr> <tr> <td>Vinyl Chloride (100 µg/mL in Methanol)</td> <td>U-HC-290 (1 x 1 mL)</td> </tr> <tr> <td>Purgeable Halocarbon Mixture (100 µg/mL in Methanol)</td> <td>U-HCM-601 (1 x 1 mL)</td> </tr> </table>	Bromodichloromethane (100 µg/mL in Methanol)	U-HC-010 (1 x 1 mL)	Bromoform (100 µg/mL in Methanol)	U-HC-020 (1 x 1 mL)	Bromomethane (100 µg/mL in Methanol)	U-HC-030 (1 x 1 mL)	Carbon Tetrachloride (100 µg/mL in Methanol)	U-HC-040 (1 x 1 mL)	Chlorobenzene (100 µg/mL in Methanol)	U-HC-050 (1 x 1 mL)	Chloroethane (100 µg/mL in Methanol)	U-HC-060 (1 x 1 mL)	2-Chloroethylvinyl Ether (100 µg/mL in Methanol)	U-HC-070 (1 x 1 mL)	Chloroform (100 µg/mL in Methanol)	U-HC-080 (1 x 1 mL)	Chloromethane (100 µg/mL in Methanol)	U-HC-090 (1 x 1 mL)	Dibromochloromethane (100 µg/mL in Methanol)	U-HC-100 (1 x 1 mL)	1,2-Dichlorobenzene (100 µg/mL in Methanol)	U-HC-110 (1 x 1 mL)	1,3-Dichlorobenzene (100 µg/mL in Methanol)	U-HC-120 (1 x 1 mL)	1,4-Dichlorobenzene (100 µg/mL in Methanol)	U-HC-130 (1 x 1 mL)	Dichlorodifluoromethane (100 µg/mL in Methanol)	U-HC-140 (1 x 1 mL)	1,1-Dichloroethane (100 µg/mL in Methanol)	U-HC-150 (1 x 1 mL)	1,2-Dichloroethane (100 µg/mL in Methanol)	U-HC-160 (1 x 1 mL)	1,1-Dichloroethene (100 µg/mL in Methanol)	U-HC-170 (1 x 1 mL)	trans-1,2-Dichloroethene (100 µg/mL in Methanol)	U-HC-180 (1 x 1 mL)	1,2-Dichloropropane (100 µg/mL in Methanol)	U-HC-190 (1 x 1 mL)	cis-1,3-Dichloropropene (100 µg/mL in Methanol)	U-HC-200 (1 x 1 mL)	trans-1,3-Dichloropropene (100 µg/mL in Methanol)	U-HC-210 (1 x 1 mL)	Methylene Chloride (100 µg/mL in Methanol)	U-HC-220 (1 x 1 mL)	1,1,2,2-Tetrachloroethane (100 µg/mL in Methanol)	U-HC-230 (1 x 1 mL)	Tetrachloroethene (100 µg/mL in Methanol)	U-HC-240 (1 x 1 mL)	1,1,1-Trichloroethane (100 µg/mL in Methanol)	U-HC-250 (1 x 1 mL)	1,1,2-Trichloroethane (100 µg/mL in Methanol)	U-HC-260 (1 x 1 mL)	Trichloroethene (100 µg/mL in Methanol)	U-HC-270 (1 x 1 mL)	Trichlorofluoromethane (100 µg/mL in Methanol)	U-HC-280 (1 x 1 mL)	Vinyl Chloride (100 µg/mL in Methanol)	U-HC-290 (1 x 1 mL)	Purgeable Halocarbon Mixture (100 µg/mL in Methanol)	U-HCM-601 (1 x 1 mL)	
Bromodichloromethane (100 µg/mL in Methanol)	U-HC-010 (1 x 1 mL)																																																													
Bromoform (100 µg/mL in Methanol)	U-HC-020 (1 x 1 mL)																																																													
Bromomethane (100 µg/mL in Methanol)	U-HC-030 (1 x 1 mL)																																																													
Carbon Tetrachloride (100 µg/mL in Methanol)	U-HC-040 (1 x 1 mL)																																																													
Chlorobenzene (100 µg/mL in Methanol)	U-HC-050 (1 x 1 mL)																																																													
Chloroethane (100 µg/mL in Methanol)	U-HC-060 (1 x 1 mL)																																																													
2-Chloroethylvinyl Ether (100 µg/mL in Methanol)	U-HC-070 (1 x 1 mL)																																																													
Chloroform (100 µg/mL in Methanol)	U-HC-080 (1 x 1 mL)																																																													
Chloromethane (100 µg/mL in Methanol)	U-HC-090 (1 x 1 mL)																																																													
Dibromochloromethane (100 µg/mL in Methanol)	U-HC-100 (1 x 1 mL)																																																													
1,2-Dichlorobenzene (100 µg/mL in Methanol)	U-HC-110 (1 x 1 mL)																																																													
1,3-Dichlorobenzene (100 µg/mL in Methanol)	U-HC-120 (1 x 1 mL)																																																													
1,4-Dichlorobenzene (100 µg/mL in Methanol)	U-HC-130 (1 x 1 mL)																																																													
Dichlorodifluoromethane (100 µg/mL in Methanol)	U-HC-140 (1 x 1 mL)																																																													
1,1-Dichloroethane (100 µg/mL in Methanol)	U-HC-150 (1 x 1 mL)																																																													
1,2-Dichloroethane (100 µg/mL in Methanol)	U-HC-160 (1 x 1 mL)																																																													
1,1-Dichloroethene (100 µg/mL in Methanol)	U-HC-170 (1 x 1 mL)																																																													
trans-1,2-Dichloroethene (100 µg/mL in Methanol)	U-HC-180 (1 x 1 mL)																																																													
1,2-Dichloropropane (100 µg/mL in Methanol)	U-HC-190 (1 x 1 mL)																																																													
cis-1,3-Dichloropropene (100 µg/mL in Methanol)	U-HC-200 (1 x 1 mL)																																																													
trans-1,3-Dichloropropene (100 µg/mL in Methanol)	U-HC-210 (1 x 1 mL)																																																													
Methylene Chloride (100 µg/mL in Methanol)	U-HC-220 (1 x 1 mL)																																																													
1,1,2,2-Tetrachloroethane (100 µg/mL in Methanol)	U-HC-230 (1 x 1 mL)																																																													
Tetrachloroethene (100 µg/mL in Methanol)	U-HC-240 (1 x 1 mL)																																																													
1,1,1-Trichloroethane (100 µg/mL in Methanol)	U-HC-250 (1 x 1 mL)																																																													
1,1,2-Trichloroethane (100 µg/mL in Methanol)	U-HC-260 (1 x 1 mL)																																																													
Trichloroethene (100 µg/mL in Methanol)	U-HC-270 (1 x 1 mL)																																																													
Trichlorofluoromethane (100 µg/mL in Methanol)	U-HC-280 (1 x 1 mL)																																																													
Vinyl Chloride (100 µg/mL in Methanol)	U-HC-290 (1 x 1 mL)																																																													
Purgeable Halocarbon Mixture (100 µg/mL in Methanol)	U-HCM-601 (1 x 1 mL)																																																													

## EPA Method 602

### Purgeable aromatics

Method 602 is a purge and trap method for determining purgeable aromatics, using a PID.

### Recommended standards

Calibration standard: U-AMM-602N  
Internal & Surrogate standard: U-STS-220N

U-AMM-602N-1	Purgeable Aromatics Mixture 100 µg/mL of each analyte in Methanol.	1 mL								
	<table border="0"> <tr> <td>Benzene</td> <td>1,2-Dichlorobenzene</td> <td>1,4-Dichlorobenzene</td> <td>Toluene</td> </tr> <tr> <td>Chlorobenzene</td> <td>1,3-Dichlorobenzene</td> <td>Ethylbenzene</td> <td></td> </tr> </table>	Benzene	1,2-Dichlorobenzene	1,4-Dichlorobenzene	Toluene	Chlorobenzene	1,3-Dichlorobenzene	Ethylbenzene		
Benzene	1,2-Dichlorobenzene	1,4-Dichlorobenzene	Toluene							
Chlorobenzene	1,3-Dichlorobenzene	Ethylbenzene								
U-AMM-602N	Purgeable Aromatics Mixture	4 x 1 mL								

Code	Product	Unit
U-AMM-622-1	Purgeable Aromatics Mixture 200 µg/mL of each analyte in Methanol. Benzene Chlorobenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Ethylbenzene	1 mL
	Toluene o-Xylene m-Xylene p-Xylene tert-Butylmethyl ether (MTBE)	
U-AMM-622	Purgeable Aromatics Mixture	4 x 1 mL
U-SCA-100-1	WIP VOA Standard (California) 2000 µg/mL of each analyte in Methanol Benzene Chlorobenzene Ethylbenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene	1 mL
	Toluene o-Xylene m-Xylene p-Xylene tert-Butylmethyl ether (MTBE)	
U-SCA-100	WIP VOA Standard (California)	4 x 1 mL
U-STS-221-1	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol	1 mL
U-STS-221	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol	4 x 1 mL
U-STS-220N-1	alpha,alpha,alpha-Trifluorotoluene 2000 µg/mL in Methanol	1 mL
U-STS-220N	alpha,alpha,alpha-Trifluorotoluene 2000 µg/mL in Methanol	4 x 1 mL
U-AMK-602	Purgeable Aromatics Kit Purgeable Aromatics Mixture (100 µg/mL in Methanol) ..... U-AMM-602N ( 1 x 1 mL ) Toluene (100 µg/mL in Methanol)..... U-AM-160 ( 1 x 1 mL ) Ethylbenzene (100 µg/mL in Methanol) ..... U-AM-150 ( 1 x 1 mL ) 1,4-Dichlorobenzene (100 µg/mL in Methanol)..... U-HC-130 ( 1 x 1 mL ) 1,3-Dichlorobenzene (100 µg/mL in Methanol)..... U-HC-120 ( 1 x 1 mL ) 1,2-Dichlorobenzene (100 µg/mL in Methanol)..... U-HC-110 ( 1 x 1 mL ) Chlorobenzene (100 µg/mL in Methanol) ..... U-HC-050 ( 1 x 1 mL ) Benzene (100 µg/mL in Methanol)..... U-AM-100 ( 1 x 1 mL )	kit

## EPA Method 603

### Acrolein and acrylonitrile

Method 603 is a purge and trap method for determining acrolein and acrylonitrile, using a flame ionisation detector.

### Recommended standards

Calibration standard: U-AMN-603

U-AMN-603-1	Acrolein-Acrylonitrile Mixture 100 µg/mL of each analyte in Methanol Acrolein                      Acrylonitrile	1 mL
U-AMN-603	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-623-1	Acrolein-Acrylonitrile Mixture 2000 µg/mL of each analyte in Methanol Acrolein                      Acrylonitrile	1 mL
U-AMN-623	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-613-1	Acrolein-Acrylonitrile Mixture 1000 µg/mL of each analyte in Water Acrolein                      Acrylonitrile	1 mL
U-AMN-613	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-803-1	Acrolein-Acrylonitrile Mixture 10000 µg/mL of each analyte in Water Acrolein                      Acrylonitrile	1 mL
U-AMN-803	Acrolein-Acrylonitrile Mixture	4 x 1 mL

# EPA 600 Methods

Code	Product	Unit
------	---------	------

## EPA Method 604

### Phenols

Method 604 is used to measure phenols. Samples are extracted, then concentrated in a Kuderna-Danish apparatus. Quantitation is by GC/FID, or the extract is derivatised and determined by GC/ECD.

### Recommended standards

Calibration standards: US-107N  
EPA-2008N

Internal & Surrogate standards: IST-251  
IST-261  
IST-271

U-EPA-2008N-1	Acids Mixture 100 µg/mL of each analyte in Methanol 4-Chloro-3-methylphenol 2-Chlorophenol 2,4-Dichlorophenol 2,4-Dimethylphenol 2,4-Dinitrophenol 2-Methyl-4,6-dinitrophenol	2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,4,6-Trichlorophenol	1 mL
U-EPA-2008N	Acids Mixture		4 x 1 mL
U-US-107N	Phenols Mixture 2000 µg/mL of each analyte in Methylene Chloride. 4-Chloro-3-methylphenol 2-Chlorophenol 2,4-Dichlorophenol 2,4-Dimethylphenol 2,4-Dinitrophenol 2-Methyl-4,6-dinitrophenol	2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,4,6-Trichlorophenol	1 mL
U-US-107N-4	Phenols Mixture		4 x 1 mL
U-PHM-604-1	Phenols Mixture 20 µg/mL of each analyte in Methanol. 4-Chloro-3-methylphenol 2-Chlorophenol 2,4-Dichlorophenol 2,4-Dimethylphenol 2-Methyl-4,6-dinitrophenol 2,4-Dinitrophenol	2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,4,6-Trichlorophenol	1 mL
U-PHM-604	Phenols Mixture		4 x 1 mL
<b>New</b> U-PHM-624	Phenols Mixture		4 x 1 mL
U-ISM-290N-1	Acids Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol 2-Fluorophenol                      Phenol-D <sub>5</sub>	2,4,6-Tribromophenol	1 mL
U-ISM-290N	Acids Surrogate Standard Mixture		4 x 1 mL
U-PHK-604A	Phenols Kit 4-Chloro-3-methylphenol (100 µg/mL in Methanol) ..... 2-Chlorophenol (100 µg/mL in Methanol) ..... 2,4-Dichlorophenol (100 µg/mL in Methanol)..... 2,4-Dimethylphenol (100 µg/mL in Methanol)..... 2,4-Dinitrophenol (1000 µg/mL in Methanol) ..... 2-Methyl-4,6-Dinitrophenol (1000 µg/mL in Methanol)..... 2-Nitrophenol (100 µg/mL in Methanol) ..... 4-Nitrophenol (100 µg/mL in Methanol) ..... Pentachlorophenol (1000 µg/mL in Methanol)..... Phenol (100 µg/mL in Methanol)..... 2,4,6-Trichlorophenol (100 µg/mL in Methanol)..... Acids Mixture (GAC) (100 µg/mL in Methanol).....	U-PH-100 ( 1 x 1 mL ) U-PH-110 ( 1 x 1 mL ) U-PH-120 ( 1 x 1 mL ) U-PH-130 ( 1 x 1 mL ) U-PH-140 ( 1 x 1 mL ) U-PH-150 ( 1 x 1 mL ) U-PH-160 ( 1 x 1 mL ) U-PH-170 ( 1 x 1 mL ) U-PH-180 ( 1 x 1 mL ) U-PH-190 ( 1 x 1 mL ) U-PH-200 ( 1 x 1 mL ) U-EPA-2008N ( 1 x 1 mL )	kit
U-XY-0126-1	Phenols Mixture 11 Analytes in Methanol 4-Chloro-3-methylphenol ..... 2500 µg/mL 2-Chlorophenol ..... 500 µg/mL 2,4-Dichlorophenol..... 500 µg/mL 2,4-Dimethylphenol ..... 500 µg/mL 2-Methyl-4,6-dinitrophenol ..... 2500 µg/mL 2,4-Dinitrophenol ..... 1500 µg/mL	2-Nitrophenol..... 500 µg/mL 4-Nitrophenol..... 2500 µg/mL Pentachlorophenol ..... 2500 µg/mL Phenol ..... 600 µg/mL 2,4,6-Trichlorophenol ..... 500 µg/mL	1 mL
U-XY-0126	Phenols Mixture		4 x 1 mL
U-IST-251-1	2-Fluorophenol 2000 µg/mL in Methanol		1 mL
U-IST-251	2-Fluorophenol 2000 µg/mL in Methanol		4 x 1 mL
U-IST-261-1	Pentafluorophenol 2000 µg/mL in Methanol		1 mL



## EPA 600 Methods

Code	Product	Unit
<b>EPA Method 608, 608.1 and 608.2</b>		
<b>Organochlorine pesticides and PCBs</b>		
Method 608 is used to measure organochlorine pesticides and PCBs, using extraction followed by GC/ECD. Method 608.1 and 608.2 include additional analytes.		
<b>Recommended standards</b>		
Calibration standards:	U-PPM-608B U-PPM-608E U-PPM-608F	
Surrogate standards:	U-ISM-320 U-ISM-301	
U-PPM-608B-1	Organochlorine Pesticide Mixture 20 µg/mL of each analyte in Methanol Endosulfan II Endosulfan sulfate Endrin Endrin aldehyde Heptachlor Aldrin alpha-BHC (alpha-HCH) beta-BHC (beta-HCH)	Delta-BHC (delta-HCH) gamma-BHC (Lindane) 4,4'-DDD 4,4'-DDE 4,4'-DDT Dieldrin Endosulfan I Heptachlor epoxide - isomer B
U-PPM-608B	Organochlorine Pesticide Mixture	4 x 1 mL
U-ISM-320-1	Pesticides Surrogate Standard Spiking Solution 200 µg/mL of each analyte in Acetone 2,4,5,6-Tetrachloro-m-xylene	1 mL
U-ISM-320	Pesticides Surrogate Standard Spiking Solution	4 x 1 mL
U-ISM-301-1	Pesticides Surrogate Standard Mixture 200 µg/mL of each analyte in Acetone Dibutyl chlorendate	1 mL
U-ISM-301	Pesticides Surrogate Standard Mixture	4 x 1 mL
U-PPM-608D-1	Organochlorine Pesticides Mixture 16 Analytes in Methanol Aldrin..... 200 µg/mL alpha-BHC (alpha-HCH)..... 200 µg/mL beta-BHC (beta-HCH)..... 200 µg/mL delta-BHC (delta-HCH)..... 200 µg/mL gamma-BHC (Lindane)..... 200 µg/mL 4,4'-DDD ..... 100 µg/mL 4,4'-DDE ..... 200 µg/mL 4,4'-DDT..... 600 µg/mL	Dieldrin ..... 200 µg/mL Endosulfan I ..... 200 µg/mL Endosulfan II ..... 200 µg/mL Endosulfan sulfate ..... 200 µg/mL Endrin ..... 200 µg/mL Endrin aldehyde ..... 200 µg/mL Heptachlor ..... 200 µg/mL Heptachlor epoxide - isomer B..... 200 µg/mL
U-PPM-608D	Organochlorine Pesticides Mixture	4 x 1 mL
U-PP-150-1	Chlordane 100 µg/mL in Methanol	1 mL
U-PP-150	Chlordane 100 µg/mL in Methanol	4 x 1 mL
U-PP-270-1	Toxaphene 100 µg/mL in Methanol	1 mL
U-PP-270	Toxaphene 100 µg/mL in Methanol	4 x 1 mL
U-PP-280-1	Aroclor 1016 100 µg/mL in Methanol	1 mL
U-PP-280	Aroclor 1016 100 µg/mL in Methanol	4 x 1 mL
U-PP-290-1	Aroclor 1221 100 µg/mL in Methanol	1 mL
U-PP-290	Aroclor 1221 100 µg/mL in Methanol	4 x 1 mL
U-PP-300-1	Aroclor 1232 100 µg/mL in Methanol	1 mL
U-PP-300	Aroclor 1232 100 µg/mL in Methanol	4 x 1 mL
U-PP-310-1	Aroclor 1242 100 µg/mL in Methanol	1 mL
U-PP-310	Aroclor 1242 100 µg/mL in Methanol	4 x 1 mL
U-PP-340-1	Aroclor 1248 100 µg/mL in Methanol	1 mL
U-PP-340	Aroclor 1248 100 µg/mL in Methanol	4 x 1 mL
U-PP-350-1	Aroclor 1254 100 µg/mL in Methanol	1 mL
U-PP-350	Aroclor 1254 100 µg/mL in Methanol	4 x 1 mL
U-PP-360-1	Aroclor 1260 100 µg/mL in Methanol	1 mL
U-PP-360	Aroclor 1260 100 µg/mL in Methanol	4 x 1 mL



Code	Product	Unit
U-PPM-608C-1	Organochlorine Pesticide Mixture Solvent: Methanol Aldrin..... 20 µg/mL alpha-BHC (alpha-HCH)..... 20 µg/mL beta-BHC (beta-HCH) ..... 20 µg/mL Delta-BHC (delta-HCH) ..... 20 µg/mL gamma-BHC (Lindane)..... 20 µg/mL 4,4'-DDD ..... 100 µg/mL 4,4'-DDE ..... 20 µg/mL 4,4'-DDT ..... 100 µg/mL Dieldrin..... 20 µg/mL	1 mL Endosulfan I ..... 20 µg/mL Endosulfan II ..... 100 µg/mL Endosulfan sulfate ..... 100 µg/mL Endrin ..... 100 µg/mL Endrin aldehyde ..... 20 µg/mL Heptachlor ..... 20 µg/mL Heptachlor epoxide - isomer B..... 20 µg/mL Methoxychlor..... 20 µg/mL
U-PPM-608C	Organochlorine Pesticide Mixture	4 x 1 mL
U-EPA-2101N-1	Chlorinated Hydrocarbon Pesticides Mixture 6 Analytes in Acetone Aldrin..... 100 µg/mL 4,4'-DDD ..... 500 µg/mL	1 mL 4,4'-DDE ..... 100 µg/mL 4,4'-DDT ..... 500 µg/mL Dieldrin..... 100 µg/mL Heptachlor ..... 100 µg/mL
U-EPA-2101N	Chlorinated Hydrocarbon Pesticides Mixture	4 x 1 mL
U-EPA-2004N-1	Toxaphene 50 µg/mL in Methanol	1 mL
U-EPA-2004N	Toxaphene 50 µg/mL in Methanol	4 x 1 mL
U-US-102BN	Organochlorine Pesticide Mixture 2000 µg/mL of each analyte in Hexane/Toluene (1:1) Aldrin alpha-BHC (alpha-HCH) beta-BHC (beta-HCH) delta-BHC (delta-HCH) gamma-BHC (Lindane) 4,4'-DDD 4,4'-DDE 4,4'-DDT	1 mL Dieldrin Endosulfan I Endosulfan II Endosulfan sulfate Endrin Endrin aldehyde Heptachlor Heptachlor epoxide - isomer B
U-US-102BN-4	Organochlorine Pesticide Mixture	4 x 1 mL
U-PPK-608B	Organochlorine Pesticides Kit Aldrin (100 µg/mL in Methanol) ..... alpha-BHC (100 µg/mL in Methanol) ..... beta-BHC (100 µg/mL in Methanol) ..... delta-BHC (100 µg/mL in Methanol) ..... gamma-BHC (100 µg/mL in Methanol) ..... Chlordane (100 µg/mL in Methanol) ..... 4,4'-DDD (100 µg/mL in Methanol) ..... 4,4'-DDE (100 µg/mL in Methanol) ..... 4,4'-DDT (100 µg/mL in Methanol) ..... Dieldrin (100 µg/mL in Methanol) ..... Endosulfan I (100 µg/mL in Methanol) ..... Endosulfan II (100 µg/mL in Methanol) ..... Endosulfan sulfate (100 µg/mL in Methanol) ..... Endrin (100 µg/mL in Methanol) ..... Endrin aldehyde (100 µg/mL in Methanol) ..... Heptachlor (100 µg/mL in Methanol) ..... Heptachlor epoxide (Isomer B) (100 µg/mL in ..... Toxaphene (100 µg/mL in Methanol) ..... Aroclor 1016 (100 µg/mL in Methanol) ..... Aroclor 1221 (100 µg/mL in Methanol) ..... Aroclor 1232 (100 µg/mL in Methanol) ..... Aroclor 1242 (100 µg/mL in Methanol) ..... Aroclor 1248 (100 µg/mL in Methanol) ..... Aroclor 1254 (100 µg/mL in Methanol) ..... Aroclor 1260 (100 µg/mL in Methanol) ..... Organochlorine Pesticides Mixture (20 µg/mL in Methanol).....	kit U-PP-100 ( 1 x 1 mL ) U-PP-110 ( 1 x 1 mL ) U-PP-120 ( 1 x 1 mL ) U-PP-130 ( 1 x 1 mL ) U-PP-140 ( 1 x 1 mL ) U-PP-150 ( 1 x 1 mL ) U-PP-160 ( 1 x 1 mL ) U-PP-170 ( 1 x 1 mL ) U-PP-180 ( 1 x 1 mL ) U-PP-190 ( 1 x 1 mL ) U-PP-200 ( 1 x 1 mL ) U-PP-210 ( 1 x 1 mL ) U-PP-220 ( 1 x 1 mL ) U-PP-230 ( 1 x 1 mL ) U-PP-240 ( 1 x 1 mL ) U-PP-250 ( 1 x 1 mL ) U-PP-261 ( 1 x 1 mL ) U-PP-270 ( 1 x 1 mL ) U-PP-280 ( 1 x 1 mL ) U-PP-290 ( 1 x 1 mL ) U-PP-300 ( 1 x 1 mL ) U-PP-310 ( 1 x 1 mL ) U-PP-340 ( 1 x 1 mL ) U-PP-350 ( 1 x 1 mL ) U-PP-360 ( 1 x 1 mL ) U-PPM-608B ( 1 x 1 mL )
<b>New</b> U-PPM-608G-1	Waste Water Pesticides Mixture 7 Analytes 100 µg/mL of each analyte in Acetone Aldrin 4,4'-DDD 4,4'-DDE 4,4'-DDT	1 mL Dieldrin Heptachlor Heptachlor epoxide - isomer B
<b>New</b> U-PPM-608G	Waste Water Pesticides Mixture	4 x 1 mL
U-PPM-608E-1	Organochlorine Pesticides Mixture 7 Analytes in iso-Octane (2,2,4-Trimethylpentane) Chlorobenzilate..... 200 µg/mL Chloroneb ..... 40 µg/mL Chloropropylate ..... 200 µg/mL 1,2-Dibromo-3-chloropropane..... 40 µg/mL	1 mL Etridiazole ..... 40 µg/mL Pentachloronitrobenzene ..... 60 µg/mL Propachlor..... 1000 µg/mL
U-PPM-608E	Organochlorine Pesticides Mixture	4 x 1 mL



Code	Product	Unit
U-PM-612-1	PAH Mixture 16 Analytes in Methylene Chloride	1 mL
	Acenaphthene..... 100 µg/mL      Chrysene..... 100 µg/mL Acenaphthylene..... 200 µg/mL      Dibenzo(a,h)anthracene..... 200 µg/mL Anthracene..... 100 µg/mL      Fluoranthene..... 200 µg/mL Benzo(a)anthracene..... 100 µg/mL      Fluorene..... 200 µg/mL Benzo(b)fluoranthene..... 200 µg/mL      Indeno(1,2,3-cd)pyrene..... 100 µg/mL Benzo(k)fluoranthene..... 100 µg/mL      Naphthalene..... 1000 µg/mL Benzo(ghi)perylene..... 200 µg/mL      Phenanthrene..... 100 µg/mL Benzo(a)pyrene..... 100 µg/mL      Pyrene..... 100 µg/mL	
U-PM-612	PAH Mixture	4 x 1 mL
U-PM-613A-1	PAH Mixture Solvent: Acetonitrile	1 mL
	Acenaphthene..... 100 µg/mL      Chrysene..... 10 µg/mL Acenaphthylene..... 100 µg/mL      Dibenzo(a,h)anthracene..... 10 µg/mL Anthracene..... 100 µg/mL      Fluoranthene..... 10 µg/mL Benzo(a)anthracene..... 10 µg/mL      Fluorene..... 100 µg/mL Benzo(b)fluoranthene..... 10 µg/mL      Indeno(1,2,3-cd)pyrene..... 10 µg/mL Benzo(k)fluoranthene..... 5 µg/mL      Naphthalene..... 100 µg/mL Benzo(ghi)perylene..... 10 µg/mL      Phenanthrene..... 100 µg/mL Benzo(a)pyrene..... 10 µg/mL      Pyrene..... 10 µg/mL	
U-PM-613A	PAH Mixture	4 x 1 mL
U-EPA-2138N-1	Polynuclear Aromatic Hydrocarbons Mixture 1 8 Analytes in Acetonitrile	1 mL
	Acenaphthene..... 1000 µg/mL      Fluorene..... 1000 µg/mL Anthracene..... 1000 µg/mL      Indeno(1,2,3-cd)pyrene..... 100 µg/mL Benzo(k)fluoranthene..... 50 µg/mL      Naphthalene..... 1000 µg/mL Chrysene..... 100 µg/mL      Pyrene..... 100 µg/mL	
U-EPA-2138N	Polynuclear Aromatic Hydrocarbons Mixture 1	4 x 1 mL
U-EPA-2139N-1	Polynuclear Aromatic Hydrocarbons Mixture 2 8 Analytes in Acetonitrile	1 mL
	Acenaphthylene..... 1000 µg/mL      Benzo(a)pyrene..... 100 µg/mL Benzo(a)anthracene..... 100 µg/mL      Dibenzo(a,h)anthracene..... 100 µg/mL Benzo(b)fluoranthene..... 100 µg/mL      Fluoranthene..... 100 µg/mL Benzo(ghi)perylene..... 100 µg/mL      Phenanthrene..... 1000 µg/mL	
U-EPA-2139N	Polynuclear Aromatic Hydrocarbons Mixture 2	4 x 1 mL
U-EPA-2038N-1	Polynuclear Aromatic Hydrocarbons Mixture 1 (PNA-1) 7 Analytes in Acetonitrile	1 mL
	Acenaphthene..... 100 µg/mL      Indeno(1,2,3-cd)pyrene..... 10 µg/mL Anthracene..... 100 µg/mL      Naphthalene..... 100 µg/mL Benzo(k)fluoranthene..... 5 µg/mL      Pyrene..... 10 µg/mL Chrysene..... 10 µg/mL	
U-EPA-2038N	Polynuclear Aromatic Hydrocarbons Mixture 1 (PNA-1)	4 x 1 mL
U-EPA-2039N-1	Polynuclear Aromatic Hydrocarbons Mixture 2 10 µg/ml of each analyte in Acetonitrile	1 mL
	Acenaphthylene..... 10 µg/mL      Benzo(a)pyrene..... 10 µg/mL Benzo(a)anthracene..... 10 µg/mL      Dibenzo(a,h)anthracene..... 10 µg/mL Benzo(b)fluoranthene..... 10 µg/mL      Fluoranthene..... 10 µg/mL Benzo(ghi)perylene..... 10 µg/mL      Phenanthrene..... 10 µg/mL	
U-EPA-2039N	Polynuclear Aromatic Hydrocarbons Mixture 2	4 x 1 mL

## EPA Method 611

### Haloethers

Method 611 is use to measure haloethers. Samples are extracted, concentrated in a Kuderna-Danish apparatus, then quantitated with an electrolytic conductivity detector.

U-EPA-2014N-1	Haloethers Mixture (HAL) 100 µg/ml of each analyte in Acetone	1 mL
	Bis(2-chloroethyl) ether..... 100 µg/mL      4-Bromophenyl phenyl ether..... 100 µg/mL Bis(2-chloroethoxy) methane..... 100 µg/mL      4-Chlorophenyl phenyl ether..... 100 µg/mL Bis(2-chloroisopropyl) ether..... 100 µg/mL	
U-EPA-2014N	Haloethers Mixture (HAL)	4 x 1 mL

## EPA 600 Methods

Code	Product	Unit
<b>EPA Method 612</b>		
<b>Chlorinated hydrocarbons</b>		
Method 612 is used to measure chlorinated hydrocarbons, using extraction followed by GC/ECD.		
<b>Recommended standards</b>		
Calibration standard: U-CHM-622		
U-CHM-622-1	Chlorinated Hydrocarbons Mixture 9 Analytes in iso-Octane (2,2,4-Trimethylpentane) 2-Chloronaphthalene ..... 400 µg/mL 1,2-Dichlorobenzene ..... 200 µg/mL 1,3-Dichlorobenzene ..... 200 µg/mL 1,4-Dichlorobenzene ..... 400 µg/mL 1,2,4-Trichlorobenzene ..... 40 µg/mL	1 mL  Hexachlorobenzene ..... 1 µg/mL Hexachlorobutadiene ..... 1 µg/mL Hexachlorocyclopentadiene ..... 1 µg/mL Hexachloroethane ..... 1 µg/mL
U-CHM-622	Chlorinated Hydrocarbons Mixture	4 x 1 mL
U-CHM-612-1	Chlorinated Hydrocarbons Mixture 100 µg/mL of each analyte in Methanol/Methylene chloride (1:1) 2-Chloronaphthalene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Hexachlorobenzene	1 mL  Hexachlorobutadiene Hexachlorocyclopentadiene Hexachloroethane 1,2,4-Trichlorobenzene
U-CHM-612	Chlorinated Hydrocarbons Mixture	4 x 1 mL
U-CHK-612	Chlorinated Hydrocarbons Kit 2-Chloronaphthalene (100 µg/mL in Methylene chloride) ..... 1,2-Dichlorobenzene (100 µg/mL in Methanol) ..... 1,3-Dichlorobenzene (100 µg/mL in Methanol) ..... 1,4-Dichlorobenzene (100 µg/mL in Methanol) ..... Hexachlorobenzene (100 µg/mL in Methylene chloride) ..... Hexachlorobutadiene (100 µg/mL in Methanol) ..... Hexachlorocyclopentadiene (100 µg/mL in Methanol) ..... Hexachloroethane (100 µg/mL in Methanol) ..... 1,2,4-Trichlorobenzene (100 µg/mL in Methanol) ..... Chlorinated Hydrocarbons Mixture (100 µg/mL in Methanol) .....	kit  U-CH-110 ( 1 x 1 mL ) U-HC-110 ( 1 x 1 mL ) U-HC-120 ( 1 x 1 mL ) U-HC-130 ( 1 x 1 mL ) U-CH-151 ( 1 x 1 mL ) U-CH-160 ( 1 x 1 mL ) U-CH-170 ( 1 x 1 mL ) U-CH-180 ( 1 x 1 mL ) U-CH-190 ( 1 x 1 mL ) U-CHM-612 ( 1 x 1 mL )

## EPA Method 613

### 2,3,7,8-TCDD

Method 613 is used to measure 2,3,7,8-tetrachlorodibenzo-p-dioxin, using extraction followed by capillary column GC/MS.

U-RPE-029S	2,3,7,8-Tetrachlorodibenzo-p-dioxin 10 µg/mL in Toluene	1 mL
------------	---	------

## EPA Method 614, 614.1

### Organophosphorus pesticides

Method 614 and 614.1 are used to measure organophosphorus pesticides. Samples are extracted, then quantitated using GC/NPD.

### Recommended standards

Calibration standards: U-SPM-614  
U-SPM-624

U-SPM-614-1	Organophosphorus Pesticides Mixture 200 µg/mL of each analyte in Acetone Azinphos-methyl Demeton (total, mixed isomers) Diazinon Disulfoton	1 mL  Ethion Malathion Parathion (ethyl) Methyl parathion
U-SPM-614	Organophosphorus Pesticides Mixture	4 x 1 mL
U-SPM-624-1	Organophosphorus Pesticides Mixture 4 Analytes in Hexane Dioxathion ..... 10 µg/mL Terbufos ..... 4 µg/mL	1 mL  EPN ..... 200 µg/mL Ethion ..... 100 µg/mL
U-SPM-624	Organophosphorus Pesticides Mixture	4 x 1 mL

Code	Product	Unit
<b>EPA Method 615</b>		
<b>Chlorinated herbicides</b>		
Method 615 is used to measure chlorinated herbicides. Samples are extracted, derivatised, and quantitated on GC/ECD.		
<b>Recommended standards</b>		
Calibration standard: U-HBM-8150A		
U-HBM-8150A-1	Chlorinated Herbicides Mixture 10 Analytes in Methanol 2,4-D ..... 100 µg/mL      Dicamba ..... 10 µg/mL      MCPA ..... 10000 µg/mL Dalapon ..... 250 µg/mL      Dichlorprop ..... 100 µg/mL      MCPP ..... 10000 µg/mL 2,4-DB ..... 100 µg/mL      Dinoseb ..... 50 µg/mL      Silvex (2,4,5-TP) ..... 10 µg/mL	1 mL
U-HBM-8150A	Chlorinated Herbicides Mixture	4 x 1 mL
U-HBM-8150M-1	Methylated Chlorinated Herbicides Mixture 10 Analytes in Methanol 2,4-D methyl ester ..... 100 µg/mL      Dinoseb methyl ether ..... 50 µg/mL Dalapon methyl ester ..... 250 µg/mL      MCPA methyl ester ..... 10000 µg/mL 2,4-DB methyl ester ..... 100 µg/mL      MCPP methyl ester ..... 10000 µg/mL Dicamba methyl ester ..... 10 µg/mL      Silvex methyl ester ..... 10 µg/mL Dichlorprop methyl ester ..... 100 µg/mL      2,4,5-T methyl ester ..... 10 µg/mL	1 mL
U-HBM-8150M	Methylated Chlorinated Herbicides Mixture	4 x 1 mL
U-PPS-171-1	4,4'-Dibromooctafluorobiphenyl 250 µg/mL in Acetone	1 mL
U-PPS-171	4,4'-Dibromooctafluorobiphenyl 250 µg/mL in Acetone	4 x 1 mL
U-PPS-165-1	2,4-Dichlorophenylacetic acid (DCAA) 100 µg/mL in Acetone	1 mL
U-PPS-165	2,4-Dichlorophenylacetic acid (DCAA) 100 µg/mL in Acetone	4 x 1 mL
U-PPS-166-1	DCAA methyl ester 100 µg/mL in Acetone	1 mL
U-PPS-166	DCAA methyl ester 100 µg/mL in Acetone	4 x 1 mL

**EPA Method 619**

<b>Triazine pesticides</b>		
Method 619 is used to measure triazine pesticides. Samples are extracted, then quantitated using GC/NPD.		
U-NPM-619-1	Triazine Pesticides Mixture 100 µg/mL in of each analyte in Acetone Ametryn                      Prometon                      Secbumeton                      Terbutylazine Atraton                      Prometryn                      Simetryn                      Terbutryn Atrazine                      Propazine                      Simazine	1 mL
U-NPM-619	Triazine Pesticides Mixture	4 x 1 mL

**EPA Method 622**

<b>Organophosphorus pesticides</b>		
Method 622 is used to measure organophosphorus pesticides. Samples are extracted, then quantitated using GC/NPD or GC/FPD.		
<b>Recommended standards</b>		
Calibration standards: U-SPM-622A U-SPM-622B U-SPM-622C U-SPM-622D		
U-SPM-622A-1	Organophosphorus Pesticides Mixture 10 Analytes in Hexane Fensulfotion ..... 150 µg/mL      Disulfoton ..... 20 µg/mL Azinphos-methyl ..... 150 µg/mL      Trichloronate ..... 15 µg/mL Coumaphos ..... 150 µg/mL      Fenthion ..... 10 µg/mL Demeton (total, mixed isomers) ..... 25 µg/mL      Tokuthion ..... 50 µg/mL Phorate ..... 15 µg/mL	1 mL
U-SPM-622A	Organophosphorus Pesticides Mixture	4 x 1 mL
U-SPM-622B-1	Organophosphorus Pesticides Mixture 3 Analytes in Hexane Dichlorvos ..... 10 µg/mL      Tetrachlorvinphos (Stirofos) ..... 500 µg/mL Mevinphos (Phosdrin) ..... 30 µg/mL	1 mL
U-SPM-622B	Organophosphorus Pesticides Mixture	4 x 1 mL

## EPA 600 Methods

Code	Product	Unit
U-SPM-622C-1	Organophosphorus Pesticides Mixture 7 Analytes in Hexane Ethoprop (Ethopropfos) ..... 25 µg/mL Methyl parathion ..... 30 µg/mL Fenchlorphos (Ronnell) ..... 30 µg/mL Chlorpyrifos-methyl ..... 30 µg/mL	1 mL
U-SPM-622C	Organophosphorus Pesticides Mixture	4 x 1 mL
U-SPM-622D-1	Naled 10 µg/mL in Hexane	1 mL
U-SPM-622D	Naled 10 µg/mL in Hexane	4 x 1 mL

## EPA Method 624

### Purgeables

Method 624 is a GC/MS method for purgeables

### Recommended standards

Calibration standards: U-PMX-110  
U-HC-070

Surrogate standard: U-STM-290N

U-PMX-100-1	Purgeable Mixture 20 µg/mL of each analyte in Methanol.		1 mL	
	Benzene Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform	Chloromethane Dibromochloromethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene	trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene	Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane Vinyl chloride
U-PMX-100	Purgeable Mixture		4 x 1 mL	
U-PMX-110-1	Purgeable Mixture 100 µg/mL of each analyte in Methanol.		1 mL	
	Benzene Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform	Chloromethane Dibromochloromethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene	trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene	Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane Vinyl chloride
U-PMX-110	Purgeable Mixture		4 x 1 mL	
U-STM-290N-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol		1 mL	
	Bromochloromethane 2-Bromo-1-chloropropane		1,4-Dichlorobutane	
U-STM-290N	Surrogate Standard Mixture		4 x 1 mL	
U-STM-291-1	Surrogate Standard Mixture 20000 µg/mL of each analyte in Methanol.		1 mL	
	Bromochloromethane 2-Bromo-1-chloropropane		1,4-Dichlorobutane	
U-STM-291	Surrogate Standard Mixture		4 x 1 mL	
U-STM-390-1	Surrogate Standard Mixture 20000 µg/mL of each analyte in Methanol		1 mL	
	4-Bromofluorobenzene Fluorobenzene		Pentafluorobenzene	
U-STM-390	Surrogate Standard Mixture		4 x 1 mL	
U-HC-070-1	2-Chloroethylvinyl ether 100 µg/mL in Methanol		1 mL	
U-HC-070	2-Chloroethylvinyl ether 100 µg/mL in Methanol		4 x 1 mL	
U-EPA-1016	2-Chloroethylvinyl ether 5000 µg/mL in Methanol		1 mL	
U-PMX-160-1	Purgeable Mixture 2000 µg/mL of each analyte in Methanol.		1 mL	
	Benzene Bromodichloromethane Bromoform Carbon tetrachloride Chlorobenzene Chloroform Dibromochloromethane	1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene	1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Methylene chloride 1,1,2,2-Tetrachloroethane Tetrachloroethene	Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene

Code	Product	Unit
U-PMX-160	Purgeable Mixture	4 x 1 mL
U-XY-0115-1	Purgeable A Mixture 200 µg/mL of each analyte in Methanol.	1 mL
	Carbon tetrachloride      Dibromochloromethane      1,2-Dichloropropane      1,1,2-Trichloroethane Chlorobenzene              1,1-Dichloroethane          Methylene chloride          Trichloroethene Chloroform                    1,1-Dichloroethene          Tetrachloroethene	
U-XY-0115	Purgeable A Mixture	4 x 1 mL
U-XY-0116-1	Purgeable B Mixture 200 µg/mL of each analyte in Methanol.	1 mL
	Benzene                      1,2-Dichloroethane          trans-1,3-Dichloropropene      Toluene Bromodichloromethane      trans-1,2-Dichloroethene      Ethylbenzene                      1,1,1-Trichloroethane Bromoform                    cis-1,3-Dichloropropene      1,1,2,2-Tetrachloroethane      Trichlorofluoromethane	
U-XY-0116	Purgeable B Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol.	1 mL
	Bromomethane              Chloromethane                  Trichlorofluoromethane Chloroethane                Dichlorodifluoromethane      Vinyl chloride	
U-DWM-544	VOC Gas Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol.	1 mL
	Bromomethane              Chloromethane                  Trichlorofluoromethane Chloroethane                Dichlorodifluoromethane      Vinyl chloride	
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-EPA-2041N-1	Volatiles Mixture 1 50 µg/mL of each analyte in Methanol	1 mL
	Carbon tetrachloride      1,4-Dichlorobenzene          trans-1,2-Dichloroethene      Tetrachloroethene Chlorobenzene              1,2-Dichloroethane          1,2-Dichloropropane          1,1,2-Trichloroethane 1,3-Dichlorobenzene      1,1-Dichloroethene          Ethylbenzene	
U-EPA-2041N	Volatiles Mixture 1	4 x 1 mL
U-EPA-2141N-1	Volatiles Mixture 1 500 µg/mL of each analyte in Acetone	1 mL
	Carbon tetrachloride      1,4-Dichlorobenzene          trans-1,2-Dichloroethene      Tetrachloroethene Chlorobenzene              1,2-Dichloroethane          1,2-Dichloropropane          1,1,2-Trichloroethane 1,3-Dichlorobenzene      1,1-Dichloroethene          Ethylbenzene	
U-EPA-2141N	Volatiles Mixture 1	4 x 1 mL
U-EPA-2042N-1	Volatiles Mixture 2 50 µg/mL of each analyte in Methanol	1 mL
	Benzene                      Chloroform                      1,1-Dichloroethane              Toluene Bromodichloromethane      Dibromochloromethane          Methylene chloride              1,1,1-Trichloroethane Bromoform                    1,2-Dichlorobenzene          1,1,2,2-Tetrachloroethane      Trichloroethene	
U-EPA-2042N	Volatiles Mixture 2	4 x 1 mL
U-EPA-2142N-1	Volatiles Mixture 2 500 µg/mL of each analyte in Methanol	1 mL
	Benzene                      Chloroform                      1,1-Dichloroethane              Toluene Bromodichloromethane      Dibromochloromethane          Methylene chloride              1,1,1-Trichloroethane Bromoform                    1,2-Dichlorobenzene          1,1,2,2-Tetrachloroethane      Trichloroethene	
U-EPA-2142N	Volatiles Mixture 2	4 x 1 mL
U-PMK-624	EPA Method 624 Kit	kit
	Purgeable Mixture (100 µg/mL in Methanol)..... U-PMX-110 ( 1 x 1 mL ) 2-Chloroethylvinyl ether (100 µg/mL in Methanol) ..... U-HC-070 ( 1 x 1 mL ) Surrogate Standard Mixture (2000 µg/mL in Methanol)..... U-STM-290N ( 1 x 1 mL ) 4-Bromofluorobenzene (2000 µg/mL in Methanol) ..... U-STS-110N ( 1 x 1 mL )	
U-STS-180-1	Bromochloromethane 2000 µg/mL in Methanol	1 mL
U-STS-180	Bromochloromethane 2000 µg/mL in Methanol	4 x 1 mL
U-STS-190-1	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	1 mL
U-STS-190	2-Bromo-1-chloropropane 2000 µg/mL in Methanol	4 x 1 mL
U-STS-110N-1	4-Bromofluorobenzene 2000 µg/mL in Methanol	1 mL
U-STS-110N	4-Bromofluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-STS-200-1	1,4-Dichlorobutane 2000 µg/mL in Methanol	1 mL
U-STS-200	1,4-Dichlorobutane 2000 µg/mL in Methanol	4 x 1 mL
U-STS-120-1	1,2-Dichloroethane-D <sub>4</sub> 2000 µg/mL in Methanol	1 mL



## EPA 600 Methods

Code	Product	Unit
U-ST5-120	1,2-Dichloroethane-D <sub>4</sub> 2000 µg/mL in Methanol	4 x 1 mL
U-ST5-130-1	1,4-Difluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-130	1,4-Difluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-ST5-150-1	Ethylbenzene-D <sub>10</sub> 2000 µg/mL in Methanol	1 mL
U-ST5-150	Ethylbenzene-D <sub>10</sub> 2000 µg/mL in Methanol	4 x 1 mL
U-ST5-160-1	Fluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-160	Fluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-ST5-170-1	Pentafluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-170	Pentafluorobenzene 2000 µg/mL in Methanol	4 x 1 mL

## EPA Method 625

### Base/Neutrals and acids

Method 625 is a GC/MS method for extractables.

### Recommended standards

Calibration standards: U-625-MA  
U-PHM-604  
U-PPM-625B

U-625-MA-1	Base/Neutral Extractables Mixture 20 µg/mL of each analyte in Methanol.		1 mL
	Acenaphthene	1,4-Dichlorobenzene	
	Acenaphthylene	3,3'-Dichlorobenzidine	
	Anthracene	Diethyl phthalate	
	Benzo(a)anthracene	Dimethyl phthalate	
	Benzo(b)fluoranthene	2,4-Dinitrotoluene	
	Benzo(k)fluoranthene	2,6-Dinitrotoluene	
	Benzo(ghi)perylene	Di-n-octyl phthalate	
	Benzo(a)pyrene	Fluoranthene	
	Bis(2-chloroethoxy)methane	Fluorene	
	Bis(2-chloroethyl) ether	Hexachlorobenzene	
	Bis(2-chloroisopropyl) ether	Hexachlorobutadiene	
	Bis(2-ethylhexyl)phthalate	Hexachloroethane	
	4-Bromophenyl phenyl ether	Indeno(1,2,3-cd)pyrene	
	Butyl benzyl phthalate	Isophorone	
	2-Chloronaphthalene	Naphthalene	
	4-Chlorophenyl phenyl ether	Nitrobenzene	
	Chrysene	N-Nitrosodi-n-propylamine	
	Dibenzo(a,h)anthracene	Phenanthrene	
	Di-n-butyl phthalate	Pyrene	
	1,2-Dichlorobenzene	1,2,4-Trichlorobenzene	
	1,3-Dichlorobenzene		
U-625-MA	Base/Neutral Extractables Mixture		4 x 1 mL
U-PHM-604-1	Phenols Mixture 20 µg/mL of each analyte in Methanol.		1 mL
	4-Chloro-3-methylphenol	2-Nitrophenol	
	2-Chlorophenol	4-Nitrophenol	
	2,4-Dichlorophenol	Pentachlorophenol	
	2,4-Dimethylphenol	Phenol	
	2-Methyl-4,6-dinitrophenol	2,4,6-Trichlorophenol	
	2,4-Dinitrophenol		
U-PHM-604	Phenols Mixture		4 x 1 mL
U-ISM-560-1	Semi-Volatiles Internal Standard Mixture 2000 µg/mL of each analyte in Methylene chloride.		1 mL
	Acenaphthene-D <sub>10</sub>	Naphthalene-D <sub>8</sub>	
	Chrysene-D <sub>12</sub>	Perylene-D <sub>12</sub>	
	1,4-Dichlorobenzene-D <sub>4</sub>	Phenanthrene-D <sub>10</sub>	
U-ISM-560	Semi-Volatiles Internal Standard Mixture		4 x 1 mL
U-US-108N	Semi-Volatiles Internal Standard Mixture 4000 µg/mL of each analyte in Methylene chloride.		1 mL
	Acenaphthene-D <sub>10</sub>	Naphthalene-D <sub>8</sub>	
	Chrysene-D <sub>12</sub>	Perylene-D <sub>12</sub>	
	1,4-Dichlorobenzene-D <sub>4</sub>	Phenanthrene-D <sub>10</sub>	
<b>New</b> U-US-108N-4	Semi-Volatiles Internal Standard Mixture		4 x 1 mL

Code	Product	Unit
U-SVM-102-1	Base/Neutral Extractables Mixture 2000 µg/mL in Methylene chloride/Benzene/Acetonitrile (2:2:1). Acenaphthene Acenaphthylene Anthracene Azobenzene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Bis(2-chloroethyl) ether Bis(2-chloroethoxy)methane Bis(2-ethylhexyl)phthalate Bis(2-chloroisopropyl) ether 4-bromophenyl phenyl ether Butyl benzyl phthalate 2-Chloronaphthalene 4-Chlorophenyl phenyl ether Chrysene Dibenzo(a,h)anthracene Di-n-butyl phthalate 1,2-Dichlorobenzene 1,3-Dichlorobenzene	1 mL 1,4-Dichlorobenzene Diethyl phthalate Dimethyl phthalate 2,4-Dinitrotoluene 2,6-Dinitrotoluene Di-n-octyl phthalate Fluoranthene Fluorene Hexachlorobenzene Hexachlorobutadiene Hexachlorocyclopentadiene Hexachloroethane Indeno(1,2,3-cd)pyrene Isophorone Naphthalene Nitrobenzene N-Nitrosodimethylamine N-Nitrosodi-n-propylamine N-Nitrosodiphenylamine Phenanthrene Pyrene 1,2,4-Trichlorobenzene
U-SVM-102	Base/Neutral Extractables Mixture	4 x 1 mL
U-PPM-625B-1	Pesticides Extractables Mixture 20 µg/mL of each analyte in Methanol Aldrin beta-BHC (beta-HCH) delta-BHC (delta-HCH) 4,4'-DDD 4,4'-DDE 4,4'-DDT	1 mL Dieldrin Endosulfan sulfate Endrin aldehyde Heptachlor Heptachlor epoxide - isomer B
U-PPM-625B	Pesticides Extractables Mixture	4 x 1 mL
U-EPA-2008N-1	Acids Mixture 100 µg/mL of each analyte in Methanol 4-Chloro-3-methylphenol 2-Chlorophenol 2,4-Dichlorophenol 2,4-Dimethylphenol 2,4-Dinitrophenol 2-Methyl-4,6-dinitrophenol	1 mL 2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,4,6-Trichlorophenol
U-EPA-2008N	Acids Mixture	4 x 1 mL
U-EPA-2010N-1	GC/MS Base/Neutrals Mixture 1 1000 µg/mL of each analyte in Methanol Benzo(a)anthracene Benzo(k)fluoranthene Bis(2-chloroethoxy)methane Bis(2-chloroethyl) ether 2-Chloronaphthalene Di-n-butyl phthalate 1,2-Dichlorobenzene 1,3-Dichlorobenzene Diethyl phthalate 2,4-Dinitrotoluene	1 mL 2,6-Dinitrotoluene Di-n-octyl phthalate Hexachlorobenzene Hexachlorobutadiene Isophorone N-Nitrosodi-n-propylamine Phenanthrene Pyrene 1,2,4-Trichlorobenzene
U-EPA-2010N	GC/MS Base/Neutrals Mixture 1	4 x 1 mL
U-EPA-2011N-1	GC/MS Base/Neutrals Mixture 2 100 µg/mL of each analyte in Acetone Acenaphthene Anthracene Benzo(b)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Bis(2-ethylhexyl)phthalate 4-Bromophenyl phenyl ether Butyl benzyl phthalate 4-Chlorophenyl phenyl ether	1 mL Chrysene Dibenzo(a,h)anthracene 1,4-Dichlorobenzene Dimethyl phthalate Fluoranthene Fluorene Hexachloroethane Naphthalene Nitrobenzene
U-EPA-2011N	GC/MS Base/Neutrals Mixture 2	4 x 1 mL
U-SVK-625A	EPA Method 625 Kit Base/Neutral Extractables Mixture (20 µg/mL in Methanol) ..... U-625-MA ( 1 x 1 mL ) Phenols Mixture (20 µg/mL in Methanol) ..... U-PHM-604 ( 1 x 1 mL ) Base/Neutrals Surrogate Standard Mixture (1000 µg/mL in Methylene chloride)..... U-ISM-280N ( 1 x 1 mL ) Acids Surrogate Standard Mixture (2000 µg/mL in Methanol)..... U-ISM-290N ( 1 x 1 mL ) Semi-Volatiles Internal Standard Mixture (4000 µg/mL in Methylene chloride) ..... U-US-108N ( 1 x 1 mL )	kit

# EPA 600 Methods

Code	Product	Unit
U-US-109K	High Concentration GC/MS Kit Base/Neutrals Mixture #1 (2000 µg/mL in Methylene chloride) ..... U-US-100N ( 1 x 1 mL ) Base/Neutrals Mixture #2 (2000 µg/mL in Methylene chloride) ..... U-US-101N ( 1 x 1 mL ) Organochlorine Pesticide Mixture (2000 µg/mL in Hexane/Toluene (1:1)) ..... U-US-102BN ( 1 x 1 mL ) Toxic Substances Mixture #1 (2000 µg/mL in Methylene chloride) ..... U-US-103N ( 1 x 1 mL ) Toxic Substances Mixture #2 (2000 µg/mL in Methylene chloride) ..... U-US-104N ( 1 x 1 mL ) Benzidines Mixture (2000 µg/mL in Methanol) ..... U-US-105N ( 1 x 1 mL ) PAH Mixture (2000 µg/mL in Methylene chloride/Benzene) ..... U-US-106N ( 1 x 1 mL ) Phenols Mixture (2000 µg/mL in Methylene chloride) ..... U-US-107N ( 1 x 1 mL ) Semi-Volatiles Internal Standard Mixture (4000 µg/mL in Methylene chloride) ..... U-US-108N ( 1 x 1 mL )	kit
U-US-100N	Base/Neutrals Mixture 1 2000 µg/mL of each analyte in Methylene chloride. Bis(2-chloroethoxy)methane Diethyl phthalate Bis(2-chloroethyl) ether Dimethyl phthalate Bis(2-ethylhexyl)phthalate Di-n-butyl phthalate Bis(2-chloroisopropyl) ether Di-n-octyl phthalate 4-Bromophenyl phenyl ether N-Nitrosodimethylamine Butyl benzyl phthalate N-Nitrosodi-n-propylamine 4-Chlorophenyl phenyl ether N-Nitrosodiphenylamine	1 mL
U-US-101N	Base/Neutrals Mixture 2 2000 µg/mL of each analyte in Methylene chloride. Azobenzene Hexachlorobenzene 2-Chloronaphthalene Hexachlorobutadiene 1,2-Dichlorobenzene Hexachlorocyclopentadiene 1,3-Dichlorobenzene Hexachloroethane 1,4-Dichlorobenzene Isophorone 2,4-Dinitrotoluene Nitrobenzene 2,6-Dinitrotoluene 1,2,4-Trichlorobenzene	1 mL
U-US-101N-4	Base/Neutrals Mixture 2	4 x 1 mL
U-US-103N	Toxic Substances Mixture 1 2000 µg/mL of each analyte in Methylene chloride. Benzoic acid p-Cresol (4-Methylphenol) o-Cresol (2-Methylphenol) 2,4,5-Trichlorophenol	1 mL
U-US-103N-4	Toxic Substances Mixture 1	4 x 1 mL
U-US-104N	Toxic Substances Mixture 2 2000 µg/mL of each analyte in Methylene chloride. Aniline 4-Chloroaniline 2-Methylnaphthalene 3-Nitroaniline Benzyl alcohol Dibenzofuran 2-Nitroaniline 4-Nitroaniline	1 mL
U-US-104N-4	Toxic Substances Mixture 2	4 x 1 mL
U-US-105N	Benzidines Mixture 2000 µg/mL of each analyte in Methanol. Benzidine 3,3'-Dichlorobenzidine	1 mL
U-US-105N-4	Benzidines Mixture	4 x 1 mL
U-US-106N	PAH Mixture 2000 µg/mL of each analyte in Methylene chloride/Benzene (1:1) Acenaphthene Benzo(b)fluoranthene Chrysene Indeno(1,2,3-cd)pyrene Acenaphthylene Benzo(k)fluoranthene Dibenzo(a,h)anthracene Naphthalene Anthracene Benzo(ghi)perylene Fluoranthene Phenanthrene Benzo(a)anthracene Benzo(a)pyrene Fluorene Pyrene	1 mL
U-US-106N-4	PAH Mixture	4 x 1 mL
U-US-107N	Phenols Mixture 2000 µg/mL of each analyte in Methylene Chloride. 4-Chloro-3-methylphenol 2-Nitrophenol 2-Chlorophenol 4-Nitrophenol 2,4-Dichlorophenol Pentachlorophenol 2,4-Dimethylphenol Phenol 2,4-Dinitrophenol 2,4,6-Trichlorophenol 2-Methyl-4,6-dinitrophenol	1 mL
U-US-107N-4	Phenols Mixture	4 x 1 mL
U-US-102BN	Organochlorine Pesticide Mixture 2000 µg/mL of each analyte in Hexane/Toluene (1:1) Aldrin Dieldrin alpha-BHC (alpha-HCH) Endosulfan I beta-BHC (beta-HCH) Endosulfan II delta-BHC (delta-HCH) Endosulfan sulfate gamma-BHC (Lindane) Endrin 4,4'-DDD Endrin aldehyde 4,4'-DDE Heptachlor 4,4'-DDT Heptachlor epoxide - isomer B	1 mL
U-US-102BN-4	Organochlorine Pesticide Mixture	4 x 1 mL

Code	Product	Unit
U-US-136	Method 625 Additions Mixture 200 µg/mL of each analyte in Methylene chloride Acetophenone                      n-Decane                      n-Octadecane                      alpha-Terpineol Carbazole                      2,3-Dichloroaniline                      Pyridine	1 mL
<b>New</b> U-US-136-4	Method 625 Additions Mixture	4 x 1 mL
U-SVM-110-1	Base/Neutral Extractables Mixture 500 µg/mL of each analyte in Methylene chloride Acenaphthylene                      Di-n-butyl phthalate Benzo[b]fluoranthene                      1,4-Dichlorobenzene Bis(2-chloroethyl) ether                      3,3'-Dichlorobenzidine Bis(2-ethylhexyl)phthalate                      Dimethyl phthalate Bis(2-chloroisopropyl) ether                      2,6-dinitrotoluene 4-Bromophenyl phenyl ether                      Nitrobenzene	1 mL
U-SVM-110	Base/Neutral Extractables Mixture	4 x 1 mL
U-SVM-111-1	Base/Neutral Extractables Mixture 500 µg/mL of each analyte in Methylene chloride Acenaphthene                      Diethyl phthalate Anthracene                      2,4-Dinitrotoluene Benzo(a)anthracene                      Fluorene Bis(2-chloroethoxy)methane                      Hexachlorobenzene Chrysene                      Hexachlorobutadiene Dibenzo(a,h)anthracene                      Naphthalene 1,2-Dichlorobenzene                      Pyrene 1,3-Dichlorobenzene	1 mL
U-SVM-111	Base/Neutral Extractables Mixture	4 x 1 mL
U-SVM-112-1	Base/Neutral Extractables Mixture 500 µg/mL of each analyte in Methylene chloride Azobenzene                      Isophorone Butyl benzyl phthalate                      N-Nitrosodi-n-propylamine 2-Chloronaphthalene                      N-Nitrosodiphenylamine Fluoranthene                      Phenanthrene Hexachlorocyclopentadiene                      1,2,4-Trichlorobenzene Hexachloroethane	1 mL
U-SVM-112	Base/Neutral Extractables Mixture	4 x 1 mL
U-SVM-113-1	Base/Neutrals Extractables Mixture 500 µg/mL of each analyte in Methylene chloride Benzidine                      4-Chlorophenyl phenyl ether Benzo(k)fluoranthene                      Di-n-octyl phthalate Benzo(ghi)perylene                      Indeno(1,2,3-cd)pyrene Benzo[a]pyrene                      N-Nitrosodimethylamine	1 mL
U-SVM-113	Base/Neutrals Extractables Mixture	4 x 1 mL
<b>New</b> U-PPM-608G-1	Waste Water Pesticides Mixture 7 Analytes 100 µg/mL of each analyte in Acetone Aldrin                      Dieldrin 4,4'-DDD                      Heptachlor 4,4'-DDE                      Heptachlor epoxide - isomer B 4,4'-DDT	1 mL
<b>New</b> U-PPM-608G	Waste Water Pesticides Mixture	4 x 1 mL
U-XY-0120-1	Base/Neutrals A Mix 12 Analytes in Methanol/Methylene chloride Acenaphthylene ..... 200 µg/mL                      Di-n-butyl phthalate ..... 200 µg/mL Benzo(b)fluoranthene ..... 100 µg/mL                      1,4-Dichlorobenzene ..... 200 µg/mL Bis(2-chloroethyl) ether ..... 200 µg/mL                      3,3'-Dichlorobenzidine ..... 200 µg/mL Bis(2-chloroisopropyl) ether ..... 200 µg/mL                      Dimethyl phthalate ..... 200 µg/mL Bis(2-ethylhexyl)phthalate ..... 200 µg/mL                      2,6-Dinitrotoluene ..... 200 µg/mL 4-Bromophenyl phenyl ether ..... 200 µg/mL                      Nitrobenzene ..... 200 µg/mL	1 mL
U-XY-0120	Base/Neutrals A Mix	4 x 1 mL
U-XY-0121-1	Base/Neutrals B Mix 15 Analytes in Methanol/Methylene chloride Acenaphthene ..... 200 µg/mL                      Diethyl phthalate ..... 200 µg/mL Anthracene ..... 200 µg/mL                      2,4-Dinitrotoluene ..... 200 µg/mL Benzo(a)anthracene ..... 100 µg/mL                      Fluorene ..... 200 µg/mL Bis(2-chloroethoxy)methane ..... 200 µg/mL                      Hexachlorobenzene ..... 200 µg/mL Chrysene ..... 100 µg/mL                      Hexachlorobutadiene ..... 200 µg/mL Dibenzo(a,h)anthracene ..... 100 µg/mL                      Naphthalene ..... 200 µg/mL 1,2-Dichlorobenzene ..... 200 µg/mL                      Pyrene ..... 100 µg/mL 1,3-Dichlorobenzene ..... 200 µg/mL	1 mL
U-XY-0121	Base/Neutrals B Mix	4 x 1 mL

## EPA 600 Methods

Code	Product	Unit
U-XY-0122-1	Base/Neutrals C Mix 11 Analytes in Methanol/Methylene chloride Azobenzene ..... 200 µg/mL Butyl benzyl phthalate ..... 200 µg/mL 2-Chloronaphthalene ..... 200 µg/mL Fluoranthene ..... 100 µg/mL Hexachlorocyclopentadiene ..... 200 µg/mL Hexachloroethane ..... 200 µg/mL Isophorone ..... 200 µg/mL N-Nitrosodiphenylamine ..... 200 µg/mL N-Nitrosodi-n-propylamine ..... 200 µg/mL Phenanthrene ..... 200 µg/mL 1,2,4-Trichlorobenzene ..... 200 µg/mL	1 mL
U-XY-0122	Base/Neutrals C Mix	4 x 1 mL
U-XY-0126-1	Phenols Mixture 11 Analytes in Methanol 4-Chloro-3-methylphenol ..... 2500 µg/mL 2-Chlorophenol ..... 500 µg/mL 2,4-Dichlorophenol ..... 500 µg/mL 2,4-Dimethylphenol ..... 500 µg/mL 2-Methyl-4,6-dinitrophenol ..... 2500 µg/mL 2,4-Dinitrophenol ..... 1500 µg/mL 2-Nitrophenol ..... 500 µg/mL 4-Nitrophenol ..... 2500 µg/mL Pentachlorophenol ..... 2500 µg/mL Phenol ..... 600 µg/mL 2,4,6-Trichlorophenol ..... 500 µg/mL	1 mL
U-XY-0126	Phenols Mixture	4 x 1 mL
U-XY-0127-1	Aroclors Mixture 20 µg/mL of each analyte in Methanol Aroclor 1016 (PCB 1016) Aroclor 1232 (PCB 1232) Aroclor 1248 (PCB 1248) Aroclor 1260 (PCB 1260)	1 mL
U-XY-0127	Aroclors Mixture	4 x 1 mL
U-XY-0128-1	Aroclors Mixture 20 µg/mL of each analyte in Methanol Aroclor 1221 (PCB 1221) Aroclor 1242 (PCB 1242) Aroclor 1254 (PCB 1254)	1 mL
U-XY-0128	Aroclors Mixture	4 x 1 mL
U-PPM-608B-1	Organochlorine Pesticide Mixture 20 µg/mL of each analyte in Methanol Endosulfan II Endosulfan sulfate Endrin Endrin aldehyde Heptachlor Aldrin alpha-BHC (alpha-HCH) beta-BHC (beta-HCH) Delta-BHC (delta-HCH) gamma-BHC (Lindane) 4,4'-DDD 4,4'-DDE 4,4'-DDT Dieldrin Endosulfan I Heptachlor epoxide - isomer B	1 mL
U-PPM-608B	Organochlorine Pesticide Mixture	4 x 1 mL
U-TCLP-533-1	TCLP Pesticides Spiking Mixture 2 Analytes in Methanol Chlordane ..... 2000 µg/mL Toxaphene ..... 4000 µg/mL	1 mL
U-TCLP-533	TCLP Pesticides Spiking Mixture	4 x 1 mL
U-ISM-280N-1	Base/Neutrals Surrogate Standard Mixture 1000 µg/mL of each analyte in Methylene chloride 2-Fluorobiphenyl Nitrobenzene-D <sub>5</sub> p-Terphenyl-D <sub>14</sub>	1 mL
U-ISM-280N	Base/Neutrals Surrogate Standard Mixture	4 x 1 mL
U-ISM-290N-1	Acids Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol 2-Fluorophenol Phenol-D <sub>5</sub> 2,4,6-Tribromophenol	1 mL
U-ISM-290N	Acids Surrogate Standard Mixture	4 x 1 mL
U-IST-100-1	Aniline-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-100	Aniline-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-110-1	Anthracene-D <sub>10</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-110	Anthracene-D <sub>10</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-120-1	Benzo(a)anthracene-D <sub>12</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-120	Benzo(a)anthracene-D <sub>12</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-130-1	4,4'-Dibromobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-130	4,4'-Dibromobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-140-1	4,4'-Dibromooctafluorobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-140	4,4'-Dibromooctafluorobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-150-1	Decafluorobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-150	Decafluorobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL

Code	Product	Unit
U-IST-160-1	2,2'-Difluorobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-160	2,2'-Difluorobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-170-1	4-Fluoroaniline 1000 µg/mL in Methylene chloride	1 mL
U-IST-170	4-Fluoroaniline 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-180-1	1-Fluoronaphthalene 1000 µg/mL in Methylene chloride	1 mL
U-IST-180	1-Fluoronaphthalene 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-190-1	2-Fluoronaphthalene 1000 µg/mL in Methylene chloride	1 mL
U-IST-190	2-Fluoronaphthalene 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-250-1	2-Fluorophenol 1000 µg/mL in Methylene chloride	1 mL
U-IST-250	2-Fluorophenol 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-200-1	Naphthalene-D <sub>8</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-200	Naphthalene-D <sub>8</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-210-1	Nitrobenzene-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-210	Nitrobenzene-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-220-1	2,3,4,5,6-Pentafluorobiphenyl 1000 µg/mL in Methylene chloride	1 mL
U-IST-220	2,3,4,5,6-Pentafluorobiphenyl 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-260-1	Pentafluorophenol 1000 µg/mL in Methylene chloride	1 mL
U-IST-260	Pentafluorophenol 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-230-1	Phenanthrene-D <sub>10</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-230	Phenanthrene-D <sub>10</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-240-1	Pyridine-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-240	Pyridine-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-IST-270-1	Phenol-D <sub>5</sub> 1000 µg/mL in Methylene chloride	1 mL
U-IST-270	Phenol-D <sub>5</sub> 1000 µg/mL in Methylene chloride	4 x 1 mL
U-GCM-100K	GC/MS Tuning Kit Decafluorotriphenylphosphine (DFTPP) (1000 µg/mL in Methylene chloride)..... U-47995N ( 1 x 1 mL ) Benzidine Solution (2000 µg/mL in Methylene chloride)..... U-GCS-110 ( 1 x 1 mL ) Pentachlorophenol Solution (1000 µg/mL in Methylene chloride) ..... U-GCS-120 ( 1 x 1 mL ) Base/Neutrals Test Mixture (in Methylene chloride) ..... U-GCM-130 ( 1 x 1 mL ) Acids Test Mixture (1000 µg/mL in Methylene chloride)..... U-GCM-140 ( 1 x 1 mL )	kit
U-GCM-130-1	Base/Neutrals Test Mixture 2 Analytes in Methylene chloride Benzidine ..... 2000 µg/mL      Decafluorotriphenylphosphine ..... 1000 µg/mL	1 mL
U-GCM-130	Base/Neutrals Test Mixture	4 x 1 mL
U-GCM-140-1	Acids Test Mixture 1000 µg/mL of each analyte in Methylene chloride Pentachlorophenol      Decafluorotriphenylphosphine	1 mL
U-GCM-140	Acids Test Mixture	4 x 1 mL
U-IST-341-1	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	1 mL
U-IST-341	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	4 x 1 mL
U-47995N-1	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	1 mL
U-47995N	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	4 x 1 mL
U-GCS-110-1	Benzidine 2000 µg/mL in Methylene chloride	1 mL
U-GCS-110	Benzidine 2000 µg/mL in Methylene chloride	4 x 1 mL
U-GCS-120-1	Pentachlorophenol 1000 µg/mL in Methylene chloride	1 mL
U-GCS-120	Pentachlorophenol 1000 µg/mL in Methylene chloride	4 x 1 mL
<b>EPA Method 629</b>		
U-EPA-1165	Cyanazine 1000 µg/mL in Methanol	1 mL
<b>EPA Method 630, 630.1</b>		
U-EPA-1012	Carbon disulfide 5000 µg/mL in Methanol	1 mL
<b>EPA Method 631</b>		
<b>New</b> U-PST-1285M100A01	Carbendazim 100 µg/mL in Methanol	1 mL







## EPA 8000 Methods

Code	Product	Unit
<b>New</b> U-RGO-102X	Method 1664 Precision, Accuracy and Recovery Standard 2000 µg/mL of each analyte in Acetone n-Hexadecane                      Stearic acid	100 mL

## EPA 8000 Methods

### Reference materials for monitoring organic pollutants in ground water

The 8000 series are used for monitoring organic pollutants in ground water as prescribed in the Resource Conservation and Recovery Act.

ULTRA Scientific has prepared a series reference standards for the 8000 series methods as well as the necessary surrogate and internal standards. Each component in a reference standard is pre-analysed, with most analytes being >99% pure. All solvents are of the highest quality available. All solutions are gravimetrically prepared to a precision of ±0.5%. A certificate showing the actual weights used is supplied with each mixture.

Code	Product	Unit
------	---------	------

### EPA Method 8010B

#### Volatile halocarbons

Method 8010B is used to determine volatile halogenated organic pollutants using either purge or trap or direct injection and an electrolytic conductivity (Hall) detector.

#### Recommended standards

Calibration standards:                      U-HCM-801  
    U-HC-070  
    U-HC-491

Surrogate standard:                         U-STM-401

U-HCM-801-1	Halogenated Volatiles Mixture 100 µg/mL of each analyte in Methanol. Allyl chloride Bromodichloromethane Bromoform Bromomethane Carbon tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene trans-1,4-Dichloro-2-butene Dichlorodifluoromethane	1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Methyl iodide (Iodomethane) Methylene chloride 1,1,1,2-Tetrachloroethane 1,1,1,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Trichlorofluoromethane 1,2,3-Trichloropropane Vinyl chloride	1 mL
U-HCM-801	Halogenated Volatiles Mixture		4 x 1 mL
U-HC-070-1	2-Chloroethylvinyl ether 100 µg/mL in Methanol		1 mL
U-HC-070	2-Chloroethylvinyl ether 100 µg/mL in Methanol		4 x 1 mL
U-EPA-1016	2-Chloroethylvinyl ether 5000 µg/mL in Methanol		1 mL
U-HC-491-1	Chloroprene 100 µg/mL in Methanol		1 mL
U-HC-491	Chloroprene 100 µg/mL in Methanol		4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol. Bromomethane                      Chloromethane                      Trichlorofluoromethane Chloroethane                        Dichlorodifluoromethane        Vinyl chloride		1 mL
U-DWM-544	VOC Gas Mixture		4 x 1 mL
U-STM-401-1	Internal & Surrogate Standard Mixture 1500 µg/mL of each analyte in Methanol 4-Bromochlorobenzene Bromochloromethane	4-Bromofluorobenzene	1 mL
U-STM-401	Internal & Surrogate Standard Mixture		4 x 1 mL

Code	Product	Unit
<b>EPA Method 8011</b>		
<b>Dibromoethane and dibromochloropropane</b>		
1,2-Dibromoethane and 1,2-Dibromo-3-chloropropane using microextraction and capillary column GC with an ECD.		
<b>Recommended standards</b>		
Calibration standard: U-DWM-504N U-HCM-812		
U-DWM-504N-1	DBCP-EDB Mixture 200 µg/mL of each analyte in Methanol. 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane	1 mL
U-DWM-504N	DBCP-EDB Mixture	4 x 1 mL
U-HCM-812-1	DBCP/EDB Mixture 2000 µg/mL of each analyte in Methanol 1,2-Dibromo-3-chloropropane	1 mL
	1,2-Dibromoethane	
U-HCM-812	DBCP-EDB Mixture	4 x 1 mL

**EPA Method 8015C****Nonhalogenated volatile organic pollutants**

Method 8015C is used to determine volatile nonhalogenated organics, using either purge and trap or direct injection, and a flame ionization detector (FID).

**Recommended standards**

Calibration standard: U-NVM-8015A  
U-NVM-8015B

Internal standard: U-STM-580

<b>New</b>	U-NVM-8015A-1	Non-Halogenated Volatiles Mixture 18 Analytes 2000 µg/mL of each analyte in Water Acetone Acetonitrile Allyl alcohol 1-Butanol (n-butyl alcohol) tert-Butyl alcohol (2-Methyl-2-propanol) Diethyl ether 1,4-Dioxane Ethanol Ethyl acetate	Ethylene glycol Isobutyl alcohol (2-Methyl-1-propanol) Isopropyl alcohol (2-propanol) Methanol 2-Butanone (MEK) 4-Methyl-2-pentanone (MIBK) 2-Pentanone 1-Propanol (n-Propyl alcohol) Propionitrile	1 mL
<b>New</b>	U-NVM-8015A	Non-Halogenated Volatiles Mixture		4 x 1 mL
<b>New</b>	U-NVM-8015B-1	Non-Halogenated Volatiles Mixture 4 Analytes 2000 µg/mL of each analyte in Methanol N-Nitrosodi-n-butylamine 2-Picoline	Pyridine o-Toluidine	1 mL
<b>New</b>	U-NVM-8015B	Non-Halogenated Volatiles Mixture		4 x 1 mL
<b>New</b>	U-SAK-100-1	GRO Mixture 5 Analytes 2000 µg/mL of each analyte in Methanol n-Hexane (C6) n-Heptane (C7)	n-Octane (C8) n-Nonane (C9) n-Decane (C10)	1 mL
<b>New</b>	U-SAK-100	GRO Mixture		4 x 1 mL
<b>New</b>	U-STM-580-1	Internal Standard Mixture 3 Analytes 2000 µg/mL of each analyte in Water 2-Chloroacrylonitrile Hexafluoro-2-propanol	Hexafluoro-2-methyl-2-propanol	1 mL
<b>New</b>	U-STM-580	Internal Standard Mixture		4 x 1 mL
	U-NVM-8115-1	Method 8015A Non-Halogenated Volatiles Mixture 2000 µg/mL of each analyte in Methanol. Diethyl ether Ethyl alcohol (Ethanol)	2-Butanone (MEK) 4-Methyl-2-pentanone (MIBK)	1 mL
	U-NVM-8115	Method 8015A Non-Halogenated Volatiles Mixture		4 x 1 mL

## EPA 8000 Methods

Code	Product	Unit
U-NVM-8015-1	Non-Halogenated Volatiles Mixture 100 µg/mL of each analyte in Methanol. Acetonitrile Acrylamide 2-butanone (MEK) Diethyl ether 1,4-Dioxane Ethyl alcohol (Ethanol)	1 mL
U-NVM-8015	Non-Halogenated Volatiles Mixture	4 x 1 mL
<b>New</b> U-UST-200-1	DRO Mixture (EPA/Wisconsin) 10 Analytes 2000 µg/mL of each analyte in Methylene chloride n-Decane (C10) n-Dodecane (C12) n-Tetradecane (C14)	1 mL
<b>New</b> U-UST-200	DRO Mixture (EPA/Wisconsin)	4 x 1 mL

## EPA Method 8020A

### Aromatic volatiles

Method 8020A is used to determine volatile aromatic organic compounds using either purge and trap or direct injection and a PID.

### Recommended standards

Calibration standard: U-AMM-802  
Internal and Surrogate standard: U-STM-510

U-AMM-802-1	Aromatic Volatiles Mixture 100 µg/mL of each analyte in Methanol. Benzene Chlorobenzene 1,2-Dichlorobenzene	1,3-Dichlorobenzene 1,4-Dichlorobenzene Ethylbenzene	Styrene Toluene m-Xylene	o-Xylene p-Xylene	1 mL
U-AMM-802	Aromatic Volatiles Mixture				4 x 1 mL
U-AMM-812-1	Aromatic Volatiles Mixture 2000 µg/mL of each analyte in Methanol Benzene Chlorobenzene 1,2-Dichlorobenzene	1,3-Dichlorobenzene 1,4-Dichlorobenzene Ethylbenzene	Toluene o-Xylene m-Xylene	p-Xylene	1 mL
U-AMM-812	Aromatic Volatiles Mixture				4 x 1 mL
U-ST-440-1	Methyl tert-butyl ether 2000 µg/mL in Methanol				1 mL
U-ST-440	Methyl tert-butyl ether 2000 µg/mL in Methanol				4 x 1 mL
U-STM-510-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol 4-Bromofluorobenzene alpha,alpha,alpha-Trifluorotoluene 4-Bromochlorobenzene		1,4-Difluorobenzene Fluorobenzene		1 mL
U-STM-510	Surrogate Standard Mixture				4 x 1 mL
U-UST-141-1	Revised PVOC Mixture (California) 1000 µg/mL of each analyte in Methanol. Benzene Ethylbenzene tert-Butylmethyl ether (MTBE) Toluene		o-Xylene m-Xylene p-Xylene		1 mL
U-UST-141	Revised PVOC Mixture (California)				4 x 1 mL
U-STM-410-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol 4-Bromofluorobenzene		alpha,alpha,alpha-Trifluorotoluene		1 mL
U-STM-410	Internal Standard Mixture				4 x 1 mL
U-STM-420-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol 4-Bromochlorobenzene	1,4-Difluorobenzene	Fluorobenzene		1 mL
U-STM-420	Surrogate Standard Mixture				4 x 1 mL
U-ST-221-1	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol				1 mL
U-ST-221	alpha,alpha,alpha-Trifluorotoluene 200 µg/mL in Methanol				4 x 1 mL
U-ST-220N-1	alpha,alpha,alpha-Trifluorotoluene 2000 µg/mL in Methanol				1 mL

Code	Product	Unit
U-ST5-220N	alpha,alpha,alpha-Trifluorotoluene 2000 µg/mL in Methanol	4 x 1 mL

## EPA Method 8021B

### Halogenated and aromatic volatile organics

Method 8021B is used to determine aromatic and halogenated volatiles using either purge and trap, headspace, vacuum distillation, or direct injection. Detection is carried out with a PID and ELCD in series.

### Recommended standards

Calibration standards:	U-DWM-588 U-HCM-822A U-HC-070 U-HC-491
Surrogate standard:	U-STM-431
Internal standard:	U-STM-240N

U-DWM-580-1	VOC Mixture 200 µg/mL of each analyte in Methanol.	1 mL																																																												
	<table> <tbody> <tr> <td>Bromochloromethane</td> <td>n-Butylbenzene</td> </tr> <tr> <td>Bromodichloromethane</td> <td>sec-Butylbenzene</td> </tr> <tr> <td>Bromoform</td> <td>tert-Butylbenzene</td> </tr> <tr> <td>Carbon tetrachloride</td> <td>Ethylbenzene</td> </tr> <tr> <td>Chloroform</td> <td>Isopropylbenzene</td> </tr> <tr> <td>Dibromochloromethane</td> <td>4-Isopropyltoluene</td> </tr> <tr> <td>Dibromomethane</td> <td>Naphthalene</td> </tr> <tr> <td>Methylene chloride</td> <td>n-Propylbenzene</td> </tr> <tr> <td>1,2-Dibromoethane</td> <td>Styrene</td> </tr> <tr> <td>1,1-Dichloroethane</td> <td>Toluene</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>1,2,4-Trimethylbenzene</td> </tr> <tr> <td>1,1-Dichloroethene</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>cis-1,2-Dichloroethene</td> <td>o-Xylene</td> </tr> <tr> <td>trans-1,2-Dichloroethene</td> <td>m-Xylene</td> </tr> <tr> <td>1,1,1,2-Tetrachloroethane</td> <td>p-Xylene</td> </tr> <tr> <td>1,1,2,2-Tetrachloroethane</td> <td>Bromobenzene</td> </tr> <tr> <td>Tetrachloroethene</td> <td>Chlorobenzene</td> </tr> <tr> <td>1,1,1-Trichloroethane</td> <td>2-Chlorotoluene</td> </tr> <tr> <td>1,1,2-Trichloroethane</td> <td>4-Chlorotoluene</td> </tr> <tr> <td>Trichloroethene</td> <td>1,2-Dichlorobenzene</td> </tr> <tr> <td>1,2-Dibromo-3-chloropropane</td> <td>1,3-Dichlorobenzene</td> </tr> <tr> <td>1,2-Dichloropropane</td> <td>1,4-Dichlorobenzene</td> </tr> <tr> <td>1,3-Dichloropropane</td> <td>1,2,3-Trichlorobenzene</td> </tr> <tr> <td>2,2-Dichloropropane</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>1,1-Dichloropropene</td> <td>Bromomethane</td> </tr> <tr> <td>cis-1,3-Dichloropropene</td> <td>Chloroethane</td> </tr> <tr> <td>trans-1,3-Dichloropropene</td> <td>Chloromethane</td> </tr> <tr> <td>Hexachlorobutadiene</td> <td>Dichlorodifluoromethane</td> </tr> <tr> <td>1,2,3-Trichloropropane</td> <td>Trichlorofluoromethane</td> </tr> <tr> <td>Benzene</td> <td>Vinyl chloride</td> </tr> </tbody> </table>	Bromochloromethane	n-Butylbenzene	Bromodichloromethane	sec-Butylbenzene	Bromoform	tert-Butylbenzene	Carbon tetrachloride	Ethylbenzene	Chloroform	Isopropylbenzene	Dibromochloromethane	4-Isopropyltoluene	Dibromomethane	Naphthalene	Methylene chloride	n-Propylbenzene	1,2-Dibromoethane	Styrene	1,1-Dichloroethane	Toluene	1,2-Dichloroethane	1,2,4-Trimethylbenzene	1,1-Dichloroethene	1,3,5-Trimethylbenzene	cis-1,2-Dichloroethene	o-Xylene	trans-1,2-Dichloroethene	m-Xylene	1,1,1,2-Tetrachloroethane	p-Xylene	1,1,2,2-Tetrachloroethane	Bromobenzene	Tetrachloroethene	Chlorobenzene	1,1,1-Trichloroethane	2-Chlorotoluene	1,1,2-Trichloroethane	4-Chlorotoluene	Trichloroethene	1,2-Dichlorobenzene	1,2-Dibromo-3-chloropropane	1,3-Dichlorobenzene	1,2-Dichloropropane	1,4-Dichlorobenzene	1,3-Dichloropropane	1,2,3-Trichlorobenzene	2,2-Dichloropropane	1,2,4-Trichlorobenzene	1,1-Dichloropropene	Bromomethane	cis-1,3-Dichloropropene	Chloroethane	trans-1,3-Dichloropropene	Chloromethane	Hexachlorobutadiene	Dichlorodifluoromethane	1,2,3-Trichloropropane	Trichlorofluoromethane	Benzene	Vinyl chloride	
Bromochloromethane	n-Butylbenzene																																																													
Bromodichloromethane	sec-Butylbenzene																																																													
Bromoform	tert-Butylbenzene																																																													
Carbon tetrachloride	Ethylbenzene																																																													
Chloroform	Isopropylbenzene																																																													
Dibromochloromethane	4-Isopropyltoluene																																																													
Dibromomethane	Naphthalene																																																													
Methylene chloride	n-Propylbenzene																																																													
1,2-Dibromoethane	Styrene																																																													
1,1-Dichloroethane	Toluene																																																													
1,2-Dichloroethane	1,2,4-Trimethylbenzene																																																													
1,1-Dichloroethene	1,3,5-Trimethylbenzene																																																													
cis-1,2-Dichloroethene	o-Xylene																																																													
trans-1,2-Dichloroethene	m-Xylene																																																													
1,1,1,2-Tetrachloroethane	p-Xylene																																																													
1,1,2,2-Tetrachloroethane	Bromobenzene																																																													
Tetrachloroethene	Chlorobenzene																																																													
1,1,1-Trichloroethane	2-Chlorotoluene																																																													
1,1,2-Trichloroethane	4-Chlorotoluene																																																													
Trichloroethene	1,2-Dichlorobenzene																																																													
1,2-Dibromo-3-chloropropane	1,3-Dichlorobenzene																																																													
1,2-Dichloropropane	1,4-Dichlorobenzene																																																													
1,3-Dichloropropane	1,2,3-Trichlorobenzene																																																													
2,2-Dichloropropane	1,2,4-Trichlorobenzene																																																													
1,1-Dichloropropene	Bromomethane																																																													
cis-1,3-Dichloropropene	Chloroethane																																																													
trans-1,3-Dichloropropene	Chloromethane																																																													
Hexachlorobutadiene	Dichlorodifluoromethane																																																													
1,2,3-Trichloropropane	Trichlorofluoromethane																																																													
Benzene	Vinyl chloride																																																													
U-DWM-580	VOC Mixture	4 x 1 mL																																																												
U-DWM-588-1	VOC Mixture 200 µg/mL of each analyte in Methanol.	1 mL																																																												
	<table> <tbody> <tr> <td>Bromochloromethane</td> <td>n-Butylbenzene</td> </tr> <tr> <td>Bromodichloromethane</td> <td>sec-Butylbenzene</td> </tr> <tr> <td>Bromoform</td> <td>tert-Butylbenzene</td> </tr> <tr> <td>Carbon tetrachloride</td> <td>Ethylbenzene</td> </tr> <tr> <td>Chloroform</td> <td>Isopropylbenzene</td> </tr> <tr> <td>Dibromochloromethane</td> <td>4-Isopropyltoluene</td> </tr> <tr> <td>Dibromomethane</td> <td>Naphthalene</td> </tr> <tr> <td>Methylene chloride</td> <td>n-Propylbenzene</td> </tr> <tr> <td>1,2-Dibromoethane</td> <td>Styrene</td> </tr> <tr> <td>1,1-Dichloroethane</td> <td>Toluene</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>1,2,4-Trimethylbenzene</td> </tr> <tr> <td>1,1-Dichloroethene</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>cis-1,2-Dichloroethene</td> <td>o-Xylene</td> </tr> <tr> <td>trans-1,2-Dichloroethene</td> <td>m-Xylene</td> </tr> <tr> <td>1,1,1,2-Tetrachloroethane</td> <td>p-Xylene</td> </tr> <tr> <td>1,1,2,2-Tetrachloroethane</td> <td>Bromobenzene</td> </tr> <tr> <td>Tetrachloroethene</td> <td>Chlorobenzene</td> </tr> <tr> <td>1,1,1-Trichloroethane</td> <td>2-Chlorotoluene</td> </tr> <tr> <td>1,1,2-Trichloroethane</td> <td>4-Chlorotoluene</td> </tr> <tr> <td>Trichloroethene</td> <td>1,2-Dichlorobenzene</td> </tr> <tr> <td>1,2-Dibromo-3-chloropropane</td> <td>1,3-Dichlorobenzene</td> </tr> <tr> <td>1,2-Dichloropropane</td> <td>1,4-Dichlorobenzene</td> </tr> <tr> <td>1,3-Dichloropropane</td> <td>1,2,3-Trichlorobenzene</td> </tr> <tr> <td>2,2-Dichloropropane</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>1,1-Dichloropropene</td> <td>Bromomethane</td> </tr> <tr> <td>cis-1,3-Dichloropropene</td> <td>Chloroethane</td> </tr> <tr> <td>trans-1,3-Dichloropropene</td> <td>Chloromethane</td> </tr> <tr> <td>Hexachlorobutadiene</td> <td>Dichlorodifluoromethane</td> </tr> <tr> <td>1,2,3-Trichloropropane</td> <td>Trichlorofluoromethane</td> </tr> <tr> <td>Benzene</td> <td>Vinyl chloride</td> </tr> </tbody> </table>	Bromochloromethane	n-Butylbenzene	Bromodichloromethane	sec-Butylbenzene	Bromoform	tert-Butylbenzene	Carbon tetrachloride	Ethylbenzene	Chloroform	Isopropylbenzene	Dibromochloromethane	4-Isopropyltoluene	Dibromomethane	Naphthalene	Methylene chloride	n-Propylbenzene	1,2-Dibromoethane	Styrene	1,1-Dichloroethane	Toluene	1,2-Dichloroethane	1,2,4-Trimethylbenzene	1,1-Dichloroethene	1,3,5-Trimethylbenzene	cis-1,2-Dichloroethene	o-Xylene	trans-1,2-Dichloroethene	m-Xylene	1,1,1,2-Tetrachloroethane	p-Xylene	1,1,2,2-Tetrachloroethane	Bromobenzene	Tetrachloroethene	Chlorobenzene	1,1,1-Trichloroethane	2-Chlorotoluene	1,1,2-Trichloroethane	4-Chlorotoluene	Trichloroethene	1,2-Dichlorobenzene	1,2-Dibromo-3-chloropropane	1,3-Dichlorobenzene	1,2-Dichloropropane	1,4-Dichlorobenzene	1,3-Dichloropropane	1,2,3-Trichlorobenzene	2,2-Dichloropropane	1,2,4-Trichlorobenzene	1,1-Dichloropropene	Bromomethane	cis-1,3-Dichloropropene	Chloroethane	trans-1,3-Dichloropropene	Chloromethane	Hexachlorobutadiene	Dichlorodifluoromethane	1,2,3-Trichloropropane	Trichlorofluoromethane	Benzene	Vinyl chloride	
Bromochloromethane	n-Butylbenzene																																																													
Bromodichloromethane	sec-Butylbenzene																																																													
Bromoform	tert-Butylbenzene																																																													
Carbon tetrachloride	Ethylbenzene																																																													
Chloroform	Isopropylbenzene																																																													
Dibromochloromethane	4-Isopropyltoluene																																																													
Dibromomethane	Naphthalene																																																													
Methylene chloride	n-Propylbenzene																																																													
1,2-Dibromoethane	Styrene																																																													
1,1-Dichloroethane	Toluene																																																													
1,2-Dichloroethane	1,2,4-Trimethylbenzene																																																													
1,1-Dichloroethene	1,3,5-Trimethylbenzene																																																													
cis-1,2-Dichloroethene	o-Xylene																																																													
trans-1,2-Dichloroethene	m-Xylene																																																													
1,1,1,2-Tetrachloroethane	p-Xylene																																																													
1,1,2,2-Tetrachloroethane	Bromobenzene																																																													
Tetrachloroethene	Chlorobenzene																																																													
1,1,1-Trichloroethane	2-Chlorotoluene																																																													
1,1,2-Trichloroethane	4-Chlorotoluene																																																													
Trichloroethene	1,2-Dichlorobenzene																																																													
1,2-Dibromo-3-chloropropane	1,3-Dichlorobenzene																																																													
1,2-Dichloropropane	1,4-Dichlorobenzene																																																													
1,3-Dichloropropane	1,2,3-Trichlorobenzene																																																													
2,2-Dichloropropane	1,2,4-Trichlorobenzene																																																													
1,1-Dichloropropene	Bromomethane																																																													
cis-1,3-Dichloropropene	Chloroethane																																																													
trans-1,3-Dichloropropene	Chloromethane																																																													
Hexachlorobutadiene	Dichlorodifluoromethane																																																													
1,2,3-Trichloropropane	Trichlorofluoromethane																																																													
Benzene	Vinyl chloride																																																													

## EPA 8000 Methods

Code	Product	Unit
U-DWM-588	VOC Mixture	4 x 1 mL
<b>New</b> U-HCM-822A-1	Halogenated Volatiles Mixture 6 Analytes 2000 µg/mL of each analyte in Methanol Allyl chloride Benzyl chloride Bis(2-chloroisopropyl) ether	1 mL
	2-Chloroethanol Chloromethyl methyl ether 1,3-Dichloro-2-propanol	
<b>New</b> U-HCM-822A	Halogenated Volatiles Mixture	4 x 1 mL
U-HC-070-1	2-Chloroethylvinyl ether 100 µg/mL in Methanol	1 mL
U-HC-070	2-Chloroethylvinyl ether 100 µg/mL in Methanol	4 x 1 mL
U-EPA-1016	2-Chloroethylvinyl ether 5000 µg/mL in Methanol	1 mL
U-HC-491-1	Chloroprene 100 µg/mL in Methanol	1 mL
U-HC-491	Chloroprene 100 µg/mL in Methanol	4 x 1 mL
U-STM-431-1	Surrogate Standard Mixture 1500 µg/mL of each analyte in Methanol 4-Bromochlorobenzene    1,4-Dichlorobutane	1 mL
U-STM-431	Surrogate Standard Mixture	4 x 1 mL
U-STM-240N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol 2-Bromo-1-chloropropane	1 mL
	Fluorobenzene	
U-STM-240N	Internal Standard Mixture	4 x 1 mL
<b>New</b> U-DWM-596-1	VOC Mixture with MTBE 55 analytes 2000 µg/mL of each analyte in Methanol Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene tert-Butyl methyl ether Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL
	2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene dthylbenzene Hexachlorobutadiene Isopropylbenzene 4-isopropyltoluene Methylene chloride Naphthalene n-propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene	
<b>New</b> U-DWM-596	VOC Mixture with MTBE	4 x 1 mL

Code	Product	Unit
U-DWM-583-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene
U-DWM-583	VOC Mixture	4 x 1 mL
U-DWM-589N-1	VOC Mixture 2000 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene
U-DWM-589N	VOC Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol. Bromomethane Chloroethane	1 mL Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-544	VOC Gas Mixture	4 x 1 mL
U-AMK-8021	EPA Method 8021B Kit VOC Mixture (2000 µg/mL in Methanol) ..... 2-Chloroethylvinyl Ether (100 µg/mL in Methanol)..... Chloroprene (100 µg/mL in Methanol)..... Halogenated Volatiles Mixture (2000 µg/mL in Methanol)..... Internal Standard Mixture (2000 µg/mL in Methanol) ..... Surrogate Standard Mixture (1500 µg/mL in Methanol).....	kit U-DWM-588 ( 1 x 1 mL ) U-HC-070 ( 1 x 1 mL ) U-HC-491 ( 1 x 1 mL ) U-HCM-822 ( 1 x 1 mL ) U-STM-240N ( 1 x 1 mL ) U-STM-431 ( 1 x 1 mL )



## EPA 8000 Methods

Code	Product	Unit
------	---------	------

### EPA Method 8030A

Acrolein and acrylonitrile		
U-AMN-603-1	Acrolein-Acrylonitrile Mixture 100 µg/mL of each analyte in Methanol Acrolein                      Acrylonitrile	1 mL
U-AMN-603	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-623-1	Acrolein-Acrylonitrile Mixture 2000 µg/mL of each analyte in Methanol Acrolein                      Acrylonitrile	1 mL
U-AMN-623	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-613-1	Acrolein-Acrylonitrile Mixture 1000 µg/mL of each analyte in Water Acrolein                      Acrylonitrile	1 mL
U-AMN-613	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-803-1	Acrolein-Acrylonitrile Mixture 10000 µg/mL of each analyte in Water Acrolein                      Acrylonitrile	1 mL
U-AMN-803	Acrolein-Acrylonitrile Mixture	4 x 1 mL

### EPA Method 8031

U-AMN-813-1	Acrylonitrile 1000 µg/mL in Methanol	1 mL
U-AMN-813	Acrylonitrile 1000 µg/mL in Methanol	4 x 1 mL

### EPA Method 8032A

U-AMN-823-1	Acrylamide 1000 µg/mL in Methanol	1 mL
U-AMN-823	Acrylamide 1000 µg/mL in Methanol	4 x 1 mL
U-PS-140-1	Dimethyl phthalate 100 µg/mL in Methanol	1 mL
U-PS-140	Dimethyl phthalate 100 µg/mL in Methanol	4 x 1 mL

### EPA Method 8033

U-NV-110-1	Acetonitrile 100 µg/mL in Methanol	1 mL
U-NV-110	Acetonitrile 100 µg/mL in Methanol	4 x 1 mL

### EPA Method 8041

#### Phenols

Method 8041 is used to measure phenols. Samples are extracted, then concentrated in a Kuderna-Danish apparatus. Quantitation is by GC/FID or the extract is derivatised and determined by GC with an ECD.

#### Recommended standards

Calibration standards: U-PHM-814  
U-PHM-824  
Surrogate standard: U-IST-620  
Internal standard: U-ISM-610

U-PHM-814-1	Phenols Mixture 2000 µg/mL of each analyte in Isopropanol. 4-Chloro-3-methylphenol o-Cresol (2-Methylphenol) 2,4-Dichlorophenol 2-Methyl-4,6-dinitrophenol 2-Nitrophenol	4-Nitrophenol Pentachlorophenol Phenol 2,4,6-Trichlorophenol	1 mL
U-PHM-814	Phenols Mixture		4 x 1 mL
U-PHM-824-1	Phenols Mixture 2000 µg/mL of each analyte in Isopropanol. 2-Chlorophenol m-Cresol (3-Methylphenol) p-Cresol (4-Methylphenol) 2,6-Dichlorophenol 2,4-Dimethylphenol	2,4-Dinitrophenol Dinoseb 2,3,4,6-Tetrachlorophenol 2,4,5-Trichlorophenol	1 mL
U-PHM-824	Phenols Mixture		4 x 1 mL

Code	Product	Unit
U-PHM-844-1	Phenols Mixture 2000 µg/mL of each analyte in Isopropanol. 2-Cyclohexyl-4,6-dinitrophenol 2,3,4,5-Tetrachlorophenol	1 mL 2,3,5,6-Tetrachlorophenol
U-PHM-844	Phenols Mixture	4 x 1 mL
U-ISM-610-1	Internal Standard Mixture 1000 µg/mL of each analyte in Isopropanol (Isopropyl alcohol) 2,5-Dibromotoluene	1 mL 2,2',5,5'-Tetrabromobiphenyl
U-ISM-610	Internal Standard Mixture	4 x 1 mL
U-IST-620-1	2,4-Dibromophenol 1000 µg/mL in Isopropanol	1 mL
U-IST-620	2,4-Dibromophenol 1000 µg/mL in Isopropanol	4 x 1 mL
U-ISM-380-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Isopropanol (Isopropyl alcohol) 2-Fluorophenol	1 mL 2,4,6-Tribromophenol
U-ISM-380	Surrogate Standard Mixture	4 x 1 mL
U-PHM-834A-1	Phenols Mixture 100 µg/mL of each analyte in Isopropanol (Isopropyl alcohol) Dinoseb 4-Chloro-3-methylphenol 2-Chlorophenol o-Cresol (2-Methylphenol) m-Cresol (3-Methylphenol) p-Cresol (4-Methylphenol) 2-Cyclohexyl-4,6-dinitrophenol 2,4-Dichlorophenol 2,6-Dichlorophenol 2,4-Dimethylphenol 2-Methyl-4,6-dinitrophenol	1 mL 2,4-Dinitrophenol 2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,3,4,5-Tetrachlorophenol 2,3,4,6-Tetrachlorophenol 2,3,5,6-Tetrachlorophenol 2,4,6-Trichlorophenol 2,4,5-Trichlorophenol
U-PHM-834A	Phenols Mixture	4 x 1 mL
U-PHM-804-1	Phenols Mixture 100 µg/mL of each analyte in Methanol 4-Chloro-3-methylphenol 2-Chlorophenol m-Cresol (3-Methylphenol) o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) 2,4-Dichlorophenol 2,6-Dichlorophenol 2,4-Dimethylphenol 2-Methyl-4,6-dinitrophenol	1 mL 2,4-Dinitrophenol 2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,3,4,6-Tetrachlorophenol 2,4,5-Trichlorophenol 2,4,6-Trichlorophenol
U-PHM-804	Phenols Mixture	4 x 1 mL
U-IST-251-1	2-Fluorophenol 2000 µg/mL in Methanol	1 mL
U-IST-251	2-Fluorophenol 2000 µg/mL in Methanol	4 x 1 mL
U-IST-261-1	Pentafluorophenol 2000 µg/mL in Methanol	1 mL
U-IST-261	Pentafluorophenol 2000 µg/mL in Methanol	4 x 1 mL
U-IST-271-1	Phenol-D <sub>5</sub> 2000 µg/mL in Methanol	1 mL
U-IST-271	Phenol-D <sub>5</sub> 2000 µg/mL in Methanol	4 x 1 mL
U-ATS-181-1	2,4,6-Tribromophenol 2000 µg/mL in Methanol	1 mL
U-ATS-181	2,4,6-Tribromophenol 2000 µg/mL in Methanol	4 x 1 mL

## EPA Method 8061A

### Phthalate esters

Method 8061 is used to measure phthalates. Samples are extracted, then quantitated with capillary GC/ECD.

### Recommended standards

Calibration standard: U-PSM-806  
Surrogate standard: U-ISM-390  
Internal standard: U-IST-400

U-PSM-606-1	Phthalates Mixture 100 µg/mL of each analyte in Methanol Bis(2-ethylhexyl)phthalate Butyl benzyl phthalate Di-n-butyl phthalate	1 mL Diethyl phthalate Dimethyl phthalate Di-n-octyl phthalate
U-PSM-606	Phthalates Mixture	4 x 1 mL

## EPA 8000 Methods

Code	Product	Unit
U-PSM-806-1	Phthalates Mixture 1000 µg/mL of each analyte in Isooctane. Bis(2-ethylhexyl)phthalate Butyl benzyl phthalate Di-n-butyl phthalate	1 mL
U-PSM-806	Phthalates Mixture	4 x 1 mL
U-PSM-826-1	Phthalates Mixture 1000 µg/mL of each analyte in iso-Octane (2,2,4-Trimethylpentane) Bis(2-n-butoxyethyl) phthalate Bis(2-ethoxyethyl) phthalate Bis(2-ethylhexyl)phthalate Bis(2-methoxyethyl) phthalate Bis(4-methyl-2-pentyl) phthalate Butyl benzyl phthalate Dicyclohexyl phthalate 2-ethylhexyl hexyl phthalate	1 mL
U-PSM-826	Phthalates Mixture	4 x 1 mL
U-EPA-2037N-1	Phthalate Esters Mixture 6 Analytes in Acetone Bis(2-ethylhexyl)phthalate ..... 50 µg/mL Butyl benzyl phthalate ..... 10 µg/mL Dimethyl phthalate ..... 25 µg/mL	1 mL
U-EPA-2037N	Phthalate Esters Mixture	4 x 1 mL
U-ISM-390-1	Surrogate Standard Mixture 500 µg/mL of each analyte in Acetone Dibenzyl phthalate      Diphenyl isophthalate      Diphenyl phthalate	1 mL
U-ISM-390	Surrogate Standard Mixture	4 x 1 mL
U-IST-400-1	Benzyl benzoate 5000 µg/mL in Hexane	1 mL
U-IST-400	Benzyl benzoate 5000 µg/mL in Hexane	4 x 1 mL
U-PSK-8061	EPA Method 8061A Kit Phthalates Mixture (1000 µg/mL in iso-Octane) ..... U-PSM-806 ( 1 x 1 mL ) Surrogate Standard Mixture (500 µg/mL in Acetone) ..... U-ISM-390 ( 1 x 1 mL ) Benzyl benzoate (5000 µg/mL in Hexane)..... U-IST-400 ( 1 x 1 mL )	kit

## EPA Method 8070A

### Nitrosamines

Method 8070A is used to measure nitrosamines. Samples are quantitated by GC/NPD.

### Recommended standards

Calibration standards:      U-NSM-807  
   U-IST-400

U-NSM-807-1	Nitrosamines Mixture 2000 µg/mL of each analyte in Methanol N-Nitrosodimethylamine N-Nitrosodiphenylamine	1 mL
U-NSM-807	Nitrosamines Mixture	4 x 1 mL

Code	Product	Unit
<b>EPA Method 8080A</b>		
<b>Organochlorine pesticides and PCBs</b>		
Method 8080A is used to measure organochlorine pesticides and PCBs using extraction followed by GC/ECD. Method 8080A has been deleted from the current revision of SW-846 (Update III).		
<b>Recommended standards</b>		
Calibration standards:	U-PPM-808B U-US-112B	
Surrogate standard:	U-ISM-320	
U-PPM-808B-1	Organochlorine Pesticides Mixture 17 Analytes in Hexane/Toluene (1:1) Aldrin..... 250 µg/mL alpha-BHC (alpha-HCH)..... 250 µg/mL Beta-BHC (beta-HCH)..... 250 µg/mL delta-BHC (delta-HCH)..... 250 µg/mL Gamma-BHC (Lindane)..... 250 µg/mL 4,4'-DDD ..... 250 µg/mL 4,4'-DDE ..... 250 µg/mL 4,4'-DDT ..... 250 µg/mL Dieldrin..... 250 µg/mL Endosulfan I ..... 250 µg/mL Endosulfan II ..... 250 µg/mL Endosulfan sulfate ..... 250 µg/mL Endrin ..... 250 µg/mL Endrin aldehyde ..... 250 µg/mL Heptachlor..... 250 µg/mL Heptachlor epoxide - isomer B..... 250 µg/mL Methoxychlor..... 1000 µg/mL	1 mL
U-PPM-808B	Organochlorine Pesticides Mixture	4 x 1 mL
U-US-112B	Organochlorine Pesticide Mixture 2000 µg/mL of each analyte in Acetone Aldrin alpha-BHC (alpha-HCH) beta-BHC (beta-HCH) delta-BHC (delta-HCH) gamma-BHC (Lindane) 4,4'-DDD 4,4'-DDE 4,4'-DDT Dieldrin Endosulfan I Endosulfan II Endosulfan sulfate Endrin Endrin aldehyde Heptachlor Heptachlor epoxide - isomer B Methoxychlor	1 mL
U-US-112B-4	Organochlorine Pesticide Mixture	4 x 1 mL
U-PP-151-1	Chlordane 100 µg/mL in Hexane	1 mL
U-PP-151	Chlordane 100 µg/mL in Hexane	4 x 1 mL
U-PP-271-1	Toxaphene 100 µg/mL in Hexane	1 mL
U-PP-271	Toxaphene 100 µg/mL in Hexane	4 x 1 mL
U-PP-281-1	Aroclor 1016 100 µg/mL in Hexane	1 mL
U-PP-281	Aroclor 1016 100 µg/mL in Hexane	4 x 1 mL
U-PP-291-1	Aroclor 1221 100 µg/mL in Hexane	1 mL
U-PP-291	Aroclor 1221 100 µg/mL in Hexane	4 x 1 mL
U-PP-301-1	Aroclor 1232 100 µg/mL in Hexane	1 mL
U-PP-301	Aroclor 1232 100 µg/mL in Hexane	4 x 1 mL
U-PP-311-1	Aroclor 1242 100 µg/mL in Hexane	1 mL
U-PP-311	Aroclor 1242 100 µg/mL in Hexane	4 x 1 mL
U-PP-341-1	Aroclor 1248 100 µg/mL in Hexane	1 mL
U-PP-341	Aroclor 1248 100 µg/mL in Hexane	4 x 1 mL
U-PP-351-1	Aroclor 1254 100 µg/mL in Hexane	1 mL
U-PP-351	Aroclor 1254 100 µg/mL in Hexane	4 x 1 mL
U-PP-361-1	Aroclor 1260 100 µg/mL in Hexane	1 mL
U-PP-361	Aroclor 1260 100 µg/mL in Hexane	4 x 1 mL
U-PPM-608C-1	Organochlorine Pesticide Mixture Solvent: Methanol Aldrin..... 20 µg/mL alpha-BHC (alpha-HCH)..... 20 µg/mL beta-BHC (beta-HCH) ..... 20 µg/mL Delta-BHC (delta-HCH) ..... 20 µg/mL gamma-BHC (Lindane)..... 20 µg/mL 4,4'-DDD ..... 100 µg/mL 4,4'-DDE ..... 20 µg/mL 4,4'-DDT ..... 100 µg/mL Dieldrin..... 20 µg/mL Endosulfan I ..... 20 µg/mL Endosulfan II ..... 100 µg/mL Endosulfan sulfate ..... 100 µg/mL Endrin ..... 100 µg/mL Endrin aldehyde ..... 20 µg/mL Heptachlor..... 20 µg/mL Heptachlor epoxide - isomer B..... 20 µg/mL Methoxychlor..... 20 µg/mL	1 mL
U-PPM-608C	Organochlorine Pesticide Mixture	4 x 1 mL



Code	Product	Unit
U-ISM-321X	Pesticides Surrogate Standards Spiking Solution 0.2 µg/mL of each analyte in Acetone 2,4,5,6-Tetrachloro-m-xylene	100 mL
U-PPM-808G-1	Organochlorine Pesticides Mixture 1000 µg/mL of each analyte in Hexane/Toluene (1:1) Alachlor Captafol Chloroneb Chloropropylate Chlorothalonil DCPA (Dacthal) Dichlone Dicofol (Kelthane) Etridiazole	1 mL
U-PPM-808G	Organochlorine Pesticides Mixture	4 x 1 mL
U-PPM-608C-1	Organochlorine Pesticide Mixture Solvent: Methanol Aldrin..... 20 µg/mL alpha-BHC (alpha-HCH)..... 20 µg/mL beta-BHC (beta-HCH)..... 20 µg/mL Delta-BHC (delta-HCH)..... 20 µg/mL gamma-BHC (Lindane)..... 20 µg/mL 4,4'-DDD..... 100 µg/mL 4,4'-DDE..... 20 µg/mL 4,4'-DDT..... 100 µg/mL Dieldrin..... 20 µg/mL	1 mL
U-PPM-608C	Organochlorine Pesticide Mixture	4 x 1 mL
<b>New</b> U-PPM-838-1	Organochlorine Pesticides Mixture 6 Analytes 1000 µg/mL of each analyte in Acetone 2,4'-DDD                      2,4'-DDE                      2,4'-DDT 4,4'-DDD                      4,4'-DDE                      4,4'-DDT	1 mL
<b>New</b> U-PPM-838	Organochlorine Pesticides Mixture	4 x 1 mL
U-PPM-828-1	Organochlorine Pesticides Mixture 250 µg/mL of each analyte in iso-Octane (2,2,4-Trimethylpentane) 2,4'-DDD                      2,4'-DDE                      2,4'-DDT	1 mL
U-PPM-828	Organochlorine Pesticides Mixture	4 x 1 mL
U-ISM-450-1	Pesticide Degradation Check Solution 2 Analytes in iso-Octane (2,2,4-Trimethylpentane) Endrin ..... 1 µg/mL                      4,4'-DDT ..... 2 µg/mL	1 mL
U-ISM-450	Pesticide Degradation Check Solution	4 x 1 mL
U-CLP-200N-1	Pesticides Matrix Spiking Solution 6 Analytes in Methanol Heptachlor ..... 2000 µg/mL                      Endrin..... 5000 µg/mL Aldrin..... 2000 µg/mL                      4,4'-DDT ..... 5000 µg/mL Dieldrin..... 5000 µg/mL                      gamma-HCH (Lindane)..... 2000 µg/mL	1 mL
U-CLP-200N	Pesticides Matrix Spiking Solution	4 x 1 mL
U-PP-151-1	Chlordane 100 µg/mL in Hexane	1 mL
U-PP-151	Chlordane 100 µg/mL in Hexane	4 x 1 mL
U-PP-271-1	Toxaphene 100 µg/mL in Hexane	1 mL
U-PP-271	Toxaphene 100 µg/mL in Hexane	4 x 1 mL
U-HPCK-2F	Halowax 1000 100 µg/mL in Hexane	2 mL
U-HPCK-2G	Halowax 1001 100 µg/mL in Hexane	2 mL
U-HPCK-2E	Halowax 1013 100 µg/mL in Hexane	2 mL
U-HPCK-2C	Halowax 1051 100 µg/mL in Hexane	2 mL
U-HPCK-2D	Halowax 1099 100 µg/mL in Hexane	2 mL
<b>New</b> U-PST-990M100A01	Carbophenothion 100 µg/mL in Methanol	1 mL
<b>New</b> U-PST-190M100A01	Dichloran 100 µg/mL in Methanol	1 mL
U-PPS-360	4-Chloro-2-nitrobenzotrifluoride 1000 µg/mL in Acetone	4 x 1 mL
U-PPS-360-1	4-Chloro-2-nitrobenzotrifluoride 1000 µg/mL in Acetone	1 mL





Code	Product	Unit
U-IST-630-1	1-Chloro-3-nitrobenzene 1000 µg/mL in Acetone	1 mL
U-IST-630	1-Chloro-3-nitrobenzene 1000 µg/mL in Acetone	4 x 1 mL
U-EPA-1125	Hexachlorobenzene 1000 µg/mL in Acetone	1 mL

### EPA Method 8095

#### Explosives

Method 8095 is used to measure explosives, using extraction followed by capillary GC/ECD.

#### Recommended standards

Calibration standards: U-NAIM-8095A  
U-NAIM-8095B  
Surrogate standards: U-IST-701  
U-IST-702

<b>New</b>	U-NAIM-8095A-1	Method 8095 Calibration Standard A 10 Analytes 1 µg/mL of each analyte in in Acetonitrile 1,3-Dinitrobenzene 2,6-Dinitrotoluene 2,4-dinitrotoluene 1,3,5-Trinitrobenzene 2,4,6-Trinitrotoluene	RDX 4-Amino-2,6-dinitrotoluene 2-Amino-4,6-dinitrotoluene Tetryl HMX	1 mL
<b>New</b>	U-NAIM-8095A	Method 8095 Calibration Standard A		4 x 1 mL
<b>New</b>	U-NAIM-8095B-1	Method 8095 Calibration Standard B 7 Analytes in Acetonitrile Nitrobenzene ..... 5 µg/mL 3-Nitrotoluene ..... 5 µg/mL 2-Nitrotoluene ..... 5 µg/mL	4-Nitrotoluene.....5 µg/mL Nitroglycerine .....5 µg/mL PETN.....5 µg/mL	3,5-Dinitroaniline..... 1 µg/mL
<b>New</b>	U-NAIM-8095B	Method 8095 Calibration Standard B		4 x 1 mL
<b>New</b>	U-IST-701-1	3,4-Dinitrotoluene 250 µg/mL in Acetonitrile		1 mL
<b>New</b>	U-IST-701	3,4-Dinitrotoluene 250 µg/mL in Acetonitrile		4 x 1 mL
<b>New</b>	U-IST-702-1	2-Methyl-4-nitroaniline 250 µg/mL in Acetonitrile		1 mL
<b>New</b>	U-IST-702	2-Methyl-4-nitroaniline 250 µg/mL in Acetonitrile		4 x 1 mL

### EPA Method 8100

#### Polynuclear aromatic hydrocarbons

Method 8100 is used to measure polynuclear aromatic hydrocarbons, using extraction followed by GC/FID. Either packed or capillary columns may be used.

#### Recommended standards

Calibration standard: U-PM-810  
Surrogate standards: U-IST-180  
U-ATS-140

U-PM-810-1	PAH Mixture 16 Analytes in Methylene chloride Acenaphthene..... 1000 µg/mL Acenaphthylene ..... 1000 µg/mL Anthracene ..... 1000 µg/mL Benzo(a)anthracene ..... 100 µg/mL Benzo(b)fluoranthene ..... 100 µg/mL Benzo(k)fluoranthene ..... 50 µg/mL Benzo(ghi)perylene..... 100 µg/mL Benzo(a)pyrene ..... 100 µg/mL	Chrysene..... 100 µg/mL Dibenzo(a,h)anthracene ..... 100 µg/mL Fluoranthene ..... 100 µg/mL Fluorene..... 1000 µg/mL Indeno(1,2,3-cd)pyrene ..... 100 µg/mL Naphthalene..... 1000 µg/mL Phenanthrene ..... 1000 µg/mL Pyrene..... 100 µg/mL	1 mL
U-PM-810	PAH Mixture		4 x 1 mL
U-PM-613A-1	PAH Mixture Solvent: Acetonitrile Acenaphthene..... 100 µg/mL Acenaphthylene ..... 100 µg/mL Anthracene ..... 100 µg/mL Benzo(a)anthracene ..... 10 µg/mL Benzo(b)fluoranthene ..... 10 µg/mL Benzo(k)fluoranthene ..... 5 µg/mL Benzo(ghi)perylene..... 10 µg/mL Benzo(a)pyrene ..... 10 µg/mL	Chrysene..... 10 µg/mL Dibenzo(a,h)anthracene ..... 10 µg/mL Fluoranthene..... 10 µg/mL Fluorene ..... 100 µg/mL Indeno(1,2,3-cd)pyrene ..... 10 µg/mL Naphthalene..... 100 µg/mL Phenanthrene ..... 100 µg/mL Pyrene..... 10 µg/mL	1 mL
U-PM-613A	PAH Mixture		4 x 1 mL

## EPA 8000 Methods

Code	Product	Unit
U-PM-811-1	PAH Mixture 1000 µg/mL of each analyte in Methylene chloride (Dichloromethane) Benzo(j)fluoranthene Dibenzo(a,h)acridine Dibenzo(a,j)acridine 7H-Dibenzo(c,g) carbazole	1 mL
U-PM-811	PAH Mixture Dibenzo(a,e)pyrene Dibenzo(a,h)pyrene Dibenzo(a,i)pyrene 3-Methylcholanthrene	4 x 1 mL
U-IST-180-1	1-Fluoronaphthalene 1000 µg/mL in Methylene chloride	1 mL
U-IST-180	1-Fluoronaphthalene 1000 µg/mL in Methylene chloride	4 x 1 mL
U-ATS-140-1	2-Fluorobiphenyl 2000 µg/mL in Methylene chloride	1 mL
U-ATS-140	2-Fluorobiphenyl 2000 µg/mL in Methylene chloride	4 x 1 mL

## EPA Method 8111

### Haloethers

Method 8111 is used to measure haloethers. Samples are extracted, then quantitated using GC with an FID or ELCD.

### Recommended standards

Calibration standard: U-EPA-2014N  
Surrogate standard: U-IST-641  
Internal standard: U-IST-131

U-EPA-2014N-1	Haloethers Mixture (HAL) 100 µg/ml of each analyte in Acetone Bis(2-chloroethyl) ether ..... 100 µg/mL Bis(2-chloroethoxy) methane ..... 100 µg/mL Bis(2-chloroisopropyl) ether ..... 100 µg/mL	1 mL
U-EPA-2014N	Haloethers Mixture (HAL) 4-Bromophenyl phenyl ether ..... 100 µg/mL 4-Chlorophenyl phenyl ether ..... 100 µg/mL	4 x 1 mL
U-IST-641-1	2,4-Dichlorodiphenyl ether 1000 µg/mL in Acetone	1 mL
U-IST-641	2,4-Dichlorodiphenyl ether 1000 µg/mL in Acetone	4 x 1 mL
U-IST-131-1	4,4'-Dibromobiphenyl 1000 µg/mL in iso-Octane	1 mL
U-IST-131	4,4'-Dibromobiphenyl 1000 µg/mL in iso-Octane	4 x 1 mL

## EPA Method 8121

### Chlorinated hydrocarbons

Methods 8120 and 8121 are used to measure chlorinated hydrocarbons, using extraction followed by capillary column GC/ECD.

### Recommended standards

Calibration standard: U-CHM-842A  
Internal standard: U-IST-420  
Surrogate standard: U-ISM-411

U-CHM-842A-1	Chlorinated Hydrocarbons Mixture 22 Analytes in Hexane 2-Chloronaphthalene ..... 2000 µg/mL 1,2-Dichlorobenzene ..... 1000 µg/mL 1,3-Dichlorobenzene ..... 1000 µg/mL 1,4-Dichlorobenzene ..... 1000 µg/mL Benzal chloride ..... 100 µg/mL Benzotrichloride ..... 100 µg/mL Benzyl chloride ..... 100 µg/mL alpha-BHC (alpha-HCH) ..... 100 µg/mL beta-BHC (beta-HCH) ..... 100 µg/mL delta-BHC (delta-HCH) ..... 100 µg/mL gamma-BHC (Lindane) ..... 100 µg/mL	1 mL
U-CHM-842A	Chlorinated Hydrocarbons Mixture 1,2,3,4-Tetrachlorobenzene ..... 100 µg/mL 1,2,3,5-Tetrachlorobenzene ..... 100 µg/mL 1,2,4,5-Tetrachlorobenzene ..... 100 µg/mL 1,2,3-Trichlorobenzene ..... 100 µg/mL 1,2,4-Trichlorobenzene ..... 100 µg/mL 1,3,5-Trichlorobenzene ..... 100 µg/mL Hexachlorobenzene ..... 10 µg/mL Hexachlorobutadiene ..... 10 µg/mL Hexachlorocyclopentadiene ..... 10 µg/mL Hexachloroethane ..... 10 µg/mL Pentachlorobenzene ..... 10 µg/mL	4 x 1 mL
U-ISM-411-1	Surrogate Standard Mixture 3 Analytes in Acetone 1,4-Dichloronaphthalene ..... 10 µg/mL 2,3,4,5,6-Pentachlorotoluene ..... 1 µg/mL	1 mL
U-ISM-411	Surrogate Standard Mixture alpha,2,6-Trichlorotoluene ..... 1 µg/mL	4 x 1 mL
U-IST-420-1	1,3,5-Tribromobenzene 50 µg/mL in Acetone	1 mL
U-IST-420	1,3,5-Tribromobenzene 50 µg/mL in Acetone	4 x 1 mL

Code	Product	Unit
<b>EPA Method 8141B</b>		
<b>Organophosphorus pesticides</b>		
Method 8141A is used to measure organophosphorus pesticides using extraction. Quantitation is carried out on GC, using either a NPD, a FPD, or an ELCD.		
<b>Recommended standards</b>		
Calibration standards:	U-SPM-824 U-SPM-834 U-SPM-844A U-SPM-854 U-SPM-864 U-SPM-874 U-SPM-884	
Internal standard:	U-PPS-350	
Surrogate standards:	U-ISM-570 U-PPS-360	
U-SPM-824-1	Organophosphorus Pesticide Mixture 200 µg/mL of each analyte in Hexane/Acetone Guthion (Azinphos methyl) Bolstar (Sulprofos) Chlorpyrifos Coumaphos Demeton (total, mixed isomers) Diazinon Dichlorvos Disulfoton Ethoprop (Ethoprofos) Fensulfothion	Fenthion Merphos Methyl parathion Mevinphos (Phosdrin) Naled Phorate Fenchlorphos (Ronnel) Tetrachlorvinphos (Stirofos) Tokuthion Trichloronate 1 mL
U-SPM-824	Organophosphorus Pesticide Mixture	4 x 1 mL
U-SPM-834-1	Organophosphorus Pesticide Mixture 200 µg/mL of each analyte in Hexane/Acetone (1:1) Dimethoate EPN	Malathion Monocrotophos Parathion (ethyl) Sulfotepp TEPP 1 mL
U-SPM-834	Organophosphorus Pesticide Mixture	4 x 1 mL
U-SPM-844A-1	Organophosphorus Pesticides Mixture 200 µg/mL of each analyte in Hexane/Acetone (1:1) Carbophenothion (Trithion) Chlorfenvinphos Dioxathion Ethion Famphur	Azinphos-ethyl Leptophos Phosmet Phosphamidon Terbufos 1 mL
U-SPM-844A	Organophosphorus Pesticides Mixture	4 x 1 mL
<b>New</b> U-SPM-854-1	Organophosphorus Pesticides Mixture 9 Analytes 200 µg/mL of each analyte in Hexane/Acetone Aspon Chlorpyrifos methyl Crotoxyphos	Dichlofenthion Dicrotophos Fenitrothion Fonofos Thionazin Trichlorfon 1 mL
<b>New</b> U-SPM-854	Organophosphorus Pesticides Mixture	4 x 1 mL
<b>New</b> U-SPM-884-1	Carbamates and Related Compounds Mixture 10 Analytes 200 µg/mL in Hexane/Acetone Bendiocarb..... Butylate..... EPTC..... Methiocarb..... Molinat.....	Pebulate o-Phenylenediamine Propham Prosulfocarb Triallate 1 mL
<b>New</b> U-SPM-884	Carbamates and Related Compounds Mixture	4 x 1 mL
<b>New</b> U-SPM-874-1	Triazine Herbicides Mixture 2 Analytes 200 µg/mL of each analyte in Hexane/Acetone Atrazine Simazine	1 mL
<b>New</b> U-SPM-874	Triazine Herbicides Mixture	4 x 1 mL
<b>New</b> U-SPM-864-1	Industrial Chemicals Mixture 2 Analytes 200 µg/mL of each analyte in Hexane/Acetone Hexamethyl phosphoramidate (HMPA)	Tri-o-cresyl phosphate (TOCP) 1 mL

## EPA 8000 Methods

	Code	Product	Unit
<b>New</b>	U-SPM-864	Industrial Chemicals Mixture	4 x 1 mL
	U-ISM-570-1	Surrogate Standard Mixture 1000 µg/mL of each analyte in Acetone Tributyl phosphate	1 mL
		Triphenyl phosphate (TPP)	
	U-ISM-570	Surrogate Standard Mixture	4 x 1 mL
	U-PPS-350-1	1-Bromo-2-nitrobenzene 1000 µg/mL in Acetone	1 mL
	U-PPS-350	1-Bromo-2-nitrobenzene 1000 µg/mL in Acetone	4 x 1 mL
	U-PPS-360-1	4-Chloro-2-nitrobenzotrifluoride 1000 µg/mL in Acetone	1 mL
	U-PPS-360	4-Chloro-2-nitrobenzotrifluoride 1000 µg/mL in Acetone	4 x 1 mL

## EPA Method 8150B, 8151

### Chlorinated herbicides

Method 8150B and 8151 are used to measure chlorinated herbicides using extraction followed by derivatisation. Quantitation is carried out by GC/ECD.

### Recommended standards

#### Method 8150B

Calibration standard:	U-HBM-8150A
Internal standards:	U-PPS-171 U-PPS-173
Surrogate standards:	U-PPS-165 U-PPS-164X

#### Method 8151A

Calibration standard:	U-HBM-8151A
Internal standard:	U-PPS-171
Surrogate standard:	U-PPS-165

	U-HBM-8150A-1	Chlorinated Herbicides Mixture 10 Analytes in Methanol 2,4-D ..... 100 µg/mL      Dicamba ..... 10 µg/mL      MCPA ..... 10000 µg/mL Dalapon ..... 250 µg/mL      Dichlorprop ..... 100 µg/mL      MCPP ..... 10000 µg/mL 2,4-DB ..... 100 µg/mL      Dinoseb ..... 50 µg/mL      Silvex (2,4,5-TP) ..... 10 µg/mL	1 mL
	U-HBM-8150A	Chlorinated Herbicides Mixture	4 x 1 mL
	U-HBM-8150M-1	Methylated Chlorinated Herbicides Mixture 10 Analytes in Methanol 2,4-D methyl ester ..... 100 µg/mL      Dinoseb methyl ether ..... 50 µg/mL Dalapon methyl ester ..... 250 µg/mL      MCPA methyl ester ..... 10000 µg/mL 2,4-DB methyl ester ..... 100 µg/mL      MCPP methyl ester ..... 10000 µg/mL Dicamba methyl ester ..... 10 µg/mL      Silvex methyl ester ..... 10 µg/mL Dichlorprop methyl ester ..... 100 µg/mL      2,4,5-T methyl ester ..... 10 µg/mL	1 mL
	U-HBM-8150M	Methylated Chlorinated Herbicides Mixture	4 x 1 mL
	U-HBM-8151A-1	Chlorinated Herbicide Mixture Solvent: Methanol Acifluorfen ..... 100 µg/mL      Dichlorprop ..... 100 µg/mL Bentazon ..... 100 µg/mL      Dinoseb ..... 100 µg/mL Chloramben ..... 100 µg/mL      MCPA ..... 10000 µg/mL 2,4-D ..... 100 µg/mL      MCPP ..... 10000 µg/mL Dalapon ..... 100 µg/mL      4-Nitrophenol ..... 100 µg/mL 2,4-DB ..... 100 µg/mL      Pentachlorophenol ..... 100 µg/mL DCPA (dacthal) ..... 100 µg/mL      Picloram ..... 100 µg/mL Dicamba ..... 100 µg/mL      Silvex (2,4,5-TP) ..... 100 µg/mL 3,5-Dichlorobenzoic acid ..... 100 µg/mL      2,4,5-T ..... 100 µg/mL	1 mL
	U-HBM-8151A	Chlorinated Herbicide Mixture	4 x 1 mL
<b>New</b>	U-HBM-8151M-1	Chlorinated Methylated Herbicides Mixture	1 mL
<b>New</b>	U-HBM-8151M	Chlorinated Methylated Herbicides Mixture	4 x 1 mL
	U-EPA-2015N-1	Chlorophenoxy Herbicides Mixture 5 µg/mL in of each analyte in Acetonitrile 2,4-D                                      Silvex (2,4,5-TP)	1 mL
	U-EPA-2015N	Chlorophenoxy Herbicides Mixture	4 x 1 mL
	U-HBM-8153A-1	Chlorinated Herbicides Mixture 200 µg/mL of each analyte in Methanol 2,4-D                                      Dicamba                                      MCPA                                      2,4,5-T Dalapon                                      Dichlorprop                                      MCPP 2,4-DB                                      Dinoseb                                      Silvex (2,4,5-TP)	1 mL
	U-HBM-8153A	Chlorinated Herbicides Mixture	4 x 1 mL

Code	Product	Unit
U-HBM-8152M-1	Methylated Chlorinated Herbicides Mixture 20 µg/mL of each analyte in Hexane 2,4-D methyl ester Dalapon methyl ester 2,4-DB methyl ester Dicamba methyl ester	1 mL
U-HBM-8152M	Methylated Chlorinated Herbicides Mixture	4 x 1 mL
U-HBM-815A-1	Chlorinated Herbicide Mixture 100 µg/mL of each analyte in Methanol 2,4-D Silvex (2,4,5-TP)	1 mL
U-HBM-815A	Chlorinated Herbicide Mixture	4 x 1 mL
U-HBM-815M-1	Methylated Chlorinated Herbicides Mixture 100 µg/mL of each analyte in Methanol 2,4-D methyl ester Silvex methyl ester	1 mL
U-HBM-815M	Methylated Chlorinated Herbicides Mixture	4 x 1 mL
U-PPS-171-1	4,4'-Dibromooctafluorobiphenyl 250 µg/mL in Acetone	1 mL
U-PPS-171	4,4'-Dibromooctafluorobiphenyl 250 µg/mL in Acetone	4 x 1 mL
U-PPS-165-1	2,4-Dichlorophenylacetic acid (DCAA) 100 µg/mL in Acetone	1 mL
U-PPS-165	2,4-Dichlorophenylacetic acid (DCAA) 100 µg/mL in Acetone	4 x 1 mL
U-PPS-166-1	DCAA methyl ester 100 µg/mL in Acetone	1 mL
U-PPS-166	DCAA methyl ester 100 µg/mL in Acetone	4 x 1 mL
U-PPS-164X	DCAA (2,4-Dichlorophenylacetic acid) 2 µg/mL in Methanol	25 mL
U-PPS-173-1	4,4'-Dibromooctafluorobiphenyl 1 µg/mL in Methanol	1 mL
U-PPS-173	4,4'-Dibromooctafluorobiphenyl 1 µg/mL in Methanol	4 x 1 mL

## EPA Method 8240B

### Volatiles halocarbons

Method 8240B is a GC/MS method for the determination of volatile organic compounds in a variety of solid waste matrices. Method 8240B has been deleted from the current revision of SW-846 (Update III).

### Recommended standards

Calibration standards:	U-PMX-130 U-PMX-141A U-DWM-584 U-HC-070 U-HC-491 U-NV-240B
Internal standard:	U-STM-270N
Surrogate standard:	U-STM-260N

U-PMX-130-1	Volatiles Mixture 200 µg/mL of each analyte in Methanol. Acetone Benzene Bromodichloromethane Bromoform 2-Butanone (MEK) Carbon disulfide Carbon tetrachloride Chlorobenzene Chloroform Dibromochloromethane trans-1,4-Dichloro-2-butene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane	1 mL
U-PMX-130	Volatiles Mixture	4 x 1 mL
	cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethyl alcohol (Ethanol) Ethylbenzene 2-Hexanone Methyl iodide (Iodomethane) 4-Methyl-2-pentanone (MIBK) Methylene chloride Styrene 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene o-Xylene m-Xylene p-Xylene	

## EPA 8000 Methods

Code	Product	Unit
U-PMX-141A-1	Volatiles Mixture 200 µg/mL of each analyte in Methanol. Acetonitrile Allyl alcohol Allyl chloride Benzyl chloride Bis-(2-chloroethyl)sulfide 2-Chloroethanol 3-Chloropropionitrile 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,3-Dichloro-2-propanol 1,2:3,4-Diepoxybutane 1,4-Dioxane Epichlorohydrin Ethyl methacrylate	1 mL
U-PMX-141A	Volatiles Mixture 2-Hydroxypropionitrile Isobutyl alcohol Malononitrile Methacrylonitrile Methyl methacrylate Pentachloroethane 2-Picoline Propargyl alcohol beta-Propiolactone Propionitrile n-Propylamine Pyridine 1,1,1,2-Tetrachloroethane 1,2,3-Trichloropropane	4 x 1 mL
U-NVM-8241-1	Non-Halogenated Volatiles Mixture 100 µg/mL of each analyte in Methanol. Acetone Carbon disulfide 2-Hexanone	1 mL
U-NVM-8241	Non-Halogenated Volatiles Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol. Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride	1 mL
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol. Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride	1 mL
U-DWM-544	VOC Gas Mixture	4 x 1 mL
<b>New</b> U-STM-262-1	Surrogate Standard Mixture 3 Analytes 2500 µg/mL of each analyte in Methanol 4-Bromofluorobenzene 1,2-Dichloroethane-D <sub>4</sub> Toluene-D <sub>8</sub>	1 mL
<b>New</b> U-STM-262	Surrogate Standard Mixture	4 x 1 mL
U-STM-260N-1	Surrogate Standard Mixture 1000 µg/mL of each analyte in Methanol. 4-Bromofluorobenzene 1,2-Dichloroethane-D <sub>4</sub> Toluene-D <sub>8</sub>	1 mL
U-STM-260N	Surrogate Standard Mixture	4 x 1 mL
<b>New</b> U-STM-272-1	Volatiles Internal Standard Spiking Solution 3 Analytes 2500 µg/mL of each analyte in Methanol Bromochloromethane Chlorobenzene-D <sub>5</sub> 1,4-Difluorobenzene	1 mL
<b>New</b> U-STM-272	Volatiles Internal Standard Spiking Solution	4 x 1 mL
U-STM-270N-1	Internal Standard Mixture 1000 µg/mL of each analyte in Methanol Bromochloromethane Chlorobenzene-D <sub>5</sub> 1,4-Difluorobenzene	1 mL
U-STM-270N	Internal Standard Mixture	4 x 1 mL
U-CLP-110-1	Volatiles Calibration Check Compounds Mixture 2000 µg/mL of each analyte in Methanol. Chloroform 1,1-Dichloroethene 1,2-Dichloropropane Ethylbenzene Toluene Vinyl chloride	1 mL
U-CLP-110	Volatiles Calibration Check Compounds Mixture	4 x 1 mL
U-HC-070-1	2-Chloroethylvinyl ether 100 µg/mL in Methanol	1 mL
U-HC-070	2-Chloroethylvinyl ether 100 µg/mL in Methanol	4 x 1 mL
U-HC-491-1	Chloroprene 100 µg/mL in Methanol	1 mL
U-HC-491	Chloroprene 100 µg/mL in Methanol	4 x 1 mL
U-NV-240B-1	Vinyl acetate 100 µg/mL in Acetonitrile	1 mL
U-NV-240B	Vinyl acetate 100 µg/mL in Acetonitrile	4 x 1 mL
U-STS-111-1	4-Bromofluorobenzene 25 µg/mL in Methanol	1 mL

Code	Product	Unit
U-ST5-111	4-Bromofluorobenzene 25 µg/mL in Methanol	4 x 1 mL
U-ST5-112-1	4-Bromofluorobenzene 2500 µg/mL in Methanol	1 mL
U-ST5-112	4-Bromofluorobenzene 2500 µg/mL in Methanol	4 x 1 mL
U-ST5-110N-1	4-Bromofluorobenzene 2000 µg/mL in Methanol	1 mL
U-ST5-110N	4-Bromofluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-CLP-102-1	Volatiles Matrix Spiking Solution 2500 µg/mL of each analyte in Methanol Benzene 1,1-Dichloroethene Toluene Chlorobenzene Trichloroethene	1 mL
U-CLP-102	Volatiles Matrix Spiking Solution	4 x 1 mL
U-CLP-100N-1	Volatiles Matrix Spiking Solution 1000 µg/mL of each analyte in Methanol. Benzene 1,1-Dichloroethene Trichloroethene Chlorobenzene Toluene	1 mL
U-CLP-100N	Volatiles Matrix Spiking Solution	4 x 1 mL
U-CLP-120-1	Volatiles System Performance Check Mixture 2000 µg/mL of each analyte in Methanol. Bromoform 1,1-Dichloroethane Chlorobenzene 1,1,2,2-Tetrachloroethane Chloromethane	1 mL
U-CLP-120	Volatiles System Performance Check Mixture	4 x 1 mL

### EPA Method 8260B

#### Volatile organic compounds

Method 8260B is a capillary column GC/MS method for volatile organics using purge and trap or direct injection.

#### Recommended standards

Calibration standards: U-DWM-588  
U-PMX-144  
U-PMX-145  
U-PMX-146  
U-NVM-826  
U-AMN-623  
U-HC-070  
U-HC-491  
U-NV-240B  
U-EPA-1244  
Internal standard: U-STM-520  
Surrogate standard: U-STM-530

U-DWM-580-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Bromochloromethane Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Dibromochloromethane Dibromomethane Methylene chloride 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane Benzene	n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride	1 mL
-------------	--	---	------



## EPA 8000 Methods

Code	Product	Unit
U-DWM-580	VOC Mixture	4 x 1 mL
U-DWM-588-1	VOC Mixture 2000 µg/mL of each analyte in Methanol.	1 mL
	Bromochloromethane Bromodichloromethane Bromoform Carbon tetrachloride Chloroform Dibromochloromethane Dibromomethane Methylene chloride 1,2-Dibromoethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2-Dibromo-3-chloropropane 1,2-Dichloropropane 1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Hexachlorobutadiene 1,2,3-Trichloropropane Benzene	n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Ethylbenzene Isopropylbenzene 4-Isopropyltoluene Naphthalene n-Propylbenzene Styrene Toluene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene Bromobenzene Chlorobenzene 2-Chlorotoluene 4-Chlorotoluene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Bromomethane Chloroethane Chloromethane Dichlorodifluoromethane Trichlorofluoromethane Vinyl chloride
U-DWM-588	VOC Mixture	4 x 1 mL
U-STM-530-1	Surrogate Standard Mixture 2500 µg/mL of each analyte in Methanol 4-Bromofluorobenzene    Dibromofluoromethane    1,2-Dichloroethane-D <sub>4</sub> Toluene-D <sub>8</sub>	1 mL
U-STM-530	Surrogate Standard Mixture	4 x 1 mL
U-STM-520-1	Internal Standard Mixture 2500 µg/mL of each analyte in Methanol. Chlorobenzene-D <sub>5</sub> 1,4-Dichlorobenzene-D <sub>4</sub>	1 mL
U-STM-520	Internal Standard Mixture	4 x 1 mL
U-PMX-144-1	Volatiles Mixture 2000 µg/mL of each analyte in Methanol Acetonitrile Allyl alcohol Carbon disulfide 2-Chloroethanol 3-Chloropropionitrile Crotonaldehyde 1,3-Dichloro-2-propanol 1,2:3,4-Diepoxybutane Epichlorohydrin	1 mL
		Ethyl methacrylate 2-Hydroxypropionitrile Malononitrile Methacrylonitrile Methyl methacrylate Propargyl alcohol beta-Propiolactone Propionitrile
U-PMX-144	Volatiles Mixture	4 x 1 mL
U-PMX-145-1	Volatiles Mixture 2000 µg/mL of each analyte in Methanol Bis-(2-chloroethyl)sulfide Hexachloroethane Nitrobenzene N-Nitrosodi-n-butylamine	1 mL
		Pentachloroethane 2-Picoline Pyridine o-Toluidine
U-PMX-145	Volatiles Mixture	4 x 1 mL
U-PMX-146-1	Volatiles Mixture 2000 µg/mL of each analyte in Methanol Allyl chloride Benzyl chloride cis-1,4-Dichloro-2-butene trans-1,4-Dichloro-2-butene	1 mL
		Methyl iodide (Iodomethane) 2-Nitropropane n-Propylamine
U-PMX-146	Volatiles Mixture	4 x 1 mL

Code	Product	Unit
U-NVM-826-1	Volatiles Mixture 2000 µg/mL of each analyte in Water. Acetone 2-Butanone (MEK) n-Butyl alcohol tert-Butanol Diethyl ether 1,4-Dioxane Ethyl acetate Ethyl alcohol (Ethanol)	1 mL
	2-Hexanone Isobutyl alcohol Isopropyl alcohol (Isopropanol) Methanol 4-Methyl-2-pentanone (MIBK) 1-Propanol 2-Pentanone	
U-NVM-826	Volatiles Mixture	4 x 1 mL
U-HC-070-1	2-Chloroethylvinyl ether 100 µg/mL in Methanol	1 mL
U-HC-070	2-Chloroethylvinyl ether 100 µg/mL in Methanol	4 x 1 mL
U-HC-491-1	Chloroprene 100 µg/mL in Methanol	1 mL
U-HC-491	Chloroprene 100 µg/mL in Methanol	4 x 1 mL
U-NV-240B-1	Vinyl acetate 100 µg/mL in Acetonitrile	1 mL
U-NV-240B	Vinyl acetate 100 µg/mL in Acetonitrile	4 x 1 mL
U-EPA-1244	Chloral hydrate 1000 µg/mL in Methanol	1 mL
U-AMN-603-1	Acrolein-Acrylonitrile Mixture 100 µg/mL of each analyte in Methanol Acrolein                      Acrylonitrile	1 mL
U-AMN-603	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-623	Acrolein-Acrylonitrile Mixture	4 x 1 mL
U-AMN-623-1	Acrolein-Acrylonitrile Mixture 2000 µg/mL of each analyte in Methanol Acrolein                      Acrylonitrile	1 mL
U-DWK-8260	EPA Method 8260B Kit Acrolein-Acrylonitrile Mixture (2000 µg/mL in Methanol) ..... U-AMN-623 ( 1 x 1 mL ) VOC Mixture (2000 µg/mL in Methanol) ..... U-DWM-588 ( 1 x 1 mL ) Chloral hydrate (1000 µg/mL in Methanol) ..... U-EPA-1244 ( 1 x 1 mL ) 2-Chloroethylvinyl ether (100 µg/mL in Methanol) ..... U-HC-070 ( 1 x 1 mL ) Chloroprene (100 µg/mL in Methanol) ..... U-HC-491 ( 1 x 1 mL ) Vinyl acetate (100 µg/mL in Acetonitrile) ..... U-NV-240B ( 1 x 1 mL ) EPA Method 8260 Mixture (2000 µg/mL in Water) ..... U-NVM-826 ( 1 x 1 mL ) Volatiles Mixture (2000 µg/mL in Methanol) ..... U-PMX-144 ( 1 x 1 mL ) Volatiles Mixture (2000 µg/mL in Methanol) ..... U-PMX-145 ( 1 x 1 mL ) Volatiles Mixture (2000 µg/mL in Methanol) ..... U-PMX-146 ( 1 x 1 mL ) Internal Standard Mixture (2500 µg/mL in Methanol) ..... U-STM-520 ( 1 x 1 mL ) Method 8260A Surrogate Standard Mixture (2500 µg/mL in Methanol) ..... U-STM-530 ( 1 x 1 mL )	kit
U-DWM-583-1	VOC Mixture 200 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL
	2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene	
U-DWM-583	VOC Mixture	4 x 1 mL

## EPA 8000 Methods

Code	Product	Unit
U-DWM-589N-1	VOC Mixture 2000 µg/mL of each analyte in Methanol. Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroform 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane Dibromomethane 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane	1 mL
	2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Hexachlorobutadiene Isopropylbenzene 4-Isopropyltoluene Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Toluene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene o-Xylene m-Xylene p-Xylene	
U-DWM-589N	VOC Mixture	4 x 1 mL
U-CLP-102-1	Volatiles Matrix Spiking Solution 2500 µg/mL of each analyte in Methanol Benzene Chlorobenzene	1 mL
	1,1-Dichloroethene Trichloroethene Toluene	
U-CLP-102	Volatiles Matrix Spiking Solution	4 x 1 mL
U-CLP-100N-1	Volatiles Matrix Spiking Solution 1000 µg/mL of each analyte in Methanol. Benzene Chlorobenzene	1 mL
	1,1-Dichloroethene Toluene Trichloroethene	
U-CLP-100N	Volatiles Matrix Spiking Solution	4 x 1 mL
U-CLP-110-1	Volatiles Calibration Check Compounds Mixture 2000 µg/mL of each analyte in Methanol. Chloroform 1,1-Dichloroethene	1 mL
	1,2-Dichloropropane Ethylbenzene Toluene Vinyl chloride	
U-CLP-110	Volatiles Calibration Check Compounds Mixture	4 x 1 mL
U-STS-111-1	4-Bromofluorobenzene 25 µg/mL in Methanol	1 mL
U-STS-111	4-Bromofluorobenzene 25 µg/mL in Methanol	4 x 1 mL
U-STS-112-1	4-Bromofluorobenzene 2500 µg/mL in Methanol	1 mL
U-STS-112	4-Bromofluorobenzene 2500 µg/mL in Methanol	4 x 1 mL
U-STS-110N-1	4-Bromofluorobenzene 2000 µg/mL in Methanol	1 mL
U-STS-110N	4-Bromofluorobenzene 2000 µg/mL in Methanol	4 x 1 mL
U-STM-540-1	Internal & Surrogate Standard Mixture 2500 µg/mL of each analyte in Methanol Chlorobenzene-D <sub>5</sub> 1,4-Dichlorobenzene-D <sub>4</sub> Fluorobenzene 4-Bromofluorobenzene	1 mL
	Dibromofluoromethane 1,2-Dichloroethane-D <sub>4</sub> Toluene-D <sub>8</sub>	
U-STM-540	Internal & Surrogate Standard Mixture	4 x 1 mL
U-STM-541-1	Internal & Surrogate Standard Mixture 5000 µg/mL of each analyte in Methanol Chlorobenzene-D <sub>5</sub> 1,4-Dichlorobenzene-D <sub>4</sub> Fluorobenzene	1 mL
	4-Bromofluorobenzene Dibromofluoromethane 1,2-Dichloroethane-D <sub>4</sub>	
U-STM-541	Internal & Surrogate Standard Mixture	4 x 1 mL
U-CLP-120-1	Volatiles System Performance Check Mixture 2000 µg/mL of each analyte in Methanol. Bromoform Chlorobenzene Chloromethane	1 mL
	1,1-Dichloroethane 1,1,2,2-Tetrachloroethane	

Code	Product	Unit
U-CLP-120	Volatiles System Performance Check Mixture	4 x 1 mL
U-DWM-584-1	VOC Gas Mixture 200 µg/mL of each analyte in Methanol.	1 mL
	Bromomethane Chloroethane	Chloromethane Dichlorodifluoromethane
		Trichlorofluoromethane Vinyl chloride
U-DWM-584	VOC Gas Mixture	4 x 1 mL
U-DWM-544-1	VOC Gas Mixture 2000 µg/mL of each analyte in Methanol.	1 mL
	Bromomethane Chloroethane	Chloromethane Dichlorodifluoromethane
		Trichlorofluoromethane Vinyl chloride
U-DWM-544	VOC Gas Mixture	4 x 1 mL
U-DWM-826-1	VOC Mixture 53 Analytes 200 µg/mL of each analyte in Methanol	1 mL
	Bromodichloromethane	1,2,3-Trichloropropane
	Bromoform	Benzene
	Carbon tetrachloride	n-Butylbenzene
	Chloroform	sec-Butylbenzene
	Dibromochloromethane	tert-Butylbenzene
	Dibromomethane	Ethylbenzene
	Methylene chloride	Isopropylbenzene
	1,2-Dibromoethane	Isopropyltoluene
	1,1-Dichloroethane	Naphthalene
	1,2-Dichloroethane	n-Propylbenzene
	1,1-Dichloroethene	Styrene
	cis-1,2-Dichloroethene	Toluene
	trans-1,2-Dichloroethene	1,2,4-Trimethylbenzene
	1,1,1,2-Tetrachloroethane	1,3,5-Trimethylbenzene
	1,1,2,2-Tetrachloroethane	o-Xylene
	Tetrachloroethene	m-Xylene
	1,1,1-Trichloroethane	p-Xylene
	1,1,2-Trichloroethane	Bromobenzene
	Trichloroethene	Chlorobenzene
	1,2-Dibromo-3-chloropropane	2-Chlorotoluene
	1,2-Dichloropropane	4-Chlorotoluene
	1,3-Dichloropropane	1,2-Dichlorobenzene
	2,2-Dichloropropane	1,3-Dichlorobenzene
	1,1-Dichloropropene	1,4-Dichlorobenzene
	cis-1,3-Dichloropropene	1,2,3-Trichlorobenzene
	trans-1,3-Dichloropropene	1,2,4-Trichlorobenzene
	Hexachlorobutadiene	
U-DWM-826	VOC Mixture	4 x 1 mL
U-DWM-826A-1	VOC Mixture 2000 mg/mL in Methanol list of analytes see U-DWM-826-1	1 mL
U-DWM-826A	VOC Mixture	4 x 1 mL
U-STM-330N-1	Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol.	1 mL
	4-Bromofluorobenzene	Dibromofluoromethane
		Toluene-D <sub>8</sub>
U-STM-330N	Surrogate Standard Mixture	4 x 1 mL
U-STM-341N-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methanol.	1 mL
	Chlorobenzene-D <sub>5</sub>	1,4-Difluorobenzene
	1,4-Dichlorobenzene-D <sub>4</sub>	Pentafluorobenzene
U-STM-341N	Internal Standard Mixture	4 x 1 mL

## EPA Method 8270D

### Semi-volatiles organic compounds and appendix IX semi-volatiles

Method 8270D is a capillary column GC/MS method for semi-volatile organics using a capillary column.

#### Recommended standards

Calibration standards: U-US-121K  
 Internal standard: U-US-108N  
 Surrogate standards: U-ISM-280N  
 U-ISM-290N  
 U-ISM-333X

## EPA 8000 Methods

Code	Product	Unit
U-US-121K	EPA Method 8270D Calibration Standards Kit Toxic Substances Mixture #2 (2000 µg/mL in Methylene chloride) ..... U-US-104N ( 1 x 1 mL ) PAH Mixture (2000 µg/mL in Methylene chloride/Benzene) ..... U-US-106N ( 1 x 1 mL ) Phenols Mixture (2000 µg/mL in Methylene chloride)..... U-US-107N ( 1 x 1 mL ) Semi-Volatiles Internal Standard Mixture (4000 µg/mL in Methylene chloride) ..... U-US-108N ( 1 x 1 mL ) Ethers and Phthalates Mixture (2000 µg/mL in Methylene chloride) ..... U-US-110 ( 1 x 1 mL ) Chlorinated Hydrocarbons Mixture (2000 µg/mL in Methylene chloride) ..... U-US-111 ( 1 x 1 mL ) Organochlorine Pesticides Mixture (2000 µg/mL in Acetone)..... U-US-112B ( 1 x 1 mL ) Nitrosamines Mixture (2000 µg/mL in Methylene chloride)..... U-US-113N ( 1 x 1 mL ) Base/Neutrals Mixture #3 (2000 µg/mL in Methylene chloride) ..... U-US-114 ( 1 x 1 mL ) Base/Neutrals Mixture #4 (2000 µg/mL in Methylene chloride) ..... U-US-115 ( 1 x 1 mL ) PAH Mixture #2 (2000 µg/mL in Methylene chloride/Benzene) ..... U-US-116N ( 1 x 1 mL ) Phenols Mixture #2 (2000 µg/mL in Methylene chloride)..... U-US-117N ( 1 x 1 mL ) Pesticides Mixture (2000 µg/mL in Methylene chloride) ..... U-US-118 ( 1 x 1 mL ) Organophosphorous Pesticides Mixture (2000 µg/mL in Methylene chloride)..... U-US-119 ( 1 x 1 mL ) Pyridines Mixture (2000 µg/mL in Acetone)..... U-US-120AN ( 1 x 1 mL )	kit
<b>New</b> U-SVK-8270	EPA Method 8270D Kit Each kit contains seventeen ampules: EPA Method 8270C Calibration Standards Kit ..... U-US-121K (kit) Base/Neutrals Surrogate Standard Mixture ..... U-ISM-280N-1 ( 1 x 1 mL ) Acids Surrogate Standard Mixture ..... U-ISM-290N-1 ( 1 x 1 mL )	kit
U-SVM-8270-1	OMNIprep™ Semi-Volatiles Mix 1 64 Analytes 1000 µg/mL of each analyte in Methylene chloride/Benzene (3:1) Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Carbazole Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene Indeno(1,2,3-cd)pyrene Naphthalene Phenanthrene Pyrene Azobenzene 4-Chloroaniline 2-Chloronaphthalene 4-Chloro-3-methylphenol Dibenzofuran 1,4-Dichlorobenzene 2,4-Dichlorophenol 2-Methyl-4,6-dinitrophenol 2,4-Dinitrophenol 2,4-dinitrotoluene 2,6-Dinitrotoluene Hexachlorobenzene Hexachloroethane Pentachlorophenol 2-Nitrophenol 4-Nitrophenol 2-Nitroaniline 3-Nitroaniline 4-Nitroaniline 2,4,5-Trichlorophenol 2,4,6-Trichlorophenol Bis(2-chloroethyl) ether Bis(2-chloroethoxy)methane Bis(2-ethylhexyl)phthalate 4-Bromophenyl phenyl ether Butyl benzyl phthalate 4-Chlorophenyl phenyl ether 2-Chlorophenol Di-n-butyl phthalate 1,2-Dichlorobenzene 1,3-Dichlorobenzene Diethyl phthalate 2,4-Dimethylphenol Dimethyl phthalate Di-n-octyl phthalate Hexachlorobutadiene Hexachlorocyclopentadiene Isophorone 2-Methylnaphthalene Nitrobenzene N-Nitrosodimethylamine N-Nitrosodi-n-propylamine 1,2,4-Trichlorobenzene o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) Bis(2-chloroisopropyl) ether Phenol	1 mL
U-SVM-8270	OMNIprep™ Semi-Volatiles Mix 1	4 x 1 mL
U-SVM-8271-1	OMNIprep™ Semi-Volatiles Mix 2 35 Analytes 1000 µg/mL in Methylene chloride Acetophenone 2-Acetylaminofluorene 4-Aminobiphenyl Aniline Benzyl alcohol 2,6-Dichlorophenol p-(Dimethylamino)azobenzene 7,12-Dimethylbenzo(a)anthracene m-Dinitrobenzene Dinoseb Diphenylamine Ethyl methanesulfonate Hexachloropropene Isosafrole 3-Methylcholanthrene Methyl methanesulfonate m-Cresol (3-Methylphenol) 1-Naphthylamine 2-Naphthylamine N-Nitrosodi-n-butylamine N-Nitrosodiethylamine N-Nitrosomethylethylamine N-Nitrosomorpholine N-Nitrosopiperidine N-Nitrosopyrrolidine 5-Nitro-o-toluidine Pentachlorobenzene Pentachloroethane Pentachloronitrobenzene Phenacetin Safrole 1,2,4,5-Tetrachlorobenzene 2,3,4,6-Tetrachlorophenol o-Toluidine 1,3,5-Trinitrobenzene	1 mL
U-SVM-8271	OMNIprep™ Semi-Volatiles Mix 2	4 x 1 mL

Code	Product	Unit
U-US-111	Chlorinated Hydrocarbons Mixture 2000 µg/mL of each analyte in Methylene chloride. 2-Chloronaphthalene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Hexachlorobenzene Hexachlorobutadiene Hexachlorocyclopentadiene	1 mL Hexachloroethane Hexachloropropene Pentachlorobenzene Pentachloroethane 1,2,4,5-Tetrachlorobenzene 1,2,4-Trichlorobenzene
U-US-111-4	Chlorinated Hydrocarbons Mixture	4 x 1 mL
U-US-114	Base/Neutrals Mixture 3 2000 µg/mL of each analyte in Methylene chloride. 2-Acetylaminofluorene 4-Aminobiphenyl 3,3'-Dichlorobenzidine p-(Dimethylamino)azobenzene 3,3'-Dimethylbenzidine α,α-Dimethylphenethylamine Diphenylamine	1 mL 1-Naphthylamine 2-Naphthylamine 5-Nitro-o-toluidine Phenacetin p-Phenylenediamine o-Toluidine
U-US-114-4	Base/Neutrals Mixture 3	4 x 1 mL
U-US-115	Base/Neutrals Mixture 4 2000 µg/mL of each analyte in Methylene chloride. Acetophenone m-Dinitrobenzene 2,4-Dinitrotoluene 2,6-Dinitrotoluene Ethyl methanesulfonate Isophorone Isosafrole	1 mL Methyl methanesulfonate 1,4-Naphthoquinone Nitrobenzene Pentachloronitrobenzene Safrole 1,3,5-Trinitrobenzene
U-US-115-4	Base/Neutrals Mixture 4	4 x 1 mL
U-US-110	Ethers and Phthalates Mixture 2000 µg/mL of each analyte in Methylene chloride. Bis(2-chloroethoxy) methane Bis(2-chloroethyl) ether Bis(2-chloroisopropyl) ether Bis(2-ethylhexyl) phthalate 4-Bromophenyl phenyl ether Butyl benzyl phthalate	1 mL 4-Chlorophenyl phenyl ether Di-n-butyl phthalate Diethyl phthalate Dimethyl phthalate Di-n-octyl phthalate
U-US-110-4	Ethers and Phthalates Mixture	4 x 1 mL
U-US-104N	Toxic Substances Mixture 2 2000 µg/mL of each analyte in Methylene chloride. Aniline Benzyl alcohol 4-Chloroaniline Dibenzofuran 2-Methylnaphthalene 2-Nitroaniline 3-Nitroaniline 4-Nitroaniline	1 mL
U-US-104N-4	Toxic Substances Mixture 2	4 x 1 mL
U-US-113N	Nitrosamines Mixture 2000 µg/mL of each analyte in Methylene chloride. N-Nitrosodi-n-butylamine N-Nitrosodiethylamine N-Nitrosodimethylamine N-Nitrosodiphenylamine N-Nitrosodi-n-propylamine	1 mL N-Nitrosomethylethylamine N-Nitrosomorpholine N-Nitrosopiperidine N-Nitrosopyrrolidine
U-US-113N-4	Nitrosamines Mixture	4 x 1 mL
U-US-106N	PAH Mixture 2000 µg/mL of each analyte in Methylene chloride/Benzene (1:1) Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene Indeno(1,2,3-cd)pyrene Naphthalene Phenanthrene Pyrene	1 mL
U-US-106N-4	PAH Mixture	4 x 1 mL
U-US-107N	Phenols Mixture 2000 µg/mL of each analyte in Methylene Chloride. 4-Chloro-3-methylphenol 2-Chlorophenol 2,4-Dichlorophenol 2,4-Dimethylphenol 2,4-Dinitrophenol 2-Methyl-4,6-dinitrophenol	1 mL 2-Nitrophenol 4-Nitrophenol Pentachlorophenol Phenol 2,4,6-Trichlorophenol
U-US-107N-4	Phenols Mixture	4 x 1 mL

## EPA 8000 Methods

Code	Product	Unit
U-US-112B	Organochlorine Pesticide Mixture 2000 µg/mL of each analyte in Acetone Aldrin alpha-BHC (alpha-HCH) beta-BHC (beta-HCH) delta-BHC (delta-HCH) gamma-BHC (Lindane) 4,4'-DDD 4,4'-DDE 4,4'-DDT Dieldrin	1 mL Endosulfan I Endosulfan II Endosulfan sulfate Endrin Endrin aldehyde Heptachlor Heptachlor epoxide - isomer B Methoxychlor
U-US-112B-4	Organochlorine Pesticide Mixture	4 x 1 mL
U-US-116N	PAH Mixture 2 2000 µg/mL of each analyte in Methylene chloride/Benzene (1:1) 7,12-Dimethylbenz(a)anthracene	1 mL 3-Methylcholanthrene
U-US-116N-4	PAH Mixture 2	4 x 1 mL
U-US-117N	Phenols Mixture 2 2000 µg/mL of each analyte in Methylene chloride. m-Cresol (3-Methylphenol) o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) 2,6-Dichlorophenol	1 mL Dinoseb (DNBP) Hexachlorophene 2,3,4,6-Tetrachlorophenol 2,4,5-Trichlorophenol
U-US-117N-4	Phenols Mixture 2	4 x 1 mL
U-US-119	Organophosphorus Pesticides Mixture 2000 µg/mL of each analyte in Methylene chloride Dimethoate Disulfoton Famphur Methyl parathion Parathion (ethyl)	1 mL Phorate Sulfotepp Thionazin O,O,O-Triethyl phosphorothioate
U-US-119-4	Organophosphorus Pesticides Mixture	4 x 1 mL
U-US-120AN	Pyridines Mixture 2000 µg/mL of each analyte in Acetone. Methapyrilene 4-Nitroquinoline-1-oxide	1 mL 2-Picoline Pyridine
U-US-120AN-4	Pyridines Mixture	4 x 1 mL
U-US-118	Pesticides Mixture 2000 µg/mL of each analyte in Methylene chloride Aramite (total) Chlorobenzilate	1 mL Diallate (total) Isodrin Kepone Pronamide
U-US-118-4	Pesticides Mixture	4 x 1 mL
U-SVM-120A-1	Semi-Volatiles Mixture 1 2000 µg/mL of each analyte in Methylene chloride Aniline Benzyl alcohol Bis(2-chloroethyl) ether Bis(2-chloroisopropyl) ether 2-Chlorophenol 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene	1 mL Hexachloroethane o-Cresol (2-Methylphenol) p-Cresol (4-Methylphenol) N-Nitrosodimethylamine N-Nitrosodi-n-propylamine Phenol 2-Picoline
U-SVM-120A	Semi-Volatiles Mixture 1	4 x 1 mL
U-SVM-121-1	Semi-Volatiles Mixture 2 2000 µg/mL of each analyte in Methylene chloride Benzidine Benzo(a)anthracene Bis(2-ethylhexyl)phthalate Butyl benzyl phthalate	1 mL Chrysene 3,3'-Dichlorobenzidine p-(Dimethylamino)azobenzene Pyrene
U-SVM-121	Semi-Volatiles Mixture 2	4 x 1 mL
U-SVM-122-1	Semi-Volatiles Mixture 3 2000 µg/mL of each analyte in Methylene chloride Acetophenone Benzoic acid Bis(2-chloroethoxy)methane 4-Chloroaniline 4-Chloro-3-methylphenol 2,4-Dichlorophenol 2,6-Dichlorophenol alpha,alpha-Dimethylphenethylamine 2,4-Dimethylphenol	1 mL Hexachlorobutadiene Isophorone 2-Methylnaphthalene Naphthalene Nitrobenzene 2-Nitrophenol N-Nitrosodi-n-butylamine N-Nitrosopiperidine 1,2,4-Trichlorobenzene



Code	Product	Unit
U-SVM-122	Semi-Volatiles Mixture 3	4 x 1 mL
U-SVM-123-1	Semi-Volatiles Mixture 4 2000 µg/mL of each analyte in Methylene chloride Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene Dibenzo(a,h)anthracene	1 mL 7,12-Dimethylbenz(a)anthracene Di-n-octyl phthalate Indeno(1,2,3-cd)pyrene 3-Methylcholanthrene Dibenzo(a,j)acridine
U-SVM-123	Semi-Volatiles Mixture 4	4 x 1 mL
U-SVM-124-1	Semi-Volatiles Mixture 5 2000 µg/mL of each analyte in Methylene chloride Acenaphthene Acenaphthylene 1-Chloronaphthalene 2-Chloronaphthalene 4-Chlorophenyl phenyl ether Dibenzofuran Diethyl phthalate Dimethyl phthalate 2,4-Dinitrophenol 2,4-Dinitrotoluene 2,6-Dinitrotoluene Fluorene	1 mL Hexachlorocyclopentadiene 1-Naphthylamine 2-Naphthylamine 2-Nitroaniline 3-Nitroaniline 4-Nitroaniline 4-Nitrophenol Pentachlorobenzene 1,2,4,5-Tetrachlorobenzene 2,3,4,6-Tetrachlorophenol 2,4,6-Trichlorophenol 2,4,5-Trichlorophenol
U-SVM-124	Semi-Volatiles Mixture 5	4 x 1 mL
U-SVM-125-1	Semi-Volatiles Mixture 6 2000 µg/mL of each analyte in Methylene chloride 4-Aminobiphenyl Anthracene 4-Bromophenyl phenyl ether Di-n-butyl phthalate 2-Methyl-4,6-dinitrophenol	1 mL Fluoranthene Hexachlorobenzene Pentachlorophenol Phenanthrene
U-SVM-125	Semi-Volatiles Mixture 6	4 x 1 mL
U-SVM-126-1	Semi-Volatiles Mixture 7 2000 µg/mL of each analyte in Methylene chloride Aramite (total) Chlorobenzilate Diallate (total) 2,4-D	1 mL Dimethoate Dinoseb Disulfoton Famphur Kepone Methyl parathion Parathion (ethyl) Phorate Silvex (2,4,5-TP) Sulfotepp Thionazin
U-SVM-126	Semi-Volatiles Mixture 7	4 x 1 mL
U-SVM-127-1	Semi-Volatiles Mixture 8 2000 µg/mL of each analyte in Methylene chloride 3,3'-Dimethylbenzidine 4-Nitroquinoline-1-oxide N-Nitrosodiethylamine N-Nitrosomethylethylamine N-Nitrosomorpholine	1 mL N-Nitrosopyrrolidine 5-Nitro-o-toluidine p-Phenylenediamine o-Toluidine
U-SVM-127	Semi-Volatiles Mixture 8	4 x 1 mL
U-SVM-128-1	Semi-Volatiles Mixture 9 2000 µg/mL of each analyte in Methylene chloride Diphenylamine 1,2-Diphenylhydrazine N-Nitrosodiphenylamine	1 mL Pentachloronitrobenzene Phenacetin Pronamide
U-SVM-128	Semi-Volatiles Mixture 9	4 x 1 mL
U-SVM-129-1	Semi-Volatiles Mixture 10 2000 µg/mL of each analyte in Methylene chloride 2-Acetylaminofluorene m-Dinitrobenzene Hexachlorophene Hexachloropropene O,O,O-Triethyl phosphorothioate	1 mL Isosafrole Methapyrilene 1,4-Naphthoquinone Safrole Isodrin
U-SVM-129	Semi-Volatiles Mixture 10 10 Analytes 2000 µg/mL of each analyte in Methylene chloride 2-Acetylaminofluorene m-Dinitrobenzene Hexachlorophene Hexachloropropene O,O,O-Triethyl phosphorothioate	4 x 1 mL Isosafrole Methapyrilene 1,4-Naphthoquinone Safrole Isodrin
<b>New</b> U-SVM-140-1	Semi-Volatiles Mixture #12	1 mL

## EPA 8000 Methods

Code	Product	Unit
<b>New</b> U-SVM-140	Semi-Volatiles Mixture #12 19 Analytes 2000 µg/mL of each analyte in Methylene chloride Acetophenone 4-Aminobiphenyl 1-Chloronaphthalene Dibenz[a,j]acridine p-Dimethylaminoazobenzene 7,12-Dimethylbenz[a]anthracene α,α-Dimethylphenethylamine Diphenylamine 3-Methylcholanthrene 1-Naphthylamine 2-Naphthylamine N-Nitrosodi-n-butylamine N-Nitrosopiperidine Pentachlorobenzene Pentachloronitrobenzene Phenacetin 2-Picoline Pronamide 1,2,4,5-Tetrachlorobenzene	4 x 1 mL
U-SVM-131-1	Semi-Volatiles Mixture 11 2000 µg/mL of each analyte in Methylene chloride Ethyl methanesulfonate Methyl methanesulfonate 1,3,5-Trinitrobenzene	1 mL
U-SVM-131	Semi-Volatiles Mixture 11	4 x 1 mL
U-SVK-8271	EPA Method 8270D Calibration Standards Kit Semi-Volatiles Mixture #1 (2000 µg/mL in Methylene chloride)..... U-SCM-120A ( 1 x 1 mL ) Semi-Volatiles Mixture #2 (2000 µg/mL in Methylene chloride)..... U-SCM-121 ( 1 x 1 mL ) Semi-Volatiles Mixture #3 (2000 µg/mL in Methylene chloride)..... U-SCM-122 ( 1 x 1 mL ) Semi-Volatiles Mixture #4 (2000 µg/mL in Methylene chloride)..... U-SCM-123 ( 1 x 1 mL ) Semi-Volatiles Mixture #5 (2000 µg/mL in Methylene chloride)..... U-SCM-124 ( 1 x 1 mL ) Semi-Volatiles Mixture #6 (2000 µg/mL in Methylene chloride)..... U-SCM-125 ( 1 x 1 mL ) Semi-Volatiles Mixture #7 (2000 µg/mL in Methylene chloride)..... U-SCM-126 ( 1 x 1 mL ) Semi-Volatiles Mixture #8 (2000 µg/mL in Methylene chloride)..... U-SCM-127 ( 1 x 1 mL ) Semi-Volatiles Mixture #9 (2000 µg/mL in Methylene chloride)..... U-SCM-128 ( 1 x 1 mL ) Semi-Volatiles Mixture #10 (2000 µg/mL in Methylene chloride)..... U-SCM-129 ( 1 x 1 mL ) Semi-Volatiles Mixture #11 (2000 µg/mL in Methylene chloride)..... U-SCM-131 ( 1 x 1 mL )	kit
U-ISM-560-1	Semi-Volatiles Internal Standard Mixture 2000 µg/mL of each analyte in Methylene chloride. Acenaphthene-D <sub>10</sub> Chrysene-D <sub>12</sub> 1,4-Dichlorobenzene-D <sub>4</sub> Naphthalene-D <sub>8</sub> Perylene-D <sub>12</sub> Phenanthrene-D <sub>10</sub>	1 mL
U-ISM-560	Semi-Volatiles Internal Standard Mixture	4 x 1 mL
U-US-108N	Semi-Volatiles Internal Standard Mixture 4000 µg/mL of each analyte in Methylene chloride. Acenaphthene-D <sub>10</sub> Chrysene-D <sub>12</sub> 1,4-Dichlorobenzene-D <sub>4</sub> Naphthalene-D <sub>8</sub> Perylene-D <sub>12</sub> Phenanthrene-D <sub>10</sub>	1 mL
<b>New</b> U-US-108N-4	Semi-Volatiles Internal Standard Mixture	4 x 1 mL
U-ISM-280N-1	Base/Neutrals Surrogate Standard Mixture 1000 µg/mL of each analyte in Methylene chloride 2-Fluorobiphenyl Nitrobenzene-D <sub>5</sub> p-Terphenyl-D <sub>14</sub>	1 mL
U-ISM-280N	Base/Neutrals Surrogate Standard Mixture	4 x 1 mL
U-ISM-290N-1	Acids Surrogate Standard Mixture 2000 µg/mL of each analyte in Methanol 2-Fluorophenol Phenol-D <sub>5</sub> 2,4,6-Tribromophenol	1 mL
U-ISM-290N	Acids Surrogate Standard Mixture	4 x 1 mL
U-ISM-430-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methylene chloride 1-Fluoronaphthalene p-Terphenyl-D <sub>14</sub>	1 mL
U-ISM-430	Internal Standard Mixture	4 x 1 mL
U-CLP-301-1	Base/Neutrals Matrix Spiking Solution 1000 µg/mL of each analyte in Acetone Acenaphthene 1,4-Dichlorobenzene 2,4-Dinitrotoluene N-Nitrosodi-n-propylamine Pyrene 1,2,4-Trichlorobenzene	1 mL
U-CLP-301	Base/Neutrals Matrix Spiking Solution	4 x 1 mL
U-CLP-300N-1	Base/Neutrals Matrix Spiking Solution 1000 µg/mL of each analyte in Methylene chloride Acenaphthene 1,4-Dichlorobenzene 2,4-Dinitrotoluene N-Nitrosodi-n-propylamine Pyrene 1,2,4-Trichlorobenzene	1 mL
U-CLP-300N	Base/Neutrals Matrix Spiking Solution	4 x 1 mL

Code	Product	Unit
<b>New</b> U-CLP-401-1	Acids Matrix Spiking Solution 5 Analytes 1500 µg/mL of each analyte in Methanol 4-Chloro-3-methylphenol 2-Chlorophenol 4-Nitrophenol	1 mL   Pentachlorophenol Phenol
<b>New</b> U-CLP-401	Acids Matrix Spiking Solution	4 x 1 mL
U-CLP-400N-1	Acids Matrix Spiking Solution 2000 µg/mL of each analyte in Methanol 4-Chloro-3-methylphenol 2-Chlorophenol 4-Nitrophenol	1 mL   Pentachlorophenol Phenol
U-CLP-400N	Acids Matrix Spiking Solution	4 x 1 mL
U-CLP-310-1	Base/Neutrals Calibration Check Mixture 1000 µg/mL of each analyte in Methylene chloride. Acenaphthene Benzo(a)pyrene 1,4-Dichlorobenzene Di-n-octyl phthalate	1 mL   Fluoranthene Hexachlorobutadiene N-Nitrosodiphenylamine
U-CLP-310	Base/Neutrals Calibration Check Mixture	4 x 1 mL
U-CLP-311-1	Base/Neutrals Calibration Check Compounds Mixture 2000 µg/mL of each analyte in Methylene chloride Acenaphthene Benzo(a)pyrene 1,4-Dichlorobenzene Di-n-octyl phthalate	1 mL   Fluoranthene Hexachlorobutadiene N-Nitrosodiphenylamine
U-CLP-311	Base/Neutrals Calibration Check Compounds Mixture	4 x 1 mL
U-CLP-410-1	Acids Calibration Check Mixture 2000 µg/mL of each analyte in Methanol. 4-Chloro-3-methylphenol 2,4-Dichlorophenol 2-Nitrophenol	1 mL   Pentachlorophenol Phenol 2,4,6-Trichlorophenol
U-CLP-410	Acids Calibration Check Mixture	4 x 1 mL
U-CLP-411-1	Acids Calibration Check Compounds Mixture 2000 µg/mL of each analyte in Methylene chloride 4-Chloro-3-methylphenol 2,4-Dichlorophenol 2-Nitrophenol	1 mL   Pentachlorophenol Phenol 2,4,6-Trichlorophenol
U-CLP-411	Acids Calibration Check Compounds Mixture	4 x 1 mL
U-CLP-320-1	System Performance Check Mixture 1000 µg/mL of each analyte in Methylene chloride 2,4-Dinitrophenol Hexachlorocyclopentadiene	1 mL   4-Nitrophenol N-Nitrosodi-n-propylamine
U-CLP-320	System Performance Check Mixture	4 x 1 mL
U-ISM-333X	Semi-Volatile Surrogate Standard Mixture 6 Analytes in Methanol 2-Fluorobiphenyl ..... 100 µg/mL 2-Fluorophenol..... 200 µg/mL Nitrobenzene-D <sub>5</sub> ..... 100 µg/mL	100 mL   Phenol-D <sub>5</sub> ..... 200 µg/mL p-Terphenyl-D <sub>14</sub> ..... 100 µg/mL 2,4,6-Tribromophenol..... 200 µg/mL
<b>New</b> U-ISM-333X-25	Semi-Volatile Surrogate Standard Mixture	25 mL
U-CLP-351X	Semi Volatiles Matrix Spiking Solution 2000 µg/mL of each analyte in Methanol 4-Chloro-3-methylphenol 2-Chlorophenol 4-Nitrophenol	25 mL   Pentachlorophenol Phenol
<b>New</b> U-ISM-333XC	Semi-Volatile Surrogate Standard Mixture with Indicator 6 Analytes in Methanol 2-Fluorobiphenyl ..... 100 µg/mL Nitrobenzene-D <sub>5</sub> ..... 100 µg/mL p-terphenyl-D <sub>14</sub> ..... 100 µg/mL pH indicator red - yellow pH..... 3.2 - 4.4	100 mL   2,4,6-Tribromophenol..... 200 µg/mL 2-Fluorophenol ..... 200 µg/mL Phenol-D <sub>5</sub> ..... 200 µg/mL
<b>New</b> U-ISM-333XC-25	Semi-Volatile Surrogate Standard Mixture with Indicator	25 mL

## EPA 8000 Methods

Code	Product	Unit
U-ISM-331-1	Surrogate Standard Mixture 4000 µg/mL of each analyte in Methylene chloride 2-Fluorobiphenyl Nitrobenzene-D <sub>5</sub> p-Terphenyl-D <sub>14</sub> 2-Fluorophenol Phenol-D <sub>5</sub> 2,4,6-Tribromophenol	1 mL
U-ISM-331	Surrogate Standard Mixture	4 x 1 mL
U-ISM-332-1	Semi-Volatiles Surrogate Standard Mixture 4000 µg/mL of each analyte in Methylene chloride 2-Fluorobiphenyl Nitrobenzene-D <sub>5</sub> p-Terphenyl-D <sub>14</sub> 2-Fluorophenol Phenol-D <sub>5</sub> 2,4,6-Tribromophenol	1 mL
U-ISM-332	Semi-Volatiles Surrogate Standard Mixture	4 x 1 mL
U-ISM-320-1	Pesticides Surrogate Standard Spiking Solution 200 µg/mL of each analyte in Acetone 2,4,5,6-Tetrachloro-m-xylene Decachlorobiphenyl	1 mL
U-ISM-320	Pesticides Surrogate Standard Spiking Solution	4 x 1 mL
U-ISM-300-1	Pesticides Surrogate Standard Mixture 2000 µg/mL of each analyte in Hexane/Toluene (1:1) Dibutyl chlorendate 2,4,5,6-Tetrachloro-m-xylene	1 mL
U-ISM-300	Pesticides Surrogate Standard Mixture	4 x 1 mL
U-ISM-321X	Pesticides Surrogate Standards Spiking Solution 0.2 µg/mL of each analyte in Acetone 2,4,5,6-Tetrachloro-m-xylene Decachlorobiphenyl	100 mL
U-ISM-450-1	Pesticide Degradation Check Solution 2 Analytes in iso-Octane (2,2,4-Trimethylpentane) Endrin ..... 1 µg/mL 4,4'-DDT ..... 2 µg/mL	1 mL
U-ISM-450	Pesticide Degradation Check Solution	4 x 1 mL
U-STS-280N-1	Dibutyl chlorendate 2000 µg/mL in Methanol	1 mL
U-STS-280N	Dibutyl chlorendate 2000 µg/mL in Methanol	4 x 1 mL
U-IST-440-1	2,4,5,6-Tetrachloro-m-xylene 2000 µg/mL in Acetone	1 mL
U-IST-440	2,4,5,6-Tetrachloro-m-xylene 2000 µg/mL in Acetone	4 x 1 mL
U-CLP-200N-1	Pesticides Matrix Spiking Solution 6 Analytes in Methanol Heptachlor ..... 2000 µg/mL Endrin ..... 5000 µg/mL Aldrin ..... 2000 µg/mL 4,4'-DDT ..... 5000 µg/mL Dieldrin ..... 5000 µg/mL gamma-HCH (Lindane) ..... 2000 µg/mL	1 mL
U-CLP-200N	Pesticides Matrix Spiking Solution	4 x 1 mL
U-IST-341-1	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	1 mL
U-IST-341	Decafluorotriphenylphosphine 100 µg/mL in Methylene chloride	4 x 1 mL
U-47995N-1	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	1 mL
U-47995N	Decafluorotriphenylphosphine 1000 µg/mL in Acetone	4 x 1 mL
U-GCM-150-1	Semi-Volatiles GC/MS Tuning Standard 1000 µg/mL of each analyte in Methylene chloride Decafluorotriphenylphosphine Pentachlorophenol Benzidine 4,4'-DDT	1 mL
U-GCM-150	Semi-Volatiles GC/MS Tuning Standard	4 x 1 mL

## EPA Methods 8280B & 8290A

### Polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs)

EPA Methods 8280B and 8290A are high resolution GC methods. Method 8280B uses low-resolution mass spectrometry for detection (HRGC/LRMS), while 8290A uses high-resolution mass spectrometry (HRGC/HRMS) to quantitate the compounds of interest.

<b>New</b> U-RPE-065M	Chlorinated Dibenzo-p-dioxins Mixture 5 Analytes 10 µg/mL of each analyte in Toluene 2,3,7,8-Tetrachlorodibenzo-p-dioxin 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin 1,2,3,7,8-Pentachlorodibenzo-p-dioxin Octachlorodibenzo-p-dioxin 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin	1 mL
-----------------------	---	------

Code	Product	Unit
<b>New</b> U-RPE-045M	Chlorinated Dibenzofurans Mixture 5 Analytes 10 µg/mL of each analyte in Toluene 2,3,7,8-Tetrachlorodibenzofuran 1,2,3,7,8-Pentachlorodibenzofuran 1,2,3,4,7,8-Hexachlorodibenzofuran	1 mL   1,2,3,4,6,7,8-Heptachlorodibenzofuran Octachlorodibenzofuran
U-RPE-029S	2,3,7,8-Tetrachlorodibenzo-p-dioxin 10 µg/mL in Toluene	1 mL
U-RPE-056S	1,2,3,7,8-Pentachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-058S	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-063S	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-017S	Octachlorodibenzo-p-dioxin 50 µg/mL in Toluene	1 mL
U-RPE-037S	2,3,7,8-Tetrachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-042S	1,2,3,7,8-Pentachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-043S	1,2,3,4,7,8-Hexachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-044S	1,2,3,4,6,7,8-Heptachlorodibenzofuran 50 µg/mL in Toluene	1 mL
U-RPE-019S	Octachlorodibenzofuran 50 µg/mL in Toluene	1 mL

### EPA Method 8310

#### Polynuclear aromatic hydrocarbons

Method 8310 is used to measure polynuclear aromatic hydrocarbons by HPLC.

#### Recommended standards

Calibration standards: U-PM-831A

U-PM-831A-1	PAH Mixture Solvent: Acetonitrile/Methanol (9:1) Acenaphthene..... 1000 µg/mL Acenaphthylene..... 500 µg/mL Anthracene..... 20 µg/mL Benzo(a)anthracene..... 50 µg/mL Benzo(b)fluoranthene..... 20 µg/mL Benzo(k)fluoranthene..... 20 µg/mL Benzo(ghi)perylene..... 80 µg/mL Benzo(a)pyrene..... 50 µg/mL	Chrysene..... 50 µg/mL Dibenzo(a,h)anthracene..... 200 µg/mL Fluoranthene..... 50 µg/mL Fluorene..... 100 µg/mL Indeno(1,2,3-cd)pyrene..... 50 µg/mL Naphthalene..... 500 µg/mL Phenanthrene..... 40 µg/mL Pyrene..... 100 µg/mL	1 mL		
U-PM-831A	PAH Mixture		4 x 1 mL		
U-PM-613A-1	PAH Mixture Solvent: Acetonitrile Acenaphthene..... 100 µg/mL Acenaphthylene..... 100 µg/mL Anthracene..... 100 µg/mL Benzo(a)anthracene..... 10 µg/mL Benzo(b)fluoranthene..... 10 µg/mL Benzo(k)fluoranthene..... 5 µg/mL Benzo(ghi)perylene..... 10 µg/mL Benzo(a)pyrene..... 10 µg/mL	Chrysene..... 10 µg/mL Dibenzo(a,h)anthracene..... 10 µg/mL Fluoranthene..... 10 µg/mL Fluorene..... 100 µg/mL Indeno(1,2,3-cd)pyrene..... 10 µg/mL Naphthalene..... 100 µg/mL Phenanthrene..... 100 µg/mL Pyrene..... 10 µg/mL	1 mL		
U-PM-613A	PAH Mixture		4 x 1 mL		
U-PM-831-1	PAH Mixture 500 µg/mL of each analyte in Acetonitrile/Acetone/Toluene (6:3:1) Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene	Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(ghi)perylene Benzo(a)pyrene	Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene	Indeno(1,2,3-cd)pyrene Naphthalene Phenanthrene Pyrene	1 mL
U-PM-831	PAH Mixture		4 x 1 mL		

### EPA Method 8315A

#### Formaldehyde and acetaldehyde

Method 8315 is used to measure formaldehyde and acetaldehyde by HPLC.

#### Recommended standards

Calibration standard: U-ALD-8315

U-ALD-100-1	Aldehydes Mixture 1000 µg/mL of each analyte in Water Acetaldehyde Formaldehyde		1 mL
U-ALD-100	Aldehydes Mixture		4 x 1 mL

## EPA 8000 Methods

Code	Product	Unit
<b>New</b> U-ALD-8315-1	Carbonyl Compounds Mixture 20 Analytes 100 µg/mL of each analyte in Acetonitrile Acetaldehyde Acetone Acrolein Benzaldehyde Butanal (Butyraldehyde) Crotonaldehyde Cyclohexanone Decanal 2,5-Dimethylbenzaldehyde Formaldehyde	1 mL
	Heptanal Hexanal (Hexaldehyde) Isovaleraldehyde Nonanal Octanal Pentanal (Valeraldehyde) Propanal (Propionaldehyde) o-Tolualdehyde m-Tolualdehyde p-Tolualdehyde	
<b>New</b> U-ALD-8315	Carbonyl Compounds Mixture	4 x 1 mL
<b>New</b> U-ALD-8315D-1	Derivatized Carbonyl Compounds Mixture 20 Analytes 100 µg/mL of each analyte in Acetonitrile Acetaldehyde-DNPH Acetone-DNPH Acrolein-DNPH Benzaldehyde-DNPH Butanal-DNPH Crotonaldehyde-DNPH Cyclohexanone-DNPH Decanal-DNPH 2,5-Dimethylbenzaldehyde-DNPH Formaldehyde-DNPH	1 mL
	Heptanal-DNPH Hexanal-DNPH Isovaleraldehyde-DNPH Nonanal-DNPH Octanal-DNPH Pentanal-DNPH Propanal-DNPH m-Tolualdehyde-DNPH o-Tolualdehyde-DNPH p-Tolualdehyde-DNPH	
<b>New</b> U-ALD-8315D	Derivatized Carbonyl Compounds Mixture	4 x 1 mL

## EPA Method 8318A

### N-Methyl carbamates

Method 8318 is used to determine N-methyl carbamates by HPLC.

U-PPM-831-1	Carbamates Mixture 100 µg/mL of each analyte in Methanol Aldicarb Aldicarb sulfone Carbaryl	Carbofuran Dioxacarb 3-Hydroxycarbofuran	Methiocarb Methomyl Promecarb	Propoxur	1 mL
U-PPM-831	Carbamates Mixture				4 x 1 mL
<b>New</b> U-PPM-831A-1	Carbamates Mixture 6 Analytes 100 µg/mL in Methanol Bendiocarb Formetanate hydrochloride Metolcarb		Mexacarbate Oxamyl Thiodicarb		1 mL
<b>New</b> U-PPM-831A	Carbamates Mixture				4 x 1 mL

## EPA Method 8330A

### Nitroaromatics and nitramines (explosives)

Method 8330A is used to measure explosives by HPLC.

### Recommended standards

Calibration standards: U-NAIM-833A  
U-NAIM-833B

U-NAIM-833B-1	Intermediate Stock Solution 2 1000 µg/mL of each analyte in Acetonitrile 2,6-Dinitrotoluene 2-Nitrotoluene 3-Nitrotoluene 4-Nitrotoluene		Tetryl 2-Amino-4,6-dinitrotoluene 4-Amino-2,6-dinitrotoluene		1 mL
U-NAIM-833B	Intermediate Stock Solution 2				4 x 1 mL
U-NAIM-833A-1	Intermediate Stock Solution 1 1000 µg/mL of each analyte in Acetonitrile Octogen (HMX) Hexogen (RDX) 1,3,5-Trinitrobenzene 1,3-Dinitrobenzene		Nitrobenzene 2,4,6-Trinitrotoluene (TNT) 2,4-Dinitrotoluene		1 mL
U-NAIM-833A	Intermediate Stock Solution 1				4 x 1 mL

Code	Product	Unit
U-NAIM-833E-1	Combined Stock Solution 1000 µg/mL of each analyte in Acetonitrile Octogen (HMX) 2,6-Dinitrotoluene Hexogen (RDX) 2-Nitrotoluene 1,3,5-Trinitrobenzene 3-Nitrotoluene 1,3-Dinitrobenzene 4-Nitrotoluene Nitrobenzene Tetryl 2,4,6-Trinitrotoluene (TNT) 2-Amino-4,6-dinitrotoluene 2,4-Dinitrotoluene 4-Amino-2,6-dinitrotoluene	1 mL
U-NAIM-833E	Combined Stock Solution	4 x 1 mL
U-IST-590-1	3,4-Dinitrotoluene 1000 µg/mL in Methanol	1 mL
U-IST-590	3,4-Dinitrotoluene 1000 µg/mL in Methanol	4 x 1 mL
U-IST-600-1	1,2-Dinitrobenzene 1000 µg/mL in Methanol	1 mL
U-IST-600	1,2-Dinitrobenzene 1000 µg/mL in Methanol	4 x 1 mL
U-EPA-1193	4-Amino-2,6-dinitrotoluene 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1192	2-Amino-4,6-dinitrotoluene 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1113	1,3-Dinitrobenzene 5000 µg/mL in Methanol	1 mL
U-EPA-1221	Octogen (HMX) 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1227	2-Nitrotoluene 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1228	3-Nitrotoluene 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1229	4-Nitrotoluene 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1233	Hexogen (RDX) 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1237	Tetryl 1000 µg/mL in Acetonitrile	1 mL
U-EPA-1243	2,4,6-Trinitrotoluene 1000 µg/mL in Acetonitrile	1 mL
U-NAI-140-1	1,3-Dinitrobenzene 100 µg/mL in Methanol	1 mL
U-NAI-100-1	2,4-Dinitrotoluene 100 µg/mL in Methanol	1 mL
U-NAI-110-1	2,6-Dinitrotoluene 100 µg/mL in Methanol	1 mL
U-NAI-130-1	Nitrobenzene 100 µg/mL in Methanol	1 mL
U-NAI-170-1	1,3,5-Trinitrobenzene 100 µg/mL in Methanol	1 mL

### EPA Method 8332

#### Nitroglycerin

Method 8332 is used to measure nitroglycerin by HPLC.

<b>New</b>	U-NAI-270-1	Nitroglycerin 10 µg/mL in Acetonitrile	1 mL
<b>New</b>	U-NAI-270	Nitroglycerin 10 µg/mL in Acetonitrile	4 x 1 mL

### EPA Method 8410

#### Semi-volatile organics

Method 8410 is used to measure semi-volatile organics by GC/FTIR. Used to complement Method 8270C

U-ISM-430-1	Internal Standard Mixture 2000 µg/mL of each analyte in Methylene chloride 1-Fluoronaphthalene p-Terphenyl-D <sub>14</sub>	1 mL
U-ISM-430	Internal Standard Mixture	4 x 1 mL

### EPA Method 8430

#### Bis(2-chloroethyl) ether and hydrolysis compounds

Method 8430 is used to determine bis(2-chloroethyl) ether and its hydrolysis compounds by GC/FTIR.

<b>New</b>	U-BECM-843-1	Bis(2-chloroethyl) Ether and Hydrolysis Compounds Mixture 5 Analytes 1000 µg/mL of each analyte in Water Bis(2-chloroethyl) ether (BCEE) Diethylene glycol (DEG) 2-Chloroethanol (CE) Ethylene glycol (EG) 2-(2-Chloroethoxy)ethanol (2CEE)	1 mL
<b>New</b>	U-BECM-843	Bis(2-chloroethyl) Ether and Hydrolysis Compounds Mixture	4 x 1 mL



## Combustion element analyser standards

Code	Product	Unit												
<b>EPA Method 8440</b>														
<b>Total recoverable petroleum hydrocarbons</b>														
Method 8440 is used to measure total recoverable petroleum hydrocarbons (TRPHs) by IR.														
<b>New</b> U-RGO-100-1	Method 8440 Calibration Oil	1 mL												
	<table border="0"> <thead> <tr> <th>Component</th> <th>% v/v</th> <th>Component</th> <th>% v/v</th> <th>Component</th> <th>% v/v</th> </tr> </thead> <tbody> <tr> <td>n-Hexadecane.....</td> <td>37.5 %</td> <td>Isooctane.....</td> <td>37.5 %</td> <td>Chlorobenzene.....</td> <td>25.0 %</td> </tr> </tbody> </table>	Component	% v/v	Component	% v/v	Component	% v/v	n-Hexadecane.....	37.5 %	Isooctane.....	37.5 %	Chlorobenzene.....	25.0 %	
Component	% v/v	Component	% v/v	Component	% v/v									
n-Hexadecane.....	37.5 %	Isooctane.....	37.5 %	Chlorobenzene.....	25.0 %									
<b>New</b> U-RGO-100	Method 8440 Calibration Oil	4 x 1 mL												

## Combustion element analyser standards

### Elemental standards - Sulfur standards

#### ASTM D5453 - Total sulfur by UV fluorescence (low)

Code	Product	Unit
<b>New</b> U-PANAL0211	ASTM D5453 - Total sulfur by UV fluorescence kit (low) Each kit contains: <b>Description .</b> <b>Concentration</b> Ampoule 1.... Toluene.....Solvent blank Ampoule 2.... Butylsulfide (as S) in Toluene..... 1.0 mg/L Ampoule 3.... Butylsulfide (as S) in Toluene..... 2.5 mg/L Ampoule 4.... Butylsulfide (as S) in Toluene..... 5.0 mg/L Ampoule 5.... Butylsulfide (as S) in Toluene..... 7.5 mg/L Ampoule 6.... Butylsulfide (as S) in Toluene..... 10.0 mg/L	6 x 2 mL
<b>New</b> U-PANAL0211-1	ASTM D5453 - Toluene (blank)	2 mL
<b>New</b> U-PANAL0211-2	ASTM D5453 - Butyl sulfide (as S) - 1 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0211-3	ASTM D5453 - Butyl sulfide (as S) - 2.5 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0211-4	ASTM D5453 - Butyl sulfide (as S) - 5 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0211-5	ASTM D5453 - Butyl sulfide (as S) - 7.5 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0211-6	ASTM D5453 - Butyl sulfide (as S) - 10 mg/L in Toluene	2 mL

#### ASTM D5453 - Total sulfur by UV fluorescence (medium)

<b>New</b> U-PANAL0212	ASTM D5453 - Total sulfur by UV fluorescence kit (medium) Each kit contains: <b>Description .</b> <b>Concentration</b> Ampoule 1.... Toluene.....Solvent blank Ampoule 2.... Butylsulfide (as S) in Toluene..... 5.0 mg/L Ampoule 3.... Butylsulfide (as S) in Toluene..... 25 mg/L Ampoule 4.... Butylsulfide (as S) in Toluene..... 50 mg/L Ampoule 5.... Butylsulfide (as S) in Toluene..... 100 mg/L Ampoule 6.... Butylsulfide (as S) in Toluene..... 200 mg/L	6 x 2 mL
<b>New</b> U-PANAL0212-1	ASTM D5453 - Toluene (blank)	2 mL
<b>New</b> U-PANAL0212-2	ASTM D5453 - Butyl sulfide (as S) - 5 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0212-3	ASTM D5453 - Butyl sulfide (as S) - 25 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0212-4	ASTM D5453 - Butyl sulfide (as S) - 50 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0212-5	ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0212-6	ASTM D5453 - Butyl sulfide (as S) - 200 mg/L in Toluene	2 mL

#### ASTM D5453 - Total sulfur by UV fluorescence (high)

<b>New</b> U-PANAL0213	ASTM D5453 - Total sulfur by UV fluorescence kit (high) Each kit contains: <b>Description .</b> <b>Concentration</b> Ampoule 1.... Toluene.....Solvent blank Ampoule 2.... Butylsulfide (as S) in Toluene..... 100 mg/L Ampoule 3.... Butylsulfide (as S) in Toluene..... 250 mg/L Ampoule 4.... Butylsulfide (as S) in Toluene..... 500 mg/L Ampoule 5.... Butylsulfide (as S) in Toluene..... 750 mg/L Ampoule 6.... Butylsulfide (as S) in Toluene..... 1000 mg/L	6 x 2 mL
<b>New</b> U-PANAL0213-1	ASTM D5453 - Toluene (blank)	2 mL
<b>New</b> U-PANAL0213-2	ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Toluene	2 mL
<b>New</b> U-PANAL0213-3	ASTM D5453 - Butyl sulfide (as S) - 250 mg/L in Toluene	2 mL

## Combustion element analyser standards

Code	Product	Unit														
<b>New</b> U-PANAL0213-4	ASTM D5453 - Butyl sulfide (as S) - 500 mg/L in Toluene	2 mL														
<b>New</b> U-PANAL0213-5	ASTM D5453 - Butyl sulfide (as S) - 750 mg/L in Toluene	2 mL														
<b>New</b> U-PANAL0213-6	ASTM D5453 - Butyl sulfide (as S) - 1000 mg/L in Toluene	2 mL														
<b>ASTM D5453 - Total sulfur by UV fluorescence (low)</b>																
U-PANAL0214	ASTM D5453 - Total sulfur by UV fluorescence kit (low) Each kit contains:	6 x 2 mL														
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Description.</th> <th style="text-align: left; border-bottom: 1px solid black;">Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1 ... Isooctane .....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2 ... Butylsulfide (as S) in Isooctane .....</td> <td>1.0 mg/L</td> </tr> <tr> <td>Ampoule 3 ... Butylsulfide (as S) in Isooctane .....</td> <td>2.5 mg/L</td> </tr> <tr> <td>Ampoule 4 ... Butylsulfide (as S) in Isooctane .....</td> <td>5.0 mg/L</td> </tr> <tr> <td>Ampoule 5 ... Butylsulfide (as S) in Isooctane .....</td> <td>7.5 mg/L</td> </tr> <tr> <td>Ampoule 6 ... Butylsulfide (as S) in Isooctane .....</td> <td>10.0 mg/L</td> </tr> </tbody> </table>	Description.	Concentration	Ampoule 1 ... Isooctane .....	Solvent blank	Ampoule 2 ... Butylsulfide (as S) in Isooctane .....	1.0 mg/L	Ampoule 3 ... Butylsulfide (as S) in Isooctane .....	2.5 mg/L	Ampoule 4 ... Butylsulfide (as S) in Isooctane .....	5.0 mg/L	Ampoule 5 ... Butylsulfide (as S) in Isooctane .....	7.5 mg/L	Ampoule 6 ... Butylsulfide (as S) in Isooctane .....	10.0 mg/L	
Description.	Concentration															
Ampoule 1 ... Isooctane .....	Solvent blank															
Ampoule 2 ... Butylsulfide (as S) in Isooctane .....	1.0 mg/L															
Ampoule 3 ... Butylsulfide (as S) in Isooctane .....	2.5 mg/L															
Ampoule 4 ... Butylsulfide (as S) in Isooctane .....	5.0 mg/L															
Ampoule 5 ... Butylsulfide (as S) in Isooctane .....	7.5 mg/L															
Ampoule 6 ... Butylsulfide (as S) in Isooctane .....	10.0 mg/L															
U-PANAL0214-1	ASTM D5453 - Isooctane (blank)	2 mL														
U-PANAL0214-2	ASTM D5453 - Butyl sulfide (as S) - 1.0 mg/L in Isooctane	2 mL														
U-PANAL0214-3	ASTM D5453 - Butyl sulfide (as S) - 2.5 mg/L in Isooctane	2 mL														
U-PANAL0214-4	ASTM D5453 - Butyl sulfide (as S) - 5.0 mg/L in Isooctane	2 mL														
U-PANAL0214-5	ASTM D5453 - Butyl sulfide (as S) - 7.5 mg/L in Isooctane	2 mL														
U-PANAL0214-6	ASTM D5453 - Butyl sulfide (as S) - 10 mg/L in Isooctane	2 mL														
<b>ASTM D5453 - Total sulfur by UV fluorescence (medium)</b>																
U-PANAL0215	ASTM D5453 - Total sulfur by UV fluorescence kit (medium) Each kit contains:	6 x 2 mL														
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Description.</th> <th style="text-align: left; border-bottom: 1px solid black;">Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1 ... Isooctane .....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2 ... Butylsulfide (as S) in Isooctane .....</td> <td>5.0 mg/L</td> </tr> <tr> <td>Ampoule 3 ... Butylsulfide (as S) in Isooctane .....</td> <td>25 mg/L</td> </tr> <tr> <td>Ampoule 4 ... Butylsulfide (as S) in Isooctane .....</td> <td>50 mg/L</td> </tr> <tr> <td>Ampoule 5 ... Butylsulfide (as S) in Isooctane .....</td> <td>100 mg/L</td> </tr> <tr> <td>Ampoule 6 ... Butylsulfide (as S) in Isooctane .....</td> <td>200 mg/L</td> </tr> </tbody> </table>	Description.	Concentration	Ampoule 1 ... Isooctane .....	Solvent blank	Ampoule 2 ... Butylsulfide (as S) in Isooctane .....	5.0 mg/L	Ampoule 3 ... Butylsulfide (as S) in Isooctane .....	25 mg/L	Ampoule 4 ... Butylsulfide (as S) in Isooctane .....	50 mg/L	Ampoule 5 ... Butylsulfide (as S) in Isooctane .....	100 mg/L	Ampoule 6 ... Butylsulfide (as S) in Isooctane .....	200 mg/L	
Description.	Concentration															
Ampoule 1 ... Isooctane .....	Solvent blank															
Ampoule 2 ... Butylsulfide (as S) in Isooctane .....	5.0 mg/L															
Ampoule 3 ... Butylsulfide (as S) in Isooctane .....	25 mg/L															
Ampoule 4 ... Butylsulfide (as S) in Isooctane .....	50 mg/L															
Ampoule 5 ... Butylsulfide (as S) in Isooctane .....	100 mg/L															
Ampoule 6 ... Butylsulfide (as S) in Isooctane .....	200 mg/L															
<b>New</b> U-PANAL0215-1	ASTM D5453 - Isooctane (blank)	2 mL														
<b>New</b> U-PANAL0215-2	ASTM D5453 - Butyl sulfide (as S) - 5 mg/L in Isooctane	2 mL														
U-PANAL0215-3	ASTM D5453 - Butyl sulfide (as S) - 25 mg/L in Isooctane	2 mL														
U-PANAL0215-4	ASTM D5453 - Butyl sulfide (as S) - 50 mg/L in Isooctane	2 mL														
U-PANAL0215-5	ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Isooctane	2 mL														
U-PANAL0215-6	ASTM D5453 - Butyl sulfide (as S) - 200 mg/L in Isooctane	2 mL														
<b>ASTM D5453 - Total sulfur by UV fluorescence (high)</b>																
U-PANAL0216	ASTM D5453 - Total sulfur by UV fluorescence kit (high) Each kit contains:	6 x 2 mL														
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Description.</th> <th style="text-align: left; border-bottom: 1px solid black;">Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1 ... Isooctane .....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2 ... Butylsulfide (as S) in Isooctane .....</td> <td>100 mg/L</td> </tr> <tr> <td>Ampoule 3 ... Butylsulfide (as S) in Isooctane .....</td> <td>250 mg/L</td> </tr> <tr> <td>Ampoule 4 ... Butylsulfide (as S) in Isooctane .....</td> <td>500 mg/L</td> </tr> <tr> <td>Ampoule 5 ... Butylsulfide (as S) in Isooctane .....</td> <td>750 mg/L</td> </tr> <tr> <td>Ampoule 6 ... Butylsulfide (as S) in Isooctane .....</td> <td>1000 mg/L</td> </tr> </tbody> </table>	Description.	Concentration	Ampoule 1 ... Isooctane .....	Solvent blank	Ampoule 2 ... Butylsulfide (as S) in Isooctane .....	100 mg/L	Ampoule 3 ... Butylsulfide (as S) in Isooctane .....	250 mg/L	Ampoule 4 ... Butylsulfide (as S) in Isooctane .....	500 mg/L	Ampoule 5 ... Butylsulfide (as S) in Isooctane .....	750 mg/L	Ampoule 6 ... Butylsulfide (as S) in Isooctane .....	1000 mg/L	
Description.	Concentration															
Ampoule 1 ... Isooctane .....	Solvent blank															
Ampoule 2 ... Butylsulfide (as S) in Isooctane .....	100 mg/L															
Ampoule 3 ... Butylsulfide (as S) in Isooctane .....	250 mg/L															
Ampoule 4 ... Butylsulfide (as S) in Isooctane .....	500 mg/L															
Ampoule 5 ... Butylsulfide (as S) in Isooctane .....	750 mg/L															
Ampoule 6 ... Butylsulfide (as S) in Isooctane .....	1000 mg/L															
<b>New</b> U-PANAL0216-1	ASTM D5453 - Isooctane (blank)	2 mL														
<b>New</b> U-PANAL0216-2	ASTM D5453 - Butyl sulfide (as S) - 100 mg/L in Isooctane	2 mL														
U-PANAL0216-3	ASTM D5453 - Butyl sulfide (as S) - 250 mg/L in Isooctane	2 mL														
U-PANAL0216-4	ASTM D5453 - Butyl sulfide (as S) - 500 mg/L in Isooctane	2 mL														
U-PANAL0216-5	ASTM D5453 - Butyl sulfide (as S) - 750 mg/L in Isooctane	2 mL														
U-PANAL0216-6	ASTM D5453 - Butyl sulfide (as S) - 1000 mg/L in Isooctane	2 mL														

## Combustion element analyser standards

Code	Product	Unit														
<b>ASTM D3120, D3246 &amp; D3961 sulfur by oxidative microcoulometry</b>																
<b>New</b>	U-PANAL0217 ASTM D3120, D3246, D3961 Sulfur by oxidatative microcoulometry kit Each kit contains:	6 x 2 mL														
	<table border="0"> <thead> <tr> <th>Description .</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1.... Isooctane .....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2.... Butylsulfide (as S) in Isooctane .....</td> <td>1.0 mg/L</td> </tr> <tr> <td>Ampoule 3.... Butylsulfide (as S) in Isooctane .....</td> <td>10 mg/L</td> </tr> <tr> <td>Ampoule 4.... Butylsulfide (as S) in Isooctane .....</td> <td>40 mg/L</td> </tr> <tr> <td>Ampoule 5.... Butylsulfide (as S) in Isooctane .....</td> <td>75 mg/L</td> </tr> <tr> <td>Ampoule 6.... Butylsulfide (as S) in Isooctane .....</td> <td>100 mg/L</td> </tr> </tbody> </table>	Description .	Concentration	Ampoule 1.... Isooctane .....	Solvent blank	Ampoule 2.... Butylsulfide (as S) in Isooctane .....	1.0 mg/L	Ampoule 3.... Butylsulfide (as S) in Isooctane .....	10 mg/L	Ampoule 4.... Butylsulfide (as S) in Isooctane .....	40 mg/L	Ampoule 5.... Butylsulfide (as S) in Isooctane .....	75 mg/L	Ampoule 6.... Butylsulfide (as S) in Isooctane .....	100 mg/L	
Description .	Concentration															
Ampoule 1.... Isooctane .....	Solvent blank															
Ampoule 2.... Butylsulfide (as S) in Isooctane .....	1.0 mg/L															
Ampoule 3.... Butylsulfide (as S) in Isooctane .....	10 mg/L															
Ampoule 4.... Butylsulfide (as S) in Isooctane .....	40 mg/L															
Ampoule 5.... Butylsulfide (as S) in Isooctane .....	75 mg/L															
Ampoule 6.... Butylsulfide (as S) in Isooctane .....	100 mg/L															
<b>New</b>	U-PANAL0217-1 ASTM D3120, D3246 and D3961 - Isooctane (blank)	2 mL														
<b>New</b>	U-PANAL0217-2 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 1 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0217-3 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 10 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0217-4 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 40 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0217-5 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 75 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0217-6 ASTM D3120, D3246 and D3961 - Butyl sulfide (as S) - 100 mg/L in Isooctane	2 mL														

### Dibenzothiophene (as S)

<b>New</b>	U-PANAL0194 Dibenzothiophene -1 mg/L in Xylene	10 mL
<b>New</b>	U-PANAL0195 Dibenzothiophene - 5 mg/L in Xylene	10 mL
<b>New</b>	U-PANAL0196 Dibenzothiophene - 10 mg/L in Xylene	10 mL

### Ultra low sulfur standards kit

<b>New</b>	U-PANAL0227 Ultra low sulfur standard kit Each kit contains:	6 x 2 mL														
	<table border="0"> <thead> <tr> <th>Description .</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1.... Toluene.....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2.... Butylsulfide (as S) in Toluene .....</td> <td>50 µg/L</td> </tr> <tr> <td>Ampoule 3.... Butylsulfide (as S) in Toluene .....</td> <td>100 µg/L</td> </tr> <tr> <td>Ampoule 4.... Butylsulfide (as S) in Toluene.....</td> <td>200 µg/L</td> </tr> <tr> <td>Ampoule 5.... Butylsulfide (as S) in Toluene.....</td> <td>500 µg/L</td> </tr> <tr> <td>Ampoule 6.... Butylsulfide (as S) in Toluene.....</td> <td>1000 µg/L</td> </tr> </tbody> </table>	Description .	Concentration	Ampoule 1.... Toluene.....	Solvent blank	Ampoule 2.... Butylsulfide (as S) in Toluene .....	50 µg/L	Ampoule 3.... Butylsulfide (as S) in Toluene .....	100 µg/L	Ampoule 4.... Butylsulfide (as S) in Toluene.....	200 µg/L	Ampoule 5.... Butylsulfide (as S) in Toluene.....	500 µg/L	Ampoule 6.... Butylsulfide (as S) in Toluene.....	1000 µg/L	
Description .	Concentration															
Ampoule 1.... Toluene.....	Solvent blank															
Ampoule 2.... Butylsulfide (as S) in Toluene .....	50 µg/L															
Ampoule 3.... Butylsulfide (as S) in Toluene .....	100 µg/L															
Ampoule 4.... Butylsulfide (as S) in Toluene.....	200 µg/L															
Ampoule 5.... Butylsulfide (as S) in Toluene.....	500 µg/L															
Ampoule 6.... Butylsulfide (as S) in Toluene.....	1000 µg/L															
<b>New</b>	U-PANAL0227-1 Toluene (blank)	2 mL														
<b>New</b>	U-PANAL0227-2 Butyl sulfide (as S) - 50 µg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0227-3 Butyl sulfide (as S) - 100 µg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0227-4 Butyl sulfide (as S) - 200 µg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0227-5 Butyl sulfide (as S) - 500 µg/L in Toluene	2 mL														
<b>New</b>	U-PANAL0227-6 Butyl sulfide (as S) - 1000 µg/L in Toluene	2 mL														

## Elemental standards - Nitrogen standards

### ASTM D4629 - Trace nitrogen by chemiluminescence kit (low)

Code	Product	Unit														
<b>New</b>	U-PANAL0218 ASTM D4629 Trace nitrogen by chemiluminescence Kit (low) Each kit contains:	6 x 2 mL														
	<table border="0"> <thead> <tr> <th>Description .</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1.... Isooctane .....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2.... Pyridine (as N) in Isooctane.....</td> <td>1 mg/L</td> </tr> <tr> <td>Ampoule 3.... Pyridine (as N) in Isooctane.....</td> <td>2 mg/L</td> </tr> <tr> <td>Ampoule 4.... Pyridine (as N) in Isooctane.....</td> <td>5 mg/L</td> </tr> <tr> <td>Ampoule 5.... Pyridine (as N) in Isooctane.....</td> <td>10 mg/L</td> </tr> <tr> <td>Ampoule 6.... Pyridine (as N) in Isooctane.....</td> <td>20 mg/L</td> </tr> </tbody> </table>	Description .	Concentration	Ampoule 1.... Isooctane .....	Solvent blank	Ampoule 2.... Pyridine (as N) in Isooctane.....	1 mg/L	Ampoule 3.... Pyridine (as N) in Isooctane.....	2 mg/L	Ampoule 4.... Pyridine (as N) in Isooctane.....	5 mg/L	Ampoule 5.... Pyridine (as N) in Isooctane.....	10 mg/L	Ampoule 6.... Pyridine (as N) in Isooctane.....	20 mg/L	
Description .	Concentration															
Ampoule 1.... Isooctane .....	Solvent blank															
Ampoule 2.... Pyridine (as N) in Isooctane.....	1 mg/L															
Ampoule 3.... Pyridine (as N) in Isooctane.....	2 mg/L															
Ampoule 4.... Pyridine (as N) in Isooctane.....	5 mg/L															
Ampoule 5.... Pyridine (as N) in Isooctane.....	10 mg/L															
Ampoule 6.... Pyridine (as N) in Isooctane.....	20 mg/L															
<b>New</b>	U-PANAL0218-1 ASTM D4629 - Isooctane (blank)	2 mL														
<b>New</b>	U-PANAL0218-2 ASTM D4629 - Pyridine (as N) - 1 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0218-3 ASTM D4629 - Pyridine (as N) - 2 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0218-4 ASTM D4629 - Pyridine (as N) - 5 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0218-5 ASTM D4629 - Pyridine (as N) - 10 mg/L in Isooctane	2 mL														
<b>New</b>	U-PANAL0218-6 ASTM D4629 - Pyridine (as N) - 20 mg/L in Isooctane	2 mL														



## Combustion element analyser standards

	Code	Product	Unit
<b>New</b>	U-PANAL0187	Benzonitrile (as N) - 5000 mg/L in Toluene	5 x 2 mL

### Benzonitrile (as N) kit (low)

<b>New</b>	U-PANAL0237	Benzonitrile (as N) kit (low)	4 x 2 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1.... Toluene.....		Solvent blank	
Ampoule 2.... Benzonitrile (as N) in Toluene .....		1 mg/L	
Ampoule 3.... Benzonitrile (as N) in Toluene .....		5 mg/L	
Ampoule 4.... Benzonitrile (as N) in Toluene .....		10 mg/L	

### Benzonitrile (as N) kit (high)

<b>New</b>	U-PANAL0238	Benzonitrile (as N) kit (high)	4 x 2 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1.... Benzonitrile (as N) in Toluene .....		100 mg/L	
Ampoule 2.... Benzonitrile (as N) in Toluene .....		200 mg/L	
Ampoule 3.... Benzonitrile (as N) in Toluene .....		500 mg/L	
Ampoule 4.... Benzonitrile (as N) in Toluene .....		1000 mg/L	

### Ultra low nitrogen Standards

<b>New</b>	U-PANAL0228	Ultra low nitrogen standard kit	6 x 2 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1.... Toluene.....		Solvent blank	
Ampoule 2.... Pyridine (as N) in Toluene .....		50 µg/L	
Ampoule 3.... Pyridine (as N) in Toluene .....		100 µg/L	
Ampoule 4.... Pyridine (as N) in Toluene .....		200 µg/L	
Ampoule 5.... Pyridine (as N) in Toluene .....		500 µg/L	
Ampoule 6.... Pyridine (as N) in Toluene .....		1000 µg/L	

<b>New</b>	U-PANAL0228-1	Toluene (blank)	2 mL
<b>New</b>	U-PANAL0228-2	Pyridine (as N) - 50 µg/L in Toluene	2 mL
<b>New</b>	U-PANAL0228-3	Pyridine (as N) - 100 µg/L in Toluene	2 mL
<b>New</b>	U-PANAL0228-4	Pyridine (as N) - 200 µg/L in Toluene	2 mL
<b>New</b>	U-PANAL0228-5	Pyridine (as N) - 500 µg/L in Toluene	2 mL
<b>New</b>	U-PANAL0228-6	Pyridine (as N) - 1000 µg/L in Toluene	2 mL

### Total nitrogen (TN) water applications standards kit (low)

<b>New</b>	U-PANAL0225	Ammonium sulfate (as N) + Sodium nitrate (as N) - kit	6 x 10 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1 Water.....		Solvent blank	
Ampoule 2 Ammonium sulfate (as N) in Water .....		0.5 mg/L	
Sodium nitrate (as N) in Water .....		0.5 mg/L	
Ampoule 3 Ammonium sulfate (as N) in Water .....		1.0 mg/L	
Sodium nitrate (as N) in Water .....		1.0 mg/L	
Ampoule 4 Ammonium sulfate (as N) in Water .....		2.5 mg/L	
Sodium nitrate (as N) in Water.....		2.5 mg/L	
Ampoule 5 Ammonium sulfate (as N) in Water .....		5.0 mg/L	
Sodium nitrate (as N) in Water .....		5.0 mg/L	
Ampoule 6 Ammonium sulfate (as N) in Water .....		12.5 mg/L	
Sodium nitrate (as N) in Water.....		12.5 mg/L	

### Total nitrogen (TN) water applications standards kit (medium)

<b>New</b>	U-PANAL0226	Ammonium sulfate (as N) + Sodium nitrate (as N) - kit	6 x 10 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1 Water.....		Solvent blank	
Ampoule 2 Ammonium sulfate (as N) in Water .....		5.0 mg/L	
Sodium nitrate (as N) in Water.....		5.0 mg/L	
Ampoule 3 Ammonium sulfate (as N) in Water .....		12.05 mg/L	
Sodium nitrate (as N) in Water .....		12.5 mg/L	
Ampoule 4 Ammonium sulfate (as N) in Water .....		25.0 mg/L	
Sodium nitrate (as N) in Water.....		25.0 mg/L	
Ampoule 5 Ammonium sulfate (as N) in Water .....		37.5 mg/L	
Sodium nitrate (as N) in Water .....		37.5 mg/L	
Ampoule 6 Ammonium sulfate (as N) in Water .....		50.0 mg/L	
Sodium nitrate (as N) in Water.....		50.0 mg/L	

**Elemental standards - Carbon standards**

	Code	Product	Unit
<b>New</b>	U-PANAL0241	Potassium hydrogen phthalate	50 g
<b>New</b>	U-PANAL0171	Sodium carbonate	50 g
<b>New</b>	U-PANAL0172	Sodium hydrogen carbonate	50 g

**Elemental standards - Chlorine standards**

**Chlorocyclohexane (as Cl)**

	Code	Product	Unit
<b>New</b>	U-PANAL0155	Chlorocyclohexane (as Cl) - 0.05 % (w/v) in Hexane	5 x 2 mL
<b>New</b>	U-PANAL0156	Chlorocyclohexane (as Cl) - 0.1 % (w/v) in Hexane	5 x 2 mL
<b>New</b>	U-PANAL0157	Chlorocyclohexane (as Cl) - 0.5 % (w/v) in Hexane	5 x 2 mL
<b>New</b>	U-PANAL0158	Chlorocyclohexane (as Cl) - 1.0 % (w/v) in Hexane	5 x 2 mL
<b>New</b>	U-PANAL0159	Chlorocyclohexane (as Cl) - 3 % (w/v) in Hexane	5 x 2 mL

**ASTM D4929 (B) organic chloride in crude oil**

<b>New</b>	U-PANAL0223	ASTM D4929 (B) Organic chloride in crude Oil Kit	6 x 2 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1 ... Isooctane .....	Solvent blank		
Ampoule 2 ... Chlorobenzene (as Cl) in Isooctane .....	5 mg/L		
Ampoule 3 ... Chlorobenzene (as Cl) in Isooctane .....	10 mg/L		
Ampoule 4 ... Chlorobenzene (as Cl) in Isooctane .....	25 mg/L		
Ampoule 5 ... Chlorobenzene (as Cl) in Isooctane .....	50 mg/L		
Ampoule 6 ... Chlorobenzene (as Cl) in Isooctane .....	100 mg/L		

**ASTM D5808 organic chlorine in hydrocarbons**

<b>New</b>	U-PANAL0224	ASTM D5808 Organic chloride in hydrocarbons Kit	6 x 2 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1 ... Methanol .....	Solvent blank		
Ampoule 2 ... Trichlorophenol (as Cl) in Isooctane .....	1 mg/L		
Ampoule 3 ... Trichlorophenol (as Cl) in Isooctane .....	5 mg/L		
Ampoule 4 ... Trichlorophenol (as Cl) in Isooctane .....	10 mg/L		
Ampoule 5 ... Trichlorophenol (as Cl) in Isooctane .....	15 mg/L		
Ampoule 6 ... Trichlorophenol (as Cl) in Isooctane .....	25 mg/L		

**Aldrin (as Cl)**

<b>New</b>	U-PANAL0097	Hexane (blank)	5 x 2 mL
<b>New</b>	U-PANAL0095	Aldrin (as Cl) standard kit	10 x 2 mL
Each kit contains:			
<b>Description .....</b>		<b>Concentration</b>	
Ampoule 1-5 .....	Hexane .....	Solvent blank	
Ampoule 6 -10 .....	Aldrin (as Cl) in Hexane .....	5.0 mg/L	
<b>New</b>	U-PANAL0230	Aldrin (as Cl) - 10 mg/L in Hexane	5 x 2 mL
<b>New</b>	U-PANAL0096	Aldrin (as Cl) - 50 mg/L in Hexane	5 x 2 mL
<b>New</b>	U-PANAL0131	Aldrin (as Cl) - 100 mg/L in Hexane	5 x 2 mL
<b>New</b>	U-PANAL0229	Standard Aldrin (as Cl) Set	4 x 2 mL
Each kit contains:			
<b>Description .</b>		<b>Concentration</b>	
Ampoule 1 ... Hexane .....	Solvent blank		
Ampoule 2 ... Aldrin (as Cl) in Hexane .....	0.1 mg/L		
Ampoule 3 ... Aldrin (as Cl) in Hexane .....	0.5 mg/L		
Ampoule 4 ... Aldrin (as Cl) in Hexane .....	1.0 mg/L		

**AOX standard**

<b>New</b>	U-PANAL0094	AOX standard (p-Chlorophenol) - 200 mg Cl/L in Water	20 mL
------------	-------------	--	-------

**POX standard**

<b>New</b>	U-PANAL0102	POX standard (Dichloromethane) - 100 mg/L in Ethanol	10 mL
------------	-------------	--	-------

## Combustion element analyser standards

Code	Product	Unit																								
<b>TOX standard</b>																										
<b>New</b> U-PANAL0239	TOX standard (Trichlorophenol) - 10 mg Cl/L in Methanol	5 x 2 mL																								
<b>TX/TS standard beech leaves</b>																										
<b>New</b> U-PANAL0027	TX/TS standard beech leaves - real world matrix	30 g																								
<b>2 mM Sodium chloride reference</b>																										
<b>New</b> U-PANAL0101	Sodium chloride - 2 mM/L in Water	100 mL																								
<b>Elemental standards - Sulfur and nitrogen mixed standards</b>																										
<b>New</b> U-PANAL0222	Sulfur & Nitrogen Mixed standards Kit Each kit contains:	6 x 2 mL																								
	<table border="0"> <thead> <tr> <th>Description .</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td>Ampoule 1 Isooctane .....</td> <td>Solvent blank</td> </tr> <tr> <td>Ampoule 2 Pyridine (as N) in Isooctane.....</td> <td>1 mg/L</td> </tr> <tr> <td>Thiophene (as S) in Isooctane.....</td> <td>1 mg/L</td> </tr> <tr> <td>Ampoule 3 Pyridine (as N) in Isooctane.....</td> <td>5 mg/L</td> </tr> <tr> <td>Thiophene (as S) in Isooctane.....</td> <td>5 mg/L</td> </tr> <tr> <td>Ampoule 4 Pyridine (as N) in Isooctane.....</td> <td>10 mg/L</td> </tr> <tr> <td>Thiophene (as S) in Isooctane.....</td> <td>10 mg/L</td> </tr> <tr> <td>Ampoule 5 Pyridine (as N) in Isooctane.....</td> <td>50 mg/L</td> </tr> <tr> <td>Thiophene (as S) in Isooctane.....</td> <td>50 mg/L</td> </tr> <tr> <td>Ampoule 6 Pyridine (as N) in Isooctane.....</td> <td>100 mg/L</td> </tr> <tr> <td>Thiophene (as S) in Isooctane.....</td> <td>100 mg/L</td> </tr> </tbody> </table>	Description .	Concentration	Ampoule 1 Isooctane .....	Solvent blank	Ampoule 2 Pyridine (as N) in Isooctane.....	1 mg/L	Thiophene (as S) in Isooctane.....	1 mg/L	Ampoule 3 Pyridine (as N) in Isooctane.....	5 mg/L	Thiophene (as S) in Isooctane.....	5 mg/L	Ampoule 4 Pyridine (as N) in Isooctane.....	10 mg/L	Thiophene (as S) in Isooctane.....	10 mg/L	Ampoule 5 Pyridine (as N) in Isooctane.....	50 mg/L	Thiophene (as S) in Isooctane.....	50 mg/L	Ampoule 6 Pyridine (as N) in Isooctane.....	100 mg/L	Thiophene (as S) in Isooctane.....	100 mg/L	
Description .	Concentration																									
Ampoule 1 Isooctane .....	Solvent blank																									
Ampoule 2 Pyridine (as N) in Isooctane.....	1 mg/L																									
Thiophene (as S) in Isooctane.....	1 mg/L																									
Ampoule 3 Pyridine (as N) in Isooctane.....	5 mg/L																									
Thiophene (as S) in Isooctane.....	5 mg/L																									
Ampoule 4 Pyridine (as N) in Isooctane.....	10 mg/L																									
Thiophene (as S) in Isooctane.....	10 mg/L																									
Ampoule 5 Pyridine (as N) in Isooctane.....	50 mg/L																									
Thiophene (as S) in Isooctane.....	50 mg/L																									
Ampoule 6 Pyridine (as N) in Isooctane.....	100 mg/L																									
Thiophene (as S) in Isooctane.....	100 mg/L																									
<b>New</b> U-PANAL0222-1	Isooctane (blank)	2 mL																								
<b>New</b> U-PANAL0222-2	Thiophene (as S) + Pyridine (as N) - 1 mg/L in Isooctane	2 mL																								
<b>New</b> U-PANAL0222-3	Thiophene (as S) + Pyridine (as N) - 1 mg/L in Isooctane	2 mL																								
<b>New</b> U-PANAL0222-4	Thiophene (as S) + Pyridine (as N) - 10 mg/L in Isooctane	2 mL																								
<b>New</b> U-PANAL0222-5	Thiophene (as S) + Pyridine (as N) - 50 mg/L in Isooctane	2 mL																								
<b>New</b> U-PANAL0222-6	Thiophene (as S) + Pyridine (as N) - 100 mg/L in Isooctane	2 mL																								



## Elemental combustion analyzer reagents

### Electrolyte Cl

	Code	Product	Unit
<b>New</b>	U-PANAL0153	Electrolyte Cl - 75% (v/v) in Water	250 mL

### Electrolyte with perchlorate

<b>New</b>	U-PANAL0152	Electrolyte with Perchlorate - 75 % in water (v/v)	250 mL
------------	-------------	--	--------

### KCl Saturated with AgCl

<b>New</b>	U-PANAL0013	KCl Saturated with AgCl - 3 mol/L in Water	250 mL
------------	-------------	--	--------

### Phosphoric acid (15% v/v)

<b>New</b>	U-PANAL0188	Phosphoric acid - 15% (v/v) in Water	100 mL
------------	-------------	--------------------------------------	--------

### Sodium sulfate anhydrous

<b>New</b>	U-PANAL0084	Sodium Sulfate anhydrous - > 99.9 %	25 g
------------	-------------	-------------------------------------	------

### Iodine

<b>New</b>	U-PANAL0087	Iodine - > 99.9 %	10 g
------------	-------------	-------------------	------

### Agar-Agar

<b>New</b>	U-PANAL0099	Agar-Agar > 99.9 %	25 g
------------	-------------	--------------------	------

### Potassium nitrate

<b>New</b>	U-PANAL0100	Potassium nitrate > 99.9 %	50 g
------------	-------------	----------------------------	------

### Potassium iodide

<b>New</b>	U-PANAL0103	Potassium iodide > 99.9 %	25 g
------------	-------------	---------------------------	------

### Sodium azide

<b>New</b>	U-PANAL0104	Sodium Azide > 99.9 %	25 g
------------	-------------	-----------------------	------

### Ammonium sulfate

<b>New</b>	U-PANAL0167	Ammonium sulfate > 99.9 %	50 g
------------	-------------	---------------------------	------

### Sodium persulfate

<b>New</b>	U-PANAL0242	Sodium persulfate - > 99.9 %	250 g
------------	-------------	------------------------------	-------

### Sodium hydroxide

<b>New</b>	U-PANAL0243	Sodium hydroxide - > 99.9 %	50 g
------------	-------------	-----------------------------	------

We constantly add new products to our range, so please contact us to find out about new products and services and to make sure you are automatically kept up to date by subscribing to our free newsletter.

Just send an e-mail to: [askus@lgcstandards.com](mailto:askus@lgcstandards.com)



# Certified high purity standards and high purity inorganic chemicals



*Excellence through measurement*

## Phytochemical reference standards from ChromaDex

### More than 2500 reference substances for phytochemical analysis

- Certified Reference Materials (CRM)
- Botanical Reference Materials (BRM)
- Extract Reference Materials (XRM)
- Standards with various documentation grades
- Reference standard kits
- Analytical methods

### Reference standards for/from:

- Artichoke
- Belladonna
- Bilberry
- Black Cohosh
- Carotenoids
- Cat's Claw
- Devil's Claw



- Echinacea
- Ephedra
- Ginseng
- Kava Kava
- Reishi Mushroom
- Rosemary
- Soysaponins
- St. John's Wort
- Tribulus Terrestris
- Valerian
- ... and many more



## Elemental analysis

Code	Product	Unit
	LGC4000 - LGC4002 Produced in collaboration with the Micro and Chemical Methods Group of the Analytical Division of the Royal Society of Chemistry.	
LGC4001	Dibenzothiophene - Sulfur Certified value S ..... 17.6 %	2 x 500 mg
LGC4002	Acetanilide - Carbon, hydrogen, nitrogen Certified values C ..... 71.14 %    H ..... 6.73 %    N ..... 10.33 %	1 g
NIST-141d	Acetanilide - Carbon, hydrogen, nitrogen and oxygen Certified values C ..... 71.089 %    N ..... 10.363 % H ..... 6.711 %    O ..... 11.837 %	2 g
<b>New</b> LGC4003	Benzoic acid - Oxygen Certified value O ..... 26.24 %	1 g
LGC4004	4-Chlorobenzoic acid - Chlorine Certified value Cl ..... 22.65 %	1 g
LGC4008	4-Bromobenzoic acid - Bromine Certified value Br ..... 39.75 %	1 g
LGC4009	2-Iodobenzoic acid - Iodine Certified value I ..... 51.17 %	1 g
NIST-142	Anisic acid - Methoxyl Certified value CH <sub>3</sub> O ..... 20.40 %	2 g
NIST-143d	Cystine - Carbon, hydrogen, nitrogen, oxygen and sulfur Certified values C ..... 29.99 %    N ..... 11.66 %    S ..... 26.69 % H ..... 5.03 %    O ..... 26.63 %	2 g
NIST-148	Nicotinic acid - Carbon, hydrogen and nitrogen Certified values C ..... 58.54 %    H ..... 4.09 %    N ..... 11.38 %	2 g
NIST-2141	Urea - Nitrogen Certified value N ..... 46.635 %	2 g
NIST-2143	p-Fluorobenzoic acid - Fluorine Certified value F ..... 13.54 %	2 g
NIST-2144	m-Chlorobenzoic acid - Chlorine Certified value Cl ..... 22.62 %	2 g
NIST-1216	Carbon modified silica - Carbon Certified values <u>Level I</u> C ..... 0.7 % <u>Level II</u> C ..... 9.06 % <u>Level III</u> C ..... 17.04 %	set

## Stoichiometry

	Code	Product	Unit
<b>New</b>	NIST-84L	Potassium hydrogen phthalate - Acidimetric value Certified purity..... 99.9934% ± 0.0076%	60 g
	NIST-350b	Benzoic acid - Acidimetric value This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) consists of highly purified benzoic acid (C <sub>6</sub> H <sub>5</sub> COOH). NIST-350b is intended for use in acidimetric standardization. The certified values are based on the results of determinations from 12 randomly selected bottles from the entire lot of NIST-350b. Each determination was obtained by coulometric acidimetric titration to the inflection point (pH ca. 8.15). W <sub>C<sub>6</sub>H<sub>5</sub>COOH</sub> ..... 9.9978 % ± 0.0044 % V <sub>H+</sub> ..... 188 40 mol kg <sup>-1</sup> ± 0.000 26 mol kg <sup>-1</sup>	30 g
	NIST-973	Boric acid - Acidimetric standard This Standard Reference Material (SRM <sup>®</sup> ) is certified as a chemical of known assay and is intended for use as a primary acidimetric standard. The SRM consists of highly purified boric acid (H <sub>3</sub> BO <sub>3</sub> ) in a 100 g bottle. W <sub>C<sub>6</sub>H<sub>5</sub>COOH</sub> ..... 100.009 % ± 0.010 %	100 g
	NIST-723d	2-Amino-2-(hydroxymethyl)-1,3-propanediol (THAM, Tris) - Acidimetric standard Certified value (mass fraction) for Tris, acidimetric assay Tris ..... 99.924 % ± 0.036 %	50 g
	NIST-136f	Potassium dichromate - Oxidimetric value Certified purity..... 99.9954 %	60 g
	NIST-351a	Sodium carbonate - Acidimetric standard This Standard Reference Material (SRM <sup>®</sup> ) is certified as a chemical of known assay and is intended for use as a primary acidimetric standard. The SRM consists of highly purified sodium carbonate (Na <sub>2</sub> CO <sub>3</sub> ) in a 50 g unit. Certified purity..... 99.970 %	50 g
	NIST-987	Strontium carbonate - Assay/isotopic composition Certified values Purity..... 99.98 % <sup>87</sup> Sr ..... 7.0015 % <sup>84</sup> Sr..... 0.5574 % <sup>88</sup> Sr..... 82.5845 % <sup>86</sup> Sr ..... 9.8566 %	1 g
	NIST-999b	Potassium chloride - Assay values Certified purity KCl ..... 99.977 %      K ..... 52.4379 %      Cl ..... 47.5519 % Indicative values for Br, alkalinity	30 g
	NIST-RM 8040	Sodium oxalate - Reductometric This Reference Material (RM) was prepared to provide material of uniform, high purity for use as a working standard for oxidation-reduction reactions. Reference value Reductometric assay (mass fraction) ..... 99.951 % ± 0.038 %	60 g
<b>New</b>	NIM-GBW06103B	Sodium chloride - Assay standard for chloride Certified value for purity is given	50 g
	NCS GC76210	Benzene Certified purity..... 99.95 %	5 mL
<b>New</b>	NIM-GBW06106C	Potassium hydrogen phthalate - Purity Certified purity..... 99.988 %	50 g
<b>New</b>	NIM-GBW06107C	Sodium oxalate Certified purity..... 99.7 %	50 g
<b>New</b>	NIM-GBW06108A	Zinc oxide - Complexometric standard Certified value is given in the certificate	50 g
<b>New</b>	NIM-GBW06109A	Potassium chloride - Assay standard for chloride Certified values for Cl and K are given in the certificate	50 g
<b>New</b>	NIM-GBW06110C	Potassium iodate - Oxidimetry Certified purity..... 99.97 % (as oxidation of potassium iodate)	50 g
<b>New</b>	NIM-GBW06105D	Potassium dichromate - Oxidimetry Certified purity..... 99.979 % (as oxidation of potassium dichromate)	50 g

## Pure substances

Code	Product	Unit
RS 1	Silicium dioxide, > 99,99%, mean particle size 150µm	100 g
	Certified values	
	Al..... 8.7 ± 0.7 µg/g	Ge ..... < 1 µg/g
	As..... < 0.1 µg/g	Hg..... < 0.05 µg/g
	Ca..... 0.42 ± 0.09 µg/g	K..... 0.48 ± 0.27 µg/g
	Cd..... < 0.05 µg/g	Li..... 0.25 ± 0.14 µg/g
	Cr..... 0.062 ± 0.021 µg/g	Mg..... < 0.5 µg/g
	Cu..... < 0.1 µg/g	Mn..... < 0.2 µg/g
	Fe..... 0.62 ± 0.12 µg/g	Na..... < 2 µg/g
	Ni..... < 0.2 µg/g	Pb..... < 0.15 µg/g
	Ti..... 1.3 ± 0.4 µg/g	Zn..... < 1.3 µg/g
	Zr..... < 0.1 µg/g	
RS 2	Aluminium oxide, 99,76%	100 g
	Certified values	
	H <sub>2</sub> O..... 0.22 %	Cr ..... < 1.5 µg/g
	As..... (< 0.5) µg/g	Cu..... < 2.5 µg/g
	B..... (< 5) µg/g	Fe..... 3.3 ± 1.6 µg/g
	Be..... (< 0.2) µg/g	Ga ..... (< 2) µg/g
	Ca..... 3.1 ± 0.4 µg/g	In ..... (< 0.5) µg/g
	Cd..... (< 0.5) µg/g	K..... (< 5) µg/g
	Ce..... (< 0.1) µg/g	La ..... (< 0.3) µg/g
	Cl..... (< 10) µg/g	Li ..... (< 1) µg/g
	Co..... < 1 µg/g	Mg ..... < 3 µg/g
		Mn..... < 1.5 µg/g
		Mo..... (< 1) µg/g
		Na..... < 15 µg/g
		Ni..... < 10 µg/g
		Si..... < 20 µg/g
		Sn..... (< 1) µg/g
		Sr..... 173 ± 8 µg/g
		Ti..... (< 0.5) µg/g
		V..... (< 1) µg/g
		Zr..... 3.2 ± 1.3 µg/g
	(Values in parenthesis are indicative values)	
RS 3	Calcium carbonate, 99,79%	100 g
	Certified values	
	CO <sub>2</sub> ..... 43.95 %	K..... (< 30) µg/g
	H <sub>2</sub> O..... 0.13 %	La ..... (< 0.5) µg/g
	Al..... (< 5) µg/g	Mg ..... 183 ± 5 µg/g
	B..... (< 0.2) µg/g	Mn ..... 3.0 ± 0.5 µg/g
	Ba..... 45.3 ± 1.7 µg/g	Na..... 47.5 ± 2.7 µg/g
	Cd..... (< 0.5) µg/g	Ni..... (< 3) µg/g
	Ga..... (< 1.5) µg/g	Pb..... (< 0.1) µg/g
		Si..... (< 20) µg/g
		Sn..... (< 1) µg/g
		Sr..... 173 ± 8 µg/g
		Ti..... (< 0.5) µg/g
		Zn..... < 2 µg/g
		Zr..... (< 0.2) µg/g
	(Values in parenthesis are indicative values)	
RS 4	Nickel 99,995%, chips (weight 2 - 4mg per chip)	100 g
	Certified values	
	Ag..... < 1 µg/g	Ga ..... < 0.2 µg/g
	Al..... < 1 µg/g	Hg..... (< 1) µg/g
	As..... < 0.5 µg/g	In ..... (< 0.2) µg/g
	B..... (< 2) µg/g	Mg ..... < 0.8 µg/g
	C..... 9.4 ± 2.0 µg/g	Mn ..... < 0.5 µg/g
	Ca..... < 1 µg/g	Mo ..... (< 0.2) µg/g
	Cd..... < 0.2 µg/g	N..... 2.5 ± 1.0 µg/g
	Co..... < 1 µg/g	Na..... (< 1) µg/g
	Cr..... < 0.5 µg/g	Ni..... 99.995 ± 0.003%
	Cu..... < 2 µg/g	O ..... (29) µg/g
	Fe..... 4.2 ± 1.6 µg/g	Pb..... < 1 µg/g
		S ..... (< 2) µg/g
		Sb..... < 0.2 µg/g
		Se..... < 1 µg/g
		Si..... (< 2) µg/g
		Sn..... < 0.3 µg/g
		Te..... (< 0.2) µg/g
		Ti..... < 0.2 µg/g
		V..... (< 0.2) µg/g
		W..... (< 0.1) µg/g
		Zn..... < 4 µg/g
	(Values in parenthesis are indicative values)	
RS 5	Nickel oxide, powder with 5 µm - 20 µm particle size	100 g
	Certified values	
	H <sub>2</sub> O..... 0.015 %	Ga ..... < 0.5 µg/g
	Ag..... < 1 µg/g	In ..... (< 1) µg/g
	Al..... (< 15) µg/g	K..... (< 2) µg/g
	As..... < 0.2 µg/g	Li ..... (< 2) µg/g
	Ba..... < 1 µg/g	Mg ..... < 1 µg/g
	C..... 14 ± 8 µg/g	Mn ..... < 1 µg/g
	Ca..... 2.2 ± 0.9 µg/g	Mo ..... < 5 µg/g
	Cd..... < 0.2 µg/g	Na..... < 2 µg/g
	Co..... < 2 µg/g	Ni..... 78.57 ± 0.06%
	Cr..... 16.1 ± 2.0 µg/g	O ..... 21.41 ± 0.06%
	Cu..... 1.53 ± 0.18 µg/g	Pb..... < 2 µg/g
	Fe..... 41 ± 7 µg/g	S..... (4) µg/g
		Sb..... (< 0.1) µg/g
		Se..... < 1 µg/g
		Si..... (< 5) µg/g
		Sn..... (< 1) µg/g
		Sr..... (< 1) µg/g
		Te..... (< 0.2) µg/g
		Ti..... (< 2) µg/g
		V..... (< 0.5) µg/g
		W..... < 1 µg/g
		Zn..... 3.4 ± 0.7 µg/g
		Zr..... (< 1) µg/g
	(Values in parenthesis are indicative values)	
RS 6A	Magnesium oxide 100 µm - 350 µm particle size	100 g
	Certified values	
	H <sub>2</sub> O..... 110 µg/g	Cr ..... 9.2 µg/g
	Al..... 45 ± 9 µg/g	Cu..... (< 6) µg/g
	Ba..... (< 10) µg/g	Fe..... 72 µg/g
	C..... (< 50) µg/g	Mg ..... 60.19 %
	Ca..... 994 ± 93 µg/g	Mn ..... 5.4 µg/g
	Ce..... — µg/g	Mo ..... (< 10) µg/g
	Co..... (< 5) µg/g	Ni..... 3.9 µg/g
		Pb..... (< 5) µg/g
		Sr..... 2.0 µg/g
		Ti..... 1.3 µg/g
		V..... 8.4 µg/g
		Zn..... (< 6) µg/g
		Zr..... (< 20) µg/g
	(Values in parenthesis are indicative values)	



## Organo-metallic compounds

Code	Product	Unit
RS 6B	Magnesium oxide 50 µm - 100 µm particle size	100 g
	Certified values	
	H <sub>2</sub> O ..... 283 µg/g	
	Al ..... 49 ± 8 µg/g	
	Ba ..... (< 20) µg/g	
	C ..... (< 210) µg/g	
	Ca ..... 956 ± 149 µg/g	
	Co ..... (< 5) µg/g	
	Cr ..... 8.1 µg/g	
	Cu ..... (< 6) µg/g	
	Fe ..... 71 µg/g	
	Mg ..... 60.17 %	
	Mn ..... 5.2 µg/g	
	Mo ..... (< 10) µg/g	
	Ni ..... 3.3 µg/g	
	Pb ..... (< 5) µg/g	
	Sr ..... 2.1 µg/g	
	Ti ..... 1.2 µg/g	
	V ..... 7.8 µg/g	
	Zn ..... (< 6) µg/g	
	Zr ..... (< 105) µg/g	
	(Values in parenthesis are indicative values)	

## Organo-metallic compounds

Code	Product	Unit
NIST-1051b	Barium cyclohexanebutyrate - Barium	5 g
	Certified value	
	Ba ..... 28.7 %	
NIST-1052b	Bis(1-phenyl-1,3-butanediono) oxovanadium (IV) - Vanadium	5 g
	Certified value	
	V ..... 13.01 %	
NIST-1053a	Cadmium cyclohexanebutyrate - Cadmium	5 g
	Certified value	
	Cd ..... 24.8 %	
NIST-1057b	Dibutyltin bis (2-ethylhexanoate) - Tin	5 g
	Certified value	
	Sn ..... 22.95 %	
NIST-1065b	Nickel cyclohexanebutyrate - Nickel	5 g
	Certified value	
	Ni ..... 13.89 %	
NIST-1066A	Octaphenylcyclotetrasiloxane - Silicon	5 g
	Certified value	
	Si ..... 14.14 %	
NIST-1069b	Sodium cyclohexanebutyrate - Sodium	5 g
	Certified value	
	Na ..... 12.0 %	
NIST-1073b	Zinc cyclohexanebutyrate - Zinc	5 g
	Certified value	
	Zn ..... 16.66 %	
NIST-1075a	Aluminium 2-ethylhexanoate - Aluminium	5 g
	Certified value	
	Al ..... 8.07 %	
NIST-1077a	Silver 2-ethylhexanoate - Silver	5 g
	Certified value	
	Ag ..... 42.60 %	
NIST-1078b	Tris (1-phenyl-1,3-butanediono) chromium (III) - Chromium	5 g
	Certified value	
	Cr ..... 9.6 %	
NIST-1079b	Tris (1-phenyl-1,3-butanediono) iron (III) - Iron	5 g
	Certified value	
	Fe ..... 10.45 %	
NIST-1080a	Bis (1-phenyl-1,3-butanediono) copper (II) - Copper	5 g
	Certified value	
	Cu ..... 16.37 %	



# Isotopes

Code	Product	Unit
ERM-AE640	<b>Mercury - Isotopes</b> 5 mL of solution Hg in a solution of 0.5 M HCl + 0.05 % (m/v) K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> Certified values <sup>1)</sup> U <sup>2)</sup> mol ( <sup>202</sup> Hg) · g <sup>-1</sup> (solution) 1.471 · 10 <sup>-8</sup> 0.011 · 10 <sup>-3</sup> n( <sup>196</sup> Hg)/n( <sup>202</sup> Hg)..... 0.00001809..... 0.00000038 n( <sup>198</sup> Hg)/n( <sup>202</sup> Hg)..... 0.000623..... 0.000011 n( <sup>199</sup> Hg)/n( <sup>202</sup> Hg)..... 0.001603..... 0.000016 n( <sup>200</sup> Hg)/n( <sup>202</sup> Hg)..... 0.005499..... 0.000034 n( <sup>201</sup> Hg)/n( <sup>202</sup> Hg)..... 0.013351..... 0.000052 n( <sup>204</sup> Hg)/n( <sup>202</sup> Hg)..... 0.002595..... 0.000021 <sup>1)</sup> The values of the Hg isotope ratios are traceable to the SI via the values of the Tl isotope ratios of the isotopic reference material NIST SRM 997. The Hg content of this natural isotopic spike is traceable to Hg amount content measurements based on gravimetry, whereby a mass of pure substance (Hg <sub>2</sub> Cl <sub>2</sub> ) was weighed and corrections were made for impurities. <sup>2)</sup> Estimated expanded uncertainty U with a coverage factor k=2, corresponding to a level of confidence of about 95 %, as defined in the Guide to the Expression of Uncertainty in Measurement (GUM), ISO, 1995.	Amp.
<b>New</b> ERM-AE649	<b>Thallium - Isotopes</b> Tl in 1 M nitric acid Certified value amount content.....mol ( <sup>205</sup> Tl) x g <sup>-1</sup> (solution)..... 8.368 8 x 10 <sup>-7</sup> amount ratio.....n ( <sup>203</sup> Tl)/n( <sup>205</sup> Tl)..... 0.418 91	4-5 mL
ERM-AE101	<b>Boric acid (BAM-I001) - Isotopic composition</b> Certified values Isotope amount ratio ..... 0.28197 (40) n( <sup>10</sup> B)/n( <sup>11</sup> B) Amount fraction x 100 n( <sup>10</sup> B)/n(B)..... 21.995 (24) n( <sup>11</sup> B)/n(B)..... 78.005 (24) Mass fraction x 100 m( <sup>10</sup> B)/m(B)..... 20.411 (22) m( <sup>11</sup> B)/m(B)..... 79.589 (22) Molar mass M(B) in g·mol <sup>-1</sup> ..... 10.79015 (24) The uncertainties are given in parenthesis and apply to the last two digits of the value.	30 mL
ERM-AE102	<b>Boric acid (BAM-I002) - Isotopic composition</b> Certified values Isotope amount ratio ..... 0.42485 (60) n( <sup>10</sup> B)/n( <sup>11</sup> B) Amount fraction x 100 n( <sup>10</sup> B)/n(B)..... 29.817 (30) n( <sup>11</sup> B)/n(B)..... 70.183 (30) Mass fraction x 100 m( <sup>10</sup> B)/m(B)..... 27.871 (28) m( <sup>11</sup> B)/m(B)..... 72.129 (28) Molar mass M(B) in g·mol <sup>-1</sup> ..... 10.71222 (30) The uncertainties are given in parenthesis and apply to the last two digits of the value.	30 mL
ERM-AE103	<b>Boric acid (BAM-I003) - Isotopic composition</b> Certified values Isotope amount ratio ..... 0.9895 (14) n( <sup>10</sup> B)/n( <sup>11</sup> B) Amount fraction x 100 n( <sup>10</sup> B)/n(B)..... 49.737 (34) n( <sup>11</sup> B)/n(B)..... 50.263 (34) Mass fraction x 100 m( <sup>10</sup> B)/m(B)..... 47.368 (34) m( <sup>11</sup> B)/m(B)..... 52.632 (34) Molar mass M(B) in g·mol <sup>-1</sup> ..... 10.51374 (34) The uncertainties are given in parenthesis and apply to the last two digits of the value.	30 mL

Code	Product	Unit
ERM-AE104	Boric acid (BAM-I004) - Isotopic composition Certified values Isotope amount ratio ..... 0.45966 (62) $n(^{10}\text{B})/n(^{11}\text{B})$ Amount fraction x 100 $n(^{10}\text{B})/n(\text{B})$ ..... 31.491 (29) $n(^{11}\text{B})/n(\text{B})$ ..... 68.509 (29) Mass fraction x 100 $m(^{10}\text{B})/m(\text{B})$ ..... 29.481 (28) $m(^{11}\text{B})/m(\text{B})$ ..... 70.519 (28) Molar mass $M(\text{B})$ in $\text{g}\cdot\text{mol}^{-1}$ ..... 10.69554 (29) The uncertainties are given in parenthesis and apply to the last two digits of the value.	30 mL
NIST-951a	Boric acid - Boron isotopes Certified values <u>Abundance ratio</u> $^{10}\text{B}/^{11}\text{B}$ ..... 0.2473 $^{10}\text{B}$ ..... 19.827 % $^{11}\text{B}$ ..... 80.173 %	2 g
NIST-952	Boric acid - Assay/isotopic composition Certified values Purity ..... 99.97 % <u>Abundance ratio</u> $^{10}\text{B}/^{11}\text{B}$ ..... 18.80 $^{10}\text{B}$ ..... 94.949 % $^{11}\text{B}$ ..... 5.051 %	250 mg
NIST-979	Chromium nitrate - Isotopic composition Certified values $^{50}\text{Cr}$ ..... 4.345 % $^{53}\text{Cr}$ ..... 9.501 % $^{52}\text{Cr}$ ..... 83.789 % $^{54}\text{Cr}$ ..... 2.365 %	250 mg
NIST-994	Gallium metal - Isotopic composition Certified values <u>Abundance ratio</u> $^{69}\text{Ga}/^{71}\text{Ga}$ ..... 1.50676 $^{69}\text{Ga}$ ..... 60.1079 % $^{71}\text{Ga}$ ..... 39.8921 %	250 mg
NIST-981	Lead metal, natural - Isotopic composition Certified values $^{204}\text{Pb}$ ..... 1.4255 % $^{207}\text{Pb}$ ..... 22.0833 % $^{206}\text{Pb}$ ..... 24.1442 % $^{208}\text{Pb}$ ..... 52.3470 %	1 g
NIST-980	Magnesium - Isotopic composition	250 mg
NIST-986	Nickel - Isotopic composition Certified values $^{58}\text{Ni}$ ..... 68.076886 % $^{61}\text{Ni}$ ..... 1.139894 % $^{64}\text{Ni}$ ..... 0.925546 % $^{60}\text{Ni}$ ..... 26.223146 % $^{62}\text{Ni}$ ..... 3.634528 %	500 mg
NIST-984	Rubidium chloride - Assay/isotopic composition Certified values Purity ..... 99.90 % <u>Abundance ratio</u> $^{85}\text{Rb}/^{87}\text{Rb}$ ..... 2.593	250 mg
<b>New</b> LGC7330	Selenomethionine enriched with $^{76}\text{Se}$ Assessed value $^{76}\text{Se}$ Isotopic abundance ..... 99.8 +0.2 / -3.1 % (m/m)	10 mg
NIST-977	Sodium bromide - Isotopic composition Certified values <u>Abundance ratio</u> $^{79}\text{Br}/^{81}\text{Br}$ ..... 1.02784 $^{79}\text{Br}$ ..... 50.686 % $^{81}\text{Br}$ ..... 49.314 %	250 mg
NIST-975a	Sodium chloride - Isotopic composition Certified values <u>Absolute abundance ratio</u> $^{36}\text{Cl}/^{37}\text{Cl}$ ..... 3.1279 ± 0.0047 <u>Isotopic composition</u> $^{36}\text{Cl}$ ..... 75.774 ± 0.028 atom% $^{37}\text{Cl}$ ..... 24.226 ± 0.028 atom% Atomic weight ..... 35.45265 ± 0.00055	250 mg

## Isotopes

Code	Product	Unit
NIST-978a	Silver nitrate - Assay/isotopic composition Certified values Purity.....99.99 % <u>Abundance ratio</u> <sup>107</sup> Ag/ <sup>109</sup> Ag ..... 1.07638 <sup>107</sup> Ag ..... 51.8392 % <sup>109</sup> Ag.....48.1608 %	250 mg
NIST-987	Strontium carbonate - Assay/isotopic composition Certified values Purity.....99.98 % <sup>87</sup> Sr ..... 7.0015 % <sup>84</sup> Sr.....0.5574 % <sup>88</sup> Sr.....82.5845 % <sup>86</sup> Sr ..... 9.8566 %	1 g
NIST-997	Thallium metal - Isotopic composition Certified values <u>Abundance ratio</u> <sup>205</sup> Tl/ <sup>203</sup> Tl..... 2.38714 <sup>203</sup> Tl.....29.5235 % <sup>205</sup> Tl ..... 70.4765 %	0.25 g
NIST-RM 8573	L-Glutamic acid - Carbon-13 and nitrogen-15 isotopes (USGS40) This reference materials is intended to aid in normalizing isotope-amount ratio data as well as developing and validating methods for measuring the relative difference in carbon and nitrogen isotope-amounts ratios in biological materials. It should be used in conjunction with NIST-RM 8574. Please ask for further details.	1 g
NIST-RM 8574	L-Glutamic acid - Carbon-13 and nitrogen-15 isotopes (USGS41) This reference materials is intended to aid in normalizing isotope-amount ratio data as well as developing and validating methods for measuring the relative difference in carbon and nitrogen isotope-amounts ratios in biological materials. It should be used in conjunction with NIST-RM 8573. Please ask for further details.	0.5 g
IAEA-305	Ammonium sulphate - Nitrogen-15 2 x 100 mg of Ammonium sulfate ( <sup>15</sup> NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> in solid, crystalline form Assessed values IAEA-305A <sup>15</sup> N.....39.8 per mille IAEA-305B <sup>15</sup> N.....375.3 per mille	unit
IAEA-311	Ammonium sulphate - Nitrogen-15 Assessed value <sup>15</sup> N.....2.05 %	100 mg
IAEA-303	Sodium bicarbonate - Carbon-13 Assessed values <u>Solution A</u> <sup>13</sup> C..... 93.3 activity/mL <u>Solution B</u> <sup>13</sup> C..... 466 activity/mL	2 x 3 mL
IAEA-304	Oxygen-18 labelled water Two Oxygen-18 labelled water samples (A and B) prepared from oxygen-18 enriched water and diluted with distilled water Sample A Assessed value:..... <sup>18</sup> O ..... 251.7δD <sub>VSMOW</sub> * Sample B Assessed value:..... <sup>18</sup> O ..... 502.5δD <sub>VSMOW</sub> * *The isotopic compositions are given in parts per thousand difference from isotope ratio standard Vienna Standard Mean Ocean Water (VSMOW).	2 x 10 mL

## High purity inorganic chemicals

LGC Standards is committed to providing the highest-purity inorganic chemicals for the most demanding applications from MV Laboratories. Their core technology is the development and application of synthetic methods for the removal of trace impurities on the part-per-million range. They are able to do this without the use of zone refining, sublimation, or other techniques that typically add costs to the manufacturing process. This technology, combined with an expertise in inorganic synthesis, allows cost-effective production of hundreds of compounds with purities from 99.99% up to 99.9999%. As a global leader in the production of chemicals of ultra-high-purity inorganic chemicals for chemical analysis and synthesis, crystal growth, nanotechnology, special ceramics, and photonics research and development, MV Laboratories provides our customers with materials and services second to none. They remove trace impurities down to the sub-ppm range and employ the best quality control standards in the industry to guarantee the purity of their wide range of chemicals. Analytical documentation is created for each product test performed. MV Laboratories is dedicated to offering the most comprehensive certificate of analysis available on the market today.

**Custom synthesis:** MV Laboratories can prepare hundreds of inorganic materials, used in a variety of applications, in quantities ranging from a few gram to hundred of kilograms, including:

Hydrogen hexachloroplatinate, 99.999%	Fuel cell applications
Ammonium hexafluorotitanate, 99.99%	Nanotechnology
Hydrogen tetrachloroaurate hydrate, 99.999%	Catalysis
Tellurium dioxide, 99.999%	Crystal growth
Ytterbium chloride hexahydrate, 99.999%	Fiber optics
Yttrium oxide, 99.999%	Lasers
Indium oxide, 99.999%	Photovoltaics

	Code	Product	Unit
<b>New</b>	MV-AL50DF1173-LG0010	Aluminum chloride hexahydrate, 99.999%	10 g
<b>New</b>	MV-AL50DF1173-LG0050	Aluminum chloride hexahydrate, 99.999%	50 g
<b>New</b>	MV-AL50DS3073-LG0025	Aluminum nitrate nonahydrate, 99.999%	25 g
<b>New</b>	MV-AL50DS3073-LG0100	Aluminum nitrate nonahydrate, 99.999%	100 g
<b>New</b>	MV-AL50DX1083-LG0025	Aluminum oxide, 99.999%	25 g
<b>New</b>	MV-AL50DX1083-LG0100	Aluminum oxide, 99.999%	100 g
<b>New</b>	MV-AL55BX0000-LG0025	Aluminum shot, 99.9995%	25 g
<b>New</b>	MV-AL55BX0000-LG0100	Aluminum shot, 99.9995%	100 g
<b>New</b>	MV-NH50DX1171-LG0025	Ammonium chloride, 99.999%	25 g
<b>New</b>	MV-NH50DX1171-LG0100	Ammonium chloride, 99.999%	100 g
<b>New</b>	MV-NH50DX4251-LG0025	Ammonium dihydrogen phosphate, 99.999%	25 g
<b>New</b>	MV-NH50DX4251-LG0100	Ammonium dihydrogen phosphate, 99.999%	100 g
<b>New</b>	MV-NH40DX4381-LG0001	Ammonium hexachloroosmate, 99.99%	1 g
<b>New</b>	MV-NH40DX4381-LG0005	Ammonium hexachloroosmate, 99.99%	5 g
<b>New</b>	MV-NH45DX4421-LG0001	Ammonium hexachlororhodate, 99.995%	1 g
<b>New</b>	MV-NH45DX4421-LG0005	Ammonium hexachlororhodate, 99.995%	5 g
<b>New</b>	MV-NH40DX4431-LG0001	Ammonium hexachlororuthenate(IV), 99.99%	1 g

## High purity inorganic chemicals

	Code	Product	Unit
<b>New</b>	MV-NH40DX4431-LG0005	Ammonium hexachlororuthenate(IV), 99.99%	5 g
<b>New</b>	MV-NH40DX4511-LG0025	Ammonium hexafluorotitanate, 99.99%	25 g
<b>New</b>	MV-NH40DX4511-LG0100	Ammonium hexafluorotitanate, 99.99%	100 g
<b>New</b>	MV-NH50DX4481-LG0025	Ammonium hexafluorosilicate, 99.999%	25 g
<b>New</b>	MV-NH50DX4481-LG0100	Ammonium hexafluorosilicate, 99.999%	100 g
<b>New</b>	MV-NH50DX4591-LG0025	Ammonium hydrogen fluoride, 99.999%	25 g
<b>New</b>	MV-NH50DX4591-LG0100	Ammonium hydrogen fluoride, 99.999%	100 g
<b>New</b>	MV-NH48DX4761-LG0010	Ammonium metavanadate, 99.999%	10 g
<b>New</b>	MV-NH48DX4761-LG0050	Ammonium metavanadate, 99.999%	50 g
<b>New</b>	MV-NH50DX3421-LG0025	Ammonium molybdate, 99.999%	25 g
<b>New</b>	MV-NH50DX3421-LG0100	Ammonium molybdate, 99.999%	100 g
<b>New</b>	MV-NH50DX3071-LG0025	Ammonium nitrate, 99.999%	25 g
<b>New</b>	MV-NH50DX3071-LG0100	Ammonium nitrate, 99.999%	100 g
<b>New</b>	MV-NH50DX3161-LG0010	Ammonium sulfate, 99.999%	10 g
<b>New</b>	MV-NH50DX3161-LG0050	Ammonium sulfate, 99.999%	50 g
<b>New</b>	MV-NH40DX5011-LG0001	Ammonium tetrachloroplatinate(II), 99.99%	1 g
<b>New</b>	MV-NH40DX5011-LG0005	Ammonium tetrachloroplatinate(II), 99.99%	5 g
<b>New</b>	MV-NH45DX5101-LG0001	Ammonium tetrathiomolybdate, 99.995%	1 g
<b>New</b>	MV-NH45DX5101-LG0005	Ammonium tetrathiomolybdate, 99.995%	5 g
<b>New</b>	MV-BA45DY4652-LG0025	Barium hydroxide hydrate, 99.995%	25 g
<b>New</b>	MV-BA45DY4652-LG0100	Barium hydroxide hydrate, 99.995%	100 g
<b>New</b>	MV-BE50DX5262-LG0005	Beryllium acetate basic, 99.999%	5 g
<b>New</b>	MV-BE50DX5262-LG0025	Beryllium acetate basic, 99.999%	25 g
<b>New</b>	MV-BX50DX5173-LG0025	Boric acid, 99.999%	25 g
<b>New</b>	MV-BX50DX5173-LG0100	Boric acid, 99.999%	100 g
<b>New</b>	MV-CA50DX3062-LG0010	Calcium carbonate, 99.999%	10 g
<b>New</b>	MV-CA50DX3062-LG0050	Calcium carbonate, 99.999%	50 g
<b>New</b>	MV-CA45DX4652-LG0010	Calcium hydroxide, 99.995%	10 g
<b>New</b>	MV-CA45DX4652-LG0050	Calcium hydroxide, 99.995%	50 g
<b>New</b>	MV-CS50DX3061-LG0010	Cesium carbonate, 99.999%	10 g



## High purity inorganic chemicals

	Code	Product	Unit
<b>New</b>	MV-CS50DX3061-LG0050	Cesium carbonate, 99.999%	50 g
<b>New</b>	MV-CS50DX1171-LG0010	Cesium chloride, 99.999%	10 g
<b>New</b>	MV-CS50DX1171-LG0050	Cesium chloride, 99.999%	50 g
<b>New</b>	MV-CS50DX1531-LG0010	Cesium iodide, 99.999%	10 g
<b>New</b>	MV-CS50DX1531-LG0050	Cesium iodide, 99.999%	50 g
<b>New</b>	MV-CS20DX3161-LG0005	Cesium sulfate, 99.995%	5 g
<b>New</b>	MV-CS20DX3161-LG0025	Cesium sulfate, 99.995%	25 g
<b>New</b>	MV-CR40DS3073-LG0010	Chromium nitrate nonahydrate, 99.99%	10 g
<b>New</b>	MV-CR40DS3073-LG0050	Chromium nitrate nonahydrate, 99.99%	50 g
<b>New</b>	MV-CR50DS3073-LG0005	Chromium nitrate nonahydrate, 99.999%	5 g
<b>New</b>	MV-CR50DS3073-LG0025	Chromium nitrate nonahydrate, 99.999%	25 g
<b>New</b>	MV-CO50DX0000-LG0010	Cobalt powder, 99.999%	10 g
<b>New</b>	MV-CO50DX0000-LG0050	Cobalt powder, 99.999%	50 g
<b>New</b>	MV-CU58BX0000-LG0025	Copper shot, 99.9995%	25 g
<b>New</b>	MV-CU58BX0000-LG0100	Copper shot, 99.9995%	100 g
<b>New</b>	MV-CU50DX1531-LG0010	Copper(I) iodide, 99.999%	10 g
<b>New</b>	MV-CU50DX1531-LG0050	Copper(I) iodide, 99.999%	50 g
<b>New</b>	MV-PT40HX5692-LG0001	trans-Dichlorodiammineplatinum(II), 99.99%	1 g
<b>New</b>	MV-PT40HX5692-LG0005	trans-Dichlorodiammineplatinum(II), 99.99%	5 g
<b>New</b>	MV-GA50DX1083-LG0010	Gallium oxide, 99.999%	10 g
<b>New</b>	MV-GA50DX1083-LG0050	Gallium oxide, 99.999%	50 g
<b>New</b>	MV-AU40DX1173-LG0001	Gold chloride, 99.99%	1 g
<b>New</b>	MV-AU40DX1173-LG0005	Gold chloride, 99.99%	5 g
<b>New</b>	MV-AU50BX0000-LG0001	Gold shot, 99.999%	1 g
<b>New</b>	MV-AU50BX0000-LG0005	Gold shot, 99.999%	5 g
<b>New</b>	MV-HF40DX1084-LG0001	Hafnium oxide, 99.99%	1 g
<b>New</b>	MV-HF40DX1084-LG0005	Hafnium oxide, 99.99%	5 g
<b>New</b>	MV-HX50DY4401-LG0001	Hydrogen hexachloroplatinate(IV) hydrate, 99.999%	1 g
<b>New</b>	MV-HX50DY4401-LG0005	Hydrogen hexachloroplatinate(IV) hydrate, 99.999%	5 g
<b>New</b>	MV-HX50DY4991-LG0001	Hydrogen tetrachloroaurate hydrate, 99.999%	1 g

## High purity inorganic chemicals

	Code	Product	Unit
<b>New</b>	MV-HX50DY4991-LG0005	Hydrogen tetrachloroaurate hydrate, 99.999%	5 g
<b>New</b>	MV-IN40DZ3013-LG0010	Indium acetate anhydrous, 99.99%	10 g
<b>New</b>	MV-IN40DZ3013-LG0050	Indium acetate anhydrous, 99.99%	50 g
<b>New</b>	MV-IN50DX1083-LG0010	Indium oxide, 99.999%	10 g
<b>New</b>	MV-IN50DX1083-LG0050	Indium oxide, 99.999%	50 g
<b>New</b>	MV-IN50BX0000-LG0025	Indium shot, 99.999%	25 g
<b>New</b>	MV-IN50BX0000-LG0100	Indium shot, 99.999%	100 g
<b>New</b>	MV-FE45GX0000-LG0025	Iron granules, 99.995%	25 g
<b>New</b>	MV-FE45GX0000-LG0100	Iron granules, 99.995%	100 g
<b>New</b>	MV-FE55DS3073-LG0010	Iron nitrate nonohydrate, 99.9995%	10 g
<b>New</b>	MV-FE55DS3073-LG0050	Iron nitrate nonohydrate, 99.9995%	50 g
<b>New</b>	MV-FE40DX1083-LG0025	Iron oxide, 99.99%	25 g
<b>New</b>	MV-FE40DX1083-LG0100	Iron oxide, 99.99%	100 g
<b>New</b>	MV-FE50DX1083-LG0010	Iron oxide, 99.999%	10 g
<b>New</b>	MV-FE50DX1083-LG0050	Iron oxide, 99.999%	50 g
<b>New</b>	MV-LA50DX1083-LG0025	Lanthanum oxide, 99.999%	25 g
<b>New</b>	MV-LA50DX1083-LG0100	Lanthanum oxide, 99.999%	100 g
<b>New</b>	MV-LI50DX3061-LG0025	Lithium carbonate, 99.999%	25 g
<b>New</b>	MV-LI50DX3061-LG0100	Lithium carbonate, 99.999%	100 g
<b>New</b>	MV-LI40DX1091-LG0005	Lithium fluoride, 99.99%	5 g
<b>New</b>	MV-LI40DX1091-LG0025	Lithium fluoride, 99.99%	25 g
<b>New</b>	MV-LI50DX3071-LG0010	Lithium nitrate, 99.999%	10 g
<b>New</b>	MV-LI50DX3071-LG0050	Lithium nitrate, 99.999%	50 g
<b>New</b>	MV-LU50DX1083-LG0001	Lutetium oxide, 99.999%	1 g
<b>New</b>	MV-LU50DX1083-LG0005	Lutetium oxide, 99.999%	5 g
<b>New</b>	MV-MG50DF3072-LG0010	Magnesium nitrate hexahydrate, 99.999%	10 g
<b>New</b>	MV-MG50DF3072-LG0050	Magnesium nitrate hexahydrate, 99.999%	50 g
<b>New</b>	MV-MG55DF3072-LG0010	Magnesium nitrate hexahydrate, 99.9995%	10 g
<b>New</b>	MV-MG55DF3072-LG0050	Magnesium nitrate hexahydrate, 99.9995%	50 g
<b>New</b>	MV-MG48DX1082-LG0010	Magnesium oxide, 99.995%	10 g

## High purity inorganic chemicals

	Code	Product	Unit
<b>New</b>	MV-MG48DX1082-LG0050	Magnesium oxide, 99.995%	50 g
<b>New</b>	MV-MN50DD3012-LG0010	Manganese acetate tetrahydrate, 99.999%	10 g
<b>New</b>	MV-MN50DD3012-LG0050	Manganese acetate tetrahydrate, 99.999%	50 g
<b>New</b>	MV-MN40DX1082-LG0010	Manganese(II) oxide, 99.99%	10 g
<b>New</b>	MV-MN40DX1082-LG0050	Manganese(II) oxide, 99.99%	50 g
<b>New</b>	MV-MN40DX1084-LG0005	Manganese(IV) oxide, 99.99%	5 g
<b>New</b>	MV-MN40DX1084-LG0025	Manganese(IV) oxide, 99.99%	25 g
<b>New</b>	MV-MO40DX1086-LG0005	Molybdenum oxide, 99.99%	5 g
<b>New</b>	MV-MO40DX1086-LG0025	Molybdenum oxide, 99.99%	25 g
<b>New</b>	MV-NI40DX0000-LG0025	Nickel powder, 99.99%	25 g
<b>New</b>	MV-NI40DX0000-LG0100	Nickel powder, 99.99%	100 g
<b>New</b>	MV-NI50DX0000-LG0025	Nickel powder, 99.999%	25 g
<b>New</b>	MV-NI50DX0000-LG0100	Nickel powder, 99.999%	100 g
<b>New</b>	MV-PD50DX1172-LG0001	Palladium chloride, 99.999%	1 g
<b>New</b>	MV-PD50DX1172-LG0005	Palladium chloride, 99.999%	5 g
<b>New</b>	MV-PD40GX0000-LG0001	Palladium granules, 99.99%	1 g
<b>New</b>	MV-PD40GX0000-LG0005	Palladium granules, 99.99%	5 g
<b>New</b>	MV-PD50DX0000-LG0001	Palladium powder, 99.999%	1 g
<b>New</b>	MV-PD50DX0000-LG0005	Palladium powder, 99.999%	5 g
<b>New</b>	MV-PD50DX1082-LG0001	Palladium(II) oxide, 99.999%	1 g
<b>New</b>	MV-PD50DX1082-LG0005	Palladium(II) oxide, 99.999%	5 g
<b>New</b>	MV-PT50DX0000-LG0001	Platinum powder, 99.999%	1 g
<b>New</b>	MV-PT50DX0000-LG0005	Platinum powder, 99.999%	5 g
<b>New</b>	MV-KX50DX1351-LG0010	Potassium bromide, 99.999%	10 g
<b>New</b>	MV-KX50DX1351-LG0050	Potassium bromide, 99.999%	50 g
<b>New</b>	MV-KX50DX1171-LG0025	Potassium chloride, 99.999%	25 g
<b>New</b>	MV-KX50DX1171-LG0100	Potassium chloride, 99.999%	100 g
<b>New</b>	MV-KX40DX1091-LG0025	Potassium fluoride, 99.99%	25 g
<b>New</b>	MV-KX40DX1091-LG0100	Potassium fluoride, 99.99%	100 g
<b>New</b>	MV-KX40DX1081-LG0100	Potassium hydroxide, 99.99%	100 g

## High purity inorganic chemicals

	Code	Product	Unit
<b>New</b>	MV-KX40DX1081-LG0500	Potassium hydroxide, 99.99%	500 g
<b>New</b>	MV-KX50DX1531-LG0025	Potassium iodide, 99.999%	25 g
<b>New</b>	MV-KX50DX1531-LG0100	Potassium iodide, 99.999%	100 g
<b>New</b>	MV-KX50DX3071-LG0025	Potassium nitrate, 99.999%	25 g
<b>New</b>	MV-KX50DX3071-LG0100	Potassium nitrate, 99.999%	100 g
<b>New</b>	MV-KX40DX5011-LG0001	Potassium tetrachloroplatinate, 99.99%	1 g
<b>New</b>	MV-KX40DX5011-LG0005	Potassium tetrachloroplatinate, 99.99%	5 g
<b>New</b>	MV-RE45DX0000-LG0001	Rhenium powder, 99.995%	1 g
<b>New</b>	MV-RE45DX0000-LG0005	Rhenium powder, 99.995%	5 g
<b>New</b>	MV-RH40DY1173-LG0001	Rhodium chloride hydrate, 99.99%	1 g
<b>New</b>	MV-RH40DY1173-LG0005	Rhodium chloride hydrate, 99.99%	5 g
<b>New</b>	MV-RB28DX1171-LG0010	Rubidium chloride, 99.8%	10 g
<b>New</b>	MV-RB28DX1171-LG0050	Rubidium chloride, 99.8%	50 g
<b>New</b>	MV-RB30DF1171-LG0010	Rubidium chloride, 99.9%	10 g
<b>New</b>	MV-RB30DF1171-LG0050	Rubidium chloride, 99.9%	50 g
<b>New</b>	MV-RB40DX1171-LG0010	Rubidium chloride, 99.99%	10 g
<b>New</b>	MV-RB40DX1171-LG0050	Rubidium chloride, 99.99%	50 g
<b>New</b>	MV-RU38DY1173-LG0001	Ruthenium chloride hydrate, 99.98%	1 g
<b>New</b>	MV-RU38DY1173-LG0005	Ruthenium chloride hydrate, 99.98%	5 g
<b>New</b>	MV-RU20DX1173-LG0001	Ruthenium chloride, anhydrous, 99%	1 g
<b>New</b>	MV-RU20DX1173-LG0005	Ruthenium chloride, anhydrous, 99%	5 g
<b>New</b>	MV-SC40DX1083-LG0001	Scandium oxide, 99.99%	1 g
<b>New</b>	MV-SC40DX1083-LG0005	Scandium oxide, 99.99%	5 g
<b>New</b>	MV-SC50DX1083-LG0001	Scandium oxide, 99.999%	1 g
<b>New</b>	MV-SC50DX1083-LG0005	Scandium oxide, 99.999%	5 g
<b>New</b>	MV-SE50DX5244-LG0025	Selenious acid, 99.999%	25 g
<b>New</b>	MV-SE50DX5244-LG0100	Selenious acid, 99.999%	100 g
<b>New</b>	MV-SI50DX1084-LG0025	Silicon dioxide, 99.999%	25 g
<b>New</b>	MV-SI50DX1084-LG0100	Silicon dioxide, 99.999%	100 g
<b>New</b>	MV-AG55DX1351-LG0005	Silver bromide, 99.999%	5 g

## High purity inorganic chemicals

	Code	Product	Unit
<b>New</b>	MV-AG55DX1351-LG0025	Silver bromide, 99.999%	25 g
<b>New</b>	MV-AG50KX1171-LG0001	Silver chloride, 100 mesh, 99.9999%	1 g
<b>New</b>	MV-AG50KX1171-LG0005	Silver chloride, 100 mesh, 99.9999%	5 g
<b>New</b>	MV-NA50DX3061-LG0025	Sodium carbonate, 99.999%	25 g
<b>New</b>	MV-NA50DX3061-LG0100	Sodium carbonate, 99.999%	100 g
<b>New</b>	MV-NA50DX1171-LG0025	Sodium chloride, 99.999%	25 g
<b>New</b>	MV-NA50DX1171-LG0100	Sodium chloride, 99.999%	100 g
<b>New</b>	MV-NA50DX3071-LG0025	Sodium nitrate, 99.999%	25 g
<b>New</b>	MV-NA50DX3071-LG0100	Sodium nitrate, 99.999%	100 g
<b>New</b>	MV-NA50DX3161-LG0010	Sodium sulfate, 99.999%	10 g
<b>New</b>	MV-NA50DX3161-LG0050	Sodium sulfate, 99.999%	50 g
<b>New</b>	MV-NA50DE5131-LG0005	Sodium thiosulfate pentahydrate, 99.999%	5 g
<b>New</b>	MV-NA50DE5131-LG0025	Sodium thiosulfate pentahydrate, 99.999%	25 g
<b>New</b>	MV-TE40DX1084-LG0010	Tellurium dioxide, 99.999%	10 g
<b>New</b>	MV-TE40DX1084-LG0050	Tellurium dioxide, 99.999%	50 g
<b>New</b>	MV-TE50DX1084-LG0010	Tellurium dioxide, 99.999%	10 g
<b>New</b>	MV-TE50DX1084-LG0050	Tellurium dioxide, 99.999%	50 g
<b>New</b>	MV-TE50DX0000-LG0010	Tellurium powder, 99.999%	10 g
<b>New</b>	MV-TE50DX0000-LG0050	Tellurium powder, 99.999%	50 g
<b>New</b>	MV-PT50DY5592-LG0001	Tetraamineplatinum chloride hydrate, 99.999%	1 g
<b>New</b>	MV-PT50DY5592-LG0005	Tetraamineplatinum chloride hydrate, 99.999%	5 g
<b>New</b>	MV-PT50DX5612-LG0001	Tetraamineplatinum nitrate, 99.999%	1 g
<b>New</b>	MV-PT50DX5612-LG0005	Tetraamineplatinum nitrate, 99.999%	5 g
<b>New</b>	MV-TL50DX3071-LG0005	Thallium nitrate, 99.999%	5 g
<b>New</b>	MV-TL50DX3071-LG0025	Thallium nitrate, 99.999%	25 g
<b>New</b>	MV-TI50DX1084-LG0010	Titanium oxide, 99.999%	10 g
<b>New</b>	MV-TI50DX1084-LG0050	Titanium oxide, 99.999%	50 g
<b>New</b>	MV-YB50DX1173-LG0010	Ytterbium chloride hexahydrate, 99.999%	10 g
<b>New</b>	MV-YB50DX1173-LG0050	Ytterbium chloride hexahydrate, 99.999%	50 g
<b>New</b>	MV-YB40DX1083-LG0010	Ytterbium oxide, 99.99%	10 g

## High purity inorganic chemicals

---

	Code	Product	Unit
<b>New</b>	MV-YB40DX1083-LG0050	Ytterbium oxide, 99.99%	50 g
<b>New</b>	MV-YX50DX1083-LG0010	Yttrium oxide, 99.999%	10 g
<b>New</b>	MV-YX50DX1083-LG0050	Yttrium oxide, 99.999%	50 g
<b>New</b>	MV-ZN50DX1082-LG0025	Zinc oxide, 99.999%	25 g
<b>New</b>	MV-ZN50DX1082-LG0100	Zinc oxide, 99.999%	100 g
<b>New</b>	MV-ZR40DX1174-LG0010	Zirconyl chloride octahydrate, 99.99%	10 g
<b>New</b>	MV-ZR40DX1174-LG0050	Zirconyl chloride octahydrate, 99.99%	50 g

# Physical property standards



Standards

*Excellence through measurement*



# Reference nanomaterials from LGC Standards



LGC Standards has introduced a range of reference nanomaterials to aid research and testing into the applications and impacts of nanotechnology.

Nanomaterials are now used in a wide range of applications from food packaging and sunscreens to surface coatings and sports equipment. With the increasing presence of nanomaterials in new products, there has been a substantial increase in research into their manufacture, characterisation and applications and this has been matched by growth in demand for characterised reference materials

Master samples of the NM-series reference nanomaterials are stored in the nanomaterials repository of the European Commission's Joint Research Centre (JRC). The JRC distributes these master samples for use by EU Member States' authorities and in the OECD's Working Party on Manufactured Nanomaterials programme. The materials have been characterised using OECD recommended test methods and may serve as:

- Performance standard materials for testing and test method development
- Control materials for safety testing
- Testing materials for reference result and predictive toxicity testing

The series of reference nanomaterials have been selected based on their industrial and commercial importance and include:

**Carbon nanotubes**

**Silver nanoparticles**

**Titanium dioxide**

**Cerium oxide**

**Zinc oxide**

**Silicon dioxide**

[www.lgcstandards.com](http://www.lgcstandards.com)



*Excellence through measurement*

## Thermal properties

### Enthalpy and heat capacity

Code	Product	Unit
LGC2601	Indium - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 3.296 kJ/mol      Melting temperature ..... 156.61 °C	500 mg
LGC2603	Naphthalene - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 18.923 kJ/mol      Melting temperature ..... 80.23 °C	500 mg
LGC2604	Benzil - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 23.26 kJ/mol      Melting temperature ..... 94.85 °C	500 mg
LGC2605	Acetanilide - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 21.793 kJ/mol      Melting temperature ..... 114.34 °C	500 mg
LGC2606	Benzoic acid - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 17.98 kJ/mol      Melting temperature ..... 122.35 °C	500 mg
LGC2607	Diphenylacetic acid - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 31.16 kJ/mol      Melting temperature ..... 147.19 °C	500 mg
LGC2608	Lead - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 4.765 kJ/mol      Melting temperature ..... 327.47 °C	500 mg
LGC2609	Tin - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 7.187 kJ/mol      Melting temperature ..... 231.92 °C	500 mg
LGC2610	Biphenyl - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified Values Enthalpy of fusion ..... 18.60 kJ/mol      Melting temperature ..... 68.93 °C	500 mg
LGC2611	Zinc - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 7.103 kJ/mol      Melting temperature ..... 419.53 °C	500 mg
LGC2612	Aluminium - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 10.827 kJ/mol      Melting temperature ..... 660.33 °C	500 mg

## Thermal properties

Code	Product	Unit
LGC2613	Phenyl salicylate - DSC calibration standard This certified reference material is intended for use in the calibration of differential scanning calorimeters and similar instruments. Certified values Enthalpy of fusion ..... 19.18 kJ/mol      Melting temperature ..... 41.79 °C	500 mg
LGC2013	DSC purity set A series of mixtures of benzil in biphenyl intended for evaluating various features of the DSC technique (e.g. bias, repeatability, applicable impurity range) when the technique is used for determining the impurity content of organic compounds.. Certified values Total impurity (mole %)      Uncertainty (mole %)      Total impurity (mole %)      Uncertainty (mole %) 0.1 ..... 0.1      2.1 ..... 0.2 1.1 ..... 0.2      2.6 ..... 0.2 1.6 ..... 0.2      3.1 ..... 0.2	6 x 500 mg
NIST-2232	Indium - DSC calibration standard DSC calibration standard Certified values Enthalpy of fusion ..... 28.51 J/g      Melting temperature ..... 156.5985 °C	1 g
NIST-2235	Bismuth - DSC calibration standard Certified values Enthalpy of fusion ..... 53.146 J/g      Fusion temperature ..... 544.556 K	1.5 g
NIST-2225	Mercury - DSC calibration standard Certified values Enthalpy of fusion ..... 11.469 kJ/mol      Melting temperature ..... 234.30 K	2.5 g
NIST-705A	Polystyrene - Heat capacity and molecular weight Molecular weight (MW) values, measured using various techniques, and limiting viscosity (LV) numbers. Certified values M <sub>n</sub> by membrane osmometry ..... 170,900 g/mol      LV in benzene (25 °C) ..... 74.3 mL/g M <sub>w</sub> by light scattering ..... 179,300 g/mol      LV in benzene (25 °C) ..... 74.5 mL/g M <sub>w</sub> by sedimentation equilibrium ..... 189,800 g/mol      LV in cyclohexane (25 °C) ..... 35.4 mL/g For heat capacity please ask for detailed list	5 g
NIST-720	Synthetic sapphire - Enthalpy and heat capacity Relative enthalpy and heat capacity from 10 to 2250 K	15 g
NIST-781D2	Molybdenum - Enthalpy and heat capacity Relative enthalpy and heat capacity from 273.15 to 2800 K	Each
NIST-1514	Thermal analysis purity set Set of 4 x 0.5 g A set of materials containing pure phenacetin and phenacetin doped with nominal 0.7, 2 and 5 mol percent of p-aminobenzoic acid	set (4)

## Melting, freezing and triple points

LGC2411	Phenyl salicylate - Melting point This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Thermodynamic melting point ..... 41.50 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 41.55 °C Meniscus point ..... 41.70 °C Liquefaction point ..... 41.85 °C	500 mg
LGC2401	4-Nitrotoluene - Melting point This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 51.36 °C Meniscus point ..... 51.58 °C Liquefaction point ..... 51.71 °C	2 x 250 mg

## Thermal properties

Code	Product	Unit
LGC2402	<b>Naphthalene - Melting point</b> This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Thermodynamic melting point .....80.11 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 80.20 °C Meniscus point..... 80.37 °C Liquefaction point..... 80.71 °C	2 x 250 mg
LGC2403	<b>Benzil - Melting point</b> This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Thermodynamic melting point .....94.55 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 94.43 °C Meniscus point..... 94.77 °C Liquefaction point..... 95.08 °C	500 mg
LGC2404	<b>Acetanilide - Melting point</b> This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Thermodynamic melting point .....113.94 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 113.46 °C Meniscus point..... 113.88 °C Liquefaction point..... 114.27 °C	500 mg
LGC2405	<b>Benzoic acid - Melting point</b> This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Dynamic melting point (0.2 °C/min heating rate) Onset of melting ..... 121.80 °C Meniscus point..... 122.10 °C Liquefaction point..... 122.37 °C	2 x 250 mg
LGC2406	<b>Diphenylacetic acid - Melting point</b> This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. <sup>A</sup> Certified values Thermodynamic melting point .....147.05 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 147.12 °C Meniscus point..... 147.21 °C Liquefaction point..... 147.29 °C	2 x 250 mg
LGC2407	<b>Anisic acid - Melting point</b> This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Thermodynamic melting point .....183.09 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 183.11 °C Meniscus point..... 183.29 °C Liquefaction point..... 183.72 °C	500 mg
LGC2408	<b>2-Chloroanthraquinone - Melting point</b> This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Thermodynamic melting point .....209.12 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting ..... 209.18 °C Meniscus point..... 209.50 °C Liquefaction point..... 209.78 °C	500 mg
<b>New</b> NIM-GBW13232C	<b>Naphthalene - Melting point</b> Certified values Capillary melting point (completely melted, 0.20 °C/min).....80.58 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min).....81.09 ± 0.20 °C Melting point ( F = 1, ΔT= 0) .....80.24 ± 0.05 °C	2 g

## Thermal properties

Code	Product	Unit
LGC2409	Carbazole - Melting point This certified reference material is intended for use in checking and calibrating apparatus used for determining melting points of samples in glass tubes. Certified values Thermodynamic melting point..... 245.4 °C Dynamic melting points (0.2 °C/min heating rate): Onset of melting..... 244.71 °C Meniscus point..... 244.23 °C Liquefaction point..... 245.58 °C	2 x 250 mg
NCS AS93109	Azobenzene - Melting point Certified melting point..... 68.34 °C	2 g
NCS AS93110	Methylprotocatechuic - Melting point Certified melting point..... 81.85 °C	2 g
NCS AS93111	Acetanil - Melting point Certified melting point..... 114.55 °C	2 g
<b>New</b> NIM-GBW13233B	Benzoic acid - Melting point Certified values Capillary melting point (completely melted, 0.20 °C/min)..... 122.85 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min)..... 123.37 ± 0.20 °C Melting point (F = 1, ΔT = 0)..... 122.35 ± 0.05 °C	2 g
NCS AS93112	p-Acetophenetidine - Melting point Certified melting point..... 134.96 °C	2 g
<b>New</b> NIM-GBW13234C	1,6-Adipic acid - Melting point Certified values Capillary melting point (completely melted, 0.20 °C/min)..... 152.55 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min)..... 153.16 ± 0.20 °C Melting point (F = 1, ΔT = 0)..... 151.63 ± 0.05 °C	2 g
NCS AS93113	Albexan - Melting point Certified melting point..... 164.70 °C	2 g
<b>New</b> NIM-GBW13235B	Anisic acid - Melting point Certified values Capillary melting point (completely melted, 0.20 °C/min)..... 184.15 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min)..... 184.74 ± 0.20 °C Melting point (F = 1, ΔT = 0)..... 183.36 ± 0.05 °C	2 g
NCS AS93114	Amber acid - Melting point Certified melting point..... 184.02 °C	2 g
NCS AS93115	Sulfadimidine - Melting point Certified melting point..... 198.32 °C	2 g
NCS AS93116	Cyanoguanidine - Melting point Certified melting point..... 208.62 °C	2 g
<b>New</b> NIM-GBW13236B	Anthracene - Melting point Certified values Capillary melting point (completely melted, 0.20 °C/min)..... 216.51 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min)..... 217.11 ± 0.20 °C Melting point (F = 1, ΔT = 0)..... 216.07 ± 0.05 °C	2 g
NCS AS93117	Saccharin - Melting point Certified melting point..... 228.41 °C	2 g
NCS AS93118	Coffeine - Melting point Certified melting point..... 236.26 °C	2 g
NIM-GBW13237B	p-Nitrobenzoic acid - Melting point Certified values Capillary melting point (completely melted, 0.20 °C/min)..... 240.57 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min)..... 241.33 ± 0.20 °C Melting point (F = 1, ΔT = 0)..... 239.58 ± 0.05 °C	2 g
<b>New</b> NIM-GBW13231C	4-Nitrotoluene - Melting point Certified values Capillary melting point (completely melted, 0.20 °C/min)..... 52.01 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min)..... 52.56 ± 0.20 °C Melting point (F = 1, ΔT = 0)..... 51.58 ± 0.05 °C	2 g
NCS AS93119	Chocolax - Melting point Certified melting point..... 261.43 °C	2 g

## Thermal properties

Code	Product	Unit
NIM-GBW13238C	<b>Anthraquinone - Melting point</b> Certified values Capillary melting point (completely melted, 0.20 °C/min).....285.15 ± 0.11 °C Capillary melting point (completely melted, 1.0 °C/min).....285.69 ± 0.20 °C Melting point (F = 1, ΔT = 0) .....284.62 ± 0.05 °C	2 g
NIST-741a	<b>Tin - Freezing point</b> For use in defining fixed points of the International Temperature Scale of 1990 (ITS-90). Certified freezing point.....231.928 °C	200 g
NIST-743	<b>Mercury - Triple point</b> For use in defining fixed points of the International Temperature Scale of 1990 (ITS-90). Certified triple point.....-38.8344 °C	680 g
NIST-1745	<b>Indium - Freezing point</b> For use in defining fixed points of the International Temperature Scale of 1990 (ITS-90). Certified freezing point.....156.5985 °C	200 g
NIST-1746	<b>Silver - Freezing point</b> For use in defining fixed points of the International Temperature Scale of 1990 (ITS-90). Certified freezing point.....961.78 °C	300 g
NIST-1747	<b>Tin - Freezing point</b> A fixed point device for use in the realisation of the International Temperature Scale of 1990 (ITS-90). Certified freezing point.....231.928 °C	cell
NIST-1748	<b>Zinc - Freezing point</b> A fixed point device for use in the realisation of the International Temperature Scale of 1990 (ITS-90). Certified freezing point.....419.527 °C	cell
NIST-740a	<b>Zinc - Freezing point</b> For use in defining fixed points of the International Temperature Scale of 1990 (ITS-90). Certified freezing point.....419.527 °C	200 g
NIST-45d	<b>Copper - Freezing point</b> Moderate purity material for use in preparing reference point devices and for calibrating thermometers, thermocouples and other temperature measuring devices. Certified freezing point.....1084.6 °C	450 g
NIST-49e	<b>Lead - Freezing point</b> Moderate purity material for use in preparing reference point devices and for calibrating thermometers, thermocouples and other temperature measuring devices. Certified freezing point.....327.453 °C	600 g
NIST-742	<b>Alumina - Melting point</b> Moderate purity material for use in preparing reference point devices and for calibrating thermometers, thermocouples and other temperature measuring devices. Certified melting point.....2052 °C	10 g
NIST-1968	<b>Gallium - Melting point/triple point</b> A fixed-point device for use in the realisation of internationally accepted secondary reference points and/or triple points. They are not intended for calibration of differential scanning calorimeters. Certified melting point/triple point .....29.7646 °C	unit
NIST-1751	<b>Gallium - Melting point</b> This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use as one of the defining fixed points of the International Temperature Scale of 1990 (ITS-90). The melting point is realised as the plateau temperature of the melting curve of slowly-melting, high-purity (mass fraction ≥ 99.9999 % pure) gallium. Certified melting-point temperature ..... 29.764 6 °C ± 0.000 07 °C	200 g
NIST-1969	<b>Rubidium - Melting point/triple point</b> A fixed-point device for use in the realisation of internationally accepted secondary reference points and/or triple points. They are not intended for calibration of differential scanning calorimeters. Certified melting point/triple point .....39.30 °C	unit
NIST-1970	<b>Succinonitrile - Melting point/triple point</b> A fixed-point device for use in the realisation of internationally accepted secondary reference points and/or triple points. They are not intended for calibration of differential scanning calorimeters. Certified melting point/triple point .....58.0642 °C	unit
NIST-1971	<b>Indium - Melting point/triple point</b> A fixed-point device for use in the realisation of internationally accepted secondary reference points and/or triple points. They are not intended for calibration of differential scanning calorimeters. Certified melting point/triple point .....156.598 °C	60 g

## Thermal properties

Code	Product	Unit
NIST-1972	1,3-Dioxolan-2-one (ethylene carbonate) - Melting point/triple point A fixed-point device for use in the realisation of internationally accepted secondary reference points and/or triple points. They are not intended for calibration of differential scanning calorimeters. Certified melting point/triple point ..... 36.3143 °C	60 g

## Flash point

ERM-FC032	n-Nonane The certified value was determined by the Abel closed cup method described in the Institute of Petroleum Standard IP170/95 and also published as British Standard BS2000:Part 170: 1995. The certified value is corrected to standard barometric pressure at 0°C. Certified value Non-equilibrium flash point ..... 32.5 °C	100 mL
ERM-FC033	n-Decane The certified value was determined by the Abel closed cup method described in the Institute of Petroleum Standard IP170/95 and also published as British Standard BS2000:Part 170: 1995. The certified value is corrected to standard barometric pressure at 0°C. Certified value Non-equilibrium flash point ..... 50 °C	100 mL
LGC2000	Diethyl phthalate This certified reference material is intended for use in checking and calibrating apparatus used for determining flash point by closed cup equilibrium methods. The certified value was determined from the results of an interlaboratory study, where the participants used IP/304 Pensky-Martens Closed Cup or IP/303 Setaflash methods. Certified value Equilibrium closed cup flash point ..... 159.0 °C	500 mL

## Combustion calorimetry

NIST-39J	Benzoic acid - Heat of combustion Certified value ..... 26.434 MJ/kg	30 g
NIST-1656	Thianthrene - Heat of combustion Certified value ..... 33.480 MJ/kg	30 g
NIST-1657	Synthetic refuse-derived fuel - Heat of combustion Certified values HHV* (dry) ..... 13.87 ± 0.25 MJ/kg      Dry ash ..... 20.34 ± 0.54 wt% HHV* (dry, ash free) ..... 17.40 ± 0.30 MJ/kg *HHV (Higher heating value) is the synonym for gross calorific value.	100 g
NIST-2151	Nicotinic acid - Heat of combustion Certified value ..... 22.184 MJ/kg	25 g
NIST-2152	Urea Certified value ..... 10.536 MJ/kg	25 g
NIST-2682b	Coal (sub-bituminous) - Sulphur, mercury and heat of combustion Certified values S ..... 0.4917 %      Hg ..... 108.8 µg/kg Indicative values for chlorine, ash content, gross calorific value	50 g

## Solution calorimetry

NIST-1655	Potassium chloride - water solution calorimetry Intended for use in verifying or comparing results obtained by calorimeters measuring enthalpies of endothermic solution processes. Certified value Heat of solution (absorbed) ..... 235.86 J/g	30 g
-----------	---	------

## Thermal conductivity

IRMM-440A	Resin bonded fibre board (300 x 300 x 35 mm) - Thermal conductivity Certified value for thermal conductivity between -10°C and +50 °C	board
IRMM-440B	Resin bonded fibre board (500 x 500 x 35 mm) - Thermal conductivity Certified value for thermal conductivity between -10°C and +50 °C	board
IRMM-440C	Resin bonded fibre board (600 x 600 x 35 mm) - Thermal conductivity Certified value for thermal conductivity between -10°C and +50 °C	board
IRMM-440D	Resin bonded fibre board (1000 x 1000 x 35 mm) - Thermal conductivity Certified value for thermal conductivity between -10°C and +50 °C	board



Code	Product	Unit
NIST-RM 8420	Electrolytic iron rod 0.64 cm (D) x 5.0 cm Thermal conductivity and electrical resistivity as a function of temperature (2-1000 K)	rod
BCR-724A	Glass-ceramic - Thermal diffusivity, thermal conductivity Rod in container (diam.= 13.0 mm height > 18 mm) Thermal diffusivity, $\alpha$ Certified value [m <sup>2</sup> /s · 10 <sup>-6</sup> ] $\alpha = 4.406 - 1.351 \cdot 10^{-2} \cdot T + 2.133 \cdot 10^{-5} \cdot T^2 - 1.541 \cdot 10^{-8} \cdot T^3 + 4.147 \cdot 10^{-12} T^4$ Uncertainty:6.1% Thermal conductivity, $\lambda$ Certified value [W/(m·K)] $\lambda = 2.332 + 515.1/T$ Uncertainty:6.5%	rod
BCR-724B	Glass-ceramic - Thermal diffusivity, thermal conductivity Rod in container (diam.= 13.9 mm height > 21 mm) Thermal diffusivity, $\alpha$ Certified value [m <sup>2</sup> /s · 10 <sup>-6</sup> ] $\alpha = 4.406 - 1.351 \cdot 10^{-2} \cdot T + 2.133 \cdot 10^{-5} \cdot T^2 - 1.541 \cdot 10^{-8} \cdot T^3 + 4.147 \cdot 10^{-12} T^4$ Uncertainty:6.1% Thermal conductivity, $\lambda$ Certified value [W/(m·K)] $\lambda = 2.332 + 515.1/T$ Uncertainty:6.5%	rod
BCR-724C	Glass-ceramic - Thermal diffusivity, thermal conductivity Rod in container (diam.= 25.9 mm height > 22 mm) Thermal diffusivity, $\alpha$ Certified value [m <sup>2</sup> /s · 10 <sup>-6</sup> ] $\alpha = 4.406 - 1.351 \cdot 10^{-2} \cdot T + 2.133 \cdot 10^{-5} \cdot T^2 - 1.541 \cdot 10^{-8} \cdot T^3 + 4.147 \cdot 10^{-12} T^4$ Uncertainty:6.1% Thermal conductivity, $\lambda$ Certified value [W/(m·K)] $\lambda = 2.332 + 515.1/T$ Uncertainty:6.5%	rod
BCR-724D	Glass-ceramic - Thermal diffusivity, thermal conductivity Rod in container (diam.= 26.9 mm height > 22 mm) Thermal diffusivity, $\alpha$ Certified value [m <sup>2</sup> /s · 10 <sup>-6</sup> ] $\alpha = 4.406 - 1.351 \cdot 10^{-2} \cdot T + 2.133 \cdot 10^{-5} \cdot T^2 - 1.541 \cdot 10^{-8} \cdot T^3 + 4.147 \cdot 10^{-12} T^4$ Uncertainty:6.1% Thermal conductivity, $\lambda$ Certified value [W/(m·K)] $\lambda = 2.332 + 515.1/T$ Uncertainty:6.5%	rod
BCR-724E	Glass-ceramic - Thermal diffusivity, thermal conductivity Rod in container (diam.= 50.7 mm height > 25 mm) Thermal diffusivity, $\alpha$ Certified value [m <sup>2</sup> /s · 10 <sup>-6</sup> ] $\alpha = 4.406 - 1.351 \cdot 10^{-2} \cdot T + 2.133 \cdot 10^{-5} \cdot T^2 - 1.541 \cdot 10^{-8} \cdot T^3 + 4.147 \cdot 10^{-12} T^4$ Uncertainty:6.1% Thermal conductivity, $\lambda$ Certified value [W/(m·K)] $\lambda = 2.332 + 515.1/T$ Uncertainty:6.5%	rod

## Thermal properties

Code	Product	Unit
<b>Thermal expansion</b>		
NIST-731L1	Borosilicate glass 6.4 mm x 51 mm Certified values for thermal expansion as a function of temperature (80-680 K)	5 cm
NIST-731L2	Borosilicate glass 6.4 mm x 102 mm Certified values for thermal expansion as a function of temperature (80-680 K)	10 cm
NIST-731L3	Borosilicate glass 6.4 mm x 152 mm Certified values for thermal expansion as a function of temperature (80-680 K)	15 cm
NIST-738	Stainless steel Certified values for thermal expansion as a function of temperature (293-780 K)	51 x 6.4 mm
<b>Thermal resistance</b>		
NIST-1449	Fumed silica board 60 cm x 60 cm x 2.54 cm Certified values for thermal resistance as a function of density and pressure	board
NIST-1459	Fumed silica board 30 cm x 30 cm x 2.45 cm Certified values for thermal resistance as a function of density and pressure	board
NIST-1452	Fibrous glass blanket for high precision measurements - Thermal resistance This Standard Reference Material (SRM <sup>®</sup> ) is intended for use in evaluation of a guarded hot plate (GHP) or the calibration of a heat flow meter (HFV). It is supplied as a fibrous glass batt of nominal dimensions 60 x 60 x 2.54 cm. Each unit of NIST-1452 is a individually characterised specimen.	Each
<b>Glass liquid temperature</b>		
NIST-773	Soda-lime-silica 2.5 cm x 2.5 cm x 0.6 cm Intended for checking test methods and for calibrating equipment used to determine the liquidus temperature of glass by the gradient furnace method per ASTM C 829. <u>A (boat)</u> Certified value ..... 988 °C <u>B (perforated plate)</u> Certified value ..... 991 °C	65 g
NIST-1416	Aluminosilicate glass - Liquidus temperature Certified value for the gradient liquidus temperature is 1147 ± 4 °C	250 g
<b>Temperature measuring devices</b>		
NIST-1967	Platinum thermocouple Platinum wire 0.51 mm diameter and 1 m long Intended for use as a standard reference thermoelement for calibration of base-metal and noble-metal thermocouple materials (-197 °C - 1768 °C)	Each
NIST-1749	Gold vs. Platinum Thermocouple Thermometer Certified Thermometer for the range 0°C to 1000°C on the International Temperature Scale of 1990.	Each
NIST-1750	Standard Platinum Resistance Thermometer Certified Thermometer for the range 13.8033 K to 429.7485 K on the International Temperature Scale of 1990.	capsule

# Particles and surface properties

## Particle size

Code	Product	Unit																		
<b>New</b> ERM-FD100	<p>Colloidal silica in water - Particle size</p> <p>ERM-FD100 is a certified reference material and consists of colloidal silica nanoparticles suspended in a water-based solution. It is available in 10 mL pre-scored amber glass ampoules containing approximately 9 mL of suspension. The intended use is to check the performance of instruments and/or methods that characterise the particle size distribution of nanoparticles (particle size ranging from approximately 1 nm to approximately 100 nm) suspended in a liquid medium.</p> <table border="1"> <thead> <tr> <th colspan="3">Equivalent spherical diameter</th> </tr> <tr> <th></th> <th>Certified value</th> <th>Uncertainty</th> </tr> </thead> <tbody> <tr> <td>Intensity-weighted harmonic mean diameter <sup>1)</sup></td> <td>19.0 nm</td> <td>0.6 nm</td> </tr> <tr> <td>Intensity-based modal Stokes diameter <sup>2)</sup></td> <td>20.1 nm</td> <td>1.3 nm</td> </tr> <tr> <td>Number-based modal diameter <sup>3)</sup></td> <td>19.4 nm</td> <td>1.3 nm</td> </tr> <tr> <td>Intensity-weighted mean diameter <sup>4)</sup></td> <td>21.8 nm</td> <td>0.7 nm</td> </tr> </tbody> </table> <p><sup>1)</sup> As obtained by dynamic light scattering according to ISO 22412:2008 (cumulants method).  <sup>2)</sup> As obtained by centrifuge liquid sedimentation according to ISO 13318-1:2001 (line-start method); density 2.3 g/cm<sup>3</sup>.  <sup>3)</sup> As obtained by electron microscopy (transmission electron microscopy/scanning electron microscopy).                      Indicative values for equivalent spherical diameter, volume-weighted mean and Zeta Potential.</p>	Equivalent spherical diameter				Certified value	Uncertainty	Intensity-weighted harmonic mean diameter <sup>1)</sup>	19.0 nm	0.6 nm	Intensity-based modal Stokes diameter <sup>2)</sup>	20.1 nm	1.3 nm	Number-based modal diameter <sup>3)</sup>	19.4 nm	1.3 nm	Intensity-weighted mean diameter <sup>4)</sup>	21.8 nm	0.7 nm	Amp.
Equivalent spherical diameter																				
	Certified value	Uncertainty																		
Intensity-weighted harmonic mean diameter <sup>1)</sup>	19.0 nm	0.6 nm																		
Intensity-based modal Stokes diameter <sup>2)</sup>	20.1 nm	1.3 nm																		
Number-based modal diameter <sup>3)</sup>	19.4 nm	1.3 nm																		
Intensity-weighted mean diameter <sup>4)</sup>	21.8 nm	0.7 nm																		
BCR-066 - BCR-132																				
<p>For these materials the distribution is expressed as a curve of the cumulative mass of particles undersize versus particle size. In the case of particles of less than 90 µm diameter their size is expressed as the equivalent Stokes' diameter determined from the settling rate of the particles in a viscous fluid. For larger particles the equivalent volume diameter determined by sieving was preferred.</p>																				
BCR-066	<p>Quartz - Stokes' diameter</p> <p>Certified value</p> <p>Stokes' diameter ..... 0.35 - 3.50 µm</p>	10 g																		
BCR-067	<p>Quartz - Stokes' diameter</p> <p>Certified values</p> <p>Stokes' diameter ..... 2.4 - 32 µm</p>	10 g																		
BCR-068	<p>Quartz - Volume diameter</p> <p>Certified values</p> <p>Volume diameter ..... 160 - 630 µm</p>	100 g																		
BCR-069	<p>Quartz - Stokes' diameter</p> <p>Certified values</p> <p>Stokes' diameter ..... 14 - 90 µm</p>	10 g																		
BCR-070	<p>Quartz - Stokes' diameter</p> <p>Certified values</p> <p>Stokes' diameter ..... 1.2 - 20 µm</p>	10 g																		
BCR-130	<p>Quartz - Volume diameter</p> <p>Certified values</p> <p>Volume diameter ..... 50 - 220 µm</p>	50 g																		
BCR-131	<p>Quartz - Volume diameter</p> <p>Certified value</p> <p>Volume diameter ..... 480 - 1800 µm</p>	200 g																		
BCR-132	<p>Quartz - Volume diameter</p> <p>Certified value</p> <p>Volume diameter ..... 1400 - 5000 µm</p>	700 g																		
BCR-165	<p>Latex spheres, nominal 2 µ</p> <p>Average particle diameter ..... 2.223 ± 0.013 µm</p> <p>Each vial contains 2 mL of an aqueous suspension of latex spheres at a mass concentration of about 0.2 g/L. About 0.5% of the particles are agglomerated doublets..</p>	vial																		
BCR-166	<p>Latex spheres, nominal 4.8 µ</p> <p>Each vial contains 2 mL of an aqueous suspension of latex spheres at a mass concentration of about 0.2 g/L. About 0.5% of the particles are agglomerated doublets.</p> <p>Average particle diameter ..... 4.821 ± 0.019 µm</p>	vial																		
BCR-167	<p>Latex spheres, nominal 9.6 µ</p> <p>Each vial contains 2 mL of an aqueous suspension of latex spheres at a mass concentration of about 1.4 g/L. About 0.5% of the particles are agglomerated doublets.</p> <p>Average particle diameter ..... 9.475 ± 0.018 µm</p>	vial																		

## Particles and surface properties

Code	Product	Unit
<b>New</b> IRMM-304	Suspension of colloidal silica nanoparticles IRMM-304 is a quality control material of silica nanoparticles suspended in an aqueous solution. Information values (not certified) are assigned for frequency analysis and cumulant method using dynamic light scattering according to ISO 22412, as well as disc sedimentation according to ISO 13318. IRMM-304 is available in 10 mL pre-scored amber glass ampoules containing approximately 9 mL of suspension. The suspending medium is water-based and contains a small amount of NaOH as a stabilising agent. The nominal relative particle mass fraction in the suspension is 0.25 %.	Amp.
	NIST-659 - NIST-RM 8010 These materials are for evaluating and calibrating specific types of particle size measuring instruments, including light scattering, electrical zone flow-through counters, optical and scanning electron microscopes, sedimentation systems and wire cloth sieving devices.	
NIST-659	Silicon nitride - Particle size Certified value Particle size ..... 0.2 - 10 µm	set
NIST-1021	Glass beads - Particle size This Standard Reference Material (SRM <sup>®</sup> ) is intended for use in the evaluation and calibration of equipment used to measure particle size distributions (PSD) in the 2 µm to 12 µm diameter range. Typical methods for PSD determination would be laser light scattering (LLS), electrical sensing zone (ESZ), and sedimentation. Each unit of NIST-1021 consists of a single bottle containing approximately 4 g of solid spherical soda-lime glass beads. Certified value Particle size ..... 2 - 12 µm	4 g
NIST-1003c	Glass beads - Particle size Certified value Particle size ..... 18.9 - 43.3 µm	28 g
NIST-1004b	Glass beads - Particle size Certified value Particle size ..... 40 - 150 µm	43 g
NIST-1017b	Glass beads - Particle size Certified value Particle size ..... 100 - 400 µm	70 g
NIST-1018b	Glass beads - Particle size Certified value Particle size ..... 220 - 750 µm	87 g
NIST-1019b	Glass beads - Particle size Certified value Particle size ..... 750 - 2450 µm	200 g
NIST-1690	Polystyrene (0.5 wt. % in water) - Particle size Certified value Particle size ..... 0.895 µm	5 mL
NIST-1691	Polystyrene (0.5 wt. % in water) - Particle size Certified value Particle size ..... 0.269 µm	5 mL
NIST-1961	Polystyrene (0.5 wt. % in water) - Particle size Certified value Particle size ..... 29.64 µm	5 mL
NIST-1963a	Polystyrene (0.5 wt. % in water) - Particle size This Standard Reference Material (SRM <sup>®</sup> ) is intended for the calibration/validation of particle sizing instruments, including electron microscopes, differential mobility analysers, scanning surface inspection systems, and other light scattering instruments. A unit of NIST-1963a consists of 5 mL of polystyrene spheres in deionized filtered (0.2 µm pore size) water. Certified value Modal sphere diameter ..... 101.8 ± 1.1 nm	5 mL
NIST-1964	Polystyrene (0.5 wt. % in water) - Particle size This Standard Reference Material (SRM <sup>®</sup> ) is intended for the calibration/validation of particle sizing instruments, including electron microscopes, differential mobility analysers, scanning surface inspection systems, and other light scattering instruments. A unit of NIST-1964 consists of 5 mL of polystyrene spheres in deionized filtered (0.2 µm pore size) water. Certified value Modal sphere diameter ..... 60.39 ± 0.63 nm	5 mL
NIST-1965	Polystyrene - Particle size This Standard reference material is intended for use as an optical microscopy measurement standard and teaching tool. Certified value Hexagonal array ..... 9.94 µm      Unordered clusters ..... 9.89 µm	slide

Code	Product	Unit																												
<b>New</b> NIST-RM 8988	<p>Titanium dioxide powder - Particle size distribution</p> <p>This Reference Material (RM) is intended for use in the evaluation and calibration of equipment used to measure particle size distributions (PSDs) in the 0.1 µm to 0.5 Mm particle diameter range. The PSD values were measured using laser light scattering (LLS) and X-ray disc centrifugation (XDC), two common methods for PSD determination. A unit of RM 8988 consists of a single bottle containing approximately 6 g of rutile titanium dioxide powder. The cumulative mass distribution was determined using both LLS and XDC techniques.</p> <p>For detailed information about the reference values please ask for the certificate.</p>	6 g																												
NIST-1978	<p>Zirconium oxide - Particle size</p> <p>Certified value</p> <p>Particle size ..... 0.33 – 2.19 µm</p>	5 g																												
NIST-1982	<p>Zirconia thermal spray powder - Particle size</p> <p>Certified value</p> <p>Particle size ..... 10 - 150 µm</p>	10 g																												
NIST-1984	<p>Thermal spray powder - Particle size distribution</p> <p>This Standard Reference Material® (SRM®) is primarily intended for use in the calibration of equipment used to measure particle size distributions (PSD) in the 9 µm to 30 µm range. NIST-1984 consists of a single bottle containing approximately 14 g of tungsten carbide/cobalt powder.</p> <p>Certified PSD Values by scanning electron microscopy (SEM)</p> <table border="1"> <thead> <tr> <th>Cumulative Mass Fraction (%)</th> <th>Certified Diameter (µm)</th> <th>Uncertainty (µm)</th> </tr> </thead> <tbody> <tr> <td>10.....</td> <td>10.3.....</td> <td>0.9</td> </tr> <tr> <td>25.....</td> <td>13.2.....</td> <td>0.9</td> </tr> <tr> <td>50.....</td> <td>17.1.....</td> <td>2.2</td> </tr> <tr> <td>75.....</td> <td>21.3.....</td> <td>1.6</td> </tr> <tr> <td>90.....</td> <td>26.3.....</td> <td>0.9</td> </tr> </tbody> </table>	Cumulative Mass Fraction (%)	Certified Diameter (µm)	Uncertainty (µm)	10.....	10.3.....	0.9	25.....	13.2.....	0.9	50.....	17.1.....	2.2	75.....	21.3.....	1.6	90.....	26.3.....	0.9	14 g										
Cumulative Mass Fraction (%)	Certified Diameter (µm)	Uncertainty (µm)																												
10.....	10.3.....	0.9																												
25.....	13.2.....	0.9																												
50.....	17.1.....	2.2																												
75.....	21.3.....	1.6																												
90.....	26.3.....	0.9																												
NIST-1985	<p>Thermal spray powder - Particle size distribution</p> <p>This Standard Reference Material (SRM) is intended primarily for use in the calibration of equipment used to measure particle size distributions (PSD) in the 18 µm to 55 µm range. NIST-1985 consists of a single bottle containing approximately 14 g of tungsten carbide/cobalt powder.</p> <p>Certified PSD Values by scanning electron microscopy (SEM)</p> <table border="1"> <thead> <tr> <th>Cumulative Mass Fraction (%)</th> <th>Certified Diameter (µm)</th> <th>Uncertainty (µm)</th> </tr> </thead> <tbody> <tr> <td>10.....</td> <td>20.2.....</td> <td>1.2</td> </tr> <tr> <td>25.....</td> <td>27.1.....</td> <td>1.7</td> </tr> <tr> <td>50.....</td> <td>36.1.....</td> <td>0.8</td> </tr> <tr> <td>75.....</td> <td>44.2.....</td> <td>2.1</td> </tr> <tr> <td>90.....</td> <td>50.1.....</td> <td>2.5</td> </tr> </tbody> </table>	Cumulative Mass Fraction (%)	Certified Diameter (µm)	Uncertainty (µm)	10.....	20.2.....	1.2	25.....	27.1.....	1.7	50.....	36.1.....	0.8	75.....	44.2.....	2.1	90.....	50.1.....	2.5	14 g										
Cumulative Mass Fraction (%)	Certified Diameter (µm)	Uncertainty (µm)																												
10.....	20.2.....	1.2																												
25.....	27.1.....	1.7																												
50.....	36.1.....	0.8																												
75.....	44.2.....	2.1																												
90.....	50.1.....	2.5																												
NIST-RM 8010	<p>Sand - Particle size</p> <p>Reference value</p> <p>Particle size ..... 30 - 325 µm</p>	3 x 150 g																												
NIST-RM 8011	<p>Gold nanoparticles - Particle size (10 nm diameter)</p> <p>This Reference Material (RM) is intended primarily to evaluate and qualify methodology and/or instrument performance related to the physical/dimensional characterization of nanoscale particles used in pre-clinical biomedical research. The RM may also be useful in the development and evaluation of in vitro assays designed to assess the biological response (e.g., cytotoxicity, hemolysis) of nanomaterials, and for use in interlaboratory test comparisons. NIST-RM 8011 consists of nominally 5 mL of citrate-stabilized Au nanoparticles in an aqueous suspension, supplied in hermetically sealed pre-scored glass ampoules sterilized by gamma irradiation. A unit consists of two 5 mL ampoules. The suspension contains primary particles (monomers) and a small percentage of clusters of primary particles.</p> <p>Reference values</p> <table border="1"> <thead> <tr> <th>Technique</th> <th>Analyte</th> <th>Form</th> <th>Particle Size (nm)</th> </tr> </thead> <tbody> <tr> <td>Atomic Force Microscopy .....</td> <td>dry, deposited on substrate.....</td> <td></td> <td>8.5 ± 0.3</td> </tr> <tr> <td>Scanning Electron Microscopy .....</td> <td>dry, deposited on substrate.....</td> <td></td> <td>9.9 ± 0.1</td> </tr> <tr> <td>Transmission Electron Microscopy .....</td> <td>dry, deposited on substrate.....</td> <td></td> <td>8.9 ± 0.1</td> </tr> <tr> <td>Differential Mobility Analysis .....</td> <td>dry, aerosol .....</td> <td></td> <td>11.3 ± 0.1</td> </tr> <tr> <td>Dynamic Light Scattering.....</td> <td>liquid suspension .....</td> <td></td> <td>13.5 ± 0.1</td> </tr> <tr> <td>Small-Angle X-ray Scattering.....</td> <td>liquid suspension .....</td> <td></td> <td>9.1 ± 1.8</td> </tr> </tbody> </table> <p>Information values for chemical and electrochemical properties.</p>	Technique	Analyte	Form	Particle Size (nm)	Atomic Force Microscopy .....	dry, deposited on substrate.....		8.5 ± 0.3	Scanning Electron Microscopy .....	dry, deposited on substrate.....		9.9 ± 0.1	Transmission Electron Microscopy .....	dry, deposited on substrate.....		8.9 ± 0.1	Differential Mobility Analysis .....	dry, aerosol .....		11.3 ± 0.1	Dynamic Light Scattering.....	liquid suspension .....		13.5 ± 0.1	Small-Angle X-ray Scattering.....	liquid suspension .....		9.1 ± 1.8	2 x 5 mL
Technique	Analyte	Form	Particle Size (nm)																											
Atomic Force Microscopy .....	dry, deposited on substrate.....		8.5 ± 0.3																											
Scanning Electron Microscopy .....	dry, deposited on substrate.....		9.9 ± 0.1																											
Transmission Electron Microscopy .....	dry, deposited on substrate.....		8.9 ± 0.1																											
Differential Mobility Analysis .....	dry, aerosol .....		11.3 ± 0.1																											
Dynamic Light Scattering.....	liquid suspension .....		13.5 ± 0.1																											
Small-Angle X-ray Scattering.....	liquid suspension .....		9.1 ± 1.8																											

## Particles and surface properties

Code	Product	Unit																											
NIST-RM 8012	<p>Gold nanoparticles - Particle size (30 nm diameter)</p> <p>This Reference Material (RM) is intended primarily to evaluate and qualify methodology and/or instrument performance related to the physical/dimensional characterization of nanoscale particles used in pre-clinical biomedical research. The RM may also be useful in the development and evaluation of in vitro assays designed to assess the biological response (e.g., cytotoxicity, hemolysis) of nanomaterials, and for use in interlaboratory test comparisons. NIST-RM 8012 consists of nominally 5 mL of citrate-stabilized Au nanoparticles in an aqueous suspension, supplied in hermetically sealed pre-scored glass ampoules sterilized by gamma irradiation. A unit consists of two 5 mL ampoules. The suspension contains primary particles (monomers) and a small percentage of clusters of primary particles.</p> <p>Reference values</p> <table border="1"> <thead> <tr> <th>Technique</th> <th>Analyte</th> <th>Form Particle Size (nm)</th> </tr> </thead> <tbody> <tr> <td>Atomic Force Microscopy.....</td> <td>dry, deposited on substrate .....</td> <td>24.9 ± 1.1</td> </tr> <tr> <td>Scanning Electron Microscopy.....</td> <td>dry, deposited on substrate .....</td> <td>26.9 ± 0.1</td> </tr> <tr> <td>Transmission Electron Microscopy .....</td> <td>dry, deposited on substrate .....</td> <td>27.6 ± 2.1</td> </tr> <tr> <td>Differential Mobility Analysis .....</td> <td>dry, aerosol .....</td> <td>28.4 ± 1.1</td> </tr> <tr> <td>Dynamic Light Scattering .....</td> <td>liquid suspension</td> <td></td> </tr> <tr> <td>173° scattering angle (backscatter) .....</td> <td></td> <td>28.6 ± 0.9</td> </tr> <tr> <td>90° scattering angle .....</td> <td></td> <td>26.5 ± 3.6</td> </tr> <tr> <td>Small-Angle X-ray Scattering.....</td> <td>liquid suspension .....</td> <td>24.9 ± 1.2</td> </tr> </tbody> </table> <p>Information values for chemical and electrochemical properties.</p>	Technique	Analyte	Form Particle Size (nm)	Atomic Force Microscopy.....	dry, deposited on substrate .....	24.9 ± 1.1	Scanning Electron Microscopy.....	dry, deposited on substrate .....	26.9 ± 0.1	Transmission Electron Microscopy .....	dry, deposited on substrate .....	27.6 ± 2.1	Differential Mobility Analysis .....	dry, aerosol .....	28.4 ± 1.1	Dynamic Light Scattering .....	liquid suspension		173° scattering angle (backscatter) .....		28.6 ± 0.9	90° scattering angle .....		26.5 ± 3.6	Small-Angle X-ray Scattering.....	liquid suspension .....	24.9 ± 1.2	2 x 5 mL
Technique	Analyte	Form Particle Size (nm)																											
Atomic Force Microscopy.....	dry, deposited on substrate .....	24.9 ± 1.1																											
Scanning Electron Microscopy.....	dry, deposited on substrate .....	26.9 ± 0.1																											
Transmission Electron Microscopy .....	dry, deposited on substrate .....	27.6 ± 2.1																											
Differential Mobility Analysis .....	dry, aerosol .....	28.4 ± 1.1																											
Dynamic Light Scattering .....	liquid suspension																												
173° scattering angle (backscatter) .....		28.6 ± 0.9																											
90° scattering angle .....		26.5 ± 3.6																											
Small-Angle X-ray Scattering.....	liquid suspension .....	24.9 ± 1.2																											
NIST-RM 8013	<p>Gold nanoparticles - Particle size (60 nm diameter)</p> <p>This Reference Material (RM) is intended primarily to evaluate and qualify methodology and/or instrument performance related to the physical/dimensional characterization of nanoscale particles used in pre-clinical biomedical research. The RM may also be useful in the development and evaluation of in vitro assays designed to assess the biological response (e.g., cytotoxicity, hemolysis) of nanomaterials, and for use in interlaboratory test comparisons. NIST-RM 8013 consists of nominally 5 mL of citrate-stabilized Au nanoparticles in an aqueous suspension, supplied in hermetically sealed pre-scored glass ampoules sterilized by gamma irradiation. A unit consists of two 5 mL ampoules. The suspension contains primary particles (monomers) and a small percentage of clusters of primary particles.</p> <p>Reference values</p> <table border="1"> <thead> <tr> <th>Technique</th> <th>Analyte</th> <th>Form Particle Size (nm)</th> </tr> </thead> <tbody> <tr> <td>Atomic Force Microscopy.....</td> <td>dry, deposited on substrate .....</td> <td>55.4 ± 0.3</td> </tr> <tr> <td>Scanning Electron Microscopy.....</td> <td>dry, deposited on substrate .....</td> <td>54.9 ± 0.4</td> </tr> <tr> <td>Transmission Electron Microscopy .....</td> <td>dry, deposited on substrate .....</td> <td>56.0 ± 0.5</td> </tr> <tr> <td>Differential Mobility Analysis .....</td> <td>dry, aerosol .....</td> <td>65.3 ± 1.5</td> </tr> <tr> <td>Dynamic Light Scattering .....</td> <td>liquid suspension</td> <td></td> </tr> <tr> <td>173° scattering angle (backscatter) .....</td> <td></td> <td>56.6 ± 1.4</td> </tr> <tr> <td>90° scattering angle .....</td> <td></td> <td>55.3 ± 8.3</td> </tr> <tr> <td>Small-Angle X-ray Scattering.....</td> <td>liquid suspension .....</td> <td>53.2 ± 5.3</td> </tr> </tbody> </table> <p>Information values for chemical and electrochemical properties.</p>	Technique	Analyte	Form Particle Size (nm)	Atomic Force Microscopy.....	dry, deposited on substrate .....	55.4 ± 0.3	Scanning Electron Microscopy.....	dry, deposited on substrate .....	54.9 ± 0.4	Transmission Electron Microscopy .....	dry, deposited on substrate .....	56.0 ± 0.5	Differential Mobility Analysis .....	dry, aerosol .....	65.3 ± 1.5	Dynamic Light Scattering .....	liquid suspension		173° scattering angle (backscatter) .....		56.6 ± 1.4	90° scattering angle .....		55.3 ± 8.3	Small-Angle X-ray Scattering.....	liquid suspension .....	53.2 ± 5.3	2 x 5 mL
Technique	Analyte	Form Particle Size (nm)																											
Atomic Force Microscopy.....	dry, deposited on substrate .....	55.4 ± 0.3																											
Scanning Electron Microscopy.....	dry, deposited on substrate .....	54.9 ± 0.4																											
Transmission Electron Microscopy .....	dry, deposited on substrate .....	56.0 ± 0.5																											
Differential Mobility Analysis .....	dry, aerosol .....	65.3 ± 1.5																											
Dynamic Light Scattering .....	liquid suspension																												
173° scattering angle (backscatter) .....		56.6 ± 1.4																											
90° scattering angle .....		55.3 ± 8.3																											
Small-Angle X-ray Scattering.....	liquid suspension .....	53.2 ± 5.3																											
AEA1001	<p>Aerosol fibre analogue shape standard (aqueous suspension)</p> <p>Reference values: Particles per vial <math>1.0 \times 10^7</math>, Particle length 3.09 µm, Particle width 1.67 µm, Particle depth 0.96 µm, Indicative aerodynamic diameter – motion perpendicular to major axis 2.89 µm, Indicative aerodynamic diameter – motion parallel to major axis 3.14 µm.</p>	10 mL																											
NIST-RM 8631a	<p>Medium Test Dust (MTD)</p> <p>A unit of Reference Material NIST-RM 8631A, an ISO Medium Test Dust (MTD), consists of 20 g of a natural mineral dust that is heterogeneous in composition and polydisperse with respect to size. RM 8631a is intended to be used as a secondary material for calibrating particle sizing instruments, especially optical particle counters, when used in conjunction with either of two published standard methods. RM 8631a can be used in conjunction with either the National Fluid Power Association method (NFPA) method NFPA/T2.9.11 R1-1998 "Hydraulic Fluid Power - Calibration of Liquid Automatic Particle Counters" or the International Standards Organization method ISO 11171:1999 "Hydraulic Fluid Power - Calibration of Liquid Automatic Particle Counters". Using either of these two methods, the particle concentration of RM 8631a at each diameter will be determined by calibration against NIST Standard Reference Material NIST-2806A, Medium Test Dust (MTD) in Hydraulic Fluid.</p> <p>NIST-RM 8632</p> <p>For use in preparing suspensions in other types of oil, further information on request. This material is intended for use in calibrating the response of particle sizing instrumentation, including optical counters, in accordance with National Fluid Power Association (NFPA) and ISO standard methods for determining particle contamination in oils.</p>	20 g																											
NIST-RM 8632	<p>Ultrafine Test Dust</p>	20 g																											

### Particle size calibration standards from Whitehouse Scientific

Whitehouse Scientific has been producing precision glass microspheres for calibration for 25 years and is the highest ranking European certification laboratory for primary methods of particle size analysis. Having filled over 1 million bottles using a unique 100 stage spinning riffler system, they are now the world's leading manufacturer of single-shot glass microsphere standards. The references, nearly all NIST traceable range in size from 0.1µm - 5.0mm and are available as single sizes or broad distribution standards.

Whether calibrating a particle sizing instrument or any aperture in the range 0.1 - 10,000 microns, Whitehouse Scientific has a standard for every application.

Code	Product	Unit
<b>Polydisperse particle standards</b>		
WS-PS180	Polydisperse particle standard - Nominal size: 0.1 - 1 µm	0.01 g
WS-PS181	Polydisperse particle standard - Nominal size: 0.1 - 1 µm	0.02 g
WS-PS190	Polydisperse particle standard - Nominal size: 1 - 10 µm	0.025 g
WS-PS191	Polydisperse particle standard - Nominal size: 1 - 10 µm	0.05 g
WS-PS192	Polydisperse particle standard - Nominal size: 1 - 10 µm	0.10 g
WS-PS193	Polydisperse particle standard - Nominal size: 1 - 10 µm	0.25 g
WS-PS194	Polydisperse particle standard - Nominal size: 1 - 10 µm	0.50 g
WS-PS200	Polydisperse particle standard - Nominal size: 3 - 30 µm	0.025 g
WS-PS201	Polydisperse particle standard - Nominal size: 3 - 30 µm	0.05 g
WS-PS202	Polydisperse particle standard - Nominal size: 3 - 30 µm	0.10 g
WS-PS203	Polydisperse particle standard - Nominal size: 3 - 30 µm	0.25 g
WS-PS204	Polydisperse particle standard - Nominal size: 3 - 30 µm	0.50 g
WS-PS205	Polydisperse particle standard - Nominal size: 3 - 30 µm	1 g
WS-PS211	Polydisperse particle standard - Nominal size: 10 - 100 µm	0.05 g
WS-PS212	Polydisperse particle standard - Nominal size: 10 - 100 µm	0.10 g
WS-PS213	Polydisperse particle standard - Nominal size: 10 - 100 µm	0.25 g
WS-PS214	Polydisperse particle standard - Nominal size: 10 - 100 µm	0.50 g
WS-PS215	Polydisperse particle standard - Nominal size: 10 - 100 µm	1 g
WS-PS222	Polydisperse particle standard - Nominal size: 50 - 350 µm	0.10 g
WS-PS223	Polydisperse particle standard - Nominal size: 50 - 350 µm	0.25 g
WS-PS224	Polydisperse particle standard - Nominal size: 50 - 350 µm	0.50 g
WS-PS225	Polydisperse particle standard - Nominal size: 50 - 350 µm	1 g
WS-PS226	Polydisperse particle standard - Nominal size: 50 - 350 µm	2.5 g
WS-PS227	Polydisperse particle standard - Nominal size: 50 - 350 µm	5 g
WS-PS232	Polydisperse particle standard - Nominal size: 150 - 650 µm	0.25 g
WS-PS233	Polydisperse particle standard - Nominal size: 150 - 650 µm	0.50 g
WS-PS234	Polydisperse particle standard - Nominal size: 150 - 650 µm	1 g
WS-PS235	Polydisperse particle standard - Nominal size: 150 - 650 µm	2.5 g
WS-PS236	Polydisperse particle standard - Nominal size: 150 - 650 µm	5 g
WS-PS237	Polydisperse particle standard - Nominal size: 150 - 650 µm	7 g
WS-PS240	Polydisperse particle standard - Nominal size: 500 - 2000 µm	7 g

**NIST traceable monodisperse particle standards**

WS-MS0009	Monodisperse particle standard (9.18 µm)	0.1 g
WS-MS0012	Monodisperse particle standard (11.58 µm)	0.1 g
WS-MS0023	Monodisperse particle standard (22.81 µm)	0.1 g
WS-MS0026	Monodisperse particle standard (25.6 µm)	0.1 g
WS-MS0028	Monodisperse particle standard (28.41 µm)	0.15 g
WS-MS0031	Monodisperse particle standard (31.33 µm)	0.15 g
WS-MS0036	Monodisperse particle standard (35.65 µm)	0.2 g
WS-MS0037	Monodisperse particle standard (37.36 µm)	0.2 g
WS-MS0038	Monodisperse particle standard (38.38 µm)	0.2 g
WS-MS0040	Monodisperse particle standard (40.15 µm)	0.2 g
WS-MS0042	Monodisperse particle standard (42.68 µm)	0.2 g
WS-MS0049	Monodisperse particle standard (49.21 µm)	0.2 g
WS-MS0053	Monodisperse particle standard (52.47 µm)	0.2 g
WS-MS0056	Monodisperse particle standard (56.28 µm)	0.2 g
WS-MS0060	Monodisperse particle standard (59.63 µm)	0.2 g
WS-MS0064	Monodisperse particle standard (63.86 µm)	0.2 g
WS-MS0065	Monodisperse particle standard (65.02 µm)	0.2 g



## Particles and surface properties

Code	Product	Unit
WS-MS0066	Monodisperse particle standard (66.29 µm)	0.2 g
WS-MS0071	Monodisperse particle standard (70.89 µm)	0.2 g
WS-MS0074	Monodisperse particle standard (73.8 µm)	0.2 g
WS-MS0076	Monodisperse particle standard (76.39 µm)	0.2 g
WS-MS0083	Monodisperse particle standard (83.43 µm)	0.2 g
WS-MS0090	Monodisperse particle standard (89.8 µm)	0.2 g
WS-MS0091	Monodisperse particle standard (91.21 µm)	0.2 g
WS-MS0114	Monodisperse particle standard (114.4 µm)	0.3 g
WS-MS0128	Monodisperse particle standard (127.5 µm)	0.3 g
WS-MS0156	Monodisperse particle standard (155.8 µm)	0.3 g
WS-MS0177	Monodisperse particle standard (177 µm)	0.3 g
WS-MS0180	Monodisperse particle standard (180 µm)	0.3 g
WS-MS0193	Monodisperse particle standard (192.8 µm)	0.4 g
WS-MS0197	Monodisperse particle standard (197.3 µm)	0.4 g
WS-MS0201	Monodisperse particle standard (200.9 µm)	0.4 g
WS-MS0210	Monodisperse particle standard (210.6 µm)	0.4 g
WS-MS0225	Monodisperse particle standard (224.8 µm)	0.4 g
WS-MS0236	Monodisperse particle standard (236.2 µm)	0.5 g
WS-MS0259	Monodisperse particle standard (258.6 µm)	0.6 g
WS-MS0269	Monodisperse particle standard (268.5 µm)	0.6 g
WS-MS0292	Monodisperse particle standard (292.5 µm)	0.8 g
WS-MS0298	Monodisperse particle standard (297.9 µm)	0.8 g
WS-MS0305	Monodisperse particle standard (304.6 µm)	0.8 g
WS-MS0315	Monodisperse particle standard (315.3 µm)	1 g
WS-MS0362	Monodisperse particle standard (361.6 µm)	1 g
WS-MS0406	Monodisperse particle standard (405.9 µm)	1.5 g
WS-MS0451	Monodisperse particle standard (451 µm)	2 g
WS-MS0555	Monodisperse particle standard (555 µm)	2.5 g
WS-MS0589	Monodisperse particle standard (589 µm)	2.5 g

### Image analysis standards

WS-XX015	Image analysis standard - Calibration range: 50 - 250 µm	50 g
WS-XX025	Image analysis standard - Calibration range: 170 - 710 µm	100 g
WS-XX030	Image analysis standard - Calibration range: 500 - 2000 µm	200 g
WS-XX035	Image analysis standard - Calibration range: 1400 - 5000 µm	500 g

### NIST traceable sieve standards

WS-SS391	Sieve standard - For sieve size: 20 µm Mesh ..... 635      Calibration range..... 18.8 - 23.7 µm	5 x 0.8 g
WS-SS392	Sieve standard - For sieve size: 25 µm Mesh ..... 500      Calibration range..... 21.7 - 30.2 µm	5 x 0.8 g
WS-SS393	Sieve standard - For sieve size: 32 µm Mesh ..... 450      Calibration range..... 27.8 - 34.1 µm	1 x 1 g
WS-SS394	Sieve standard - For sieve size: 36, 38, 40 µm Mesh ..... 400      Calibration range..... 33.5 - 41.6 µm	5 x 1 g
WS-SS395	Sieve standard - For sieve size: 45, 50 µm Mesh ..... 325      Calibration range..... 42.0 - 50.8 µm	5 x 1 g
WS-SS396	Sieve standard - For sieve size: 53, 56 µm Mesh ..... 270      Calibration range..... 48.4 - 59.5 µm	5 x 1 g
WS-SS397	Sieve standard - For sieve size: 63 µm Mesh ..... 230      Calibration range..... 56.6 - 70.4 µm	5 x 1 g
WS-SS398	Sieve standard - For sieve size: 71, 75, 80 µm Mesh ..... 200      Calibration range..... 67.1 - 82.8 µm	5 x 1 g

## Particles and surface properties

Code	Product	Unit
WS-SS399	Sieve standard - For sieve size: 90 µm Mesh .....170      Calibration range..... 78.8 - 97.6 µm	5 x 1 g
WS-SS400	Sieve standard - For sieve size: 100, 106, 112 µm Mesh .....140      Calibration range.....91.4 - 117 µm	5 x 1 g
WS-SS401	Sieve standard - For sieve size: 125 µm Mesh .....120      Calibration range..... 112 - 139 µm	5 x 1 g
WS-SS402	Sieve standard - For sieve size: 140, 150, 160 µm Mesh .....100      Calibration range..... 134 - 167 µm	5 x 2.5 g
WS-SS403	Sieve standard - For sieve size: 180 µm Mesh .....80      Calibration range..... 161 - 199 µm	5 x 2.5 g
WS-SS404	Sieve standard - For sieve size: 200, 212, 224 µm Mesh .....70      Calibration range..... 191 - 237 µm	5 x 2.5 g
WS-SS405	Sieve standard - For sieve size: 250, 280 µm Mesh .....60      Calibration range.....226 - 281 µm	5 x 2.5 g
WS-SS406	Sieve standard - For sieve size: 300, 315 µm Mesh .....50      Calibration range.....270 - 333 µm	5 x 2.5 g
WS-SS407	Sieve standard - For sieve size: 355 µm Mesh .....45      Calibration range..... 322 - 398 µm	5 x 2.5 g
WS-SS408	Sieve standard - For sieve size: 400, 425, 450 µm Mesh .....40      Calibration range.....377 - 470 µm	5 x 2.5 g
WS-SS409	Sieve standard - For sieve size: 500 µm Mesh .....35      Calibration range..... 440 - 557 µm	5 x 2.5 g
WS-SS410	Sieve standard - For sieve size: 560, 600, 630 µm Mesh .....30      Calibration range..... 526 - 657 µm	5 x 2.5 g
WS-SS411	Sieve standard - For sieve size: 710 µm Mesh .....25      Calibration range.....658 - 809 µm	5 x 2.5 g
WS-SS412	Sieve standard - For sieve size: 800, 850, 900 µm Mesh .....20      Calibration range..... 774 - 951 µm	5 x 2.5 g
WS-SS413	Sieve standard - For sieve size: 1000 µm Mesh .....18      Calibration range.....910 - 1106 µm	5 x 7 g
WS-SS414	Sieve standard - For sieve size: 1120, 1180, 1250 µm Mesh .....16      Calibration range..... 1091- 1335 µm	5 x 10 g
WS-SS415	Sieve standard - For sieve size: 1400, 1550 µm Mesh .....14      Calibration range..... 1292 - 1609 µm	5 x 15 g
WS-SS416	Sieve standard - For sieve size: 1600, 1700, 1800 µm Mesh .....12      Calibration range..... 1515 - 1866 µm	5 x 15 g
WS-SS417	Sieve standard - For sieve size: 2000 µm Mesh .....10      Calibration range.....1836 - 2236 µm	5 x 20 g
WS-SS418	Sieve standard - For sieve size: 2240, 2360, 2500 µm Mesh .....8      Calibration range.....2148 - 2661 µm	5 x 20 g
WS-SS419	Sieve standard - For sieve size: 2800, 3150 µm Mesh .....7      Calibration range.....2555 - 3232 µm	5 x 25 g
WS-SS420	Sieve standard - For sieve size: 3350, 3550 µm Mesh .....6      Calibration range.....3072 - 3783 µm	5 x 25 g

### General purpose glass microspheres

WS-GP0042	General purpose glass microspheres - Sieve fraction: 38 - 45 µm	100 g
WS-GP0049	General purpose glass microspheres - Sieve fraction: 45 - 53 µm	100 g
WS-GP0069	General purpose glass microspheres - Sieve fraction: 63 - 75 µm	100 g
WS-GP0083	General purpose glass microspheres - Sieve fraction: 75 - 90 µm	100 g
WS-GP0098	General purpose glass microspheres - Sieve fraction: 90 - 106 µm	100 g
WS-GP0116	General purpose glass microspheres - Sieve fraction: 106 - 125 µm	200 g
WS-GP0138	General purpose glass microspheres - Sieve fraction: 125 - 150 µm	200 g
WS-GP0165	General purpose glass microspheres - Sieve fraction: 150 - 180 µm	200 g
WS-GP0196	General purpose glass microspheres - Sieve fraction: 180 - 212 µm	200 g

## Particles and surface properties

Code	Product	Unit
WS-GP0231	General purpose glass microspheres - Sieve fraction: 212 - 250 µm	200 g
WS-GP0275	General purpose glass microspheres - Sieve fraction: 250 - 300 µm	200 g
WS-GP0328	General purpose glass microspheres - Sieve fraction: 300 - 355 µm	200 g
WS-GP0335	General purpose glass microspheres - Sieve fraction: 315 - 355 µm	200 g
WS-GP0375	General purpose glass microspheres - Sieve fraction: 350 - 400 µm	200 g
WS-GP0390	General purpose glass microspheres - Sieve fraction: 355 - 425 µm	200 g
WS-GP0463	General purpose glass microspheres - Sieve fraction: 425 - 500 µm	200 g
WS-GP0475	General purpose glass microspheres - Sieve fraction: 450 - 500 µm	200 g
WS-GP0530	General purpose glass microspheres - Sieve fraction: 500 - 560 µm	200 g
WS-GP0550	General purpose glass microspheres - Sieve fraction: 500 - 600 µm	200 g
WS-GP0580	General purpose glass microspheres - Sieve fraction: 560 - 600 µm	200 g
WS-GP0615	General purpose glass microspheres - Sieve fraction: 600 - 630 µm	200 g
WS-GP0650	General purpose glass microspheres - Sieve fraction: 600 - 710 µm	200 g
WS-GP0780	General purpose glass microspheres - Sieve fraction: 710 - 850 µm	200 g
WS-GP0925	General purpose glass microspheres - Sieve fraction: 850 - 1000 µm	200 g
WS-GP1090	General purpose glass microspheres - Sieve fraction: 1000 - 1180 µm	400 g
WS-GP1150	General purpose glass microspheres - Sieve fraction: 1120 - 1180 µm	400 g
WS-GP1215	General purpose glass microspheres - Sieve fraction: 1180 - 1250 µm	400 g
WS-GP1325	General purpose glass microspheres - Sieve fraction: 1250 - 1400 µm	400 g
WS-GP1500	General purpose glass microspheres - Sieve fraction: 1400 - 1600 µm	400 g
WS-GP1550	General purpose glass microspheres - Sieve fraction: 1400 - 1700 µm	400 g
WS-GP1700	General purpose glass microspheres - Sieve fraction: 1600 - 1800 µm	400 g
WS-GP1750	General purpose glass microspheres - Sieve fraction: 1700 - 1800 µm	400 g
WS-GP1900	General purpose glass microspheres - Sieve fraction: 1800 - 2000 µm	400 g
WS-GP2200	General purpose glass microspheres - Sieve fraction: 2000 - 2240 µm	400 g
WS-GP3000	General purpose glass microspheres - Sieve fraction: 2800 - 3200 µm	400 g
WS-GP3455	General purpose glass microspheres - Sieve fraction: 3360 - 3550 µm	400 g
WS-GP3775	General purpose glass microspheres - Sieve fraction: 3350 - 4000 µm	400 g

### General purpose basalt microspheres

WS-BM0083	General purpose basalt microspheres - Sieve fraction: 75 - 90 µm	100 g
WS-BM0098	General purpose basalt microspheres - Sieve fraction: 90 - 106 µm	100 g
WS-BM0116	General purpose basalt microspheres - Sieve fraction: 106 - 125 µm	100 g
WS-BM0138	General purpose basalt microspheres - Sieve fraction: 125 - 150 µm	100 g
WS-BM0165	General purpose basalt microspheres - Sieve fraction: 150 - 180 µm	100 g
WS-BM0196	General purpose basalt microspheres - Sieve fraction: 180 - 212 µm	100 g
WS-BM0231	General purpose basalt microspheres - Sieve fraction: 212 - 250 µm	100 g
WS-BM0275	General purpose basalt microspheres - Sieve fraction: 250 - 300 µm	100 g
WS-BM0328	General purpose basalt microspheres - Sieve fraction: 300 - 355 µm	100 g
WS-BM0390	General purpose basalt microspheres - Sieve fraction: 355 - 425 µm	100 g
WS-BM0463	General purpose basalt microspheres - Sieve fraction: 425 - 500 µm	100 g
WS-BM0550	General purpose basalt microspheres - Sieve fraction: 500 - 600 µm	100 g
WS-BM0650	General purpose basalt microspheres - Sieve fraction: 600 - 710 µm	100 g
WS-BM0780	General purpose basalt microspheres - Sieve fraction: 710 - 850 µm	100 g
WS-BM0925	General purpose basalt microspheres - Sieve fraction: 800 - 1000 µm	100 g
WS-BM1090	General purpose basalt microspheres - Sieve fraction: 1000 - 1200 µm	100 g
WS-BM1300	General purpose basalt microspheres - Sieve fraction: 1200 - 1400 µm	100 g
WS-BM1500	General purpose basalt microspheres - Sieve fraction: 1400 - 1600 µm	100 g
WS-BM1700	General purpose basalt microspheres - Sieve fraction: 1600 - 1800 µm	100 g
WS-BM1900	General purpose basalt microspheres - Sieve fraction: 1800 - 2000 µm	100 g
WS-BM2200	General purpose basalt microspheres - Sieve fraction: 2000 - 2400 µm	100 g

Code	Product	Unit
<b>Surface area</b>		
BCR-169	alpha-Alumina - Specific surface area (BET) Certified value Specific surface area (BET)..... 0.104 m <sup>2</sup> /g	60 g
BCR-170	alpha-Alumina - Specific surface area (BET) Certified value Specific surface area (BET)..... 1.05 m <sup>2</sup> /g	60 g
BCR-171	Alumina - Specific surface area (BET) Certified value Specific surface area (BET)..... 2.95 m <sup>2</sup> /g	50 g
BCR-172	Quartz - Specific surface area (BET) Certified value Specific surface area (BET)..... 2.56 m <sup>2</sup> /g	10 g
BCR-173	Titania - Specific surface area (BET) Certified value Specific surface area (BET)..... 8.23 m <sup>2</sup> /g	46 g
BCR-175	Tungsten - Specific surface area (BET) Certified value Specific surface area (BET)..... 0.181 m <sup>2</sup> /g	200 g
NIST-1900	Silicon nitride - Specific surface area Intended for use in the calibration of BET instruments used to measure specific surface area (SSA) in the range 0.1 m <sup>2</sup> /g to 1000 m <sup>2</sup> /g. Certified values Specific surface area (BET) multipoint ..... 2.85 m <sup>2</sup> /g Specific surface area (BET) single point ..... 2.79 m <sup>2</sup> /g	4 g
<b>Micropore volume and width</b>		
BCR-704	Faujasite type zeolite Adsorption of argon at the temperature of liquid argon (87K) on a microporous material (faujasite type zeolite) according to DIN 66135-4.	10 g
BCR-705	Linde type A zeolite Adsorption of argon at the temperature of liquid argon (87 K) on a microporous material (Linde type A zeolite) according to DIN 66135-4.	10 g
BAM-PM-101 - 104 and ERM-FD107 These reference materials are intended for the calibration and checking of instruments for the determination of the specific surface area, the specific pore volume, and the pore radius (pore width) by means of the gas adsorption method according to DIN 66131 (replaced by DIN ISO 9277), DIN 66134, and DIN 66135-Part 4.		
BAM-PM-101	Quartz powder with small specific surface area CRMs for the gas adsorption method Sorptive: Krypton BET-Specific surface area (m <sup>2</sup> /g)..... 0,177 ± 0,014	10 g
BAM-PM-102	Alumina powder with small specific surface area CRMs for the gas adsorption method Sorptive: Nitrogen BET-Specific surface area (m <sup>2</sup> /g)..... 5.41 ± 0.24	10 g
BAM-PM-104	Mesoporous alumina powder CRMs for the gas adsorption method Sorptive: Nitrogen BET-Specific surface area (m <sup>2</sup> /g)..... 79.8 ± 2.0 Specific pore volume (cm <sup>3</sup> /g) p/po=0.99..... 0.210 ± 0.009 Mean pore radius (nm) ..... 5.31 ± 0.24 Most frequent pore radius (nm) ..... 3.23 ± 0.23	10 g
ERM-FD107	Microporous zeolite (Faujasite type)(BAM-P107) Pellets CRMs for the gas adsorption method Sorptive: Nitrogen Specific micropore volume (cm <sup>3</sup> /g)..... 0.217 ± 0.002 Median pore width (nm) ..... 0.86 ± 0.02	10 g

## Particles and surface properties

Code	Product	Unit																																			
ERM-FD120	<p><b>Porous alumina - beads (BAM-PM-120)</b></p> <p>This reference material is intended for the calibration and checking of porosimeters by means of the whole pressure volume curves of the Hg intrusion method.</p> <p>Certified values</p> <table> <tr> <td>Pore volume at 100 MPa .....</td> <td>545.0 ± 12.2 mm<sup>3</sup>/g</td> <td>Pore volume at 395 MPa .....</td> <td>548.1 ± 13.1 mm<sup>3</sup>/g</td> </tr> <tr> <td>Pore volume at 195 MPa .....</td> <td>546.7 ± 12.7 mm<sup>3</sup>/g</td> <td>Mean pore diameter d<sub>50</sub> .....</td> <td>228.0 ± 5.9 nm</td> </tr> <tr> <td>Pore volume at 200 MPa .....</td> <td>546.8 ± 12.7 mm<sup>3</sup>/g</td> <td>Most frequent pore diameter d<sub>p,m</sub> .....</td> <td>232.2 ± 8.8 nm</td> </tr> </table>	Pore volume at 100 MPa .....	545.0 ± 12.2 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	548.1 ± 13.1 mm <sup>3</sup> /g	Pore volume at 195 MPa .....	546.7 ± 12.7 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	228.0 ± 5.9 nm	Pore volume at 200 MPa .....	546.8 ± 12.7 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	232.2 ± 8.8 nm	15 g																							
Pore volume at 100 MPa .....	545.0 ± 12.2 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	548.1 ± 13.1 mm <sup>3</sup> /g																																		
Pore volume at 195 MPa .....	546.7 ± 12.7 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	228.0 ± 5.9 nm																																		
Pore volume at 200 MPa .....	546.8 ± 12.7 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	232.2 ± 8.8 nm																																		
ERM-FD121	<p><b>Porous glass - beads (BAM-PM-121)</b></p> <p>This reference material is intended for the calibration and checking of porosimeters by means of the whole pressure volume curves of the Hg intrusion method.</p> <p>Certified values</p> <table> <tr> <td>Pore volume at 100 MPa .....</td> <td>425.0 ± 47.1 mm<sup>3</sup>/g</td> <td>Pore volume at 395 MPa .....</td> <td>624.6 ± 13.4 mm<sup>3</sup>/g</td> </tr> <tr> <td>Pore volume at 195 MPa .....</td> <td>621.9 ± 12.9 mm<sup>3</sup>/g</td> <td>Mean pore diameter d<sub>50</sub> .....</td> <td>15.1 ± 0.2 nm</td> </tr> <tr> <td>Pore volume at 200 MPa .....</td> <td>621.9 ± 12.9 mm<sup>3</sup>/g</td> <td>Most frequent pore diameter d<sub>p,m</sub> .....</td> <td>15.3 ± 0.2 nm</td> </tr> </table>	Pore volume at 100 MPa .....	425.0 ± 47.1 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	624.6 ± 13.4 mm <sup>3</sup> /g	Pore volume at 195 MPa .....	621.9 ± 12.9 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	15.1 ± 0.2 nm	Pore volume at 200 MPa .....	621.9 ± 12.9 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	15.3 ± 0.2 nm	12 g																							
Pore volume at 100 MPa .....	425.0 ± 47.1 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	624.6 ± 13.4 mm <sup>3</sup> /g																																		
Pore volume at 195 MPa .....	621.9 ± 12.9 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	15.1 ± 0.2 nm																																		
Pore volume at 200 MPa .....	621.9 ± 12.9 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	15.3 ± 0.2 nm																																		
ERM-FD122	<p><b>Porous glass - beads (BAM-PM-122)</b></p> <p>This reference material is intended for the calibration and checking of porosimeters by means of the whole pressure volume curves of the Hg intrusion method.</p> <p>Certified values</p> <table> <tr> <td>Pore volume at 100 MPa .....</td> <td>919.7 ± 16.8 mm<sup>3</sup>/g</td> <td>Pore volume at 395 MPa .....</td> <td>924.4 ± 17.2 mm<sup>3</sup>/g</td> </tr> <tr> <td>Pore volume at 195 MPa .....</td> <td>922.5 ± 17.5 mm<sup>3</sup>/g</td> <td>Mean pore diameter d<sub>50</sub> .....</td> <td>139.0 ± 3.7 nm</td> </tr> <tr> <td>Pore volume at 200 MPa .....</td> <td>922.6 ± 17.5 mm<sup>3</sup>/g</td> <td>Most frequent pore diameter d<sub>p,m</sub> .....</td> <td>140.2 ± 3.9 nm</td> </tr> </table>	Pore volume at 100 MPa .....	919.7 ± 16.8 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	924.4 ± 17.2 mm <sup>3</sup> /g	Pore volume at 195 MPa .....	922.5 ± 17.5 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	139.0 ± 3.7 nm	Pore volume at 200 MPa .....	922.6 ± 17.5 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	140.2 ± 3.9 nm	10 g																							
Pore volume at 100 MPa .....	919.7 ± 16.8 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	924.4 ± 17.2 mm <sup>3</sup> /g																																		
Pore volume at 195 MPa .....	922.5 ± 17.5 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	139.0 ± 3.7 nm																																		
Pore volume at 200 MPa .....	922.6 ± 17.5 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	140.2 ± 3.9 nm																																		
ERM-FD122	<p><b>Porous glass - beads (BAM-PM-122)</b></p> <p>This reference material is intended for the calibration and checking of porosimeters by means of the whole pressure volume curves of the Hg intrusion method.</p> <p>Certified values</p> <table> <tr> <td>Pore volume at 100 MPa .....</td> <td>919.7 ± 16.8 mm<sup>3</sup>/g</td> <td>Pore volume at 395 MPa .....</td> <td>924.4 ± 17.2 mm<sup>3</sup>/g</td> </tr> <tr> <td>Pore volume at 195 MPa .....</td> <td>922.5 ± 17.5 mm<sup>3</sup>/g</td> <td>Mean pore diameter d<sub>50</sub> .....</td> <td>139.0 ± 3.7 nm</td> </tr> <tr> <td>Pore volume at 200 MPa .....</td> <td>922.6 ± 17.5 mm<sup>3</sup>/g</td> <td>Most frequent pore diameter d<sub>p,m</sub> .....</td> <td>140.2 ± 3.9 nm</td> </tr> </table>	Pore volume at 100 MPa .....	919.7 ± 16.8 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	924.4 ± 17.2 mm <sup>3</sup> /g	Pore volume at 195 MPa .....	922.5 ± 17.5 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	139.0 ± 3.7 nm	Pore volume at 200 MPa .....	922.6 ± 17.5 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	140.2 ± 3.9 nm	10 g																							
Pore volume at 100 MPa .....	919.7 ± 16.8 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	924.4 ± 17.2 mm <sup>3</sup> /g																																		
Pore volume at 195 MPa .....	922.5 ± 17.5 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	139.0 ± 3.7 nm																																		
Pore volume at 200 MPa .....	922.6 ± 17.5 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	140.2 ± 3.9 nm																																		
BAM-P127	<p><b>Porous alumina - pellets of alumina</b></p> <p>This reference material is intended for the calibration and checking of porosimeters by means of the whole pressure volume curves of the Hg intrusion method.</p> <p>Certified values</p> <table> <tr> <td>Pore volume at 50 MPa .....</td> <td>69.4 ± 8.0 mm<sup>3</sup>/g</td> <td>Pore volume at 395 MPa .....</td> <td>638.6 ± 21.6 mm<sup>3</sup>/g</td> </tr> <tr> <td>Pore volume at 100 MPa .....</td> <td>625.4 ± 13.6 mm<sup>3</sup>/g</td> <td>Mean pore diameter d<sub>50</sub> .....</td> <td>24.2 ± 1.0 nm</td> </tr> <tr> <td>Pore volume at 195 MPa .....</td> <td>637.1 ± 14.4 mm<sup>3</sup>/g</td> <td>Most frequent pore diameter d<sub>p,m</sub> .....</td> <td>23.9 ± 2.8 nm</td> </tr> </table>	Pore volume at 50 MPa .....	69.4 ± 8.0 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	638.6 ± 21.6 mm <sup>3</sup> /g	Pore volume at 100 MPa .....	625.4 ± 13.6 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	24.2 ± 1.0 nm	Pore volume at 195 MPa .....	637.1 ± 14.4 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	23.9 ± 2.8 nm	10 g																							
Pore volume at 50 MPa .....	69.4 ± 8.0 mm <sup>3</sup> /g	Pore volume at 395 MPa .....	638.6 ± 21.6 mm <sup>3</sup> /g																																		
Pore volume at 100 MPa .....	625.4 ± 13.6 mm <sup>3</sup> /g	Mean pore diameter d <sub>50</sub> .....	24.2 ± 1.0 nm																																		
Pore volume at 195 MPa .....	637.1 ± 14.4 mm <sup>3</sup> /g	Most frequent pore diameter d <sub>p,m</sub> .....	23.9 ± 2.8 nm																																		
NIST-1917	<p><b>Alumina - Specific pore volume</b></p> <p>This SRM<sup>®</sup>/CRM jointly developed and certified by NIST and BAM is intended for use in calibrating and monitoring the performance of mercury porosimeters. The SRM<sup>®</sup>/CRM unit consists of a single bottle containing approximately 10 g of alumina beads.</p> <p>Certified properties:</p> <p>A) Pressure-volume curve (mercury intrusion curve) between 0.1 MPa and 400 MPa            B) Diameter-volume curve (cumulative pore volume curve) between 3.7 nm and 14708 nm            C) Pore volume values at selected intrusion pressure points; (ii) Values for the pore diameter</p> <p>Certified pore volume values at selected intrusion pressures and certified pore diameter</p> <table> <thead> <tr> <th>Property</th> <th>x</th> <th>U</th> <th>2s</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>Specific Pore Volume at 50 MPa .....</td> <td>69.4</td> <td>1.5</td> <td>8.0</td> <td>mm<sup>3</sup> g<sup>-1</sup></td> </tr> <tr> <td>Specific Pore Volume at 100 MPa .....</td> <td>625.4</td> <td>2.5</td> <td>13.6</td> <td>mm<sup>3</sup> g<sup>-1</sup></td> </tr> <tr> <td>Specific Pore Volume at 195 MPa .....</td> <td>637.1</td> <td>2.6</td> <td>14.4</td> <td>mm<sup>3</sup> g<sup>-1</sup></td> </tr> <tr> <td>Specific Pore Volume at 395 MPa .....</td> <td>638.6</td> <td>3.9</td> <td>21.6</td> <td>mm<sup>3</sup> g<sup>-1</sup></td> </tr> <tr> <td>Mean Pore Diameter d<sub>50</sub> .....</td> <td>24.2</td> <td>0.2</td> <td>1.0</td> <td>nm</td> </tr> <tr> <td>Most Frequent Pore Diameter d<sub>p,m</sub> .....</td> <td>23.9</td> <td>0.5</td> <td>2.8</td> <td>nm</td> </tr> </tbody> </table> <p>x - mean of the laboratory means (certified value)            U - expanded uncertainty (coverage factor 2)            s - standard deviation of the certified value</p> <p>Note: all certified pore volumes are normalized values V<sub>p</sub> = V<sub>p</sub>(pHg) - V<sub>p</sub>(0.1 MPa)</p>	Property	x	U	2s	Unit	Specific Pore Volume at 50 MPa .....	69.4	1.5	8.0	mm <sup>3</sup> g <sup>-1</sup>	Specific Pore Volume at 100 MPa .....	625.4	2.5	13.6	mm <sup>3</sup> g <sup>-1</sup>	Specific Pore Volume at 195 MPa .....	637.1	2.6	14.4	mm <sup>3</sup> g <sup>-1</sup>	Specific Pore Volume at 395 MPa .....	638.6	3.9	21.6	mm <sup>3</sup> g <sup>-1</sup>	Mean Pore Diameter d <sub>50</sub> .....	24.2	0.2	1.0	nm	Most Frequent Pore Diameter d <sub>p,m</sub> .....	23.9	0.5	2.8	nm	10 g
Property	x	U	2s	Unit																																	
Specific Pore Volume at 50 MPa .....	69.4	1.5	8.0	mm <sup>3</sup> g <sup>-1</sup>																																	
Specific Pore Volume at 100 MPa .....	625.4	2.5	13.6	mm <sup>3</sup> g <sup>-1</sup>																																	
Specific Pore Volume at 195 MPa .....	637.1	2.6	14.4	mm <sup>3</sup> g <sup>-1</sup>																																	
Specific Pore Volume at 395 MPa .....	638.6	3.9	21.6	mm <sup>3</sup> g <sup>-1</sup>																																	
Mean Pore Diameter d <sub>50</sub> .....	24.2	0.2	1.0	nm																																	
Most Frequent Pore Diameter d <sub>p,m</sub> .....	23.9	0.5	2.8	nm																																	
NIST-1918	<p><b>Silica-alumina - Specific pore volume</b></p> <p>This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is intended for use in the calibration of mercury porosimeter intrusion analytical instruments. A unit of NIST-1918 consists of one vial containing approximately 12 g of an extruded silica-alumina compound.</p> <p>Certified values</p> <table> <tr> <td>Mean Pore Diameter .....</td> <td>8.847 ± 0.363 nm</td> </tr> <tr> <td>Median Pore Diameter .....</td> <td>8.503 ± 0.218 nm</td> </tr> <tr> <td>Total Intruded Volume .....</td> <td>0.547 ± 0.018 mm<sup>3</sup> /g</td> </tr> </table>	Mean Pore Diameter .....	8.847 ± 0.363 nm	Median Pore Diameter .....	8.503 ± 0.218 nm	Total Intruded Volume .....	0.547 ± 0.018 mm <sup>3</sup> /g	12 g																													
Mean Pore Diameter .....	8.847 ± 0.363 nm																																				
Median Pore Diameter .....	8.503 ± 0.218 nm																																				
Total Intruded Volume .....	0.547 ± 0.018 mm <sup>3</sup> /g																																				

Code	Product	Unit
<b>Particle flow</b>		
BCR-116	<p>Limestone powders</p> <p>The flow of powders or granulated materials under the force of gravity affects the design and operation of silos used for their bulk storage. The European Federation of Chemical Engineering (EFCE) therefore developed a test method, based on the Jenike Shear Cell, to determine the shear strength of powders under different compaction and loading conditions. The complexity of this method is such that errors due to poor technique can easily arise. This CRM has therefore been produced with which laboratories can verify both their equipment and experimental technique. It is certified for shear stress as a function of normal applied stress for four different powder compaction stresses.</p>	3.2 kg
<b>Microhardness</b>		
	<p>NIST-1893 - NIST-2830</p> <p>These materials are intended for use in calibrating and checking the performance of microhardness testers and may be used in conjunction with ASTM E384.</p>	
NIST-1894a	<p>Bright copper - Hardness (Vickers)</p> <p>This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is intended primarily for use in calibrating Vickers-type microhardness testers and is certified for mean Vickers hardness values (HV) at loads of 0.245 N, 0.49 N, and 0.98 N (0.025 kgf, 0.050 kgf, and 0.100 kgf, respectively). NIST-1894a consists of a 1.35 cm square test block of electrodeposited bright copper, approximately 1750 µm thick, on an AISI 1010 steel substrate, mounted in a thermosetting epoxy. Five indentations were made on the SRM's polished surface for each load. Hardness values are reported in Gigapascal (GPa) and kgf/mm<sup>2</sup>. The SRM<sup>®</sup> was individually measured and bears a serial number imprinted on the side of the epoxy mount.</p>	Each
NIST-1895	<p>Bright nickel - Hardness (Knoop)</p> <p>Load 0.245, 0.490, 0.981N</p> <p>Certified value</p> <p>Hardness (nominal) ..... 600 kg/mm<sup>2</sup></p>	Each
NIST-1896a	<p>Bright nickel - Hardness (Vickers)</p> <p>Load 0.245, 0.490, 0.981N</p> <p>Certified value</p> <p>Hardness (nominal) ..... 600 kg/mm<sup>2</sup></p>	Each
NIST-1905	<p>Bright nickel - Hardness (Knoop)</p> <p>Load 2.943</p> <p>Certified value</p> <p>Hardness (nominal) ..... 600 kg/mm<sup>2</sup></p>	Each
NIST-1906	<p>Bright nickel - Hardness (Knoop)</p> <p>Load 4.905N</p> <p>Certified value</p> <p>Hardness (nominal) ..... 600 kg/mm<sup>2</sup></p>	Each
NIST-1907	<p>Bright nickel - Hardness (Knoop)</p> <p>Load 9.81N</p> <p>Certified value</p> <p>Hardness (nominal) ..... 600 kg/mm<sup>2</sup></p>	Each
NIST-1908	<p>Bright nickel - Hardness (Vickers)</p> <p>This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is intended primarily for use in calibrating Vickers-type microhardness testers and is certified for mean Vickers hardness values (HV) at a load of 2.943 N (0.300 kgf). NIST-1908 consists of a 1.35 cm square test block of electrodeposited bright nickel, approximately 750 µm thick, on an AISI 1010 steel substrate, mounted in a thermosetting epoxy. Five indentations were made on the polished surface of the SRM<sup>®</sup>. Hardness value is reported in gigapascal (GPa) and kgf/mm<sup>2</sup>. The SRM<sup>®</sup> was individually measured and bears a serial number imprinted on the side of the epoxy mount.</p>	Each
NIST-1909	<p>Bright nickel - Hardness (Vickers)</p> <p>This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is intended primarily for use in calibrating Vickers-type microhardness testers and is certified for mean Vickers hardness values (HV) at a load of 9.81 N (1.000 kgf). NIST-1909 consists of a 1.35 cm square test block of electrodeposited bright nickel, approximately 750 µm thick, on an AISI 1010 steel substrate, mounted in a thermosetting epoxy. Five indentations were made on the polished surface of the SRM<sup>®</sup>. Hardness value is reported in gigapascal (GPa) and kgf/mm<sup>2</sup>. The SRM<sup>®</sup> was individually measured and bears a serial number imprinted on the side of the epoxy mount.</p>	Each
NIST-2798A	<p>Bright nickel - Hardness (Vickers)</p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended primarily for use in calibrating Vickers-type microhardness testers and is certified for mean Vickers hardness values (HV) at a load of 4.905 N (0.500 kgf). NIST-2798a consists of a 1.35 cm square test block of electrodeposited bright nickel, approximately 750 µm thick, on an AISI 1010 steel substrate, mounted in a thermosetting epoxy. Five indentations were made on the polished surface of the SRM<sup>®</sup>. Hardness value is reported in gigapascal (GPa) and kgf/mm<sup>2</sup>. The SRM<sup>®</sup> was individually measured and bears a serial number imprinted on the side of the epoxy mount.</p>	Each
NIST-2830	<p>Ceramic silicon nitride - Hardness (Knoop)</p> <p>Load 19.6N</p> <p>Certified value</p> <p>Hardness (nominal) ..... 1500 kg/mm<sup>2</sup></p>	Each



## Particles and surface properties

Code	Product	Unit
NIST-2831	<p>Vickers Hardness of Ceramics and Hardmetals</p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended for use in the calibration of all hardness and microhardness testing machines whereby a Vickers indentation is made and then measured with a microscope. The SRM has five NIST-made indents in the middle of a polished face certified for the individual diagonal lengths, the average diagonal length, and the average hardness value for indentations made at a load of 9.8 N (1 kgf). A unit of NIST-2831 consists of a 25 mm D × 9.5 mm disc that has a nominal hardness of approximately 15.0 GPa (1530 kgf/mm<sup>2</sup>) packaged in a wooden box. Each unit is individually certified and bears a serial number scribed on the opposite (bottom) face of the disc. Vickers hardness is calculated as <math>HV = \alpha P/d^2</math>, where P is the indentation load, d is the average diagonal size <math>[(d_1 + d_2)/2]</math>, and <math>\alpha</math> is the indenter constant, which, for an ideal Vickers indenter is 1.8544. If P is in units of Newton, and d is in units of meters, then HV will be in units of N/m<sup>2</sup> or Pa. A conversion factor of <math>1 \times 10^{-9}</math> may be used to convert HV to units of GPa. In this certificate, older traditional units of hardness expressed as kgf/mm<sup>2</sup> are also included in parenthesis for the convenience of users.</p>	Each

## Surface roughness

NIST-2073a	<p>Electroless-nickel coated steel</p> <p>This Standard Reference Material<sup>®</sup> is certified for roughness average <math>R_a</math> and surface spatial wavelength, D, and is intended for use as a standard for the calibration of stylus instruments that are used to measure surface roughness.</p> <p>2.4 cm x 3.3 cm</p> <p>Certified values</p> <p>Roughness average <math>R_a</math>..... 3.0 <math>\mu</math>m      Wavelength D ..... 99.099 <math>\mu</math>m</p>	Each									
NIST-2074	<p>Electroless-nickel coated steel</p> <p>This Standard Reference Material<sup>®</sup> is certified for roughness average <math>R_a</math> and surface spatial wavelength, D, and is intended for use as a standard for the calibration of stylus instruments that are used to measure surface roughness.</p> <p>2.4 cm x 3.3 cm</p> <p>Certified values</p> <p>Roughness average <math>R_a</math>..... 1.0 <math>\mu</math>m      Wavelength D ..... 40 <math>\mu</math>m</p>	Each									
NIST-2075	<p>Electroless-nickel coated steel</p> <p>This Standard Reference Material<sup>®</sup> is certified for roughness average <math>R_a</math> and surface spatial wavelength, D, and is intended for use as a standard for the calibration of stylus instruments that are used to measure surface roughness.</p> <p>2.4 cm x 3.3 cm</p> <p>Certified values</p> <p>Roughness average <math>R_a</math>..... 1.0 <math>\mu</math>m      Wavelength D ..... 800 <math>\mu</math>m</p>	Each									
NIST-RM 8457	<p>Ultra high molecular weight polyethylene</p> <p>This Reference Material (RM), is intended for evaluations of cross-linking induced by radiation exposure, such as used to improve wear characteristics. Each unit of NIST-RM 8457 consists of 10 cubes of ultra high molecular weight polyethylene (UHMWPE) of nominal dimension 0.5 cm. The cubes are sized for measurement of cross-link density by swelling. The material as supplied has not been irradiated, however.</p> <p>Reference values</p> <table border="0"> <thead> <tr> <th>Cube dimension</th> <th>Dimension (cm)</th> <th>Surface roughness (<math>\mu</math>m)</th> </tr> </thead> <tbody> <tr> <td>Faces normal to bar direction .....</td> <td>0.4919 ± 0.005 .....</td> <td>5.5 ± 0.6</td> </tr> <tr> <td>Faces perpendicular to bar direction .....</td> <td>0.5017 ± 0.006</td> <td></td> </tr> </tbody> </table>	Cube dimension	Dimension (cm)	Surface roughness ( $\mu$ m)	Faces normal to bar direction .....	0.4919 ± 0.005 .....	5.5 ± 0.6	Faces perpendicular to bar direction .....	0.5017 ± 0.006		10 cubes
Cube dimension	Dimension (cm)	Surface roughness ( $\mu$ m)									
Faces normal to bar direction .....	0.4919 ± 0.005 .....	5.5 ± 0.6									
Faces perpendicular to bar direction .....	0.5017 ± 0.006										

## Surface tension

<p>GUM 11.1 - GUM 11.3</p> <p>Reference materials certified by the Physical Chemistry Division of the Central Office of Measures (GUM), Warsaw. They are intended for the calibration and checking tensiometers. All standards are supplied with a certificate showing value of surface tension with an uncertainty 0.1 mN/m and value of density with an uncertainty of 0.1 kg/m<sup>3</sup>. Decimal values are given in the certificate.</p>		
GUM 11.1	<p>Isooctane</p> <p>Certified value</p> <p>Surface tension..... 18 mN/m at 20 °C</p>	30 mL
GUM 11.2	<p>Benzene</p> <p>Certified value</p> <p>Surface tension..... 28 mN/m at 20 °C</p>	30 mL
GUM 11.3	<p>Glycerol</p> <p>Certified value</p> <p>Surface tension..... 63 mN/m at 20 °C</p>	30 mL



Code Product Unit

**Depth profiling**

BCR-261T	Tantalum pentoxide on tantalum foil The material consists of two sets of 4 rectangular foils of 5 x 10 mm <sup>2</sup> of both oxide thicknesses. The oxide layers are grown by anodic oxidation evenly on both sides of the foils. Certified values	2x4 foils
Areal density of oxygen atoms		
	Certified values [10 <sup>21</sup> m <sup>-2</sup> ]	Uncertainty [10 <sup>21</sup> m <sup>-2</sup> ]
Oxide thickness n		
30 nm material (nominal).....	1.72 .....	0.07
100 nm material (nominal).....	5.40 .....	0.12
	Certified ratio [dimensionless]	Uncertainty [dimensionless]
Oxide thickness ratio (n <sub>30</sub> /n <sub>100</sub> ) .....	0.321 .....	0.013

NIST-2134	Arsenic in silicon - Depth profile This Standard Reference Material® (SRM®) is intended for use in calibrating secondary ion response to minor and trace levels of arsenic in a silicon matrix by the analytical technique of secondary ion mass spectrometry (SIMS). NIST-2134 is intended for calibrating the response of a SIMS instrument for arsenic in a silicon matrix under a specific set of instrumental conditions. It may also be used by a laboratory as a transfer standard for the calibration of working standards of arsenic in silicon. This SRM consists of a 1 cm x 1 cm single crystal silicon substrate that has been ion implanted with the isotope <sup>75</sup> As at a nominal energy of 100 keV. NIST-2134 is certified for the retained dose of 75 As atoms. The dose is expressed in units of arsenic mass per unit area. Additional noncertified information about the concentration of arsenic atoms as a function of depth below the surface is provided by SIMS. The total retained dose of <sup>75</sup> As atoms was determined by instrumental neutron activation analysis. Certified Retained Dose of <sup>75</sup> As.....0.09120 µg/cm <sup>2</sup> ± 0.00035 µg/cm <sup>2</sup> Using a value of 74.9216 g/mol for the isotopic mass of <sup>75</sup> As, the retained dose is equivalent to 7.330 × 10 <sup>14</sup> atoms/cm <sup>2</sup> ± 0.028 × 10 <sup>14</sup> atoms/cm <sup>2</sup>	Each
-----------	---	------

NIST-2135C	Nickel-chromium thin film - Depth profile Intended for calibrating equipment used to measure sputtered depth and erosion rates in surface analysis. <u>Total thickness</u> Certified values Cr.....206.3 µg/cm <sup>2</sup> Ni.....197.4 µg/cm <sup>2</sup> <u>Single layer thickness</u> Certified values Cr.....41.3 µg/cm <sup>2</sup> Ni.....49.4 µg/cm <sup>2</sup>	Each
------------	---	------

NIST-2137	Boron implant in silicon - Depth profile Intended for calibrating the secondary ion response to minor and trace element levels in a silicon matrix. Certified value B-10.....1.018 x 10 <sup>15</sup> atoms/cm <sup>2</sup>	Each
-----------	--	------

**Length calibration and lateral resolution**

BAM-L200	Nanoscale stripe pattern for length calibration and testing of lateral resolution Stripe pattern, dimensions: 10.8 mm x 4 mm x approx. 5 mm Please ask for further details	Each
----------	--	------

**Thickness**

BAM-L100	Titanium (Ti) Aluminium (Al) multilayer on 100Cr6 steel substrate - disc (30 mm x 5 mm) Total layer thickness.....individually certified for each CRM	disc
BAM-L101	Titanium dioxide (TiO2) Silicon dioxide (SiO2) multilayer on BK7 glass - plate (30 mm x 30 mm x 1 mm) Total layer thickness.....individually certified for each CRM	plate
BAM-L102	Titanium nitride (TiN) single layer - disc (30 mm x 5 mm) Layer thickness.....individually certified for each CRM	disc
BAM-L103	Vanadium nitride (VN) single layer - disc (30 mm x 5 mm) Layer thickness.....individually certified for each CRM	disc
BAM-L104	Titanium carbide (TiC) single layer- disc (30 mm x 5 mm) Layer thickness.....individually certified for each CRM	disc
BAM-L105	Vanadium carbide (VC) single layer- disc (30 mm x 5 mm) Layer thickness.....individually certified for each CRM	disc

## Particles and surface properties

Code	Product	Unit
	<b>NIST-1358B - NIST-1364B</b> These NIST Standard Reference Materials® are suitable for calibrating instruments used in the measurement of organics and nonmagnetic inorganic coatings on steel. They consist of fine grained copper of varying thicknesses electrodeposited onto low carbon steel substrates having the properties of AISI 1010 steel. These uniform coatings are then overplated with a thin protective layer of chromium and the total coating thickness is then certified.	
NIST-1358b	Copper and chromium on steel - Coating thickness 45 mm × 45 mm coupons	set (4)
NIST-1359b	Copper and chromium on steel - Coating thickness 45 mm × 45 mm coupons	set (4)
NIST-1361b	Copper and chromium on steel - Coating thickness 45 mm × 45 mm coupons	set (4)
NIST-1362b	Copper and chromium on steel - Coating thickness 45 mm × 45 mm coupons	set (4)
NIST-1363b	Copper and chromium on steel - Coating thickness 45 mm × 45 mm coupons	set (4)
NIST-1364b	Copper and chromium on steel - Coating thickness 45 mm × 45 mm coupons	set (4)
NIST-2321	Tin-lead alloy on copper Intended for calibrating X-ray fluorescence equipment. Each unit, which consists of a plate of an electroplated tin-lead alloy coating on a copper substrate, is individually certified for composition and mass per unit area.	Each

## Abrasive wear

NIST-1857	D-2 Tool steel 0.78 x 2.5 x 7.6 cm Certified for the ASTM G65 abrasion test	2 blocks
-----------	---	----------

## Reference Nanomaterials

### LGC Standards introduces reference nanomaterials range

LGC Standards has introduced the NM series reference nanomaterials to aid research and testing into the applications and impacts of nanotechnology.

One of the most comprehensive nanomaterial research programmes is being carried out by the Organisation for Economic Co-operation and Development's (OECD) Working Party on Manufactured Nanomaterials (WPMN). This programme focuses on the implications of the use of nanomaterials for human health and environment safety, focusing on testing and assessment methods. Master samples of the NM-series reference nanomaterials are stored in the nanomaterials repository of the European Commission's Joint Research Centre (JRC). The JRC distributes these master samples for use by EU Member States' authorities and in the OECD's Working Party on Manufactured Nanomaterials programme.

The NM nanomaterials available from LGC Standards encompass the OECD WPMN priority list of nanomaterials. These materials have been selected based on commercial importance and have been characterised using OECD recommended test methods and may serve as:

- Performance standard materials for testing and test method development
- Control materials for safety testing
- Testing materials for reference result and predictive toxicity testing

The materials have been produced from a selected homogenised master batch of raw material and sub-sampled under Good Laboratory Practice (GLP) conditions. The homogeneity and stability of all the samples follow the principles of ISO Guide 34 and are continuously monitored for stability under an isochronous monitoring study scheme.

### Reference data

The NM nanomaterials are supplied with a Material Information Sheet. Available information includes material identification data such as CAS number, structural formula/molecular structure, composition (including degree of purity, known impurities or additives), basic morphology and surface chemistry.

Extensive data on the endpoints tested is being collated to provide further information on the material's Physical-Chemical Properties and Material Characterization, Environmental Fate and Mammalian Toxicology.

### REACH applications:

The EU REACH regulations covering the Registration, Evaluation, Authorisation, and Restriction of Chemical Substances applies to nanomaterials.

As stated in the REACH guidance, registration dossiers should include "Available information from assessments carried out under other international and national programmes (...). Deviations from such assessments shall be justified". For nanomaterials an important source of assessments is those carried out by the Organisation for Economic Co-operation and Development's Working Party on Manufactured Nanomaterials, using these NM series products.

Code	Product	Unit
<b>New</b> NM-101	Titanium dioxide (anatase, uncoated) Particle characterisation methods Primary crystal size according to Scherrer 8 nm Primary crystal size according to XRD determination 6 nm Specific surface area according to BET 320 m <sup>2</sup> /g	2000 mg
<b>New</b> NM-102	Titanium dioxide (anatase, uncoated) Particle characterisation methods Primary crystal size according to Scherrer 22 nm Primary crystal size according to XRD determination 20 nm Specific surface area according to BET 90 m <sup>2</sup> /g	500 mg
<b>New</b> NM-103	Titanium dioxide (hydrophobic, rutile) Particle characterisation methods Primary crystal size according to Scherrer 20 nm Primary crystal size according to XRD determination 20 nm Specific surface area according to BET 60 m <sup>2</sup> /g	2000 mg
<b>New</b> NM-104	Titanium dioxide (hydrophilic, rutile) Particle characterisation methods Primary crystal size according to Scherrer 20 nm Primary crystal size according to XRD determination 20 nm Specific surface area according to BET 60 m <sup>2</sup> /g	500 mg
<b>New</b> NM-105	Titanium dioxide (rutile-anatase) Particle characterisation methods Primary crystal size according to Scherrer 21 nm Primary crystal size according to XRD determination 22 nm Specific surface area according to BET 61 m <sup>2</sup> /g	250 mg

## Reference Nanomaterials

	Code	Product	Unit
<b>New</b>	NM-110	Zinc oxide (uncoated) Particle characterisation methods Primary crystal size according to Horiba Light scattering 70-200 nm Primary crystal size according to XRD determination 41.5 nm Specific surface area according to BET 13 m <sup>2</sup> /g	2000 mg
<b>New</b>	NM-111	Zinc oxide (coated triethoxycaprylylsilane) Particle characterisation methods Particle size < 200 nm (mean ca. 130 nm, range about 90 to 190 nm analyzed by Horiba Light Scattering) Primary crystal size according to XRD determination 33.8 nm Specific surface area according to BET 16 m <sup>2</sup> /g	2000 mg
<b>New</b>	NM-200	Synthetic amorphous silica (PR-A-02) Particle characterisation methods Primary particles in the 10-25 nm range, particles aggregated Primary crystal size by TEM 20 nm Specific surface area according to BET 230 m <sup>2</sup> /g	500 mg
<b>New</b>	NM-201	Synthetic amorphous silica (PR-B-01) Particle characterisation methods Primary particles in the 10-25 nm range, particles aggregated Primary crystal size by TEM 20 nm	500 mg
<b>New</b>	NM-202	Synthetic amorphous silica (PY-AB-03) Particle characterisation methods Primary particles in the 10-25 nm range, particles aggregated Primary crystal size by TEM 20 nm	500 mg
<b>New</b>	NM-203	Synthetic amorphous silica (PY-A-04) Particle characterisation methods Primary particles in the 5-30 nm range, particles aggregated Primary crystal size by TEM 20 nm Specific surface area according to BET 226 m <sup>2</sup> /g	500 mg
<b>New</b>	NM-204	Synthetic amorphous silica (PR-A-05) Particle characterisation methods Primary particles in the 10-25 nm range, particles aggregated Primary crystal size by TEM 20 nm Specific surface area according to BET 144 m <sup>2</sup> /g	2000 mg
<b>New</b>	NM-211	Cerium (IV) oxide (precipitated, uncoated, cubic) Particle characterisation methods Primary crystal size according to Scherrer 10.3 nm Specific surface area according to BET 66 m <sup>2</sup> /g	500 mg
<b>New</b>	NM-212	Cerium (IV) oxide (precipitated, uncoated, cubic) Particle characterisation methods Primary crystal size according to Scherrer 33 nm Specific surface area according to BET 28 m <sup>2</sup> /g	500 mg
<b>New</b>	NM-300K	Silver (< 20 nm) Particle characterisation methods Solid Contents: 10.16 weight % Particle size: 15 nm; D90 <20nm (90% < 20nm)	2000 mg
<b>New</b>	NM-300KDIS	Ag - dispersant The material corresponds to the matrix/media/vehicle of NM 300K including all components, but without silver and serves as control material.	1000 mg
<b>New</b>	NM-302	Silver rods Particle characterisation methods Solid contents: 8.3 weight % Particles size 50nm diameter, elongated, rods	2000 mg
<b>New</b>	NM-400	Multi-walled carbon nanotubes Particle characterisation methods Average diameter: 9.5 nm Average length: 1.5 µm Specific surface area according to BET 280 m <sup>2</sup> /g	250 mg
<b>New</b>	NM-401	Multi-walled carbon nanotubes Particle characterisation methods Average diameter 10-30 nm Length 5-15 µm Specific surface area according to BET 300 m <sup>2</sup> /g	150 mg

Code	Product	Unit
<b>New</b> NM-402	Multi-walled carbon nanotubes Particle characterisation methods Average diameter: 5-15 nm Length: 0.1 - 10 µm Specific surface area according to BET 50-300 m <sup>2</sup> /g	250 mg

## Optical properties

### Molecular absorption and luminescence

Code	Product	Unit																									
ERM-FB012	IR wavelength standard - Polystyrene in hexane This certified reference material is intended for use in the verification and calibration of infra-red spectrometers, within the range of spectral bandwidths quoted Certified values IR wavelength positions of four peaks (3026.0, 1601.1, 1028.8 and 698.0 cm <sup>-1</sup> ).	5 x 1 mL																									
ERM-FB020	UV-Visible wavelength standard for HPLC detectors - Holmium/neodymium oxides solution The certified reference material is intended for use in the verification and calibration of the wavelength scale of ultra-violet/visible HPLC detectors. Certified values UV/visible wavelength location of 7 peaks in the spectral range 241 to 797 nm at four spectral bandwidths (1, 4, 7 and 10 nm).	2 x 3 mL																									
ERM-FB021	UV-Visible absorbance standard for HPLC detectors - Sodium nitrate/cobalt chloride/nickel chloride solution This certified reference material is intended for checking the linearity of the absorbance scales of UV/Visible HPLC detectors Certified values 7 standard + 1 blank UV/visible absorbance for four wavelengths (299, 395, 512 and 719 nm) at 4 bandwidths (1, 4, 7, and 10 nm).	8 x 3 mL																									
NIST-931f	Liquid filters UV-visible absorbance at 4 wavelengths (302, 395, 512 and 678 nm). Liquid Filter	set (12)																									
	<table border="1"> <thead> <tr> <th></th> <th colspan="4">Nominal Wavelength (nm)</th> </tr> <tr> <th></th> <th>302</th> <th>395</th> <th>512</th> <th>678</th> </tr> </thead> <tbody> <tr> <td>Level I</td> <td>0.2925 ± 0.0016</td> <td>0.3108 ± 0.0017</td> <td>0.3011 ± 0.0017</td> <td>0.1169 ± 0.0012</td> </tr> <tr> <td>Level II</td> <td>0.5969 ± 0.0028</td> <td>0.6223 ± 0.0029</td> <td>0.5917 ± 0.0029</td> <td>0.2344 ± 0.0018</td> </tr> <tr> <td>Level III</td> <td>0.9668 ± 0.0043</td> <td>0.9328 ± 0.0042</td> <td>0.8969 ± 0.0042</td> <td>0.3517 ± 0.0024</td> </tr> </tbody> </table>		Nominal Wavelength (nm)					302	395	512	678	Level I	0.2925 ± 0.0016	0.3108 ± 0.0017	0.3011 ± 0.0017	0.1169 ± 0.0012	Level II	0.5969 ± 0.0028	0.6223 ± 0.0029	0.5917 ± 0.0029	0.2344 ± 0.0018	Level III	0.9668 ± 0.0043	0.9328 ± 0.0042	0.8969 ± 0.0042	0.3517 ± 0.0024	
	Nominal Wavelength (nm)																										
	302	395	512	678																							
Level I	0.2925 ± 0.0016	0.3108 ± 0.0017	0.3011 ± 0.0017	0.1169 ± 0.0012																							
Level II	0.5969 ± 0.0028	0.6223 ± 0.0029	0.5917 ± 0.0029	0.2344 ± 0.0018																							
Level III	0.9668 ± 0.0043	0.9328 ± 0.0042	0.8969 ± 0.0042	0.3517 ± 0.0024																							
NIST-935a	Potassium dichromate - UV UV absorbance at 5 wavelengths (235, 257, 313, 345, and 350 nm).	15 g																									
<b>New</b> NIST-1935A	Potassium dichromate solution/UV absorbance standard This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is intended for use as a reference standard for verifying the accuracy of the absorbance scale of absorption spectrometers that can provide an effective bandpass of 2 nm or less at 235 nm, 257 nm, 313 nm, and 350 nm. A unit of NIST-1935a contains five blank solutions and five sample solutions, for a total of ten ampoules. The nominal absorbances referred to the blank, span a range of 0.3 to 0.9 absorbance units over the four certified wavelengths for a 10 mm pathlength cuvette. Approximately 10 mL of each solution is flame-sealed into an individual glass ampoule, which has been pre-scored for easy opening. The blank and sample solutions are packaged in separate trays. Certified net apparent absorbance for NIST-1935a at 22 °C ± 2 °C and for a 10.00 mm pathlength Certified Value of Apparent Absorbance at Indicated Wavelength 235 nm..... 0.7455 ± 0.0040      313 nm .....0.2905 ± 0.0032 257 nm..... 0.8680 ± 0.0050      350 nm .....0.6456 ± 0.0034	set (10)																									
GUM 9D.1	Estrofol film film - Wavenumber standard for infrared range This reference material from the Central Office of Measures (Poland) is intended for use in the calibration of the wave number scale of spectrophotometers in the infrared (IR) spectral region from 400 cm <sup>-1</sup> to 4000 cm <sup>-1</sup> (21 peaks). GUM 9.D1 consists of two cards made of transparent poly(ethylene terephthalate) film 6 mm and 50 mm thick, in holders.	set (2)																									
NIST-1921b	Polystyrene film - IR transmission wavelength This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is intended primarily for use in calibrating the wavelength (wavenumber) scale of spectrophotometers in the infrared (IR) spectral region from 3.2 µm to 18.5 µm (540 cm <sup>-1</sup> to 3125 cm <sup>-1</sup> ). SRM 1921b is a matt finish polystyrene film approximately 38 µm thick with a 25 mm diameter exposed area, centered 38 mm from the bottom of a cardboard holder, which is 5 cm × 11 cm × 0.2 cm in size.	card																									
NIST-2940	Relative intensity correction standard for fluorescence spectroscopy (Orange emission) 412 nm This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is intended for use for the evaluation and calibration of the relative spectral responsivity of steady-state fluorescence spectrometers with a continuous excitation source and for determining the day-to-day or instrument-to-instrument intensity variations of a single or similar fluorescence instrument(s), respectively. This SRM <sup>®</sup> is certified for the relative, corrected emission spectrum, E, in relative power units from emission wavelengths λ <sub>EM</sub> = 500 nm to 800 nm at 1 nm wavelength intervals at a fixed excitation wavelength (λ <sub>EX</sub> ) of 412 nm.	contain.																									

## Optical properties

Code	Product	Unit
NIST-2941	Relative intensity correction standard for fluorescence spectroscopy (Green emission) 427 nm This Standard Reference Material® (SRM®) is intended for use for the evaluation and calibration of the relative spectral responsivity of steady-state fluorescence spectrometers with a continuous excitation source and for determining the day-to-day or instrument-to-instrument intensity variations of a single or similar fluorescence instrument(s), respectively. This SRM® is certified for the relative, corrected emission spectrum, E, in relative power units from emission wavelengths $\lambda_{EM} = 450 \text{ nm}$ to $650 \text{ nm}$ at $1 \text{ nm}$ wavelength intervals at a fixed excitation wavelength ( $\lambda_{EX}$ ) of $427 \text{ nm}$ .	cuv. (1)
<b>New</b> NIST-2942	Relative intensity correction standard for fluorescence spectroscopy (Ultraviolet emission) 310 nm This Standard Reference Material (SRM) is intended for use in the evaluation and calibration of the relative spectralresponsivity of steady-state fluorescence spectrometers with a continuous excitation source and for determining the day-to-day or instrument-to-instrument intensity variations of a single or similar fluorescence instrument(s), respectively. A unit of NIST-2942 consists of a single cuvette-shaped piece of solid glass. This SRM is certified for the relative, corrected emission spectrum, E, in relative energy unitsfrom emission wavelengths $\lambda_{EM} = 320 \text{ nm}$ to $430 \text{ nm}$ at $1 \text{ nm}$ wavelength intervals at a fixed excitation wavelength ( $\lambda_{EX}$ ) of $310.1 \text{ nm}$ .	Each
<b>New</b> NIST-2943	Relative intensity correction standard for fluorescence spectroscopy (Blue emission) This Standard Reference Material® (SRM®) is intended for use in the evaluation and calibration of the relative spectral responsivity of steady-state fluorescence spectrometers with a continuous excitation source and for determining the day-to-day or instrument-to-instrument intensity variations of a single or similar fluorescence instrument(s), respectively. NIST-2943 is a copper-doped (mole fraction of $0.01 \%$ $\text{Cu}_2\text{O}$ ) phosphate-matrix glass. A unit of NIST-2943 consists of a single cuvette-shaped piece of solid glass. Each piece is a rectangular solid block with standard cuvette dimensions $12.5 \text{ mm} \times 12.5 \text{ mm} \times 45.0 \text{ mm}$ , with three of the four long faces optically polished and one long face, the top face and the bottom face ground to a frosted finish using a 400 grit polish. The serial number of each unit is etched on the top face. There are 17 units of NIST-2943 Sample Series with serial numbers Cu0xx through yy. This SRM is certified for the relative, corrected emission spectrum, E, in relative energy units from emission wavelengths $\lambda_{EM} = 350 \text{ nm}$ to $640 \text{ nm}$ at $1 \text{ nm}$ wavelength intervals at a fixed excitation wavelength ( $\lambda_{EX}$ ) of $330.3 \text{ nm}$ . Due to larger signal-to-noise levels near the peak maximum, the emission range from $\lambda_{EM} = 380 \text{ nm}$ to $560 \text{ nm}$ is recommended as optimal for most instruments and applications. Note that this standard's certified values become reference values when used for spectral correction of fluorescence spectrometers with pulsed light sources.	Each
NIST-2036	Near infrared wavelength/reflection standard This Standard Reference Material (SRM®) is a certified transfer standard intended for the verification and calibration of the wavelength/wavenumber scale of Near-Infrared (NIR) spectrometers operating in diffuse reflectance mode. NIST-2036 is a glass physically contacted with a piece of sintered polytetrafluoroethylene (PTFE). The combination of the rare earth oxide glass with a nearly ideal diffuse reflector provides reflection-absorption bands that range from approximately $15 \%$ R to $40 \%$ R. NIST-2036 is certified for the $10 \%$ band fraction centroid of seven bands spanning the spectral region from $975 \text{ nm}$ to $1946 \text{ nm}$ (air wavelength). In addition, it is certified for the $10 \%$ band fraction centroid location of the same seven bands in the spectral region from $10300 \text{ cm}^{-1}$ to $5130 \text{ cm}^{-1}$ at $8 \text{ cm}^{-1}$ resolution (vacuum wavenumber).	Each
NIST-2065	Ultraviolet-visible-near-infrared transmission wavelength/vacuum wavenumber standard This Standard Reference Material (SRM®) is a certified standard intended for the verification and calibration of the wavelength/wavenumber scale of ultraviolet (UV)-Visible-Near-Infrared (NIR) spectrometers operating in transmission mode. NIST-2065 is certified for the location of seven absorbance bands (COG) in the spectral region from $10300 \text{ cm}^{-1}$ to $5130 \text{ cm}^{-1}$ at $4 \text{ cm}^{-1}$ resolution. NIST-2065 is a glass consisting of a combination of rare earth oxides. The optical filter is $25 \text{ mm}$ in diameter and $1.5 \text{ mm}$ thick. Please ask for more details.	Each
NIST-2517a	High resolution wavelength calibration reference Intended for wavelength calibration in the spectral region of $1510 \text{ nm}$ to $1540 \text{ nm}$ . NIST-2517a is a single-mode optical-fibre-coupled absorption cell containing acetylene ( $^{12}\text{C}_2\text{H}_2$ ) gas at a pressure of $6.7 \text{ kPa}$ ( $50 \text{ Torr}$ ). The absorption path length is $5 \text{ cm}$ and the absorption lines are about $7 \text{ pm}$ wide.	cell
NIST-2241	Relative Intensity Correction Standard for Raman Spectroscopy Using $785 \text{ nm}$ Excitation NIST-2241 is a chromium-doped ( $0.02 \text{ mol } \%$ $\text{Cr}_2\text{O}_3$ ) sodium borosilicate matrix glass. One unit of this Standard Reference Material® consists of a glass slide that is approximately $10.7 \text{ mm}$ in width $\times$ $30.4 \text{ mm}$ in length $\times$ $2.0 \text{ mm}$ in thickness, with one surface optically polished and the opposite surface ground to a frosted finish using a 400 grit polish. This Standard Reference Material® (SRM®) is a certified spectroscopic standard for the correction of the relative intensity of Raman spectra obtained with instruments employing $785 \text{ nm}$ laser excitation. NIST-2241 consists of an optical glass that emits a broadband luminescence spectrum when excited with $785 \text{ nm}$ laser radiation. The relative spectral intensity of the glass luminescence has been determined through the use of a white-light, uniform-source, integrating sphere that has been calibrated for its irradiance at NIST. The shape of the luminescence spectrum of this glass is described by a polynomial expression that relates the relative spectral intensity to the wavenumber ( $\text{cm}^{-1}$ ) expressed as the Raman shift from the excitation wavelength of $785 \text{ nm}$ . This polynomial, together with a measurement of the luminescence spectrum of the standard, can be used to determine the spectral intensity-response correction that is unique to each Raman system. The resulting instrument-intensity-response correction may then be used to obtain Raman spectra that are instrument independent. This SRM® is intended for use in measurements over the range of $20 \text{ }^\circ\text{C}$ to $25 \text{ }^\circ\text{C}$ and with Raman systems that employ laser excitation at $785 \text{ nm}$ . It may also be used for Raman excitation with lasers that range from $784 \text{ nm}$ to $786 \text{ nm}$ in excitation wavelength.	Each



Code	Product	Unit
NIST-2242	<p><b>Relative Intensity Correction Standard for Raman Spectroscopy</b></p> <p>NIST-2242 is a certified spectroscopic standard for the correction of the relative intensity of Raman spectra obtained with instruments employing 532 nm laser excitation. It consists of an optical glass that emits a broadband luminescence spectrum when excited with 532 nm laser radiation. The relative spectral intensity of the glass luminescence has been determined through the use of a white-light, uniform-source, integrating sphere that has been calibrated for its irradiance at NIST. The shape of the luminescence spectrum of this glass is described by a polynomial expression that relates the relative spectral intensity to the wavenumber (<math>\text{cm}^{-1}</math>) expressed as the Raman shift from the excitation wavelength of 532 nm. This polynomial, together with a measurement of the luminescence spectrum of the standard, can be used to determine the spectral intensity-response correction that is unique to each Raman system. The resulting instrument-intensity-response correction may then be used to obtain Raman spectra that are instrument independent. This Standard Reference Material (SRM<sup>®</sup>) is intended for use in measurements over the range of 20 °C to 25 °C.</p>	Each
NIST-2243	<p><b>Relative Intensity Correction Standard for Raman Spectroscopy</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is a certified spectroscopic standard for the correction of the relative intensity of Raman spectra obtained with instruments employing either 488 nm or 514.5 nm laser excitation. NIST-2243 consists of an optical glass that emits a broadband luminescence spectrum when excited with either of these two laser wavelengths. The relative spectral intensity of the glass luminescence, for each excitation wavelength, has been determined through the use of a white-light, uniform-source, integrating sphere that has been calibrated for its irradiance at NIST. The shape of the luminescence spectrum of this glass is described by a polynomial expression that relates the relative spectral intensity to the wavenumber (<math>\text{cm}^{-1}</math>) expressed as the Raman shift from the excitation laser wavelength. This polynomial, together with a measurement of the luminescence spectrum of the standard, can be used to determine the spectral intensity-response correction that is unique to each Raman system. The resulting instrument-intensity-response correction may then be used to obtain Raman spectra that are instrument independent.</p>	Each
<b>New</b> NIST-2244	<p><b>Relative Intensity Correction Standard for Raman Spectroscopy Using 1064 nm Excitation</b></p> <p>NIST-2244 is a certified spectroscopic standard for the correction of the relative intensity of Raman spectra obtained with instruments employing 785 nm laser excitation. NIST-2244 consists of an optical glass that emits a broadband luminescence spectrum when excited with 785 nm laser radiation. The relative spectral intensity of the glass luminescence has been determined through the use of a white-light, uniform-source, integrating sphere that has been calibrated for its irradiance at NIST. The shape of the luminescence spectrum of this glass is described by a polynomial expression that relates the relative spectral intensity to the wavenumber (<math>\text{cm}^{-1}</math>) expressed as the Raman shift from the excitation wavelength of 785 nm. This polynomial, together with a measurement of the luminescence spectrum of the standard, can be used to determine the spectral intensity-response correction that is unique to each Raman system. The resulting instrument-intensity-response correction may then be used to obtain Raman spectra that are instrument independent.</p>	Each

## Starna optical reference materials

Starna<sup>®</sup> optical reference materials produced by Starna Scientific are available from LGC Standards. Starna Scientific was one of the first reference material producers in the UK to receive accreditation to ISO guide 34. The company has over 30 years experience in the development and production of liquid-filled, heat sealed quartz cells with good long term stability and the optical properties needed to evaluate performance of UV-visible spectrophotometers. The range also includes robust solid glass filter materials for both absorbance and wavelength measurements. These certified reference materials (CRM) for the validation of wavelength accuracy, absorbance accuracy, stray light and resolution in the UV and visible regions, can be used in analytical, clinical and research laboratories. All of the Starna<sup>®</sup> CRMs are traceable to NIST primary standards. Brief descriptions of the types of products available are given below with more detailed product descriptions in the pages that follow.

## Absorbance / transmission

### Potassium dichromate - UV absorbance and linearity

The use of potassium dichromate solvated in perchloric acid is an established and recognised method for the validation of the absorbance scale of UV and visible spectrophotometers. Starna<sup>®</sup> provides sets of certified sealed cells covering absorbance values from 0.2 to 3.0 over the wavelength range from 235nm to 350nm. For the far UV, nicotinic acid is the recognised standard and covers from 210nm to 270nm.

STRM-0204060810	<p>Potassium dichromate - UV absorbance and linearity</p> <p>Set of 6 cells Each set consists of one blank (0.001M perchloric acid) and five concentrations, with nominal values of 20 mg/L, 40 mg/L, 60 mg/L, 80 mg/L, and 100 mg/L.</p>	set
STRM-0204060810-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-02040608	<p>Potassium dichromate - UV absorbance and linearity</p> <p>Set of 5 sets Each set consists of one blank (0.001M perchloric acid) and four concentrations, with nominal values of 20 mg/L, 40 mg/L, 60 mg/L and 80 mg/L.</p>	set
STRM-02040608-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-020406	<p>Potassium dichromate - UV absorbance and linearity</p> <p>Set of 4 cells Each set consists of one blank (0.001M perchloric acid) and three concentrations, with nominal values of 20 mg/L, 40 mg/L and 60 mg/L.</p>	set
STRM-020406-R	Recertification: Potassium dichromate - UV absorbance and linearity	set



## Optical properties

Code	Product	Unit
STRM-0204	Potassium dichromate - UV absorbance and linearity Set of 3 cells Each set consists of one blank (0.001M perchloric acid) and two concentrations, with nominal values of 20 mg/L and 40 mg/L.	set
STRM-0204-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-02	Potassium dichromate - UV absorbance and linearity Set of 2 cells Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 20 mg/L.	set
STRM-02-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-04	Potassium dichromate - UV absorbance and linearity Set of 2 cells Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 40 mg/L.	set
STRM-04-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-06	Potassium dichromate - UV absorbance and linearity Set of 2 cells Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	set
STRM-06-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-08	Potassium dichromate - UV absorbance and linearity Set of 2 cells Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 80 mg/L.	set
STRM-08-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-10	Potassium dichromate - UV absorbance and linearity Set of 2 cells Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 100 mg/L.	set
STRM-10-R	Recertification: Potassium dichromate - UV absorbance and linearity	set
STRM-60	Potassium dichromate - UV absorbance and linearity Set of 2 cells Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 600 mg/L.	set
STRM-60-R	Recertification: Potassium dichromate - UV absorbance and linearity	set

## Neutral density filter - Visible absorbance and linearity

Schott NG-type glasses are used for the validation of the absorbance scale and linearity of spectrophotometers in the visible region. Starna<sup>®</sup> neutral density filters are available in sets covering nominal transmission values from 0.1% to 90%.

STRM-D1D39N	Neutral density filter - Visible absorbance and linearity Set of 3 glass filters and a blank holder Consists of one blank holder and three filters with nominal values of 0.1 %T, 0.3 %T, and 90 %T.	set
STRM-D1D39N-R	Recertification: Neutral density filter - Visible absorbance and linearity	set
STRM-1N2N3N	Neutral density filter - Visible absorbance and linearity Set of 3 glass filters and a blank holder Consists of one blank holder and three filters with nominal values of 10 %T, 20 %T, and 30 %T.	set
STRM-1N2N3N-R	Recertification: Neutral density filter - Visible absorbance and linearity	set
STRM-N1N35N	Neutral density filter - Visible absorbance and linearity Set of 3 glass filters and a blank holder Consists of one blank holder and three filters with nominal values of 1 %T, 3 %T, and 50 %T.	set
STRM-N1N35N-R	Recertification: Neutral density filter - Visible absorbance and linearity	set
STRM-5N	Neutral density filter - Visible absorbance and linearity Set of 1 glass filter and a blank holder Consists of one blank holder and one filter with a nominal value 50 %T.	set
STRM-5N-R	Recertification: Neutral density filter - Visible absorbance and linearity	set

## Far UV Absorbance/transmission

STRM-1A2A3A4A	Nicotinic acid - UV absorbance and linearity Set of 5 cells Each set consists of one blank (0.1M hydrochloric acid) and four increasing concentrations, with nominal values of 6 mg/L, 12 mg/L, 18 mg/L and 24 mg/L.	set
STRM-1A2A3A4A-R	Recertification: Nicotinic acid - UV absorbance and linearity	set

Code	Product	Unit
<b>Wavelength</b>		
	Starna® sealed liquid references are available covering all wavelengths from the far UV to the visible. For the UV and visible, rare earth oxides like holmium oxide, didymium (a mixture of neodymium and praseodymium) and samarium solvated in perchloric acid are well recognised as suitable wavelength references.	
STRM-HL	<p><b>Holmium oxide - UV and visible wavelength</b></p> <p>Description: Holmium oxide (4% m/v) in 10% v/v perchloric acid.  Primary usage: Assessment of wavelength scale accuracy in both UV and visible regions.  Useable range: 240 nm to 650 nm, instruments with spectral bandwidth of less than 3 nm.  Physical configuration: Far UV quartz cells that have been permanently heat sealed.</p> <p>Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.</p>	cell
STRM-HL-R	Recertification: Holmium oxide - UV and visible wavelength	cell
STRM-DL	<p><b>Didymium (neodymium &amp; praseodymium) - UV and visible wavelength</b></p> <p>Description: Didymium (neodymium praseodymium) in perchloric acid.  Primary usage: Assessment of wavelength scale accuracy in both UV and visible regions.  Useable range: 290 nm to 870 nm, instruments with spectral bandwidth of less than 5 nm.  Physical configuration: Far UV quartz cells that have been permanently heat sealed.</p> <p>Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.</p>	cell
STRM-DL-R	Recertification: Didymium (neodymium & praseodymium) - UV and visible wavelength	cell
STRM-SL	<p><b>Samarium - UV and visible wavelength</b></p> <p>Description: Samarium (III) oxide in perchloric acid.  Primary usage: Assessment of wavelength scale accuracy in both UV and visible regions.  Useable range: 230 nm to 560 nm, instruments with spectral bandwidth of less than 5 nm.  Physical configuration: Far UV quartz cells that have been permanently heat sealed.</p> <p>Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.</p>	cell
STRM-SL-R	Recertification: Samarium - UV and visible wavelength	cell
STRM-HG	<p><b>Holmium glass filter - UV and visible wavelength</b></p> <p>Description: Holmium glass filter.  Primary usage: Assessment of wavelength scale accuracy in the UV and visible regions.  Useable range: 270 nm to 640 nm, instruments with spectral bandwidth of less than 10 nm.  Physical configuration: Glass filters 'stress free' mounted in anodised aluminium holder.</p> <p>Consists of one filter, 'stress free' mounted in a proprietary NIST design, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm, and 3.00 nm.</p>	filter
STRM-HG-R	Recertification: Holmium glass filter - UV and visible wavelength	filter
STRM-DG	<p><b>Didymium glass - UV wavelength</b></p> <p>Description: Didymium glass filter.  Primary usage: Assessment of wavelength scale accuracy in the visible/near infrared region.  Useable range: 430 nm to 890 nm, instruments with spectral bandwidth of less than 10 nm.  Physical configuration: Glass filters 'stress free' mounted in anodised aluminium holder.</p> <p>Consists of one filter, "stress free" mounted in a proprietary NIST design, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm, and 3.00 nm.</p>	filter
STRM-DG-R	Recertification: Didymium glass - UV wavelength	filter
<b>Far UV wavelength</b>		
STRM-RE	<p><b>Rare earth - UV and visible wavelength</b></p> <p>Description: Rare earth oxide in dilute sulphuric acid.  Primary Usage: Assessment of wavelength scale accuracy in the UV region.  Useable range: 200nm to 300nm, instruments with spectral bandwidth of less than 5nm.  Physical Configuration: Far UV quartz cells that have been permanently heat sealed.</p> <p>Consists of one sealed cell, with certified peak at spectral bandpass values of 0.1 nm, 0.2 nm, 0.5 nm, 1.0 nm, 1.5 nm, 2.0 nm and 3.0 nm.</p>	cell
STRM-RE-R	Recertification: Rare earth - UV and visible wavelength	cell

## Optical properties

Code	Product	Unit
<b>Stray light</b>		
<b>Inorganic cut-off filters – UV stray light</b>		
<p>This is a subtle source of error in UV and visible spectrophotometry. A variety of materials is available for measuring this parameter at several different wavelengths in the form of inorganic cut-off filters. They are designed with sharp cut-offs in transmissions at specified wavelengths which will enable any stray light to be measured.</p> <p>Description: Materials with sharp cut-offs in transmission at specified wavelengths.</p> <p>Primary usage: Detection of stray light in the UV region.</p> <p>Useable range: 200 nm to 260 nm, depending on the material.</p> <p>Physical configuration: Far UV quartz cells that have been permanently heat sealed.</p>		
STRM-AC	Inorganic cut-off filter (acetone) - UV stray light (cut-off at 326 nm)	set
STRM-AC-R	Recertification: Inorganic cut-off filter - UV stray light (cut-off at 326 nm)	set
STRM-KI	Inorganic cut-off filter (potassium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	set
STRM-KI-R	Recertification: Inorganic cut-off filter - UV stray light (cut-off at 260 nm)	set
STRM-LC	Inorganic cut-off filter (lithium carbonate; saturated aqueous) - UV stray light (cut-off at 227 nm)	set
STRM-LC-R	Recertification: Inorganic cut-off filter - UV stray light (cut-off at 227 nm)	set
STRM-KC	Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm)	set
STRM-KC-R	Recertification: Inorganic cut-off filter - UV stray light (cut-off at 200 nm)	set
STRM-SC	Inorganic cut-off filter (sodium chloride; 1% aqueous) - UV stray light (cut-off at 205 nm)	set
STRM-SC-R	Recertification: Inorganic cut-off filter - UV stray light (cut-off at 205 nm)	set
STRM-SI	Inorganic cut-off filter (sodium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	set
STRM-SI-R	Recertification: Inorganic cut-off filter - UV stray light (cut-off at 260 nm)	set
STRM-SN	Inorganic cut-off filter (sodium nitrite; 5% aqueous) - UV stray light (cut-off at 390 nm)	set
STRM-SN-R	Recertification: Inorganic cut-off filter - UV stray light (cut-off at 390 nm)	set
STRM-AQ	Inorganic cut-off filter (water) - UV stray light (blank)	cell

## Resolution

<p>Accurate absorbance and wavelength measurements can only be achieved if due consideration is given to the resolution of the monochromator in use. In modern instruments with grating monochromators, the resolution relates directly to the slit chosen. The smaller the slit and its associated spectral bandwidth, the greater the resolution. Simple checks on the resolution power of a spectrophotometer with Starna<sup>®</sup> resolution CRMs such as benzene vapour or toluene in hexane will provide useful references. Benzene vapour is used to validate the resolution of instruments with bandpass less than 1nm. Even this material can be supplied heat sealed into a quartz cell. An alternative liquid reference, toluene in hexane, helps users to meet the recommendations of the current European Pharmacopoeia.</p>														
STRM-TX	<p>Toluene in hexane - resolution</p> <p>Description: 0.020% v/v solution of toluene in hexane.</p> <p>Primary usage: Determination of spectral bandwidth in the UV region.</p> <p>Useable range: 265 nm to 270 nm, instruments with a spectral bandwidth of less than 3 nm.</p> <p>Physical configuration: Far UV quartz cells that have been permanently sealed.</p> <p>This formulation is described and used in the European Pharmacopoeia where the ratio of the peak maximum at 269 nm to the minimum at 266 nm gives a measure of the resolution of the instrument.</p> <p>Ratio table:</p> <table border="1"> <tr> <td>SBW (nm):</td> <td>0.5</td> <td>1.0</td> <td>1.5</td> <td>2.0</td> <td>3.0</td> </tr> <tr> <td>Ratio:</td> <td>2.5</td> <td>2.1</td> <td>1.6</td> <td>1.4</td> <td>1.0</td> </tr> </table>	SBW (nm):	0.5	1.0	1.5	2.0	3.0	Ratio:	2.5	2.1	1.6	1.4	1.0	set
SBW (nm):	0.5	1.0	1.5	2.0	3.0									
Ratio:	2.5	2.1	1.6	1.4	1.0									
STRM-TX-R	Recertification: Toluene in hexane - resolution	set												
STRM-BZ	<p>Benzene vapour</p> <p>Description: 0.1 mL benzene in the vapour state.</p> <p>Primary usage: Determination of spectral bandwidth in the UV region.</p> <p>Useable range: 230 nm to 270 nm, instruments with a spectral bandwidth of less than 1 nm.</p> <p>Physical configuration: Far UV quartz cells that have been permanently heat sealed.</p> <p>At spectral bandwidths less than 1 nm, the benzene vapour spectrum provides a useful reference that has characteristic features that may or may not be displayed – dependent upon the current spectrophotometer spectral bandwidth. Benzene vapour will not work well with a photodiode array spectrophotometer as this instrument type does not measure a continuum and the peaks will not be resolved well enough to be useable.</p>	cell												
STRM-BZ-R	Recertification: Benzene vapour	cell												

Code	Product	Unit
<b>Sets</b>		
The certified reference material sets have been assembled to make your verification task easier, and meet specific regulatory requirements.		
In addition, set prices do offer price savings over the purchase of individual certified reference materials.		
STRM-06HL	STRM-06 + STRM-HL	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
STRM-06HL-R	Recertification: STRM-06 + STRM-HL	set
STRM-06DLKI	STRM-06 + STRM-DL + STRM-KI	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-DL Didymium (neodymium & praeosodymium) - UV and visible wavelength Didymium (neodymium praeosodymium) in perchloric acid Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KI Inorganic cut-off filter (potassium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	
STRM-06DLKI-R	Recertification: STRM-06 + STRM-DL + STRM-KI	set
STRM-06HLKI	STRM-06 + STRM-HL + STRM-KI	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KI Inorganic cut-off filter (potassium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	
STRM-06HLKI-R	Recertification: STRM-06 + STRM-HL + STRM-KI	set
STRM-06HLSC	STRM-06 + STRM-HL + STRM-SC	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-SC Inorganic cut-off filter (sodium chloride; 1% aqueous) - UV stray light (cut-off at 205 nm)	
STRM-06HLSC-R	Recertification: STRM-06 + STRM-HL + STRM-SC	set
STRM-06HLKIBZ	STRM-06 + STRM-HL + STRM-KI + STRM-BZ	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KI Inorganic cut-off filter (potassium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	
	STRM-BZ Benzene vapour (0.1 mL benzene in the vapour state)	
STRM-06HLKIBZ-R	Recertification: STRM-06 + STRM-HL + STRM-KI + STRM-BZ	set
STRM-06HLKIIC	STRM-06 + STRM-HL + STRM-KI + STRM-KC	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal values of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KI Inorganic cut-off filter (potassium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	
	STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut off at 200 nm)	
STRM-06HLKIIC-R	Recertification: STRM-06 + STRM-HL + STRM-KI + STRM-KC	set

## Optical properties

Code	Product	Unit
STRM-06KIKCTX	STRM-06 + STRM-KI + STRM-KC + STRM-TX	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-KI Inorganic cut-off filter (potassium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	
	STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm)	
	STRM-TX Toluene in hexane - Resolution (0.020% v/v solution of toluene in hexane)	
STRM-06KIKCTX-R	Recertification: STRM-06 + STRM-KI + STRM-KC + STRM-TX	set
STRM-06HLKITX	STRM-06 + STRM-HL + STRM-KI + STRM-TX	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KI Inorganic cut-off filter (potassium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	
	STRM-TX Toluene in hexane - Resolution (0.020% v/v solution of toluene in hexane)	
STRM-06HLKITX-R	Recertification: STRM-06 + STRM-HL + STRM-KI + STRM-TX	set
STRM-06HLKCBZ	STRM-06 + STRM-HL + STRM-KC + STRM-BZ	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm)	
	STRM-BZ Benzene vapour (0.1 mL benzene in the vapour state)	
STRM-06HLKCBZ-R	Recertification: STRM-06 + STRM-HL + STRM-KC + STRM-BZ	set
STRM-06SLLCBZ	STRM-06 + STRM-SL + STRM-LC + STRM-BZ	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-SL Samarium - UV and visible wavelength (Samarium (III) oxide in perchloric acid) consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-LC Inorganic cut-off filter (lithium carbonate; saturated aqueous) - UV stray light (cut off at 227 nm)	
	STRM-BZ Benzene vapour (0.1 mL benzene in the vapour state)	
STRM-06SLLCBZ-R	Recertification: STRM-06 + STRM-SL + STRM-LC + STRM-BZ	set
STRM-06HLSLKC	STRM-06 + STRM-HL+ STRM-SL + STRM-KC	set
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm,0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-SL Samarium - UV and visible wavelength (Samarium (III) oxide in perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm)	
STRM-06HLSLKC-R	Recertification: STRM-06 + STRM-HL+ STRM-SL + STRM-KC	set
STRM-06HLKCSITX	UV single absorbance instrument spec. kit	set
	Each set consists on STRM-06 + STRM-HL + STRM-KC + STRM-SI + STRM-TX	
	STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L.	
	STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm,0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm.	
	STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm)	
	STRM-SI Inorganic cut-off filter (sodium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm)	
	STRM-TX Toluene in hexane - Resolution (0.020% v/v solution of toluene in hexane)	
STRM-06HLKCSITX-R	Recertification: UV single absorbance instrument spec. kit	set

Code	Product	Unit
STRM-0660HLKCSITX	UV and visible instrument spec. kit Each set consists on STRM-06 + STRM-60 + STRM-HL + STRM-KC + STRM-SI + STRM-TX STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L. STRM-60 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 600 mg/L STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm. STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm) STRM-SI Inorganic cut-off filters (sodium iodide; 1% aqueous) - UV stray light (cut-off at 260 nm) STRM-TX Toluene in hexane - Resolution (0.020% v/v solution of toluene in hexane)	set
STRM-0660HLKCSITX-R	Recertification: UV and visible instrument spec. kit	set
STRM-06HLKCTX	Pharmacopoeia kit Each set consists on STRM-06 + STRM-HL + STRM-KC + STRM-TX STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L. STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm. STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm) STRM-TX Toluene in hexane - Resolution (0.020% v/v solution of toluene in hexane)	set
STRM-06HLKCTX-R	Recertification: Pharmacopoeia kit	set
STRM-0660HLKCTX/R/UG	Upgrade/recert. of pharmacopoeia kit (STRM-06HLKCTX) to E.P. 5.2 In version 5.2 of the Euro. Pharm., in section 2.2.25, they added an additional Absorbance verification using a 600 mg/l solution of potassium dichromate at 430 nm. The upgrade price adds this 600 mg/L reference to the existing Euro. Pharm. set, and re-certifies all the existing materials.	set
STRM-0660HLKCTXE.P. 5.2	Pharmacopoeia kit Each set consists of STRM-06 + STRM-60 + STRM-HL + STRM-KC + STRM-TX STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L. STRM-60 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 600 mg/L STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm. STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm) STRM-TX Toluene in hexane - Resolution (0.020% v/v solution of toluene in hexane)	set
STRM-0660HLKCTX-R	Recertification: E.P. 5.2 Pharmacopoeia kit	set
STRM-1A2A3A4ARE	Far UV combination kit Each set consists on STRM-1A2A3A4A + STRM-RE	set
STRM-1A2A3A4ARE-R	Recertification: Far UV combination kit	set
STRM-020610HLKCTX	Single Box 3-point linearity full spec. kit ( 9 cells ) Each set consists on STRM-02 + STRM-06 + STRM-10 + STRM-HL + STRM-KC + STRM-TX STRM-02 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 20 mg/L. STRM-06 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal value of 60 mg/L. STRM-10 Potassium dichromate - UV absorbance and linearity Set of 2 cells: Each set consists of one blank (0.001M perchloric acid) and a solution with a nominal values of 100 mg/L. STRM-HL Holmium oxide - UV and visible wavelength (Holmium oxide (4% m/v) in 10% v/v perchloric acid) Consists of one sealed cell, with certified peak at spectral bandwidth values of 0.10 nm, 0.25 nm, 0.50 nm, 1.00 nm, 1.50 nm, 2.00 nm and 3.00 nm. STRM-KC Inorganic cut-off filter (potassium chloride; 1.2% aqueous) - UV stray light (cut-off at 200 nm) STRM-TX Toluene in hexane - Resolution (0.020% v/v solution of toluene in hexane)	set



## Optical properties

Code	Product	Unit
STRM-020610HLKCTX-R	Recertification: Single Box 3-point linearity full spec. kit (9 cells)	set

## NIR

STRM-RM-NIR	Certified NIR wavelength reference for transmittance measurements	cuV.
	Liquid reference material, permanently heat-fused sealed in a high quality far-uv quartz cuvette. Configuration Transmittance: 10 mm optical path length, both linear path optical window clear, opposed sides "grey" Certification: Complete with certificate of wavelength values and associated expanded uncertainty, for 13 assigned peak values in the range 950 - 2550 nm.	
STRM-RM-NIR/T	Certified NIR wavelength reference for transmittance and trans-flectance measurements	cuV.
	Liquid reference material, permanently heat-fused sealed in a high quality far-uv quartz cuvette. Configuration Transmittance/Trans-flectance: 5 mm or 10 mm optical path length, depending on orientation, In 5 mm configuration, rear window mirror coated to provide reflectance optical return - so path length effectively 2 x 4 = 10 mm Certification: Complete with certificate of wavelength values and associated expanded uncertainty, for 13 assigned peak values in the range 950 - 2550 nm.	

## Reference material for nucleic acid analysis

<b>New</b> STDNACON260280	Wavelength accuracy in critical nucleic acid measurements - 260/280 nm measurement ratio	cell
	This control material has been specifically designed to assure the wavelength accuracy in critical nucleic acid measurements. DNACON260/280 which suffers from none of the inherent stability problems associated with DNA has been created for use as a new reliable NIST traceable Quality Control Standard by clinical and bioscience laboratories analysing and evaluating the purity of a range of nucleic acids such as DNA, RNA, RNAi and ssDNA. It consists of a Far UV quartz cell which has been permanently sealed by heat fusion. It contains a solution of Starna DNACON 260/280, which has been designed to give a spectrophotometric 260/280 nm measurement ratio similar to that achieved when measuring pure DNA. This standard is produced in an ISO 17025 and ISO Guide 34 accredited environment, meeting the highest available regulatory standards.	

## Refractive index

<b>New</b> ERM-BD011	Orange juice	3 mL
	This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 1.26      Refractive index..... 1.3348	
<b>New</b> ERM-BD012	Orange juice	3 mL
	This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 12.72      Refractive index..... 1.3521	
<b>New</b> ERM-BD013	Orange juice	3 mL
	This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 22.07      Refractive index..... 1.3673	
<b>New</b> ERM-BD014	Orange juice	3 mL
	This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 55.55      Refractive index..... 1.4320	
<b>New</b> ERM-BD015	Orange juice	3 mL
	This certified reference material is intended for use in the development, validation or quality control of analytical methods for the determination of degrees Brix or Refractive Index of sugar solutions and food extracts. Certified values Degrees Brix ..... 64.73      Refractive index..... 1.4529	
NIST-1822a	Refractive index standard	plate
	Certified values	
	Vacuum Wavelength (nm)	Refractive Index (n) at 22 °C
	480.1254 .....	1.526132 ± 0.000016
	501.7077 .....	1.524468 ± 0.000016
	508.7240 .....	1.523971 ± 0.000016
	Vacuum Wavelength (nm)	Refractive Index (n) at 22 °C
	546.2260 .....	1.521629 ± 0.000016
	587.7254 .....	1.519535 ± 0.000016
	644.0250 .....	1.517277 ± 0.000016



Code	Product	Unit
NIST-1922	Liquid refractive index - Mineral oil Intended for use as a calibration material for refractometers, especially for the refractive index range applicable to solutions of sugar and water. Certified values are given for refractive indices at 6 wavelengths, in the visible light range, at 20°C and for the change in refractive index with respect to temperature.	30 mL
	PRG 7.21 - PRG 7.8 This group of liquid reference materials, produced by LGC Standards and certified by the Laboratory of Refractometry and Polarimetry of the Central Office of Measures (GUM), Warsaw, covers the wide range of refractive index from 1.333 (water) to 1.657 (1-Bromonaphthalene). The <i>n</i> values were determined on a Pulfrich refractometer, previously calibrated with solid Class 1 CRMs, for which values were established using goniometric procedures. All reference materials are supplied with a certificate. Certified values to 5 significant figures for the refractive index at $\lambda = 589.3$ nm, $t = 20^\circ\text{C}$ and associated uncertainties are given. Reference liquids are packed in glass ampoules (7.1, 7.2, 7.5, 7.6, 7.8) or plastic drop-bottles (7.11, 7.12, 7.20, 7.21).	
PRG 7.21	Water Refractive index.....1.333 at 20 °C	10 mL
PRG 7.1	2,2,4-Trimethylpentane Refractive index.....1.391 at 20 °C	10 mL
PRG 7.11	Methylsilicone oil Refractive index.....1.405 at 20 °C	10 mL
PRG 7.2	Methylcyclohexane Refractive index.....1.423 at 20 °C	10 mL
PRG 7.12	Silicone oil DC 556 Refractive index.....1.462 at 20 °C	10 mL
PRG 7.20	Paraffin oil Refractive index.....1.475 at 20 °C	10 mL
PRG 7.5	Toluene Refractive index.....1.496 at 20 °C	10 mL
PRG 7.6	Chlorobenzene Refractive index.....1.524 at 20 °C	10 mL
PRG 7.8	1-Bromonaphthalene Refractive index.....1.657 at 20 °C	10 mL
RPC18061	Refractive index liquids Refractive index range: 1.400-1.458 (interval 0.002)	30 x 7 mL
RPC18062	Refractive index liquids Refractive index range: 1.400-1.458 (interval 0.004)	15 x 7 mL
RPC18065	Refractive index liquids Refractive index range: 1.400-1.458 (interval 0.01)	6 x 7 mL
RPC1806X	Refractive index liquid Any individual standard* Refractive index range: 1.400-1.458 (interval 0.002)	7 mL
RPC1806Y	Refractive index liquid Any individual standard Refractive index range: 1.400-1.458 (interval 0.002)	30 mL
RPC18091	Refractive index liquids Refractive index range: 1.460-1.640 (interval 0.002)	91 x 7 mL
RPC18092	Refractive index liquids Refractive index range: 1.460-1.640 (interval 0.004)	46 x 7 mL
RPC18095	Refractive index liquids Refractive index range: 1.460-1.640 (interval 0.01)	19 x 7 mL
RPC1809X	Refractive index liquid Any individual standard* Refractive index range: 1.460-1.640 (interval 0.002)	7 mL
RPC1809Y	Refractive index liquid Any individual standard* Refractive index range: 1.460-1.640 (interval 0.002)	30 mL

## Optical properties

Code	Product	Unit
RPC18121	Refractive index liquids Refractive index range: 1.642-1.700 (interval 0.002)	30 x 7 mL
RPC18122	Refractive index liquids Refractive index range: 1.642-1.700 (interval 0.004)	15 x 7 mL
RPC18125	Refractive index liquids Refractive index range: 1.642-1.700 (interval 0.01)	6 x 7 mL
RPC1812X	Refractive index liquids Any individual standard* Refractive index range: 1.642-1.700 (interval 0.002)	7 mL
RPC1812Y	Refractive index liquid Any individual standard* Refractive index range: 1.642-1.700 (interval 0.002)	30 mL

\*For individual standards please state in brackets after the catalogue number the refractive index required.

Please enquire at your local office about Brix liquid standards and Master Calibration standards.

## Optical rotation

<b>New</b> NIST-17F	Sucrose - Optical rotation Intended for use as a saccharimetry standard in calibrating polarimetric systems. Certified purity.....99.956 ± 0.004 % Reference values are given for optical rotation, °Z at 546.2271 nm and specific rotation at 589.4400 nm.	60 g
GUM 8.1	Sucrose (Saccharose) Certified values Optical rotation at 20 °C 546 nm.....78.34 °      589 nm ..... 66.52 °	100 g

## Optical fibres

NIST-2520	Optical fibre diameter standard - Diameter Intended for calibrating video microscopes or gray-scale systems used for fibre geometry measurements. The material consists of bare fibre in aluminium housing. Each sample is individually calibrated.	unit
NIST-2522	Pin Guage for Optical Fibre Ferrul This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use in calibrating instruments which measure small diameter artifacts such as pin gages, used for optical fibre ferrule hole calibration. Each SRM is individually certified and consists of a 60 mm long steel wire.	Each
NIST-2523	Optical Fibre Ferrule Geometry This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for use in calibrating instruments which measure small diameter artifacts such as optical fibre ferrules. Each SRM is individually certified and consists of a single ceramic optical fibre ferrule.	Each

## Colour measurement

BCR-400	Red ceramic tile (Tomato paste colour) 100 mm x 100 mm A ceramic tile the colour of which is defined by Hunter L, a and b values. Each tile is individually certified. The tile is intended for the purpose of calibration and does not represent a standard tomato paste colour.	unit
BCR-406A	A reference for colorimeters and spectrophotometers measuring colour in reflection. The spectral reflectance is certified at 13 wavelengths between 400 nm and 1200 nm with a value higher than 93% between 450 nm and 800 nm. The specimens are circular plates 14 mm thick. One size available: 50mmD. One side is polished, and the other is mat.	
BCR-406A	Opal glass 50 mmD x 14 mm thick	disc

## Photography

NIST-1010a	Microcopy resolution test chart Intended to be used to determine the resolving power of microcopy systems in the photographic industry. Designed to meet the general requirements for ISO test chart No. 2 as described in ISO 3334: 1989.	set
NIST-5001	Two-Dimensional Grid Photomask Standard This Standard Reference Material (SRM <sup>®</sup> ) is intended primarily for calibrating high accuracy two dimensional (X-Y) photomask/reticle registration metrology tools such as the IPRO, the IPRO II and the Leica 2020 as well as older tools such as the Nikon 5i.	Each

Code	Product	Unit
<b>Microscopy</b>		
NIST-2800	<p>Microscope magnification standard</p> <p>This Standard Reference Material® (SRM®) is intended primarily for use in calibrating the magnification or scale of microscopes used to make dimensional measurements. These microscopes include optical and scanning electron microscopes, imaging in either transmission or reflection modes, and scanning probe microscopes. NIST-2800 consists of a pattern of parallel lines whose nominal distances from the centerline range from ± 1 µm to ± 5 mm. Certified values are given for the centre-to-centre distance of each line from the centreline; the linewidths are not certified. The pattern is printed in chrome on a fused-quartz substrate with nominal dimensions of 25 mm × 75 mm × 2.3 mm (1 in × 3 in × 0.09 in) using photomask production techniques.</p>	Each

## Ion activity

### pH calibration

Code	Product	Unit																																																																								
NIST-185h	<p>Potassium hydrogen phthalate</p> <p>This Standard Reference Material (SRM) is intended for use in preparing solutions for calibrating electrodes for pH measuring systems.</p> <p>Certified value</p> <p>pH (25 °C)..... 4.003</p> <p>Certified values of the pH at other temperatures are given in the CoA.</p>	60 g																																																																								
NIST-186g	<p>pH Standards</p> <p>Potassium dihydrogen phosphate (186-I-g)</p> <p>Disodium hydrogen phosphate (186-II-g)</p> <p>NIST-186g is intended for use in preparing solutions for calibrating electrodes for pH measuring systems. NIST-186 g consists of two components, each prepared to ensure high purity and uniformity: KH<sub>2</sub>PO<sub>4</sub>, potassium dihydrogen phosphate (186-I-g) and Na<sub>2</sub>HPO<sub>4</sub>, disodium hydrogen phosphate (186-II-g). A unit of NIST-186g consists of 30 g of potassium dihydrogen phosphate (186-I-g) and 45 g of disodium hydrogen phosphate (186-II-g), each contained in its respective clear glass bottle.</p>	set																																																																								
<b>New</b> NIST-189C	<p>Potassium tetroxalate dihydrate pH buffer</p> <p>This Standard Reference Material (SRM) is intended for use in preparing solutions for calibrating electrodes for pH measuring systems.</p> <p>Certified value</p> <table border="1"> <thead> <tr> <th>Temperature (°C)</th> <th>pH(S)</th> <th>Temperature (°C)</th> <th>pH(S)</th> <th>Temperature (°C)</th> <th>pH(S)</th> </tr> </thead> <tbody> <tr> <td>5.....</td> <td>1.666</td> <td>25.....</td> <td>1.677</td> <td>45.....</td> <td>1.700</td> </tr> <tr> <td>10.....</td> <td>1.667</td> <td>30.....</td> <td>1.682</td> <td>50.....</td> <td>1.707</td> </tr> <tr> <td>15.....</td> <td>1.669</td> <td>37.....</td> <td>1.690</td> <td></td> <td></td> </tr> <tr> <td>20.....</td> <td>1.672</td> <td>40.....</td> <td>1.694</td> <td></td> <td></td> </tr> </tbody> </table>	Temperature (°C)	pH(S)	Temperature (°C)	pH(S)	Temperature (°C)	pH(S)	5.....	1.666	25.....	1.677	45.....	1.700	10.....	1.667	30.....	1.682	50.....	1.707	15.....	1.669	37.....	1.690			20.....	1.672	40.....	1.694			65 g																																										
Temperature (°C)	pH(S)	Temperature (°C)	pH(S)	Temperature (°C)	pH(S)																																																																					
5.....	1.666	25.....	1.677	45.....	1.700																																																																					
10.....	1.667	30.....	1.682	50.....	1.707																																																																					
15.....	1.669	37.....	1.690																																																																							
20.....	1.672	40.....	1.694																																																																							
NIST-187e	<p>Sodium tetraborate decahydrate (Borax)</p> <p>This Standard Reference Material (SRM) is intended for use in preparing solutions for calibrating electrodes for pH measuring systems.</p>	30 g																																																																								
NIST-2193a	<p>Calcium carbonate pH standard</p> <p>This Standard Reference Material® (SRM®) is intended for use in preparing solutions for calibrating electrodes for pH measuring systems at pH values above 11.0. This lot of calcium carbonate (CaCO<sub>3</sub>) was selected for its low level of alkali metal impurities. However, this SRM® is certified ONLY as a pH standard, NOT as a pure substance. Before use for pH calibrations, a freshly filtered, saturated (at 25 °C) solution of Ca(OH)<sub>2</sub> must be prepared from NIST-2193a. The certified pH(S) and U of this solution as a function of temperature are given below.</p> <table border="1"> <thead> <tr> <th>t/°C</th> <th>pH(S)</th> <th>uc(measurement)</th> <th>uc(y)</th> <th>k</th> <th>U</th> </tr> </thead> <tbody> <tr> <td>5.....</td> <td>13.232</td> <td>0.0030</td> <td>0.0058</td> <td>2.0</td> <td>0.011</td> </tr> <tr> <td>10.....</td> <td>13.026</td> <td>0.0025</td> <td>0.0056</td> <td>2.0</td> <td>0.011</td> </tr> <tr> <td>15.....</td> <td>12.830</td> <td>0.0025</td> <td>0.0056</td> <td>2.0</td> <td>0.011</td> </tr> <tr> <td>20.....</td> <td>12.645</td> <td>0.0024</td> <td>0.0056</td> <td>2.0</td> <td>0.011</td> </tr> <tr> <td>25.....</td> <td>12.469</td> <td>0.0024</td> <td>0.0055</td> <td>2.0</td> <td>0.011</td> </tr> <tr> <td>30.....</td> <td>12.303</td> <td>0.0071</td> <td>0.0087</td> <td>2.0</td> <td>0.017</td> </tr> <tr> <td>35.....</td> <td>12.145</td> <td>0.0071</td> <td>0.0087</td> <td>2.0</td> <td>0.017</td> </tr> <tr> <td>37.....</td> <td>12.084</td> <td>0.0071</td> <td>0.0087</td> <td>2.0</td> <td>0.017</td> </tr> <tr> <td>40.....</td> <td>11.995</td> <td>0.0071</td> <td>0.0087</td> <td>2.0</td> <td>0.017</td> </tr> <tr> <td>45.....</td> <td>11.853</td> <td>0.0072</td> <td>0.0087</td> <td>2.0</td> <td>0.017</td> </tr> <tr> <td>50.....</td> <td>11.717</td> <td>0.0074</td> <td>0.0089</td> <td>2.0</td> <td>0.017</td> </tr> </tbody> </table>	t/°C	pH(S)	uc(measurement)	uc(y)	k	U	5.....	13.232	0.0030	0.0058	2.0	0.011	10.....	13.026	0.0025	0.0056	2.0	0.011	15.....	12.830	0.0025	0.0056	2.0	0.011	20.....	12.645	0.0024	0.0056	2.0	0.011	25.....	12.469	0.0024	0.0055	2.0	0.011	30.....	12.303	0.0071	0.0087	2.0	0.017	35.....	12.145	0.0071	0.0087	2.0	0.017	37.....	12.084	0.0071	0.0087	2.0	0.017	40.....	11.995	0.0071	0.0087	2.0	0.017	45.....	11.853	0.0072	0.0087	2.0	0.017	50.....	11.717	0.0074	0.0089	2.0	0.017	30 g
t/°C	pH(S)	uc(measurement)	uc(y)	k	U																																																																					
5.....	13.232	0.0030	0.0058	2.0	0.011																																																																					
10.....	13.026	0.0025	0.0056	2.0	0.011																																																																					
15.....	12.830	0.0025	0.0056	2.0	0.011																																																																					
20.....	12.645	0.0024	0.0056	2.0	0.011																																																																					
25.....	12.469	0.0024	0.0055	2.0	0.011																																																																					
30.....	12.303	0.0071	0.0087	2.0	0.017																																																																					
35.....	12.145	0.0071	0.0087	2.0	0.017																																																																					
37.....	12.084	0.0071	0.0087	2.0	0.017																																																																					
40.....	11.995	0.0071	0.0087	2.0	0.017																																																																					
45.....	11.853	0.0072	0.0087	2.0	0.017																																																																					
50.....	11.717	0.0074	0.0089	2.0	0.017																																																																					
NIST-188	<p>Potassium hydrogen tartrate</p> <p>Certified value</p> <p>pH (25 °C)..... 3.557</p> <p>Other certified values of pH at different temperatures are given in the CoA.</p>	60 g																																																																								

## Ion activity

Code	Product	Unit
<b>New</b> NIST-191D	<p>pH Standard</p> <p>This Standard Reference Material® (SRM®) is intended for use in preparing solutions for calibrating electrodes for pH measuring systems. NIST-191d consists of two components, each prepared to ensure high purity and uniformity: sodium bicarbonate, NaHCO<sub>3</sub> (191d-I); and sodium carbonate, Na<sub>2</sub>CO<sub>3</sub> (191d-II). A unit of NIST-191d consists of 25 g of sodium bicarbonate (191d-I) and 30 g of sodium carbonate (191d-II), each contained in its respective clear glass bottle.</p> <p>Certified value</p> <p>pH (25 °C)..... 10.014</p> <p>Certified values of pH at 10 °C, 15 °C, 20 °C and 35 °C are given in the CoA.</p>	set (2)
NIST-RM 8040	<p>Sodium oxalate - Reductometric</p> <p>This Reference Material (RM) was prepared to provide material of uniform, high purity for use as a working standard for oxidation-reduction reactions.</p> <p>Reference value</p> <p>Reductometric assay (mass fraction) .....99.951 % ± 0.038 %</p>	60 g

## Biological buffer systems

<p>NIST-2181 - NIST-2184</p> <p>These materials are intended for use in preparing a standard solution for calibrating clinical instruments (e.g. blood pH measurements), in the physiologically important range of pH 7-8. They are based on a biological buffer system for clinical pH measurements and are certified for use as an admixture only. The pH values for the buffer solutions are certified at 0.05 and 0.08 M with respect to the free acid and the sodium salt admixture as a function of temperature. The certified temperature range is from 0-50 °C.</p>		
<p>NIST-2181 - NIST-2184</p> <p>Both materials are required to prepare a standard solution.</p>		
NIST-2181	<p>HEPES free acid</p> <p>Certified values</p> <p><u>0.05M</u></p> <p>pH (0-50 °C)..... 7.832-7.216</p> <p><u>0.08M</u></p> <p>pH (0-50 °C)..... 7.853-7.222</p>	60 g
NIST-2182	<p>HEPES Sodium Salt</p> <p>Certified values</p> <p><u>0.05M</u></p> <p>pH (0-50 °C)..... 7.832-7.216</p> <p><u>0.08M</u></p> <p>pH (0-50 °C)..... 7.853-7.222</p>	60 g
<p>NIST-2183 and NIST-2184</p> <p>Both materials are required to prepare a standard solution.</p>		
NIST-2183	<p>MOPSO free acid</p> <p>Certified values</p> <p><u>0.05M</u></p> <p>pH (0-50 °C)..... 7.260-6.528</p> <p><u>0.08M</u></p> <p>pH (0-50 °C)..... 7.268-6.528</p>	50 g
NIST-2184	<p>NaMOPSOate</p> <p>Certified values</p> <p><u>0.05M</u></p> <p>pH (0-50 °C)..... 7.260-6.528</p> <p><u>0.08M</u></p> <p>pH (0-50 °C)..... 7.268-6.524</p>	50 g

## pD calibration

NIST-2185	<p>Potassium hydrogen phthalate</p> <p>Certified value</p> <p>pD (25 °C)..... 4.518</p>	60 g
<b>New</b> NIST-2186II	<p>Disodium Hydrogen Phosphate</p> <p>Required to prepare a standard solution.</p> <p>Certified value</p> <p>pD (25 °C)..... 7.428</p> <p>Other certified values at different temperatures are given in the CoA.</p>	30 g

Code	Product	Unit
NIST-2191A	Sodium bicarbonate Required to prepare a standard solution. Certified value pD (25 °C)..... 10.73 Other certified values at different temperatures are given in the CoA.	30 g
NIST-2192A	Sodium carbonate Required to prepare a standard solution. Certified value pD (25 °C)..... 10.732 Other certified values at different temperatures are given in the CoA.	30 g

### Ion-selective electrode calibration

NIST-2201	Sodium chloride Certified values for activity coefficients, at 25°C, of the sodium and chloride ions at various concentrations and the related values of pNa and pCl.	125 g
NIST-2202	Potassium chloride Certified values for activity coefficients, at 25°C, of the potassium and chloride ions at various concentrations and the related values of pK and pCl.	160 g
NIST-2203	Potassium fluoride Certified values for activity coefficients, at 25°C, of the potassium and fluoride ions at various concentrations and the related value of pF.	125 g

### Electrolytic conductivity

<b>New</b> NIST-3198	KCl in n-propanol/de-ionised water Certified value Electrolytic conductivity (25 °C) ..... 5.31 µS/cm	500 mL
<b>New</b> NIST-3190	HCl in de-ionised water Certified value Electrolytic conductivity (25 °C) ..... 25.32 µS/cm	500 mL
<b>New</b> NIST-3191	KCl in de-ionised water Certified value Electrolytic conductivity (25 °C) ..... 98.64 µS/cm	500 mL
NIST-3193	KCl in de-ionised water Certified value Electrolytic conductivity (25°C) ..... 996.70 µS/cm	8 x 50 mL
<p>GUM 5.1 - GUM 5.6</p> <p>These Reference Materials have been certified by the Physical Chemistry Division of the Central Office of Measures in Poland. They are intended for calibration of conductivity cells or use in electrolytic conductivity measurement as a control sample. These RMs are certified in conformity with standard reference data published by the International Organisation of Legal Metrology (OIML). All Reference Materials are supplied with a certificate.</p>		
GUM 5.1	KCl solution Certified value Electrolytic conductivity..... 11.13 S/m at 25 °C	100 mL
GUM 5.2	KCl Solution Certified value Electrolytic conductivity..... 1.285 S/m at 25 °C	100 mL
GUM 5.3	KCl solution Certified value Electrolytic conductivity..... 0.1410 S/m at 25 °C	100 mL
GUM 5.4	KCl solution Certified value Electrolytic conductivity..... 0.01483 S/m at 25 °C	100 mL
GUM 5.5	KCl solution Certified value Electrolytic conductivity..... 0.0720 S/m 25 °C	100 mL
GUM 5.6	KCl solution Certified value Electrolytic conductivity..... 0.0293 S/m at 25 °C	100 mL

## Ion activity

Code	Product	Unit
<b>Reagecon electrolytic conductivity standards</b>		
<b>Standard values</b>		
REACSKC84	Conductivity standard 84 uS/cm Electrolytic conductivity..... 84 µS/cm at 25°C	500 mL
REACSKCS	Conductivity standard 147 uS/cm Electrolytic conductivity..... 147 µS/cm at 25°C	500 mL
REACSKCL	Conductivity standard 1413 Microsiemens/cm 25°C Electrolytic conductivity..... 1413 µS/cm at 25°C	500 mL
REACSKC12880	Conductivity standard Electrolytic conductivity..... 12880 µS/cm at 25°C	500 mL
REACSKC13	Conductivity standard 1.3 uS/cm Electrolytic conductivity..... 1.30 µS/cm at 25°C	250 mL
REACSKC136	Conductivity standard Electrolytic conductivity..... 1.30 µS/cm at 25°C	6 x 250 mL
REACSKC5	Conductivity standard Electrolytic conductivity..... 5 µS/cm at 25°C	500 mL
REACSKC10	Conductivity standard Electrolytic conductivity..... 10 µS/cm at 25°C	500 mL
REACSKC20	Conductivity standard 20 Microsiemens/cm 25°C Electrolytic conductivity..... 20 µS/cm at 25°C	500 mL
REACSKC50	Conductivity standard Electrolytic conductivity..... 50 µS/cm at 25°C	500 mL
REACSKC100	Conductivity standard Electrolytic conductivity..... 100 µS/cm at 25°C	500 mL
REACSKC200	Conductivity standard Electrolytic conductivity..... 200 µS/cm at 25°C	500 mL
REACSKC500	Conductivity standard 500 µS/cm at 25°C Electrolytic conductivity..... 500 µS/cm at 25°C	500 mL
REACSKC1000	Conductivity standard 1000 µS/cm at 25°C Electrolytic conductivity..... 1000 µS/cm at 25°C	500 mL
REACSKC5M	Conductivity standard 5000 uS/cm Electrolytic conductivity..... 5000 µS/cm at 25°C	500 mL
REACSKC10M	Conductivity standard Electrolytic conductivity..... 10000 µS/cm at 25°C	500 mL
REACSKC20M	Conductivity standard Electrolytic conductivity..... 20000 µS/cm at 25°C	500 mL
REACSKC50M	Conductivity standard Electrolytic conductivity..... 50000 µS/cm at 25°C	500 mL
REACSKC100M	Conductivity standard Electrolytic conductivity..... 100000 µS/cm at 25°C	500 mL
REACSKC150M	Conductivity standard Electrolytic conductivity..... 150000 µS/cm at 25°C	500 mL
REACSKC200M	Conductivity standard Electrolytic conductivity..... 200000 µS/cm at 25°C	500 mL
REACSKC300M	Conductivity standard Electrolytic conductivity..... 300000 µS/cm at 25°C	500 mL
REACSKC350M	Conductivity standard Electrolytic conductivity..... 350.000 µS/cm at 25°C	500 mL
REACSKC450M	Conductivity standard Electrolytic conductivity..... 450000 µS/cm at 25°C	500 mL
REACSKC500M	Conductivity standard Electrolytic conductivity..... 500000 µS/cm at 25°C	500 mL

Code	Product	Unit
<b>Conductivity standards according to the European Pharmacopoeia (Chapter 2)</b>		
REAEP1330	Conductivity standard Electrolytic conductivity..... 1330 $\mu\text{S}/\text{cm}$ at 20°C Resistivity..... 752 $\Omega\text{-cm}$	500 mL
REAEP133	Conductivity standard Electrolytic conductivity..... 133 $\mu\text{S}/\text{cm}$ at 20°C Resistivity..... 7519 $\Omega\text{-cm}$	500 mL
REAEP266	Conductivity standard 26.6 $\mu\text{S}/\text{cm}$ at 20°C Electrolytic conductivity..... 26.6 $\mu\text{S}/\text{cm}$ at 20°C Resistivity..... 37594 $\Omega\text{-cm}$	500 mL

## Electrical properties

### Electrical resistivity and conductivity

Code	Product	Unit
NIST-624	Lead-silica - dc Resistivity Intended for checking test methods and for calibrating equipment used to determine the dc volume resistivity of glass per ASTM C 657. Certified value: Resistivity            Temperature $\log_{10}\rho$ 11.07 $\Omega\text{-cm}$ ..... 250°C $\log_{10}\rho$ 9.9 $\Omega\text{-cm}$ ..... 300°C $\log_{10}\rho$ 8.88 $\Omega\text{-cm}$ ..... 350°C	200 g
NIST-2541 - NIST-2547 Single wafers intended for use as reference standards for sheet resistance and resistivity measurements utilising the four-point probe method.		
NIST-2541	Silicon chip - Resistivity 100 mm (D) x 0.625 mm Czochralski-grown, boron-doped silicon wafer with (100) crystallographic orientation. Certified value Resistivity..... 0.1 $\Omega\text{-cm}$	unit
NIST-2546	Silicon chip - Resistivity 100 mm (D) x 0.625 mm Float zone silicon with (111) orientation and phosphorus-doped by the neutron transmutation doping process. Certified value Resistivity..... 100 $\Omega\text{-cm}$	unit
NIST-RM 8420	Electrolytic iron rod 0.64 cm (D) x 5.0 cm Thermal conductivity and electrical resistivity as a function of temperature (2-1000 K)	rod

### Superconducting critical current

NIST-1457	Niobium-titanium wire - Critical current 8.7 cm diameter spool Intended for checking the performance of measurement systems used in superconductor technology. It consists of 2.2 m of a multifilamentary niobium titanium, copper-stabilised superconducting wire wound in a single layer onto a spool with a core diameter of 8.7 cm. Certified values for critical current at 4.2 k and 0.2 $\mu\text{V}/\text{cm}$	Each
-----------	---	------

### Dielectric constant

NIST-774	Lead-silica - Dielectric constant 5 cm x 5 cm x 2.5 cm Intended for checking methods used to determine dielectric constant and ac loss characteristics of insulating materials per ASTM D 150. Certified value: K ~7.47 at 100 Hz	Each
----------	--	------



# Viscosity

## Viscosity of glass

Code	Product	Unit
	NIST-717A Intended for checking the performance of high temperature viscosity equipment (rotating cylinders) and low temperature viscosity equipment (fibre elongation, beam bending, parallel plates, etc).	
NIST-717a	Borosilicate Certified log <sub>10</sub> viscosity values (1.00-4.50) versus temperature (1555-880 °C) Indicative values for softening point, annealing point, strain point	450 g

## Viscosity fixpoints

	NIST-709 - NIST-717A Intended for calibration of equipment for the determination of the softening, annealing and strain points of glass.	
NIST-709	Extra dense lead Certified values Softening point..... 384 °C      Annealing point.....328 °C      Strain point..... 311 °C	500 g
NIST-714	Alkaline earth alumina silicate Certified values Softening point..... 908 °C      Annealing point.....710 °C      Strain point..... 662 °C	225 g
NIST-717a	Borosilicate Certified log <sub>10</sub> viscosity values (1.00-4.50) versus temperature (1555-880 °C) Indicative values for softening point, annealing point, strain point	450 g

## Viscosity oil standards

	PSL2700V01 - PSL2700V19 These standards are calibrated by the PSL Calibration ISO 17025 Accredited Laboratory. The standards will be supplied complete with UKAS calibration certificates and have direct traceability to NIST and other international laboratories. Uncertainties of measurement are stated on the calibration certificates. Long shelf lives are provided by using stable base oils. The viscosity oil standards are suitable for the calibration and verification of the following: <ul style="list-style-type: none"> <li>• Glass Capillary viscometers</li> <li>• Automated Kinematic Viscometer Systems</li> <li>• Rotational/Cone &amp; Plate Viscometers</li> <li>• Low Temperature Viscometer Systems</li> <li>• Cold Cranking Simulators</li> <li>• Flow Cups</li> </ul>	
PSL2700V01	N4 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 0.47 mm <sup>2</sup> /s,cSt (20 °C)      0.45 mm <sup>2</sup> /s,cSt (25 °C)      0.40 mm <sup>2</sup> /s,cSt (40 °C) <u>Dynamic viscosity (nominal)</u> 0.31 mPa.s,cP (20 °C)      0.29 mPa.s,cP (25 °C)      0.26 mPa.s,cP (40 °C)	500 mL
PSL2700V02	N8 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 1. mm <sup>2</sup> /s,cSt (20 °C)      0.89 mm <sup>2</sup> /s,cSt (25 °C)      0.75 mm <sup>2</sup> /s,cSt (40 °C) <u>Dynamic viscosity (nominal)</u> 0.77 mPa.s,cP (20 °C)      0.72 mPa.s,cP (25 °C)      0.56 mPa.s,cP (40 °C)	500 mL
PSL2700V03	N1.0 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 1.3 mm <sup>2</sup> /s,cSt (20 °C)      1.2 mm <sup>2</sup> /s,cSt (25 °C)      0.97 mm <sup>2</sup> /s,cSt (40 °C) <u>Dynamic viscosity (nominal)</u> 1.0 mPa.s,cP (20 °C)      0.93 mPa.s,cP (25 °C)      0.76 mPa.s,cP (40 °C)	500 mL
PSL2700V04	S3 - Viscosity oil standard <u>Kinematic viscosity (nominal)</u> 5.0 mm <sup>2</sup> /s,cSt (20 °C)      2.9 mm <sup>2</sup> /s,cSt (40 °C)      1.3 mm <sup>2</sup> /s,cSt (100 °C) 4.4 mm <sup>2</sup> /s,cSt (25 °C)      2.6 mm <sup>2</sup> /s,cSt (50 °C) <u>Dynamic viscosity (nominal)</u> 4.1 mPa.s,cP (20 °C)      2.4 mPa.s,cP (40 °C)      0.98 mPa.s,cP (100 °C) 3.6 mPa.s,cP (25 °C)      2.1 mPa.s,cP (50 °C)	500 mL

## Viscosity

Code	Product	Unit
PSL2700V05	S6 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	11 mm <sup>2</sup> /s,cSt (20 °C)	5.7 mm <sup>2</sup> /s,cSt (40 °C)      1.9 mm <sup>2</sup> /s,cSt (100 °C)
	8.9 mm <sup>2</sup> /s,cSt (25 °C)	4.6 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
8.8 mPa.s,cP (20 °C)	4.8 mPa.s,cP (40 °C)      1.5 mPa.s,cP (100 °C)	
7.4 mPa.s,cP (25 °C)	3.7 mPa.s,cP (50 °C)	
PSL2700V06	N10 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	21 mm <sup>2</sup> /s,cSt (20 °C)	10 mm <sup>2</sup> /s,cSt (40 °C)      2.7 mm <sup>2</sup> /s,cSt (100 °C)
	17 mm <sup>2</sup> /s,cSt (25 °C)	7.5 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
17 mPa.s,cP (20 °C)	9.0 mPa.s,cP (40 °C)      2.1 mPa.s,cP (100 °C)	
14 mPa.s,cP (25 °C)	6.2 mPa.s,cP (50 °C)	
PSL2700V07	S20 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	47 mm <sup>2</sup> /s,cSt (20 °C)	18 mm <sup>2</sup> /s,cSt (40 °C)      4.0 mm <sup>2</sup> /s,cSt (100 °C)
	37 mm <sup>2</sup> /s,cSt (25 °C)	13 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
40 mPa.s,cP (20 °C)	16 mPa.s,cP (40 °C)      3.2 mPa.s,cP (100 °C)	
31 mPa.s,cP (25 °C)	11 mPa.s,cP (50 °C)	
PSL2700V08	N35 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	95 mm <sup>2</sup> /s,cSt (20 °C)	32 mm <sup>2</sup> /s,cSt (40 °C)      5.8 mm <sup>2</sup> /s,cSt (100 °C)
	72 mm <sup>2</sup> /s,cSt (25 °C)	23 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
82 mPa.s,cP (20 °C)	27 mPa.s,cP (40 °C)      4.7 mPa.s,cP (100 °C)	
62 mPa.s,cP (25 °C)	19 mPa.s,cP (50 °C)	
PSL2700V09	S60 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	160 mm <sup>2</sup> /s,cSt (20 °C)	54 mm <sup>2</sup> /s,cSt (40 °C)      7.7 mm <sup>2</sup> /s,cSt (100 °C)
	120 mm <sup>2</sup> /s,cSt (25 °C)	35 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
140 mPa.s,cP (20 °C)	47 mPa.s,cP (40 °C)      6.3 mPa.s,cP (100 °C)	
104 mPa.s,cP (25 °C)	30 mPa.s,cP (50 °C)	
PSL2700V10	N100 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	320 mm <sup>2</sup> /s,cSt (20 °C)	97 mm <sup>2</sup> /s,cSt (40 °C)      11.0 mm <sup>2</sup> /s,cSt (100 °C)
	230 mm <sup>2</sup> /s,cSt (25 °C)	59 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
280 mPa.s,cP (20 °C)	84 mPa.s,cP (40 °C)      9.1 mPa.s,cP (100 °C)	
200 mPa.s,cP (25 °C)	51 mPa.s,cP (50 °C)	
PSLN140	N140 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	400 mm <sup>2</sup> /s,cSt (20 °C)	140 mm <sup>2</sup> /s,cSt (40 °C)      18.0 mm <sup>2</sup> /s,cSt (100 °C)
	300 mm <sup>2</sup> /s,cSt (25 °C)	90 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
350 mPa.s,cP (20 °C)	120 mPa.s,cP (40 °C)      15.0 mPa.s,cP (100 °C)	
260 mPa.s,cP (25 °C)	77 mPa.s,cP (50 °C)	
PSL2700V11	S200 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	660 mm <sup>2</sup> /s,cSt (20 °C)	180 mm <sup>2</sup> /s,cSt (40 °C)      17 mm <sup>2</sup> /s,cSt (100 °C)
	460 mm <sup>2</sup> /s,cSt (25 °C)	110 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
590 mPa.s,cP (20 °C)	150 mPa.s,cP (40 °C)      14 mPa.s,cP (100 °C)	
410 mPa.s,cP (25 °C)	91 mPa.s,cP (50 °C)	
PSL2700V12	N350 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	1400 mm <sup>2</sup> /s,cSt (20 °C)	310 mm <sup>2</sup> /s,cSt (40 °C)      24 mm <sup>2</sup> /s,cSt (100 °C)
	920 mm <sup>2</sup> /s,cSt (25 °C)	180 mm <sup>2</sup> /s,cSt (50 °C)
	<u>Dynamic viscosity (nominal)</u>	
1200 mPa.s,cP (20 °C)	270 mPa.s,cP (40 °C)      20 mPa.s,cP (100 °C)	
790 mPa.s,cP (25 °C)	150 mPa.s,cP (50 °C)	

## Viscosity

Code	Product	Unit
PSL2700V12A	N415 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	1900 mm <sup>2</sup> /s,cSt (20 °C)    415 mm <sup>2</sup> /s,cSt (40 °C)    34 mm <sup>2</sup> /s,cSt (100 °C)	
	1240 mm <sup>2</sup> /s,cSt (25 °C)    240 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
1630 mPa.s,cP (20 °C)    360 mPa.s,cP (40 °C)    28.0 mPa.s,cP (100 °C)		
1065 mPa.s,cP (25 °C)    200 mPa.s,cP (50 °C)		
PSL2700V13	S600 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	2400 mm <sup>2</sup> /s,cSt (20 °C)    520 mm <sup>2</sup> /s,cSt (40 °C)    35 mm <sup>2</sup> /s,cSt (100 °C)	
	1600 mm <sup>2</sup> /s,cSt (25 °C)    290 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
2100 mPa.s,cP (20 °C)    450 mPa.s,cP (40 °C)    29 mPa.s,cP (100 °C)		
1400 mPa.s,cP (25 °C)    240 mPa.s,cP (50 °C)		
PSL2700V14	N1000 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	4800 mm <sup>2</sup> /s,cSt (20 °C)    940 mm <sup>2</sup> /s,cSt (40 °C)    55 mm <sup>2</sup> /s,cSt (100 °C)	
	3100 mm <sup>2</sup> /s,cSt (25 °C)    520 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
4100 mPa.s,cP (20 °C)    800 mPa.s,cP (40 °C)    45 mPa.s,cP (100 °C)		
2700 mPa.s,cP (25 °C)    450 mPa.s,cP (50 °C)		
PSLN1300	N1300 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	6760 mm <sup>2</sup> /s,cSt (20 °C)    1320 mm <sup>2</sup> /s,cSt (40 °C)    77 mm <sup>2</sup> /s,cSt (100 °C)	
	4365 mm <sup>2</sup> /s,cSt (25 °C)    730 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
5775 mPa.s,cP (20 °C)    1120 mPa.s,cP (40 °C)    63.0 mPa.s,cP (100 °C)		
3800 mPa.s,cP (25 °C)    630 mPa.s,cP (50 °C)		
PSL2700V15	S2000 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	8600 mm <sup>2</sup> /s,cSt (20 °C)    1700 mm <sup>2</sup> /s,cSt (40 °C)    81 mm <sup>2</sup> /s,cSt (100 °C)	
	5600 mm <sup>2</sup> /s,cSt (25 °C)    880 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
7500 mPa.s,cP (20 °C)    1500 mPa.s,cP (40 °C)    68 mPa.s,cP (100 °C)		
4800 mPa.s,cP (25 °C)    760 mPa.s,cP (50 °C)		
PSL2700V16	N4000 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	18000 mm <sup>2</sup> /s,cSt (20 °C)    3400 mm <sup>2</sup> /s,cSt (40 °C)    130 mm <sup>2</sup> /s,cSt (100 °C)	
	11000 mm <sup>2</sup> /s,cSt (25 °C)    1700 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
16000 mPa.s,cP (20 °C)    2900 mPa.s,cP (40 °C)    112 mPa.s,cP (100 °C)		
10000 mPa.s,cP (25 °C)    1500 mPa.s,cP (50 °C)		
PSL2700V17	S8000 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	35000 mm <sup>2</sup> /s,cSt (20 °C)    6700 mm <sup>2</sup> /s,cSt (40 °C)    220 mm <sup>2</sup> /s,cSt (100 °C)	
	22000 mm <sup>2</sup> /s,cSt (25 °C)    3200 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
31000 mPa.s,cP (20 °C)    5900 mPa.s,cP (40 °C)    190 mPa.s,cP (100 °C)		
20000 mPa.s,cP (25 °C)    2700 mPa.s,cP (50 °C)		
PSL2700V18	N15000 - Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	65000 mm <sup>2</sup> /s,cSt (20 °C)    13000 mm <sup>2</sup> /s,cSt (40 °C)    370 mm <sup>2</sup> /s,cSt (100 °C)	
	41000 mm <sup>2</sup> /s,cSt (25 °C)    5800 mm <sup>2</sup> /s,cSt (50 °C)	
	<u>Dynamic viscosity (nominal)</u>	
58000 mPa.s,cP (20 °C)    11000 mPa.s,cP (40 °C)    320 mPa.s,cP (100 °C)		
37000 mPa.s,cP (25 °C)    5100 mPa.s,cP (50 °C)		
PSL2700V19	S30000-Viscosity oil standard	500 mL
	<u>Kinematic viscosity (nominal)</u>	
	82000 mm <sup>2</sup> /s,cSt (25 °C)    23000 mm <sup>2</sup> /s,cSt (40 °C)    11000 mm <sup>2</sup> /s,cSt (50 °C)    670 mm <sup>2</sup> /s,cSt (100 °C)	
	<u>Dynamic viscosity (nominal)</u>	
	74000 mPa.s,cP (25 °C)    21000 mPa.s,cP (40 °C)    9900 mPa.s,cP (50 °C)    580 mPa.s,cP (100 °C)	

## Certified liquids for viscosity measurements in the European Pharmacopoeia

Newtonian liquids with a certified viscosity are supplied by Van Swinden Laboratorium BV and are distributed by LGC Standards.

Liquids are available with kinematic viscosities up to 48000 mm<sup>2</sup>·s<sup>-1</sup> and certified at temperatures between 15°C and 140°C.

Viscosities are certified in mm<sup>2</sup>·s<sup>-1</sup> (kinematic viscosity,  $\nu$ ) or in mPa·s (dynamic viscosity,  $\eta$ )

1 mPa·s = 1 cps (centipoise) 1 mm<sup>2</sup>·s<sup>-1</sup> = 1 cst (centistoke)

Standard liquids are available from stock, in 250 ml packs and certified at 20°C to following viscosities:

$\nu$  = 0,6 ; 1,0 ; 2,2; 4,9 ; 1; 20 ; 31 ; 56 ; 67 ; 85 ; 100 ; 132 ; 167 ; 217 ; 262; 340 ; 423 ; 537 ; 644 ; 783 ; 1000 ; 1260 ; 1800 ; 3650 ; 5075 ; 10175 ; 18400 ; 46500

$\eta$  = 0,4 ; 1,0 ; 1,8; 4,0 ; 8,9 ; 17,0 ; 26,0 ; 48,0 ; 58,0 ; 74,0 ; 87,0 ; 116,0 ; 146,0 ; 191,0 ; 230,0 ; 300,0 ; 375,0 ; 474,0 ; 572,0 ; 700,0 ; 862,0 ; 1085 ; 1560 ; 3175 ; 4430 ; 8935 ; 16300 ; 41300

All viscosities are calibrated relative to the viscosity of pure water. Stated values are nominal values, certified values will not deviate more than 10% from the nominal value.

The uncertainty of the certified viscosities is at least 0.3% at the lowest viscosity, increasing up to 0.5% at 48000 mm<sup>2</sup>·s<sup>-1</sup>.

### Shelf life

Standards up to 500 mPa·s are mineral oil based, and have a shelf life of 12 months from date of certification. Above 500 mPa·s Polyisobutylene is used; these materials have a shorter shelf life, and should be ordered as needed.

Liquids can be prepared and certified to any viscosity between 0.6 mm<sup>2</sup>·s<sup>-1</sup> and 80,000 mm<sup>2</sup>·s<sup>-1</sup>.

The price depends on the viscosity required, the degree of precision between nominal viscosity required and certified viscosity achieved, and temperature of certification.

Additional charges are applied for extra certification temperatures and for certification of dynamic viscosity. Please ask for a quotation.

Liquids supplied by customers may be certified for viscosity, charges vary: please ask for a quotation.

## Polymeric properties

### Individual molecular weight polymer standards

Code	Product	Unit
<b>New</b> NIST-2881	Polystyrene - Absolute molecular mass distribution standard This Standard Reference Material® (SRM®) is intended for the calibration and the performance evaluation of instruments used to determine the average molecular mass and molecular mass distribution of synthetic polymers (where mass is taken to be relative to the mass of 12C). These methods include size exclusion chromatography (SEC) and mass spectrometry (MS). The fractional contribution of each oligomer from 1 % to 99 % of the cumulative molecular mass distribution (MMD) was certified. Please ask for details.	0.3 g
NIST-2885	Polyethylene Certified value Molar Mass ..... 6.28 x 10 <sup>3</sup> g/mol Intrinsic viscosity in 1,2,4-Trichlorobenzene at 130 °C ..... 22.3 mL/g	300 mg
NIST-2886	Polyethylene Certified value Molar Mass ..... 87.0 x 10 <sup>3</sup> g/mol Intrinsic viscosity in 1,2,4-Trichlorobenzene at 130 °C ..... 157.8 mL/g	300 mg
NIST-2887	Polyethylene Certified value Molar Mass ..... 196.4 x 10 <sup>3</sup> g/mol Intrinsic viscosity in 1,2,4-Trichlorobenzene at 130 °C ..... 279.9 mL/g	300 mg
NIST-1482a	Polyethylene Certified values Mass-average molar mass ..... 13,600 g/mol Number-average molar mass ..... 11,400 g/mol Intrinsic viscosity ..... 40.1 mL/g	0.3 g

## Polymeric properties

Code	Product	Unit
<b>Molecular weight and melt flow</b>		
<b>New</b> ERM-FA001	Polystyrene (amorphous) (originally certified as BAM-P01) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 87600 ± 2245 g/mol Intrinsic viscosity <sup>2)</sup> ..... 42.37 ± 0.83 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
<b>New</b> ERM-FA002	Polystyrene (pellets) (originally certified as BAM-P02) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 205600 ± 3075 g/mol Intrinsic viscosity <sup>2)</sup> ..... 68.38 ± 0.79 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
<b>New</b> ERM-FA003	PMMA (crystalline) (originally certified as BAM-P03) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 107050 ± 2500 g/mol Intrinsic viscosity <sup>2)</sup> ..... 31.48 ± 1.21 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
<b>New</b> ERM-FA004	PEO (crystalline) (originally certified as BAM-P04) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 6065x ± 90 g/mol Intrinsic viscosity <sup>2)</sup> ..... 14.28 ± 0.54 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
<b>New</b> ERM-FA005	Polystyrene (pellets) (originally certified as BAM-P05) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 349800 ± 9700 g/mol Intrinsic viscosity <sup>2)</sup> ..... 104.28 ± 2.30 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
<b>New</b> ERM-FA006	PMMA (amorphous) (originally certified as BAM-P06) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 365500 ± 10800 g/mol Intrinsic viscosity <sup>2)</sup> ..... 90.63 ± 1.05 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
<b>New</b> ERM-FA007	PMMA (crystalline) (originally certified as BAM-P07) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 360200 ± 9800 g/mol Intrinsic viscosity <sup>2)</sup> ..... 84.80 ± 1.82 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
<b>New</b> ERM-FA008	PEO (crystalline) (originally certified as BAM-P08) Certified values Weight-average molecular weight (M <sub>w</sub> ) <sup>1)</sup> ..... 11400 ± 150 g/mol Intrinsic viscosity <sup>2)</sup> ..... 20.91 ± 1.12 mL/g Indicative values for molar masses (M <sub>w</sub> , M <sub>n</sub> , M <sub>z</sub> , M <sub>p</sub> ) <sup>1)</sup> obtained by laser light scattering <sup>2)</sup> obtained by viscometry using an UBBELOHDE viscometer according to DIN 51562-1	Each
NIST-705A	Polystyrene - Heat capacity and molecular weight Molecular weight (MW) values, measured using various techniques, and limiting viscosity (LV) numbers. Certified values M <sub>n</sub> by membrane osmometry ..... 170,900 g/mol      LV in benzene (25 °C) ..... 74.3 mL/g M <sub>w</sub> by light scattering ..... 179,300 g/mol      LV in benzene (25 °C) ..... 74.5 mL/g M <sub>w</sub> by sedimentation equilibrium ..... 189,800 g/mol      LV in cyclohexane (25 °C) ..... 35.4 mL/g For heat capacity please ask for our detailed list	5 g

Code	Product	Unit
NIST-706A	Polystyrene - Broad molecular weight distribution Certified values Mass-average molar mass ( $M_w$ ) .....285,000 g/mol Indicative values for intrinsic viscosity in benzene at 25 °C and cyclohexane at 35 °C	18 g
NIST-1473b	Low density polyethylene resin This material is certified for melt flow rate using ASTM D 1238-00, Test Method for Flow Rates of Thermoplastics by Extrusion Plastometer Standard Test Condition 190/2.16. The flow rate of the melt was determined at 190.0 °C $\pm$ 0.1 °C and a load of 2.16 kg by procedure A of the ASTM method. A manually operated extrusion plastometer was used. Certified value Melt flow rate (FR) ..... 1.13 g/10 min	60 g
NIST-1474A	Polyethylene resin - Melt flow rate Certified for melt flow rate, FR-190/2.16, using ASTM Method D 1238-86 at 190 °C. Certified value Melt flow rate (FR) .....5.10 g/10 min	60 g
NIST-1475a	Polyethylene, linear - Melt flow rate Certified for melt flow rate, FR-190/2.16, using ASTM Method D 1238-90b, and Limiting viscosity (LV). Certified values Melt flow rate ..... 2.02 g/10 min Weight average MW (light scattering) ..... 52,000 g/mol Number average MW (size exclusion chromatography)..... 18,310 g/mol Weight average MW (size exclusion chromatography) ..... 53,070 g/mol Z-average MW (size exclusion chromatography) ..... 138,000 g/mol LV in 1-chloronaphthalene (130 °C) ..... 89.0 mL/g LV in 1,2,4-trichlorobenzene (130 °C) ..... 101.0 mL/g LV in decahydronaphthalene (130 °C)..... 118.0 mL/g density ..... 0.97844 g/cm <sup>3</sup>	50 g
NIST-1476a	Branched polyethylene resin - Melt flow rate This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is intended for use in calibration and performance evaluation of instruments used in polymer technology and science for the determination of the melt flow rate using ASTM Method D1238-00. It is supplied as white pellets of polyethylene. This material is certified for melt flow rate using ASTM Method D1238-00 condition 190/2.16. Under this condition the melt flow rate is 1.23 g/10 min with a standard deviation of 0.036 g/10 min and with 29 degrees of freedom. The certified measurement uncertainty is found to be 0.110 g/10 min and is expressed as a combined expanded uncertainty with a coverage factor $k = 2$ , calculated in accordance with ISO and NIST Guides procedure.	12 g
NIST-1478	Polystyrene - narrow molecular weight distribution Certified values Number average MW (membrane osmometry) ..... 35,800 g/mol Weight average MW (sedimentation equilibrium ultracentrifugation) ..... 37,400 g/mol Limiting viscosity in toluene (25 °C) ..... 23.06 mL/g	2 g
NIST-1479	Polystyrene - narrow molecular weight distribution Certified value Weight average MW (light scattering) ..... 1,050,000 g/mol	2 g
NIST-1484a	Polyethylene, linear - narrow molecular weight distribution Certified values Number-average MW (membrane osmometry) ..... 100,500 g/mol Weight average MW (light scattering) ..... 119,600 g/mol Limiting viscosity in 1,2,4-trichlorobenzene (130 °C) ..... 197.9 mL/g Limiting viscosity in 1-chloronaphthalene (130 °C) ..... 169.4 mL/g	300 mg
NIST-1487	Poly(methylmethacrylate) Certified values Weight-average molecular weight (sedimentation equilibrium ultracentrifugation) ..... 63,000 g/mol Limiting viscosity number in tetrahydrofuran (25 °C) ..... 7.9 mL/g	2 g
NIST-1488	Poly(methylmethacrylate) Certified values Number-average molecular weight (membrane osmometry) ..... 29,300 g/mol Limiting viscosity in tetrahydrofuran (25 °C) ..... 15.8 mL/g	2 g
NIST-1489	Poly(methylmethacrylate) Certified values Number-average molecular weight (membrane osmometry) ..... 115,000 g/mol Limiting viscosity in tetrahydrofuran (25 °C) ..... 37.4 mL/g	2 g
NIST-1496	Polyethylene gas pipe resin (unpigmented) Certified values Melt flow rate (FR-190/2.16, using ASTM Method D 1238-82) ..... 0.26 g/10 min Intrinsic viscosity in 1,2,4-trichlorobenzene (140 °C) ..... 210 mL/g	900 g

## Miscellaneous

Code	Product	Unit
NIST-2491	<p>Non-Newtonian polymer melt for rheology</p> <p>This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is intended primarily for use in calibration and performance evaluation of instruments used to determine the viscosity and first normal stress difference in steady shear, or to determine the dynamic mechanical storage and loss moduli and shift factors through time-temperature superposition. NIST-2491 consists of polydimethylsiloxane. The supplier identifies the polydimethylsiloxane as having a number average molecular mass of 308,000 g/mol. Certified values of the viscosity and first normal stress difference as functions of shear rate are given in the certificate at temperatures of 0 °C, 25 °C, and 50 °C, respectively. The expanded combined uncertainties in the certified values of the viscosity and first normal stress difference are also listed. The certified values of the storage modulus G' and loss modulus G'' as functions of frequency at 0 °C, 10 °C, 20 °C, 30 °C, 40 °C, and 50 °C, respectively are also given in the certificate.</p>	100 mL

## Miscellaneous

### Relative humidity

HM11 - HM90

Please specify the type of hygrometer to be used to enable the appropriate adapter to be supplied.

Code	Product	Unit
HM11	<p>Relative humidity standard</p> <p>Nominal relative humidity..... 11 %</p>	unit
HM22	<p>Relative humidity standard</p> <p>Nominal relative humidity..... 22 %</p>	unit
HM33	<p>Relative humidity standard</p> <p>Nominal relative humidity..... 33 %</p>	unit
HM54	<p>Relative humidity standard</p> <p>Nominal relative humidity..... 54 %</p>	unit
HM75	<p>Relative humidity standard</p> <p>Nominal relative humidity..... 75 %</p>	unit
HM80	<p>Relative humidity standard</p> <p>Nominal relative humidity..... 80 %</p>	unit
HM90	<p>Relative humidity standard</p> <p>Nominal relative humidity..... 90 %</p>	unit

### Scanning electron microscope

NIST-2069b	<p>SEM Performance Standard</p> <p>Graphitised rayon fibres with smooth and uniform edges on a 12.5 mm diameter SEM specimen mount with a 3 mm peg. One edge of a single fibre is used as a clearly defined boundary across which the electron beam is scanned. The slope of the resultant detector signal waveform is a measure of the SEM performance that can be related to the resolution capability of the SEM.</p>	Each
NIST-RM 8091	<p>Scanning Electron Microscope Sharpness Standard</p> <p>This Reference Material (RM) is intended primarily for use in checking the sharpness of scanning electron microscopes. It is supplied as a small (3mm x 2 mm) diced semiconductor chip. Please ask for further details.</p>	Each
<b>New</b> NIST-RM 8820	<p>Scanning electron microscope scale calibration artifact</p> <p>Reference Material (RM) 8820 is primarily intended to be used for X and Y scale (or magnification) calibrations from less than 10 times magnifications to more than 100 000 times magnifications in scanning electron microscopes (SEMs). It was designed to provide good contrast at low and high electron landing energies (accelerating voltages). Beyond testing scale calibration, it can be used for non-linearity measurements, especially at lower than 10 000 times magnifications. It can also be used for optical and scanning probe and other types of microscopes. Most SEMs require a set of calibration structures of different sizes to cover the full range of possible magnifications. This Reference Material (in part using the ideas implemented in earlier NIST scale calibration artifacts) is designed to meet that need. A unit of RM 8820 consists of a 20 mm × 20 mm lithographically patterned silicon chip.</p>	35-40 g

### X-ray diffraction

<b>New</b> NIST-640D	<p>Silicon powder line position + line shape standard for powder diffraction</p> <p>This Standard Reference Material (SRM) is intended for use as a standard for calibration of diffraction line positions and line shapes, determined through powder diffractometry. A unit of NIST-640d consists of approximately 7.5 g of silicon powder bottled under argon.</p> <p>The certified lattice parameter for a temperature of 22.5 °C is 0.543 123 nm ± 0.000 008 nm</p>	7.5 g
NIST-656	<p>Silicon nitride</p> <p>This Standard Reference Material (SRM<sup>®</sup>) consists of two powders intended for quantitative analysis of the α and β polymorphs of silicon nitride via powder diffraction methods. The powders are combinations of the α and β polymorphs; one is high in the α phase content (α 656), while the other contains a larger amount of the β polymorph (β 656).</p>	2 x 10 g



Code	Product	Unit												
NIST-674b	<p>X-Ray powder diffraction intensity set</p> <p>This Standard Reference Material (SRM<sup>®</sup>) consists of four oxide powders intended primarily for use as internal standards for quantitative X-ray diffraction analysis. The powders are ZnO (wurtzite structure), TiO<sub>2</sub> (rutile structure), Cr<sub>2</sub>O<sub>3</sub> (corundum structure), and CeO<sub>2</sub> (fluorite structure). These four oxides offer a range of linear attenuations for Cu-K<math>\alpha</math> radiation: 279 cm<sup>-1</sup>, 536 cm<sup>-1</sup>, 912 cm<sup>-1</sup>, and 2203 cm<sup>-1</sup>, respectively, that allow the user to nominally match that of standard to the unknown in order to minimize the effects of microabsorption. A unit of NIST-674b consists of approximately 10 g of each powder, bottled in an argon atmosphere.</p> <p>Certified values</p> <p>Phase purity and uncertainty</p> <table border="1"> <thead> <tr> <th>Crystalline component</th> <th>Phase Purity</th> <th>Crystalline component</th> <th>Phase Purity</th> </tr> </thead> <tbody> <tr> <td>ZnO</td> <td>95.28 % <math>\pm</math> 0.64 %</td> <td>Cr<sub>2</sub>O<sub>3</sub></td> <td>95.91 % <math>\pm</math> 0.60 %</td> </tr> <tr> <td>TiO<sub>2</sub></td> <td>89.47 % <math>\pm</math> 0.62 %</td> <td>CeO<sub>2</sub></td> <td>91.36 % <math>\pm</math> 0.55 %</td> </tr> </tbody> </table>	Crystalline component	Phase Purity	Crystalline component	Phase Purity	ZnO	95.28 % $\pm$ 0.64 %	Cr <sub>2</sub> O <sub>3</sub>	95.91 % $\pm$ 0.60 %	TiO <sub>2</sub>	89.47 % $\pm$ 0.62 %	CeO <sub>2</sub>	91.36 % $\pm$ 0.55 %	set
Crystalline component	Phase Purity	Crystalline component	Phase Purity											
ZnO	95.28 % $\pm$ 0.64 %	Cr <sub>2</sub> O <sub>3</sub>	95.91 % $\pm$ 0.60 %											
TiO <sub>2</sub>	89.47 % $\pm$ 0.62 %	CeO <sub>2</sub>	91.36 % $\pm$ 0.55 %											
NIST-675	<p>Mica x-ray diffraction</p> <p>Intended for use as an external or internal low 2 (large d-spacing) calibration standard for powder diffractometry.</p> <p>Certified value.....d(001) 9.98104 Å (based on the average of 28 refined d values at 25 °C uncorrected for refraction)</p>	7.5 g												
NIST-1976a	<p>Alumina plate - Instrument response Standard for X-Ray Powder Diffraction</p> <p>This Standard Reference Material (SRM<sup>®</sup>) consists of a sintered alumina disc intended for use in calibration of X-ray powder diffraction equipment with respect to line position and intensity as a function of 2<math>\theta</math> angle. The solid form of the SRM eliminates variability imposed by sample loading procedure from intensity measurements. A unit of NIST-1976a consists of a sintered alumina disc approximately 25.6 mm in diameter by 2.2 mm in thickness</p> <p>Please ask for further details</p>	disc												
NIST-1990	<p>Single Crystal Diffractometer Alignment Standard - Ruby Sphere</p> <p>Standard Reference Material (SRM<sup>®</sup>) 1990 is intended primarily for use as an alignment standard for single crystal diffractometry. One unit consists of three chromium-doped single crystal aluminum oxide (ruby) spheres. The spheres are nominally 152 mm in diameter with 1.3 mm sphericity. The spherical geometry was chosen to facilitate alignment and to avoid corrections for absorption. These spheres produce reflections at high angles for copper and molybdenum radiation. The space group is R3c.</p> <p>Certified lattice parameters of NIST-1990 at 25 °C are:</p> <p>a: 0.476080 nm <math>\pm</math> 0.000029 nm c: 1.299568 nm <math>\pm</math> 0.000087 nm</p>	3 spheres												
NIST-1994	<p>Standard silicon single crystal wafer for crystalline orientation</p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended for use in the calibration of instruments (X-ray diffractometers) used to measure the crystal orientation of wafers relative to the crystal surface. The SRM unit consists of a 100-mm diameter silicon wafer. The crystal orientation of the (001) silicon crystal planes relative to the surface normal has been measured both parallel and perpendicular to an edge flat that is manufactured into the wafer.</p>	unit												
<b>New</b> NIST-1995	<p>Standard sapphire single crystal wafer for crystalline orientation</p> <p>This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) is intended for use in the calibration of instruments (X-ray diffractometers) used to measure the crystal orientation of wafers relative to the crystal surface. NIST-1995 consists of a 50 mm diameter sapphire wafer. Certified values for crystal orientation. Please ask for details.</p>	50-mm wafer												
<b>New</b> NIST-2000	<p>Calibration standard for high-resolution X-Ray Diffraction</p> <p>This Standard Reference Material<sup>®</sup> (SRM<sup>®</sup>) provides the high-resolution X-ray diffraction (HRXRD) community with International System of Units (SI) traceable Si (220) d-spacing in transmission, surface-to-crystal-plane wafer miscut, and surface-to-Si (004) Bragg angle in reflection for our reference wavelength. A unit of NIST-2000 consists of 25 mm <math>\times</math> 25 mm <math>\times</math> 0.725 mm double-polished (100)-oriented, single-crystal Si specimens with a nominal 50 nm Si<sub>0.85</sub>Ge<sub>0.15</sub> epitaxial layer and 25 nm Si cap. These certified values can be used to calibrate HRXRD instrumentation.</p> <p>Certified values for d<sub>SRM</sub>, <math>\xi</math><sub>SRM</sub>, <math>\Phi</math><sub>SRM</sub>, <math>\chi</math><sub>SRM</sub>, <math>\psi</math><sub>SRM</sub>, <math>\theta</math><sub>surface,SRM</sub> (004)</p>	block												
<b>New</b> NIST-660B	<p>Line position and line shape standard for powder diffraction</p> <p>This Standard Reference Material (SRM) is intended for use in calibration of diffraction line positions and line shapes determined through powder diffractometry. A unit of NIST-660b consists of approximately 6 g of lanthanum hexaboride, LaB<sub>6</sub>, powder bottled under argon.</p> <p>Certified lattice parameter for a temperature of 22.5 °C.....0.415 689 nm <math>\pm</math> 0.000 008 nm</p> <p>Information values for peak positions computed for NIST660b using Cu K<math>\alpha</math> radiation, <math>\lambda</math> = 0.154 059 29 nm</p>	6 g												
<b>Density</b>														
NIST-211d	<p>Toluene</p> <p>Certified values</p> <table border="1"> <thead> <tr> <th>Temperature [°C]</th> <th>Density [kg/m<sup>3</sup>]</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>871.476 <math>\pm</math> 0.025</td> </tr> <tr> <td>20</td> <td>866.828 <math>\pm</math> 0.025</td> </tr> <tr> <td>25</td> <td>862.170 <math>\pm</math> 0.025</td> </tr> </tbody> </table>	Temperature [°C]	Density [kg/m <sup>3</sup> ]	15	871.476 $\pm$ 0.025	20	866.828 $\pm$ 0.025	25	862.170 $\pm$ 0.025	4 x 5 mL				
Temperature [°C]	Density [kg/m <sup>3</sup> ]													
15	871.476 $\pm$ 0.025													
20	866.828 $\pm$ 0.025													
25	862.170 $\pm$ 0.025													
NIST-2214	<p>Isooctane (2, 2, 4-Trimethylpentane) - Density</p> <p>Certified Values of NIST-2214 at three sample temperatures</p> <table border="1"> <thead> <tr> <th>Temperature °C</th> <th>Density</th> <th>Temperature °C</th> <th>Density</th> </tr> </thead> <tbody> <tr> <td>15</td> <td>695.969 <math>\pm</math> 0.035 kg/m<sup>3</sup></td> <td>25</td> <td>687.753 <math>\pm</math> 0.035 kg/m<sup>3</sup></td> </tr> <tr> <td>20</td> <td>691.872 <math>\pm</math> 0.035 kg/m<sup>3</sup></td> <td></td> <td></td> </tr> </tbody> </table>	Temperature °C	Density	Temperature °C	Density	15	695.969 $\pm$ 0.035 kg/m <sup>3</sup>	25	687.753 $\pm$ 0.035 kg/m <sup>3</sup>	20	691.872 $\pm$ 0.035 kg/m <sup>3</sup>			4 x 5 mL
Temperature °C	Density	Temperature °C	Density											
15	695.969 $\pm$ 0.035 kg/m <sup>3</sup>	25	687.753 $\pm$ 0.035 kg/m <sup>3</sup>											
20	691.872 $\pm$ 0.035 kg/m <sup>3</sup>													

## Miscellaneous

Code	Product	Unit
	HDF01 - HDF-012 Certified densities were determined by means of hydrostatic weighing.	
HDF01	2,2,4-Trimethylpentane Temperature range 15-25 °C Certified value Liquid density (20 °C)..... 692 kg/m <sup>3</sup>	10 mL
HDF02	Dodecane Temperature range 10-50 °C Certified value Liquid density (20 °C)..... 750 kg/m <sup>3</sup>	10 mL
HDF04	Base lubricating oil approx. 8 mPa.s at 40°C Temperature range 15-50 °C Certified value Liquid density (20 °C)..... 868 kg/m <sup>3</sup>	10 mL
HDF05	Base lubricating oil approx. 30 mPa s at 40°C Temperature range 15-50 °C Certified value Liquid density (20 °C)..... 870 kg/m <sup>3</sup>	10 mL
HDF06	Base lubricating oil approx. 110 mPa s at 40°C Temperature range 15-50 °C Certified value Liquid density (20 °C)..... 882 kg/m <sup>3</sup>	10 mL
HDF07	Lubricating oil A90 approx. 160 mPa s at 40°C Temperature range 15-50 °C Certified value Liquid density (20 °C)..... 887 kg/m <sup>3</sup>	10 mL
HDF08	Ethanol in water approx. 41 % ABV Use of this material is not recommended unless required by fiscal authorities. Certified value Liquid density (20 °C)..... 948 kg/m <sup>3</sup>	10 mL
HDF09	Ethanol in water approx. 11 % ABV Use of this material is not recommended unless required by fiscal authorities. Certified value Liquid density (20 °C)..... 985 kg/m <sup>3</sup>	10 mL
HDF15	Water Certified value Liquid density (20°C)..... 998 kg/m <sup>3</sup>	10 mL
HDF10	Dextrose in water approx. 10 % by weight Use of this material is not recommended unless required by fiscal authorities. Certified value Liquid density (20 °C)..... 1037 kg/m <sup>3</sup>	10 mL
HDF13	Sodium bromide in water Temperature range 15-25 °C Certified value Liquid density (20 °C)..... 1264 kg/m <sup>3</sup>	10 mL
HDF14	Caesium chloride in water approx. 47% by weight Certified value Liquid density (20°C)..... 1525 kg/m <sup>3</sup>	10 mL
HDF12	Tetrachloroethylene Temperature range 15-50 °C Certified value Liquid density (20 °C)..... 1623 kg/m <sup>3</sup>	10 mL
	GUM1.1 - GUM1.11 Liquid density standards certified by the Central Office of Measures (GUM). Intended for calibration and checking densimeters used for measuring density of liquids. Supplied with a certificate showing density values at temperatures from 20 °C to 50 °C, with an uncertainty 0.05 kg/m <sup>3</sup> . Values for the first and second decimal place are given in the certificate for particular series.	

Code	Product	Unit
GUM 1.1	n-Hexane Certified value Density ..... 659 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.2	n-Heptane Certified value Density ..... 683 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.3	2,2,4-Trimethylpentane Certified value Density ..... 691 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.4	n-Nonane Certified value Density ..... 717 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.5	n-Octane Certified value Density ..... 702 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.6	Methylcyclohexane Certified value Density ..... 769 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.7	Cyclohexane Certified value Density ..... 778 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.8	Toluene Certified value Density ..... 866 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.10	2,4-Dichlorotoluene Certified value Density ..... 1249 kg/m <sup>3</sup> at 20°C	10 mL
GUM 1.11	Tetrachloroethylene Certified value Density ..... 1623 kg/m <sup>3</sup> at 20°C	10 mL

### Chemical resistance (durability) of glass

NIST-622 and NIST-623

These NIST Standard Reference Materials<sup>®</sup> are for checking test methods and calibrating equipment used to determine the resistance of glass containers to chemical attack. The values given represent the volume of fiftieth-normal sulphuric acid used to titrate to the methyl red end point of the alkaline extract from a crushed sample of glass after exposure to high purity water at 121 °C.

NIST-622	Soda lime silica (durability) Certified value Volume of 0.02N H <sub>2</sub> SO <sub>4</sub> .....7.67 mL	2.2 kg
NIST-623	Borosilicate glass Certified value Volume of 0.02N H <sub>2</sub> SO <sub>4</sub> .....0.34 mL	2.2 kg

### Multi-test verification materials (MTVMs)

The Multi-Test Verification Materials (MTVMs) are unique because they enable a laboratory to use a single sample to validate different tests and instrumentation. Each unit is supplied with data for multiple types of internationally accepted test methods.

SS99850-0	SETA MTVM Kerosine (Jet turbine fuel)	500 mL																																																								
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Distillation IBP</td> <td>D86-IP123</td> <td>140-180 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 10 %</td> <td>D86-IP123</td> <td>159-188 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 50 %</td> <td>D86-IP123</td> <td>192-218 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 90 %</td> <td>D86-IP123</td> <td>220-247 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation FBP</td> <td>D86-IP123</td> <td>244-268 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation residue</td> <td>D86-IP123</td> <td>1.1-1.3 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation loss</td> <td>D86-IP123</td> <td>0.4-0.7 %vol</td> <td>100 mL</td> </tr> <tr> <td>Flashpoint</td> <td>IP170</td> <td>35-60 °C</td> <td>85 mL</td> </tr> <tr> <td>Freezing point</td> <td>D2386-IP16</td> <td>-62 to -44°C</td> <td>25 mL</td> </tr> <tr> <td>Aromatics FIA</td> <td>D1319-IP156</td> <td>18.1-22.7 %vol</td> <td>0.75 mL</td> </tr> <tr> <td>Smoke point</td> <td>D1322</td> <td>20-25 mm</td> <td>20 mL</td> </tr> <tr> <td>Acid number</td> <td>D3242-IP354</td> <td>&lt;0.100 mg KOH/g</td> <td>100 mL</td> </tr> <tr> <td>Mercaptans</td> <td>D3227-IP342</td> <td>0.0003 to 0.0100% (m/m)</td> <td>40 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Distillation IBP	D86-IP123	140-180 °C	100 mL	Distillation 10 %	D86-IP123	159-188 °C	100 mL	Distillation 50 %	D86-IP123	192-218 °C	100 mL	Distillation 90 %	D86-IP123	220-247 °C	100 mL	Distillation FBP	D86-IP123	244-268 °C	100 mL	Distillation residue	D86-IP123	1.1-1.3 %vol	100 mL	Distillation loss	D86-IP123	0.4-0.7 %vol	100 mL	Flashpoint	IP170	35-60 °C	85 mL	Freezing point	D2386-IP16	-62 to -44°C	25 mL	Aromatics FIA	D1319-IP156	18.1-22.7 %vol	0.75 mL	Smoke point	D1322	20-25 mm	20 mL	Acid number	D3242-IP354	<0.100 mg KOH/g	100 mL	Mercaptans	D3227-IP342	0.0003 to 0.0100% (m/m)	40 mL	
Test Name	ASTM-IP Method	Range	Amount/test																																																							
Distillation IBP	D86-IP123	140-180 °C	100 mL																																																							
Distillation 10 %	D86-IP123	159-188 °C	100 mL																																																							
Distillation 50 %	D86-IP123	192-218 °C	100 mL																																																							
Distillation 90 %	D86-IP123	220-247 °C	100 mL																																																							
Distillation FBP	D86-IP123	244-268 °C	100 mL																																																							
Distillation residue	D86-IP123	1.1-1.3 %vol	100 mL																																																							
Distillation loss	D86-IP123	0.4-0.7 %vol	100 mL																																																							
Flashpoint	IP170	35-60 °C	85 mL																																																							
Freezing point	D2386-IP16	-62 to -44°C	25 mL																																																							
Aromatics FIA	D1319-IP156	18.1-22.7 %vol	0.75 mL																																																							
Smoke point	D1322	20-25 mm	20 mL																																																							
Acid number	D3242-IP354	<0.100 mg KOH/g	100 mL																																																							
Mercaptans	D3227-IP342	0.0003 to 0.0100% (m/m)	40 mL																																																							

## Miscellaneous

Code	Product	Unit																																																																				
SS99851-0	SETA MTVM Gas oil	500 mL																																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Density at 15 °C</td> <td>D1298-IP160</td> <td>0.83-0.854 kg/L</td> <td>200 mL</td> </tr> <tr> <td>Distillation IBP</td> <td>D86-IP123</td> <td>160-190 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 10 %</td> <td>D86-IP123</td> <td>200-242 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 50 %</td> <td>D86-IP123</td> <td>260-290 °C</td> <td>100mL</td> </tr> <tr> <td>Distillation 90 %</td> <td>D86-IP123</td> <td>320-350 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 95 %</td> <td>D86-IP123</td> <td>335-368 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation FBP</td> <td>D86-IP123</td> <td>350-385 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation residue</td> <td>D86-IP123</td> <td>1.25-1.42 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation loss</td> <td>D86-IP123</td> <td>0.26-0.55 %vol</td> <td>100 mL</td> </tr> <tr> <td>Flashpoint</td> <td>D93-IP34</td> <td>56-80°C</td> <td>75 mL</td> </tr> <tr> <td>Cloud point</td> <td>D2500-IP219</td> <td>-17 to -4 °C</td> <td>up to 38 mL</td> </tr> <tr> <td>CFPP</td> <td>IP309</td> <td>-30.0 to -0 °C</td> <td>45 mL</td> </tr> <tr> <td>Pour point</td> <td>D97-IP15</td> <td>-33 to -6 °C</td> <td>up to 38 mL</td> </tr> <tr> <td>Kin. Visc. (40 °C)</td> <td>D445-IP71</td> <td>2.3-3.5 mm<sup>2</sup>/s</td> <td>up to 40 mL</td> </tr> <tr> <td>Lubricity HFRR</td> <td>D6079; IP450</td> <td>271 to 512 µm</td> <td>2 mL</td> </tr> <tr> <td>Water Karl Fischer</td> <td>D1744; IP438</td> <td>23.4 to 63.9 mg/kg</td> <td>5 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Density at 15 °C	D1298-IP160	0.83-0.854 kg/L	200 mL	Distillation IBP	D86-IP123	160-190 °C	100 mL	Distillation 10 %	D86-IP123	200-242 °C	100 mL	Distillation 50 %	D86-IP123	260-290 °C	100mL	Distillation 90 %	D86-IP123	320-350 °C	100 mL	Distillation 95 %	D86-IP123	335-368 °C	100 mL	Distillation FBP	D86-IP123	350-385 °C	100 mL	Distillation residue	D86-IP123	1.25-1.42 %vol	100 mL	Distillation loss	D86-IP123	0.26-0.55 %vol	100 mL	Flashpoint	D93-IP34	56-80°C	75 mL	Cloud point	D2500-IP219	-17 to -4 °C	up to 38 mL	CFPP	IP309	-30.0 to -0 °C	45 mL	Pour point	D97-IP15	-33 to -6 °C	up to 38 mL	Kin. Visc. (40 °C)	D445-IP71	2.3-3.5 mm <sup>2</sup> /s	up to 40 mL	Lubricity HFRR	D6079; IP450	271 to 512 µm	2 mL	Water Karl Fischer	D1744; IP438	23.4 to 63.9 mg/kg	5 mL	
Test Name	ASTM-IP Method	Range	Amount/test																																																																			
Density at 15 °C	D1298-IP160	0.83-0.854 kg/L	200 mL																																																																			
Distillation IBP	D86-IP123	160-190 °C	100 mL																																																																			
Distillation 10 %	D86-IP123	200-242 °C	100 mL																																																																			
Distillation 50 %	D86-IP123	260-290 °C	100mL																																																																			
Distillation 90 %	D86-IP123	320-350 °C	100 mL																																																																			
Distillation 95 %	D86-IP123	335-368 °C	100 mL																																																																			
Distillation FBP	D86-IP123	350-385 °C	100 mL																																																																			
Distillation residue	D86-IP123	1.25-1.42 %vol	100 mL																																																																			
Distillation loss	D86-IP123	0.26-0.55 %vol	100 mL																																																																			
Flashpoint	D93-IP34	56-80°C	75 mL																																																																			
Cloud point	D2500-IP219	-17 to -4 °C	up to 38 mL																																																																			
CFPP	IP309	-30.0 to -0 °C	45 mL																																																																			
Pour point	D97-IP15	-33 to -6 °C	up to 38 mL																																																																			
Kin. Visc. (40 °C)	D445-IP71	2.3-3.5 mm <sup>2</sup> /s	up to 40 mL																																																																			
Lubricity HFRR	D6079; IP450	271 to 512 µm	2 mL																																																																			
Water Karl Fischer	D1744; IP438	23.4 to 63.9 mg/kg	5 mL																																																																			
SS99852-0	SETA MTVM Fuel oil	500 mL																																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Density at 15 °C</td> <td>D1298-IP160</td> <td>0.94-0.994 kg/L</td> <td>200 mL</td> </tr> <tr> <td>Pour point</td> <td>D97-IP15</td> <td>-14 to 17 °C</td> <td>up to 38 mL</td> </tr> <tr> <td>Kin. Visc. (50 °C)</td> <td>D445-IP71</td> <td>150-1800 mm<sup>2</sup>/s</td> <td>up to 500 mL</td> </tr> <tr> <td>Kin. Visc. (100 °C)</td> <td>D445-IP71</td> <td>20-95 mm<sup>2</sup>/s</td> <td>up to 500 mL</td> </tr> <tr> <td>Micro carbon</td> <td>D4530;IP398</td> <td>0.10 to 30.0 %(m/m)</td> <td>2 mL</td> </tr> <tr> <td>Flash point</td> <td>D93 (b) - IP34(b);</td> <td>92.3 to 121.6 °C</td> <td>75 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Density at 15 °C	D1298-IP160	0.94-0.994 kg/L	200 mL	Pour point	D97-IP15	-14 to 17 °C	up to 38 mL	Kin. Visc. (50 °C)	D445-IP71	150-1800 mm <sup>2</sup> /s	up to 500 mL	Kin. Visc. (100 °C)	D445-IP71	20-95 mm <sup>2</sup> /s	up to 500 mL	Micro carbon	D4530;IP398	0.10 to 30.0 %(m/m)	2 mL	Flash point	D93 (b) - IP34(b);	92.3 to 121.6 °C	75 mL																																									
Test Name	ASTM-IP Method	Range	Amount/test																																																																			
Density at 15 °C	D1298-IP160	0.94-0.994 kg/L	200 mL																																																																			
Pour point	D97-IP15	-14 to 17 °C	up to 38 mL																																																																			
Kin. Visc. (50 °C)	D445-IP71	150-1800 mm <sup>2</sup> /s	up to 500 mL																																																																			
Kin. Visc. (100 °C)	D445-IP71	20-95 mm <sup>2</sup> /s	up to 500 mL																																																																			
Micro carbon	D4530;IP398	0.10 to 30.0 %(m/m)	2 mL																																																																			
Flash point	D93 (b) - IP34(b);	92.3 to 121.6 °C	75 mL																																																																			
SS99853-0	SETA MTVM lubricating oil	500 mL																																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Kin. Visc. (40 °C)</td> <td>D445-IP71</td> <td>70-160 mm<sup>2</sup>/s</td> <td>up to 40 mL</td> </tr> <tr> <td>Kin. Visc. (100 °C)</td> <td>D445-IP71</td> <td>10-19 mm<sup>2</sup>/s</td> <td>up to 40 mL</td> </tr> <tr> <td>Viscosity index</td> <td>D2270-IP226</td> <td>139-180</td> <td>up to 80 mL</td> </tr> <tr> <td>Pour point</td> <td>D97-IP15</td> <td>-49.1 to -33.9 °C</td> <td>38 mL</td> </tr> <tr> <td>Flash point</td> <td>D93-IP34</td> <td>196-213 °C</td> <td>75 mL</td> </tr> <tr> <td>Cold cranking sim.</td> <td>D5293;IP383</td> <td>3062-6896 mPa.s</td> <td>5 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Kin. Visc. (40 °C)	D445-IP71	70-160 mm <sup>2</sup> /s	up to 40 mL	Kin. Visc. (100 °C)	D445-IP71	10-19 mm <sup>2</sup> /s	up to 40 mL	Viscosity index	D2270-IP226	139-180	up to 80 mL	Pour point	D97-IP15	-49.1 to -33.9 °C	38 mL	Flash point	D93-IP34	196-213 °C	75 mL	Cold cranking sim.	D5293;IP383	3062-6896 mPa.s	5 mL																																									
Test Name	ASTM-IP Method	Range	Amount/test																																																																			
Kin. Visc. (40 °C)	D445-IP71	70-160 mm <sup>2</sup> /s	up to 40 mL																																																																			
Kin. Visc. (100 °C)	D445-IP71	10-19 mm <sup>2</sup> /s	up to 40 mL																																																																			
Viscosity index	D2270-IP226	139-180	up to 80 mL																																																																			
Pour point	D97-IP15	-49.1 to -33.9 °C	38 mL																																																																			
Flash point	D93-IP34	196-213 °C	75 mL																																																																			
Cold cranking sim.	D5293;IP383	3062-6896 mPa.s	5 mL																																																																			
SS99854-0	SETA MTVM motor gasoline	500 mL																																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Motor octane no.</td> <td>D2700</td> <td>83-90</td> <td></td> </tr> <tr> <td>Research octane no.</td> <td>D2699</td> <td>96-101</td> <td></td> </tr> <tr> <td>Density at 15 °C</td> <td>D1298-IP160</td> <td>0.71-0.763 kg/L</td> <td>200 mL</td> </tr> <tr> <td>Distillation IBP</td> <td>D86-IP123</td> <td>32.0-39.0 °C</td> <td>100 mL</td> </tr> <tr> <td>Distillation 70 °C</td> <td>D86-IP123</td> <td>15-36 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation 100 °C</td> <td>D86-IP123</td> <td>36-58 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation 150 °C</td> <td>D86-IP123</td> <td>75-90 %vol</td> <td>100 mL</td> </tr> <tr> <td>Distillation FBP</td> <td>D86-IP123</td> <td>175-205 °C</td> <td>100mL</td> </tr> <tr> <td>Aromatics FIA</td> <td>D1319-IP156</td> <td>19-42 %vol</td> <td>0.75 mL</td> </tr> <tr> <td>Olefins FIA</td> <td>D1319-IP156</td> <td>1.5-15 %vol</td> <td>0.75 mL</td> </tr> <tr> <td>Saturates FIA</td> <td>D1319-IP156</td> <td>42-72 %vol</td> <td>0.75 mL</td> </tr> <tr> <td>Vapour Pressure</td> <td>D5191; IP394</td> <td>50 to 85 kPa</td> <td>3 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Motor octane no.	D2700	83-90		Research octane no.	D2699	96-101		Density at 15 °C	D1298-IP160	0.71-0.763 kg/L	200 mL	Distillation IBP	D86-IP123	32.0-39.0 °C	100 mL	Distillation 70 °C	D86-IP123	15-36 %vol	100 mL	Distillation 100 °C	D86-IP123	36-58 %vol	100 mL	Distillation 150 °C	D86-IP123	75-90 %vol	100 mL	Distillation FBP	D86-IP123	175-205 °C	100mL	Aromatics FIA	D1319-IP156	19-42 %vol	0.75 mL	Olefins FIA	D1319-IP156	1.5-15 %vol	0.75 mL	Saturates FIA	D1319-IP156	42-72 %vol	0.75 mL	Vapour Pressure	D5191; IP394	50 to 85 kPa	3 mL																	
Test Name	ASTM-IP Method	Range	Amount/test																																																																			
Motor octane no.	D2700	83-90																																																																				
Research octane no.	D2699	96-101																																																																				
Density at 15 °C	D1298-IP160	0.71-0.763 kg/L	200 mL																																																																			
Distillation IBP	D86-IP123	32.0-39.0 °C	100 mL																																																																			
Distillation 70 °C	D86-IP123	15-36 %vol	100 mL																																																																			
Distillation 100 °C	D86-IP123	36-58 %vol	100 mL																																																																			
Distillation 150 °C	D86-IP123	75-90 %vol	100 mL																																																																			
Distillation FBP	D86-IP123	175-205 °C	100mL																																																																			
Aromatics FIA	D1319-IP156	19-42 %vol	0.75 mL																																																																			
Olefins FIA	D1319-IP156	1.5-15 %vol	0.75 mL																																																																			
Saturates FIA	D1319-IP156	42-72 %vol	0.75 mL																																																																			
Vapour Pressure	D5191; IP394	50 to 85 kPa	3 mL																																																																			
SS99856-0	SETA MTVM bitumen	500 mL																																																																				
	<table border="1"> <thead> <tr> <th>Test Name</th> <th>ASTM-IP Method</th> <th>Range</th> <th>Amount/test</th> </tr> </thead> <tbody> <tr> <td>Softening point</td> <td>IP58</td> <td>37-54 °C</td> <td>7.5 mL</td> </tr> <tr> <td>Needle penetration</td> <td>IP49</td> <td>41-200 Pen</td> <td>130 mL</td> </tr> </tbody> </table>	Test Name	ASTM-IP Method	Range	Amount/test	Softening point	IP58	37-54 °C	7.5 mL	Needle penetration	IP49	41-200 Pen	130 mL																																																									
Test Name	ASTM-IP Method	Range	Amount/test																																																																			
Softening point	IP58	37-54 °C	7.5 mL																																																																			
Needle penetration	IP49	41-200 Pen	130 mL																																																																			

## Mechanical properties

ERM-FA013	Charpy specimens 30 J (bars)	set
	A unit consists of five Charpy V-notch test pieces, which are rectangular steel bars of nominal dimensions 55 mm x 10 mm x 10 mm, with one V-notch, accurately machined to tolerances imposed in EN 10045-1 and ISO 148. Absorbed energy (KV) at 20 ± 2 °C ..... 30J nominal	
ERM-FA014	Charpy specimens 60 J (bars)	set
	A unit consists of five Charpy V-notch test pieces, which are rectangular steel bars of nominal dimensions 55 mm x 10 mm x 10 mm, with one V-notch, accurately machined to tolerances imposed in EN 10045-1 and ISO 148. Absorbed energy (KV) at 20 ± 2 °C ..... 60J nominal	
ERM-FA015	Charpy specimens 80 J (bars)	set
	A unit consists of five Charpy V-notch test pieces, which are rectangular steel bars of nominal dimensions 55 mm x 10 mm x 10 mm, with one V-notch, accurately machined to tolerances imposed in EN 10045-1 and ISO 148. Absorbed energy (KV) at 20 ± 2 °C ..... 80J nominal	
ERM-FA016	Charpy specimens 120 J (bars)	set
	A unit consists of five Charpy V-notch test pieces, which are rectangular steel bars of nominal dimensions 55 mm x 10 mm x 10 mm, with one V-notch, accurately machined to tolerances imposed in EN 10045-1 and ISO 148. Absorbed energy (KV) at 20 ± 2 °C ..... 120J nominal	

Code	Product	Unit
ERM-FA415	Charpy specimens 150 J A unit consists of five Charpy V-notch test pieces, which are rectangular steel bars of nominal dimensions 55 mm x 10 mm x 10 mm, with one V-notch, accurately machined to tolerances imposed in EN 10045-1 and ISO 148. Absorbed energy (KV) at 20 ± 2 °C ..... 150J nominal	set
NIST-2092	Low-Energy Charpy V-Notch NIST-2092 is intended primarily for the verification of Charpy V-Notch machines in accordance with the current ASTM Standard E23.	set
NIST-2096	High Energy Charpy V-Notch NIST-2096 is intended primarily for the verification of Charpy V-Notch machines in accordance with the current ASTM Standard E23. For further details please ask for the current certificate	set
BCR-425	Nimonic 75 - Creep rate 150 mm long 14 mm diameter bars of Nimonic 75. Testing conditions: T = 600 °C, σ = 160 Mpa Certified values Creep rate at 400 h ..... 72 x 10 <sup>-6</sup> /h      time to 4 % strain ..... 557 h time to 2 % strain ..... 278 h	set (3)
BCR-661A	Nimonic 75 for ambient air tensile properties The material is Nimonic 75 nickel base alloy. It will be issued in units of three bars each about 150 mm long x 14 mm diameter, sufficient for the manufacture of three test-pieces. Certified values for tensile properties according to EN10002-1 0.2% Proof stress R <sub>p0.2</sub> ..... 300 ± 7 MPa      Elongation at fracture A ..... 40.9 ± 0.9 % 0.5% Proof stress R <sub>p0.5</sub> ..... 318 ± 7 MPa      Reduction in area at fracture Z ..... 60 ± 4 % Tensile strength R <sub>m</sub> ..... 750 ± 13 MPa	set (3)
BCR-661B	Nimonic 75 for ambient air tensile properties The material is Nimonic 75 nickel base alloy. It will be issued as one bar with about 500 mm long x 14 mm diameter. Certified values for tensile properties according to EN10002-1 0.2% Proof stress R <sub>p0.2</sub> ..... 300 ± 7 MPa      Elongation at fracture A ..... 40.9 ± 0.9 % 0.5% Proof stress R <sub>p0.5</sub> ..... 318 ± 7 MPa      Reduction in area at fracture Z ..... 60 ± 4 % Tensile strength R <sub>m</sub> ..... 750 ± 13 MPa	rod
BCR-692	Scratch test reference material A reference material certified for critical loads for cohesive/adhesive failures during scratch testing (prEN 1071-3). The reference samples are (30x30x5) mm steel coupons coated with a diamond-like carbon coating (DLC) applied by plasma-assisted chemical vapour deposition. The coupons are distributed in a reusable plastic box containing desiccant.	coupons
NIST-2100	Fracture Toughness of Ceramics NIST-2100 is intended for verification of fracture toughness testing procedures and consists of a set of five hot-pressed silicon nitride flexure specimens cut from a single billet (plate) of material. This SRM may be used with any fracture toughness test method, but is optimized for beam bending testing configurations. The SRM may be used in conjunction with American Society of Testing and Materials (ASTM) fracture toughness standard C1421-99 (or the Provisional Standard PS070-97 which preceded it) [1]. This SRM may also be used with two International Organization for Standardization (ISO) standard tests under development by ISO Technical Committee TC 206, Fine Ceramics.	5 bars

## Physico-chemical properties

### Magnetic moment

NIST-762	Magnetic moment standard - Nickel disc This Standard Reference Material <sup>®</sup> (SRM <sup>®</sup> ) is intended for use in the calibration of magnetometers (such as vibrating sample magnetometers) used in the measurement of the magnetic properties of materials. NIST-762 consists of a nickel disc nominally 6 mm in diameter with a thickness of 0.127 mm and a mass of 32 mg ± 1 mg. The NIST-762 lot was produced from rolled nickel sheet with a purity of 99.999 %. Discs were punched from the sheet. Before measurement, the discs were ultrasonically cleaned in acetone, then methyl alcohol. The certified value for specific magnetization, σ at 298 K and in an applied magnetic field of 398 kA/m (5000 oersted, Oe) with the magnetic field aligned parallel to the plane of the disc is: σ = 54.78 A m <sup>2</sup> /kg ± 0.15 A m <sup>2</sup> /kg (54.78 emu/g ± 0.15 emu/g)	6 mm dia.
NIST-764a	Magnetic susceptibility standard - Platinum cylinder This Standard Reference Material (SRM <sup>®</sup> ) is intended for use in the calibration of magnetometers (such as vibrating sample magnetometers) used in the measurement of the magnetic properties of materials. NIST-764a consists of a platinum (Pt) cylinder with a nominal diameter of 3 mm, a nominal length of 3.42 mm, and a nominal mass of 620 mg. NIST-764a lot was produced by slicing a pure (99.99 %) platinum rod into 3.42 mm long pieces.	3 mm dia.
NIST-2853	Magnetic moment standard yttrium iron garnet sphere This Standard Reference Material (SRM <sup>®</sup> ) is intended for use in calibrating of magnetometers (such as vibrating sample magnetometers) used in the measurement of the magnetic properties of materials. NIST-2883 consists of a yttrium iron garnet (YIG) sphere with a nominal diameter of 1 mm and a nominal mass of 2.8 mg.	Each

## Miscellaneous

Code	Product	Unit
NIST-772a	<p><b>Nickel sphere for magnetic moment</b></p> <p>This Standard Reference Material (SRM) is intended for use in the calibration of magnetometers (such as vibrating sample magnetometers) used in the measurement of the magnetic properties of materials. SRM 772a consists of a nickel sphere 2.383 mm in diameter with a mass of 63.16 mg. The SRM 772a lot was produced from annealed nickel wire with a purity of 99.999 %. The wire was ground into spheres. The spheres were then ultrasonically cleaned in acetone and methyl alcohol and annealed at 1220 K in a dry hydrogen atmosphere for 2 h. The microstructure is equiaxed with an average grain size of about 100 µm.</p> <p>The certified value for magnetic moment, m, at 298 K and in an applied field of 398 kA/m (5000 Oe) is</p> $m = 3.47 \text{ mA}\cdot\text{m}^2 \pm 0.01 \text{ mA}\cdot\text{m}^2 (3.47 \text{ emu} \pm 0.01 \text{ emu})$	Each

## Miscellaneous

NIST-953	<p><b>Cobalt in aluminium - Neutron density monitor wire</b></p> <p>The standard is provided as a reference source of cobalt in aluminium alloy to serve as a neutron density monitor wire standard.</p>	1 m
----------	--	-----

NIST-963a	<p><b>Fission track glass</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) was produced and certified for use in uranium fission track analysis and monitoring neutron fluences. The SRM is made up of: four unirradiated glass wafers, two irradiated glass wafers, a muscovite mica and polycarbonate detectors.</p>	set (6)
-----------	---	---------

NIST-1082	<p><b>Cigarette ignition strength standard</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended for use by test laboratories to assess and control their testing of cigarette ignition strength in accordance with ASTM Standard Methods E 2187-04 (or ASTM E2187-02b). The SRM unit consists of one carton of cigarettes containing 10 packs of 20 cigarettes each.</p> <p>Certified value</p> <table border="1"> <thead> <tr> <th>Measurand</th> <th>ASTM Method</th> <th>Certified Value and Expanded Uncertainty</th> </tr> </thead> <tbody> <tr> <td>Ignition Strength.....</td> <td>E 2187-04(a).....</td> <td>12.6 % ± 3.3 %</td> </tr> </tbody> </table> <p>(on 10 layers of filter paper)</p>	Measurand	ASTM Method	Certified Value and Expanded Uncertainty	Ignition Strength.....	E 2187-04(a).....	12.6 % ± 3.3 %	10 pck.
Measurand	ASTM Method	Certified Value and Expanded Uncertainty						
Ignition Strength.....	E 2187-04(a).....	12.6 % ± 3.3 %						

<b>New</b> NIST-1196	<p><b>Standard Cigarette for ignition resistance testing</b></p> <p>This Standard Reference Material (SRM) is intended for use by test laboratories to test mattresses, upholstered furniture and its components, and thermal insulation for resistance to cigarette ignition in accordance with 16 CFR 1632 [1], 16 CFR 1634 (proposed) [2], and 16 CFR 1209 [3]. A unit of NIST-1196 consists of one carton of cigarettes containing 10 packs of 20 cigarettes each.</p>	10 pck.
----------------------	--	---------

### Certified values

Measurand	Test method	Certified value and Expanded uncertainty
Ignition strength (on 6.35 mm brass plate plus 2 layers of filter paper)	ASTM E2187, modified per NIST TN 1627 <sup>(a)</sup>	90.0 % ± 2.1 %

<sup>(a)</sup> Standard Test Method for Measuring the Ignition Strength of Cigarettes, as modified in NIST Technical Note 1627, Modification of ASTM E 2187 for Measuring the Ignition Propensity of Conventional Cigarettes, June 2009.

[1] CPSC 16 CFR 1632; Standard for Flammability of Mattresses and Mattress Pads; Consumer Product Safety Commission Part 1632; Office of the Federal Register.

[2] CPSC 16 CFR 1634; Standard for Flammability of Residential Upholstered Furniture; Proposed Rule, Consumer Product Safety Commission Part 1634; Office of the Federal Register.

[3] CPSC 16 CFR 1209; Interim Safety Standard for Cellulose Insulation; Consumer Product Safety Commission Part 1209; Office of the Federal Register.

NIST-1006d	<p><b>Smoke density chamber standard for non-flaming exposure condition</b></p> <p>This Standard Reference Material consists of paper sheets, principally -cellulose, derived from wood chips. The SRM is intended primarily for checking the operation of smoke density chambers under non-flaming exposure conditions in accordance with the prescribed calibration and standardization techniques outlined in the American Society for Testing and Materials (ASTM) Standard Test Method E 662-95 "Standard Test Method for Specific Optical Density of Smoke Generated by Solid Materials", and in National Fire Protection Association (NFPA) 258-1998, "Standard Research Test Method for Determining Smoke Generation of Solid Materials". A unit consists of nine single layer sheets, each 172 mm x 254 mm x 1.65 mm thick.</p> <p>The certified value and expanded uncertainty [3] for maximum specific optical density of a single layer thickness is:</p> $D_m = 210 \pm 18 \text{ (without correction for window deposit)}$ $D_m \text{ corr.} = 193 \pm 20$	9 sheets
------------	---	----------

NIST-1810a	<p><b>Linerboard - Tape adhesion testing (sheet form)</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is intended to provide a uniform source of linerboard for use with ASTM D 2860 Standard Test Method for Adhesion of pressure-sensitive tape to fiberboard at 90 degree angle and constant stress. Each unit consists of fifty 21.6 cm x 28 cm (8.5 in x 11 in) linerboard sheets of Mosinee 696-C paper, sealed in a moisture resistant foil-lined package.</p>	50 each
------------	---	---------

NIST-2490	<p><b>Non-Newtonian Polymer Solution for Rheology - Polyisobutylene Dissolved in 2,6,10,14-Tetramethylpentadecane</b></p> <p>Please ask for details</p>	100 mL
-----------	---	--------

NIST-2811	<p><b>Rockwell C Scale Hardness (High Range)</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is a transfer standard intended primarily for use in calibration and verification of the performance of Rockwell hardness equipment using the Rockwell C Hardness Scale (HRC).</p>	Each
-----------	---	------

NIST-2812	<p><b>Rockwell C Scale Hardness (High Range)</b></p> <p>This Standard Reference Material (SRM<sup>®</sup>) is a transfer standard intended primarily for use in calibration and verification of the performance of Rockwell hardness equipment using the Rockwell C Hardness Scale (HRC).</p>	Each
-----------	---	------

Code	Product	Unit
<b>New</b> NIST-2910A	<p><b>Calcium hydroxyapatite</b></p> <p>This Standard Reference Material is intended primarily for use in evaluating the physical and chemical properties of calcium apatites of biological, geological, and synthetic origin. The Ca/P molar ratio for SRM 2910a is consistent with the theoretical Ca/P molar ratio of 1.667 for calcium hydroxyapatite with a compositional formula of <math>\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2</math>. A unit of NIST-2910a consists of a 2 g bottle of Hydroxyapatite.</p> <p>Certified values</p> <p>Ca ..... 38.89 ± 0.85%      Ca/P Molar Ratio..... 1.667 ± 0.037  P ..... 18.029 ± 0.071 %</p> <p>Reference values for X-ray diffraction measurements</p>	2 g
NIST-RM 8130	<p><b>Coplanar waveguide calibration set</b></p> <p>This Reference Material (RM) is intended for use by industrial laboratories that wish to implement the procedure described in Part 1 of the NIST/Industrial MMIC Consortium's "Proposed Procedures for Verifying Probe Station Integrity and On-wafer Measurement Accuracy" for the measurement of microwave probe station stability and for verifying the ability to repeat on-wafer microwave measurements performed at NIST.</p>	Each
NIST-RM 8458	<p><b>Artificial flaw for eddy current nondestructive evaluation</b></p> <p>This Research Material (RM), the Capobianco, Dube, Fizer (CDF) notch, provides a reproducibility flaw of a known size and geometry that closely resembles an actual fatigue crack. It is intended to produce a response suitable for calibrating an eddy current nondestructive evaluation (NDE) system.</p>	Each



## Laboratory supplies

### Filter

## ULTRASep™ Filters

### ULTRASep™ TSS Filters for Standard Methods 2540C and 2540D

ULTRASep™ TSS Filters are specifically designed to ensure compliance with the filter preparation requirements of Standard Methods 2540 C (Total Dissolved Solids Dried at 180°C) and Standard Methods 2540 D (Total Suspended Solids at 103-105°C). You can now easily differentiate the wrinkle side from the screen side of the filter, since we've made the wrinkle side visibly different. There is no guesswork for you! Now everyone can clearly see and easily determine which side needs to face up to ensure compliance.



These 1.5 µm binder-free, fast flowing, fine porosity borosilicate glass microfiber filters have been optimised to eliminate pin holing and minimize fibre shedding, two quality issues known to affect other brands of TSS filters. ULTRASep™ TSS Filters are readily available in the most popular sizes used in a wide variety of CoorsTek chemical-porcelain labware including Bitumen, Buchner, Gooch, Hirsch, and many other popular filter holders.

	Code	Product	Unit
<b>New</b>	U-SPE-01020	ULTRASep™ TSS Filters, 1.5 µm GMF, 1 mm (20 mm diameter) - Fits CoorsTek No. Gooch - 60148	100 pcs
<b>New</b>	U-SPE-01021	ULTRASep™ TSS Filters, 1.5 µm GMF, 1 mm (21 mm diameter) - Fits CoorsTek No. Gooch - 60148	100 pcs
<b>New</b>	U-SPE-01024	ULTRASep™ TSS Filters, 1.5 µm GMF, 1 mm (24 mm diameter) - Fits CoorsTek No. Gooch - 60151	100 pcs
<b>New</b>	U-SPE-01025	ULTRASep™ TSS Filters, 1.5 µm GMF, 1 mm (25 mm diameter) - Fits CoorsTek No. Hirsch - 60299	100 pcs
<b>New</b>	U-SPE-01042	ULTRASep™ TSS Filters, 1.5 µm GMF, 1 mm (42.5 mm diameter) - Fits CoorsTek No. Hirsch - 60301	100 pcs
<b>New</b>	U-SPE-01047	ULTRASep™ TSS Filters, 1.5 µm GMF, 1 mm (47 mm diameter) - Fits CoorsTek No. Hirsch - 60301	100 pcs
<b>New</b>	U-SPE-01055	ULTRASep™ TSS Filters, 1.5 µm GMF, 1 mm (55 mm diameter) - Fits CoorsTek No. Buchner - 60240	100 pcs

Code	Product	Unit
U-QCI-711	ULTRAccheck® Solids 3 Analytes Non-filterable residue (total suspended solids) .....20 - 200 mg/L Filterable residue (total dissolved solids).....50 - 5000 mg/L Total solids .....70 - 5200 mg/L Ready-to-use whole volume standard.	500 mL
U-QCI-716	ULTRAccheck® Non-Filterable Residue 1 Analyte Non-filterable residue (total suspended solids) .....23 - 100 mg/L Add 500 mg of sample to 1 L of water for final working test sample.	1 g

**ULTRASep™ SPE disc system for EPA Method 1664A, specifically designed for dirty water samples**

Ultra Scientific have launched "The Dirty Water SPE", ULTRASep™, an SPE Disc system for EPA Method 1664A, specifically designed for dirty water samples. These discs can extract samples up to five times faster and distil and oven-dry samples three times faster - significantly increasing efficiency and reducing solvent costs in your laboratory.

<b>New</b>	U-SPE-4347	ULTRASep™ 47 mm Filters, Oil & Grease	50 pcs
<b>New</b>	U-SPE-4390	ULTRASep™ 90/100 mm Filters, Oil & Grease	50 pcs
<b>New</b>	U-SPE-4390H	ULTRASep™ 90 mm Filters, Oil & Grease	50 pcs
<b>New</b>	U-SPE-4447	ULTRASep™ 47 mm Pre-filters (5 µm), Oil & Grease - Polypropylene	25 pcs
<b>New</b>	U-SPE-4490	ULTRASep™ 90/100 mm Pre-filters (5 µm), Oil & Grease - Polypropylene	25 pcs
<b>New</b>	U-SPE-4490H	ULTRASep™ 90 mm Pre-filters (5 µm), Oil & Grease - Polypropylene	25 pcs
<b>New</b>	U-SPE-4521	ULTRASep™ Pipettes - transfer 15 mL	250 pcs
<b>New</b>	U-SPE-6524	ULTRASep™ Columns - Sodium sulfate, 10g	48 pcs
<b>New</b>	U-SPE-6547	ULTRASep™ 47 mm Pre-filters (5 µm), Oil & Grease - Glass macro	50 pcs
<b>New</b>	U-SPE-6590	ULTRASep™ 90/100 mm Pre-filters (5 µm), Oil & Grease - Glass macro	50 pcs
<b>New</b>	U-SPE-6590H	ULTRASep™ 90 mm Pre-filters (5 µm), Oil & Grease - Glass macro	50 pcs
<b>New</b>	U-SPE-6616	ULTRASep™ System Starter Kit - Apparatus, Consumables, 1664A Standards	Each
<b>New</b>	U-SPE-6631	ULTRASep™ 90 mm Filter Holder, 3000 XL	Each
<b>New</b>	U-SPEK-4000	ULTRASep™ 47 mm Oil & Grease Kit Each kit contains SPE-4347 ULTRASep™ 47 mm Filters, Oil & Grease 1 x 50 pcs SPE-4447 ULTRASep™ 47 mm Pre-filters (5 µm), Oil & Grease - Polypropylene 2 x 25 pcs	Each
<b>New</b>	U-SPEK-4090	ULTRASep™ 90/100 mm Oil & Grease Kit Each kit contains SPE-4390 ULTRASep™ 90/100 mm Filters, Oil & Grease 1 x 50 pcs SPE-4490 ULTRASep™ 90/100 mm Pre-filters (5 µm), Oil & Grease - Polypropylene 2 x 25 pcs	Each
<b>New</b>	U-SPEK-4090H	ULTRASep™ 90 mm Oil & Grease Kit Each kit contains SPE-4390H ULTRASep™ 90 mm Filters, Oil & Grease 1 x 50 pcs SPE-4490H ULTRASep™ 90/100 mm Pre-filters (5 µm), Oil & Grease - Polypropylene 2 x 25 pcs	Each
<b>New</b>	U-RGO-102X	Method 1664 Precision, Accuracy and Recovery Standard 2000 µg/mL of each analyte in Acetone n-Hexadecane Stearic acid	100 mL
<b>New</b>	U-RGO-101X	EPA Method 1664 Precision, Accuracy, & Recovery Standard 4000 µg/mL of each analyte in Acetone n-Hexadecane Stearic acid	100 mL
	U-QCI-770	ULTRAccheck® Oil & Grease Total oil and grease ..... 8 - 50 mg/L One 10 mL ampoule to be diluted to 1 L.	10 mL

# eVol® hand-held automated analytical syringe

eVol® is the coupling of two precision devices:

a digitally controlled electronic drive and an XCHANGE® enabled analytical syringe.

The result is a digitally controlled positive displacement dispensing system that is programmable to reproducibly and accurately perform a wide variety of liquid handling procedures.

eVol® will improve your laboratory workflow and reporting confidence in many ways.

### Key benefits

- The programmable digital drive means liquid handling procedures are user independent allowing more efficient workflow scheduling and a reduction in the re-analysis of incorrectly processed or false positive samples.
- XCHANGE® analytical syringes are easily and quickly changed allowing them to be dedicated to individual liquids to prevent possible cross-contamination of reagents.

### Precise user-independent dispensing

Unlike air-displacement devices, such as pipettors, eVol® is the perfect solution for accurately aspirating and dispensing both aqueous and non-aqueous liquids.

eVol® features a familiar Touch Wheel user interface and a full-color screen. The clever menu allows all the functions to be accessed logically and quickly. The programming functions are intuitive and include help screens and prompts.

### World's first user calibrated analytical syringe

To comply with your stringent laboratory standards (e.g. GLP, GMP, FDA) eVol® is easily calibrated to ensure accurate dispensing at all times. The gravimetric calibration procedure is simple, intuitive and can be performed at appropriate intervals. Calibration factors can be stored for up to ten XCHANGE® syringes and are quickly loaded when the syringe is changed.

### Typical applications for eVol® include

- Preparation of calibration standards
- Addition of internal standards
- Precise dispensing of non-aqueous liquids
- Sample dilution

Only three XCHANGE® syringes are required to dispense liquid volumes covering the range from 200 nL to 500 µL.

Syringe capacity (µL)	Volume range (µL)
5	0.2 – 5
50	2 – 50
500	20 – 500



## eVol® hand-held automated analytical syringe

	Code	Product	Unit
<b>New</b>	SGE-2910000	eVol® automated analytical syringe starter kit Each Kit includes unit, charger, stand, 3 syringes: 5µL, 50µL and 500µL	kit
<b>New</b>	SGE-2910005	eVol® - Electronic syringe	Each

### eVol® NMR Edition

eVol® NMR Edition is the world's first electronic syringe for NMR capillaries. It has been designed for the specific needs of NMR:

- Small sample quantities
- Requirement for very high levels of accuracy and reproducibility
- Alternative to high cost consumables
- Specialist samples and solvents

eVol® NMR Edition allows accurate manipulation of small volumes of NMR samples enabling dilution directly in the analysis tube - even in tubes with the smallest internal diameters.

eVol® facilitates in-tube sample mixing and enables recovery of precious samples allowing them to be stored in alternative vessels (such as inexpensive vials) rather than being left in valuable tubes. These tubes can now be emptied using eVol®, for washing and re-use.

eVol® benefits in NMR

- Facilitates small volume manipulation
- Operator independent accuracy, precision and reliability
- Increased speed of sample processing

<b>New</b>	SGE-2910100	eVol® NMR starter kit Each kit includes <ul style="list-style-type: none"> <li>• eVol® - Automated analytical syringe</li> <li>• Manual, quick-start guide &amp; support CD</li> <li>• Multi-country charger</li> <li>• Storage stand</li> <li>• 5 µL eVol® XCHANGE® syringe with 11.5 cm needle</li> <li>• 50 µL eVol® XCHANGE® syringe with 11.5 cm and 18 cm needles</li> <li>• 500 µL eVol® XCHANGE® syringe with 11.5 cm and 18 cm needles</li> </ul>	kit
------------	-------------	---	-----

### eVol® Accessories

<b>New</b>	SGE-2910010	eVol® Stand	Each
<b>New</b>	SGE-2910012	eVol® Charger	Each
<b>New</b>	SGE-2910030	eVol® Charging stand	Each
<b>New</b>	SGE-2910040	eVol® Replacement battery	Each

### eVol® Syringes

<b>New</b>	SGE-2910020	5 µL eVol® Syringe	Each														
		<table border="0"> <thead> <tr> <th>Needle Length (mm)</th> <th>Needle Gauge</th> <th>Needle OD (mm)</th> <th>Needle ID (mm)</th> <th>Tip Style</th> <th>Replacement Needle Part No.</th> <th>Replacement Plunger Part No.</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>25</td> <td>0.50</td> <td>0.20</td> <td>Bevel</td> <td>SGE-036910</td> <td>SGE-2910380</td> </tr> </tbody> </table>	Needle Length (mm)	Needle Gauge	Needle OD (mm)	Needle ID (mm)	Tip Style	Replacement Needle Part No.	Replacement Plunger Part No.	50	25	0.50	0.20	Bevel	SGE-036910	SGE-2910380	
Needle Length (mm)	Needle Gauge	Needle OD (mm)	Needle ID (mm)	Tip Style	Replacement Needle Part No.	Replacement Plunger Part No.											
50	25	0.50	0.20	Bevel	SGE-036910	SGE-2910380											
<b>New</b>	SGE-2910021	5 µL eVol® Syringe supplied without needle	Each														
<b>New</b>	SGE-2910022	50 µL eVol® Syringe	Each														
		<table border="0"> <thead> <tr> <th>Needle Length (mm)</th> <th>Needle Gauge</th> <th>Needle OD (mm)</th> <th>Needle ID (mm)</th> <th>Tip Style</th> <th>Replacement Needle Part No.</th> <th>Replacement Plunger Part No.</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>25</td> <td>0.50</td> <td>0.20</td> <td>Bevel</td> <td>SGE-038110</td> <td>SGE-2910382</td> </tr> </tbody> </table>	Needle Length (mm)	Needle Gauge	Needle OD (mm)	Needle ID (mm)	Tip Style	Replacement Needle Part No.	Replacement Plunger Part No.	50	25	0.50	0.20	Bevel	SGE-038110	SGE-2910382	
Needle Length (mm)	Needle Gauge	Needle OD (mm)	Needle ID (mm)	Tip Style	Replacement Needle Part No.	Replacement Plunger Part No.											
50	25	0.50	0.20	Bevel	SGE-038110	SGE-2910382											
<b>New</b>	SGE-2910023	50 µL eVol® Syringe supplied without needle	Each														
<b>New</b>	SGE-2910024	500 µL eVol® Syringe	Each														
		<table border="0"> <thead> <tr> <th>Needle Length (mm)</th> <th>Needle Gauge</th> <th>Needle OD (mm)</th> <th>Needle ID (mm)</th> <th>Tip Style</th> <th>Replacement Needle Part No.</th> <th>Replacement Plunger Part No.</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>23</td> <td>0.63</td> <td>0.32</td> <td>Bevel</td> <td>SGE-039110</td> <td>SGE-2910384</td> </tr> </tbody> </table>	Needle Length (mm)	Needle Gauge	Needle OD (mm)	Needle ID (mm)	Tip Style	Replacement Needle Part No.	Replacement Plunger Part No.	50	23	0.63	0.32	Bevel	SGE-039110	SGE-2910384	
Needle Length (mm)	Needle Gauge	Needle OD (mm)	Needle ID (mm)	Tip Style	Replacement Needle Part No.	Replacement Plunger Part No.											
50	23	0.63	0.32	Bevel	SGE-039110	SGE-2910384											

### Replacement plungers for eVol® syringes

<b>New</b>	SGE-2910380	Replacement plunger for 5 µL eVol® syringe	Each
<b>New</b>	SGE-2910382	Replacement plunger for 50 µL eVol® syringe	Each
<b>New</b>	SGE-2910384	Replacement plunger for 500 µL eVol® syringe	Each

## eVol® hand-held automated analytical syringe

Code	Product	Unit
<b>Replacement needles for 5 µL eVol® syringes</b>		
<b>New</b> SGE-036910	Replacement needles for 5 µL eVol® syringe Needle Length (mm) 50 Needle Gauge 25 Needle OD (mm) 0.50 Needle ID (mm) 0.20 Tip Style Bevel Pack Size 5	5 needles
<b>New</b> SGE-036912	Replacement needles for 5 µL eVol® syringe Needle Length (mm) 51 (2") Needle Gauge 22 Needle OD (mm) 0.028 Needle ID (mm) 0.17 Tip Style LC Pack Size 5	5 needles
<b>New</b> SGE-036914	Replacement needles for 5 µL eVol® syringe Needle Length (mm) 50 Needle Gauge 23 Needle OD (mm) 0.63 Needle ID (mm) 0.11 Tip Style Cone Pack Size 5	5 needles
<b>New</b> SGE-036916	Replacement needles for 5 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 25 Needle OD (mm) 0.50 Needle ID (mm) 0.20 Tip Style Bevel Pack Size 5	5 needles
<b>New</b> SGE-036918	Replacement needles for 5 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 26 Needle OD (mm) 0.47 Needle ID (mm) 0.11 Tip Style Cone Pack Size 5	5 needles
<b>New</b> SGE-036920	Replacement needles for 5 µL eVol® syringe Needle Length (mm) 115 Needle Gauge 25 Needle OD (mm) 0.50 Tip Style Bevel Pack Size 2	2 needles
<b>New</b> SGE-036922	Replacement needles for 5 µL eVol® syringe Needle Length (mm) 115 Needle Gauge 25 Needle OD (mm) 0.50 Tip Style Cone Pack Size 2	2 needles
<b>Replacement needles for 50 µL eVol® syringes</b>		
<b>New</b> SGE-038110	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 50 Needle Gauge 25 Needle OD (mm) 0.50 Needle ID (mm) 0.20 Tip Style Bevel Pack Size 5	5 needles
<b>New</b> SGE-038030	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 25 Needle OD (mm) 0.50 Needle ID (mm) 0.20 Tip Style Cone Pack Size 2	2 needles
<b>New</b> SGE-038130	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 25 Needle OD (mm) 0.50 Needle ID (mm) 0.20 Tip Style Bevel Pack Size 5	5 needles
<b>New</b> SGE-038131	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 23 Needle OD (mm) 0.63 Needle ID (mm) 0.24 Tip Style Bevel Pack Size 5	5 needles
<b>New</b> SGE-038270	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 22 Needle OD (mm) 0.0028'' Needle ID (mm) 0.37 Tip Style LC Pack Size 5	5 needles
<b>New</b> SGE-038430	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 25 Needle OD (mm) 0.50 Needle ID (mm) 0.20 Tip Style Side Hole/Dome Pack Size 2	2 needles
<b>New</b> SGE-038530	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 70 Needle Gauge 25 Needle OD (mm) 0.50 Needle ID (mm) 0.20 Tip Style Dome Pack Size 2	2 needles
<b>New</b> SGE-038161	Replacement needles for 50 µL eVol® syringe Needle Length (mm) 115 Needle Gauge 23 Needle OD (mm) 0.63 Tip Style Bevel Pack Size 5	5 needles

## eVol® hand-held automated analytical syringe

Code	Product	Unit
<b>New</b> SGE-038138	Replacement needles for 50 µL eVol® syringe	2 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Tip Style    Pack Size	
	180.....23.....0.63.....Bevel.....2	
<b>New</b> SGE-038060	Replacement needles for 50 µL eVol® syringe	2 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Tip Style    Pack Size	
	115.....25.....0.50.....Cone.....2	
<b>New</b> SGE-038038	Replacement needles for 50 µL eVol® syringe	2 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Tip Style    Pack Size	
	180.....23.....0.63.....Cone.....2	

### Replacement needles for 500 µL eVol® syringes

<b>New</b> SGE-039110	Replacement needles for 500 µL eVol® syringe	5 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Needle ID (mm)    Tip Style    Pack Size	
	50.....23.....0.63.....0.32.....Bevel.....5	
<b>New</b> SGE-039130	Replacement needles for 500 µL eVol® syringe	5 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Needle ID (mm)    Tip Style    Pack Size	
	70.....23.....0.63.....0.32.....Bevel.....5	
<b>New</b> SGE-039160	Replacement needles for 500 µL eVol® syringe	5 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Tip Style    Pack Size	
	115.....23.....0.63.....Bevel.....5	
<b>New</b> SGE-039138	Replacement needles for 500 µL eVol® syringe	5 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Tip Style    Pack Size	
	180.....23.....0.63.....Bevel.....2	
<b>New</b> SGE-039060	Replacement needles for 500 µL eVol® syringe	5 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Tip Style    Pack Size	
	115.....23.....0.63.....Cone.....5	
<b>New</b> SGE-039038	Replacement needles for 500 µL eVol® syringe	5 needles
	Needle Length (mm)    Needle Gauge    Needle OD (mm)    Tip Style    Pack Size	
	180.....23.....0.63.....Cone.....2	

We constantly add new products to our range, so please contact us to find out about new products and services and to make sure you are automatically kept up to date by subscribing to our free newsletter.

Just send an e-mail to: [askus@lgcstandards.com](mailto:askus@lgcstandards.com)





# High purity solvents, acids and chromatography products




*Excellence through measurement*

## From Atorvastatin to Zopiclone - 2400 pharmaceutical impurities

LGC Standards offers 2400 reference standards for pharmaceutical impurities to support the pharmaceutical industry worldwide.

- Acknowledged by regulation authorities worldwide
- Impurities linked to the European Pharmacopoeia (EP) wherever possible
- Customised pharmaceutical impurities created on request
- Detailed certificates of analysis provided
- Additional documentation on request
- Assistance in finding the right material to suit your analyses



- Atorvastatin
- Bupropion
  - Clopidogrel
  - Esomeprazol
  - Ibuprofen
  - Naproxen
  - Omeprazole
  - Risperidone
  - Sildenafil
  - Steroid hormones
- Venlafaxine
- Zopiclone

Please contact your local LGC Standards office for further information, or visit [www.lgcstandards.com](http://www.lgcstandards.com)

## Introduction

### Picograde® solvents for residue analysis

Picograde® solvents form the heart of the LGC Standards solvent range. Each batch undergoes rigorous testing in order to meet the demanding requirements of organic trace analysis every time.

Environmental analysts are now expected to detect trace levels of an increasingly wide range of organic environmental contaminants including pesticides, PAHs, PCBs, PCDDs/PCDFs etc. with the highest possible accuracy. Consequently even the lowest levels of impurity in the solvent can affect the precision of analytical results. Picograde® solvents are specifically tailored to this application.

Carefully selected raw materials are chemically pre-treated and then fractionated in glass in the absence of air. Distillation and filling are similarly carried out in air free conditions. The glass bottles are sterile and dust free and are rinsed with the appropriate solvent prior to filling. Caps used to seal the bottles are subjected to the same stringent cleaning processes. The specification of the solvent includes the determination of water content, residue on evaporation and a comprehensive gas chromatographic analysis.

To confirm the absence of contaminants samples of the solvent are concentrated to varying degrees and then analysed by gas chromatography. Flame ionisation and electron capture detectors (ECD) are used for the quantification of the contaminants. The specification of the Picograde® solvent guarantees that no signal due to contamination will be larger than the internal standard peak (10 pg/mL heptachlor-epoxide) in the retention time window from 1,4-dichlorobenzene to decachlorobiphenyl. The very high specification of the Picograde® solvents allows them to be used for residue analysis of trace quantities of organic contaminants right down to ppb and ppt levels.

### Optigrade® - High purity solvents for HPLC

High performance liquid chromatography is now an essential analytical tool especially in the areas of research and development, pharmaceutical quality control and analysis in the food and environmental sectors. This technique demands the highest quality solvents to allow reproducible separations. The basic requirements include a high UV-transmission factor, low particle levels, slight acidity and alkalinity coupled with low levels of water and other non-volatile components. In addition there must be consistency between batches.

Solvents for isocratic analytical HPLC together with gradient grade quality solvents are included in the HPLC range. Gradient grade has the highest purity and is specially designed for use with gradient elution HPLC using reversed phase materials and UV or fluorescence detection. Quality assurance procedures allow LGC Standards to offer a consistently premium quality product. Each batch is checked to make sure that the solvent has the required high level of UV-transmission in the wavelength range 190-350 nm.

#### Solvents for LC/MS

The presence of alkali and alkaline earth metals in the mobile phase when using LC/MS can make the interpretation of the mass spectrum very difficult. LGC Standards offers solvents designed for this technique with extremely low levels of these metals, at 0.1 ppm and less.

#### Solvents for Ultra HPLC (UHPLC)

ULTRA HPLC (UHPLC) requires solvents of superior quality. A new range of high purity Optigrade® solvents from LGC Standards has been designed to allow high resolution and sensitivity. Such Ultra HPLC solvents combine the highest specification for: UV, low gradient shift, minimal peak impurities and lowest ionic background for MS detection. All Ultra HPLC solvents are micro filtered at 0.1 µm, have a residue following evaporation of max 1 ppm and are packed under inert gas for improved shelf life. Also available are selected buffers for mobile phase preparation and several blends of water and acetonitrile with formic acid, acetic acid and trifluoroacetic acid are offered.

### Specialist solvents

- **Solvents for VOCs and aromatic hydrocarbons**

It has become increasingly necessary to be able to determine a range of organic compounds in environmental samples including volatile organic compounds (VOCs) and BTEX-aromatics. Various extraction techniques are used for the separation and concentration of organic trace constituents from the sample matrix and it is essential to use solvents with very low levels of contamination. LGC Standards can provide the solvents to meet these exacting requirements.

- **Solvents for GC headspace techniques**

Analysis of volatile organic impurities using the GC headspace technique has become an important quality control tool in pharmaceutical and food related industries. The International Conference on Harmonization of technical requirements for registration of pharmaceuticals for Human use (ICH) has issued recommendations concerning the safe levels of residual solvents in pharmaceutical compounds. These solvents are divided into 3 classes according to their toxicity. Limit values of residual solvents in pharmaceutical products are specified by the United States and European Pharmacopeia. The quality of the solvent used to dissolve the sample is of prime importance. It must be of the highest purity and show virtually no background signal with both polar and non polar GC capillary columns. The new headspace solvents are high boiling point solvents, specifically developed, analysed and packed for the headspace analysis of volatile solvent impurities.

- **Solvents for the analysis of nitrosamines**

When extracting trace levels of nitrosamines in samples it is important to use a solvent that is free of nitrosamine contamination. For this application LGC Standards has solvents with a maximum level of 0.1ppb of specific nitrosamines.

- **Solvents for the tobacco industry**

### High purity acids

LGC Standards offers the most frequently used mineral acids for trace analysis: hydrochloric acid, nitric acid, hydrofluoric acid, sulfuric acid, perchloric acid and acetic acid. These are produced by sub-boiling distillation of very pure starting materials. This purification results in most metallic impurities reduced to (or below) ppb ranges. The acids are delivered in special bottles (long-term leached borosilicate glass or modified HDPE) which ensure minimum contamination of the acid from the material of the bottle.

Important note: Element concentrations are at the point of bottling. Concentrations of some elements may increase due to the storage container.

## Reagents / Sorbents

	Code	Product	Unit
	SC-4592-A005	ICN-Alumina A - Super I (acid) (50 - 200 µm)	500 g
	SC-4568-A005	ICN Alumina B - Super I (basic) (50 - 200 µm)	500 g
	SC-4569-A005	ICN-Alumina B - Super I (50 - 200 µm) for dioxin analysis	500 g
	SC-4181-B005	Florisil® (Standard), 60 - 100 mesh (150 - 250 µm)	500 g
	SC-4181-S010	Florisil® (Standard), 60 - 100 mesh (150 - 250 µm)	10 kg
	SC-4182-B005	Florisil® PR for residue analysis, 60 - 100 mesh (150 - 250 µm)	500 g
	SC-4182-S010	Florisil® PR for residue analysis, 60 - 100 mesh (150 - 250 µm)	10 kg
	SC-4182-S020	Florisil® PR for residue analysis, 60 - 100 mesh (150 - 250 µm)	20 kg
	SC-9700-B005	Florisil® (Standard), 60 - 100 mesh (suitable for ISO 9377-2/H53)	500 g
<b>New</b>	SC-4183-B005	Florisil® (Standard), 100-200 mesh	500 g
<b>New</b>	SC-4183-S010	Florisil® (Standard), 100-200 mesh	10 kg
<b>New</b>	SC-4183-S020	Florisil® (Standard), 100-200 mesh	20 kg
	SC-9982-B010	Silica gel 60 (63 - 200 µm)	1 kg
	SC-9950-B005	Sodium sulfate anhydrous, for analysis (ACS), powder	500 g
	SC-9950-B025	Sodium sulfate anhydrous, for analysis (ACS), powder	2.5 kg
	SC-8024-B005	Sodium sulfate anhydrous, for analysis, in granular form	500 g
	SC-8024-B025	Sodium sulfate anhydrous, for analysis, in granular form	2.5 kg
	SC-8024-S025	Sodium sulfate anhydrous, for analysis, in granular form	25 kg
	SC-1024-B005	Sodium sulfate Picograde® anhydrous, for residue analysis (ACS), in granular form	500 g
	SC-1024-B025	Sodium sulfate Picograde® anhydrous, for residue analysis (ACS), in granular form	2.5 kg

## Ion pair reagents

Code	Product	Unit
SC-5330-F025	1-Butanesulfonic acid sodium salt for HPLC	25 g
SC-5330-F100	1-Butanesulfonic acid sodium salt for HPLC	100 g
SC-5650-F025	1-Decanesulfonic acid sodium salt for HPLC	25 g
SC-5650-F100	1-Decanesulfonic acid sodium salt for HPLC	100 g
SC-5430-F025	1-Dodecanesulfonic acid sodium salt for HPLC	25 g
SC-5430-F100	1-Dodecanesulfonic acid sodium salt for HPLC	100 g
SC-5230-F025	1-Heptanesulfonic acid sodium salt for HPLC	25 g
SC-5230-F100	1-Heptanesulfonic acid sodium salt for HPLC	100 g
SC-5550-F025	1-Hexanesulfonic acid sodium salt for HPLC	25 g
SC-5550-F100	1-Hexanesulfonic acid sodium salt for HPLC	100 g
SC-5150-F025	1-Octanesulphonic acid sodium salt for HPLC	25 g
SC-5150-F100	1-Octanesulphonic acid sodium salt for HPLC	100 g
SC-5730-F025	1-Pentanesulfonic acid sodium salt for HPLC	25 g
SC-5730-F100	1-Pentanesulfonic acid sodium salt for HPLC	100 g

## LC-MS additives

Code	Product	Unit
SO-9685-B001	Ammonium acetate UHPLC-MS Optigrade® CAS number 631-61-8 Assay (GC, on anhydrous basis) ..... 99 % min. Water (KF) ..... 0.1 % max. Filter test (1M in water) ..... Passes test pH (1M in water) ..... 6.0-7.5 Transmission at 260 nm (1M in water) ..... 96 % at 280 nm (1M in water) ..... 98 % Chloride (Cl) ..... 0.0005% max. Sulfate (SO <sub>4</sub> ) ..... 0.001% max. Al ..... 1 ppm max. Ca ..... 5 ppm max. Fe ..... 1 ppm max. K ..... 5 ppm max. Mg ..... 1 ppm max. Na ..... 5 ppm max.	100 g
SO-9679-B001	Formic acid UHPLC-MS Optigrade® UN 1779 CAS number 64-18-6 Assay (T, on anhydrous basis) ..... 99 % min. Water (KF) ..... 1 % max. Residue after evaporation ..... 0.001 %w/w max. Color (APHA) ..... 10 max. Gradient specification HPLC gradient at 254 nm - H. Peak            0.005 AU max. HPLC gradient at 254 nm - Drift            0.02 AU max. Transmission at 260 nm ..... 15 % min. at 270 nm ..... 83% min. at 280 nm ..... 90 % min. at 300 nm ..... 97% min. at 320 nm ..... 98% min.	100 ml

## High purity solvents and acids

Code	Product	Unit
SO-9668-B001	Trifluoroacetic acid UHPLC-MS Optigrade® UN 2699 CAS-Nr. 76-05-1 Assay (T)..... 99.95-100 % Water (KF) ..... 0-0.02 % Residue after evaporation..... 0-0.001 %w/w Color (APHA)..... 0-10 Gradient specification HPLC gradient 254 nm - H. Peak ..... 0-0.002 AU HPLC gradient at 254 nm - Drift ..... 0-0.010 AU Fluorescence at 254 nm (25%, as quinine) ..... 0-1 ppb Fluorescence at 365 nm (25%, as quinine) ..... 0-1 ppb Transmission at 260 nm ..... 10-100 % at 270 nm ..... 79-100 % at 280 nm ..... 93-100 % at 300 nm ..... 95-100 % at 320 nm ..... 96-100 %	100 mL

## High purity solvents and acids

### Acetic acid

Code	Product	Unit
HPA-0050-B010	Acetic acid for trace analysis min 99.5 % (glass bottle) UN 2789 Assay ..... > 99.5 % Colour (APHA) ..... < 10 Residue..... < 2 ppm Chloride..... < 0.4 ppm Phosphate ..... < 0.5 ppm Sulfate ..... < 0.4 ppm Ag ..... < 0.1 ppb Al ..... < 0.1 ppb As ..... < 0.1 ppb Ba ..... < 0.1 ppb Be ..... < 0.1 ppb Bi ..... < 0.1 ppb Ca ..... < 0.5 ppb Cd ..... < 0.1 ppb Co ..... < 0.1 ppb Cr ..... < 0.1 ppb Cu ..... < 0.1 ppb Fe ..... < 0.5 ppb K ..... < 0.1 ppb Li ..... < 0.1 ppb Mg ..... < 0.1 ppb Mn ..... < 0.1 ppb Mo ..... < 0.1 ppb Na ..... < 0.5 ppb Ni ..... < 0.1 ppb Pb ..... < 0.1 ppb Se ..... < 0.5 ppb Sn ..... < 0.1 ppb Sr ..... < 0.1 ppb Th ..... < 0.1 ppb Ti ..... < 0.1 ppb V ..... < 0.1 ppb Zn ..... < 0.5 ppb Hydrochloric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	1 L

### Acetone

SO-2435-B010	Acetone HPLC Optigrade®	1 L
SO-2435-B025	Acetone HPLC Optigrade®	2.5 L
SO-2435-B040	Acetone HPLC Optigrade® UN 1090 CAS-Nr. 67-64-1 C <sub>3</sub> H <sub>6</sub> O Assay ..... 99.5% min. Water ..... 0.5% max. Non-volatile matter..... 0.0005% max. Filtered through 0.2 µm 1 L = 0.792 kg (at 20°C) Specification Transmission at 330 nm ..... 10% min. at 340 nm ..... 79% min. at 350 nm ..... 89% min. at 370 nm ..... 98% min.	4 L
SO-1142-B010	Acetone Picograde® for residue analysis	1 L
SO-1142-B025	Acetone Picograde® for residue analysis	2.5 L



Code	Product	Unit
SO-1142-B040	<p>Acetone Picograde® for residue analysis</p> <p>UN 1090</p> <p>CAS number 67-64-1</p> <p>C<sub>3</sub>H<sub>6</sub>O</p> <p>Assay ..... 99.0% min.</p> <p>Water ..... 0.5% max.</p> <p>Non-volatile matter ..... 0.0005% max.</p> <p>1 L = 0.792 kg (at 20°C)</p> <p>Specification</p> <p>GC/ECD</p> <p>In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide.</p> <p>GC/FID</p> <p>In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).</p>	4 L

**Acetonitrile**

SO-9128-B010	Acetonitrile HPLC Optigrade® Gradient Grade	1 L
SO-9128-B025	Acetonitrile HPLC Optigrade® Gradient Grade	2.5 L
SO-9128-B040	<p>Acetonitrile HPLC Optigrade® Gradient Grade</p> <p>UN 1648</p> <p>CAS-Nr. 75-05-8</p> <p>C<sub>2</sub>H<sub>3</sub>N</p> <p>Assay ..... 99.8% min.</p> <p>Water ..... 0.02% max.</p> <p>Non-volatile matter ..... 0.0003% max.</p> <p>Gradientspecification (210 nm).....3.0 mAU max.</p> <p>Fluorescence (as Quinine at 254 nm) ..... 1 ppb max.</p> <p>Filtered through 0.2 µm</p> <p>1 L = 0.783 kg (at 20°C)</p> <p>Specification</p> <p>Transmission</p> <p>at 190 nm..... 20% min</p> <p>at 193 nm..... 62% min</p> <p>at 195 nm..... 76% min</p> <p>at 210 nm..... 89% min</p> <p>at 220 nm..... 98% min</p> <p>at 230 nm..... 99% min</p> <p>This solvent in glass bottles fulfills the specifications according to chapter 4 of the European Pharmacopoeia.</p>	4 L

SO-9154-B010	Acetonitrile HPLC Optigrade® Super Gradient Grade	1 L
SO-9154-B025	<p>Acetonitrile HPLC Optigrade® Super Gradient Grade</p> <p>UN 1648</p> <p>CAS-Nr. 75-05-8</p> <p>C<sub>2</sub>H<sub>3</sub>N</p> <p>Assay ..... 99.8% min.</p> <p>Water ..... 0.02% max.</p> <p>Non-volatile matter ..... 0.0003% max.</p> <p>Gradient specification (210 nm).....3.0 mAE max.</p> <p>Fluorescence (as Quinine at 254 nm) ..... 1 ppb max.</p> <p>Filtered through 0.2 µm</p> <p>1 L = 0.783 kg (at 20°C)</p> <p>Specification</p> <p>Transmission</p> <p>at 190 nm 40% min</p> <p>at 191 nm 50% min</p> <p>at 193 nm 66% min</p> <p>at 195 nm 83% min</p> <p>at 200 nm 95% min</p> <p>at 215 nm 98% min</p> <p>at 230 nm 99% min</p> <p>This solvent in glass bottles fulfills the specifications according to chapter 4 of the European Pharmacopoeia.</p>	2.5 L

SO-2856-B010	Acetonitrile HPLC Optigrade®	1 L
--------------	------------------------------	-----



## High purity solvents and acids

Code	Product	Unit
SO-2856-B025	Acetonitrile HPLC Optigrade®	2.5 L
SO-2856-B040	Acetonitrile HPLC Optigrade® UN 1648 CAS-Nr. 75-05-8 C <sub>2</sub> H <sub>3</sub> N Assay ..... 99.8% min. Water ..... 0.02% max. Non-volatile matter..... 0.0003% max. Filtered through 0.2 µm 1 L = 0.783 kg (at 20°C) Specification Transmission at 190 nm ..... 10% min. at 200 nm ..... 79% min. at 210 nm ..... 89% min. at 220 nm ..... 95% min. at 230 nm ..... 98% min. at 235 nm ..... 99% min.	4 L
SO-9184-B010	Acetonitrile HPLC Optigrade® (for analysis of PAHs and pesticides)	1 L
SO-9184-B025	Acetonitrile HPLC Optigrade® (for analysis of PAHs and pesticides) UN 1648 CAS-Nr. 75-05-8 C <sub>2</sub> H <sub>3</sub> N Assay ..... 99.8% min Water ..... 0.02% max. Non-volatile matter..... 0.0003% max. Filtered through 0.2 µm 1 L = 0,783 kg (at 20°C) Specification Transmission at 195 nm ..... 80% min. at 200 nm ..... 96% min. at 215 nm ..... 98% min. at 230 nm ..... 99% min.	2.5 L
SO-9340-B010	Acetonitrile for LC-MS Optigrade®	1 L
SO-9340-B025	Acetonitrile for LC-MS Optigrade® UN 1648 CAS-Nr. 75-05-8 C <sub>2</sub> H <sub>3</sub> N Assay ..... 99.8% min Water ..... 0.02% max. Non-volatile matter..... 0.0003% max. Filtered through 0.2 µm 1 L = 0.783 kg (at 20°C) Specification Ca ..... 0.1 ppm max. K ..... 0.1 ppm max. Mg ..... 0.1 ppm max. Na ..... 0.1 ppm max. Transmission at 195 nm ..... 78 % min. at 200 nm ..... 95 % min. at 220 nm ..... 98 % min. at 240 nm ..... 99 % min.	2.5 L
SO-9640-B010	Acetonitrile UHPLC-MS Optigrade®	1 L

Code	Product	Unit
SO-4680-B025	Acetonitrile 0.1 % formic acid UHPLC-MS Optigrade® UN 1648 CAS number 75-05-8 C <sub>2</sub> H <sub>3</sub> N Assay ..... 0.095-0.105 % Water (KF) .....0.02 % max. Purity of ACN (GC) .....99.97 % min. Purity of formic acid .....99.0% min. Gradient specification HPLC gradient at 254 nm - H. Peak .....0.002 AU max. Fluorescence at 254 nm (as quinine) .....0.5 ppb max. Fluorescence at 365 nm (as quinine) .....0.5 ppb max. Transmission at 210 nm .....5 % min. at 230 nm .....15 % min. at 254 nm .....90 % min. Al .....30 ppb max. Ca .....100 ppb min. Fe .....50 ppb min. K .....100 ppb min. Mg .....30 ppb min. Na .....100 ppb min. Microfiltered through 0.1 µm/bottled under inert gas	2.5 L
SO-4686-B025	Acetonitrile 0.1 % acetic acid UHPLC-MS Optigrade® UN 1648 CAS number 75-05-8 C <sub>2</sub> H <sub>3</sub> N Assay ..... 0.095-0.105 % Purity of ACN (GC) .....99.97% min. Purity of acetic acid (GC) .....99.9% min. Gradient specification HPLC gradient at 254 nm - H. Peak .....0.002 AU max. HPLC gradient at 254 nm - Drift .....0.010 AU max. Fluorescence at 254 nm (as quinine) .....0.5 ppb max. Fluorescence at 365 nm (as quinine) .....0.5 ppb max. Transmission at 210 nm .....20 % min. at 230 nm .....50 % min. at 254 nm .....98 % min. Al .....30 ppb max. Ca .....100 ppb max. Fe .....50 ppb max. K .....100 ppb max. Mg .....30 ppb max. Na .....100 ppb max. Microfiltered through 0.1 µm/bottled under inert gas	2.5 L

## High purity solvents and acids

Code	Product	Unit
SO-4692-B025	<p>Acetonitrile 0.1 % trifluoroacetic acid UHPLC-MS Optigrade®</p> <p>UN 1648</p> <p>CAS number 75-05-8</p> <p>C<sub>2</sub>H<sub>3</sub>N</p> <p>Assay ..... 0.095-0.105 %</p> <p>Water (KF) ..... 0.02 % max.</p> <p>Purity of ACN (GC) ..... 99.97 % min.</p> <p>Purity of trifluoroacetic acid ..... 99.95 % min.</p> <p>Gradient specification</p> <p>HPLC gradient at 254 nm - H. Peak ..... 0.0002 AU max.</p> <p>Fluorescence at 254 nm (as quinine) ..... 0.5 ppb max.</p> <p>Fluorescence at 365 nm (as quinine) ..... 0.5 ppb max.</p> <p>Transmission</p> <p>at 210 nm ..... 20 % min.</p> <p>at 230 nm ..... 50 % min.</p> <p>at 254 nm ..... 90 % min.</p> <p>Al ..... 30 ppb max.</p> <p>Ca ..... 100 ppb max.</p> <p>Fe ..... 50 ppb max.</p> <p>K ..... 100 ppb max.</p> <p>Mg ..... 30 ppb max.</p> <p>Na ..... 100 ppb max.</p> <p>Microfiltered through 0.1 µm/bottled under inert gas</p>	2.5 L
SO-9186-B025	<p>Acetonitrile DNA. max. 0.001% water</p> <p>UN 1648</p> <p>CAS-Nr. 75-05-8</p> <p>C<sub>2</sub>H<sub>3</sub>N</p> <p>Assay ..... 99.9% min.</p> <p>Water by Karl Fischer titration ..... 0.001% max.</p> <p>Non-volatile matter ..... 0.0005% max.</p> <p>1 L = 0.783 kg (at 20°C)</p>	2.5 L
SO-9180-B025	<p>Acetonitrile DNA. max. 0.003% water</p> <p>UN 1648</p> <p>CAS-Nr. 75-05-8</p> <p>C<sub>2</sub>H<sub>3</sub>N</p> <p>Assay ..... 99.9% min.</p> <p>Water by Karl Fischer titration ..... 0.003% max.</p> <p>Non-volatile matter ..... 0.0005% max.</p> <p>1 L = 0.783 kg (at 20°C)</p>	2.5 L
SO-1151-B010	Acetonitrile Picograde® for residue analysis	1 L
SO-1151-B025	Acetonitrile Picograde® for residue analysis	2.5 L
SO-1151-B040	<p>Acetonitrile Picograde® for residue analysis</p> <p>UN 1648</p> <p>CAS-Nr. 75-05-8</p> <p>C<sub>2</sub>H<sub>3</sub>N</p> <p>Assay ..... 99.5% min.</p> <p>Water ..... 0.02% max.</p> <p>Non-volatile matter ..... 0.001% max.</p> <p>1 L = 0.783 kg (at 20°C)</p> <p>Specification</p> <p>GC/ECD</p> <p>In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide.</p> <p>GC/FID</p> <p>In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).</p>	4 L

Code	Product	Unit	
<b>Ammonia solution</b>			
HPA-0070-B010	Ammonia solution for trace analysis (glass bottle) UN 2672	1 L	
	Assay ..... > 21 %	Chloride ..... < 500 ppb	
	Colour (Hazen) ..... < 10	Phosphate ..... < 50 ppb	
	Carbonate ..... < 10 ppm	Sulfate ..... < 500 ppb	
	Al ..... < 0.5 ppb	Cu ..... < 0.5 ppb	Se ..... < 0.1 ppb
	As ..... < 0.1 ppb	Fe ..... < 0.5 ppb	Ag ..... < 0.1 ppb
	Ba ..... < 0.1 ppb	Pb ..... < 0.1 ppb	Na ..... < 0.5 ppb
	Be ..... < 0.1 ppb	Li ..... < 0.1 ppb	Sr ..... < 0.1 ppb
	Bi ..... < 0.1 ppb	Mg ..... < 0.2 ppb	Th ..... < 0.1 ppb
	Cd ..... < 0.1 ppb	Mn ..... < 0.1 ppb	Sn ..... < 0.1 ppb
	Ca ..... < 0.5 ppb	Mo ..... < 0.1 ppb	Ti ..... < 0.1 ppb
	Cr ..... < 0.1 ppb	Ni ..... < 0.1 ppb	V ..... < 0.1 ppb
	Co ..... < 0.1 ppb	K ..... < 0.2 ppb	Zn ..... < 0.2 ppb

**Benzene**

SO-1163-B010	Benzene Picograde® for residue analysis	1 L
SO-1163-B025	Benzene Picograde® for residue analysis UN 1114 CAS-Nr.71-43-2 C <sub>6</sub> H <sub>6</sub>	2.5 L
	Assay ..... 99.0% min.	
	Water ..... 0.05% max.	
	Non-volatile matter ..... 0.0005% max.	
	1 L = 0.871 kg (at 20°C)	
	Specification	
	GC/ECD	
	In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide.	
	GC/FID	
	In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	

**Benzyl alcohol**

SO-9505-B005	Benzyl alcohol for the analysis of highly volatile halogenated compounds and EOX CAS-Nr. 100-51-6 C <sub>7</sub> H <sub>8</sub> O	500 mL
	Assay ..... 99.0% min.	
	Water ..... 0.1% max.	
	Non-volatile matter ..... 0.05% max.	
	1 L = 1.05 kg (at 20°C)	
	Specification	
	Highly volatile halogenated hydrocarbons	
	In the GC/ECD chromatogram there are no interfering single signals in the retention time interval between 1,1-dichloroethene and tribromomethane greater than that, given by 5 µg/L parathion-methyl.	
	BTEX for FID	
	In the GC-FID chromatogram the sum of the signals of BTEX-compounds is not greater than the signal, given by 10 µg/L n-Decane.	
	Coulometric determination of EOX gives a halogen content as chloride of less than 0.3 mg/L.	

**Carbon disulfide**

SO-9056-B005	Carbon disulfide free from aromatic hydrocarbons UN 1131 CAS-Nr. 75-15-0 CS <sub>2</sub>	500 mL
	Assay ..... 99.8% min.	
	Water ..... 0.03% max.	
	Non-volatile matter ..... 0.0005% max.	
	1 L = 1.261 kg (at 20°C)	
	Specification	
	BTEX for FID	
	In the GC-FID chromatogram the sum of the signals of BTEX-compounds is not greater than the signal, given by 10 µg/L n-Decane.	

## High purity solvents and acids

Code	Product	Unit
<b>Chloroform</b>		
SO-4443-B010	Chloroform HPLC Optigrade® (alcohol-free. stabilised with amylene)	1 L
SO-4443-B025	Chloroform HPLC Optigrade® (alcohol-free. stabilised with amylene)	2.5 L
SO-4443-B040	Chloroform HPLC Optigrade® (alcohol-free. stabilised with amylene) UN 1888 CAS-Nr. 67-66-3 CHCl <sub>3</sub> Assay ..... 99.9% min. Water ..... 0.03% max. Non-volatile matter..... 0.0002% max. Filtered through 0.2 µm 1 L = 1.475 kg (at 20°C) stabilized with 50 - 200 ppm Amylen Specification Transmission at 245 nm ..... 10% min. at 255 nm ..... 70% min. at 260 nm ..... 89% min. at 270 nm ..... 96% min. at 290 nm ..... 98% min.	4 L
SO-1174-B010	Chloroform Picograde® for residue analysis (stabilised with 0.2-1.8 % ethanol)	1 L
SO-1174-B025	Chloroform Picograde® for residue analysis (stabilised with 0.2-1.8 % ethanol)	2.5 L
SO-1174-B040	Chloroform Picograde® for residue analysis (stabilised with 0.2-1.8 % ethanol) UN 1888 CAS-Nr. 67-66-3 CHCl <sub>3</sub> Assay ..... 99.8% min. Acid and phosgene (as HCl)..... 0.0005% max. Non-volatile matter..... 0.0005% max. 1 L = 1.475 kg (at 20°C) stabilized with 0.2 - 1.8% Ethanol Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L
<b>Cyclohexane</b>		
SO-9052-B010	Cyclohexane HPLC Optigrade®	1 L
SO-9052-B025	Cyclohexane HPLC Optigrade® UN 1145 CAS-Nr. 110-82-7 C <sub>6</sub> H <sub>12</sub> Assay ..... 99,5% min. Water ..... 0,02% max. Non-volatile matter..... 0,0003% max. Filtered through 0.2 µm 1 L = 0,779 kg (at 20°C) Specification Transmission at 210 nm ..... 20% min. at 220 nm ..... 48% min. at 230 nm ..... 75% min. at 245 nm ..... 94% min. at 260 nm ..... 99% min.	2.5 L
SO-1179-B010	Cyclohexane Picograde® for residue analysis	1 L
SO-1179-B025	Cyclohexane Picograde® for residue analysis	2.5 L

Code	Product	Unit
SO-1179-B040	Cyclohexane Picograde® for residue analysis UN 1145 CAS-Nr. 110-82-7 C <sub>6</sub> H <sub>12</sub> Assay ..... 99.0% min. Water ..... 0.01% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.779 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L

### Cyclopentane

SO-6157-B010	Cyclopentane HPLC Optigrade® UN 1146 CAS-Nr. 287-92-3 C <sub>5</sub> H <sub>10</sub> Assay ..... 75% min. Water ..... 0.005% max. Non-volatile matter ..... 0.0001% max. Filtered through 0.2 µm 1 L = 0.751 kg (at 20°C) Specification Transmission at 200 nm ..... 10% min. at 215 nm ..... 50% min. at 225 nm ..... 95% min. at 300 nm ..... 99% min.	1 L
--------------	--	-----

### n-Decane

SO-1182-B010	n-Decane Picograde® for residue analysis UN 2247 CAS-Nr. 124-18-5 CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>3</sub> Assay ..... 97,0% min. Water ..... 0,01% max. Non-volatile matter ..... 0,0005% max. 1 L = 0,731 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	1 L
--------------	---	-----

### Dichloromethane

SO-4879-B010	Dichloromethane HPLC Optigrade® (stabilised with amylene)	1 L
SO-4879-B025	Dichloromethane HPLC Optigrade® (stabilised with amylene)	2.5 L

## High purity solvents and acids

Code	Product	Unit
SO-4879-B040	Dichloromethane HPLC Optigrade® (stabilised with amylene) UN 1593 CAS-Nr. 75-09-2 CH <sub>2</sub> Cl <sub>2</sub> Assay ..... 99.8% min. Water ..... 0.02% max. Non-volatile matter..... 0.0003% max. Filtered through 0.2 µm 1 L = 1.335 kg (at 20°C) stabilized with 60 - 100 ppm Amylene Specification Transmission at 233 nm ..... 10% min. at 240 nm ..... 70% min. at 254 nm ..... 98% min. at 280 nm ..... 99% min.	4 L
SO-1185-B010	Dichloromethane Picograde® for residue analysis (stabilised with amylene)	1 L
SO-1185-B025	Dichloromethane Picograde® for residue analysis (stabilised with amylene)	2.5 L
SO-1185-B040	Dichloromethane Picograde® for residue analysis (stabilised with amylene) UN 1593 CAS-Nr. 75-09-2 CH <sub>2</sub> Cl <sub>2</sub> Assay ..... 99.5% min. Water ..... 0.02% max. Non-volatile matter..... 0.0002% max. 1 L = 1.335 kg (at 20°C) stabilized with 60 - 100 ppm amylene Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl. by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40). by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L
SO-9800-B025	Dichloromethane nitrosamine-free	2.5 L
SO-9800-B040	Dichloromethane nitrosamine-free Specification N-Nitrosodimethylamine ..... 0.1 ppb max. N-Nitrosodiethylamine ..... 0.1 ppb max. N-Nitrosodi-n-propylamine ..... 0.1 ppb max. N-Nitrosodi-i-propylamine ..... 0.1 ppb max. N-Nitrosodi-n-butylamine ..... 0.1 ppb max. N-Nitrosopiperidine ..... 0.1 ppb max. N-Nitrosopyrrolidine ..... 0.1 ppb max. N-Nitrosomorpholine ..... 0.1 ppb max.	4 L

## Diethyl ether

SO-9012-B010	Diethyl ether HPLC Optigrade® (stabilised with ethanol)	1 L
--------------	---	-----



Code	Product	Unit
SO-9012-B025	Diethyl ether HPLC Optigrade® (stabilised with ethanol) UN 1155 CAS-Nr. 60-29-7 C <sub>4</sub> H <sub>10</sub> O Assay ..... 99.0% min. Water ..... 0.01% max. Non-volatile matter ..... 0.0005% max. Peroxide ..... 5 ppm max. Filtered through 0.2 µm 1 L = 0.713 kg (at 20°C) stabilized with 2% Ethanol Specification Transmission at 215 nm ..... 10% min. at 230 nm ..... 50% min. at 254 nm ..... 83% min. at 270 nm ..... 91% min. at 280 nm ..... 95% min. at 300 nm ..... 99% min.	2.5 L
SO-2854-B010	Diethyl ether HPLC Optigrade® (not stabilised)	1 L
<b>New</b> SO-2854-B025	Diethyl ether HPLC Optigrade® (not stabilised) UN 1155 CAS-Nr. 60-29-7 C <sub>4</sub> H <sub>10</sub> O Assay ..... 99.0% min. Water ..... 0.01% max. Non-volatile matter ..... 0.0005% max. Peroxide ..... 5 ppm max. Filtered through 0.2 µm 1 L = 0.713 kg (at 20°C) not stabilized Specification Transmission at 215 nm ..... 10% min. at 254 nm ..... 83% min. at 280 nm ..... 95% min.	2.5 L
SO-1187-B010	Diethyl ether Picograde® for residue analysis (stabilised with 1.5-2.5 % ethanol)	1 L
SO-1187-B025	Diethyl ether Picograde® for residue analysis (stabilised with 1.5-2.5 % ethanol) UN 1155 CAS-Nr. 60-29-7 C <sub>4</sub> H <sub>10</sub> O Assay ..... 99.0% min. Water ..... 0.1% max. Non-volatile matter ..... 0.001% max. Peroxide ..... 5 ppm max. 1 L = 0.6502 kg (at 20°C) stabilized with 1.5 - 2.5% Ethanol Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	2.5 L
<b>N,N-Dimethylacetamide</b>		
SO-5407-B025	N,N-Dimethylacetamide HPLC Optigrade®	2.5 L

## High purity solvents and acids

Code	Product	Unit
SO-5407-B040	<p><b>N,N-Dimethylacetamide HPLC Optigrade®</b>            CAS-Nr. 127-19-5  <math>C_4H_9NO</math>            Assay ..... 99.0% min.            Water ..... 0.03% max.            Non-volatile matter ..... 0.0006% max.            Filtered through 0.2 <math>\mu m</math>            1 L = 0.937 kg (at 20°C)            Specification            Transmission            at 270 nm ..... 10% min.            at 280 nm ..... 50% min.            at 290 nm ..... 71% min.            at 310 nm ..... 89% min.            at 360 nm ..... 98% min.</p>	4 L
SO-3240-B010	<p><b>N,N-Dimethylacetamide Headspace Grade</b>            CAS number 127-19-5  <math>C_4H_9NO</math>            Assay (GC, on anhydrous basis) ..... 99.99 % min.            Acidity (as acetic acid) ..... 0.05 % max.            Water (KF) ..... 0.03 % max.            UV cutoff wavelength ..... 190-268 nm            Transmission            at 268 nm ..... 10 % min.            at 275 nm ..... 55 % min.            at 300 nm ..... 85 % min.            at 350 nm ..... 98 % min.            at 400 nm ..... 99 % min.            Headspace test for O.V.I. .... passes test</p>	1 L

## N,N-Dimethylformamide

SO-5356-B025	<p><b>N,N-Dimethylformamide HPLC Optigrade®</b>            UN 2265            CAS-Nr. 68-12-2  <math>C_3H_7NO</math>            Assay ..... 99.7% min.            Water ..... 0.05% max.            Non-volatile matter ..... 0.0006% max.            Filtered through 0.2 <math>\mu m</math>            1 L = 0.951 kg (at 20°C)            Specification            Transmission            at 270 nm ..... 10% min.            at 275 nm ..... 50% min.            at 295 nm ..... 79% min.            at 310 nm ..... 89% min.            at 340 nm ..... 98% min.</p>	2.5 L
SO-1189-B010	<p><b>N,N-Dimethylformamide Picograde®</b></p>	1 L
SO-1189-B025	<p><b>N,N-Dimethylformamide Picograde®</b>            UN 2265            CAS-Nr. 68-12-2  <math>C_3H_7NO</math>            Assay ..... 99.0% min.            Water ..... 0.2% max.            Non-volatile matter ..... 0.001% max.            1 L = 0.951 kg (at 20°C)            Specification            GC/ECD            In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 <math>\mu g/mL</math> heptachlor-epoxide.            GC/FID            In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 <math>ng/mL</math> n-undecane (C11).</p>	2.5 L

Code	Product	Unit
SO-3230-B010	N,N-Dimethylformamide Headspace Grade UN 2265 CAS number 68-12-2 C <sub>3</sub> H <sub>7</sub> NO Assay (GC, on anhydrous basis) ..... 99.99 % min. Refractive index (20 °C)..... 1.430-1.440 Water (KF) .....0.03 % max. UV cutoff wavelength..... 190-268 nm Transmission at 270 nm..... 30 % min. at 275 nm..... 60 % min. at 300 nm..... 90 % min. at 320 nm..... 97 % min. Headspace test for O.V.I. .... passes test	1 L

### 1,3-Dimethyl-2-imidazolidinone (N,N'-Dimethylethyleneurea)

SO-3260-B005	1,3-Dimethyl-2-imidazolidinone (DMI) Headspace Grade Assay (GC, on anhydrous basis) ..... 99.5 % min. Refractive index (20 °C)..... 1.470-1473 Water (KF) .....0.1 % max. UV cutoff wavelength..... 190-270 nm Transmission at 275 nm..... 40 % min. at 300 nm..... 85 % min. at 325 nm..... 95 % min. at >350 nm..... 98 % min. Headspace test for O.V.I. .... passes test	500 mL
--------------	---	--------

### Dimethylsulfoxide (DMSO)

SO-3210-B010	Dimethylsulfoxide Headspace Grade CAS-Nr 67-68-5 Assay (GC, on anhydrous basis) ..... 99.99 % min. Refractive index (20 °C)..... 1.477-1.480 Water (KF) .....0.04 % max. UV cutoff wavelength..... 190-265 nm Transmission at 268 nm..... 30 % min. at 275 nm..... 60 % min. at 300 nm..... 85 % min. at 350 nm..... 95 % min. at 400 nm..... 98 % min. Headspace test for O.V.I. .... passes test	1 L
--------------	--	-----

### 1.4-Dioxan

SO-9002-B010	1.4-Dioxan HPLC Optigrade <sup>®</sup> (not stabilised)	1 L
SO-9002-B025	1.4-Dioxan HPLC Optigrade <sup>®</sup> (not stabilised) UN 1165 CAS-Nr. 123-91-1 C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> Assay ..... 99.5% min. Water .....0.05% max. Non-volatile matter .....0.0002% max. Filtered through 0.2 µm 1 L = 1.034 kg (at 20°C) not stabilized Specification Transmission at 225 nm..... 31% min. at 250 nm..... 56% min. at 270 nm..... 79% min. at 280 nm..... 89% min. at 295 nm..... 98% min.	2.5 L

## High purity solvents and acids

Code	Product	Unit
<b>Ethanol</b>		
SO-9063-B010	Ethanol HPLC Optigrade®	1 L
SO-9063-B025	Ethanol HPLC Optigrade® UN 1170 CAS-Nr. 64-17-5 C <sub>2</sub> H <sub>5</sub> OH Assay ..... 99.7% min. Water ..... 0.1% max. Non-volatile matter ..... 0.0004% max. Filtered through 0.2 µm 1 L = 0.789 kg (at 20°C) Specification Transmission at 210 nm ..... 20% min. at 240 nm ..... 79% min. at 260 nm ..... 98% min.	2.5 L
<b>2-Ethoxyethanol</b>		
SO-2925-B025	2-Ethoxyethanol HPLC Optigrade® UN 1171 CAS-Nr. 110-80-5 C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> Assay ..... 99.5% min. Water ..... 0.08% max. Non-volatile matter ..... 0.0002% max. Filtered through 0.2 µm 1 L = 0.932 kg (at 20°C) Specification Transmission at 222 nm ..... 10% min. at 225 nm ..... 18% min. at 250 nm ..... 56% min. at 300 nm ..... 98% min.	2.5 L
<b>Ethyl acetate</b>		
SO-3442-B010	Ethyl acetate HPLC Optigrade®	1 L
SO-3442-B025	Ethyl acetate HPLC Optigrade®	2.5 L
SO-3442-B040	Ethyl acetate HPLC Optigrade® UN 1173 CAS-Nr. 141-78-6 CH <sub>3</sub> COOC <sub>2</sub> H <sub>5</sub> Assay ..... 99.5% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0005% max. Filtered through 0.2 µm 1 L = 0.897 kg (at 20°C) Specification Transmission at 225 nm ..... 10% min. at 260 nm ..... 79% min. at 280 nm ..... 89% min. at 300 nm ..... 98% min.	4 L
SO-9345-B010	Ethyl acetate for LC-MS Optigrade®	1 L

Code	Product	Unit
SO-9345-B025	Ethyl acetate for LC-MS Optigrade® UN 1173 CAS-Nr. 141-78-6 CH <sub>3</sub> COOC <sub>2</sub> H <sub>5</sub> Assay ..... 99,5% min. Water ..... 0,05% max. Non-volatile matter ..... 0,0005% max. Filtered through 0.2 µm 1 L = 0,897 kg (at 20°C) Specification Ca ..... 0,1 ppm max. K ..... 0,1 ppm max. Mg ..... 0,1 ppm max. Na ..... 0,1 ppm max. Transmission at 260 nm ..... 70 % min. at 280 nm ..... 99 % min.	2.5 L
SO-1191-B010	Ethyl acetate Picograde® for residue analysis	1 L
SO-1191-B025	Ethyl acetate Picograde® for residue analysis	2.5 L
SO-1191-B040	Ethyl acetate Picograde® for residue analysis UN 1173 CAS-Nr. 141-78-6 CH <sub>3</sub> COOC <sub>2</sub> H <sub>5</sub> Assay ..... 99.0% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.897 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L

### n-Heptane

SO-5139-B010	n-Heptane HPLC Optigrade®	1 L
SO-5139-B025	n-Heptane HPLC Optigrade®	2.5 L
SO-5139-B040	n-Heptane HPLC Optigrade® UN 1206 CAS-Nr. 142-82-5 C <sub>7</sub> H <sub>16</sub> Assay ..... 95.0% min. Water ..... 0.02% max. Non-volatile matter ..... 0.0003% max. Filtered through 0.2 µm 1 L = 0.685 kg (at 20°C) Specification Transmission at 197 nm ..... 10% min. at 210 nm ..... 39% min. at 225 nm ..... 79% min. at 254 nm ..... 98% min.	4 L

## High purity solvents and acids

Code	Product	Unit
SO-1210-B025	n-Heptane Picograde® for residue analysis UN 1206 CAS-Nr. 142-82-5 C <sub>7</sub> H <sub>16</sub> Assay ..... 97.0% min. Water ..... 0.01% max. Non-volatile matter..... 0.0002% max. 1 L = 0.682 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500 fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500 fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	2.5 L
<b>n-Hexane</b>		
SO-5167-B010	n-Hexane HPLC Optigrade®	1 L
SO-5167-B025	n-Hexane HPLC Optigrade®	2.5 L
SO-5167-B040	n-Hexane HPLC Optigrade® UN 1208 CAS-Nr. 110-54-3 C <sub>6</sub> H <sub>14</sub> Assay (of C <sub>6</sub> -isomers) ..... 99.8% min. Water ..... 0.1% max. Non-volatile matter..... 0.0003% max. Filtered through 0.2 µm 1 L = 0.659 kg (at 20°C) Specification Transmission at 195 nm ..... 10% min. at 210 nm ..... 56% min. at 220 nm ..... 79% min. at 254 nm ..... 98% min. at 280 nm ..... 99% min. at 350 nm ..... 99% min.	4 L
SO-1244-B010	n-Hexane Picograde® for residue analysis	1 L
SO-1244-B025	n-Hexane Picograde® for residue analysis	2.5 L
SO-1244-B040	n-Hexane Picograde® for residue analysis UN 1208 CAS-Nr. 110-54-3 C <sub>6</sub> H <sub>14</sub> Assay (of C <sub>6</sub> -isomers) ..... 97.0% min. Water ..... 0.01% max. Non-volatile matter..... 0.0002% max. PCBs (#28,52,77,81,101,105,114, ..... passes test 118,123,126,138,153,156,157,167, 169,180,189) 1 L = 0.659 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L
SO-9500-B010	n-Hexane for the analysis of highly volatile halogenated hydrocarbons and EOX	1 L

Code	Product	Unit
SO-9500-B025	n-Hexane for the analysis of highly volatile halogenated hydrocarbons and EOX UN 1208 CAS-Nr. 110-54-3 C <sub>6</sub> H <sub>14</sub> Assay (of C <sub>6</sub> isomers) ..... 95.0% min. Wasser/Water.....0.01% max. Non-volatile matter .....0.0002% max. 1 L = 0.651 kg (at 20°C) Specification Highly volatile halogenated hydrocarbons/EOX In the GC/ECD chromatogram there are no interfering single signals in the retention time interval between 1,1-dichloroethene and tribromomethane greater than that, given by 5 µg/L parathion-methyl. Coulometric determination of EOX gives a halogen content as chloride of less than 0.3 mg/L.	2.5 L

**Iso-Hexane**

SO-9043-B025	Iso-Hexane HPLC Optigrade® UN 1208 CAS-Nr. 107-83-5 C <sub>6</sub> H <sub>14</sub> Assay of C <sub>6</sub> isomers..... 95.0% min. Water .....0.01% max. Non-volatile matter .....0.0002% max. 1 L = 0.653 kg (at 20°C) Specification Transmission at 195nm..... 10% min. at 210nm..... 56% min. at 217nm..... 63% min. at 220nm..... 75% min. at 245nm..... 95% min.	2.5 L
--------------	---	-------

SO-1251-B025	Iso-Hexane Picograde® for residue analysis UN 1208 CAS-Nr. 107-83-5 C <sub>6</sub> H <sub>14</sub> Gehalt/Assay (of C <sub>6</sub> isomers)..... 95.0% min. Water .....0.01% max. Non-volatile matter .....0.0002% max. 1 L = 0.653 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	2.5 L
--------------	--	-------

**Hydrochloric acid**

HPA-0010-B010	Hydrochloric acid for trace analysis min. 36 % (glass bottle) UN 1789 Assay ..... > 36 % Residue..... < 3 ppm Colour (APHA)..... < 10 Bromide ..... < 50 ppm free chlorine ..... < 0.5 ppm Phosphate ..... < 0.05 ppm Sulfite ..... < 0.5 ppm Sulfate ..... < 0.5 ppm Ag ..... < 0.1 ppb Al ..... < 0.5 ppb As ..... < 0.1 ppb B ..... < 1 ppb Ba ..... < 0.1 ppb Be ..... < 0.1 ppb Bi ..... < 0.1 ppb Ca ..... < 0.5 ppb Cd ..... < 0.1 ppb Co ..... < 0.1 ppb Cr ..... < 0.1 ppb Cu ..... < 0.1 ppb Fe ..... < 1 ppb Hg ..... < 0.2 ppb K ..... < 0.1 ppb Li ..... < 0.1 ppb Mg ..... < 0.5 ppb Mn ..... < 0.1 ppb Mo ..... < 0.1 ppb Na ..... < 0.5 ppb Ni ..... < 0.1 ppb Pb ..... < 0.1 ppb Sb ..... < 0.1 ppb Se ..... < 0.1 ppb Sn ..... < 0.1 ppb Sr ..... < 0.1 ppb Th ..... < 0.1 ppb Ti ..... < 0.1 ppb U ..... < 0.1 ppb V ..... < 0.1 ppb Zn ..... < 0.5 ppb Zr ..... < 0.1 ppb Hydrochloric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	1 L
---------------	--	-----



## High purity solvents and acids

Code	Product	Unit
<b>Hydrofluoric acid</b>		
HPA-0030-B010	Hydrofluoric acid for trace analysis min. 48 % ( HDPE bottle) UN 1790 Assay ..... > 48 % Colour (HAZEN)..... < 10 Chloride ..... < 1 ppm Phosphate ..... < 0.1 ppm Sulfate ..... < 0.5 ppm Hexafluorosilicate..... < 20 ppm Ag ..... < 1 ppb      Cu.....< 1 ppb      Pb ..... < 1 ppb Al.....< 1 ppb      Fe .....< 1 ppb      Se ..... < 1 ppb As.....< 1 ppb      Hg.....< 1 ppb      Si ..... < 1 ppb Ba ..... < 1 ppb      K.....< 1 ppb      Sn ..... < 1 ppb Be ..... < 1 ppb      Li.....< 1 ppb      Sr ..... < 1 ppb Bi.....< 1 ppb      Mg .....< 1 ppb      Ti ..... < 1 ppb Ca ..... < 1 ppb      Mn .....< 1 ppb      V ..... < 1 ppb Cd ..... < 1 ppb      Mo .....< 1 ppb      Zn ..... < 1 ppb Co ..... < 1 ppb      Na.....< 1 ppb Cr ..... < 1 ppb      Ni.....< 1 ppb Hydrofluoric acid stored in polyethylene bottles will see a rise in: Al, Ca, Fe, Na and Zn.	1 L
<b>Methanol</b>		
SO-9510-B010	Methanol Purge & Trap UN 1230 CAS-Nr. 67-56-1 CH <sub>3</sub> OH Assay ..... 99,9% min. Water ..... < 0.1% Non-volatile matter..... < 0,10% 2-Butanone (GC/MS; P&T)..... < 10 µg/l Other volatile impurities ..... passes tests 1 L = 0,792 kg (at 20°C)	1 L
SO-9260-B010	Methanol HPLC Optigrade® Gradient Grade	1 L
SO-9260-B025	Methanol HPLC Optigrade® Gradient Grade UN 1230 CAS-Nr. 67-56-1 CH <sub>3</sub> OH Assay ..... 99.9% min. Water ..... 0.05% max. Non-volatile matter..... 0.0003% max. Gradientspecification (235 nm).....0.002 AU max. Gradientspecification (254 nm).....0.001 AU max. Fluorescence (as Quinine at 254 nm).....1 ppb max. Filtered through 0.2 µm 1 L = 0.792 kg (at 20°C) Specification Transmission at 210 nm..... 37% min. at 220 nm..... 56% min. at 230 nm..... 76% min. at 235 nm..... 83% min. at 254 nm..... 97% min. at 280 nm..... 99% min. This solvent in glass bottles fulfills the specifications according to chapter 4 of the European Pharmacopoeia.	2.5 L
SO-3041-B010	Methanol HPLC Optigrade®	1 L
SO-3041-B025	Methanol HPLC Optigrade®	2.5 L

Code	Product	Unit
SO-3041-B040	Methanol HPLC Optigrade® UN 1230 CAS-Nr. 67-56-1 CH <sub>3</sub> OH Assay ..... 99.9% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0003% max. Filtered through 0.2 µm 1 L = 0.792 kg (at 20°C) Specification Transmission at 205 nm ..... 10% min. at 220 nm ..... 56% min. at 240 nm ..... 89% min. at 254 nm ..... 96% min. at 280 nm ..... 98% min. at 350 nm ..... 99% min. This solvent in glass bottles fulfills the specifications according to chapter 4 of the European Pharmacopoeia.	4 L
SO-9658-B010	Methanol UHPLC-MS Optigrade®	1 L
SO-9658-B025	Methanol UHPLC-MS Optigrade® UN 1230 CAS number 67-56-1 CH <sub>3</sub> OH Assay (GC, on anhydrous basis) ..... 99.98 % min. Water (KF) ..... 0.03% max. Residue after evaporation ..... 0.0001 %w/w max. Acidity (as acetic acid) ..... 0.002 % max. Alkalinity (as ammonia) ..... 0.0001 % max. Color (APHA) ..... 5 max. Gradient specification HPLC gradient at 220 nm - Drift ..... 0.01 AU max. HPLC gradient at 235 nm - Drift ..... 0.005 AU max. HPLC gradient at 220 nm - H. Peak ..... 0.004 AU max. HPLC gradient at 235 nm - H. Peak ..... 0.002 AU max. Fluorescence at 254 nm (as quinine) ..... 0.5 ppb max. Fluorescence at 365 nm (as quinine) ..... 0.3 ppb max. 1 L = 0.783 kg (at 20°C) Transmission at 210 nm ..... 40 % min. at 220 nm ..... 65 % min. at 230 nm ..... 80 % min. at 260 nm ..... 98 % min. Al ..... 20 ppb max. Ca ..... 100 ppb max. Fe ..... 20 ppb max. K ..... 50 ppb max. Mg ..... 20 ppb max. Na ..... 100 ppb max. Microfiltered through 0.1 µm/bottled under inert gas	2.5 L
SO-9356-B010	Methanol for LC-MS Optigrade®	1 L
SO-9356-B025	Methanol for LC-MS Optigrade® UN 1230 CAS number 67-56-1 CH <sub>3</sub> OH Assay ..... 99.9% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0003% max. Filtered through 0.2 µm 1 L = 0.792 kg (at 20°C) Ca ..... 0.1 ppm max. K ..... 0.1 ppm max. Mg ..... 0.1 ppm max. Na ..... 0.1 ppm max. Transmission at 210 nm ..... 40 % min. at 220 nm ..... 60 % min. at 235 nm ..... 80 % min. at 260 nm ..... 98 % min.	2.5 L

## High purity solvents and acids

Code	Product	Unit
SO-1263-B010	Methanol Picograde® for residue analysis	1 L
SO-1263-B025	Methanol Picograde® for residue analysis	2.5 L
SO-1263-B040	Methanol Picograde® for residue analysis UN 1230 CAS-Nr. 67-56-1 CH <sub>3</sub> OH Assay ..... 99.0% min. Water ..... 0.1% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.792 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L

## 2-Methoxyethanol

SO-9509-B010	2-Methoxyethanol for the analysis of highly volatile halogenated hydrocarbons UN 1188 CAS-Nr. 109-86-4 C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> Assay ..... 99.7% min. Water ..... 0.08% max. Non-volatile matter ..... 0.0006% max. 1 L = 0.961 kg (at 20°C) Highly volatile halogenated hydrocarbons In the GC/ECD chromatogram there are no interfering single signals in the retention time interval between 1,1-dichloroethene and tribromomethane greater than that, given by 5 µg/L parathion-methyl. BTEX for FID In the GC-FID chromatogram the sum of the signals of BTEX-compounds is not greater than the signal, given by 10 µg/L n-Decane.	1 L
--------------	---	-----

## Methyl-tert-butyl ether

SO-5398-B025	Methyl-tert-butylether HPLC Optigrade® UN 2398 CAS-Nr. 1634-04-4 C <sub>5</sub> H <sub>12</sub> O Assay ..... 99.7% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0006% max. Filtered through 0.2 µm 1 L = 0.742 kg (at 20°C) Specification Transmission at 225 nm ..... 32% min. at 250 nm ..... 71% min. at 300 nm ..... 89% min.	2.5 L
SO-1265-B010	Methyl-tert-butylether Picograde®	1 L

Code	Product	Unit
SO-1265-B025	Methyl-tert-butylether Picograde® UN 2398 CAS-Nr. 1634-04-4 C <sub>5</sub> H <sub>12</sub> O Assay ..... 99.8% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.742 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	2.5 L

**Nitric acid**

HPA-0020-B010	Nitric acid for trace analysis min 67 % (glass bottle) UN 2031 Assay ..... > 67 % Residue ..... < 1 ppm Chloride ..... < 0.08 ppm Phosphate ..... < 0.1 ppm Sulfate ..... < 0.5 ppm Ag ..... < 0.1 ppb Al ..... < 0.5 ppb As ..... < 0.1 ppb Ba ..... < 0.1 ppb Be ..... < 0.1 ppb Bi ..... < 0.1 ppb Ca ..... < 0.5 ppb Cd ..... < 0.1 ppb Co ..... < 0.1 ppb Cr ..... < 0.2 ppb Cu ..... < 0.1 ppb Fe ..... < 0.5 ppb Hg ..... < 0.2 ppb K ..... < 0.2 ppb Li ..... < 0.1 ppb Mg ..... < 0.5 ppb Mn ..... < 0.1 ppb Mo ..... < 0.1 ppb Na ..... < 0.5 ppb Ni ..... < 0.1 ppb Pb ..... < 0.1 ppb Se ..... < 0.1 ppb Sn ..... < 0.1 ppb Sr ..... < 0.1 ppb Th ..... < 0.1 ppb Ti ..... < 0.1 ppb V ..... < 0.1 ppb Zn ..... < 0.5 ppb	1 L
Nitric Acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.		

**n-Nonane**

SO-4436-B010	n-Nonane HPLC Optigrade® UN 1920 CAS-Nr. 111-84-2 C <sub>9</sub> H <sub>20</sub> Assay ..... 95% min. Water ..... 0.01% max. Non-volatile matter ..... 0.0003% max. Filtered through 0.2 µm 1 L = 0.719 kg (at 20°C) Specification Transmission at 200 nm ..... 10% min. at 225 nm ..... 79% min. at 250 nm ..... 89% min. at 300 nm ..... 99% min.	1 L
SO-1271-B010	n-Nonane Picograde® for residue analysis	1 L

## High purity solvents and acids

Code	Product	Unit
SO-1271-B025	n-Nonane Picograde® for residue analysis UN 1920 CAS-Nr. 111-84-2 C <sub>9</sub> H <sub>20</sub> Assay ..... 95.0% min. Water ..... 0.01% max. Non-volatile matter..... 0.0005% max. 1 L = 0.719 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between decane (C10) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	2.5 L

### n-Octane

SO-1279-B010	n-Octane Picograde® for residue analysis UN 1262 CAS-Nr. 111-65-9 CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>3</sub> Assay ..... 95.0% min. Water ..... 0.01% max. Non-volatile matter..... 0.0005% max. 1 L = 0.703 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	1 L
--------------	--	-----

### n-Pentane

SO-9081-B010	n-Pentane HPLC Optigrade® UN 1265 CAS-Nr. 109-66-0 C <sub>5</sub> H <sub>12</sub> Assay ..... 95.0% min. Water ..... 0.01% max. Non-volatile matter..... 0.001% max. Filtered through 0.2 µm 1 L = 0.626 kg (at 20°C) Specification Transmission at 200 nm ..... 10% min. at 210 nm ..... 20% min. at 215 nm ..... 50% min. at 225 nm ..... 89% min. at 240 nm ..... 98% min.	1 L
--------------	--	-----

SO-1282-B010	n-Pentane Picograde® for residue analysis	1 L
SO-1282-B025	n-Pentane Picograde® for residue analysis	2.5 L

Code	Product	Unit
SO-1282-B040	n-Pentane Picograde® for residue analysis UN 1265 CAS-Nr. 109-66-0 C <sub>5</sub> H <sub>12</sub> Assay ..... 98.0% min. Water ..... 0.01% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.626 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L
SO-9501-B010	n-Pentane for the analysis of highly volatile halogenated hydrocarbons UN 1265 CAS-Nr. 109-66-0 C <sub>5</sub> H <sub>12</sub> Assay ..... 95.0% min. Water ..... 0.01% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.632 kg (at 20°C) Specification Highly volatile halogenated hydrocarbons In the GC/ECD chromatogram there are no interfering single signals in the retention time interval between 1,1-dichloroethene and tribromomethane greater than that, given by 5 µg/L parathion-methyl.	1 L
SO-9610-B005	n-Pentane for the analysis of highly volatile halogenated hydrocarbons, aromatic hydrocarbons and EOX UN 1265 CAS-Nr. 109-66-0 C <sub>5</sub> H <sub>12</sub> Assay ..... 98.0% min. Water ..... 0.01% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.626 kg (at 20°C) Specification Highly volatile halogenated hydrocarbons In the GC/ECD chromatogram there are no interfering single signals in the retention time interval between 1,1-dichloroethene and tribromomethane greater than that, given by 5 µg/L parathion-methyl. BTEX for FID In the GC-FID chromatogram the sum of the signals of BTEX-compounds is not greater than the signal, given by 10 µg/L n-Decane. Coulometric determination of EOX gives a halogen content as chloride of less than 0.3 mg/L.	500 ml

## Perchloric acid

HPA-0060-B010	Perchloric acid for trace analysis min 68 % (glass bottle) UN 1802 Assay ..... > 68 % Colour (APHA) ..... < 10 Phosphate ..... < 0.1 ppm Sulfate ..... < 5 ppm Total nitrogen ..... < 10 ppm Ag ..... < 0.1 ppb Al ..... < 0.5 ppb Ba ..... < 0.1 ppb Be ..... < 0.1 ppb Bi ..... < 0.1 ppb Ca ..... < 0.5 ppb Cd ..... < 0.1 ppb Co ..... < 0.1 ppb Cu ..... < 0.1 ppb Fe ..... < 0.5 ppb K ..... < 0.5 ppb Li ..... < 0.1 ppb Mg ..... < 0.5 ppb Mn ..... < 0.1 ppb Mo ..... < 0.1 ppb Na ..... < 0.5 ppb Ni ..... < 0.1 ppb Pb ..... < 0.1 ppb Sn ..... < 0.1 ppb Sr ..... < 0.1 ppb Th ..... < 0.1 ppb Tl ..... < 0.1 ppb V ..... < 0.5 ppb Zn ..... < 0.5 ppb Perchloric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.	1 L
---------------	--	-----

## Petroleum ether

SO-1320-B010	Petroleum ether Picograde® for residue analysis (30 - 60°C)	1 L
SO-1320-B025	Petroleum ether Picograde® for residue analysis (30 - 60°C)	2.5 L

## High purity solvents and acids

Code	Product	Unit
SO-1320-B040	<p>Petroleum ether Picograde® for residue analysis (30 - 60°C)</p> <p>UN 1268</p> <p>CAS-Nr. 8032-32-4</p> <p>Boiling point range ..... 30 - 60°C min.</p> <p>Water ..... 0.01% max.</p> <p>Non-volatile matter..... 0.0005% max.</p> <p>1 L = 0.625...0.655 kg (at 20°C)</p> <p>Specification</p> <p>GC/ECD</p> <p>In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide.</p> <p>GC/FID</p> <p>In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).</p>	4 L
SO-9502-B010	<p>Petroleum ether for the analysis of highly volatile halogenated hydrocarbons and EOX (40 - 60°C)</p>	1 L
SO-9502-B025	<p>Petroleum ether for the analysis of highly volatile halogenated hydrocarbons and EOX (40 - 60°C)</p> <p>UN 1268</p> <p>CAS-Nr. 8032-32-4</p> <p>Boiling point ..... 40 - 60°C min.</p> <p>Water ..... 0.01% max.</p> <p>Non-volatile matter..... 0.0005% max.</p> <p>1 L = 0.625...0.655 kg (bei/at 20°C)</p> <p>Specification</p> <p>Highly volatile halogenated hydrocarbons/EOX</p> <p>In the GC/ECD chromatogram there are no interfering single signals in the retention time interval between 1,1-dichloroethene and tribromomethane greater than that, given by 5 µg/L parathion-methyl.</p> <p>Coulometric determination of EOX gives a halogen content as chloride of less than 0.3 mg/L.</p>	2.5 L

## Propan-1-ol

SO-5351-B025	<p>Propan-1-ol HPLC Optigrade®</p> <p>UN 1274</p> <p>CAS-Nr. 71-23-8</p> <p>CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>OH</p> <p>Assay ..... 99.8% min.</p> <p>Water ..... 0.05% max.</p> <p>Non-volatile matter..... 0.001% max.</p> <p>Filtered through 0.2 µm</p> <p>1 L = 0.804 kg (at 20°C)</p> <p>Specification</p> <p>Transmission</p> <p>at 225 nm ..... 31% min.</p> <p>at 250 nm ..... 89% min.</p> <p>at 270 nm ..... 98% min.</p> <p>at 300 nm ..... 99% min.</p>	2.5 L
--------------	--	-------

## Propan-2-ol

SO-3043-B010	Propan-2-ol HPLC Optigrade®	1 L
SO-3043-B025	Propan-2-ol HPLC Optigrade®	2.5 L



Code	Product	Unit
SO-3043-B040	Propan-2-ol HPLC Optigrade® UN 1219 CAS-Nr. 67-63-0 C <sub>3</sub> H <sub>8</sub> O Assay ..... 99.5% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0006% max. Filtered through 0.2 µm 1 L = 0.786 kg (at 20°C) Specification Transmission at 205 nm ..... 10% min. at 220 nm ..... 50% min. at 230 nm ..... 71% min. at 254 nm ..... 95% min. at 350 nm ..... 98% min.	4 L
SO-9352-B010	Propan-2-ol for LC-MS Optigrade®	1 L
SO-9352-B025	Propan-2-ol for LC-MS Optigrade® UN 1219 CAS number 67-63-0 C <sub>3</sub> H <sub>8</sub> O Assay ..... 99.5% min. Water ..... 0.05% max. Non-volatile matter ..... 0.0006% max. Filtered through 0.2 µm 1 L = 0.786 kg (at 20°C) Ca ..... 0.1 ppm max. K ..... 0.1 ppm max. Mg ..... 0.1 ppm max. Na ..... 0.1 ppm max. Transmission at 220 nm ..... 60 % min. at 250 nm ..... 99 % min.	2.5 L
SO-1334-B010	Propan-2-ol Picograde® for residue analysis	1 L
SO-1334-B025	Propan-2-ol Picograde® for residue analysis	2.5 L
SO-1334-B040	Propan-2-ol Picograde® for residue analysis UN 1219 CAS-Nr. 67-63-0 C <sub>3</sub> H <sub>8</sub> O Assay ..... 99.5% min. Water ..... 0.2% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.786 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L
SO-3044-B040	Propan-2-ol for the tobacco industry contains n-Heptadecan ..... 0.3 g/L Ethanol ..... 2.0 g/L	4 L
SO-3046-B040	Propan-2-ol for the tobacco industry contains n-Heptadecan ..... 0.8 g/L Ethanol abs ..... 4.0 g/L Wasser ..... 0.1 %	4 L

## High purity solvents and acids

Code	Product	Unit
SO-3047-B040	Propan-2-ol for the tobacco industry contains n-Heptandecan ..... 0.4 g/L Ethanol abs..... 2.0 g/ L	4 L

### Sulfuric acid

HPA-0040-B010	Sulfuric acid min 95 % (glass bottle) UN 1830 Assay ..... 95 % Density ..... 1.83 g/mL Colour (APHA) ..... < 10 Residue ..... < 2 ppm Ag ..... < 0.1 ppb Al ..... < 0.5 ppb As ..... < 1 ppb Ba ..... < 0.1 ppb Be ..... < 0.1 ppb Bi ..... < 0.1 ppb Ca ..... < 0.5 ppb Cd ..... < 0.1 ppb Co ..... < 0.1 ppb Cr ..... < 0.1 ppb Cu ..... < 0.1 ppb Fe ..... < 0.5 ppb Hg ..... < 1 ppb K ..... < 0.5 ppb Li ..... < 0.1 ppb Mg ..... < 0.5 ppb Mn ..... < 0.1 ppb Mo ..... < 0.1 ppb Na ..... < 0.5 ppb Ni ..... < 0.1 ppb Pb ..... < 0.1 ppb Sb ..... < 0.1 ppb Se ..... < 5 ppb Sn ..... < 0.1 ppb Sr ..... < 0.1 ppb Th ..... < 0.1 ppb Ti ..... < 1 ppb U ..... < 0.1 ppb V ..... < 0.1 ppb Zn ..... < 0.1 ppb Zr ..... < 0.1 ppb Chloride ..... < 0.1 ppm Phosphate ..... < 0.5 ppm Nitrate ..... < 0.07 ppm	1 L
Sulfuric acid stored in glass bottles will see a rise in: Al, B, Ca, K, Mg, Mn, Na and Si.		

### Tetrahydrofuran

SO-2858-B010	Tetrahydrofuran HPLC Optigrade®	1 L
SO-2858-B025	Tetrahydrofuran HPLC Optigrade®	2.5 L
SO-2858-B040	Tetrahydrofuran HPLC Optigrade® UN 2056 CAS-Nr. 109-99-9 C <sub>4</sub> H <sub>8</sub> O Assay ..... 99.8% min. Water ..... 0.03% max. Non-volatile matter ..... 0.0007% max. Filtered through 0.2 µm 1 L = 0.887 kg (at 20°C) not stabilized Specification Transmission at 212 nm ..... 10% min. at 225 nm ..... 31% min. at 250 nm ..... 68% min. at 300 nm ..... 98% min.	4 L
SO-9364-B010	Tetrahydrofuran for LC-MS Optigrade®	1 L
SO-9364-B025	Tetrahydrofuran for LC-MS Optigrade® UN 2056 CAS number 109-99-9 C <sub>4</sub> H <sub>8</sub> O Assay ..... 99.8% min. Water ..... 0.03% max. Non-volatile matter ..... 0.0007% max. Filtered through 0.2 µm 1 L = 0.887 kg (at 20°C) not stabilised Ca ..... 0.1 ppm max. K ..... 0.1 ppm max. Mg ..... 0.1 ppm max. Na ..... 0.1 ppm max. Transmission at 250 nm ..... 80 % min. at 290 nm ..... 99 % min.	2.5 L

### Toluene

SO-4483-B010	Toluene HPLC Optigrade®	1 L
SO-4483-B025	Toluene HPLC Optigrade®	2.5 L

Code	Product	Unit
SO-4483-B040	Toluene HPLC Optigrade® UN 1294 CAS-Nr. 108-88-3 C <sub>7</sub> H <sub>8</sub> Assay ..... 99.7% min. Water ..... 0.03% max. Non-volatile matter ..... 0.0005% max. Filtered through 0.2 µm 1 L = 0.866 kg (at 20°C) Specification Transmission at 285 nm ..... 10% min. at 288 nm ..... 39% min. at 300 nm ..... 70% min. at 335 nm ..... 95% min. at 350 nm ..... 98% min.	4 L

SO-1350-B010	Toluene Picograde® for residue analysis	1 L
SO-1350-B025	Toluene Picograde® for residue analysis	2.5 L
SO-1350-B040	Toluene Picograde® for residue analysis UN 1294 CAS-Nr. 108-88-3 C <sub>7</sub> H <sub>8</sub> Assay ..... 99.8% min. Water ..... 0.02% max. Non-volatile matter ..... 0.0005% max. 1 L = 0.866 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between decane (C10) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L

### 1,1,2-Trichloro-1,2,2-trifluoroethane

SO-9145-B025	1,1,2-Trichloro-1,2,2-trifluoroethane for IR-Spectroscopy UN 3082 CAS-Nr. 76-13-1 C <sub>2</sub> Cl <sub>3</sub> F <sub>3</sub> Assay ..... 99,8% min. Non-volatile matter ..... 2 mg/L max. Water ..... 10 mg/kg max. Hydrocarbons ..... 5 mg/kg max. 1 L = 1.57 kg (at 20°C)	2.5 L
--------------	--	-------

### 2,2,4-Trimethylpentane

SO-6043-B010	2,2,4-Trimethylpentane HPLC Optigrade® (Isooctane)	1 L
SO-6043-B025	2,2,4-Trimethylpentane HPLC Optigrade® (Isooctane)	2.5 L

## High purity solvents and acids

Code	Product	Unit
SO-6043-B040	2,2,4-Trimethylpentane HPLC Optigrade® (Isooctane) UN 1262 CAS-Nr. 540-84-1 C <sub>8</sub> H <sub>18</sub> Assay ..... 99.5% min. Water ..... 0.02% max. Non-volatile matter..... 0.0005% max. Filtered through 0.2 µm 1 L = 0.690 kg (at 20°C) Specification Transmission at 205 nm ..... 10% min. at 220 nm ..... 63% min. at 230 nm ..... 79% min. at 254 nm ..... 98% min.	4 L
SO-1364-B010	2,2,4-Trimethylpentane (Isooctane) Picograde® for residue analysis	1 L
SO-1364-B025	2,2,4-Trimethylpentane (Isooctane) Picograde® for residue analysis	2.5 L
SO-1364-B040	2,2,4-Trimethylpentane (Isooctane) Picograde® for residue analysis UN 1262 CAS-Nr. 540-84-1 C <sub>8</sub> H <sub>18</sub> Assay ..... 95.0% min. Water ..... 0.02% max. Non-volatile matter..... 0.0005% max. 1 L = 0.690 kg (at 20°C) Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 µg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between decane (C10) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L

## Water

SO-6795-B025	Water HPLC Optigrade®	2.5 L
SO-6795-B040	Water HPLC Optigrade® CAS-Nr. 7732-18-5 H <sub>2</sub> O Specification Fluorescence at 254 nm (as Quinine).....0.1 ppb max. Fluorescence at 365 nm (as quinine) .....0.1 ppb max. Non-volatile matter.....1 mg/L max. Filtered through 0.2 µm pH ..... 5,0 - 8,0 This solvent in glass bottles fulfills the specifications according to chapter 4 of the European Pharmacopoeia.	4 L
SO-9662-B010	Water UHPLC-MS Optigrade®	1 L

Code	Product	Unit
<b>New</b> SO-9662-B025	Water UHPLC-MS Optigrade® CAS number 7732-18-5 H <sub>2</sub> O Residue after evaporation..... 0.0001 %w/w max. Acidity (as Acetic acid).....0.002 % max. Alkalinity (as Ammonia).....0.00005 % max. Resistivity (at manuf.) ..... 18.2 Mohm*cm min. Gradient specification HPLC gradient at 210 nm - H. Peak .....0.002 AU max. HPLC gradient at 254 nm - H. Peak .....0.0005 AU max. Fluorescence at 254 nm (as quinine) ..... 0.5 ppb max. Fluorescence at 365 nm (as quinine) ..... 0.5 ppb max. TOC ..... 10 ppb max. Filter test ..... Passes test Ca .....0.1 ppm max. K .....0.1 ppm max. Mg .....0.1 ppm max. Na ..... 0.1 ppm max. Microfiltered through 0.1 µm/bottled under inert gas	2.5 L
SO-4661-B025	Water 0.1 % formic acid UHPLC-MS Optigrade® Assay ..... 0.095-0.105 % Purity of formic acid (GC) .....99.0 % min. Gradient specification HPLC gradient at 254 nm - H. Peak .....0.002 AU max. HPLC gradient at 254 nm - Drift ..... 0.010 AU max. Fluorescence at 254 nm (as quinine) ..... 0.5 ppb max. Fluorescence at 365 nm (as quinine) ..... 0.5 ppb max. Transmission at 210 nm .....5 % min. at 230 nm .....45% min. at 254 nm .....99% min. Al ..... 30 ppb max. Ca ..... 100 ppb max. Fe ..... 50 ppb max. K ..... 100 ppb max. Mg ..... 30 ppb max. Na ..... 100 ppb max. Microfiltered through 0.1 µm/bottled under inert gas	2.5 L
SO-4667-B025	Water 0.1 % acetic acid UHPLC-MS Optigrade® Assay ..... 0.095-0.105 % pH ..... 3.2-3.4 Purity of acetic acid (GC).....99.9 % min. Gradient specification HPLC gradient at 254 nm - H. Peak .....0.002 AU max. HPLC gradient at 254 nm - Drift .....0.010 AU max. Fluorescence at 254 nm (as quinine) ..... 0.5 ppb max. Fluorescence at 365 nm (as quinine) ..... 0.5 ppb max. Transmission at 210 nm .....20 % min. at 230 nm .....75 % min. at 254 nm .....99 % min. Al ..... 30 ppb max. Ca ..... 100 ppb max. Fe ..... 50 ppb max. K ..... 100 ppb max. Mg ..... 30 ppb max. Na ..... 100 ppb max. Microfiltered through 0.1 µm/bottled under inert gas	2.5 L

## Trademarks

Code	Product	Unit
SO-4673-B025	Water 0.1 % trifluoroacetic acid UHPLC-MS Optigrade® Assay ..... 0.095-0.105 % Purity of trifluoroacetic acid (GC)..... 99.95% min. Gradient specification HPLC gradient at 254 nm - H. Peak .....0.002 AU max. HPLC gradient at 254 nm - Drift .....0.010 AU max. Fluorescence at 254 nm (as quinine) ..... 0.5 ppb max. Fluorescence at 365 nm (as quinine) .....0.5 ppb max. Transmission at 210 nm..... 25 % min. at 230 nm..... 85% min. at 254 nm..... 99% min. Al .....30 ppb max. Ca ..... 100 ppb max. Fe.....50 ppb max. K ..... 100 ppb max. Mg .....30 ppb max. Na .....100 ppb max. Microfiltered through 0.1 µm/bottled under inert gas	2.5 L
SO-9368-B010	Water for LC-MS Optigrade®	1 L
SO-9368-B025	Water for LC-MS Optigrade® Specification Fluorescence (as Quinine at 450 nm). 1.10-7 g max. Non-volatile matter.....5 mg/L max. Filtered through 0.2 µm pH ..... 5,0 - 8,0 Ca .....0.1 ppm max. K .....0.1 ppm max. Mg .....0.1 ppm max. Na .....0.1 ppm max. Transmission at 200 nm - 400 nm..... 99 % min.	2.5 L

## Solvent mixtures

SO-9534-B040	Mixture Cyclohexane/Ethylacetate 1:1 Specification GC/ECD In the GC-ECD chromatogram there are no interfering single signals in the retention time interval between 1,4-dichlorobenzene and decachlorobiphenyl, by a 500-fold concentration greater than that, given by 10 pg/mL heptachlor-epoxide. GC/FID In the GC-FID chromatogram there are no interfering single signals in the retention time interval between n-octane (C8) and n-tetracontane (C40), by a 500-fold concentration greater than that, given by 50 ng/mL n-undecane (C11).	4 L
--------------	---	-----

## Trademarks

**CERTAN®**, **Promochem®**, **Optigrade®**, **Cyclotainer®**, **Picograde®** - LGC Standards GmbH  
**BCR®** - IRMM (Institute for Reference Materials and Measurement)  
**DATApak™**, **ULTRAgold®**, **EnviroConcentrates™**, **ULTRAccheck®**, **ULTRASep™** - ULTRA Scientific, Inc.  
**ERM®** - registered trademark for European Reference Materials  
**Standard Reference Material®**, **SRMs®** - NIST National Institute of Standards and Technology  
**CONOSTAN®** - SCP SCIENCE  
**FLORISIL®** - U.S.SILICA COMPANY  
**CALUX®**, **DR CALUX®** - BioDetection Systems BV (BDS)  
**SpectroMembrane®**, **SpectroPellet®**, **SpectroMicro®** and **Trimless™** - Chemplex Industries inc.  
 Bromkal - Chemische Fabrik Kalk GmbH.  
**DE-71®** - Chemtura (Great Lakes Chemical Company).  
**DE-79®** - Chemtura (Great Lakes Chemical Company).  
**Saytex®** - Albemarle Corporation.  
**PESTANAL®**, **OEKANAL®**, **VETRANAL®** - Sigma Aldrich  
**eVol®**, **XCHANGE®** - SGE Analytical Science

# Index





## The UK Chemical Calibration Facility (UKCCF) at LGC

The UK Chemical Calibration Facility (UKCCF) at LGC has been set up to help organisations involved in chemical analysis make accurate and traceable measurements.

LGC's internationally recognised analytical scientists with a unique combination of state-of-the-art chromatography and mass spectrometry methods, are able to offer a range of highly specialist calibration and measurement services and advice to:

- Calibration service providers
- Proficiency testing scheme organisers
- Reference material producers
- Standards and regulatory bodies
- Quality laboratories.

Traceability

The facility is part of the UK's designated National Measurement Institute for chemical and bioanalytical measurements.

## The UKCCF provides advice and solutions to a wide range of quality and measurement issues:

- Confirmation of product specification against standards and regulations;
- Independent verification of in-house quality control materials;
- Compliance with quality standards such as ISO/IEC 17025, GLP/GMP, ISO 9001, ISO 15189;
- Dispute resolution e.g. product specification and quality;
- Problem solving e.g. reliable identification of measurement bias;
- Credibility and confidence to compete in the international market place.

## For further information, please contact:

Dr Julian Braybrook, Tel: +44 (0)20 8943 7345 or via Email: [julian.braybrook@lgc.co.uk](mailto:julian.braybrook@lgc.co.uk)  
UK Chemical Calibration Facility, LGC, Queens Road, Teddington, Middlesex, TW11 0LY.

Code  
number  
index

AEA1001	838	BCR-142R	61	BCR-396	161, 308	BCR-614SO	416	B-MYC0210-1.2	303
AGH S-1	63	BCR-143R	107	BCR-400	173, 862	BCR-615	124	B-MYC0220-1	303
ANC 001-0.5	335	BCR-145R	111	BCR-401R	174	BCR-617	30	B-MYC0220-2	303
ANC 002-0.5	335	BCR-146R	111	BCR-402	117	BCR-627	153	B-MYC0220-5	304
BAMCRM5001	228	BCR-150	135	BCR-406A	862	BCR-632	138	B-MYC0225-C	304
BAM-H010	261	BCR-151	135	BCR-411	146	BCR-633	138	B-MYC0230-1.2	304
BAM-H010-D1	261	BCR-152	425	BCR-412	146	BCR-644	180	B-MYC0240-1	304
BAM-H010-D1-D2-D3	261	BCR-153R	425	BCR-414	117	BCR-645	180	B-MYC0240-2	304
BAM-H010-D2	261	BCR-154	425	BCR-420	228	BCR-646	40	B-MYC0240-5	304
BAM-H010-D3	261	BCR-155	425	BCR-423 (RM)	304	BCR-648-9	146	B-MYC0245-C	304
BAM-K008	434	BCR-156R	425	BCR-425	879	BCR-651	185	B-MYC0250-1.2	304
BAM-K009	434	BCR-157	422	BCR-431	171	BCR-652	185	B-MYC0260-1	304
BAM-K010	434	BCR-158	422	BCR-444	147	BCR-653	185	B-MYC0260-2	304
BAM-L100	847	BCR-159	425	BCR-445	147	BCR-656	179	B-MYC0260-5	304
BAM-L101	847	BCR-160R	426	BCR-446	164	BCR-657	179	B-MYC0265-C	304
BAM-L102	847	BCR-162R	173	BCR-447	164	BCR-658	179	B-MYC0270-1.2	304
BAM-L103	847	BCR-163	147	BCR-448	164	BCR-659	179	B-MYC0280-1	304
BAM-L104	847	BCR-165	835	BCR-449	228	BCR-660	180	B-MYC0280-2	304
BAM-L105	847	BCR-166	835	BCR-450	136	BCR-661A	879	B-MYC0280-5	304
BAM-L200	847	BCR-167	835	BCR-459	177	BCR-661B	879	B-MYC0300-1	306
BAM-P127	844	BCR-168	428	BCR-460	246	BCR-663	151, 311	B-MYC0300-2	306
BAM-PM-101	843	BCR-169	843	BCR-461	216	BCR-664	254	B-MYC0300-5	306
BAM-PM-102	843	BCR-170	843	BCR-462	55	BCR-667	55	B-MYC0305-1	306
BAM-PM-104	843	BCR-171	843	BCR-463	152	BCR-668	148	B-MYC0305-2	306
BAM-S003	264	BCR-172	843	BCR-465	163	BCR-670	118	B-MYC0305-6	306
BAM-S004	254	BCR-173	843	BCR-466	163	BCR-673	145	B-MYC0315-2	304
BAM-S005A	254	BCR-175	843	BCR-467	163	BCR-674	145	B-MYC0315-5	304
BAM-S005B	254	BCR-176R	124	BCR-471	161, 308	BCR-677	112	B-MYC0320-1	304
BCR-032	201	BCR-177R	428	BCR-474/475	145	BCR-679	174	B-MYC0320-2	304
BCR-033	201	BCR-178	201	BCR-479	28	BCR-682	148	B-MYC0320-5	304
BCR-038	124	BCR-179	201	BCR-480	28	BCR-683	116	B-MYC0320-C	304
BCR-046	422	BCR-185R	145	BCR-481	80	BCR-684	40	B-MYC0325-C	304
BCR-047	422	BCR-187	136	BCR-482	119	BCR-685	135	B-MYC0330-1.2	304
BCR-048R	423	BCR-188	136	BCR-483	107	BCR-692	879	B-MYC0335-1	304
BCR-049	423	BCR-191	181	BCR-484	107	BCR-695	146	B-MYC0340-1	303
BCR-050	424	BCR-261T	847	BCR-485	173	BCR-697	146	B-MYC0340-2	303
BCR-052	423	BCR-262R	174, 308	BCR-487	146	BCR-700	61	B-MYC0340-5	303
BCR-060	117	BCR-263R	174, 308	BCR-490	124	BCR-701	40	B-MYC0340-C	303
BCR-063R	135	BCR-264	174	BCR-492-3	138	BCR-704	843	B-MYC0345-C	303
BCR-066	835	BCR-265	425	BCR-505	32	BCR-705	843	B-MYC0350-1.2	303
BCR-067	835	BCR-266	425	BCR-506	192	BCR-706	146	B-MYC0360-1	303
BCR-068	835	BCR-267	426	BCR-519	137	BCR-708	189	B-MYC0360-2	303
BCR-069	835	BCR-269	424	BCR-524	80	BCR-709	189	B-MYC0360-5	303
BCR-070	835	BCR-270	428	BCR-527	192	BCR-712	259	B-MYC0360-C	303
BCR-077R	424	BCR-271	422	BCR-528	192	BCR-713	36	B-MYC0365-C	303
BCR-078R	424	BCR-272	424	BCR-529	80	BCR-718	153	B-MYC0380-1	304
BCR-079R	424	BCR-273	119	BCR-530	80	BCR-719	153	B-MYC0380-2	304
BCR-080R	424	BCR-274	119	BCR-535	50	BCR-723	128	B-MYC0380-5	304
BCR-081R	424	BCR-277R	55	BCR-536	51	BCR-724A	833	B-MYC0390-1	304
BCR-091	421	BCR-280R	40	BCR-537	179	BCR-724B	833	B-MYC0390-2	304
BCR-092	422	BCR-289	385	BCR-538	179	BCR-724C	833	B-MYC0390-5	304
BCR-093R	422	BCR-290	386	BCR-539	179	BCR-724D	833	B-MYC0400-1	305
BCR-094	425	BCR-291	387	BCR-543	151	BCR-724E	833	B-MYC0400-2	305
BCR-095	425	BCR-293	388	BCR-545	132	BCR-725	153	B-MYC0400-5	305
BCR-096	426	BCR-296	394	BCR-546	504	BCS CRM201A	264	B-MYC0400-C	305
BCR-097	422	BCR-297	395	BCR-547	503	BCS CRM202A	264	B-MYC0405-C	305
BCR-100	115	BCR-298	396	BCR-548	504	BCS CRM203A	265	B-MYC0410-1.2	305
BCR-106	228	BCR-301 (RM)	254	BCR-549	503	BCS CRM204A	265	B-MYC0420-1	305
BCR-107	228	BCR-305	428	BCR-550	504	BCS CRM309	204	B-MYC0420-2	305
BCR-113	201	BCR-306	427	BCR-551-2	505	BCS CRM313/1	204	B-MYC0420-5	305
BCR-114	201	BCR-307	427	BCR-553-4	129	BCS CRM348	217	B-MYC0423-1.2	305
BCR-115	189	BCR-308	422	BCR-555	130	BCS CRM353	253	B-MYC0425-1	305
BCR-116	845	BCR-309	424	BCR-563	161	BCS CRM354	253	B-MYC0430-1.2	305
BCR-121	161	BCR-310	426	BCR-579	32	BCS CRM358	204	B-MYC0440-1	306
BCR-122	138	BCR-311	424	BCR-593	179	BCS CRM362	204	B-MYC0440-2	307
BCR-123A	179	BCR-312	427	BCR-594	192	BCS CRM369	205	B-MYC0440-5	307
BCR-123B	179	BCR-320R	55	BCR-595	193	BCS CRM370	205	B-MYC0450	305
BCR-126A	254	BCR-331	246	BCR-596	117	BCS CRM375/1	205	B-MYC0450-1	305
BCR-129	117	BCR-332	246	BCR-597	111	BCS CRM376/1	205	B-MYC0450-2	305
BCR-130	835	BCR-333	246	BCR-598	153	BCS CRM388	205	B-MYC0450-C	305
BCR-131	835	BCR-334	246	BCR-599	138	BCS CRM389/1	205	B-MYC0455-C	305
BCR-132	835	BCR-335	246	BCR-605	128	BCS CRM392	207	B-MYC0457-1	305
BCR-133	425	BCR-336	246	BCR-607	136	BCS CRM395	215	B-MYC0457-2	305
BCR-134	423	BCR-337	425	BCR-609	29	BCS CRM396	206	B-MYC0457-5	305
BCR-136R	423	BCR-338	425	BCR-610	30	BDS-BRM-01	190, 194	B-MYC0458-1.2	305
BCR-137R	423	BCR-339	424	BCR-611	30	BDS-BRM-01-03	191, 194	B-MYC0460-1	305
BCR-138	425	BCR-340	423	BCR-612	30	BDS-BRM-02	190, 194	B-MYC0460-2	305
BCR-139	423	BCR-341	423	BCR-614	412	BDS-BRM-03	191, 194	B-MYC0460-5	305
BCR-140	422	BCR-342	423	BCR-614S1	413	BDS-BRM-04	160, 195	B-MYC0465-C	305
		BCR-349	152	BCR-614S2	413	BDS-BRM-04-06	160, 195	B-MYC0470-C	305
		BCR-365	402	BCR-614S3	414	BDS-BRM-05	160, 195	B-MYC0480-1	305
		BCR-375	189, 308	BCR-614S4	414	BDS-BRM-06	160, 195	B-MYC0480-2	305
		BCR-377	162, 308	BCR-614S5	415	B-MYC0200-1	303	B-MYC0480-5	305
		BCR-380R	135	BCR-614S6	415	B-MYC0200-2	303	B-MYC0480-C	305
		BCR-383	173	BCR-614S7	415	B-MYC0200-5	303	B-MYC0485-C	305
		BCR-385R	174	BCR-614S8	415	B-MYC0205-C	303	B-MYC0490-1	305

## Code number index

B-MYC0490-2.....305	CDX-00001110-100... 288	CDX-00003195-005... 288	CDX-00006244-001... 284	CDX-00011042-100... 290
B-MYC0490-5.....305	CDX-00001140-001... 288	CDX-00003201-100... 288	CDX-00006244-005... 284	CDX-00011045-001... 290,
B-MYC0490-C.....305	CDX-00001170-001... 288	CDX-00003201-250... 288	CDX-00006260-001... 284	303
B-MYC0495-1.2.....305	CDX-00001175-001... 288	CDX-00003204-001... 287	CDX-00006285-001... 284	CDX-00011045-250... 290
B-MYC0495-C.....305	CDX-00001180-100... 283	CDX-00003204-005... 287	CDX-00006285-100... 284	CDX-00011050-001... 290
B-MYC0500-1.....305	CDX-00001190-100... 283	CDX-00003204-010... 287	CDX-00006290-100... 284	CDX-00011050-100... 290
B-MYC0500-2.....306	CDX-00001190-250... 283	CDX-00003205-00A... 287	CDX-00006290-500... 284	CDX-00011051-005... 290
B-MYC0500-5.....306	CDX-00001200-001... 288	CDX-00003211-005... 287	CDX-00006292-00A... 287	CDX-00011051-100... 290
B-MYC0505-C.....306	CDX-00001200-005... 288	CDX-00003211-010... 287	CDX-00007010-001... 284	CDX-00011052-005... 290
B-MYC0520-1.....306	CDX-00001200-025... 288	CDX-00003211-025... 287	CDX-00007010-005... 284	CDX-00011052-100... 290
B-MYC0520-2.....306	CDX-00001235-010... 288	CDX-00003211-100... 287	CDX-00007015-001... 284	CDX-00011054-010... 287
B-MYC0520-5.....306	CDX-00001235-100... 288	CDX-00003290-010... 293	CDX-00007020-001... 284	CDX-00011060-010... 285
B-MYC0525-C.....306	CDX-00001240-010... 283	CDX-00003300-005... 293	CDX-00007020-100... 284	CDX-00011060-100... 285
B-MYC0540-1.....306	CDX-00001240-050... 283	CDX-00003310-010... 293	CDX-00007021-001... 284	CDX-00011520-005... 285
B-MYC0540-2.....306	CDX-00001245-010... 288	CDX-00003310-025... 293	CDX-00007026-001... 284	CDX-00012005-001... 285
B-MYC0540-5.....306	CDX-00001245-100... 288	CDX-00003315-005... 293	CDX-00007026-250... 284	CDX-00012020-100... 285
B-MYC0540-C.....306	CDX-00001265-010... 283	CDX-00003335-001... 283	CDX-00007047-005... 284	CDX-00012125-001... 290
B-MYC0545-C.....306	CDX-00001265-025... 283	CDX-00003420-001... 283	CDX-00007047-010... 284	CDX-00012125-100... 290
B-MYC0550-1.2.....306	CDX-00001295-010... 288	CDX-00003420-005... 283	CDX-00007110-010... 284	CDX-00012160-010... 285
B-MYC0560-1.....305	CDX-00001295-100... 288	CDX-00003423-001... 283	CDX-00007120-001... 284	CDX-00012160-100... 285
B-MYC0560-2.....305	CDX-00001320-001... 288	CDX-00003425-001... 283	CDX-00007240-050... 284	CDX-00012453-001... 287
B-MYC0560-5.....305	CDX-00001322-100... 288	CDX-00003425-250... 283	CDX-00007245-001... 284	CDX-00012453-005... 287
B-MYC0565-1.2.....305	CDX-00001322-250... 288	CDX-00003480-100... 289	CDX-00007245-005... 284	CDX-00012453-010... 287
B-MYC0570-1.....306	CDX-00001325-010... 288	CDX-00003592-001... 283	CDX-00007256-001... 284	CDX-00012453-025... 287
B-MYC0575-1.....306	CDX-00001325-100... 288	CDX-00003592-005... 283	CDX-00007256-500... 284	CDX-00012453-100... 287
B-MYC0580-1.....306	CDX-00001435-010... 288	CDX-00003593-001... 283	CDX-00007257-001... 284	CDX-00012550-005... 287
B-MYC0600-1.....306	CDX-00001435-025... 288	CDX-00003593-005... 283	CDX-00007257-500... 284	CDX-00012550-010... 287
B-MYC0600-5.....306	CDX-00001436-005... 288	CDX-00003594-001... 283	CDX-00007258-001... 284	CDX-00012550-025... 287
B-MYC0600-C.....306	CDX-00001436-010... 288	CDX-00003596-025... 283	CDX-00007258-005... 284	CDX-00012550-100... 287
B-MYC0605-C.....306	CDX-00001437-010... 288	CDX-00003597-001... 284	CDX-00007260-010... 284	CDX-00012600-001... 290
B-MYC0610-1.2.....306	CDX-00001437-025... 288	CDX-00003607-001... 284	CDX-00007260-100... 284	CDX-00007260-100... 284
B-MYC0700-1.....307	CDX-00001438-010... 288	CDX-00003607-002... 284	CDX-00007261-001... 284	CDX-00012605-001... 290
B-MYC0700-2.....307	CDX-00001500-001... 288	CDX-00003680-001... 289	CDX-00007261-005... 284	CDX-00012605-100... 290
B-MYC0700-5.....307	CDX-00001500-250... 288	CDX-00003680-005... 289	CDX-00007265-001... 284	CDX-00012610-001... 290
B-MYC0750-1.....307	CDX-00001501-001... 288	CDX-00003681-001... 289	CDX-00007285-001... 284	CDX-00012610-005... 290
B-MYC0750-2.....307	CDX-00001501-005... 288	CDX-00003681-100... 289	CDX-00007290-001... 284	CDX-00012610-100... 290
B-MYC0750-5.....307	CDX-00001502-001... 288	CDX-00003855-001... 289	CDX-00007295-100... 284	CDX-00013055-001... 285
B-MYC0851.....162, 308	CDX-00001502-005... 288	CDX-00003857-010... 289	CDX-00007307-001... 289	CDX-00013057-100... 285
B-MYC0852.....163, 310	CDX-00001502-100... 288	CDX-00003857-025... 289	CDX-00007307-250... 289	CDX-00013057-500... 285
B-MYC0856.....161, 308	CDX-00001515-100... 288	CDX-00003860-001... 289	CDX-00007310-001... 289	CDX-00013100-010... 285
B-MYC0880.....308	CDX-00001572-025... 283	CDX-00003871-010... 289	CDX-00007310-100... 289	CDX-00013100-100... 285
B-MYC0890.....162, 308	CDX-00001572-100... 283	CDX-00003871-025... 289	CDX-00007341-001... 289	CDX-00013102-001... 285
B-MYC0891.....162, 309	CDX-00001595-100... 288	CDX-00003875-001... 289	CDX-00007341-250... 289	CDX-00013102-250... 285
B-MYC0892.....162, 309	CDX-00001600-00A... 287	CDX-00003885-010... 287	CDX-00007425-001... 284	CDX-00013115-025... 285
B-MYC0893.....162, 309	CDX-00001634-025... 283	CDX-00003889-005... 287	CDX-00008080-005... 287	CDX-00013121-001... 285
B-MYC0894.....162, 309	CDX-00001664-050... 283	CDX-00003890-001... 287	CDX-00008255-001... 289	CDX-00013121-005... 285
B-MYC0895.....162, 309	CDX-00001665-001... 283	CDX-00003891-00A... 287	CDX-00008255-100... 289	CDX-00013170-010... 290
B-MYC1200-1.....306	CDX-00001666-001... 283	CDX-00003900-001... 287	CDX-00008255-250... 289	CDX-00013170-050... 290
B-MYC1220-1.....306	CDX-00001682-001... 283	CDX-00003900-005... 287	CDX-00008260-001... 289	CDX-00013170-100... 290
B-MYC1240-1.....306	CDX-00001885-00A... 287	CDX-00003981-005... 289	CDX-00008260-100... 289	CDX-00013176-001... 285
B-MYC1260-1.....306	CDX-00001945-001... 283	CDX-00003981-025... 289	CDX-00008260-250... 289	CDX-00013221-001... 285
B-MYC1400-1.....304	CDX-00001945-005... 283	CDX-00004004-00A... 287	CDX-00008261-001... 289	CDX-00013250-001... 290
B-MYC1600-1.....305	CDX-00001950-001... 283	CDX-00004165-001... 284	CDX-00008261-250... 289	CDX-00013255-025... 290
B-MYC1800-1.....305	CDX-00001950-010... 283	CDX-00004165-100... 284	CDX-00008265-100... 289	CDX-00013255-100... 290
B-MYC2000-1.....305	CDX-00001955-001... 283	CDX-00004171-001... 284	CDX-00008290-100... 289	CDX-00013270-100... 290
B-MYC2050-1.....305	CDX-00001955-010... 283	CDX-00004200-100... 291	CDX-00008294-010... 289	CDX-00013275-010... 290
B-MYC2300-1.....306	CDX-00001960-001... 283	CDX-00004205-001... 284	CDX-00008294-025... 289	CDX-00013275-025... 290
B-MYC2350-1.....306	CDX-00001960-005... 283	CDX-00004248-001... 284	CDX-00008300-001... 289	CDX-00013415-025... 290
B-MYC2500-1.....306	CDX-00001960-010... 283	CDX-00004248-500... 284	CDX-00008305-001... 289	CDX-00013440-001... 285
B-MYC2600-1.....306	CDX-00001981-050... 288	CDX-00004330-100... 289	CDX-00008323-100... 289	CDX-00013440-100... 285
B-MYC3100-5.....309	CDX-00001981-100... 288	CDX-00004340-00A... 287	CDX-00008345-010... 284	CDX-00013445-001... 285
B-MYC3150-5.....309	CDX-00001985-001... 288	CDX-00004430-001... 284	CDX-00008504-005... 289	CDX-00013445-001... 285
B-MYC3200-5.....309	CDX-00001990-001... 288	CDX-00004430-100... 284	CDX-00008504-010... 289	CDX-00013455-001... 285
B-MYC3250-5.....309	CDX-00001990-100... 288	CDX-00004640-001... 289	CDX-00008520-010... 289	CDX-00013480-025... 291
B-MYC3300-5.....309	CDX-00001996-010... 288	CDX-00004640-250... 289	CDX-00008687-001... 289	CDX-00013516-025... 291
B-MYC3350-5.....309	CDX-00002231-250... 288	CDX-00004671-025... 289	CDX-00008687-100... 289	CDX-00013516-100... 291
B-MYC3400-5.....309	CDX-00002320-005... 287	CDX-00004671-100... 289	CDX-00008695-001... 289	CDX-00013560-001... 285
B-MYC3450-5.....309	CDX-00002320-010... 287	CDX-00004949-005... 293	CDX-00008695-250... 289	CDX-00013565-001... 285
B-MYC3500-5.....309	CDX-00002320-050... 287	CDX-00005026-00A... 287	CDX-00008726-010... 289	CDX-00013570-001... 285
B-MYC3550-5.....309	CDX-00002430-001... 283	CDX-00005125-005... 293	CDX-00008726-050... 289	CDX-00013595-001... 285
B-MYC3600-5.....309	CDX-00002430-100... 283	CDX-00005125-010... 293	CDX-00009131-100... 284	CDX-00013595-005... 285
B-MYC3650-5.....309	CDX-00003032-100... 294	CDX-00005125-025... 293	CDX-00009131-250... 285	CDX-00013735-001... 285
B-MYC3700-1.....304	CDX-00003032-200... 294	CDX-00005125-050... 293	CDX-00009259-100... 289	CDX-00013735-250... 285
B-MYC3900-5.....310	CDX-00003035-001... 291	CDX-00005130-005... 293	CDX-00009305-010... 285	CDX-00013745-001... 285
CAN-LKSD-2.....52	CDX-00003035-500... 291	CDX-00005135-005... 293	CDX-00009305-100... 285	CDX-00013745-100... 285
CAN-LKSD-3.....52	CDX-00003040-010... 291	CDX-00005135-010... 293	CDX-00009475-001... 285	CDX-00013840-001... 285
CAN-LKSD-4.....52	CDX-00003040-050... 291	CDX-00005135-025... 293	CDX-00009475-100... 285	CDX-00013899-001... 285
CAN-STSD-1.....54	CDX-00003102-025... 288	CDX-00005145-010... 293	CDX-00009490-001... 285	CDX-00014035-050... 285
CAN-STSD-134.....54	CDX-00003102-100... 288	CDX-00005145-025... 293	CDX-00009495-001... 285	CDX-00014035-250... 285
CAN-STSD-3.....54	CDX-00003112-010... 287	CDX-00005145-050... 293	CDX-00009591-010... 293	CDX-00014250-010... 303
CAN-STSD-4.....54	CDX-00003116-00A... 283	CDX-00005150-005... 293	CDX-00009591-050... 293	CDX-00014260-025... 285
CDX-00001006-010... 287	CDX-00003140-001... 287	CDX-00005150-010... 293	CDX-00011040-001... 289	CDX-00014260-100... 285
CDX-00001006-050... 287	CDX-00003140-005... 287	CDX-00005150-025... 293	CDX-00011040-100... 290	CDX-00014265-100... 285
CDX-00001006-500... 288	CDX-00003194-001... 288	CDX-00005150-050... 293	CDX-00011041-005... 290	CDX-00014265-500... 285
CDX-00001045-100... 283	CDX-00003194-100... 288	CDX-00005447-001... 284	CDX-00011041-100... 290	CDX-00014288-00A... 287
CDX-00001110-010... 288	CDX-00003195-001... 288	CDX-00006170-250... 291	CDX-00011042-005... 290	CDX-00014303-001... 291



CDX-00014303-010....291	CDX-00020010-100....286	CDX-00022807-001....292	CERERB-018.....504	CERERD-152S.....462
CDX-00014303-250....291	CDX-00020015-050....286	CDX-00022807-100....292	CERERB-021S.....472	CERERD-155...333, 689,
CDX-00014365-010....285	CDX-00020015-250....286	CDX-00022807-250....292	CERERB-022S.....474	700
CDX-00014370-010....285	CDX-00020056-100....291	CDX-00022809-100....292	CERERB-023.....504	CERERE-001.....336
CDX-00014375-001....285	CDX-00020056-250....291	CDX-00022809-250....292	CERERB-026S.....504	CERERE-003.....335
CDX-00014375-100....286	CDX-00020140-001....286	CDX-00022811-001....292	CERERB-028S.....504	CERERE-004.....335
CDX-00014380-001....286	CDX-00020140-100....286	CDX-00022811-250....292	CERERB-029S.....504	CERERE-005.....336
CDX-00014380-100....286	CDX-00020248-100....294	CDX-00022815-001....292	CERERB-030S.....472	CERERE-006.....336
CDX-00014385-001....286	CDX-00020248-200....294	CDX-00022816-001....293	CERERB-031.....474	CERERE-007.....336
CDX-00014390-001....286	CDX-00020249-010....291	CDX-00022816-250....293	CERERB-032S.....422	CERERE-011.....464
CDX-00014390-100....286	CDX-00020249-025....291	CDX-00022821-025....293	CERERB-033S.....422	CERERE-012.....464
CDX-00014405-001....286	CDX-00020252-005....293	CDX-00022821-050....293	CERERB-034S.....423	CERERE-013.....463
CDX-00014405-100....286	CDX-00020252-010....293	CDX-00022821-250....293	CERERB-035S.....423	CERERE-014S.....486
CDX-00014410-100....286	CDX-00020253-005....293	CDX-00022825-001....293	CERERB-036S.....423	CERERE-015S.....336
CDX-00014415-001....286	CDX-00020253-010....293	CDX-00022825-250....293	CERERB-039S.....419	CERERE-016S.....336
CDX-00014415-100....286	CDX-00020254-005....293	CDX-00022826-050....293	CERERB-040.....423	CERERE-018S.....335
CDX-00014435-001....286	CDX-00020254-010....293	CDX-00024900-001....286	CERERB-044S.....342	CERERE-020S.....336
CDX-00014435-100....286	CDX-00020255-250....294	CDX-00024901-001....286	CERERB-045S.....342	CERERE-021.....464
CDX-00014480-050....286	CDX-00020256-100....294	CDX-00024905-001....286	CERERB-047S.....342	CERERE-032S.....462
CDX-00014480-250....286	CDX-00020256-200....294	CDX-00024905-100....286	CERERB-079S.....473	CERERE-042.....464
CDX-00014485-001....286	CDX-00020260-001....291	CDX-00026504-005....287	CERERB-085S.....474	CERERF-001.....426
CDX-00014485-100....286	CDX-00020260-100....291	CDX-00026504-010....287	CERERC-001.....424	CERERF-002.....426
CDX-00014501-005....287	CDX-00020285-001....291	CDX-00026504-025....287	CERERC-003.....322	CERERF-003.....504
CDX-00014501-010....287	CDX-00020313-050....292	CDX-00030120-005....294	CERERC-004.....322	CERERF-004S.....504
CDX-00014520-001....290	CDX-00020313-250....292	CDX-00030121-005....294	CERERC-005.....322	CERERF-005S.....504
CDX-00014520-005....290	CDX-00020314-050....292	CDX-00030330-005....293	CERERC-006.....504	CERERF-006S.....486
CDX-00014525-001....290	CDX-00020314-250....292	CDX-00030331-005....293	CERERC-009S.....475	CERERF-007S.....426
CDX-00014525-005....290	CDX-00020317-001....292	CDX-00031015-010....291	CERERC-010.....477	CERERF-008S.....426
CDX-00014525-100....290	CDX-00020317-250....292	CDX-00031015-025....291	CERERC-011S.....504	CERERF-009S.....486
CDX-00014535-001....290	CDX-00020345-001....286	CDX-00031030-001....291	CERERC-012.....477	CERERF-010S.....486
CDX-00014535-100....290	CDX-00020510-005....291	CDX-00031030-100....291	CERERC-013S.....476	CERERF-002.....504
CDX-00014540-001....290	CDX-00020510-025....291	CDX-00031035-001....291	CERERC-014S.....424	CERERF-005.....419
CDX-00014540-100....290	CDX-00020521-050....291	CDX-00031035-100....291	CERERC-016.....504	CERERH-001.....343
CDX-00015050-001....286	CDX-00020521-100....291	CDX-00031040-001....291	CERERC-022.....476	CERERH-002.....343
CDX-00015050-100....286	CDX-00020530-001....291	CDX-00031040-100....291	CERERC-026S.....475	CERERH-004S.....463
CDX-00015390-100....290	CDX-00020530-100....291	CERB-002.....461	CERERC-054S.....499	CERERH-011.....504
CDX-00016040-010....286	CDX-00020540-001....291	CERB-003.....461	CERERD-002.....330	CERERI-001.....426
CDX-00016040-025....286	CDX-00020540-100....291	CERB-023.....508	CERERD-003.....425	CERERI-003.....504
CDX-00016135-00A....287	CDX-00020595-001....291	CERC-053.....439	CERERD-004.....332	CERERI-004.....504
CDX-00016255-100....290	CDX-00020595-100....291	CERD-002.....462	CERERD-005.....328	CERERI-005.....504
CDX-00016323-100....291	CDX-00020601-050....291	CERD-003.....462	CERERD-006.....328	CERERI-009S.....504
CDX-00016500-001....290	CDX-00020601-100....291	CERD-004.....462	CERERD-007.....328	CERERI-010S.....426
CDX-00016503-100....290	CDX-00020610-001....291	CERD-010.....462	CERERD-008.....327	CERERK-001.....322
CDX-00016503-250....290	CDX-00020610-250....291	CERD-011.....462	CERERD-011.....328	CERERM-001.....349
CDX-00016550-001....286	CDX-00020619-010....291	CERER-005.....421	CERERD-012.....328	CERERM-002.....504
CDX-00016550-100....286	CDX-00020619-100....291	CERERA-006.....316	CERERD-013.....425	CERERM-003.....350
CDX-00016559-100....286	CDX-00020621-001....291	CERERA-009.....421	CERERD-014.....425	CERERM-004.....352
CDX-00016560-001....286	CDX-00020621-100....291	CERERA-010.....421	CERERD-024.....482	CERERM-020.....504
CDX-00016780-005....287	CDX-00020621-250....291	CERERA-011.....503	CERERD-025.....482	CERERM-022S.....504
CDX-00016839-010....286	CDX-00022101-001....291	CERERA-012.....503	CERERD-026.....334	CERERM-023S.....504
CDX-00016839-025....286	CDX-00022101-100....291	CERERA-013K.....505	CERERD-027S.....480	CERERM-024.....504
CDX-00016950-001....286	CDX-00022535-00A....287	CERERA-014.....504	CERERD-028S.....480	CERERM-039.....346
CDX-00016950-005....286	CDX-00022713-001....292	CERERA-015S.....317	CERERD-029S.....480	CERERM-041.....424
CDX-00018010-001....286	CDX-00022713-250....292	CERERA-017.....461	CERERD-030.....504	CERERN-001.....351
CDX-00018110-100....292	CDX-00022714-010....292	CERERA-018.....461	CERERD-031.....334	CERERN-002.....351
CDX-00018120-005....292	CDX-00022714-050....292	CERERA-020.....505	CERERD-032S.....462	CERERN-003.....427
CDX-00018211-001....286	CDX-00022714-100....292	CERERA-021.....503	CERERD-033S.....462	CERERN-004S.....462
CDX-00018211-250....286	CDX-00022717-001....292	CERERA-022S.....461	CERERD-034S.....462	CERERN-005S.....463
CDX-00018226-001....293	CDX-00022717-250....292	CERERA-023S.....461	CERERD-035S.....504	CERERN-007S.....463
CDX-00018226-010....293	CDX-00022719-001....292	CERERA-024S.....503	CERERD-036S.....481	CERERN-012S.....427
CDX-00018226-050....293	CDX-00022719-050....292	CERERA-025S.....503	CERERD-037S.....483	CERERN-020.....351
CDX-00018227-005....293	CDX-00022719-250....292	CERERA-028.....505	CERERD-038.....385	CERERN-027S.....463
CDX-00018227-010....293	CDX-00022720-001....292	CERERA-030.....506	CERERD-039.....385	CERERD-001.....492
CDX-00018227-025....293	CDX-00022720-250....292	CERERA-032.....471	CERERD-040.....386	CERERP-003.....428
CDX-00018228-005....293	CDX-00022724-001....292	CERERA-033S.....421	CERERD-041.....386	CERERP-004.....428
CDX-00018228-010....293	CDX-00022724-250....292	CERERA-034S.....421	CERERD-042S.....425	CERERP-005.....504
CDX-00018229-001....293	CDX-00022728-001....292	CERERA-035S.....421	CERERD-047S.....332	CERERP-027S.....428
CDX-00018285-001....292	CDX-00022728-250....292	CERERA-037.....505	CERERD-051.....426	CERERP-030S.....504
CDX-00018291-001....286	CDX-00022729-001....292	CERERA-038S.....471	CERERD-052.....425	CERERP-031S.....493
CDX-00019115-050....286	CDX-00022730-001....292	CERERA-053.....315	CERERD-062.....418	CERERP-034S.....428
CDX-00019115-250....286	CDX-00022730-250....292	CERERA-054.....315	CERERD-079.....462	CERERP-079.....352
CDX-00019164-001....290	CDX-00022731-001....292	CERERA-055.....317	CERERD-080.....462	CERERR-004.....507
CDX-00019164-100....290	CDX-00022731-250....292	CERERA-070.....505	CERERD-081...462, 484	CERERS-009.....432
CDX-00019170-001....290	CDX-00022742-001....292	CERERA-077.....505	CERERD-088S.....426	CERERS-013.....366
CDX-00019170-100....290	CDX-00022742-250....292	CERERB-001.....423	CERERD-091.....482	CERERS-027S.....494
CDX-00019180-100....290	CDX-00022750-001....292	CERERB-002.....422	CERERD-109S.....462	CERERT-001.....495
CDX-00019330-050....286	CDX-00022750-250....292	CERERB-003.....423	CERERD-110S.....462	CERERT-003.....495
CDX-00019349-010....294	CDX-00022774-001....292	CERERB-005.....423	CERERD-113.....385	CERERT-004.....496
CDX-00019349-050....294	CDX-00022774-100....292	CERERB-006.....422	CERERD-115S.....462	CERERT-007.....504
CDX-00019351-010....294	CDX-00022774-250....292	CERERB-007.....423	CERERD-118...332, 483,	CERERT-011.....504
CDX-00019351-050....294	CDX-00022801-010....292	CERERB-012.....342	700	CERERT-012.....504
CDX-00019352-010....294	CDX-00022801-025....292	CERERB-013.....342	CERERD-132S.....484	CERERT-014S.....496
CDX-00019352-025....294	CDX-00022803-001....292	CERERB-014.....343	CERERD-135S.....481	CERERT-023S.....463
CDX-00019380-001....286	CDX-00022803-250....292	CERERB-015.....342	CERERD-137.....480	CERERT-027S.....504
CDX-00019380-100....286	CDX-00022804-001....292	CERERB-016.....504	CERERD-148S.....462	CERERT-038.....495
CDX-00019383-100....286	CDX-00022804-250....292	CERERB-017.....504	CERERD-151.....425	CERERT-039.....498

## Code number index

CERERV-001 .....504	CHE 161 ..... 488	CIL-CDLM-7665-1.2... 444, 662	CIL-CLM-2722-1.2 .... 424, 649, 668, 674	CIL-CLM-4542-SA-1.2 ..... 353, 686, 691
CERERX-002S .....499	CHE 162 ..... 489	CIL-CDNLM-6786-1.2.472, 685, 700	CIL-CLM-3040-0.5 .... 680	CIL-CLM-4543... 359, 686, 691
CERERX-011S .....499	CHE 163 ..... 486	CIL-CLM-1006-0.5 .... 676	CIL-CLM-3045-1.2 .... 446, 663	CIL-CLM-4544-1.2 .... 354, 685, 691
CERERX-012S .....499	CHE 164 ..... 472	CIL-CLM-1191-1.2 .... 343	CIL-CLM-309-0.5 ..... 681	CIL-CLM-4545-1.2 .... 341, 685, 689
CERI-009 ..... 442	CHE 165 ..... 488	CIL-CLM-126-1.2 .... 667	CIL-CLM-309-1 ..... 681	CIL-CLM-4551-1.2 .... 359, 671, 691
CERM-001 ..... 462	CHE 166 ..... 487	CIL-CLM-1281-1.2 .... 329, 669, 675, 684, 689	CIL-CLM-3235-1.2 .... 385, 596	CIL-CLM-4555-1.2 .... 312, 666, 667
CERM-002 ..... 462	CHE 167 ..... 474	CIL-CLM-1281-5.329, 675, 684, 689	CIL-CLM-3373-1.2 .... 334, 689	CIL-CLM-4557-1.2 .... 312, 666, 667
CERM-077 ..... 462	CHE 168 ..... 493	CIL-CLM-1282-1.2 .... 343, 669, 678, 684, 690	CIL-CLM-3374-1.2 .... 336, 671, 677	CIL-CLM-4584-1.2 ..... 665
CERM-078 ..... 462	CHE 169 ..... 487	CIL-CLM-129-0.1 ..... 681	CIL-CLM-3375-1.2 .... 441, 661	CIL-CLM-4586-1.2 ..... 665
CERM-108 ..... 509	CHE 170 ..... 492	CIL-CLM-1305-1.2 ..... 671	CIL-CLM-351-0.01 ..... 678	CIL-CLM-4587-1.2 ..... 665
CERN-008 ..... 444	CHE 171 ..... 492	CIL-CLM-1332-1.2 .... 427, 649, 678	CIL-CLM-351-1.2 ..... 343, 669, 678, 684, 690	CIL-CLM-4589-1.2 ..... 665
CERN-042 ..... 444	CHE 172 ..... 478	CIL-CLM-1333-1.2 .... 422, 649, 668, 673	CIL-CLM-3596-1.2 .... 426, 649, 677	CIL-CLM-4590-1.2 ..... 665
CERP-037 ..... 463	CHE 19 ..... 481	CIL-CLM-1364-1.2 .... 423, 649, 674	CIL-CLM-3597-1.2 .... 426, 649, 677	CIL-CLM-4591-1.2 ..... 664
CERP-909 ..... 444	CHE 20 ..... 497	CIL-CLM-1365-1.2 .... 667	CIL-CLM-3599-1.2 .... 425, 649, 676	CIL-CLM-4592-1.2 ..... 665
CERR-002 ..... 445	CHE USC 11 ..... 472	CIL-CLM-1518-1 ..... 676	CIL-CLM-3599-1.2 .... 423, 649, 668, 674	CIL-CLM-4668-1.2 .... 664, 669
CERR-004 ..... 445	CHE USC 12 ..... 486	CIL-CLM-1519-0.1 ..... 672	CIL-CLM-3600-1.2 .... 427, 649, 669	CIL-CLM-4670-1.2 ..... 664
CERSCB-008 ..... 473	CHE USC 13 ..... 496	CIL-CLM-1519-S ..... 672	CIL-CLM-3601-1.2 .... 428, 650, 680	CIL-CLM-4671-1.2 ..... 664, 669
CERSCO-004 ..... 322	CHE USC 14 ..... 499	CIL-CLM-1520-1 ..... 674	CIL-CLM-3602-1.2 .... 422, 649, 668, 673	CIL-CLM-4674-1.2 .... 668, 671
CERT-002 ..... 463	CHE USC 15 ..... 499	CIL-CLM-1544-1.2 .... 551, 676	CIL-CLM-3621-1.2 ..... 649	CIL-CLM-4682-1.2 .... 321, 668, 686, 688
CERT-013 ..... 446	CHE USC 16 ..... 499	CIL-CLM-1559-1 ..... 675	CIL-CLM-3623-1.2 .... 342, 669, 678, 684, 690	CIL-CLM-4683-1.2 .... 348, 669, 684, 690
CERT-021 ..... 463	CIL-BDE-100-CS ..... 638	CIL-CLM-1587-1.2 .... 637, 677	CIL-CLM-3648-1.2 ..... 343, 678, 684, 690	CIL-CLM-4692-1.2 .... 328, 669, 675, 684, 688
CERT-022 ..... 463	CIL-BDE-105-CS ..... 638	CIL-CLM-1593-0.25 ... 678	CIL-CLM-3672-1.2 .... 441, 663	CIL-CLM-4693-1.2 .... 328, 669, 675, 684, 688
CERT-037 ..... 446	CIL-BDE-10-CS ..... 638	CIL-CLM-1593-0.5 ..... 678	CIL-CLM-3687-1.2 .... 315, 687	CIL-CLM-4694-1.2 .... 639, 671
CHE 01 ..... 489	CIL-BDE-116-CS ..... 638	CIL-CLM-1627-1.2 .... 328, 669, 675, 684, 688	CIL-CLM-3712-1.2 .... 349, 670, 690	CIL-CLM-4695-1.2 ..... 671
CHE 02 ..... 476	CIL-BDE-118-CS ..... 638	CIL-CLM-1627-5.328, 675, 684, 688	CIL-CLM-3722-1.2 .... 332, 689	CIL-CLM-4725-1.2 .... 316, 668, 673, 682, 683, 687
CHE 05 ..... 497	CIL-BDE-119-CS ..... 638	CIL-CLM-1643-1.2 .... 421, 649, 668, 673	CIL-CLM-3727-1.2 .... 315, 668, 687	CIL-CLM-4726-1.2 .... 332, 669, 676, 683, 684, 689
CHE 07 ..... 495	CIL-BDE-120-CS ..... 638	CIL-CLM-1804-1 ..... 681	CIL-CLM-3733-1.2 .... 354, 664, 680, 691	CIL-CLM-4727-1.2 .... 345, 669, 683, 684, 690
CHE 08 ..... 479	CIL-BDE-126-CS ..... 638	CIL-CLM-1804-SI-1.2. 668	CIL-CLM-3737-1.2 .... 317, 668, 686, 687	CIL-CLM-4729-1.2 .... 322, 670, 683, 685, 690
CHE 100 ..... 312, 471	CIL-BDE-128-CS ..... 638	CIL-CLM-182-0.1 ..... 673	CIL-CLM-3737-D-1.2 . 668	CIL-CLM-4734-1.2 .... 343, 669, 678, 683, 684, 690
CHE 101 ..... 474	CIL-BDE-12-CS ..... 638	CIL-CLM-182-0.5 ..... 673	CIL-CLM-3738-1.2 .... 356, 687, 691	CIL-CLM-4735-1.2 .... 351, 670, 683, 685, 690
CHE 102 ..... 475	CIL-BDE-138-CS ..... 638	CIL-CLM-1836-1.2 ..... 668	CIL-CLM-3739-1.2 .... 358, 671, 687, 691	CIL-CLM-4745-1.2 .... 661, 671
CHE 103 ..... 478	CIL-BDE-139-CS ..... 638	CIL-CLM-1858-1.2 .... 327, 669, 689	CIL-CLM-3741-1.2 .... 320, 688	CIL-CLM-4748-1.2 ..... 663
CHE 104 ..... 478	CIL-BDE-13-CS ..... 638	CIL-CLM-1859-1.2 .... 321, 686, 688	CIL-CLM-3748-1.2 .... 354, 664, 680, 691	CIL-CLM-4758-1.2 .... 323, 668, 683, 688
CHE 105 ..... 478	CIL-BDE-140-CS ..... 638	CIL-CLM-1911-1.2 .... 321, 686, 688	CIL-CLM-3756-1.2 .... 423, 649, 668, 674	CIL-CLM-4759-1.2 .... 343, 669, 678, 683, 684, 690
CHE 106 ..... 478	CIL-BDE-148-CS ..... 638	CIL-CLM-1913-1.2 .... 324, 667, 688	CIL-CLM-3757-1.2 .... 424, 649, 669	CIL-CLM-4782-1.2 .... 336, 669, 677, 683, 684, 689
CHE 108 ..... 486	CIL-BDE-153-CS ..... 639	CIL-CLM-1921-1.2 ..... 667	CIL-CLM-3774-A 426, 649	CIL-CLM-4792-1.2 .... 322, 668, 675, 682, 683, 688
CHE 110 ..... 493	CIL-BDE-154-CS ..... 639	CIL-CLM-1955-1.2 .... 667, 670, 680	CIL-CLM-3835-1.2 .... 425, 649	CIL-CLM-4811-1.2 .... 351, 670, 683, 685, 690
CHE 111 ..... 312, 488	CIL-BDE-155-CS ..... 639	CIL-CLM-1959-1.2 .... 667	CIL-CLM-3848-S ..... 672	CIL-CLM-4813-1.2 .... 349, 670, 683, 684, 690
CHE 112 ..... 487	CIL-BDE-15-CS ..... 638	CIL-CLM-1965-0.1 ..... 681	CIL-CLM-3894-1.2 .... 317, 686, 688	CIL-CLM-4814-1.2 .... 322, 668, 683, 690
CHE 113 ..... 488	CIL-BDE-17-CS ..... 638	CIL-CLM-1982-1.2 .... 667	CIL-CLM-3912-S ..... 672	CIL-CLM-4815-50 ..... 336, 669, 677, 683, 684, 689
CHE 114 ..... 492	CIL-BDE-181-CS ..... 639	CIL-CLM-1996-1.2 .... 667	CIL-CLM-3913-0 ..... 672	CIL-CLM-4816-50 ..... 336, 669, 683, 684, 689
CHE 115 ..... 494	CIL-BDE-183-CS ..... 639	CIL-CLM-2003-0.1 ..... 678	CIL-CLM-3913-S 670, 672	CIL-CLM-4859-1.2 ..... 649
CHE 116 ..... 488	CIL-BDE-190-CS ..... 639	CIL-CLM-2003-0.5 ..... 678	CIL-CLM-4306-1.2 .... 665, 670	CIL-CLM-4860-1.2 ..... 649
CHE 117 ..... 489	CIL-BDE-197-CS ..... 639	CIL-CLM-2050-1.2 .... 667, 670, 679	CIL-CLM-4307-1.2 .... 665	CIL-CLM-4872-1.2 ..... 701
CHE 118 ..... 489	CIL-BDE-1-CS ..... 638	CIL-CLM-2075-0.1 ..... 681	CIL-CLM-4325-1.2 .... 668, 671, 674	CIL-CLM-4874-1.2 ..... 701
CHE 119 ..... 490	CIL-BDE-203-CS ..... 639	CIL-CLM-2078-1.349, 685, 690	CIL-CLM-4484-1.2 .... 667, 676	
CHE 120 ..... 490	CIL-BDE-204-CS ..... 639	CIL-CLM-2090-1 ..... 674	CIL-CLM-4512-1.2 .... 665, 670	
CHE 121 ..... 494	CIL-BDE-205-CS ..... 639	CIL-CLM-2091 ..... 675	CIL-CLM-4516-1.2 .... 666	
CHE 122 ..... 492	CIL-BDE-206-CS ..... 639	CIL-CLM-2110-10 ..... 678	CIL-CLM-4538-1.2 .... 352, 691	
CHE 123 ..... 312, 486	CIL-BDE-207-CS ..... 639	CIL-CLM-2110-5 ..... 678	CIL-CLM-4542-1.2 .... 353, 686, 691	
CHE 124 ..... 492	CIL-BDE-208-CS ..... 639	CIL-CLM-2145-0.01 ... 678		
CHE 125 ..... 493	CIL-BDE-209-CS ..... 639	CIL-CLM-2145-1.2 .... 678		
CHE 126 ..... 494	CIL-BDE-25-CS ..... 638	CIL-CLM-216-0.1 ..... 680		
CHE 127 ..... 494	CIL-BDE-28-CS ..... 638	CIL-CLM-2268-1.2 .... 667		
CHE 128 ..... 499	CIL-BDE-2-CS ..... 638	CIL-CLM-2284-1 ..... 675		
CHE 129 ..... 498	CIL-BDE-30-CS ..... 638	CIL-CLM-2451-1.2 .... 428, 649, 670, 680		
CHE 130 ..... 498	CIL-BDE-32-CS ..... 638	CIL-CLM-2477-1.2 .... 421, 649, 673		
CHE 131 ..... 474	CIL-BDE-33-CS ..... 638	CIL-CLM-2482-1.2 .... 342, 669, 678, 684, 690		
CHE 133 ..... 488	CIL-BDE-35-CS ..... 638	CIL-CLM-262-0.1 ..... 675		
CHE 134 ..... 485	CIL-BDE-37-CS ..... 638	CIL-CLM-262-0.5 ..... 675		
CHE 135 ..... 487	CIL-BDE-47-CS ..... 638	CIL-CLM-262-1 ..... 675		
CHE 136 ..... 488	CIL-BDE-49-CS ..... 638			
CHE 137 ..... 487	CIL-BDE-51-CS ..... 638			
CHE 138 ..... 493	CIL-BDE-66-CS ..... 638			
CHE 139 ..... 499	CIL-BDE-71-CS ..... 638			
CHE 140 ..... 494	CIL-BDE-75-CS ..... 638			
CHE 141 ..... 471	CIL-BDE-77-CS ..... 638			
CHE 142 ..... 478	CIL-BDE-79-CS ..... 638			
CHE 143 ..... 435, 478	CIL-BDE-7-CS ..... 638			
CHE 144 ..... 473	CIL-BDE-85-CS ..... 638			
CHE 145 ..... 479	CIL-BDE-8-CS ..... 638			
CHE 146 ..... 484	CIL-BDE-99-CS ..... 638			
CHE 147 ..... 485	CIL-CDLM-6002-1.2... 327, 686, 689			
CHE 148 ..... 485	CIL-CDLM-6100-1.2... 490, 685, 701			
CHE 149 ..... 487	CIL-CDLM-624-1.2... 343, 678, 684, 690			
CHE 150 ..... 487	CIL-CDLM-629-0.1... 673			
CHE 151 ..... 474	CIL-CDLM-7279-S .... 312, 664, 666, 679			
CHE 152 ..... 488				
CHE 153 ..... 498				
CHE 154 ..... 496				
CHE 155 ..... 486				
CHE 156 ..... 485				
CHE 157 ..... 489				
CHE 158 ..... 427				
CHE 159 ..... 489				
CHE 160 ..... 494				

CIL-CLM-4874-1.2 .....701	CIL-CLM-7885-1.2 .....443, 661	CIL-CLM-8721-1.2 .....670, 679, 687	CIL-DLM-1346-0.1 ..... 673	CIL-DLM-1975-0.1 ..... 681
CIL-CLM-503-0.5 .....677	CIL-CLM-7892 .....663	CIL-CNLM-3643-S .....672	CIL-DLM-1346-1 ..... 673	CIL-DLM-1975-0.5 ..... 681
CIL-CLM-503-1 .....677	CIL-CLM-7922-0.5 .....639	CIL-CNLM-3726-1.2 ..438, 662	CIL-DLM-1354-0.5 ..... 672	CIL-DLM-199-10 ..... 677
CIL-CLM-513-1 .....681	CIL-CLM-7923-1.2 .....639	CIL-CNLM-411-1.2 .....441, 662	CIL-DLM-1359-0.1 ..... 676	CIL-DLM-2004-0.05 ... 674
CIL-CLM-513-SI-1.2 .....668	CIL-CLM-7924-1.2 .....639	CIL-CNLM-4661-1.2 ..663	CIL-DLM-1359-0.5 ..... 667	CIL-DLM-2004-0.1 ..... 674
CIL-CLM-514-1.2 439, 662	CIL-CLM-7930-1.2 .....670, 679, 687	CIL-CNLM-4661-10X-1.2 .....663	CIL-DLM-1366-0.1 ..... 677	CIL-DLM-2005-0.01 .. 650, 675
CIL-CLM-585-0.1 .....681	CIL-CLM-7931-1.2 .....670, 679, 687	CIL-CNLM-4666-1.2 ..342, 685, 690	CIL-DLM-1366-1.2 ..... 664, 677	CIL-DLM-2005-0.1 .... 650, 675
CIL-CLM-585-5 .....680	CIL-CLM-7932-1.2 .....670, 679, 687	CIL-CNLM-4666-10 ...342, 685, 690	CIL-DLM-1367-0.1 ..... 676	CIL-DLM-2005-1.2 .... 650, 675
CIL-CLM-6023-1.2 .....312, 666	CIL-CLM-7935-0.1MG 661	CIL-CNLM-7148-1.2 ..348, 686, 690	CIL-DLM-1367-0.25 ... 676	CIL-DLM-203-0.1 ..... 673
CIL-CLM-6025-1.2 .....335, 669, 677, 683, 684, 689	CIL-CLM-7935-1.2 .....441, 661	CIL-CNLM-7221-1.2 ..445, 664	CIL-DLM-1367-1.2 .... 664, 669, 676	CIL-DLM-2030-1.2 ..... 673
CIL-CLM-6026-1.2 .....335, 669, 677, 683, 684, 689	CIL-CLM-7936-0.1MG 661	CIL-CNLM-7539-1.2 ..440, 663	CIL-DLM-1368-0.1 ..... 674	CIL-DLM-203-5 ..... 673
CIL-CLM-6058-1.2 .....667	CIL-CLM-7936-1.2 .....441, 661	CIL-CNLM-7963-S .....672	CIL-DLM-1368-0.25 ... 674	CIL-DLM-2037-1 ..... 675
CIL-CLM-6069-0.1 .....681	CIL-CLM-7988-A-1.2 .447, 663	CIL-CNLM-7963-S .....672	CIL-DLM-1368-1.2 .... 664, 668, 674	CIL-DLM-2053-0.1 ..... 681
CIL-CLM-6071-1.2 .....665	CIL-CLM-8003-1.2 .....667	CIL-CNLM-7987-S .....672	CIL-DLM-1369-0.1 ..... 674	CIL-DLM-2054-0.1 ..... 681
CIL-CLM-6090 .....685, 701	CIL-CLM-8005-1.2 .....416, 666	CIL-CNLM-8150-1.2 .....663	CIL-DLM-1369-1.2 ..... 664, 668, 674	CIL-DLM-2080-0.1 ..... 681
CIL-CLM-6096-1.2 .....478, 700	CIL-CLM-8006-1.2 .....640, 667, 671	CIL-CNLM-8150-10X-1.2 .....664	CIL-DLM-1386-1 ..... 675	CIL-DLM-2080-1.2 .... 664, 672
CIL-CLM-6106-1.2 .....701	CIL-CLM-8007-1.2 .....667	CIL-DLM-1008-1 336, 671, 677	CIL-DLM-1386-5 ..... 675	CIL-DLM-2112-1.2 ..... 676
CIL-CLM-6144-1.2 .....671	CIL-CLM-8008-1.2 .....661, 671	CIL-DLM-102-1 ...422, 650	CIL-DLM-1386-10 ..... 675	CIL-DLM-2130-S 666, 679
CIL-CLM-6145-1.2 .....671	CIL-CLM-8011-0.1MG 662	CIL-DLM-102-1.2 .....421, 650, 668	CIL-DLM-139-1 ..... 672	CIL-DLM-2131-0.05 ... 679
CIL-CLM-6151-1.2 .....667	CIL-CLM-8012-0.1MG 661	CIL-DLM-102-5 ...422, 650	CIL-DLM-139-5 ..... 672	CIL-DLM-2131-S 666, 679
CIL-CLM-6170-1.2 .....424, 649	CIL-CLM-8013-0.1MG 662	CIL-DLM-103-1 .....674	CIL-DLM-1-50 ..... 673	CIL-DLM-2133-0.1 ..... 677
CIL-CLM-6185-1.2 .....672	CIL-CLM-8014-0.1MG 662	CIL-DLM-103-5 .....674	CIL-DLM-1522-1 ..... 678	CIL-DLM-2134-0.1 ..... 674
CIL-CLM-661-0.01 .....680	CIL-CLM-8015-0.1MG 662	CIL-DLM-106-5 .....673	CIL-DLM-1528-1.2 ..... 651	CIL-DLM-2135-0.01 .. 423, 650
CIL-CLM-661-1.2 .....667, 670, 680	CIL-CLM-8016-0.1MG 662	CIL-DLM-106-5 .....673	CIL-DLM-1541-1 ..... 680	CIL-DLM-2135-1.2 ..... 423, 650
CIL-CLM-6620-1.2 .....364, 494, 686, 691, 701	CIL-CLM-8017-0.1MG 662	CIL-DLM-108-1 .....650	CIL-DLM-155-0.1 ..... 428, 651, 680	CIL-DLM-2136-0.01 .. 423, 650
CIL-CLM-6640-1.2 .....665	CIL-CLM-8018-0.1 421, 650	CIL-DLM-108-1.2 .....421, 650, 668	CIL-DLM-155-0.5 ..... 428, 651, 680	CIL-DLM-2136-1.2 .... 423, 650, 668
CIL-CLM-6641-1.2 .....665	CIL-CLM-8060-1.2 .....416, 666	CIL-DLM-108-5 .....680	CIL-DLM-158-1 ..... 676	CIL-DLM-2138 ..... 674
CIL-CLM-6680-1.2 .....679	CIL-CLM-8087-1.2 .....322, 675, 682, 683, 688	CIL-DLM-108-5 .....421, 650	CIL-DLM-158-5 ..... 676	CIL-DLM-2140-0.1 .... 426, 650, 677
CIL-CLM-6725-0.1MG 662	CIL-CLM-810-1 .....678	CIL-DLM-108-8 .....680	CIL-DLM-1592-1 ..... 676	CIL-DLM-2140-1.2 .... 426, 650, 677
CIL-CLM-673-1.2 441, 661	CIL-CLM-813-1.2 312, 663	CIL-DLM-108-8-5 .....680	CIL-DLM-1592-5 ..... 676	CIL-DLM-2143-0.1 ..... 681
CIL-CLM-6743-1.2 .....667	CIL-CLM-8148-1.2 .....665	CIL-DLM-110-10 .....673	CIL-DLM-1607-1 ..... 651	CIL-DLM-2148-0.01 .. 427, 651
CIL-CLM-675-0.25 .....672	CIL-CLM-816-1.2 .....330, 684, 689	CIL-DLM-1101-5 .....673	CIL-DLM-1629-0.1 ..... 676	CIL-DLM-2148-1.2 .... 427, 651, 669
CIL-CLM-675-0.5 .....672	CIL-CLM-8172-1.2 .....416, 666	CIL-DLM-1123-0.1 .....426, 650, 677	CIL-DLM-1629-0.25 ... 676	CIL-DLM-2204-0.1 .... 421, 650
CIL-CLM-6758 .....323, 688	CIL-CLM-8232 .....665, 670	CIL-DLM-1123-1 426, 651, 677	CIL-DLM-1629-1.2 .... 664, 669, 676	CIL-DLM-2204-1.2 .... 421, 650
CIL-CLM-6759 .....323, 688	CIL-CLM-8240-1.2 .....666	CIL-DLM-1123-1.2 .....426, 650, 677	CIL-DLM-1632-1.2 ..... 663	CIL-DLM-2205-0.01 ... 675
CIL-CLM-675-S...672, 679	CIL-CLM-8249-1.2 .....661	CIL-DLM-1146-5 327, 689	CIL-DLM-1638-0.1 ..... 675	CIL-DLM-2205-0.1 ..... 675
CIL-CLM-6779-1.2 .....447, 661, 664	CIL-CLM-8267-1.2 .....649	CIL-DLM-1148-1.2 .....330, 669, 685, 689	CIL-DLM-1638-0.25 ... 675	CIL-DLM-2206-0.1 ..... 676
CIL-CLM-6847-1.2 .....665	CIL-CLM-8285-1.2 .....661	CIL-DLM-1148-5 329, 689	CIL-DLM-1663-1 ..... 674	CIL-DLM-2207-S 672, 677
CIL-CLM-6890-1.2 .....649	CIL-CLM-8310-1.2 .....317, 687, 688	CIL-DLM-1149-1.2 .....317, 686, 687	CIL-DLM-1669-0.1 .... 669, 676	CIL-DLM-2208-0.5 ..... 673
CIL-CLM-6943-1.2 .....442, 662	CIL-CLM-8311-1.2 .....317, 686, 688	CIL-DLM-1149-2 .....317, 686, 687	CIL-DLM-167-1.2 ..... 681	CIL-DLM-2208-1 ..... 673
CIL-CLM-6944-1.2 .....446, 663	CIL-CLM-8312-1.2 .....317, 687, 688	CIL-DLM-1149-5 317, 687	CIL-DLM-170-1.2 441, 661	CIL-DLM-2209-0.5 ..... 673
CIL-CLM-6999-1.2 .....327, 675, 683, 688	CIL-CLM-8313-1.2 .....317, 686, 687	CIL-DLM-1158-0.1 .....680	CIL-DLM-170-D-1.2 .. 441, 661	CIL-DLM-2210-0.5 ..... 673
CIL-CLM-7100-1.2 .....328, 675, 683, 688	CIL-CLM-8314-1.2 .....317, 687, 688	CIL-DLM-1158-1 .....680	CIL-DLM-18-1 ..... 676	CIL-DLM-2211-0.1 ..... 677
CIL-CLM-7102-1.2 .....639	CIL-CLM-8315-1.2 .....317, 687, 688	CIL-DLM-1171-5 .....675	CIL-DLM-1630-1.2 .... 664, 677	CIL-DLM-2218-0.1MG 661
CIL-CLM-7140 ...318, 686, 688	CIL-CLM-8316-1.2 .....329, 663, 687, 689	CIL-DLM-1171-5 .....675	CIL-DLM-1632-1.2 ..... 663	CIL-DLM-2218-A-1.2 440, 661
CIL-CLM-714-0.1 .....673	CIL-CLM-8340-1.2 .....666	CIL-DLM-1175-1 .....681	CIL-DLM-1638-0.1 ..... 675	CIL-DLM-2220-0.01 ... 675
CIL-CLM-714-0.25 .....673	CIL-CLM-8356-1.2 .....665	CIL-DLM-1175-5 .....681	CIL-DLM-1638-0.25 ... 675	CIL-DLM-2205-0.1 ..... 675
CIL-CLM-726-0.1 .....674	CIL-CLM-8357-1.2 .....665	CIL-DLM-1176-1 .....681	CIL-DLM-1663-1 ..... 674	CIL-DLM-2206-0.1 ..... 676
CIL-CLM-7286-1.2 .....447, 661	CIL-CLM-8358-1.2 .....666	CIL-DLM-1176-5 .....681	CIL-DLM-1669-0.1 .... 669, 676	CIL-DLM-2207-S 672, 677
CIL-CLM-7292-1.2 .....326, 686, 688	CIL-CLM-8359-1.2 .....665	CIL-DLM-1177-1 .....681	CIL-DLM-1699-0.1 .... 669, 676	CIL-DLM-2208-0.5 ..... 673
CIL-CLM-7293-1.2 .....326, 686, 688	CIL-CLM-8370-1.2 .....361, 446, 663	CIL-DLM-1177-5 .....681	CIL-DLM-170-1.2 441, 661	CIL-DLM-2208-1 ..... 673
CIL-CLM-731-0.1 .....674	CIL-CLM-8525-1.2 .....444, 661	CIL-DLM-1178-0.1 .....681	CIL-DLM-170-D-1.2 .. 441, 661	CIL-DLM-2209-0.5 ..... 673
CIL-CLM-731-0.5 .....674	CIL-CLM-856-0.1 .....673	CIL-DLM-1178-1 .....681	CIL-DLM-18-1 ..... 676	CIL-DLM-2210-0.5 ..... 673
CIL-CLM-731-1 .....674	CIL-CLM-8569-1.2 .....639	CIL-DLM-1178-5 .....681	CIL-DLM-1630-1.2 .... 664, 677	CIL-DLM-2211-0.1 ..... 677
CIL-CLM-7322-1.2 .....353, 670, 686, 691	CIL-CLM-8588-1.2 .....639	CIL-DLM-119-1.2 .....663	CIL-DLM-1632-1.2 ..... 663	CIL-DLM-2218-0.1MG 661
CIL-CLM-7323-1.2 .....353, 670, 686, 691	CIL-CLM-8589-1.2 .....663	CIL-DLM-1213-1 .....672	CIL-DLM-1638-0.1 ..... 675	CIL-DLM-2220-0.1 ..... 676
CIL-CLM-7341 .....675	CIL-CLM-8705-1.2 .....670, 679, 687	CIL-DLM-1213-5 .....672	CIL-DLM-1638-0.25 ... 675	CIL-DLM-2207-S 672, 677
CIL-CLM-735-1 .....676	CIL-CLM-871-0.5 .....674	CIL-DLM-122-1 ...312, 673	CIL-DLM-1663-1 ..... 674	CIL-DLM-2208-0.5 ..... 673
CIL-CLM-7389-1.2 .....341, 686, 689	CIL-CLM-8719-1.2 .....679, 687	CIL-DLM-122-5 ...312, 674	CIL-DLM-1669-0.1 .... 669, 676	CIL-DLM-2208-1 ..... 673
CIL-CLM-7407-1MG ...663	CIL-CLM-8720-1.2 .....670, 679, 687	CIL-DLM-1-25 .....673	CIL-DLM-1699-0.1 .... 669, 676	CIL-DLM-2209-0.5 ..... 673
CIL-CLM-7488 .....667		CIL-DLM-1283-1 .....673	CIL-DLM-170-1.2 441, 661	CIL-DLM-2210-0.5 ..... 673
CIL-CLM-7528-1.2 .....317, 686		CIL-DLM-1283-5 .....673	CIL-DLM-170-D-1.2 .. 441, 661	CIL-DLM-2211-0.1 ..... 677
CIL-CLM-7531-1.2 .....336, 677, 683, 684, 689		CIL-DLM-1287-1.2 .....662	CIL-DLM-18-1 ..... 676	CIL-DLM-2218-0.1MG 661
CIL-CLM-7864-1.2 .....678		CIL-DLM-1293-0.1 .....680	CIL-DLM-1630-1.2 .... 664, 677	CIL-DLM-2218-A-1.2 440, 661
		CIL-DLM-1293-1 .....680	CIL-DLM-1632-1.2 ..... 663	CIL-DLM-2220-0.1 ..... 676
		CIL-DLM-1294-1 .....680	CIL-DLM-1638-0.1 ..... 675	CIL-DLM-2205-0.1 ..... 675
		CIL-DLM-1322-1.2 .....651	CIL-DLM-1638-0.25 ... 675	CIL-DLM-2206-0.1 ..... 676
		CIL-DLM-133-1 .....672	CIL-DLM-1663-1 ..... 674	CIL-DLM-2207-S 672, 677
		CIL-DLM-133-5 .....672	CIL-DLM-1669-0.1 .... 669, 676	CIL-DLM-2208-0.5 ..... 673
		CIL-DLM-1338-1.2 .....673	CIL-DLM-1699-0.1 .... 669, 676	CIL-DLM-2208-1 ..... 673
		CIL-DLM-1342-5 .....673	CIL-DLM-170-1.2 441, 661	CIL-DLM-2209-0.5 ..... 673
			CIL-DLM-170-D-1.2 .. 441, 661	CIL-DLM-2210-0.5 ..... 673
			CIL-DLM-18-1 ..... 676	CIL-DLM-2211-0.1 ..... 677
			CIL-DLM-1630-1.2 .... 664, 677	CIL-DLM-2218-0.1MG 661
			CIL-DLM-1632-1.2 ..... 663	CIL-DLM-2218-A-1.2 440, 661
			CIL-DLM-1638-0.1 ..... 675	CIL-DLM-2226-0.05 ... 676
			CIL-DLM-1638-0.25 ... 675	CIL-DLM-2277-1 ..... 678
			CIL-DLM-1663-1 ..... 674	CIL-DLM-2279-0.1 ..... 680
			CIL-DLM-1669-0.1 .... 669, 676	CIL-DLM-2279-0.5 ..... 680
			CIL-DLM-167-1.2 ..... 681	CIL-DLM-23-10 ..... 678
			CIL-DLM-170-1.2 441, 661	CIL-DLM-23-25 ..... 678
			CIL-DLM-170-D-1.2 .. 441, 661	CIL-DLM-23-5 ..... 678
			CIL-DLM-18-1 ..... 676	CIL-DLM-23-5 ..... 678
			CIL-DLM-1630-1.2 .... 664, 677	CIL-DLM-2398-5 ..... 682
			CIL-DLM-1632-1.2 ..... 663	CIL-DLM-24-10 ..... 678
			CIL-DLM-1638-0.1 ..... 675	CIL-DLM-24-25 ..... 678
			CIL-DLM-1638-0.25 ... 675	CIL-DLM-2438-1 ..... 672
			CIL-DLM-1663-1 ..... 674	CIL-DLM-2438-5 ..... 672
			CIL-DLM-1669-0.1 .... 669, 676	CIL-DLM-24-5 ..... 678
			CIL-DLM-167-1.2 ..... 681	CIL-DLM-256 ..... 673
			CIL-DLM-170-1.2 441, 661	CIL-DLM-257-0.01 .... 424, 650
			CIL-DLM-170-D-1.2 .. 441, 661	CIL-DLM-257-1.2 424, 650
			CIL-DLM-18-1 ..... 676	CIL-DLM-258-0.01 .... 424, 650
			CIL-DLM-1630-1.2 .... 664, 677	CIL-DLM-258-0.05 .... 424, 650
			CIL-DLM-1632-1.2 ..... 663	CIL-DLM-258-0.1 424, 650
			CIL-DLM-1638-0.1 ..... 675	CIL-DLM-258-1.2 ..... 423, 650, 668
			CIL-DLM-1638-0.25 ... 675	CIL-DLM-2607-0.1 ..... 661
			CIL-DLM-1663-1 ..... 674	CIL-DLM-261-0.1 424, 650
			CIL-DLM-1669-0.1 .... 669, 676	CIL-DLM-261-1 .. 424, 650
			CIL-DLM-167-1.2 ..... 681	
			CIL-DLM-170-1.2 441, 661	
			CIL-DLM-170-D-1.2 .. 441, 661	
			CIL-DLM-18-1 ..... 676	
			CIL-DLM-1630-1.2 .... 664, 677	
			CIL-DLM-1632-1.2 ..... 663	
			CIL-DLM-1638-0.1 ..... 675	
			CIL-DLM-1638-0.25 ... 675	
			CIL-DLM-1663-1 ..... 674	
			CIL-DLM-1669-0.1 .... 669, 676	
			CIL-DLM-167-1.2 ..... 681	
			CIL-DLM-170-1.2 441, 661	
			CIL-DLM-170-D-1.2 .. 441, 661	
			CIL-DLM-18-1 ..... 676	
			CIL-DLM-1630-1.2 .... 664, 677	
			CIL-DLM-1632-1.2 ..... 663	
			CIL-DLM-1638-0.1 ..... 675	
			CIL-DLM-1638-0.25 ... 675	
			CIL-DLM-1663-1 ..... 674	
			CIL-DLM-1669-0.1 .... 669, 676	
			CIL-DLM-167-1.2 ..... 681	
			CIL-DLM-170-1.2 441, 661	
			CIL-DLM-170-D-1.2 .. 441, 661	
			CIL-DLM-18-1 ..... 676	
			CIL-DLM-1630-1.2 .... 664, 677	
			CIL-DLM-1632-1.2 ..... 663	
			CIL-DLM-1638-0.1 ..... 675	



## Code number index

CIL-DLM-261-1.2 ..... 424, 650, 669	CIL-DLM-366-0.1 427, 651	CIL-DLM-610-1.2 ..... 422, 650, 668	CIL-EBC-2500..... 558	CIL-EC-4199-3... 398, 597
CIL-DLM-263-1 ..... 675	CIL-DLM-366-1.. 427, 651	CIL-DLM-6196-1.2 .... 349, 490, 685, 690, 701	CIL-EBC-2501..... 558	CIL-EC-4900-1.2 398, 598
CIL-DLM-2634-1 ..... 673	CIL-DLM-366-1.2 427, 651	CIL-DLM-663-0.1 ..... 674	CIL-EBC-2503..... 558	CIL-EC-4900-3... 398, 597
CIL-DLM-263-5 ..... 675	CIL-DLM-370-5 ..... 680	CIL-DLM-663-1 ..... 674	CIL-EBC-2504..... 558	CIL-EC-4901-1.2 387, 596
CIL-DLM-268-5 ..... 676	CIL-DLM-371-0.1 ..... 428, 651, 680	CIL-DLM-663-5 ..... 674	CIL-EBC-2505..... 558	CIL-EC-4901-3... 387, 596
CIL-DLM-2715-0.01 .... 650	CIL-DLM-371-1. 428, 651, 680	CIL-DLM-670-1 ..... 673	CIL-EBC-2507-A ..... 558	CIL-EC-4902-1.2 392, 597
CIL-DLM-2715-0.1 ..... 425, 650	CIL-DLM-371-1.2 ..... 428, 651, 670, 680	CIL-DLM-670-5 ..... 673	CIL-EBC-2509..... 558	CIL-EC-4902-3... 392, 597
CIL-DLM-2715-1.2 .... 425, 650	CIL-DLM-3740-1.2 .... 426, 650	CIL-DLM-677-0.1 ..... 425, 650, 676	CIL-EC-1402-1.2 386, 596	CIL-EC-4904-1.2 393, 597
CIL-DLM-2724-1 ..... 673	CIL-DLM-3760-0.01 .. 324, 688	CIL-DLM-677-1.2 ..... 425, 650, 676	CIL-EC-1402-3... 386, 596	CIL-EC-4904-3... 393, 597
CIL-DLM-277-0.1 ..... 678	CIL-DLM-380-1 ..... 680	CIL-DLM-683-1.2 446, 662	CIL-EC-1404-1.2 390, 596	CIL-EC-4905-1.2 396, 597
CIL-DLM-277-1 ..... 678	CIL-DLM-380-1.2 680, 691	CIL-DLM-686-1.2 .... 364, 663, 691	CIL-EC-1404-3.. 390, 596, 670	CIL-EC-4905-3... 396, 597
CIL-DLM-2806-1.2 .... 439, 662	CIL-DLM-380-5 ..... 680	CIL-DLM-686-5 ..... 677	CIL-EC-1405-1.2 391, 596	CIL-EC-4908-1.2 385, 596
CIL-DLM-28-10 ..... 677	CIL-DLM-382-1 ..... 680	CIL-DLM-6909-1.2 .... 445, 662	CIL-EC-1405-3... 391, 596	CIL-EC-4908-3... 385, 596
CIL-DLM-28-25 ..... 677	CIL-DLM-382-5 ..... 680	CIL-DLM-695-1 ..... 680	CIL-EC-1406-1.2 395, 597	CIL-EC-4909-1.2 386, 596
CIL-DLM-2829-0.01 ... 332, 685, 689	CIL-DLM-3836-1.2 ..... 651	CIL-DLM-695-5 ..... 680	CIL-EC-1406-3... 395, 597	CIL-EC-4909-3... 386, 596
CIL-DLM-2845-1.2 ..... 650	CIL-DLM-3837-1.2 ..... 651	CIL-DLM-7-100 ..... 675	CIL-EC-1407-1.2 396, 597	CIL-EC-4910-1.2 391, 596
CIL-DLM-28-5 ..... 677	CIL-DLM-3839-1.2 ..... 651	CIL-DLM-7136-1.2 .... 502, 671, 681	CIL-EC-1407-3... 396, 597	CIL-EC-4910-3... 391, 596
CIL-DLM-2852-1.2 ..... 650	CIL-DLM-3841-1.2 .... 425, 650	CIL-DLM-7141 .. 356, 686, 691	CIL-EC-1408-1.2 398, 597	CIL-EC-4911-1.2 385, 596
CIL-DLM-2853-1.2 ..... 650	CIL-DLM-3842-1.2 ..... 651	CIL-DLM-7149 .. 348, 685, 690	CIL-EC-1408-3... 398, 597	CIL-EC-4912-1.2 388, 596
CIL-DLM-2854-1.2 ..... 650	CIL-DLM-3843-1.2 .... 425, 650	CIL-DLM-7150-1.2 .... 352, 685, 691	CIL-EC-1409-1.2 397, 597	CIL-EC-4912-3... 388, 596
CIL-DLM-2862-1.2 .... 335, 669, 677, 683, 684, 689	CIL-DLM-3875-10 ..... 651, 679	CIL-DLM-7151-1.2 .... 333, 685, 689	CIL-EC-1409-3... 397, 597	CIL-EC-4913-1.2 397, 597
CIL-DLM-2878-0.01 ... 338, 685, 689	CIL-DLM-3979-5 ..... 662	CIL-DLM-7152 ... 318, 688	CIL-EC-1410-1.2 398, 598	CIL-EC-4913-3... 397, 597
CIL-DLM-28-SM-1.2... 677	CIL-DLM-398-10 ..... 674	CIL-DLM-7153 .. 324, 685, 688	CIL-EC-1410-10..... 598	CIL-EC-4914-1.2 389, 596
CIL-DLM-294-10 ..... 679	CIL-DLM-398-25 ..... 674	CIL-DLM-7170-1.2 .... 438, 663	CIL-EC-1410-3... 398, 598	CIL-EC-4914-3... 389, 596
CIL-DLM-2943-1.2 ..... 302, 669, 677	CIL-DLM-398-5 ..... 674	CIL-DLM-7171-1.2 .... 438, 663	CIL-EC-1411-1.2 393, 597	CIL-EC-4914-10..... 598
CIL-DLM-294-5 ..... 679	CIL-DLM-400-10 ..... 674	CIL-DLM-7172-1.2 .... 443, 664	CIL-EC-1411-3... 393, 597	CIL-EC-1410-3... 398, 598
CIL-DLM-295-0.1 ..... 679	CIL-DLM-411-5 ..... 677	CIL-DLM-7183 .. 335, 685, 689	CIL-EC-1412-1.2 390, 596	CIL-EC-1411-3... 393, 597
CIL-DLM-295-0.25 ..... 679	CIL-DLM-423-1 ..... 672	CIL-DLM-7468-1.2 .... 441	CIL-EC-1412-3... 390, 596	CIL-EC-1412-1.2 390, 596
CIL-DLM-296-0.1 ..... 679	CIL-DLM-423-5 ..... 672	CIL-DLM-7506 ..... 668	CIL-EC-1413-1.2 387, 596	CIL-EC-1412-3... 390, 596
CIL-DLM-296-0.25 ..... 679	CIL-DLM-4304-10 ..... 650, 677	CIL-DLM-7508 ..... 668	CIL-EC-1413-3... 387, 596	CIL-EC-1413-1.2 392, 597
CIL-DLM-2970-0.01 ... 352, 670	CIL-DLM-4308-1.2 ..... 654	CIL-DLM-757-5 ..... 680	CIL-EC-1414-1.2 390, 596	CIL-EC-1413-3... 387, 596
CIL-DLM-2970-1.2 .... 352, 670, 685, 691	CIL-DLM-4360-1.2 .... 324, 668, 685, 688	CIL-DLM-7982-S 666, 679	CIL-EC-1414-3... 390, 596	CIL-EC-1414-1.2 390, 596
CIL-DLM-299-10. 672, 677	CIL-DLM-4412-25 ..... 664, 667	CIL-DLM-799-1 ..... 681	CIL-EC-1415-1.2 392, 597	CIL-EC-1414-3... 390, 596
CIL-DLM-3008-1.2 .... 439, 662, 663	CIL-DLM-4460-1.2 ..... 669	CIL-DLM-8049-0.005 . 661	CIL-EC-1415-3... 392, 597	CIL-EC-1415-1.2 392, 597
CIL-DLM-3014-1 ..... 675	CIL-DLM-4461-1.2 ..... 669	CIL-DLM-8085-1.2 .... 446, 662	CIL-EC-1416-1.2 396, 597	CIL-EC-1415-3... 387, 596
CIL-DLM-3014-5 ..... 675	CIL-DLM-4476-1.2 .... 346, 669, 685, 690	CIL-DLM-8085-D-1.2 446, 662	CIL-EC-1416-3.. 396, 597, 670	CIL-EC-1414-3... 390, 596
CIL-DLM-3016-5 ..... 675	CIL-DLM-4479-1.2 .... 363, 671, 691	CIL-DLM-809-5 ..... 680	CIL-EC-1417-1.2 396, 597	CIL-EC-1415-1.2 392, 597
CIL-DLM-3017-5 ..... 675	CIL-DLM-450-1 ..... 680	CIL-DLM-820-1 ..... 673	CIL-EC-1417-3... 396, 597	CIL-EC-1415-3... 392, 597
CIL-DLM-3022-1.2 ..... 676	CIL-DLM-450-5 ..... 680	CIL-DLM-820-5 ..... 673	CIL-EC-1418-1.2 397, 597	CIL-EC-1415-3... 392, 597
CIL-DLM-3024-5 ..... 677	CIL-DLM-4633-0.1 .... 477, 663	CIL-DLM-821-0.1 ..... 663	CIL-EC-1418-3... 397, 597	CIL-EC-1415-3... 392, 597
CIL-DLM-3026-0.05 ..... 677	CIL-DLM-4633-1.2 .... 477, 663	CIL-DLM-821-0.25 ..... 663	CIL-EC-1419-1.2 398, 598	CIL-EC-1415-3... 392, 597
CIL-DLM-3026-0.1 ..... 677	CIL-DLM-4667-1.2 .... 354, 686, 691	CIL-DLM-8221-1.2 .... 442, 662	CIL-EC-1419-3... 398, 598	CIL-EC-1416-1.2 396, 597
CIL-DLM-3035-1.2 ..... 662	CIL-DLM-4711-1.2 ..... 651	CIL-DLM-8252-1.2 .... 666, 679	CIL-EC-1420-1.2 392, 597	CIL-EC-1416-3.. 396, 597, 670
CIL-DLM-3039 ..... 680	CIL-DLM-4712-1.2 ..... 651	CIL-DLM-8254-1.2 .... 666, 679	CIL-EC-1420-3... 392, 597	CIL-EC-1417-1.2 396, 597
CIL-DLM-3039-1MG ... 663	CIL-DLM-4762-1.2 .... 329, 661, 689	CIL-DLM-849-0.1 421, 650	CIL-EC-1421-1.2 393, 597	CIL-EC-1417-3... 396, 597
CIL-DLM-3049-1 ..... 681	CIL-DLM-4762-D-1.2 329, 661, 689	CIL-DLM-849-0.5 421, 650	CIL-EC-1421-3... 393, 597	CIL-EC-1418-1.2 397, 597
CIL-DLM-3063-1.2 ..... 390, 596	CIL-DLM-4766-1.2 .... 443, 664	CIL-DLM-8512-1.2 .... 344, 690	CIL-EC-1422-1.2 395, 597	CIL-EC-1418-3... 397, 597
CIL-DLM-3063-3. 390, 596	CIL-DLM-4852-1.2 .... 332, 483, 685, 689, 700	CIL-DLM-8583 ..... 661	CIL-EC-1422-3... 395, 597	CIL-EC-1419-1.2 398, 598
CIL-DLM-3073-0.1 ..... 677	CIL-DLM-494-1 ..... 674	CIL-DLM-862-1 ..... 673	CIL-EC-1423-1.2 398, 596	CIL-EC-1419-3... 398, 598
CIL-DLM-3073-0.25 .... 677	CIL-DLM-494-5 ..... 674	CIL-DLM-862-5 ..... 673	CIL-EC-1423-3... 391, 596	CIL-EC-1420-1.2 392, 597
CIL-DLM-3093-0.01 ..... 681	CIL-DLM-50-1 ..... 672	CIL-DLM-872-0.1 ..... 674	CIL-EC-1424-1.2 388, 596	CIL-EC-1420-3... 392, 597
CIL-DLM-3093-0.1 ..... 681	CIL-DLM-50-5 ..... 672	CIL-DLM-874-10 ..... 674	CIL-EC-1424-3... 388, 596	CIL-EC-1421-1.2 393, 597
CIL-DLM-3098-0.01 .... 679	CIL-DLM-5-10 ..... 681	CIL-DLM-9-10 ..... 673	CIL-EC-1425-1.2 393, 597	CIL-EC-1421-3... 393, 597
CIL-DLM-3098-S. 666, 679	CIL-DLM-5-25 ..... 681	CIL-DLM-9-25 ..... 673	CIL-EC-1425-3.. 393, 597, 670	CIL-EC-1422-1.2 395, 597
CIL-DLM-313-5 ..... 682	CIL-DLM-6000-1.2 .... 315, 685, 687	CIL-EB-5055 ..... 639	CIL-EC-1426-1.2 394, 597	CIL-EC-1422-3... 395, 597
CIL-DLM-3173-0.1 ..... 677	CIL-DLM-601-0.1 428, 651	CIL-EB-5056 ..... 639	CIL-EC-1426-3... 394, 597	CIL-EC-1423-3... 391, 596
CIL-DLM-3190-1 ..... 676	CIL-DLM-601-1.. 428, 651	CIL-EB-5106 ..... 639	CIL-EC-1428-1.2 391, 596	CIL-EC-1424-1.2 388, 596
CIL-DLM-3322-0.5 ..... 680	CIL-DLM-6083-0.1 ..... 681	CIL-EB-5162 ..... 639	CIL-EC-1428-3... 391, 596	CIL-EC-1424-3... 388, 596
CIL-DLM-3336-1 ..... 673	CIL-DLM-6083-1.2 .... 664, 681	CIL-EB-5439 ..... 639	CIL-EC-1430 ..... 635	CIL-EC-1424-3... 388, 596
CIL-DLM-338-1 ..... 672	CIL-DLM-6098-1.2 .... 486, 685, 701	CIL-EBC-1741 ..... 558	CIL-EC-1434-1.2 388, 596	CIL-EC-1425-1.2 393, 597
CIL-DLM-338-5 ..... 672	CIL-DLM-610-0.1 422, 650	CIL-EBC-1743 ..... 558	CIL-EC-1434-3... 388, 596	CIL-EC-1425-3.. 393, 597, 670
CIL-DLM-341-5 ..... 676			CIL-EC-1436-1.2 394, 597	CIL-EC-1426-1.2 394, 597
CIL-DLM-35-10 ..... 681			CIL-EC-1436-3... 394, 597	CIL-EC-1426-3... 394, 597
CIL-DLM-3533-1.2 .... 328, 669, 675, 683, 688			CIL-EC-1436-3... 394, 597	CIL-EC-1428-1.2 391, 596
CIL-DLM-35-5 ..... 681			CIL-EC-1405-1.2 391, 596	CIL-EC-1428-3... 391, 596
CIL-DLM-365-1.. 427, 651, 678			CIL-EC-4050-1.2 396, 597	CIL-EC-1430 ..... 635
CIL-DLM-365-1.2 ..... 427, 651, 678			CIL-EC-4050-3... 396, 597	CIL-EC-1434-1.2 388, 596
CIL-DLM-365-10 427, 651, 679			CIL-EC-4051-1.2 395, 597	CIL-EC-1434-3... 388, 596
CIL-DLM-365-5.. 427, 651, 678			CIL-EC-4051-3... 395, 597	CIL-EC-1436-1.2 392, 597
			CIL-EC-4058 ..... 623, 629	CIL-EC-1435-1.2 392, 597
			CIL-EC-4060 ..... 629	CIL-EC-1435-3... 392, 597
			CIL-EC-4070 ..... 629	CIL-EC-1436-1.2 394, 597
			CIL-EC-4078-1.2 389, 596	CIL-EC-1436-3... 394, 597
			CIL-EC-4078-3... 389, 596	CIL-EC-4050-1.2 396, 597
			CIL-EC-4133 ..... 630	CIL-EC-4050-3... 396, 597
			CIL-EC-4163-1.2 387, 596	CIL-EC-4051-1.2 395, 597
			CIL-EC-4163-3... 387, 596	CIL-EC-4058 ..... 623, 629
			CIL-EC-4165-1.2 385, 596	CIL-EC-4060 ..... 629
			CIL-EC-4165-3... 386, 596	CIL-EC-4070 ..... 629
			CIL-EC-4167-1.2 395, 597	CIL-EC-4078-1.2 389, 596
			CIL-EC-4167-3... 395, 597	CIL-EC-4078-3... 389, 596
			CIL-EC-4187 ..... 629	CIL-EC-4133 ..... 630
			CIL-EC-4188 ..... 629	CIL-EC-4163-1.2 387, 596
			CIL-EC-4189-A ..... 625	CIL-EC-4163-3... 387, 596
			CIL-EC-4199-1.2 398, 597	CIL-EC-4165-1.2 385, 596
				CIL-EC-4165-3... 386, 596
				CIL-EC-4167-1.2 395, 597
				CIL-EC-4167-3... 395, 597
				CIL-EC-4187 ..... 629
				CIL-EC-4188 ..... 629
				CIL-EC-4189-A ..... 625
				CIL-EC-4199-1.2 398, 597



CIL-EC-5181.....	620, 629	CIL-EC-5411.....	624	CIL-ECN-5102....	407, 654	CIL-ED-916.....	551	CIL-EDF-4175.....	569
CIL-EC-5181-10X-1.2	620, 630	CIL-EC-5412.....	625	CIL-ECN-5178....	407, 654	CIL-ED-917.....	551	CIL-EDF-4903.....	588
CIL-EC-5186.....	616	CIL-EC-5414.....	624	CIL-ECN-5240....	406, 653	CIL-ED-922.....	551	CIL-EDF-4947.....	568
CIL-EC-5186-CS1....	617	CIL-EC-5414-CS1....	624	CIL-ECN-5241....	406, 653	CIL-ED-922-C.....	551	CIL-EDF-4947-CS1...	568
CIL-EC-5186-CS2....	617	CIL-EC-5414-CS2....	624	CIL-ECN-5250....	406, 653	CIL-ED-923-C.....	551	CIL-EDF-4947-CS2...	568
CIL-EC-5186-CS3....	617	CIL-EC-5414-CS3....	624	CIL-ECN-5260....	406, 653	CIL-ED-924.....	552	CIL-EDF-4947-CS3...	568
CIL-EC-5186-CS4....	617	CIL-EC-5414-CS4....	624	CIL-ECN-5261....	406, 653	CIL-ED-925.....	551	CIL-EDF-4947-CS4...	568
CIL-EC-5186-CS5....	617	CIL-EC-5414-CS5....	624	CIL-ECN-5270....	406, 653	CIL-ED-926.....	551	CIL-EDF-4947-CS5...	568
CIL-EC-5315.....	618	CIL-EC-5418.....	615	CIL-ECN-5280....	407, 653	CIL-ED-927.....	552	CIL-EDF-4954.....	588
CIL-EC-5315-1.....	618	CIL-EC-5418-CS0.4H	615	CIL-ED-1440.....	557	CIL-ED-929.....	552	CIL-EDF-4955.....	588
CIL-EC-5315-2.....	618	CIL-EC-5418-CS1H...	615	CIL-ED-1440-1.2...	557	CIL-ED-932.....	552	CIL-EDF-4964-A.....	566
CIL-EC-5315-3.....	618	CIL-EC-5418-CS2H...	615	CIL-ED-1441.....	557	CIL-ED-933.....	552	CIL-EDF-4965-A.....	566
CIL-EC-5315-4.....	618	CIL-EC-5418-CS3H...	615	CIL-ED-1441-1.2...	557	CIL-ED-933-C.....	552	CIL-EDF-4967.....	566
CIL-EC-5315-5.....	618	CIL-EC-5418-CS4H...	615	CIL-ED-1450.....	557	CIL-ED-935-A.....	590	CIL-EDF-4967-A.....	566
CIL-EC-5323-CS0.4H	613	CIL-EC-5418-CS5H...	615	CIL-ED-1450-1.2...	557	CIL-ED-946.....	551	CIL-EDF-4974-A.....	567
CIL-EC-5323-CS1H...	613	CIL-EC-5418-CS6H...	615	CIL-ED-1451.....	557	CIL-ED-948.....	551	CIL-EDF-5005.....	563
CIL-EC-5323-CS2H...	613	CIL-EC-5419.....	615	CIL-ED-1451-1.2...	557	CIL-ED-950.....	551	CIL-EDF-5006.....	563
CIL-EC-5323-CS3H...	613	CIL-EC-5420.....	615	CIL-ED-1462.....	557	CIL-ED-950-C.....	551	CIL-EDF-5006-1.....	563
CIL-EC-5323-CS4H...	613	CIL-EC-5421-CS0.4H	622	CIL-ED-1462-1.2...	557	CIL-ED-951-C.....	552	CIL-EDF-5006-2.....	563
CIL-EC-5323-CS5H...	613	CIL-EC-5421-CS1H...	622	CIL-ED-1465.....	557	CIL-ED-955.....	551	CIL-EDF-5006-3.....	563
CIL-EC-5323-CS6H...	613	CIL-EC-5421-CS2H...	622	CIL-ED-1465-1.2...	557	CIL-ED-960.....	552	CIL-EDF-5006-4.....	563
CIL-EC-5323-H.....	613	CIL-EC-5421-CS3H...	622	CIL-ED-1466.....	557	CIL-ED-960-C.....	552	CIL-EDF-5006-5.....	563
CIL-EC-5323-H-E.....	613	CIL-EC-5421-CS4H...	622	CIL-ED-1466-1.2...	557	CIL-ED-961.....	552	CIL-EDF-5008.....	564
CIL-EC-5324.....	613	CIL-EC-5421-CS5H...	622	CIL-ED-1481.....	557	CIL-ED-961-C.....	552	CIL-EDF-5008-50...	564
CIL-EC-5325.....	613	CIL-EC-5421-CS6H...	622	CIL-ED-1481-1.2...	557	CIL-ED-966.....	551	CIL-EDF-5032.....	567
CIL-EC-5325-0.2X...	614	CIL-EC-5421-H.....	622	CIL-ED-1732-S.....	590	CIL-ED-969.....	552	CIL-EDF-5032-1.....	567
CIL-EC-5325-20X...	614	CIL-EC-5421-H-E.....	622	CIL-ED-1763.....	557	CIL-ED-969-C.....	552	CIL-EDF-5032-2.....	567
CIL-EC-5326.....	614	CIL-EC-5422.....	622	CIL-ED-1770.....	552	CIL-ED-971.....	552	CIL-EDF-5032-3.....	567
CIL-EC-5336-1.2	395, 597	CIL-EC-5423.....	623	CIL-ED-1770-C.....	552	CIL-ED-971-C.....	552	CIL-EDF-5032-4.....	567
CIL-EC-5336-3....	395, 597	CIL-EC-5424.....	622	CIL-ED-1771.....	551	CIL-ED-972.....	551	CIL-EDF-5032-5.....	567
CIL-EC-5350.....	630, 693	CIL-EC-5433.....	631	CIL-ED-1772.....	552	CIL-ED-976.....	552	CIL-EDF-5040.....	583
CIL-EC-5350-L....	630, 693	CIL-EC-5434.....	632	CIL-ED-1772-C.....	552	CIL-ED-980.....	552	CIL-EDF-5040-1.....	583
CIL-EC-5360.....	614	CIL-EC-5448.....	623	CIL-ED-1773-C.....	552	CIL-ED-980-A.....	552	CIL-EDF-5040-2.....	583
CIL-EC-5360-CS0.4H	614	CIL-EC-5448-CS1....	623	CIL-ED-1776.....	552	CIL-ED-980-C.....	552	CIL-EDF-5040-3.....	583
CIL-EC-5360-CS1H...	614	CIL-EC-5448-CS2....	623	CIL-ED-1776-C.....	552	CIL-ED-981.....	551	CIL-EDF-5040-4.....	583
CIL-EC-5360-CS2H...	614	CIL-EC-5448-CS3....	623	CIL-ED-1778.....	552	CIL-ED-996.....	551	CIL-EDF-5040-5.....	583
CIL-EC-5360-CS3H...	614	CIL-EC-5448-CS4....	623	CIL-ED-1778-C.....	552	CIL-ED-998.....	589	CIL-EDF-5041.....	583
CIL-EC-5360-CS4H...	614	CIL-EC-5450.....	623	CIL-ED-1779.....	551	CIL-EDF-1613-KIT...	562	CIL-EDF-5041-20...	583
CIL-EC-5360-CS5H...	614	CIL-EC-5453.....	624	CIL-ED-1779-C.....	551	CIL-EDF-2519-1...	564	CIL-EDF-5043.....	583
CIL-EC-5360-CS6H...	614	CIL-EC-7438.....	634	CIL-ED-1781.....	552	CIL-EDF-2519-2...	564	CIL-EDF-5058.....	593
CIL-EC-5366.....	627	CIL-ECB-5269.....	635	CIL-ED-1781-C.....	552	CIL-EDF-2519-3...	564	CIL-EDF-5059.....	594
CIL-EC-5366-CS1....	627	CIL-ECB-5270.....	635	CIL-ED-2518.....	551	CIL-EDF-2519-4...	564	CIL-EDF-5070.....	593
CIL-EC-5366-CS10...	627	CIL-ECB-5271.....	635	CIL-ED-2521.....	564	CIL-EDF-2519-5...	564	CIL-EDF-5070-1.....	593
CIL-EC-5366-CS2....	627	CIL-ECB-5291.....	635	CIL-ED-2522.....	564	CIL-EDF-2519-A...	564	CIL-EDF-5070-2.....	593
CIL-EC-5366-CS3....	627	CIL-ECB-5292.....	635	CIL-ED-2531.....	551	CIL-EDF-2520.....	564	CIL-EDF-5070-3.....	593
CIL-EC-5366-CS4....	627	CIL-ECB-5293.....	635	CIL-ED-2532.....	557	CIL-EDF-2523.....	564	CIL-EDF-5070-4.....	593
CIL-EC-5366-CS5....	627	CIL-ECB-5299.....	635	CIL-ED-2534.....	557	CIL-EDF-2524....	157, 572	CIL-EDF-5070-5.....	593
CIL-EC-5366-CS6....	627	CIL-ECB-5294.....	635	CIL-ED-2534-1.2...	557	CIL-EDF-2525....	158, 573	CIL-EDF-5071.....	593
CIL-EC-5366-CS7....	627	CIL-ECB-5339.....	635	CIL-ED-4061.....	551	CIL-EDF-2526....	159, 574	CIL-EDF-5074.....	594
CIL-EC-5366-CS8....	627	CIL-ECB-5387.....	636	CIL-ED-4076.....	551	CIL-EDF-2530.....	593	CIL-EDF-5086-A.....	578
CIL-EC-5366-CS9....	627	CIL-ECB-5389.....	636	CIL-ED-4077.....	551	CIL-EDF-2681.....	565	CIL-EDF-5174-40X...	589
CIL-EC-5367.....	628	CIL-ECB-5390.....	635	CIL-ED-4090.....	551	CIL-EDF-4023....	159, 574	CIL-EDF-5183.....	77, 579
CIL-EC-5370.....	611	CIL-ECB-5390-CS1...	636	CIL-ED-4129-C.....	551	CIL-EDF-4052.....	562	CIL-EDF-5184.....	82, 571
CIL-EC-5370-1/10X-10	.....	CIL-ECB-5390-CS2...	636	CIL-ED-4135.....	590	CIL-EDF-4052-1...	562	CIL-EDF-5185.....	582
.....	611	CIL-ECB-5390-CS3...	636	CIL-ED-4140.....	568	CIL-EDF-4052-2...	562	CIL-EDF-5185-1.....	582
CIL-EC-5371.....	611	CIL-ECB-5390-CS4...	636	CIL-ED-4169.....	551	CIL-EDF-4052-3...	562	CIL-EDF-5185-2.....	582
CIL-EC-5372.....	611	CIL-ECB-5390-CS5...	636	CIL-ED-4170.....	551	CIL-EDF-4052-4...	562	CIL-EDF-5185-3.....	582
CIL-EC-5372-1/10X-10	.....	CIL-ECN-1000.....	654	CIL-ED-4198.....	551	CIL-EDF-4052-5...	562	CIL-EDF-5185-4.....	582
.....	611	CIL-ECN-1013.....	654	CIL-ED-5004.....	563	CIL-EDF-4053.....	563	CIL-EDF-5185-5.....	582
CIL-EC-5379.....	612	CIL-ECN-1051.....	654	CIL-ED-5073.....	593	CIL-EDF-4054.....	563	CIL-EDF-5187.....	566
CIL-EC-5379-1/10X-10	.....	CIL-ECN-2610....	406, 653	CIL-ED-5089-1.2...	557	CIL-EDF-4055.....	563	CIL-EDF-5187-1.....	566
.....	612	CIL-ECN-2611....	406, 653	CIL-ED-5237.....	557	CIL-EDF-4067.....	588	CIL-EDF-5187-2.....	566
CIL-EC-5379-5X1.2...	612	CIL-ECN-2620....	406, 653	CIL-ED-5237-1.2...	557	CIL-EDF-4067-A...	588	CIL-EDF-5187-3.....	566
CIL-EC-5380.....	610	CIL-ECN-2621....	406, 653	CIL-ED-5238.....	557	CIL-EDF-4095.....	565	CIL-EDF-5187-4.....	566
CIL-EC-5380-CS1....	610	CIL-ECN-2622....	406, 653	CIL-ED-5238-1.2...	557	CIL-EDF-4095-1...	565	CIL-EDF-5187-5.....	566
CIL-EC-5380-CS2....	610	CIL-ECN-2623....	406, 653	CIL-ED-5356.....	557	CIL-EDF-4095-2...	565	CIL-EDF-5189.....	563
CIL-EC-5380-CS3....	610	CIL-ECN-2624....	406, 653	CIL-ED-5356-1.2...	557	CIL-EDF-4095-3...	565	CIL-EDF-5192.....	589
CIL-EC-5380-CS4....	610	CIL-ECN-2630....	406, 653	CIL-ED-5357.....	557	CIL-EDF-4095-4...	565	CIL-EDF-5304.....	588
CIL-EC-5380-CS5....	610	CIL-ECN-2640....	406, 653	CIL-ED-5357-1.2...	557	CIL-EDF-4095-5...	565	CIL-EDF-5314.....	581
CIL-EC-5380-CS6....	610	CIL-ECN-2641....	406, 653	CIL-ED-900.551, 671, 681		CIL-EDF-4096.....	565	CIL-EDF-5314-1.....	581
CIL-EC-5385.....	611	CIL-ECN-2642....	406, 653	CIL-ED-901.551, 671, 681		CIL-EDF-4136-A...	589	CIL-EDF-5314-2.....	581
CIL-EC-5385-CS1....	611	CIL-ECN-2643....	406, 654	CIL-ED-901-A.....	551	CIL-EDF-4137-A...	589	CIL-EDF-5314-3.....	581
CIL-EC-5385-CS2....	612	CIL-ECN-2650....	406, 654	CIL-ED-901-B.....	551	CIL-EDF-4139.....	568	CIL-EDF-5314-4.....	581
CIL-EC-5385-CS3....	612	CIL-ECN-2651....	406, 654	CIL-ED-901-C.....	551	CIL-EDF-4139-10...	568	CIL-EDF-5314-5.....	581
CIL-EC-5385-CS4....	612	CIL-ECN-2652....	406, 654	CIL-ED-901-D.....	551	CIL-EDF-4141.....	561	CIL-EDF-5338.....	579
CIL-EC-5385-CS5....	612	CIL-ECN-2653....	406, 654	CIL-ED-905.....	551	CIL-EDF-4143.....	577	CIL-EDF-5369....	125, 576
CIL-EC-5385-CS6....	612	CIL-ECN-2660....	406, 654	CIL-ED-906B-25...	589	CIL-EDF-4143-1...	577	CIL-EDF-5381.....	592
CIL-EC-5396.....	619	CIL-ECN-2661....	406, 654	CIL-ED-906B-5....	589	CIL-EDF-4143-7...	577	CIL-EDF-5381-CS1...	592
CIL-EC-5396-CS1....	619	CIL-ECN-2662....	406, 654	CIL-ED-907.....	551	CIL-EDF-4144.....	577	CIL-EDF-5381-CS2...	592
CIL-EC-5396-CS2....	619	CIL-ECN-2663....	406, 654	CIL-ED-908.....	590	CIL-EDF-4144-B...	578	CIL-EDF-5381-CS3...	592
CIL-EC-5396-CS3....	619	CIL-ECN-2664....	406, 654	CIL-ED-910.....	551	CIL-EDF-4145.....	578	CIL-EDF-5381-CS4...	592
CIL-EC-5396-CS4....	619	CIL-ECN-2665....	406, 654	CIL-ED-911.....	551	CIL-EDF-4145-A...	578	CIL-EDF-5381-CS5...	592
CIL-EC-5396-CS5....	619	CIL-ECN-2666....	406, 654	CIL-ED-911-1.....	551	CIL-EDF-4147.....	590	CIL-EDF-5381-CS6...	592
CIL-EC-5396-CS6....	619	CIL-ECN-2670....	406, 654	CIL-ED-911-200...	551	CIL-EDF-4153.....	593	CIL-EDF-5381-CS7...	592
CIL-EC-5397.....	621	CIL-ECN-2671....	407, 654	CIL-ED-912.....	551	CIL-EDF-4153-10X...	593	CIL-EDF-5382.....	592
		CIL-ECN-2680....	407, 654	CIL-ED-915.....	551	CIL-EDF-4154.....	593	CIL-EDF-5383.....	592

## Code number index

CIL-EDF-5383-4X .....592	CIL-EF-1790 .....553	CIL-EM-1725-A .....655	CIL-EO-5320-A-5X10ML .....648	CIL-ES-5342 .....697
CIL-EDF-5392 .....580	CIL-EF-1792 .....553	CIL-EM-1725-B .....655	CIL-EO-5337 .....638	CIL-ES-5343 .....697
CIL-EDF-5392-1 .....580	CIL-EF-1792-C .....553	CIL-EM-1726-A .....655	CIL-EO-5355 .....638	CIL-ES-5343-CS1 .....697
CIL-EDF-5392-2 .....580	CIL-EF-1793 .....553	CIL-EM-1726-B .....655	CIL-EO-5362 .....638	CIL-ES-5343-CS2 .....697
CIL-EDF-5392-3 .....580	CIL-EF-1793-C .....553	CIL-EM-1727-A .....655	CIL-EO-5376 .....637	CIL-ES-5343-CS3 .....697
CIL-EDF-5392-4 .....580	CIL-EF-1796 .....553	CIL-EM-1727-B .....656	CIL-EO-5377 .....638	CIL-ES-5343-CS4 .....697
CIL-EDF-5392-5 .....580	CIL-EF-1796-C .....553	CIL-EM-4018 .....656	CIL-EO-5388 .....636	CIL-ES-5343-CS5 .....697
CIL-EDF-5392-6 .....580	CIL-EF-4016 .....552	CIL-EM-4028 .....656	CIL-EO-5402 .....642	CIL-ES-5344 .....698
CIL-EDF-5393 .....579	CIL-EF-4030 .....553	CIL-EM-4173 .....656	CIL-EO-5402-CS1 .....642	CIL-ES-5344-50X-0.5 .....698
CIL-EDF-5395 .....579	CIL-EF-4134 .....590	CIL-EM-4180 .....656	CIL-EO-5402-CS2 .....642	CIL-ES-5345 .....694
CIL-EDF-5407 .....591	CIL-EF-4138 .....568	CIL-EM-4181 .....656	CIL-EO-5402-CS3 .....642	CIL-ES-5345-CS1 .....694
CIL-EDF-5407-1 .....591	CIL-EF-4138-10 .....568	CIL-EM-4182 .....656	CIL-EO-5402-CS4 .....642	CIL-ES-5345-CS2 .....694
CIL-EDF-5407-2 .....591	CIL-EF-4168 .....552	CIL-EM-4183 .....656	CIL-EO-5402-CS5 .....642	CIL-ES-5345-CS3 .....694
CIL-EDF-5407-3 .....591	CIL-EF-4171 .....552	CIL-EM-4184 .....656	CIL-EO-5403 .....642	CIL-ES-5345-CS4 .....694
CIL-EDF-5407-4 .....591	CIL-EF-4172 .....552	CIL-EM-4185 .....656	CIL-EO-5404 .....642	CIL-ES-5345-CS5 .....694
CIL-EDF-5407-5 .....591	CIL-EF-5009 .....552	CIL-EM-4186 .....656	CIL-EO-5405 .....643	CIL-ES-5348 .....695
CIL-EDF-5408 .....591	CIL-EF-5042 .....583	CIL-EM-4189 .....637	CIL-EO-5413 .....637	CIL-ES-5348-CS1 .....695
CIL-EDF-5409 .....591	CIL-EF-5050 .....552	CIL-EO-1448 .....671	CIL-EO-5425 .....643	CIL-ES-5348-CS2 .....695
CIL-EDF-5429-6H .....584	CIL-EF-5052 .....552	CIL-EO-1449 .....671	CIL-EO-5425-CS1 .....643	CIL-ES-5348-CS3 .....695
CIL-EDF-5429-7H .....584	CIL-EF-5054 .....553	CIL-EO-1469 .....671	CIL-EO-5425-CS2 .....643	CIL-ES-5348-CS4 .....695
CIL-EDF-5429-CS1H .....584	CIL-EF-5075 .....558	CIL-EO-1480 .....671	CIL-EO-5425-CS3 .....643	CIL-ES-5348-CS5 .....695
CIL-EDF-5429-CS2H .....584	CIL-EF-5076 .....557	CIL-EO-1488 .....671	CIL-EO-5426 .....643	CIL-ES-5348-CS6 .....695
CIL-EDF-5429-CS3H .....584	CIL-EF-5077 .....558	CIL-EO-1489 .....671	CIL-EO-5427 .....643	CIL-ES-5349 .....695
CIL-EDF-5429-CS4H .....584	CIL-EF-5078 .....557	CIL-EO-4119 .....671	CIL-EO-5428 .....644	CIL-ES-5349-L .....696
CIL-EDF-5429-CS5H .....584	CIL-EF-5079 .....558	CIL-EO-4907 .....671	CIL-ES-2002 .....658	CIL-ES-5352-L .....694
CIL-EDF-5429-CS6H .....584	CIL-EF-5080 .....557	CIL-EO-4930 .....637	CIL-ES-2003 .....659	CIL-ES-5353 .....694
CIL-EDF-5429-CS7H .....584	CIL-EF-5081 .....558	CIL-EO-4958-1.2 .....639	CIL-ES-2004 .....659	CIL-ES-5386 .....653
CIL-EDF-5429-CS8H .....585	CIL-EF-5081-1.2 .....558	CIL-EO-4982 .....637	CIL-ES-2006 .....659	CIL-ES-5399 .....696
CIL-EDF-5430 .....585	CIL-EF-5082 .....557	CIL-EO-4983 .....637	CIL-ES-2007-A .....659	CIL-ES-5399-10X-0.5 .....696
CIL-EDF-5431 .....585	CIL-EF-5082-1.2 .....557	CIL-EO-4984 .....637	CIL-ES-2008 .....659	CIL-ES-5400 .....696
CIL-EDF-5431-20X .....585	CIL-EF-5188 .....583	CIL-EO-4985 .....637	CIL-ES-2022-A .....658	CIL-ES-5401 .....655
CIL-EDF-5443 .....587	CIL-EF-5259 .....557	CIL-EO-4993 .....637	CIL-ES-2025-A .....658	CIL-ES-5406 .....655
CIL-EDF-5443-CS1H .....587	CIL-EF-5259-1.2 .....557	CIL-EO-4999 .....637, 674	CIL-ES-2026 .....658	CIL-ES-5438 .....653
CIL-EDF-5443-CS2H .....587	CIL-EF-5263-1.2 .....558	CIL-EO-5001 .....637	CIL-ES-2032 .....659	CIL-ES-5442 .....700
CIL-EDF-5443-CS3H .....587	CIL-EF-5266 .....558	CIL-EO-5002 .....637	CIL-ES-2033 .....659	CIL-ES-5442-CS1 .....700
CIL-EDF-5443-CS4H .....587	CIL-EF-5266-1.2 .....558	CIL-EO-5003 .....638	CIL-ES-2036 .....658	CIL-ES-5442-CS2 .....700
CIL-EDF-5443-CS5H .....587	CIL-EF-5384 .....592	CIL-EO-5030 .....639	CIL-ES-2041-A .....658	CIL-ES-5442-CS3 .....700
CIL-EDF-5443-CS6H .....587	CIL-EF-5384-4X .....592	CIL-EO-5031 .....639	CIL-ES-2042 .....660	CIL-ES-5442-CS4 .....700
CIL-EDF-5444 .....586	CIL-EF-5394 .....579	CIL-EO-5034 .....637	CIL-ES-2043 .....429, 653	CIL-ES-5442-CS5 .....700
CIL-EDF-5444-A .....586	CIL-EF-5410 .....591	CIL-EO-5035 .....637	CIL-ES-2044 .....429, 653	CIL-ES-5442-CS6 .....700
CIL-EDF-5462 .....576	CIL-EF-903 .....553	CIL-EO-5051 .....671	CIL-ES-2528 .....429, 652	CIL-ES-5442-CS7 .....700
CIL-EDF-5999 .....561	CIL-EF-903-C .....553	CIL-EO-5060 .....639	CIL-ES-4087 .....429, 652	CIL-ES-5442-CS8 .....700
CIL-EDF-6999 .....561	CIL-EF-904 .....552	CIL-EO-5066 .....671	CIL-ES-4157 .....666	CIL-ES-5442-CS9 .....700
CIL-EDF-6999-10X .....561	CIL-EF-909B-25 .....590	CIL-EO-5099 .....647	CIL-ES-5019-A .....698	CIL-ES-5464 .....692
CIL-EDF-7999 .....561	CIL-EF-909B-5 .....589	CIL-EO-5100 .....645	CIL-ES-5019-A-CS10 .....698	CIL-ES-5464-CS1 .....692
CIL-EDF-8999 .....561	CIL-EF-918 .....553	CIL-EO-5101 .....645	CIL-ES-5019-A-CS11 .....698	CIL-ES-5464-CS2 .....692
CIL-EDF-8999-4 .....561	CIL-EF-920 .....552	CIL-EO-5101-10X-1.2 .....645	CIL-ES-5019-A-CS1-8 .....698	CIL-ES-5464-CS3 .....692
CIL-EDF-957 .....588	CIL-EF-939 .....553	CIL-EO-5103 .....645	CIL-ES-5019-A-CS2 .....698	CIL-ES-5464-CS4 .....692
CIL-EDF-9999 .....560	CIL-EF-942-50 .....553	CIL-EO-5104 .....644	CIL-ES-5019-A-CS3 .....698	CIL-ES-5464-CS5 .....692
CIL-EDF-9999-0.1 .....560	CIL-EF-943-50 .....553	CIL-EO-5104-1 .....644	CIL-ES-5019-A-CS4 .....698	CIL-ES-5464-CS6 .....692
CIL-EDF-9999-0.2 .....560	CIL-EF-944 .....553	CIL-EO-5104-2 .....644	CIL-ES-5019-A-CS5 .....698	CIL-ES-5465 .....693
CIL-EDF-9999-0.5 .....560	CIL-EF-952 .....552	CIL-EO-5104-2-6 .....644	CIL-ES-5019-A-CS6 .....698	CIL-ES-5465-X5 .....693
CIL-EDF-9999-1 .....560	CIL-EF-952 .....552	CIL-EO-5104-3 .....644	CIL-ES-5019-A-CS7 .....698	CIL-ES-5466 .....693
CIL-EDF-9999-2 .....560	CIL-EF-953 .....553	CIL-EO-5104-4 .....644	CIL-ES-5019-A-CS8 .....698	CIL-ES-5467 .....694
CIL-EDF-9999-3 .....560	CIL-EF-953-C .....553	CIL-EO-5104-5 .....644	CIL-ES-5019-A-CS9 .....698	CIL-ET-4025 .....654
CIL-EDF-9999-3-4 .....560	CIL-EF-954 .....553	CIL-EO-5104-6 .....644	CIL-ES-5019-A-CS9-CS10 .....698	CIL-JR-D01-25 .....555
CIL-EDF-9999-4 .....560	CIL-EF-956 .....553	CIL-EO-5113 .....646	CIL-ES-5020 .....698	CIL-JR-D02-25 .....555
CIL-EDF-9999-5 .....560	CIL-EF-956-C .....553	CIL-EO-5113-7.5X-0.5 .....646	CIL-ES-5020-1ML .....698	CIL-JR-D03-25 .....555
CIL-EF-1438 .....552	CIL-EF-956-M .....553	CIL-EO-5161 .....637	CIL-ES-5021 .....699	CIL-JR-D04-25 .....555
CIL-EF-1442 .....557	CIL-EF-958 .....552	CIL-EO-5165 .....637	CIL-ES-5037 .....657	CIL-JR-D05-25 .....555
CIL-EF-1442-1.2 .....557	CIL-EF-962 .....553	CIL-EO-5169 .....649	CIL-ES-5038 .....657	CIL-JR-D06-25 .....555
CIL-EF-1443 .....558	CIL-EF-962-C .....553	CIL-EO-5240 .....638	CIL-ES-5038-1 .....657	CIL-JR-D07-25 .....556
CIL-EF-1443-1.2 .....558	CIL-EF-963 .....552	CIL-EO-5241 .....638	CIL-ES-5038-10X .....657	CIL-JR-D08-25 .....556
CIL-EF-1452 .....557	CIL-EF-964 .....553	CIL-EO-5242 .....638	CIL-ES-5038-1-10X-1 .....657	CIL-JR-D09-25 .....556
CIL-EF-1452-1.2 .....557	CIL-EF-964-C .....553	CIL-EO-5275 .....641	CIL-ES-5038-2 .....657	CIL-JR-D10-25 .....556
CIL-EF-1453 .....558	CIL-EF-965 .....553	CIL-EO-5276 .....641	CIL-ES-5038-2-10X-0.5 .....657	CIL-JR-D11-25 .....556
CIL-EF-1453-1.2 .....558	CIL-EF-967 .....553	CIL-EO-5277 .....641	CIL-ES-5164 .....429, 653	CIL-JR-D12-25 .....556
CIL-EF-1454 .....557	CIL-EF-967-C .....553	CIL-EO-5278 .....641	CIL-ES-5177-500X-N-0.5 .....699	CIL-JR-D13-25 .....556
CIL-EF-1454-1.2 .....557	CIL-EF-968 .....553	CIL-EO-5279 .....640	CIL-ES-5177-5X10 .....699	CIL-JR-D14-25 .....556
CIL-EF-1455 .....558	CIL-EF-968-C .....553	CIL-EO-5279-CS1 .....640	CIL-ES-5261-1.2 .....699	CIL-JR-D15-25 .....556
CIL-EF-1455-1.2 .....558	CIL-EF-973 .....553	CIL-EO-5279-CS2 .....640	CIL-ES-5286 .....657	CIL-JR-D16-25 .....556
CIL-EF-1463 .....557	CIL-EF-973-C .....553	CIL-EO-5279-CS3 .....640	CIL-ES-5286-10X .....657	CIL-JR-D17-25 .....556
CIL-EF-1463-1.2 .....557	CIL-EF-974 .....552	CIL-EO-5279-CS4 .....640	CIL-ES-5287 .....657	CIL-JR-D18-25 .....556
CIL-EF-1464 .....558	CIL-EF-975 .....553	CIL-EO-5279-CS5 .....640	CIL-ES-5287-10X .....658	CIL-JR-D19-25 .....556
CIL-EF-1464-1.2 .....558	CIL-EF-975-C .....553	CIL-EO-5319-A .....648	CIL-ES-5288 .....658	CIL-JR-D20-25 .....556
CIL-EF-1486 .....558	CIL-EF-982 .....553	CIL-EO-5319-A-CS1 .....648	CIL-ES-5288-10X .....658	CIL-JR-D21-25 .....556
CIL-EF-1486-1.2 .....558	CIL-EF-982-C .....553	CIL-EO-5319-A-CS2 .....648	CIL-ES-5321 .....578, 698	CIL-JR-D22-25 .....556
CIL-EF-1731-S .....590	CIL-EF-982-C-1 .....553	CIL-EO-5319-A-CS3 .....648	CIL-ES-5341 .....697	CIL-JR-D23-25 .....556
CIL-EF-1785 .....553	CIL-EF-983 .....553	CIL-EO-5319-A-CS4 .....648	CIL-ES-5341-CS1 .....697	CIL-JR-D24-25 .....556
CIL-EF-1787-C .....553	CIL-EF-985 .....552	CIL-EO-5319-A-CS5 .....648	CIL-ES-5341-CS2 .....697	CIL-JR-D25-25 .....556
CIL-EF-1788 .....553	CIL-EF-986 .....552	CIL-EO-5319-A-CS6 .....648	CIL-ES-5341-CS3 .....697	CIL-JR-D26-25 .....556
CIL-EF-1788-C .....553	CIL-EF-987 .....552	CIL-EO-5319-A-CS7 .....648	CIL-ES-5341-CS4 .....697	CIL-JR-D27-25 .....556
CIL-EF-1789 .....553	CIL-EF-988 .....553	CIL-EO-5319-A-CS8 .....648	CIL-ES-5341-CS5 .....697	CIL-JR-D28-25 .....556
CIL-EF-1789-C .....553	CIL-EF-999 .....589	CIL-EO-5319-A-CS9 .....648	CIL-ES-5341-CS5 .....697	CIL-JR-D29-25 .....556
	CIL-EM-1724-A .....655	CIL-EO-5320-A .....648		CIL-JR-D30-25 .....556
	CIL-EM-1724-B .....655			CIL-JR-D31-25 .....556

CIL-JR-D32-25 .....	556	CIL-JR-F69-25 .....	555	CIL-PCB-108 .....	604	CIL-PCB-140-C .....	605	CIL-PCB-172-CS .....	599
CIL-JR-D33-25 .....	556	CIL-JR-F70-25 .....	555	CIL-PCB-108-C .....	604	CIL-PCB-141 .....	605	CIL-PCB-173 .....	606
CIL-JR-D34-25 .....	556	CIL-JR-F71-25 .....	555	CIL-PCB-109 .....	604	CIL-PCB-141-C .....	605	CIL-PCB-173-C .....	606
CIL-JR-D35-25 .....	556	CIL-JR-F72-25 .....	555	CIL-PCB-109-C .....	604	CIL-PCB-141-CS .....	599	CIL-PCB-174 .....	606
CIL-JR-D36-25 .....	556	CIL-JR-F73-25 .....	555	CIL-PCB-10-C .....	600	CIL-PCB-142 .....	605	CIL-PCB-174-C .....	606
CIL-JR-D37-25 .....	556	CIL-JR-F74-25 .....	555	CIL-PCB-10-CS .....	598	CIL-PCB-142-C .....	605	CIL-PCB-174-CS .....	599
CIL-JR-D38-25 .....	556	CIL-JR-F75-25 .....	555	CIL-PCB-11 .....	600	CIL-PCB-143 .....	605	CIL-PCB-175 .....	606
CIL-JR-D39-25 .....	556	CIL-JR-F76-25 .....	555	CIL-PCB-110 .....	604	CIL-PCB-143-C .....	605	CIL-PCB-175-C .....	606
CIL-JR-D40-25 .....	556	CIL-JR-F77-25 .....	555	CIL-PCB-110-C .....	604	CIL-PCB-144 .....	605	CIL-PCB-176 .....	606
CIL-JR-D41-25 .....	556	CIL-JR-F78-25 .....	555	CIL-PCB-110-CS .....	599	CIL-PCB-144-C .....	605	CIL-PCB-176-C .....	606
CIL-JR-D42-25 .....	556	CIL-JR-F79-25 .....	555	CIL-PCB-111 .....	604	CIL-PCB-145 .....	605	CIL-PCB-177 .....	606
CIL-JR-D43-25 .....	556	CIL-JR-F80-25 .....	555	CIL-PCB-111-C .....	604	CIL-PCB-145-C .....	605	CIL-PCB-177-C .....	606
CIL-JR-D44-25 .....	556	CIL-JR-F81-25 .....	555	CIL-PCB-111-CS .....	599	CIL-PCB-146 .....	605	CIL-PCB-177-CS .....	599
CIL-JR-D45-25 .....	556	CIL-JR-F82-25 .....	555	CIL-PCB-112 .....	604	CIL-PCB-146-C .....	605	CIL-PCB-178 .....	606
CIL-JR-D46-25 .....	556	CIL-JR-F83-25 .....	555	CIL-PCB-112-C .....	604	CIL-PCB-146-CS .....	599	CIL-PCB-178-C .....	606
CIL-JR-D47-25 .....	556	CIL-JR-F84-25 .....	555	CIL-PCB-112-CS .....	599	CIL-PCB-147 .....	605	CIL-PCB-178-CS .....	599
CIL-JR-D48-25 .....	556	CIL-JR-F85-25 .....	555	CIL-PCB-113 .....	604	CIL-PCB-147-C .....	605	CIL-PCB-179 .....	606
CIL-JR-D49-25 .....	556	CIL-JR-F86-25 .....	555	CIL-PCB-113-C .....	604	CIL-PCB-148 .....	605	CIL-PCB-179-C .....	606
CIL-JR-F01-25 .....	554	CIL-JR-F87-25 .....	555	CIL-PCB-114 .....	604	CIL-PCB-148-C .....	605	CIL-PCB-17-C .....	600
CIL-JR-F02-25 .....	554	CIL-JR-HPCDF-KIT .....	557	CIL-PCB-114-C .....	604	CIL-PCB-149 .....	605	CIL-PCB-18 .....	600
CIL-JR-F03-25 .....	554	CIL-JR-HXCDD-KIT .....	556	CIL-PCB-114-CS .....	599	CIL-PCB-149-C .....	605	CIL-PCB-180 .....	606
CIL-JR-F04-25 .....	554	CIL-JR-HXCDF-KIT .....	556	CIL-PCB-115 .....	604	CIL-PCB-149-CS .....	599	CIL-PCB-180-C .....	606
CIL-JR-F05-25 .....	554	CIL-JR-PCDD/F-KIT .....	557	CIL-PCB-115-C .....	604	CIL-PCB-14-C .....	600	CIL-PCB-180-CS .....	599
CIL-JR-F06-25 .....	554	CIL-JR-PECDD-KIT .....	556	CIL-PCB-116 .....	604	CIL-PCB-15 .....	600	CIL-PCB-181 .....	606
CIL-JR-F07-25 .....	554	CIL-JR-PECDF-KIT .....	556	CIL-PCB-116-C .....	604	CIL-PCB-150 .....	605	CIL-PCB-181-C .....	607
CIL-JR-F08-25 .....	554	CIL-JR-TCDD-KIT .....	556	CIL-PCB-117 .....	604	CIL-PCB-150-C .....	605	CIL-PCB-182 .....	607
CIL-JR-F09-25 .....	554	CIL-JR-TCDF-KIT .....	556	CIL-PCB-117-C .....	604	CIL-PCB-151 .....	605	CIL-PCB-182-C .....	607
CIL-JR-F10-25 .....	554	CIL-MEOBDE-5153-1.2 .....	640	CIL-PCB-118 .....	604	CIL-PCB-151-C .....	605	CIL-PCB-183 .....	607
CIL-JR-F11-25 .....	554	CIL-MEOBDE-5205-1.2 .....	640	CIL-PCB-118-C .....	604	CIL-PCB-151-CS .....	599	CIL-PCB-183-C .....	607
CIL-JR-F12-25 .....	554	CIL-MEOBDE-5205-1.2 .....	640	CIL-PCB-118-CS .....	599	CIL-PCB-152 .....	605	CIL-PCB-184 .....	607
CIL-JR-F13-25 .....	554	CIL-MEOCB-5109-1.2 .....	636	CIL-PCB-119 .....	604	CIL-PCB-152-C .....	605	CIL-PCB-184-C .....	607
CIL-JR-F14-25 .....	554	CIL-MEOCB-5111-1.2 .....	636	CIL-PCB-119-C .....	604	CIL-PCB-153 .....	605	CIL-PCB-185 .....	607
CIL-JR-F15-25 .....	554	CIL-MEOCB-5135-1.2 .....	636	CIL-PCB-11-C .....	600	CIL-PCB-153-C .....	605	CIL-PCB-185-C .....	607
CIL-JR-F16-25 .....	554	CIL-MEOCB-5135-1.2 .....	636	CIL-PCB-11-CS .....	598	CIL-PCB-153-CS .....	599	CIL-PCB-186 .....	607
CIL-JR-F17-25 .....	554	CIL-MSCB-4007 .....	636	CIL-PCB-12 .....	600	CIL-PCB-154 .....	605	CIL-PCB-186-C .....	607
CIL-JR-F18-25 .....	554	CIL-MSCB-4008 .....	636	CIL-PCB-120 .....	604	CIL-PCB-154-C .....	605	CIL-PCB-187 .....	607
CIL-JR-F19-25 .....	554	CIL-MSCB-4009 .....	636	CIL-PCB-120-C .....	604	CIL-PCB-155 .....	605	CIL-PCB-187-C .....	607
CIL-JR-F20-25 .....	554	CIL-MSCB-4010 .....	636	CIL-PCB-121 .....	604	CIL-PCB-155-C .....	605	CIL-PCB-187-CS .....	599
CIL-JR-F21-25 .....	554	CIL-MSCB-4012 .....	636	CIL-PCB-121-C .....	604	CIL-PCB-155-CS .....	599	CIL-PCB-188 .....	607
CIL-JR-F22-25 .....	554	CIL-MSCB-4013 .....	636	CIL-PCB-122 .....	604	CIL-PCB-156 .....	606	CIL-PCB-188-C .....	607
CIL-JR-F23-25 .....	554	CIL-MSCB-4015 .....	636	CIL-PCB-122-C .....	604	CIL-PCB-156-C .....	606	CIL-PCB-188-CS .....	599
CIL-JR-F24-25 .....	554	CIL-MSCB-4027 .....	636	CIL-PCB-123 .....	604	CIL-PCB-156-CS .....	599	CIL-PCB-189 .....	607
CIL-JR-F25-25 .....	554	CIL-MSCB-4043 .....	636	CIL-PCB-123-C .....	604	CIL-PCB-157 .....	606	CIL-PCB-189-C .....	607
CIL-JR-F26-25 .....	554	CIL-MSCB-4044 .....	636	CIL-PCB-123-CS .....	599	CIL-PCB-157-C .....	606	CIL-PCB-189-CS .....	599
CIL-JR-F27-25 .....	554	CIL-MSCB-4045 .....	636	CIL-PCB-124 .....	604	CIL-PCB-157-CS .....	599	CIL-PCB-18-C .....	600
CIL-JR-F28-25 .....	554	CIL-NLM-7647-S.666, 679 .....	679	CIL-PCB-124-C .....	604	CIL-PCB-158 .....	606	CIL-PCB-18-CS .....	598
CIL-JR-F29-25 .....	554	CIL-OHBDE-5190-1.2 .....	640	CIL-PCB-125 .....	604	CIL-PCB-158-C .....	606	CIL-PCB-19 .....	600
CIL-JR-F30-25 .....	554	CIL-OHBDE-5191-1.2 .....	640	CIL-PCB-125-C .....	604	CIL-PCB-158-CS .....	599	CIL-PCB-190 .....	607
CIL-JR-F31-25 .....	554	CIL-OHBDE-5206-1.2 .....	640	CIL-PCB-126 .....	604	CIL-PCB-159 .....	606	CIL-PCB-190-C .....	607
CIL-JR-F32-25 .....	554	CIL-OHBDE-5212-1.2 .....	640	CIL-PCB-126-C .....	604	CIL-PCB-159-C .....	606	CIL-PCB-191 .....	607
CIL-JR-F33-25 .....	554	CIL-OHBDE-5214-1.2 .....	640	CIL-PCB-126-CS .....	599	CIL-PCB-159-CS .....	599	CIL-PCB-191-C .....	607
CIL-JR-F34-25 .....	554	CIL-OHBDE-5228-1.2 .....	640	CIL-PCB-127 .....	604	CIL-PCB-15-C .....	600	CIL-PCB-192 .....	607
CIL-JR-F35-25 .....	554	CIL-OHCB-5114-1.2 .....	636	CIL-PCB-127-C .....	604	CIL-PCB-15-CS .....	598	CIL-PCB-192-C .....	607
CIL-JR-F36-25 .....	554	CIL-OHCB-5115-1.2 .....	636	CIL-PCB-127-CS .....	599	CIL-PCB-16 .....	600	CIL-PCB-193 .....	607
CIL-JR-F37-25 .....	554	CIL-OHCB-5117-1.2 .....	636	CIL-PCB-128 .....	604	CIL-PCB-160 .....	606	CIL-PCB-193-C .....	607
CIL-JR-F38-25 .....	554	CIL-OHCB-5118-1.2 .....	636	CIL-PCB-128-C .....	604	CIL-PCB-160-C .....	606	CIL-PCB-194 .....	607
CIL-JR-F39-25 .....	554	CIL-OHCB-5124-1.2 .....	636	CIL-PCB-128-CS .....	599	CIL-PCB-161 .....	606	CIL-PCB-194-C .....	607
CIL-JR-F40-25 .....	554	CIL-OLM-7310-1.2 .....	664, 680	CIL-PCB-129 .....	604	CIL-PCB-161-C .....	606	CIL-PCB-194-CS .....	599
CIL-JR-F41-25 .....	554	CIL-OLM-8283-1.2 .....	664	CIL-PCB-129-C .....	604	CIL-PCB-162 .....	606	CIL-PCB-195 .....	607
CIL-JR-F42-25 .....	554	CIL-PBB-126 .....	639	CIL-PCB-12-C .....	600	CIL-PCB-162-C .....	606	CIL-PCB-195-C .....	607
CIL-JR-F43-25 .....	554	CIL-PBB-153-CS .....	639	CIL-PCB-12-CS .....	598	CIL-PCB-162-CS .....	599	CIL-PCB-195-CS .....	599
CIL-JR-F44-25 .....	554	CIL-PBB-157-CS .....	639	CIL-PCB-13 .....	600	CIL-PCB-163 .....	606	CIL-PCB-196 .....	607
CIL-JR-F45-25 .....	555	CIL-PBB-209-CS .....	639	CIL-PCB-130 .....	604	CIL-PCB-163-C .....	606	CIL-PCB-196-C .....	607
CIL-JR-F46-25 .....	555	CIL-PBB-77-CS .....	639	CIL-PCB-130-C .....	605	CIL-PCB-164 .....	606	CIL-PCB-196-CS .....	599
CIL-JR-F47-25 .....	555	CIL-PCB-1 .....	599	CIL-PCB-131 .....	605	CIL-PCB-164-C .....	606	CIL-PCB-197 .....	607
CIL-JR-F48-25 .....	555	CIL-PCB-10 .....	600	CIL-PCB-131-C .....	605	CIL-PCB-165 .....	606	CIL-PCB-197-C .....	607
CIL-JR-F49-25 .....	555	CIL-PCB-100 .....	603	CIL-PCB-132 .....	605	CIL-PCB-165-C .....	606	CIL-PCB-198 .....	607
CIL-JR-F50-25 .....	555	CIL-PCB-100-C .....	603	CIL-PCB-132-C .....	605	CIL-PCB-166 .....	606	CIL-PCB-198-C .....	607
CIL-JR-F51-25 .....	555	CIL-PCB-101 .....	603	CIL-PCB-133 .....	605	CIL-PCB-166-C .....	606	CIL-PCB-198-CS .....	599
CIL-JR-F52-25 .....	555	CIL-PCB-101-C .....	603	CIL-PCB-133-C .....	605	CIL-PCB-167 .....	606	CIL-PCB-199 .....	607
CIL-JR-F53-25 .....	555	CIL-PCB-101-CS .....	598	CIL-PCB-134 .....	605	CIL-PCB-167-C .....	606	CIL-PCB-199-C .....	607
CIL-JR-F54-25 .....	555	CIL-PCB-102 .....	603	CIL-PCB-134-C .....	605	CIL-PCB-167-CS .....	599	CIL-PCB-199-CS .....	599
CIL-JR-F55-25 .....	555	CIL-PCB-102-C .....	603	CIL-PCB-135 .....	605	CIL-PCB-168 .....	606	CIL-PCB-19-C .....	600
CIL-JR-F56-25 .....	555	CIL-PCB-103 .....	603	CIL-PCB-135-C .....	605	CIL-PCB-168-C .....	606	CIL-PCB-19-CS .....	598
CIL-JR-F57-25 .....	555	CIL-PCB-103-C .....	603	CIL-PCB-136 .....	605	CIL-PCB-169 .....	606	CIL-PCB-1-C .....	599
CIL-JR-F58-25 .....	555	CIL-PCB-104 .....	603	CIL-PCB-136-C .....	605	CIL-PCB-169-C .....	606	CIL-PCB-1-CS .....	598
CIL-JR-F59-25 .....	555	CIL-PCB-104-C .....	603	CIL-PCB-137 .....	605	CIL-PCB-169-CS .....	599	CIL-PCB-2 .....	599
CIL-JR-F60-25 .....	555	CIL-PCB-104-CS .....	598	CIL-PCB-137-C .....	605	CIL-PCB-16-C .....	600	CIL-PCB-20 .....	600
CIL-JR-F61-25 .....	555	CIL-PCB-105 .....	604	CIL-PCB-138 .....	605	CIL-PCB-17 .....	600	CIL-PCB-200 .....	607
CIL-JR-F62-25 .....	555	CIL-PCB-105-C .....	604	CIL-PCB-138-C .....	605	CIL-PCB-170 .....	606	CIL-PCB-200-C .....	607
CIL-JR-F63-25 .....	555	CIL-PCB-105-CS .....	598	CIL-PCB-138-CS .....	599	CIL-PCB-170-C .....	606	CIL-PCB-201 .....	607
CIL-JR-F64-25 .....	555	CIL-PCB-106 .....	604	CIL-PCB-139 .....	605	CIL-PCB-170-CS .....	599	CIL-PCB-201-C .....	607
CIL-JR-F65-25 .....	555	CIL-PCB-106-C .....	604	CIL-PCB-139-C .....	605	CIL-PCB-171 .....	606	CIL-PCB-201-CS .....	599
CIL-JR-F66-25 .....	555	CIL-PCB-106-C .....	604	CIL-PCB-13-C .....	600	CIL-PCB-171-C .....	606	CIL-PCB-202 .....	607
CIL-JR-F67-25 .....	555	CIL-PCB-107 .....	604	CIL-PCB-14 .....	600	CIL-PCB-172 .....	606	CIL-PCB-202-C .....	607
CIL-JR-F68-25 .....	555	CIL-PCB-107-C .....	604	CIL-PCB-140 .....	605	CIL-PCB-172-C .....	606	CIL-PCB-202-CS .....	599



## Code number index

CIL-PCB-203 .....607	CIL-PCB-46-C..... 601	CIL-PCB-7-C..... 600	CIL-ULM-2301-1.2 .... 668,	CIL-ULM-4652-1.2 .... 665
CIL-PCB-203-C.....607	CIL-PCB-47..... 601	CIL-PCB-8..... 600	683, 690	CIL-ULM-4662-1.2 .... 665
CIL-PCB-203-CS.....599	CIL-PCB-47-C..... 601	CIL-PCB-80..... 603	CIL-ULM-2323-4X25.. 679	CIL-ULM-4663-1.2 .... 665
CIL-PCB-204..... 607	CIL-PCB-47-CS..... 598	CIL-PCB-80-C..... 603	CIL-ULM-2411-25..... 651	CIL-ULM-4688-1.2 .... 666
CIL-PCB-204-C.....607	CIL-PCB-48..... 601	CIL-PCB-80-CS..... 598	CIL-ULM-2412-0.1 .... 651	CIL-ULM-4690-1.2 .... 666
CIL-PCB-205..... 607	CIL-PCB-48-C..... 601	CIL-PCB-81..... 603	CIL-ULM-2415-0.1 .... 651	CIL-ULM-4834-1.2 .... 639
CIL-PCB-205-C.....607	CIL-PCB-49..... 601	CIL-PCB-81-C..... 603	CIL-ULM-2415-1.2 .... 651,	CIL-ULM-4835-1.2 .... 639
CIL-PCB-205-CS..... 599	CIL-PCB-49-C..... 601	CIL-PCB-81-CS..... 598	668	CIL-ULM-4836-1.2 .... 639
CIL-PCB-206..... 607	CIL-PCB-49-CS..... 598	CIL-PCB-82..... 603	CIL-ULM-2415-I-1.2 .. 651,	CIL-ULM-6074-60 ..... 678
CIL-PCB-206-C.....607	CIL-PCB-4-C..... 600	CIL-PCB-82-C..... 603	673	CIL-ULM-6084-1.2 .... 667
CIL-PCB-206-CS..... 599	CIL-PCB-4-CS..... 598	CIL-PCB-83..... 603	CIL-ULM-2416-0.1 .... 651	CIL-ULM-6089... 685, 689,
CIL-PCB-207..... 608	CIL-PCB-5..... 600	CIL-PCB-83-C..... 603	CIL-ULM-2416-1.2 .... 651,	701
CIL-PCB-207-C..... 608	CIL-PCB-50..... 601	CIL-PCB-84..... 603	668	CIL-ULM-6091-1.2 .... 337,
CIL-PCB-208..... 608	CIL-PCB-50-C..... 601	CIL-PCB-84-C..... 603	CIL-ULM-2417-0.1 .... 651	486, 685, 701
CIL-PCB-208-C..... 608	CIL-PCB-51..... 601	CIL-PCB-85..... 603	CIL-ULM-2418-0.1 .... 651	CIL-ULM-6129-1.2 .... 664,
CIL-PCB-208-CS..... 599	CIL-PCB-51-C..... 601	CIL-PCB-85-C..... 603	CIL-ULM-2418-1.2 .... 651,	677
CIL-PCB-209..... 608	CIL-PCB-52..... 601	CIL-PCB-85-CS..... 598	674	CIL-ULM-6130-1.2 .... 678,
CIL-PCB-209-C..... 608	CIL-PCB-52-C..... 601	CIL-PCB-86..... 603	CIL-ULM-2418-25..... 651	684, 690
CIL-PCB-209-CS..... 599	CIL-PCB-52-CS..... 598	CIL-PCB-86-C..... 603	CIL-ULM-2419-1.2 .... 668	CIL-ULM-6132-1.2 .... 678,
CIL-PCB-20-C..... 600	CIL-PCB-53..... 601	CIL-PCB-87..... 603	CIL-ULM-2419-25..... 675,	684, 690
CIL-PCB-21..... 600	CIL-PCB-53-C..... 601	CIL-PCB-87-C..... 603	682, 683, 688	CIL-ULM-6132-SM-1.2
CIL-PCB-21-C..... 600	CIL-PCB-54..... 602	CIL-PCB-87-CS..... 598	CIL-ULM-2420-1.2 .... 683	..... 678, 684, 690
CIL-PCB-22..... 600	CIL-PCB-54-C..... 602	CIL-PCB-88..... 603	CIL-ULM-2420-25..... 675,	CIL-ULM-6133-1.2 .... 678,
CIL-PCB-22-C..... 600	CIL-PCB-54-CS..... 598	CIL-PCB-88-C..... 603	683, 688	684, 690
CIL-PCB-23..... 600	CIL-PCB-55..... 602	CIL-PCB-89..... 603	CIL-ULM-2421-0.1 .... 675	CIL-ULM-6133-SM-1.2
CIL-PCB-23-C..... 600	CIL-PCB-55-C..... 602	CIL-PCB-89-C..... 603	CIL-ULM-2422-0.1 .... 652,	..... 678, 684, 690
CIL-PCB-24..... 600	CIL-PCB-56..... 602	CIL-PCB-8-C..... 600	676	CIL-ULM-6134-1.2 .... 669,
CIL-PCB-24-C..... 600	CIL-PCB-56-C..... 602	CIL-PCB-8-CS..... 598	CIL-ULM-2422-1.2 .... 652,	675, 684, 688
CIL-PCB-25..... 600	CIL-PCB-57..... 602	CIL-PCB-9..... 600	676	CIL-ULM-6135-1.2 .... 669,
CIL-PCB-25-C..... 600	CIL-PCB-57-C..... 602	CIL-PCB-90..... 603	CIL-ULM-2423-1.2 .... 652	675, 684, 689
CIL-PCB-26..... 600	CIL-PCB-57-CS..... 598	CIL-PCB-90-C..... 603	CIL-ULM-2424-0.1 .... 678,	CIL-ULM-6137-1.2 .... 675,
CIL-PCB-26-C..... 600	CIL-PCB-58..... 602	CIL-PCB-91..... 603	684, 690	684, 688
CIL-PCB-27..... 600	CIL-PCB-58-C..... 602	CIL-PCB-91-C..... 603	CIL-ULM-2424-1.2 .... 669,	CIL-ULM-6139-1.2 .... 670,
CIL-PCB-27-C..... 600	CIL-PCB-59..... 602	CIL-PCB-92..... 603	678, 683, 684, 690	683, 685, 691
CIL-PCB-28..... 600	CIL-PCB-59-C..... 602	CIL-PCB-92-C..... 603	CIL-ULM-2425-0.1 .... 678,	CIL-ULM-6139-SM-1.2
CIL-PCB-28-C..... 601	CIL-PCB-5-C..... 600	CIL-PCB-93..... 603	684, 690	..... 683, 685, 691
CIL-PCB-28-CS..... 598	CIL-PCB-6..... 600	CIL-PCB-93-C..... 603	CIL-ULM-2425-1.2 .... 669,	CIL-ULM-6148-1.2 .... 665
CIL-PCB-29..... 601	CIL-PCB-60..... 602	CIL-PCB-94..... 603	678, 683, 684, 690	CIL-ULM-6149-1.2 .... 664
CIL-PCB-29-C..... 601	CIL-PCB-60-C..... 602	CIL-PCB-94-C..... 603	CIL-ULM-2426-1.2 .... 652	CIL-ULM-6174-1.2 .... 664
CIL-PCB-2-C..... 599	CIL-PCB-60-CS..... 598	CIL-PCB-95..... 603	CIL-ULM-2426-25..... 652	CIL-ULM-6181-1.2 .... 652
CIL-PCB-3..... 600	CIL-PCB-61..... 602	CIL-PCB-95-C..... 603	CIL-ULM-2427-0.1 .... 685,	CIL-ULM-6182-1.2 .... 652
CIL-PCB-30..... 601	CIL-PCB-61-C..... 602	CIL-PCB-95-CS..... 598	690	CIL-ULM-6195-1.2 .... 667
CIL-PCB-30-C..... 601	CIL-PCB-62..... 602	CIL-PCB-96..... 603	CIL-ULM-2427-1.2 .... 670,	CIL-ULM-6205-1.2 .... 688
CIL-PCB-30-CS..... 598	CIL-PCB-62-C..... 602	CIL-PCB-96-C..... 603	683, 685, 690	CIL-ULM-6234-1.2 .... 652
CIL-PCB-31..... 601	CIL-PCB-63..... 602	CIL-PCB-97..... 603	CIL-ULM-2427-SM-1.2	CIL-ULM-6235-1.2 .... 652
CIL-PCB-31-C..... 601	CIL-PCB-63-C..... 602	CIL-PCB-97-C..... 603	..... 685, 690	CIL-ULM-6236-1.2 .... 639
CIL-PCB-31-CS..... 598	CIL-PCB-64..... 602	CIL-PCB-97-CS..... 598	CIL-ULM-2428-0.1 .... 681	CIL-ULM-6241-1.2 .... 664,
CIL-PCB-32..... 601	CIL-PCB-64-C..... 602	CIL-PCB-98..... 603	CIL-ULM-2429-0.1 .... 681	668
CIL-PCB-32-C..... 601	CIL-PCB-65..... 602	CIL-PCB-98-C..... 603	CIL-ULM-2430-0.1 .... 681	CIL-ULM-6251-1.2 .... 669,
CIL-PCB-32-CS..... 598	CIL-PCB-65-C..... 602	CIL-PCB-99..... 603	CIL-ULM-2-4X25..... 678	675, 684, 688
CIL-PCB-33..... 601	CIL-PCB-66..... 602	CIL-PCB-99-C..... 603	CIL-ULM-3693..... 674	CIL-ULM-6560-1.2 .... 666
CIL-PCB-33-C..... 601	CIL-PCB-66-C..... 602	CIL-PCB-99-CS..... 598	CIL-ULM-3845-S..... 672	CIL-ULM-6566-1.2 .... 664
CIL-PCB-33-CS..... 598	CIL-PCB-66-CS..... 598	CIL-PCB-9-C..... 600	CIL-ULM-3847-S..... 672	CIL-ULM-6575-S-10X-1.2
CIL-PCB-34..... 601	CIL-PCB-67..... 602	CIL-PCB-9-CS..... 598	CIL-ULM-3849-1.2 .... 672	..... 685, 689
CIL-PCB-34-C..... 601	CIL-PCB-67-C..... 602	CIL-PCBB-5272-CS... 635	CIL-ULM-3850-1.2 .... 672	CIL-ULM-6576-1.2 .... 652
CIL-PCB-35..... 601	CIL-PCB-68..... 602	CIL-PCBB-5273..... 635	CIL-ULM-3881-1.2 .... 652	CIL-ULM-6581-1.2 .... 439,
CIL-PCB-35-C..... 601	CIL-PCB-68-C..... 602	CIL-PCBB-5274..... 635	CIL-ULM-3883-1.2 .... 652	662
CIL-PCB-35-CS..... 598	CIL-PCB-69..... 602	CIL-PCBB-5295..... 635	CIL-ULM-3884-25..... 652	CIL-ULM-6583-1.2 .... 671
CIL-PCB-36..... 601	CIL-PCB-69-C..... 602	CIL-PCBB-5296..... 635	CIL-ULM-3885-1.2 .... 652	CIL-ULM-6600-1.2 .... 652
CIL-PCB-36-C..... 601	CIL-PCB-6-C..... 600	CIL-PCBB-5297..... 635	CIL-ULM-3888-S..... 672	CIL-ULM-6600-1.2 .... 652
CIL-PCB-37..... 601	CIL-PCB-7..... 600	CIL-PCBB-5298..... 635	CIL-ULM-3889-S..... 672	CIL-ULM-6667-1.2 .... 652
CIL-PCB-37-C..... 601	CIL-PCB-70..... 602	CIL-PCBB-5298..... 635	CIL-ULM-3890-1.2 .... 672	CIL-ULM-6687-1.2 .... 440,
CIL-PCB-37-CS..... 598	CIL-PCB-70-C..... 602	CIL-PCBB-5340-CS... 635	CIL-ULM-3891-1.2 .... 670,	663
CIL-PCB-38..... 601	CIL-PCB-70-CS..... 598	CIL-ULM-1226-0.01... 652	672	CIL-ULM-6694-1.2 .... 685,
CIL-PCB-38-C..... 601	CIL-PCB-71..... 602	CIL-ULM-1227-0.01... 652	CIL-ULM-3892-1.2 .... 672,	689
CIL-PCB-38-CS..... 598	CIL-PCB-71-C..... 602	CIL-ULM-1253-1.2 .... 652	679	CIL-ULM-6697-1.2 .... 665
CIL-PCB-39..... 601	CIL-PCB-72..... 602	CIL-ULM-1253-25..... 652	CIL-ULM-3893-S..... 672	CIL-ULM-6709-1.2 .... 672
CIL-PCB-39-C..... 601	CIL-PCB-72-C..... 602	CIL-ULM-1700-0.1 .... 676	CIL-ULM-3978-1.2 .... 652	CIL-ULM-6721-1.2 .... 312,
CIL-PCB-39-CS..... 598	CIL-PCB-73..... 602	CIL-ULM-1701-0.1 .... 675	CIL-ULM-4210-1.2 .... 668	663
CIL-PCB-3-C..... 600	CIL-PCB-73-C..... 602	CIL-ULM-1702-0.1 .... 676	CIL-ULM-4322-1.2 .... 663	CIL-ULM-6778-1.2 .... 667
CIL-PCB-3-CS..... 598	CIL-PCB-74..... 602	CIL-ULM-1703-0.1 .... 681	CIL-ULM-4458-1.2 .... 669	CIL-ULM-6781-1.2 .... 686,
CIL-PCB-4..... 600	CIL-PCB-74-C..... 602	CIL-ULM-1704-0.1 .... 681	CIL-ULM-4459-1.2 .... 669	691
CIL-PCB-40..... 601	CIL-PCB-74-CS..... 598	CIL-ULM-1705-0.1 .... 675	CIL-ULM-4520-1.2 .... 665,	CIL-ULM-6781-SA-1.2
CIL-PCB-40-C..... 601	CIL-PCB-75..... 602	CIL-ULM-1708-0.1 .... 681	670	..... 686, 691
CIL-PCB-41..... 601	CIL-PCB-75-C..... 602	CIL-ULM-1709-1.2 .... 679	CIL-ULM-4520-SA-5X-1.2	CIL-ULM-6782-1.2 .... 638
CIL-PCB-41-C..... 601	CIL-PCB-76..... 602	CIL-ULM-1710-0.5 .... 674	..... 666	CIL-ULM-6783-1.2 .... 664
CIL-PCB-41-CS..... 598	CIL-PCB-76-C..... 602	CIL-ULM-1710-1.2 .... 599,	CIL-ULM-4521-1.2 .... 665	CIL-ULM-6822-1.2 .... 667
CIL-PCB-42..... 601	CIL-PCB-77..... 602	674	CIL-ULM-4521-SA-5X-1.2	CIL-ULM-6848-1.2 .... 665
CIL-PCB-42-C..... 601	CIL-PCB-77-C..... 602	CIL-ULM-1711-0.01... 676	..... 665	CIL-ULM-6875-1.2 .... 686,
CIL-PCB-43..... 601	CIL-PCB-77-CS..... 598	CIL-ULM-1711-1.2 .... 551,	CIL-ULM-4559-1.2 .... 665,	688
CIL-PCB-43-C..... 601	CIL-PCB-78..... 602	676	670	CIL-ULM-6876-1.2 .... 685,
CIL-PCB-44..... 601	CIL-PCB-78-C..... 602	CIL-ULM-1712-0.05... 676	CIL-ULM-4583-1.2 .... 665	690
CIL-PCB-44-C..... 601	CIL-PCB-78-CS..... 598	CIL-ULM-1712-1.2 .... 553,	CIL-ULM-4585-1.2 .... 665	CIL-ULM-6891-0.01... 652
CIL-PCB-44-CS..... 598	CIL-PCB-79..... 602	676	CIL-ULM-4593-1.2 .... 665	CIL-ULM-6894-1.2 .... 667,
CIL-PCB-45..... 601	CIL-PCB-79-C..... 603	CIL-ULM-2301-0.1 .... 683,	CIL-ULM-4617-1.2 .... 685,	670, 680
CIL-PCB-45-C..... 601	CIL-PCB-79-CS..... 598	690	689, 701	CIL-ULM-6911-1.2 .... 664,
CIL-PCB-46..... 601			CIL-ULM-4651-1.2 .... 665	672

CIL-ULM-6917-1.2 .....667	CIL-ULM-7418-1.2 .....689	CIL-ULM-7840-1.2 .....677	CIL-ULM-8303-1.2 .... 661,	CON-150-021-009 ..... 220
CIL-ULM-6918-1.2 .....667	CIL-ULM-7419-1.2 .....686,	CIL-ULM-7869-1.2 .....678,	671	CON-150-021-010 ..... 220
CIL-ULM-6922-1.2 .....667	688	683, 684	CIL-ULM-8317-1.2 .... 687,	CON-150-021-011 ..... 220
CIL-ULM-6935-1.2 .....447,	CIL-ULM-7420-1.2 .....667,	CIL-ULM-7870-1.2 .....678	688	CON-150-021-015 ..... 220
661, 664	688	CIL-ULM-7884-1.2 .....443,	CIL-ULM-8318-1.2 .... 686,	CON-150-021-018 ..... 220
CIL-ULM-7106-1.2 .....668,	CIL-ULM-7421-1.2 .....652,	661	688	CON-150-021-019 ..... 220
671, 674	677	CIL-ULM-7886-1.2 .....639	CIL-ULM-8319-1.2 .... 687,	CON-150-021-027 ..... 220
CIL-ULM-7146-1.2 .....666	CIL-ULM-7422-1.2 .....651,	CIL-ULM-7887-1.2 .....640	688	CON-150-021-028 ..... 220
CIL-ULM-7147-1.2 .....666	673	CIL-ULM-7893-1.2 .....687,	CIL-ULM-8320-1.2 ..... 686,	CON-150-021-030 ..... 220
CIL-ULM-7168-1.2 .....312,	CIL-ULM-7423-1.2 .....651,	691	687	CON-150-021-031 ..... 220
666, 667	668	CIL-ULM-7919-1.2 .....665	CIL-ULM-8321-1.2 .... 687,	CON-150-021-035 ..... 220
CIL-ULM-7187-1.2 .....445,	CIL-ULM-7424-1.2 .....651,	CIL-ULM-7921-1.2 .....441,	688	CON-150-075-002 ..... 223
664	669	661	CIL-ULM-8322-1.2 .... 687,	CON-150-075-003 ..... 223
CIL-ULM-7188-1.2 .....438,	CIL-ULM-7425-1.2 .....652,	CIL-ULM-7921-D-1.2 .441,	688	CON-150-075-004 ..... 223
663	679	661	CIL-ULM-8323-1.2 .... 663,	CON-150-075-005 ..... 223
CIL-ULM-7189-1.2 .....438,	CIL-ULM-7426-1.2 .....652	CIL-ULM-7954-1.2 .....652	687, 689	CON-150-075-006 ..... 223
663	CIL-ULM-7427-1.2 .....652,	CIL-ULM-7968-1.2 .....447,	CIL-ULM-8342-1.2 .... 666	CON-150-100-035 ..... 219
CIL-ULM-7190-1.2 .....443,	671, 680	661	CIL-ULM-8349-1.2 ..... 662	CON-150-100-045 ..... 218
664	CIL-ULM-7428-1.2 .....652,	CIL-ULM-7969-S .....672	CIL-ULM-8350-1.2 .... 438,	CON-150-100-055 ..... 218
CIL-ULM-7207-1.2 .....312,	680	CIL-ULM-7972-1.2 .....685,	662, 663	CON-150-100-115 ..... 219
666, 667	CIL-ULM-7430-1.2 .....654	689	CIL-ULM-8360-1.2 .... 665	CON-150-100-125 ..... 219
CIL-ULM-7211-1.2 .....661	CIL-ULM-7431-1.2 .....667	CIL-ULM-7975-1.2 .....329,	CIL-ULM-8361-1.2 ..... 665	CON-150-100-135 ..... 218
CIL-ULM-7212-1.2 .....441	CIL-ULM-7432-1.2 .....691	661, 689	CIL-ULM-8362-1.2 ..... 666	CON-150-100-145 ..... 219
CIL-ULM-7213-1.2 .....671,	CIL-ULM-7433-1.2 .....664,	CIL-ULM-7975-D-1.2 .329,	CIL-ULM-8363-1.2 ..... 665	CON-150-100-155 ..... 219
691	669	661, 689	CIL-ULM-8365-1.2 ..... 652	CON-150-100-195 ..... 219
CIL-ULM-7214-1.2 .....671	CIL-ULM-7434-1.2 .....664,	CIL-ULM-7984-1.2 .....666,	CIL-ULM-8371-1.2 .... 446,	CON-150-100-205 ..... 218
CIL-ULM-7215-1.2 .....671	669	679	663	CON-150-100-225 ..... 219
CIL-ULM-7216-1.2 .....675,	CIL-ULM-7440-1.2 .....670,	CIL-ULM-7989-A-1.2 .447,	CIL-ULM-8451-1.2 .... 664	CON-150-100-235 ..... 219
683, 688	684, 690	663	CIL-ULM-8454-1.2 ..... 686,	CON-150-100-245 ..... 218
CIL-ULM-7217-1.2 .....685,	CIL-ULM-7441-1.2 .....673,	CIL-ULM-7990-1.2 .....677,	691	CON-150-100-255 ..... 219
689	682, 683, 687	683, 684, 689	CIL-ULM-8464-1.2 ..... 652	CON-150-100-265 ..... 219
CIL-ULM-7219-1.2 .....666	CIL-ULM-7442-1.2 .....669,	CIL-ULM-7999-1.2 .....664,	CIL-ULM-8480 ..... 674	CON-150-100-275 ..... 219
CIL-ULM-7220-1.2 .....663	683, 684, 690	681	CIL-ULM-8513-1.2 ..... 690	CON-150-100-285 ..... 219
CIL-ULM-7229-1.2 .....670,	CIL-ULM-7443-1.2 .....668,	CIL-ULM-8000-1.2 .....663	CIL-ULM-8526-1.2 .... 670,	CON-150-100-295 ..... 219
683, 685, 690	683, 688	CIL-ULM-8001-1.2 .....687	686, 691	CON-150-100-305 ..... 219
CIL-ULM-7230-1.2 .....669,	CIL-ULM-7444-1.2 .....669,	CIL-ULM-8009-1.2 .....661,	CIL-ULM-8527-1.2 .... 686,	CON-150-100-385 ..... 219
676, 683, 684, 689	677, 683, 684, 689	671	691	CON-150-100-395 ..... 219
CIL-ULM-7232-1.2 .....678,	CIL-ULM-7445-1.2 .....683,	CIL-ULM-8061-1.2 .....502,	CIL-ULM-8531-1.2 .... 444,	CON-150-100-425 ..... 219
684, 690	685, 690	672, 681	661	CON-150-100-475 ..... 219
CIL-ULM-7233-1.2 .....678,	CIL-ULM-7446-1.2 .....652	CIL-ULM-8066-1.2 .....416,	CIL-ULM-8533-1.2 .... 441,	CON-150-100-485 ..... 218
684, 690	CIL-ULM-7447-1.2 .....669,	666	662	CON-150-100-495 ..... 219
CIL-ULM-7234-1.2 .....667,	677, 683, 684, 689	CIL-ULM-8067-1.2 .....416,	CIL-ULM-8579-1.2 .... 685,	CON-150-100-505 ..... 219
670	CIL-ULM-7448-1.2 .....669,	666	691	CON-150-100-515 ..... 218
CIL-ULM-7235-1.2 .....686,	677, 684, 689	CIL-ULM-8081-1.2 .....446,	CIL-ULM-8590-1.2 .... 663	CON-150-100-565 ..... 218
687	CIL-ULM-7449-1.2 .....441,	662	CIL-ULM-8638 ..... 686	CON-150-100-575 ..... 219
CIL-ULM-7235-D-1.2 .686,	661	CIL-ULM-8081-D-1.2 .446,	CIL-ULM-8639-1.2 ..... 686,	CON-150-100-745 ..... 219
687	CIL-ULM-7450-1.2 .....675,	662	690	CON-150-100-825 ..... 219
CIL-ULM-7236-1.2 .....691	683, 688	CIL-ULM-8084-1.2 .....416,	CIL-ULM-8654-1.2 .... 668,	CON-150-100-835 ..... 218
CIL-ULM-7242-1.2 .....663,	CIL-ULM-7451-1.2 .....416,	666	671, 674	CON-150-103-331 ..... 218
691	666	CIL-ULM-8092-1.2 .....676	CIL-ULM-8665-1.2 .... 670,	CON-150-103-341 ..... 219
CIL-ULM-7263-1.2 .....685,	CIL-ULM-7453-1.2 .....686,	CIL-ULM-8096-1.2 .....686,	679, 687	CON-150-103-801 ..... 219
687	688	688	CIL-ULM-8717-1.2 .... 651,	CON-150-200-001 ..... 223
CIL-ULM-7271-1.2 .....652	CIL-ULM-7454-1.2 .....326,	CIL-ULM-8122-1.2 .....685,	674	CON-150-200-002 ..... 223
CIL-ULM-7275-1.2 .....442,	686, 688	690	CIL-ULM-8734-1.2 .... 639,	CON-150-200-003 ..... 223
662	CIL-ULM-7489-1.2 .....685,	CIL-ULM-8133-0.1MG 662	671	CON-150-200-004 ..... 223
CIL-ULM-7303-1.2 .....686,	688	CIL-ULM-8134-0.1MG 662	CIL-ULM-8767-1.2 .... 679,	CON-150-200-005 ..... 223
689	CIL-ULM-7525-1.2 .....668	CIL-ULM-8135-0.1MG 662	687	CON-150-200-006 ..... 223
CIL-ULM-7309-1.2 .....312,	CIL-ULM-7527-1.2 .....663	CIL-ULM-8137-0.1MG 662	CIL-ULM-8768-1.2 .... 670,	CON-150-200-007 ..... 223
667	CIL-ULM-7552-1.2 .....652	CIL-ULM-8144-1.2 .....670,	679, 687	CON-150-200-008 ..... 223
CIL-ULM-7312-1.2 .....664,	CIL-ULM-7567-1.2 .....686,	685, 691	CIL-ULM-8769-1.2 .... 670,	CON-150-250-006 ..... 221
680	691	CIL-ULM-8149-1.2 .....665	679, 687	CON-150-250-014 ..... 221
CIL-ULM-7313-1.2 .....689	CIL-ULM-7595-1.2 .....640	CIL-ULM-8155-25 .....651	CIL-ULM-8785-1.2 .... 664	CON-150-250-016 ..... 221
CIL-ULM-7314-1.2 .....670,	CIL-ULM-7597-1.2 .....670	CIL-ULM-8156-1.2 .....664	CMI-CRM7006 ..... 112	CON-150-250-027 ..... 221
690	CIL-ULM-7598-1.2 .....667	CIL-ULM-8157-1.2 .....663	CMI-CRM7007 ..... 177	CON-150-300-001 ..... 225
CIL-ULM-7346-1.2 .....317,	CIL-ULM-7599-1.2 .....667	CIL-ULM-8218 .....661	CON-150-010-001 ..... 224	CON-150-300-002 ..... 225
686, 688	CIL-ULM-7600-1.2 .....668	CIL-ULM-8218-1.2 .....661	CON-150-012-001 ..... 221	CON-150-300-003 ..... 225
CIL-ULM-7375-2X1.2..640	CIL-ULM-7603-1.2 .....667	CIL-ULM-8219-1.2 .....445,	CON-150-012-002 ..... 221	CON-150-300-004 ..... 226
CIL-ULM-7378-1.2 .....663,	CIL-ULM-7605-1.2 .....667	662	CON-150-012-004 ..... 221	CON-150-300-005 ..... 225
680	CIL-ULM-7606-1.2 .....640,	CIL-ULM-8225-1.2 .....442,	CON-150-012-005 ..... 221	CON-150-300-006 ..... 225
CIL-ULM-7391-1.2 .....341,	667, 671	662	CON-150-012-006 ..... 221	CON-150-300-008 ..... 226
686, 689	CIL-ULM-7607-1.2 .....667	CIL-ULM-8233-1.2 .....665	CON-150-012-007 ..... 221	CON-150-300-009 ..... 226
CIL-ULM-7393-1.2 .....665	CIL-ULM-7629-1.2 .....438,	CIL-ULM-8235-1.2 .....663	CON-150-012-008 ..... 221	CON-150-300-010 ..... 226
CIL-ULM-7394-1.2 .....665	662	CIL-ULM-8250-1.2 .....661	CON-150-012-009 ..... 221	CON-150-300-011 ..... 226
CIL-ULM-7395-1.2 .....665	CIL-ULM-7653-1.2 .....439,	CIL-ULM-8251-1.2 .....661,	CON-150-012-010 ..... 221	CON-150-300-012 ..... 226
CIL-ULM-7396-1.2 .....664,	662	671	CON-150-012-012 ..... 221	CON-150-300-013 ..... 226
680, 691	CIL-ULM-7709-1.2 .....663	CIL-ULM-8253-1.2 .....666,	CON-150-012-013 ..... 221	CON-150-300-014 ..... 226
CIL-ULM-7403-1.2 .....671,	CIL-ULM-7710-1.2 .....440,	679	CON-150-012-014 ..... 221	CON-150-300-015 ..... 226
677	663	CIL-ULM-8255-1.2 .....666,	CON-150-012-015 ..... 221	CON-150-300-016 ..... 227
CIL-ULM-7412-1.2 .....651,	CIL-ULM-7710-S .....440	679	CON-150-012-016 ..... 221	CON-150-300-017 ..... 227
668, 673	CIL-ULM-7777-1.2 .....640	CIL-ULM-8261-0.1MG 662	CON-150-020-001 ..... 223	CON-150-300-018 ..... 227
CIL-ULM-7413-1.2 .....651,	CIL-ULM-7780-S.666, 679	CIL-ULM-8262-0.1MG 662	CON-150-020-002 ..... 223	CON-150-300-019 ..... 225
668, 673	CIL-ULM-7823-A-1.2 ..661	CIL-ULM-8263-0.1MG 662	CON-150-020-003 ..... 223	CON-150-400-002 ..... 222
CIL-ULM-7414-1.2 .....652,	CIL-ULM-7828-1.2 .....670,	CIL-ULM-8268-1.2 .....651	CON-150-020-004 ..... 223	CON-150-400-003 ..... 222
677	679, 687	CIL-ULM-8269-1.2 .....651	CON-150-020-005 ..... 223	CON-150-400-004 ..... 222
CIL-ULM-7415-1.2 .....667	CIL-ULM-7829-1.2 .....670,	CIL-ULM-8270-1.2 .....651	CON-150-021-002 ..... 220	CON-150-400-005 ..... 222
CIL-ULM-7416-1.2 .....652	679, 687	CIL-ULM-8287-1.2 .....661	CON-150-021-003 ..... 220	CON-150-400-008 ..... 222
CIL-ULM-7417-1.2 .....652,	CIL-ULM-7830-1.2 .....670,	CIL-ULM-8301-1.2 .....665	CON-150-021-008 ..... 220	
680	679, 687			

## Code number index

CON-150-400-010 .....222	CON-150-440-070 ..... 236	DE-MS-03401-1* 503, 509	ECRM-B 776-1..... 206	ERM-BD272-274..... 181
CON-150-400-011 .....222	CON-150-440-075 ..... 236	DE-MS-03401-25* .... 503, 509	ECRM-B 781-1..... 206	ERM-BD273..... 181
CON-150-400-012 .....222	CON-150-440-080 ..... 236	DE-MS-03401-5* 503, 509	ECRM-B 782-1..... 203	ERM-BD274..... 181
CON-150-400-014 .....222	CON-150-440-085 ..... 236	DE-MS-03402S-25 .... 503	ECRM-B 783-1..... 206	ERM-BD282..... 136, 308
CON-150-400-016 .....222	CON-150-440-090 ..... 236	DE-MS-03402S-5 ..... 503	ECRM-D 777-1 ..... 206	ERM-BD283..... 136, 308
CON-150-400-018 .....222	CON-150-440-095 ..... 236	DE-MS-03402S-5x..... 503	ECRM-D 779-1 ..... 206	ERM-BD284..... 136, 308
CON-150-400-019 .....222	CON-150-440-100 ..... 236	DE-MS-03410-1. 503, 509	ECRM-F 701-1 ..... 204	ERM-BD518..... 180
CON-150-400-020 .....222	CON-150-440-105 ..... 236	DE-MS-03410-5. 503, 509	ECRM-F 702-1 ..... 204	ERM-BE375..... 189
CON-150-400-021 .....222	CON-150-440-110 ..... 237	DE-MS-03415S-5. .... 503	ECRM-F 778-1 ..... 204	ERM-BE376..... 189
CON-150-400-023 .....222	CON-150-440-115 ..... 237	DE-MS-03415S-25 .... 503	EDF-9999-A* ..... 560	ERM-BF410AK ..... 164
CON-150-400-024 .....222	CON-150-440-120 ..... 237	DE-MS-03415S-5 ..... 503	EDF-9999-A-3* ..... 560	ERM-BF410BK ..... 165
CON-150-400-025 .....222	CON-150-440-125 ..... 237	DE-MS-03435-0.3 ..... 502	EO-5100-10x-0.5 ..... 645	ERM-BF410C ..... 165
CON-150-410-001 .....224	CON-150-440-130 ..... 237	DE-MS-03436-0.3 ..... 502	ERC-034 ..... 478, 700	ERM-BF410DK ..... 165
CON-150-410-002 .....224	CON-150-440-135 ..... 237	DE-MS-03437-0.3 ..... 502	ERD-083 ..... 483, 701	ERM-BF410GK ..... 165
CON-150-410-003 .....224	CON-150-440-140 ..... 237	DE-MS-03438-0.3 ..... 502	ERD-085 ..... 485, 701	ERM-BF411A ..... 165
CON-150-410-004 .....224	CON-150-440-145 ..... 237	DE-MS-03439-0.3 ..... 502	ERD-086 ..... 483, 701	ERM-BF411B ..... 165
CON-150-410-005 .....224	CON-150-441-000 ..... 236	DE-MS-03441 ..... 502	ERD-087 ..... 485, 701	ERM-BF411C ..... 165
CON-150-410-006 .....224	CON-150-441-005 ..... 236	DE-MS-03442-0.3 ..... 502	ERD-117 .... 332, 483, 700	ERM-BF411D ..... 165
CON-150-410-007 .....224	CON-150-441-010 ..... 236	DE-MS-03443-0.3 ..... 502	ERD-119 .... 332, 483, 700	ERM-BF411E ..... 166
CON-150-410-008 .....224	CON-150-441-015 ..... 236	DE-MS-03444 ..... 502	ERD-121 .... 333, 484, 701	ERM-BF411F ..... 166
CON-150-410-009 .....224	CON-150-441-020 ..... 236	DE-MS-03447-0.3 ..... 502	ERE-024 .... 337, 486, 701	ERM-BF412A ..... 166
CON-150-410-010 .....224	CON-150-441-025 ..... 236	DE-MS-03448-0.3 ..... 502	ERI-015..... 345, 488, 701	ERM-BF412B ..... 166
CON-150-410-011 .....224	CON-150-441-030 ..... 236	DE-PAH 1520 ..... 425	ERI-017 ..... 488, 701	ERM-BF412C ..... 166
CON-150-410-012 .....224	CON-150-441-035 ..... 236	DE-PAH-7 ..... 431	ERM-038.... 349, 490, 701	ERM-BF412D ..... 166
CON-150-410-013 .....224	CON-150-441-040 ..... 236	DE-PCB 138 ..... 394	ERM-AC057 ..... 303	ERM-BF412E ..... 166
CON-150-410-014 .....224	CON-150-441-045 ..... 236	DE-PCB 28 ..... 387	ERM-AC058 ..... 304	ERM-BF412F ..... 166
CON-150-410-015 .....224	CON-150-441-050 ..... 236	DE-PROM 16 ..... 433	ERM-AC059 ..... 304	ERM-BF413AK ..... 166
CON-150-410-016 .....224	CON-150-441-055 ..... 236	DE-RIV 1 ..... 434	ERM-AC060 ..... 304	ERM-BF413CK ..... 166
CON-150-410-017 .....224	CON-150-441-060 ..... 236	DE-SAL-0100 ..... 312	ERM-AC213 ..... 430	ERM-BF413EK ..... 166
CON-150-410-018 .....224	CON-150-441-065 ..... 236	DE-SAL-0200 ..... 312	ERM-AC301 ..... 302	ERM-BF413GK ..... 166
CON-150-410-019 .....224	CON-150-441-070 ..... 236	DE-SAL-4100 ..... 312	ERM-AC303 ..... 152, 346	ERM-BF414A ..... 166
CON-150-410-020 .....224	CON-150-441-075 ..... 236	DE-SAL-4200 ..... 312	ERM-AC316 ..... 266	ERM-BF414B ..... 166
CON-150-410-021 .....224	CON-150-441-080 ..... 236	DE-SAL-4300 ..... 312	ERM-AC404 ..... 185	ERM-BF414C ..... 166
CON-150-410-022 .....224	CON-150-441-085 ..... 236	DE-TOX 401 ..... 370	ERM-AC405 ..... 185	ERM-BF414D ..... 167
CON-150-410-023 .....224	CON-150-441-090 ..... 236	DE-TOX 402 ..... 370	ERM-AC406 ..... 185	ERM-BF414E ..... 167
CON-150-420-005 .....222	CON-150-441-095 ..... 236	DE-TOX 403 ..... 370	ERM-AC407 ..... 185	ERM-BF414F ..... 167
CON-150-420-010 .....222	CON-150-500-035 ..... 219	DE-TOX 404 ..... 370	ERM-AC699 ..... 306	ERM-BF415A ..... 167
CON-150-420-015 .....222	CON-150-500-045 ..... 218	DE-TOX 405 ..... 373	ERM-AC802 ..... 312, 490	ERM-BF415B ..... 167
CON-150-420-020 .....222	CON-150-500-055 ..... 218	DE-TOX 408 ..... 371	ERM-AC820 ..... 390	ERM-BF415C ..... 167
CON-150-420-025 .....222	CON-150-500-115 ..... 219	DE-TOX 409 ..... 371	ERM-AC821 ..... 393	ERM-BF415D ..... 167
CON-150-420-030 .....222	CON-150-500-125 ..... 219	DE-TOX 410 ..... 372	ERM-AC822 ..... 396	ERM-BF415E ..... 167
CON-150-420-035 .....222	CON-150-500-135 ..... 218	DE-TOX 412 ..... 371	ERM-AC823 ..... 402	ERM-BF415F ..... 167
CON-150-420-040 .....222	CON-150-500-145 ..... 219	DE-TOX 413 ..... 373	ERM-AD413 ..... 166, 174	ERM-BF416A ..... 167
CON-150-420-045 .....223	CON-150-500-155 ..... 219	DE-TOX 414 ..... 371	ERM-AE101 ..... 814	ERM-BF416B ..... 167
CON-150-420-050 .....223	CON-150-500-195 ..... 219	DE-TOX 415 ..... 373	ERM-AE102 ..... 814	ERM-BF416C ..... 167
CON-150-420-055 .....223	CON-150-500-205 ..... 218	DE-TOX 417 ..... 370	ERM-AE103 ..... 814	ERM-BF416D ..... 167
CON-150-420-060 .....223	CON-150-500-215 ..... 219	DE-TOX 418 ..... 370	ERM-AE104 ..... 815	ERM-BF417A ..... 167
CON-150-420-100 .....222	CON-150-500-225 ..... 219	DE-TOX 419 ..... 371	ERM-AE633 ..... 813	ERM-BF417B ..... 168
CON-150-420-105 .....222	CON-150-500-235 ..... 219	DE-TOX 422 ..... 373	ERM-AE637 ..... 813	ERM-BF417C ..... 168
CON-150-420-110 .....222	CON-150-500-245 ..... 218	DE-TOX 423 ..... 372	ERM-AE638 ..... 813	ERM-BF417D ..... 168
CON-150-420-120 .....222	CON-150-500-255 ..... 219	DE-TOX 424 ..... 373	ERM-AE639 ..... 813	ERM-BF418A ..... 168
CON-150-420-125 .....222	CON-150-500-265 ..... 219	DE-TOX 425 ..... 375	ERM-AE640 ..... 814	ERM-BF418B ..... 168
CON-150-420-130 .....222	CON-150-500-275 ..... 219	DE-TOX 436 ..... 375	ERM-AE641 ..... 813	ERM-BF418C ..... 168
CON-150-420-135 .....222	CON-150-500-285 ..... 219	DE-TOX 437 ..... 374	ERM-AE642 ..... 813	ERM-BF418D ..... 168
CON-150-420-140 .....222	CON-150-500-295 ..... 219	DE-TOX 438 ..... 375	ERM-AE647 ..... 813	ERM-BF419A ..... 170
CON-150-420-145 .....223	CON-150-500-305 ..... 219	DE-TOX 439 ..... 371	ERM-AE649 ..... 814	ERM-BF419B ..... 170
CON-150-420-150 .....223	CON-150-500-385 ..... 219	DE-TOX 441 ..... 370	ERM-AE701 ..... 813	ERM-BF420A ..... 168
CON-150-420-155 .....223	CON-150-500-395 ..... 219	DE-TOX 442 ..... 371	ERM-BA005 ..... 185	ERM-BF420B ..... 168
CON-150-420-160 .....223	CON-150-500-425 ..... 219	DE-TOX 444 ..... 372	ERM-BA006 ..... 184	ERM-BF420C ..... 168
CON-150-430-010 .....223	CON-150-500-475 ..... 219	DE-TOX 445 ..... 372	ERM-BB124 ..... 146	ERM-BF421A ..... 169
CON-150-430-020 .....223	CON-150-500-485 ..... 218	DE-TOX 446 ..... 374	ERM-BB130 ..... 147	ERM-BF421B ..... 169
CON-150-430-030 .....223	CON-150-500-495 ..... 219	DE-TOX 447 ..... 373	ERM-BB350 ..... 153	ERM-BF422A ..... 170
CON-150-430-100 .....223	CON-150-500-505 ..... 219	DE-TOX 448 ..... 375	ERM-BB384 ..... 143	ERM-BF422B ..... 170
CON-150-430-101 .....223	CON-150-500-515 ..... 218	DE-TOX 449 ..... 375	ERM-BB444 ..... 147	ERM-BF422C ..... 170
CON-150-430-102 .....223	CON-150-500-565 ..... 218	DE-TOX 450 ..... 374	ERM-BB445 ..... 147	ERM-BF422D ..... 170
CON-150-430-103 .....223	CON-150-500-575 ..... 219	DE-TOX 451 ..... 374	ERM-BB446 ..... 147	ERM-BF423A ..... 168
CON-150-430-104 .....223	CON-150-500-745 ..... 219	DE-TOX 452 ..... 374	ERM-BB501 ..... 143	ERM-BF423B ..... 168
CON-150-430-105 .....223	CON-150-500-825 ..... 219	DE-TOX 453 ..... 372	ERM-BC084 ..... 171	ERM-BF423C ..... 168
CON-150-430-106 .....223	CON-150-500-835 ..... 218	DE-TOX 454 ..... 372	ERM-BC190 ..... 164	ERM-BF423D ..... 168
CON-150-430-107 .....223	CON-150-700-002 ..... 224	DE-TOX 455 ..... 372	ERM-BC366 ..... 164	ERM-BF424A ..... 169
CON-150-430-108 .....223	CON-150-700-003 ..... 224	DE-TOX 457 ..... 374	ERM-BC367 ..... 164	ERM-BF424B ..... 169
CON-150-430-109 .....223	CON-150-701-001 ..... 225	DE-TOX 458 ..... 375	ERM-BC381 ..... 163	ERM-BF424C ..... 169
CON-150-440-000 .....236	CON-150-701-002 ..... 225	DE-TOX 459 ..... 374	ERM-BC382 ..... 161	ERM-BF424D ..... 169
CON-150-440-005 .....236	CON-150-701-003 ..... 225	DE-TOX 460 ..... 374	ERM-BC402 ..... 171	ERM-BF425A ..... 165
CON-150-440-010 .....236	CON-150-701-004 ..... 225	DE-TOX 482 ..... 376	ERM-BC514 ..... 173	ERM-BF425B ..... 165
CON-150-440-015 .....236	CON-150-701-005 ..... 225	DE-TOX 483 ..... 376	ERM-BC515 ..... 172	ERM-BF425C ..... 165
CON-150-440-020 .....236	CRO-TF 03435-3X ..... 502	DE-TOX 484 ..... 377	ERM-BC516 ..... 171	ERM-BF425D ..... 165
CON-150-440-025 .....236	CRO-TF 03446-3X ..... 502	DE-TOX 485 ..... 376	ERM-BC517 ..... 173	ERM-BF426A ..... 165
CON-150-440-030 .....236	DE-CE 01 ..... 273	DE-TOX 486 ..... 376	ERM-BC716 ..... 162, 308	ERM-BF426B ..... 165
CON-150-440-035 .....236	DE-CE 05 ..... 273	DE-TOX 487 ..... 377	ERM-BC717 ..... 162, 308	ERM-BF426C ..... 165
CON-150-440-040 .....236	DE-CE 10 ..... 273	DE-TOX 488 ..... 376	ERM-BD011 ..... 184, 860	ERM-BF426D ..... 165
CON-150-440-045 .....236	DE-ENG 416 ..... 273	DE-USC 912S ..... 409	ERM-BD012 ..... 184, 860	ERM-BF427A ..... 169
CON-150-440-050 .....236	DE-ENG 484 ..... 273	DE-USL 420 ..... 375	ERM-BD013 ..... 184, 860	ERM-BF427B ..... 169
CON-150-440-055 .....236	DE-MIG 13 ..... 273	DE-USL 421 ..... 375	ERM-BD014 ..... 184, 860	ERM-BF427C ..... 169
CON-150-440-060 .....236	DE-MIG 17 ..... 273	DE-WB 1000 ..... 273	ERM-BD015 ..... 184, 860	ERM-BF427D ..... 169
CON-150-440-065 .....236	DE-MS-02122-0.3 ..... 502	ECRM-B 752-1 ..... 203	ERM-BD272 ..... 181	ERM-BF428A ..... 170



ERM-BF428B .....170	FL-31056-250MG .....354	FL-31598-250MG .....472	FL-32533-10MG ..... 447	FL-32924-100MG ..... 444
ERM-BF428C .....170	FL-31057-250MG .....327	FL-31599-100MG .....359	FL-32534-10MG ..... 447	FL-32942-10MG ..... 445
ERM-BF429A .....170	FL-31058-100MG .....326	FL-31611-100MG .....353	FL-32538-100MG .....357	FL-32944-10MG ..... 265
ERM-BF429B .....171	FL-31059-250MG .....331	FL-31614-100MG .....472	FL-32543-10MG ..... 444	FL-32946-10MG ..... 265
ERM-BF429C .....171	FL-31061-250MG .....353	FL-31618-100MG .....490	FL-32544-10MG ..... 441	FL-32949-25MG ..... 356
ERM-CA011 .....27	FL-31091-250MG .....328	FL-31622-250MG .....439	FL-32547-10MG ..... 446	FL-32957-100MG ..... 325
ERM-CA015 .....27	FL-31097-1G .....350	FL-31626-250MG .....439	FL-32548-10MG ..... 446	FL-32964-100MG ..... 349
ERM-CA016 .....27	FL-31099-250MG .....323	FL-31629-250MG .....471	FL-32549-10MG ..... 443	FL-32965-10MG ..... 318
ERM-CA022 .....27	FL-31102-1G .....331	FL-31637-100MG .....318	FL-32551-10MG ..... 444	FL-32966-100MG ..... 347
ERM-CA408 .....28	FL-31112-100MG .....345	FL-31640-250MG .....478	FL-32552-10MG ..... 440	FL-32967-100MG ..... 319
ERM-CA615 .....29	FL-31115-100MG .....348	FL-31641-100MG .....480	FL-32553-10MG ..... 447	FL-32971-25MG ..... 447
ERM-CA616 .....29	FL-31116-100MG .....351	FL-31644-100MG .....320	FL-32554-10MG ..... 440	FL-32972-100MG ..... 345
ERM-CC008 .....81	FL-31118-100MG .....352	FL-31652-100MG .....359	FL-32555-10MG ..... 447	FL-32973-100MG ..... 356
ERM-CC009 .....81	FL-31141-250MG .....356	FL-31654-100MG .....338	FL-32567-10MG ..... 441	FL-32974-100MG ..... 341
ERM-CC010 .....81	FL-31143-250MG .....344	FL-31659-100MG .....484	FL-32568-10MG ..... 440	FL-32979-10MG ..... 324
ERM-CC011 .....81	FL-31179-250MG .....348	FL-31662-100MG .....346	FL-32569-10MG ..... 440	FL-32981-10MG ..... 446
ERM-CC012 .....81	FL-31189-250MG .....316	FL-31668-250MG .....334	FL-32573-10MG ..... 442	FL-32982-10MG ..... 440
ERM-CC013A .....81	FL-31198-1G .....337	FL-31673-100MG .....478	FL-32576-10MG ..... 440	FL-32983-10MG ..... 441
ERM-CC016 .....86	FL-31200-1G .....350	FL-31674-250MG .....340	FL-32580-10MG ..... 440	FL-32985-10MG ..... 444
ERM-CC017 .....86	FL-31206-250MG .....317	FL-31678-250MG .....325	FL-32582-25MG ..... 332	FL-32987-10MG ..... 441
ERM-CC135 .....79	FL-31209-250MG .....361	FL-31682-100MG .....321	FL-32586-50MG ..... 340	FL-32991-25MG ..... 442
ERM-CC136 .....111	FL-31215-1G .....323	FL-31684-100MG .....339	FL-32591-10MG ..... 439	FL-32992-25MG ..... 439
ERM-CC141 .....61	FL-31220-1G .....340	FL-31697-100MG .....317	FL-32611-100MG ..... 363	FL-32993-10MG ..... 475
ERM-CC580 .....56	FL-31222-250MG .....318	FL-31704-250MG .....440	FL-32613-10MG ..... 443	FL-32994-100MG ..... 361
ERM-CC690 .....61	FL-31223-250MG .....339	FL-31711-5ML .....498	FL-32632-100MG ..... 333	FL-32996-10MG ..... 446
ERM-CD100 .....116	FL-31227-250MG .....318	FL-31712-100MG .....340	FL-32635-100MG ..... 333	FL-32997-10MG ..... 446
ERM-CD281 .....117	FL-31229-250MG .....360	FL-31713-100MG .....338	FL-32637-100MG ..... 349	FL-32998-10MG ..... 444
ERM-CE464 .....152	FL-31237-250MG .....332	FL-31715-250MG .....442	FL-32641-100MG ..... 349	FL-32999-25MG ..... 316
ERM-CE477 .....148	FL-31241-250MG .....334	FL-31716-100MG .....361	FL-32645-100MG ..... 349	FL-33006-10MG ..... 319
ERM-CZ100 .....132	FL-31244-250MG .....327	FL-31717-100MG .....363	FL-32646-100MG ..... 349	FL-33197-100MG ..... 342
ERM-CZ120 .....132	FL-31251-250MG .....355	FL-31718-100MG .....340	FL-32648-100MG ..... 349	FL-33307-100MG ..... 358
ERM-EB503 .....265	FL-31256-100MG .....342	FL-31719-250MG .....442	FL-32650-100MG ..... 349	FL-33309-100MG ..... 337
ERM-EB504 .....265	FL-31257-250MG .....330	FL-31720-100MG .....355	FL-32668-10MG ..... 350	FL-33312-100MG ..... 335
ERM-EC590 .....259	FL-31258-100MG .....316	FL-31721-250MG .....442	FL-32673-10MG ..... 442	FL-33347-50MG ..... 439
ERM-EC591 .....259	FL-31261-250MG .....357	FL-31726-100MG .....333	FL-32677-25MG ..... 332	FL-33349-50MG ..... 439
ERM-EC680K .....258	FL-31264-100MG .....349	FL-31732-100MG .....315	FL-32702-10MG ..... 486	FL-33361-100MG ..... 347
ERM-EC681K .....258	FL-31267-250MG .....362	FL-31734-250MG .....441	FL-32705-10MG ..... 490	FL-33362-100MG ..... 351
ERM-ED101 .....264	FL-31281-250MG .....334	FL-31735-250MG .....439	FL-32707-10MG ..... 486	FL-33363-25MG ..... 324
ERM-EF104 .....227	FL-31285-2ML .....340	FL-31736-250MG .....446	FL-32713-100MG ..... 358	FL-33365-100MG ..... 344
ERM-EF211 .....227	FL-31290-2ML .....346	FL-31737-250MG .....446	FL-32716-50MG ..... 325	FL-33366-100MG ..... 346
ERM-EF212 .....227	FL-31298-250MG .....484	FL-31738-250MG .....446	FL-32719-100MG ..... 357	FL-33367-100MG ..... 348
ERM-EF213 .....227	FL-31301-250MG .....473	FL-31739-250MG .....446	FL-32721-100MG ..... 361	FL-33368-100MG ..... 348
ERM-EF317 .....228	FL-31302-250MG .....474	FL-31741-250MG .....446	FL-32729-10MG ..... 441	FL-33371-100MG ..... 350
ERM-EF318 .....228	FL-31461-250MG .....321	FL-31742-250MG .....442	FL-32731-10MG ..... 438	FL-33372-100MG ..... 350
ERM-EF671 .....227	FL-31464-250MG .....316	FL-31743-250MG .....446	FL-32733-10MG ..... 438	FL-33373-100MG ..... 362
ERM-EF672 .....227	FL-31466-250MG .....316	FL-31744-250MG .....446	FL-32736-10MG ..... 439	FL-33374-100MG ..... 351
ERM-EF673 .....227	FL-31469-250MG .....318	FL-32005-250MG .....321	FL-32737-10MG ..... 444	FL-33375-100MG ..... 348
ERM-EF674 .....227	FL-31476-100MG .....319	FL-32007-100MG .....344	FL-32738-10MG ..... 439	FL-33376-100MG ..... 342
ERM-EG001 .....265	FL-31484-250MG .....319	FL-32012-100MG .....347	FL-32744-10MG ..... 443	FL-33379-100MG ..... 315
ERM-FA001 .....872	FL-31489-250MG .....319	FL-32013-250MG .....359	FL-32766-100MG ..... 359	FL-33381-100MG ..... 344
ERM-FA002 .....872	FL-31496-250MG .....319	FL-32014-250MG .....336	FL-32800-100MG ..... 444	FL-33382-100MG ..... 351
ERM-FA003 .....872	FL-31510-250MG .....320	FL-32015-250MG .....335	FL-32801-100MG ..... 340	FL-33383-100MG ..... 362
ERM-FA004 .....872	FL-31517-250MG .....322	FL-32016-250MG .....363	FL-32802-100MG ..... 447	FL-33385-100MG ..... 335
ERM-FA005 .....872	FL-31519-250MG .....337	FL-32053-250MG .....320	FL-32805-100MG ..... 346	FL-33386-100MG ..... 315
ERM-FA006 .....872	FL-31520-250MG .....341	FL-32054-250MG .....320	FL-32808-100MG ..... 347	FL-33387-100MG ..... 316
ERM-FA007 .....872	FL-31523-100MG .....317	FL-32055-250MG .....321	FL-32809-25MG ..... 440	FL-33388-100MG ..... 354
ERM-FA008 .....872	FL-31525-250MG .....359	FL-32056-250MG .....321	FL-32811-100MG ..... 350	FL-33389-100MG ..... 345
ERM-FA013 .....878	FL-31527-250MG .....360	FL-32057-250MG .....341	FL-32819-10MG ..... 439	FL-33392-100MG ..... 321
ERM-FA014 .....878	FL-31533-250MG .....320	FL-32058-250MG .....355	FL-32820-100MG ..... 315	FL-33393-50MG ..... 363
ERM-FA015 .....878	FL-31534-250MG .....344	FL-32059-250MG .....358	FL-32821-25MG ..... 354	FL-33394-100MG ..... 346
ERM-FA016 .....878	FL-31548-250MG .....338	FL-32061-250MG .....363	FL-32824-10MG ..... 340	FL-33395-100MG ..... 348
ERM-FA415 .....879	FL-31551-100MG .....361	FL-32403-25MG .....326	FL-32825-10MG ..... 440	FL-33396-100MG ..... 316
ERM-FB012 .....851	FL-31555-2ML .....336	FL-32419-25MG .....351	FL-32826-10MG ..... 442	FL-33397-100MG ..... 319
ERM-FB020 .....851	FL-31562-100MG .....335	FL-32429-20MG .....356	FL-32827-10MG ..... 440	FL-33398-100MG ..... 319
ERM-FB021 .....851	FL-31563-250MG .....478	FL-32497-100MG .....333	FL-32828-10MG ..... 440	FL-33399-100MG ..... 319
ERM-FC032 .....832	FL-31564-5ML .....471	FL-32498-25MG .....358	FL-32834-10MG ..... 442	FL-33400-100MG ..... 320
ERM-FC033 .....832	FL-31565-250MG .....485	FL-32501-50MG .....364	FL-32836-10MG ..... 438	FL-33412-100MG ..... 362
ERM-FD100 .....835	FL-31566-250MG .....496	FL-32504-50MG .....319	FL-32837-10MG ..... 445	FL-33427-5ML ..... 494
ERM-FD107 .....843	FL-31567-250MG463, 492	FL-32505-50MG .....320	FL-32838-10MG ..... 444	FL-33428-100MG ..... 489
ERM-FD120 .....844	FL-31568-250MG463, 492	FL-32506-50MG .....337	FL-32839-10MG ..... 441	FL-33429-100MG ..... 441
ERM-FD121 .....844	FL-31569-250MG .....490	FL-32509-25MG .....340	FL-32841-10MG ..... 438	FL-33431-100MG ..... 345
ERM-FD122 .....844	FL-31570-250MG461, 476	FL-32510-25MG .....322	FL-32842-10MG ..... 443	FL-33434-100MG ..... 440
ERP-083 .....494, 701	FL-31571-250MG .....329	FL-32511-10MG .....442	FL-32843-10MG ..... 442	FL-33436-50MG ..... 345
ERT-052 .....496, 701	FL-31572-250MG .....356	FL-32512-10MG .....444	FL-32844-10MG ..... 446	FL-33441-50MG ..... 442
ERT-053 .....496, 701	FL-31573-100MG .....439	FL-32513-10MG .....444	FL-32853-10MG ..... 440	FL-33447-100MG ..... 443
ERT-054 .....496, 701	FL-31574-250MG .....358	FL-32515-10MG .....446	FL-32854-10MG ..... 439	FL-33448-10MG ..... 444
FL-02562-5ML .....481	FL-31576-1G .....356	FL-32517-10MG .....446	FL-32861-2ML ..... 353	FL-33454-100MG ..... 445
FL-03079-5ML .....486	FL-31579-250MG .....439	FL-32518-10MG .....446	FL-32866-100MG ..... 318	FL-33489-100MG ..... 362
FL-30317-100MG .....344	FL-31580-50MG .....359	FL-32523-100MG .....341	FL-32871-100MG ..... 326	FL-33491-100MG ..... 332
FL-30482-10MG .....358	FL-31584-250MG .....439	FL-32524-100MG .....345	FL-32872-100MG ..... 315	FL-33492-100MG ..... 444
FL-30540-5ML .....478	FL-31586-250MG .....439	FL-32525-100MG .....340	FL-32874-100MG ..... 323	FL-33493-100MG ..... 494
FL-31036-100MG .....345	FL-31591-250MG .....439	FL-32526-100MG .....441	FL-32900-10MG ..... 318	FL-33496-100MG ..... 340
FL-31037-100MG .....349	FL-31592-250MG .....439	FL-32527-50MG .....438	FL-32904-100MG ..... 439	FL-33497-100MG ..... 445
FL-31038-100MG .....318	FL-31593-250MG .....439	FL-32528-50MG .....353	FL-32917-100MG ..... 355	FL-33499-100MG ..... 334
FL-31040-1G .....330	FL-31596-100MG .....326	FL-32529-25MG .....340	FL-32918-50MG ..... 342	FL-33586-100MG ..... 441
FL-31041-100MG .....328	FL-31597-250MG .....472	FL-32532-100MG .....345	FL-32919-50MG ..... 344	FL-33588-100MG ..... 316



## Code number index

FL-33589-100MG .....325	FL-33996-100MG..... 441	FL-34216-10MG..... 442	FL-35835-1G..... 331	FL-36510-100MG..... 320
FL-33599-100MG .....358	FL-33997-100MG..... 442	FL-34218-100MG..... 440	FL-35836-1G..... 351	FL-36511-250MG..... 358
FL-33613-100MG .....330	FL-33998-100MG..... 443	FL-34219-25MG..... 446	FL-35837-1G..... 316	FL-36513-250MG..... 363
FL-33652-10MG .....488	FL-33999-100MG..... 445	FL-34221-50MG..... 345	FL-35886-1G..... 353	FL-36514-250MG..... 360
FL-33654-100MG .....358	FL-34000-100MG..... 447	FL-34222-50MG..... 345	FL-35914-250MG..... 323	FL-36515-100MG..... 347
FL-33655-100MG .....438	FL-34001-100MG..... 439	FL-34223-100MG..... 439	FL-35952-1G..... 353	FL-36518-10MG..... 360
FL-33656-100MG .....445	FL-34002-100MG..... 446	FL-34224-100MG..... 358	FL-35966-1G..... 351	FL-36521-250MG..... 357
FL-33658-100MG .....354	FL-34003-10MG..... 442	FL-34225-100MG..... 361	FL-35975-1G..... 479	FL-36522-250MG..... 357
FL-33659-100MG .....320	FL-34003-250MG..... 442	FL-34227-100MG..... 344	FL-35979-250MG..... 356	FL-36523-250MG..... 319
FL-33672-100MG .....363	FL-34004-100MG..... 442	FL-34229-10MG..... 349	FL-35991-1G..... 323	FL-36524-250MG..... 344
FL-33673-100MG .....323	FL-34004-10MG..... 442	FL-34230-10MG..... 349	FL-35992-250MG..... 331	FL-36528-250MG..... 320
FL-33674-100MG .....315	FL-34005-100MG..... 440	FL-34231-100MG..... 350	FL-35995-250MG..... 338	FL-36529-250MG..... 325
FL-33694-100MG .....357	FL-34005-10MG..... 440	FL-34232-100MG..... 356	FL-35996-250MG..... 362	FL-36530-250MG..... 323
FL-33696-100MG .....356	FL-34007-10MG..... 443	FL-34237-50MG..... 325	FL-35998-250MG..... 364	FL-36531-250MG..... 332
FL-33697-100MG .....333	FL-34012-10MG..... 442	FL-34238-100MG..... 319	FL-36121-100MG..... 320	FL-36532-250MG..... 339
FL-33698-100MG .....355	FL-34014-100MG..... 442	FL-34239-25MG..... 325	FL-36122-100MG..... 320	FL-36536-250MG..... 362
FL-33699-100MG .....441	FL-34015-100MG..... 440	FL-34301-250MG..... 334	FL-36123-100MG..... 322	FL-36538-100MG..... 363
FL-33700-100MG .....440	FL-34016-100MG..... 442	FL-34308-250MG..... 363	FL-36124-100MG..... 323	FL-36541-100MG..... 352
FL-33703-100MG .....444	FL-34027-50MG..... 340	FL-34309-50MG..... 343	FL-36125-100MG..... 323	FL-36542-250MG..... 329
FL-33706-50MG .....358	FL-34039-100MG..... 443	FL-34311-50MG..... 315	FL-36126-100MG..... 325	FL-36543-250MG..... 363
FL-33738-250MG .....326	FL-34041-100MG..... 444	FL-34314-100MG..... 319	FL-36127-100MG..... 325	FL-36544-1G..... 323
FL-33739-100MG .....357	FL-34042-100MG..... 445	FL-34318-100MG..... 323	FL-36128-100MG..... 326	FL-36545-1G..... 330
FL-33746-25MG .....443	FL-34044-100MG..... 447	FL-34319-50MG..... 323	FL-36129-100MG..... 343	FL-36546-1G..... 348
FL-33755-100MG .....440	FL-34045-100MG..... 439	FL-34321-250MG..... 324	FL-36131-100MG..... 344	FL-36547-1G..... 348
FL-33756-10MG .....445	FL-34046-100MG..... 442	FL-34322-100MG..... 324	FL-36132-100MG..... 344	FL-36548-1G..... 349
FL-33797-100MG .....341	FL-34052-50MG..... 340	FL-34324-10MG..... 325	FL-36133-100MG..... 345	FL-36551-250MG..... 323
FL-33799-100MG .....345	FL-34056-50MG..... 356	FL-34326-100MG..... 326	FL-36134-100MG..... 345	FL-36552-250MG..... 339
FL-33815-10MG .....447	FL-34057-100MG..... 440	FL-34331-250MG..... 332	FL-36136-100MG..... 345	FL-36555-250MG..... 363
FL-33816-10MG .....447	FL-34058-10MG..... 444	FL-34333-250MG..... 334	FL-36137-100MG..... 345	FL-36558-100MG..... 348
FL-33818-10MG .....442	FL-34061-10MG..... 442	FL-34334-250MG..... 334	FL-36138-100MG..... 345	FL-36563-100MG..... 319
FL-33822-100MG .....357	FL-34064-100MG..... 337	FL-34337-250MG..... 334	FL-36139-100MG..... 345	FL-36564-250MG..... 325
FL-33824-100MG .....493	FL-34066-100MG..... 350	FL-34338-250MG..... 335	FL-36141-100MG..... 346	FL-36566-250MG..... 359
FL-33827-100MG .....487	FL-34069-100MG..... 442	FL-34340-100MG..... 337	FL-36142-100MG..... 346	FL-36568-250MG..... 360
FL-33829-100MG .....487	FL-34073-100MG..... 447	FL-34341-100MG..... 338	FL-36143-100MG..... 346	FL-36569-25MG..... 355
FL-33847-250MG .....447	FL-34074-100MG..... 357	FL-34342-250MG..... 338	FL-36144-100MG..... 346	FL-36572-250MG..... 331
FL-33853-10MG .....361	FL-34076-100MG..... 445	FL-34343-250MG..... 339	FL-36145-100MG..... 347	FL-36573-250MG..... 331
FL-33855-100MG .....347	FL-34078-100MG..... 444	FL-34344-100MG..... 341	FL-36146-100MG..... 347	FL-36574-250MG..... 334
FL-33856-100MG .....342	FL-34079-10MG..... 321	FL-34347-100MG..... 341	FL-36147-100MG..... 347	FL-36575-250MG..... 341
FL-33859-100MG .....349	FL-34083-10MG..... 441	FL-34348-100MG..... 343	FL-36148-100MG..... 347	FL-36576-250MG..... 358
FL-33863-100MG .....318	FL-34084-50MG..... 340	FL-34350-100MG..... 344	FL-36150-100MG..... 347	FL-36601-500MG..... 330
FL-33864-100MG .....447	FL-34085-100MG..... 337	FL-34352-100MG..... 347	FL-36151-100MG..... 347	FL-36605-1G..... 331
FL-33865-50MG .....485	FL-34087-100MG..... 332	FL-34360-100MG..... 350	FL-36152-100MG..... 348	FL-36607-1G..... 333
FL-33868-10MG .....444	FL-34088-100MG..... 444	FL-34364-100MG..... 351	FL-36154-100MG..... 347	FL-36611-1G..... 347
FL-33869-10MG .....444	FL-34089-100MG..... 442	FL-34365-100MG..... 351	FL-36155-100MG..... 347	FL-36612-1G..... 351
FL-33870-10MG .....444	FL-34091-100MG..... 441	FL-34366-250MG..... 353	FL-36156-100MG..... 348	FL-36614-1G..... 333
FL-33871-10MG .....444	FL-34092-100MG..... 445	FL-34371-100MG..... 356	FL-36157-100MG..... 348	FL-36617-1G..... 334
FL-33872-100MG .....339	FL-34093-100MG..... 325	FL-34373-250MG..... 358	FL-36158-100MG..... 348	FL-36627-1G..... 362
FL-33873-100MG .....364	FL-34094-100MG..... 337	FL-34374-100MG..... 360	FL-36159-100MG..... 348	FL-36628-250MG..... 317
FL-33874-100MG .....326	FL-34095-100MG..... 340	FL-34374-250MG..... 360	FL-36161-100MG..... 348	FL-36629-250MG..... 317
FL-33875-100MG .....319	FL-34099-50MG..... 341	FL-34375-250MG..... 361	FL-36162-100MG..... 349	FL-36631-250MG..... 317
FL-33886-10MG .....329	FL-34102-10MG..... 330	FL-34377-250MG..... 364	FL-36163-100MG..... 349	FL-36640-250MG..... 355
FL-33887-10MG .....329	FL-34111-10ML .....336	FL-34379-250MG..... 360	FL-36164-100MG..... 349	FL-36666-25MG..... 316
FL-33894-100MG .....440	FL-34111-2ML .....336	FL-34384-100MG..... 362	FL-36165-100MG..... 349	FL-36667-250MG..... 317
FL-33895-100MG .....445	FL-34144-10MG..... 315	FL-34387-250MG..... 341	FL-36168-100MG..... 349	FL-36673-100MG..... 336
FL-33897-100MG .....361	FL-34145-10MG..... 315	FL-34389-250MG..... 326	FL-36169-100MG..... 349	FL-36674-100MG..... 335
FL-33898-100MG .....337	FL-34146-10MG..... 315	FL-34390-250MG..... 490	FL-36170-100MG..... 349	FL-36675-100MG..... 336
FL-33899-100MG .....444	FL-34147-10MG..... 315	FL-35029-100MG..... 363	FL-36171-100MG..... 350	FL-36676-100MG..... 336
FL-33930-100MG .....441	FL-34148-10MG..... 349	FL-35030-25MG..... 325	FL-36172-100MG..... 350	FL-36677-100MG..... 332
FL-33931-100MG .....440	FL-34149-10MG..... 349	FL-35031-100MG..... 352	FL-36173-100MG..... 350	FL-36681-1G..... 315
FL-33941-50MG .....361	FL-34151-100MG..... 355	FL-35032-100MG..... 441	FL-36174-100MG..... 350	FL-36682-1G..... 316
FL-33943-100MG .....333	FL-34152-10MG..... 355	FL-35033-100MG..... 446	FL-36175-100MG..... 350	FL-36683-1G..... 316
FL-33965-100MG .....338	FL-34153-10MG..... 340	FL-35484-250MG..... 327	FL-36176-100MG..... 350	FL-36684-1G..... 316
FL-33966-100MG .....351	FL-34154-10MG..... 340	FL-35485-250MG..... 327	FL-36177-100MG..... 350	FL-36685-1G..... 316
FL-33967-100MG .....445	FL-34163-2ML .....494	FL-35486-250MG..... 328	FL-36178-100MG..... 350	FL-36687-1G..... 316
FL-33968-25MG .....332	FL-34165-10MG..... 363	FL-35487-250MG..... 328	FL-36179-100MG..... 351	FL-36689-1G..... 317
FL-33969-25MG .....344	FL-34166-100MG..... 439	FL-35488-250MG..... 328	FL-36181-100MG..... 351	FL-36690-1G..... 319
FL-33970-50MG .....347	FL-34170-10MG..... 344	FL-35489-250MG..... 328	FL-36182-100MG..... 351	FL-36693-1G..... 323
FL-33972-100MG .....363	FL-34172-100MG..... 364	FL-35492-50MG..... 343	FL-36183-100MG..... 351	FL-36696-1G..... 324
FL-33973-100MG .....440	FL-34174-100MG..... 445	FL-35493-250MG..... 345	FL-36184-100MG..... 352	FL-36697-1G..... 324
FL-33975-100MG .....439	FL-34176-100MG..... 444	FL-35525-250MG..... 336	FL-36185-100MG..... 352	FL-36698-1G..... 325
FL-33976-100MG .....337	FL-34177-100MG..... 348	FL-35548-100MG..... 359	FL-36186-100MG..... 352	FL-36701-1G..... 330
FL-33977-100MG .....341	FL-34178-100MG..... 347	FL-35550-100MG..... 353	FL-36187-100MG..... 352	FL-36702-1G..... 330
FL-33978-100MG .....438	FL-34179-100MG..... 344	FL-35562-250MG..... 327	FL-36188-100MG..... 352	FL-36703-1G..... 331
FL-33979-100MG .....445	FL-34181-2ML .....494	FL-35745-1G..... 350	FL-36189-100MG..... 352	FL-36704-1G..... 331
FL-33981-100MG .....441	FL-34182-10MG..... 489	FL-35746-1G..... 350	FL-36191-100MG..... 352	FL-36705-1G..... 331
FL-33983-100MG .....330	FL-34183-100MG..... 338	FL-35775-1G..... 331	FL-36192-100MG..... 353	FL-36706-1G..... 331
FL-33984-100MG .....441	FL-34196-10MG..... 441	FL-35800-1G..... 319	FL-36193-100MG..... 353	FL-36707-1G..... 331
FL-33985-100MG .....356	FL-34198-100MG..... 445	FL-35811-1G..... 331	FL-36194-100MG..... 354	FL-36708-1G..... 331
FL-33986-100MG .....447	FL-34202-100MG..... 441	FL-35823-1G..... 323	FL-36197-100MG..... 354	FL-36713-1G..... 333
FL-33987-100MG .....444	FL-34205-100MG..... 329	FL-35824-1G..... 323	FL-36198-100MG..... 344	FL-36714-1G..... 333
FL-33988-100MG .....440	FL-34207-10MG..... 442	FL-35826-1G..... 324	FL-36199-100MG..... 363	FL-36715-1G..... 333
FL-33989-100MG .....439	FL-34209-10MG..... 354	FL-35827-1G..... 331	FL-36500-100MG..... 329	FL-36716-1G..... 333
FL-33991-100MG .....329	FL-34210-100MG..... 350	FL-35828-1G..... 362	FL-36502-100MG..... 333	FL-36717-1G..... 333
FL-33992-100MG .....438	FL-34212-25MG..... 444	FL-35829-1G..... 330	FL-36503-100MG..... 336	FL-36723-1G..... 337
FL-33993-100MG .....441	FL-34213-25MG..... 444	FL-35831-1G..... 331	FL-36504-100MG..... 338	FL-36724-1G..... 337
FL-33994-100MG .....438	FL-34214-10MG..... 441	FL-35833-1G..... 323	FL-36505-100MG..... 345	FL-36732-1G..... 350

FL-36734-1G .....354	FL-37924-100MG .....361	FL-45428-250MG .....329	FL-45532-250MG..... 344	FL-45701-250MG..... 363
FL-36735-1G .....319	FL-41132-100MG .....340	FL-45429-250MG .....330	FL-45533-250MG..... 344	FL-45704-250MG..... 364
FL-36736-1G .....330	FL-45301-250MG .....322	FL-45430-250MG .....330	FL-45541-250MG..... 345	FL-45705-250MG..... 364
FL-36737-1G .....332	FL-45302-250MG .....323	FL-45431-250MG .....330	FL-45544-250MG..... 345	FL-45706-250MG..... 364
FL-36738-1G .....333	FL-45305-100MG .....332	FL-45432-250MG .....330	FL-45546-250MG..... 345	FL-45707-250MG..... 364
FL-36742-1G .....362	FL-45306-100MG .....337	FL-45433-250MG .....330	FL-45548-250MG..... 342	FL-45708-250MG..... 364
FL-36745-250MG .....363	FL-45307-100MG .....339	FL-45434-250MG .....330	FL-45552-250MG..... 346	FL-45709-250MG..... 359
FL-36746-1G .....324	FL-45311-50MG .....356	FL-45435-250MG .....330	FL-45553-250MG..... 346	FL-45711-250MG..... 359
FL-36747-1G .....324	FL-45312-250MG .....357	FL-45436-250MG .....331	FL-45554-250MG..... 346	FL-45712-250MG..... 359
FL-36749-1G .....331	FL-45313-100MG .....359	FL-45437-250MG .....332	FL-45555-250MG..... 346	FL-45713-250MG..... 359
FL-36756-250MG .....342	FL-45314-100MG .....361	FL-45439-250MG .....331	FL-45569-250MG..... 348	FL-45719-100MG..... 320
FL-36758-250MG .....325	FL-45315-250MG .....315	FL-45440-250MG .....331	FL-45570-250MG..... 347	FL-45721-100MG..... 323
FL-36759-1G .....319	FL-45316-250MG .....315	FL-45441-250MG .....332	FL-45576-250MG..... 348	FL-45729-100MG..... 348
FL-36761-1G .....323	FL-45318-100MG .....316	FL-45442-250MG .....332	FL-45577-250MG..... 349	FL-45732-250MG..... 327
FL-36763-250MG .....325	FL-45319-250MG .....316	FL-45443-250MG .....332	FL-45590-250MG..... 350	FL-45733-250MG..... 331
FL-36764-50MG .....330	FL-45320-250MG .....322	FL-45444-250MG .....332	FL-45593-250MG..... 350	FL-45734-250MG..... 332
FL-36765-1G .....332	FL-45321-250MG .....316	FL-45446-250MG .....333	FL-45607-100MG..... 352	FL-45735-250MG..... 340
FL-36766-1G .....333	FL-45322-250MG .....316	FL-45447-250MG .....333	FL-45613-250MG..... 317	FL-45736-250MG..... 350
FL-36772-250MG .....339	FL-45323-250MG .....316	FL-45448-250MG .....333	FL-45614-250MG..... 353	FL-45737-100MG..... 357
FL-36773-250MG .....347	FL-45324-250MG .....316	FL-45449-100MG .....333	FL-45615-250MG..... 353	FL-45746-250MG..... 346
FL-36774-250MG .....354	FL-45326-250MG .....316	FL-45450-250MG .....334	FL-45619-250MG..... 353	FL-45751-100MG..... 333
FL-36780-100MG .....341	FL-45328-250MG .....317	FL-45451-250MG .....334	FL-45622-100MG..... 354	FL-45752-250MG..... 340
FL-36783-250MG .....340	FL-45329-250MG .....317	FL-45452-250MG .....334	FL-45624-250MG..... 334	FL-45753-100MG..... 341
FL-36788-250MG .....333	FL-45330-250MG .....317	FL-45453-100MG .....334	FL-45625-250MG..... 354	FL-45756-250MG..... 359
FL-36791-250MG .....324	FL-45331-250MG .....317	FL-45455-250MG .....334	FL-45626-100MG..... 354	FL-45758-100MG..... 341
FL-36792-250MG .....315	FL-45332-250MG .....317	FL-45456-250MG .....334	FL-45627-250MG..... 354	FL-45762-100MG..... 354
FL-36795-10MG .....358	FL-45333-250MG .....317	FL-45457-250MG .....334	FL-45628-250MG..... 354	FL-45763-250MG..... 338
FL-36848-100MG .....336	FL-45334-250MG .....317	FL-45458-250MG .....334	FL-45631-250MG..... 355	FL-45775-250MG..... 479
FL-36849-100MG .....339	FL-45335-250MG .....317	FL-45459-250MG .....334	FL-45632-250MG..... 355	FL-45776-250MG..... 479
FL-36850-100MG .....339	FL-45336-250MG .....318	FL-45460-250MG .....335	FL-45633-250MG..... 355	FL-45778-250MG..... 483
FL-36851-250MG .....339	FL-45337-250MG .....318	FL-45462-250MG .....335	FL-45634-250MG..... 355	FL-45788-250MG..... 485
FL-36893-2ML .....353	FL-45338-250MG .....318	FL-45463-250MG .....335	FL-45635-250MG..... 355	FL-45789-250MG..... 488
FL-36908-250MG .....483	FL-45339-250MG .....318	FL-45464-250MG .....335	FL-45636-250MG..... 355	FL-45791-250MG..... 488
FL-36909-250MG .....490	FL-45349-250MG .....319	FL-45465-250MG .....335	FL-45637-250MG..... 355	FL-45795-250MG..... 489
FL-36911-250MG .....473	FL-45350-250MG .....319	FL-45466-250MG .....335	FL-45638-250MG..... 355	FL-45796-250MG..... 489
FL-36916-250MG .....490	FL-45352-250MG .....319	FL-45467-250MG .....335	FL-45639-250MG..... 355	FL-45797-100MG..... 492
FL-36918-250MG .....497	FL-45355-250MG .....320	FL-45468-100MG .....335	FL-45640-250MG..... 356	FL-45800-250MG..... 495
FL-36921-250MG .....474	FL-45356-250MG .....320	FL-45469-250MG .....336	FL-45641-250MG..... 356	FL-45801-250MG..... 494
FL-36922-250MG .....477	FL-45357-250MG .....320	FL-45470-250MG .....337	FL-45642-250MG..... 356	FL-45802-250MG..... 495
FL-36925-250MG .....478	FL-45358-250MG .....320	FL-45471-250MG .....337	FL-45643-250MG..... 356	FL-45804-100MG..... 499
FL-36926-250MG .....490	FL-45363-250MG .....320	FL-45472-250MG .....337	FL-45644-250MG..... 356	FL-45806-100MG..... 326
FL-36927-250MG .....473	FL-45365-250MG .....320	FL-45473-250MG .....337	FL-45645-250MG..... 356	FL-45808-10MG..... 363
FL-36928-250MG .....495	FL-45368-250MG .....321	FL-45474-250MG .....337	FL-45646-250MG..... 356	FL-45810-10MG..... 337
FL-36932-1G .....487	FL-45369-250MG .....321	FL-45475-250MG .....337	FL-45647-250MG..... 356	FL-45811-10MG..... 337
FL-36933-250MG .....473	FL-45371-250MG .....321	FL-45476-250MG .....337	FL-45648-250MG..... 356	FL-45812-250MG..... 327
FL-36934-250MG .....473	FL-45372-250MG .....321	FL-45477-250MG .....337	FL-45650-250MG..... 357	FL-45814-100MG..... 344
FL-36941-250MG .....472	FL-45373-250MG .....321	FL-45478-250MG .....337	FL-45651-250MG..... 357	FL-45815-100MG..... 319
FL-36967-1G .....481	FL-45374-250MG .....322	FL-45479-250MG .....337	FL-45652-250MG..... 357	FL-45816-100MG..... 319
FL-36968-1G .....481	FL-45376-250MG .....323	FL-45481-250MG .....337	FL-45653-250MG..... 357	FL-45817-100MG..... 342
FL-36969-1G .....481	FL-45377-250MG .....322	FL-45482-250MG .....338	FL-45654-10MG..... 357	FL-45820-250MG..... 342
FL-36970-1G .....474	FL-45378-250MG .....322	FL-45483-250MG .....338	FL-45655-250MG..... 357	FL-45871-100MG..... 335
FL-36971-1G .....479	FL-45379-250MG .....322	FL-45484-250MG .....338	FL-45656-250MG..... 357	FL-45921-250MG461, 479
FL-36972-1G .....474	FL-45381-250MG .....323	FL-45486-250MG .....338	FL-45657-250MG..... 357	FL-45922-250MG461, 478
FL-37871-100MG .....347	FL-45383-250MG .....327	FL-45487-250MG .....338	FL-45658-250MG..... 358	FL-45925-250MG461, 476
FL-37872-25MG .....319	FL-45385-250MG .....323	FL-45488-250MG .....338	FL-45660-250MG..... 358	FL-45926-250MG461, 476
FL-37874-10MG .....363	FL-45386-250MG .....323	FL-45489-250MG .....339	FL-45661-250MG..... 358	FL-45930-250MG462, 484
FL-37876-100MG .....316	FL-45387-250MG .....323	FL-45490-100MG .....317	FL-45662-250MG..... 358	FL-45935-250MG..... 498
FL-37877-100MG .....344	FL-45389-250MG .....324	FL-45491-250MG .....339	FL-45664-100MG..... 358	FL-45945-1G..... 494
FL-37878-100MG .....344	FL-45390-250MG .....324	FL-45492-250MG .....339	FL-45665-250MG..... 358	FL-45946-250MG..... 472
FL-37879-50MG .....472	FL-45391-250MG .....324	FL-45493-250MG .....339	FL-45666-250MG..... 358	FL-45948-250MG..... 483
FL-37885-50MG .....339	FL-45393-250MG .....324	FL-45494-250MG .....339	FL-45667-250MG..... 358	FL-45957-250MG461, 476
FL-37886-100MG .....320	FL-45394-250MG .....324	FL-45495-250MG .....339	FL-45668-250MG..... 359	FL-45963-250MG..... 484
FL-37887-100MG .....320	FL-45395-250MG .....324	FL-45496-250MG .....340	FL-45669-250MG..... 359	FL-45965-250MG461, 484
FL-37892-100MG .....320	FL-45396-250MG .....324	FL-45497-250MG .....340	FL-45671-250MG..... 359	FL-45966-250MG..... 484
FL-37893-100MG .....325	FL-45397-250MG .....325	FL-45499-250MG .....340	FL-45672-250MG..... 359	FL-45967-250MG..... 484
FL-37894-100MG .....344	FL-45398-250MG .....324	FL-45500-250MG .....340	FL-45675-250MG..... 359	FL-45968-250MG462, 484
FL-37895-10MG .....321	FL-45400-250MG .....324	FL-45501-250MG .....340	FL-45677-250MG..... 360	FL-45969-250MG..... 485
FL-37896-10MG .....321	FL-45402-250MG .....325	FL-45502-250MG .....340	FL-45678-250MG..... 360	FL-45972-250MG..... 483
FL-37897-100MG .....318	FL-45403-250MG .....325	FL-45506-250MG .....340	FL-45679-250MG..... 360	FL-45974-250MG..... 483
FL-37898-100MG .....364	FL-45404-250MG .....325	FL-45507-250MG .....341	FL-45680-250MG..... 360	FL-45975-250MG..... 483
FL-37899-100MG .....345	FL-45407-250MG .....325	FL-45511-250MG .....341	FL-45681-250MG..... 360	FL-45979-250MG..... 497
FL-37901-100MG .....345	FL-45408-250MG .....326	FL-45514-250MG .....341	FL-45682-250MG..... 331	FL-45983-5ML ..... 471
FL-37902-100MG .....343	FL-45409-250MG .....326	FL-45515-250MG .....341	FL-45683-250MG..... 360	FL-45984-250MG..... 490
FL-37903-100MG .....339	FL-45411-250MG .....326	FL-45516-250MG .....341	FL-45684-250MG..... 360	FL-45986-250MG463, 492
FL-37905-100MG .....361	FL-45413-250MG .....326	FL-45517-250MG .....341	FL-45686-250MG..... 361	FL-45989-250MG..... 490
FL-37906-100MG .....443	FL-45414-250MG .....326	FL-45518-250MG .....339	FL-45687-250MG..... 361	FL-45993-250MG..... 494
FL-37909-100MG .....348	FL-45416-250MG .....327	FL-45519-250MG .....341	FL-45688-250MG..... 361	FL-45995-100MG..... 321
FL-37912-100MG .....354	FL-45418-250MG .....327	FL-45520-100MG .....341	FL-45689-250MG..... 361	FL-45996-250MG..... 494
FL-37913-100MG .....323	FL-45419-250MG .....327	FL-45521-250MG .....342	FL-45691-250MG..... 339	FL-45998-250MG461, 476
FL-37915-100MG .....342	FL-45420-250MG .....327	FL-45522-250MG .....343	FL-45692-250MG..... 339	FL-46001-250MG..... 318
FL-37916-100MG .....333	FL-45421-250MG .....327	FL-45524-250MG .....343	FL-45693-250MG..... 362	FL-46003-250MG..... 326
FL-37918-100MG .....441	FL-45422-250MG .....334	FL-45525-250MG .....343	FL-45694-250MG..... 362	FL-46005-250MG..... 338
FL-37919-100MG .....439	FL-45423-250MG .....329	FL-45526-250MG .....343	FL-45695-250MG..... 362	FL-46006-100MG..... 439
FL-37921-100MG .....441	FL-45424-250MG .....329	FL-45528-250MG .....344	FL-45696-250MG..... 362	FL-46011-250MG..... 354
FL-37922-100MG .....492	FL-45426-250MG .....329	FL-45529-250MG .....344	FL-45696-50MG..... 362	FL-46012-100MG..... 353
FL-37923-100MG .....344	FL-45427-250MG .....329	FL-45531-250MG .....344	FL-45698-250MG..... 362	FL-46013-100MG..... 362

## Code number index

FL-46014-100MG .....360	FL-46337-250MG..... 442	FL-46882-250MG..... 446	IAEA-305..... 816	IPO 049..... 319
FL-46017-250MG .....339	FL-46356-250MG..... 439	FL-46901-250MG..... 445	IAEA-311..... 816	IPO 050..... 318
FL-46018-1G .....351	FL-46364-250MG..... 440	FL-46902-250MG..... 446	IAEA-313..... 49	IPO 051..... 319
FL-46019-100MG .....360	FL-46391-100MG ..... 332	FL-46908-250MG..... 446	IAEA-314..... 50	IPO 052..... 319
FL-46023-10MG .....339	FL-46396-250MG..... 443	FL-46923-250MG..... 446	IAEA-321..... 137	IPO 053..... 319
FL-46025-250MG .....439	FL-46401-100MG ..... 326	FL-46924-250MG..... 446	IAEA-330..... 172	IPO 054..... 302, 319, 385
FL-46027-100MG .....333	FL-46404-250MG..... 443	FL-46926-10MG..... 446	IAEA-336..... 119	IPO 056..... 319
FL-46028-100MG .....361	FL-46405-100MG..... 351	FL-46959-100MG..... 447	IAEA-359..... 171	IPO 059..... 319
FL-46031-100MG .....354	FL-46408-100MG435, 494	FL-46968-250MG..... 447	IAEA-372..... 117	IPO 060..... 319
FL-46032-100MG .....322	FL-46411-100MG..... 443	FL-46976-250MG..... 447	IAEA-384..... 59	IPO 061..... 319
FL-46033-250MG .....439	FL-46412-250MG..... 443	FL-46981-100MG..... 447	IAEA-392..... 118	IPO 062..... 320
FL-46035-100MG .....319	FL-46415-100MG..... 315	FL-46984-250MG..... 447	IAEA-406..... 156	IPO 063..... 320
FL-46036-100MG .....319	FL-46416-100MG ..... 352	FL-46995-100MG..... 447	IAEA-413..... 118	IPO 070..... 320
FL-46037-100MG .....326	FL-46417-100MG ..... 340	FL-49358-5MG..... 443	IAEA-414..... 159	IPO 082..... 325
FL-46044-100MG .....360	FL-46420-100MG ..... 443	FL-51578-5ML ..... 487	IAEA-417..... 60	IPO 083..... 326
FL-46046-250MG .....352	FL-46424-250MG ..... 341	FL-51730-5ML ..... 487	IAEA-432..... 151	IPO 084..... 326
FL-46047-25MG .....357	FL-46426-250MG..... 344	FL-52549-250MG..... 489	IAEA-435..... 156	IPO 085..... 326
FL-46049-250MG .....334	FL-46427-100MG ..... 356	FL-53541-10MG..... 447	IAEA-MA-B3/R..... 159	IPO 087..... 323, 407
FL-46068-100MG .....326	FL-46429-250MG..... 443	FL-55264-50MG..... 442	IAEA-SL-1..... 50	IPO 088..... 320
FL-46074-250MG .....439	FL-46431-10MG ..... 439	FL-74691-5G..... 492	IAEA-SL-3..... 50	IPO 089..... 326
FL-46076-250MG .....358	FL-46432-100MG ..... 349	FL-76870..... 493	IAEA-SOIL-6..... 64	IPO 090..... 324
FL-46077-100MG .....350	FL-46436-100MG ..... 443	FL-87086-250MG435, 496	IAEA-V-8..... 163	IPO 091..... 326
FL-46078-250MG .....351	FL-46437-100MG ..... 345	FL-89680-5ML ..... 496	IAEA-V-9..... 117	IPO 092..... 325
FL-46100-250MG .....439	FL-46438-100MG ..... 359	FL-91490-5ML ..... 498	IBPO002..... 301	IPO 093..... 321
FL-46102-100MG .....340	FL-46439-100MG ..... 357	FL-94000-5ML ..... 499	IBPO003..... 300	IPO 094..... 324
FL-46105-250MG .....345	FL-46443-100MG ..... 358	FL-94972-10MG..... 439	IBPO004..... 300	IPO 095..... 321
FL-46106-100MG .....478	FL-46444-20MG ..... 443	FL-95670-5ML ..... 499	IBPO005..... 300	IPO 096..... 325
FL-46109-250MG .....440	FL-46444-250MG..... 443	FL-95680-5ML ..... 499	IBPO006..... 301	IPO 097..... 321
FL-46111-250MG .....477	FL-46447-100MG ..... 363	FLX-PVC-SET ..... 258	IBPO007..... 300	IPO 099..... 326
FL-46113-100MG .....340	FL-46449-100MG ..... 350	GUM 1.1..... 877	IBPO008..... 300	IPO 100..... 321
FL-46114-250MG .....362	FL-46451-100MG ..... 340	GUM 1.10..... 877	IBPO009..... 300	IPO 101..... 322
FL-46117-250MG .....492	FL-46453-250MG ..... 443	GUM 1.11..... 877	IBPO010..... 301	IPO 102..... 324
FL-46119-250MG .....356	FL-46461-250MG..... 443	GUM 1.2..... 877	IBPO011..... 300	IPO 103..... 325
FL-46120-100MG .....325	FL-46468-100MG ..... 443	GUM 1.3..... 877	IBPO012..... 300	IPO 104..... 322
FL-46130-250MG .....471	FL-46473-250MG..... 443	GUM 1.4..... 877	IBPO013..... 300	IPO 107..... 323
FL-46133-250MG .....440	FL-46476-250MG ..... 443	GUM 1.5..... 877	IBPO014..... 300	IPO 108..... 326
FL-46138-250MG .....362	FL-46477-100MG ..... 443	GUM 1.6..... 877	IBPO015..... 301	IPO 109..... 326
FL-46139-5ML .....486	FL-46482-250MG ..... 444	GUM 1.7..... 877	IBPO016..... 301	IPO 110..... 324
FL-46140-250MG .....440	FL-46494-100MG ..... 444	GUM 1.8..... 877	IBPO017..... 301	IPO 111..... 323
FL-46143-100MG .....351	FL-46502-250MG..... 444	GUM 11.1..... 846	IBPO018..... 301	IPO 113..... 323
FL-46148-100MG .....440	FL-46518-250MG ..... 444	GUM 11.2..... 846	IBPO019..... 301	IPO 114..... 324
FL-46149-100MG .....440	FL-46525-250MG..... 444	GUM 11.3..... 846	IBPO020..... 301	IPO 115..... 327
FL-46158-250MG .....440	FL-46527-100MG ..... 444	GUM 5.1..... 865	IBPO021..... 301	IPO 117..... 327
FL-46161-100MG .....440	FL-46528-1G ..... 334	GUM 5.2..... 865	IBPO022..... 301	IPO 118..... 327
FL-46165-250MG .....440	FL-46531-250MG ..... 444	GUM 5.3..... 865	IBPO023..... 301	IPO 119..... 328
FL-46166-100MG .....440	FL-46542-100MG ..... 441	GUM 5.4..... 865	IBPO024..... 301	IPO 120..... 328
FL-46174-100MG .....440	FL-46551-100MG ..... 441	GUM 5.5..... 865	IBPO025..... 301	IPO 121..... 328
FL-46182-100MG .....440	FL-46552-250MG ..... 441	GUM 5.6..... 865	IBPO026..... 301	IPO 122..... 327
FL-46190-100MG .....440	FL-46565-100MG..... 441	GUM 8.1..... 862	IBPO027..... 301	IPO 123..... 327
FL-46192-100MG .....352	FL-46573-250MG ..... 441	GUM 9D.1..... 851	IBPO028..... 301	IPO 124..... 328
FL-46204-5ML .....487	FL-46589-100MG..... 444	HDF01..... 876	IBPO029..... 301	IPO 125..... 328
FL-46207-250MG .....440	FL-46598-250MG ..... 444	HDF02..... 876	IBPO201..... 265, 485	IPO 126..... 328
FL-46211-5ML .....490	FL-46608-250MG ..... 445	HDF04..... 876	HDF05..... 876	IPO 127..... 329
FL-46212-5ML .....489	FL-46609-250MG ..... 444	HDF05..... 876	IBPO205..... 265, 485	IPO 128..... 329
FL-46214-5ML .....492	FL-46616-250MG ..... 444	HDF06..... 876	IBPO206..... 265, 485	IPO 129..... 330
FL-46232-250MG .....441	FL-46624-250MG ..... 445	HDF07..... 876	IBPO207..... 265, 485	IPO 130..... 330
FL-46247-50MG .....441	FL-46632-250MG ..... 445	HDF08..... 876	IBPO208..... 265, 485	IPO 131..... 330
FL-46254-5ML .....495	FL-46648-250MG..... 445	HDF09..... 876	IBPO210..... 265, 485	IPO 132..... 330
FL-46256-250MG .....441	FL-46656-250MG ..... 445	HDF10..... 876	IBPO211..... 265, 485	IPO 133..... 328
FL-46259-5ML .....495	FL-46657-250MG ..... 445	HDF12..... 876	IBPO212..... 265, 485	IPO 134..... 331, 407
FL-46263-250MG .....441	FL-46665-250MG ..... 445	HDF13..... 876	IBPO213..... 265	IPO 135..... 331, 407
FL-46267-5ML .....497	FL-46674-250MG ..... 445	HDF14..... 876	IC-CS-CR-2..... 172	IPO 136..... 331, 407
FL-46272-250MG .....441	FL-46682-250MG ..... 445	HDF15..... 876	IC-CTA-AC-1..... 209	IPO 137..... 331
FL-46277-100MG .....337	FL-46689-100MG ..... 445	HM11..... 874	IC-CTA-FFA-1..... 126	IPO 138..... 331
FL-46279-25MG .....325	FL-46698-250MG..... 445	HM22..... 874	IC-INCT-CF-3..... 162	IPO 139..... 331
FL-46282-250MG323, 476	FL-46702-250MG ..... 445	HM33..... 874	IC-INCT-CS-M-1..... 175	IPO 140..... 329
FL-46286-100MG .....341	FL-46706-250MG ..... 445	HM54..... 874	IC-INCT-MPH-2..... 175	IPO 141..... 324
FL-46289-250MG .....442	FL-46713-100MG ..... 445	HM75..... 874	IC-INCT-OBTL-5..... 116	IPO 142..... 332
FL-46292-100MG .....338	FL-46724-250MG ..... 445	HM80..... 874	IC-INCT-PVLT-6..... 116	IPO 143..... 324
FL-46293-100MG .....338	FL-46725-100MG ..... 445	HM90..... 874	IC-INCT-SBF-4..... 173	IPO 144..... 326
FL-46294-250MG .....341	FL-46729-100MG ..... 445	HPA-0010-B010. 538, 909	IC-INCT-TL-1..... 174	IPO 145..... 332
FL-46297-250MG .....442	FL-46732-250MG ..... 445	HPA-0020-B010. 539, 913	IES-MDT119..... 503	IPO 146..... 333
FL-46300-100MG .....337	FL-46738-250MG ..... 445	HPA-0030-B010. 538, 910	IPO 001..... 315	IPO 147..... 334
FL-46302-100MG .....347	FL-46745-100MG ..... 445	HPA-0040-B010. 539, 918	IPO 002..... 315	IPO 148..... 332
FL-46305-250MG .....442	FL-46754-250MG ..... 445	HPA-0050-B010. 538, 894	IPO 003..... 315	IPO 149..... 330
FL-46309-250MG .....442	FL-46762-250MG ..... 445	HPA-0060-B010. 539, 915	IPO 004..... 316	IPO 150..... 335
FL-46316-2ML .....340	FL-46770-250MG ..... 445	HPA-0070-B010. 538, 899	IPO 005..... 317	IPO 151..... 333
FL-46317-100MG .....349	FL-46778-250MG ..... 445	HXC 008..... 495	IPO 006..... 316	IPO 152..... 334
FL-46318-100MG .....358	FL-46794-250MG ..... 446	IAEA-152..... 137	IPO 007..... 316, 422	IPO 155..... 335
FL-46319-250MG .....353	FL-46802-250MG ..... 446	IAEA-153..... 135	IPO 008..... 315	IPO 160..... 335
FL-46320-100MG .....442	FL-46818-250MG..... 446	IAEA-154..... 137	IPO 010..... 315	IPO 181..... 335
FL-46323-100MG .....357	FL-46826-250MG ..... 446	IAEA-155..... 136	IPO 020..... 316	IPO 182..... 335
FL-46325-100MG .....341	FL-46834-250MG ..... 446	IAEA-156..... 117	IPO 040..... 317	IPO 187..... 336
FL-46329-250MG .....442	FL-46842-250MG ..... 446	IAEA-159..... 59	IPO 041..... 317	IPO 188..... 336
FL-46331-100MG .....359	FL-46858-250MG ..... 446	IAEA-303..... 816	IPO 047..... 318	IPO 189..... 336
FL-46336-100MG .....325	FL-46874-250MG ..... 446	IAEA-304..... 36, 816	IPO 048..... 318	IPO 190..... 337



## Code number index

IPO 191.....	338	IPO 569.....	355	IPO NIT 012.....	462	LGC1704.....	326	METRANAL-33.....	109
IPO 192.....	337	IPO 570.....	355	IPO NIT 013.....	462	LGC1706 ...	152, 346, 443	METRANAL-34.....	109
IPO 193.....	337	IPO 571.....	354	IPO NIT 014.....	462	LGC2000.....	832	MHD-DIHEN.....	533
IPO 194.....	337	IPO 573.....	355	IPO NIT 015.....	462	LGC2013.....	828	MHD-DIHEN ADAPTER	
IPO 195.....	337	IPO 575.....	356	IPO NIT 041.....	462	LGC2401.....	828	.....	533
IPO 197.....	338	IPO 580.....	356	IPO NIT 050.....	461	LGC2402.....	829	MHD-HEN.....	533
IPO 198.....	339	IPO 581.....	356	IPO NIT 051.....	461	LGC2403.....	829	MHD-ML175005.....	533
IPO 199.....	338	IPO 582.....	356	IPO NIT 053.....	462	LGC2404.....	829	MHD-ML175006.....	533
IPO 200.....	339	IPO 590.....	356	IPO NIT 055.....	463	LGC2405.....	829	MHD-ML175010.....	533
IPO 201.....	339	IPO 600.....	356	IPO NIT 111.....	462	LGC2406.....	829	MHD-ML175019.....	533
IPO 202.....	339	IPO 601.....	357	IPO NIT 112.....	462	LGC2407.....	829	MHD-ML175021.....	533
IPO 203.....	338	IPO 605.....	357	IPO NIT 113.....	462	LGC2408.....	829	MHD-ML175022.....	533
IPO 210.....	339	IPO 609.....	357	IPO NIT 138.....	462	LGC2409.....	830	MHD-ML175023.....	533
IPO 215.....	340	IPO 610.....	357, 408	IPO NIT 150.....	461	LGC2411.....	828	MHD-Q-DIHEN.....	533
IPO 250.....	340	IPO 611.....	357	IPO NIT 157.....	462	LGC2601.....	827	MHD-Q-HEN.....	533
IPO 251.....	340	IPO 692.....	358	IPO NL 020.....	463	LGC2603.....	827	MHD-TQ-30-A2.....	533
IPO 252.....	341	IPO 700.....	358	IPO NL 070.....	462	LGC2604.....	827	MHD-TR-30-A2.....	533
IPO 253.....	341	IPO 701.....	359	IPO NL 071.....	463	LGC2605.....	827	MHD-TR-30-C2.....	533
IPO 255.....	341	IPO 705.....	359	IPO P01.....	477	LGC2606.....	827	MHD-TR-30-K2.....	533
IPO 260.....	342	IPO 710.....	360	IPO P04.....	482	LGC2607.....	827	MUVA-BU-1303.....	142
IPO 270.....	342	IPO 720.....	360	IPO P05.....	482	LGC2608.....	827	MUVA-BU-1304.....	142
IPO 271.....	342	IPO 725.....	360, 408	IPO P06.....	482	LGC2609.....	827	MUVA-BU-1305.....	142
IPO 275.....	342	IPO 726.....	360, 408	IPO P07.....	482	LGC2610.....	827	MUVA-FK-1207.....	140
IPO 276.....	343	IPO 727.....	360, 408	IPO P11.....	498	LGC2611.....	827	MUVA-FK-1208.....	140
IPO 278.....	344	IPO 729.....	360	IPO UCI 006.....	317	LGC2612.....	827	MUVA-HA-1505.....	140
IPO 283.....	343	IPO 730.....	360	IPO UCI 007.....	317	LGC2613.....	828	MUVA-HA-1506.....	140
IPO 290.....	343, 408	IPO 732.....	360	IPO UCI 008.....	317	LGC4001.....	809	MUVA-HO-1701.....	142
IPO 292.....	343	IPO 735.....	302, 360	IPO UCI 009.....	317	LGC4002.....	809	MUVA-HO-1702.....	142
IPO 295.....	344	IPO 738.....	361	IPO UCI 010.....	494	LGC4003.....	809	MUVA-KM-0504.....	140
IPO 296.....	344	IPO 740.....	361	IPO UCI 011.....	488	LGC4004.....	809	MUVA-M-0110.....	141
IPO 297.....	344	IPO 745.....	361	IPO UCI 012.....	488	LGC4008.....	809	MUVA-M-0111.....	141
IPO 298.....	344	IPO 746.....	361	IPO UCI 013.....	486	LGC4009.....	809	MUVA-MO-0610.....	140
IPO 299.....	357	IPO 753.....	362	IPO UCI 015.....	484	LGC5001.....	185	MUVA-MP-0201.....	139
IPO 300.....	344	IPO 754.....	362	IPO UCI 016.....	478	LGC5003.....	185	MUVA-MP-0202.....	139
IPO 310.....	345	IPO 755.....	362	IPO UCI 017.....	486	LGC5004.....	185	MUVA-NEM-1601.....	143
IPO 350.....	345	IPO 756.....	362, 407	IPO UCI 018.....	483	LGC5100.....	184	MUVA-NEM-1602.....	143
IPO 398.....	345	IPO 757.....	362, 407	IPO UCI 019.....	483	LGC6016.....	32	MUVA-R-0416.....	143
IPO 425.....	346	IPO 758.....	362, 408	IPO UCI 020.....	483	LGC6019.....	28	MUVA-R-0417.....	143
IPO 460.....	346	IPO 763.....	362	IPO UCI 050.....	318	LGC6020.....	28	MUVA-RM 404.....	141
IPO 461.....	346	IPO 767.....	363	IPO UCI 100.....	320	LGC6115.....	79	MUVA-RM 407.....	141
IPO 464.....	346	IPO 790.....	363	IPO UCI 112.....	323	LGC6137.....	55	MUVA-RM 58.....	139
IPO 465.....	346	IPO 812.....	364	IPO UCI 120.....	331	LGC6145.....	80	MUVA-RM 59.....	139
IPO 467.....	347	IPO 840.....	364	IPO UCI 151.....	335	LGC6175.....	35	MUVA-RM 700.....	142
IPO 468.....	347	IPO 850.....	364	IPO UCI 260.....	341	LGC6177.....	36	MUVA-RM 701.....	142
IPO 469.....	347	IPO 851.....	361	IPO UCI 530.....	352	LGC6180.....	124	MUVA-RM 71.....	139
IPO 470.....	347	IPO 852.....	348	IPO UCI 531.....	352	LGC6181.....	111	MUVA-RM 72.....	139
IPO 471.....	347	IPO 853.....	345	IPO UCI 608.....	357	LGC6182.....	111	MUVA-RM 74.....	139
IPO 472.....	347	IPO 854.....	351	IPO UCI 850.....	327	LGC6184.....	111	MUVA-RM 750.....	142
IPO 473.....	347	IPO 855.....	481	IRMM-304.....	836	LGC6187.....	40	MUVA-RM 751.....	142
IPO 474.....	348	IPO 901.....	483	IRMM-311 ...	186, 190, 191	LGC6189.....	40	MUVA-RM 752.....	143
IPO 475.....	348	IPO 902.....	485	IRMM-312 ...	186, 190, 192	LGC7017.....	180	MUVA-RM 753.....	143
IPO 476.....	348	IPO 903.....	479	IRMM-315.....	304	LGC7103.....	180	MUVA-RM 803.....	139
IPO 477.....	348	IPO 904.....	484	IRMM-316.....	305	LGC7104.....	135	MUVA-RM 84.....	140
IPO 478.....	349	IPO 905.....	483	IRMM-351.....	193	LGC7105.....	180	MUVA-RM 85.....	140
IPO 480.....	349	IPO 906.....	485	IRMM-352.....	193	LGC7107.....	180	MUVA-RM56.....	139
IPO 481.....	348	IPO 907.....	484	IRMM-354.....	193	LGC7111.....	171	MUVA-RO-0714.....	141
IPO 482.....	349	IPO F 001.....	482	IRMM-355.....	193	LGC7140.....	184	MUVA-RO-0716.....	141
IPO 483.....	348	IPO F 002-1.....	477	IRMM-435.....	253	LGC7162.....	118, 171	MUVA-RO-0717.....	141
IPO 485.....	349	IPO F 003.....	302, 494	IRMM-440A.....	832	LGC7173.....	189	MUVA-RO-0718.....	141
IPO 486.....	349	IPO F 004.....	312, 473	IRMM-440B.....	832	LGC7200.....	144	MUVA-S-0810.....	141
IPO 489.....	350	IPO F 005.....	302	IRMM-440C.....	832	LGC7201.....	144	MUVA-S-0811.....	142
IPO 490.....	350	IPO F 006.....	302	IRMM-440D.....	832	LGC7202.....	144	MUVA-SK-0303.....	140
IPO 495.....	350	IPO F 007.....	302	IRMM-441.....	230	LGC7203.....	144	MUVA-SK-0304.....	140
IPO 499.....	350	IPO F 008.....	302	IRMM-442.....	230	LGC7204.....	144	MUVA-SK-0305.....	141
IPO 505.....	312, 490	IPO F 009.....	302	IRMM-443-1.....	62	LGC7205.....	144	MV-AG50KX1171-	
IPO 510.....	350	IPO F 010 ...	301, 312, 473	IRMM-443-2.....	62	LGC7206.....	144	LG0001.....	823
IPO 522.....	351	IPO F 011.....	302	IRMM-443-3.....	62	LGC7207.....	144	MV-AG50KX1171-	
IPO 524.....	352	IPO F 012.....	302	IRMM-443-4.....	62	LGC7208.....	145	LG0005.....	823
IPO 525.....	351	IPO F 013.....	302	IRMM-443-5.....	62	LGC7209.....	145	MV-AG55DX1351-	
IPO 526.....	352	IPO F 014.....	302	IRMM-443-7.....	63	LGC7300.....	302	LG0005.....	822
IPO 527.....	352	IPO F 015.....	302	IRMM-447.....	191	LGC7302.....	303	MV-AG55DX1351-	
IPO 529.....	352	IPO F 016.....	302	IRMM-448.....	191	LGC7305.....	301	LG0025.....	823
IPO 530.....	352	IPO F 018.....	302	IRMM-449.....	191	LGC7330.....	815	MV-AL50DF1173-LG0010	
IPO 531.....	352	IPO F 019.....	303	IRMM-801.....	172	LGCQC3004.....	78	.....	817
IPO 540.....	353, 408	IPO F 021.....	302	IRMM-804.....	163	LGCQC3005.....	78	MV-AL50DF1173-LG0050	
IPO 557.....	353	IPO F 022.....	301	JSAC 0601-3.....	260	LGCQC3006.....	79	.....	817
IPO 559.....	353	IPO F 020.....	301, 486	JSAC 0602-3.....	260	LGCQC3013.....	86	MV-AL50DS3073-LG0025	
IPO 560.....	353	IPO F 075.....	302, 489	JSAC 0611-15.....	260	LGCQC4001.....	267	.....	817
IPO 561.....	353	IPO F 080.....	301, 494	JSAC 0621-25.....	260	MCLR-A.....	506	MV-AL50DS3073-LG0100	
IPO 562.....	354	IPO F 165.....	312, 490	JSAC 0631-32.....	260	MC-MAS.....	506	.....	817
IPO 563.....	354	IPO F 170.....	301, 312	JSAC 0651-55.....	261	MCNOD-1ML.....	506	MV-AL50DX1083-LG0025	
IPO 564.....	354	IPO NIT 001.....	462	JSM P 700-1.....	261	MCRR-A.....	506	.....	817
IPO 565.....	354	IPO NIT 006.....	462	JSM P 701-1.....	261	MCRR-P1ML.....	506	MV-AL50DX1083-LG0100	
IPO 566.....	353	IPO NIT 007.....	462	JSM P 710-1.....	261	MCYR-A.....	506	.....	817
IPO 567.....	353	IPO NIT 008.....	462	LGC1110.....	328	METRANAL-31.....	108	MV-AL55BX0000-LG0025	
IPO 568.....	355	IPO NIT 011.....	462	LGC1205.....	346	METRANAL-32.....	108	.....	817

## Code number index

MV-AL55BX0000-LG0100 .....817	MV-HF40DX1084-LG0005 .....819	MV-MN40DX1084- LG0025.....821	MV-NI40DX0000-LG0100 .....821	MV-TE50DX0000-LG0050 .....823
MV-AU40DX1173- LG0001.....819	MV-HX50DY4401- LG0001.....819	MV-MN50DD3012- LG0010.....821	MV-NI50DX0000-LG0025 .....821	MV-TE50DX1084-LG0010 .....823
MV-AU40DX1173- LG0005.....819	MV-HX50DY4401- LG0005.....819	MV-MN50DD3012- LG0050.....821	MV-NI50DX0000-LG0100 .....821	MV-TE50DX1084-LG0050 .....823
MV-AU50BX0000-LG0001 .....819	MV-HX50DY4991- LG0001.....819	MV-MO40DX1086- LG0005.....821	MV-PD40GX0000- LG0001.....821	MV-TI50DX1084-LG0010 .....823
MV-AU50BX0000-LG0005 .....819	MV-HX50DY4991- LG0005.....820	MV-MO40DX1086- LG0025.....821	MV-PD40GX0000- LG0005.....821	MV-TI50DX1084-LG0050 .....823
MV-BA45DY4652-LG0025 .....818	MV-IN40DZ3013-LG0010 .....820	MV-NA50DE5131- LG0005.....823	MV-PD50DX0000- LG0001.....821	MV-TL50DX3071-LG0005 .....823
MV-BA45DY4652-LG0100 .....818	MV-IN40DZ3013-LG0050 .....820	MV-NA50DE5131- LG0025.....823	MV-PD50DX0000- LG0005.....821	MV-TL50DX3071-LG0025 .....823
MV-BE50DX5262-LG0005 .....818	MV-IN50BX0000-LG0025 .....820	MV-NA50DX1171- LG0025.....823	MV-PD50DX1082- LG0001.....821	MV-YB40DX1083-LG0010 .....823
MV-BE50DX5262-LG0025 .....818	MV-IN50BX0000-LG0100 .....820	MV-NA50DX1171- LG0100.....823	MV-PD50DX1082- LG0005.....821	MV-YB40DX1083-LG0050 .....824
MV-BX50DX5173-LG0025 .....818	MV-IN50DX1083-LG0010 .....820	MV-NA50DX3061- LG0025.....823	MV-PD50DX1172- LG0001.....821	MV-YB50DX1173-LG0010 .....823
MV-BX50DX5173-LG0100 .....818	MV-IN50DX1083-LG0050 .....820	MV-NA50DX3061- LG0100.....823	MV-PD50DX1172- LG0005.....821	MV-YB50DX1173-LG0050 .....823
MV-CA45DX4652- LG0010.....818	MV-KX40DX1081-LG0100 .....821	MV-NA50DX3071- LG0025.....823	MV-PT40HX5692-LG0001 .....819	MV-YX50DX1083-LG0010 .....824
MV-CA45DX4652- LG0050.....818	MV-KX40DX1081-LG0500 .....822	MV-NA50DX3071- LG0100.....823	MV-PT40HX5692-LG0005 .....819	MV-YX50DX1083-LG0050 .....824
MV-CA50DX3062- LG0010.....818	MV-KX40DX1091-LG0025 .....821	MV-NA50DX3161- LG0010.....823	MV-PT50DX0000-LG0001 .....821	MV-ZN50DX1082-LG0025 .....824
MV-CA50DX3062- LG0050.....818	MV-KX40DX1091-LG0100 .....821	MV-NA50DX3161- LG0050.....823	MV-PT50DX0000-LG0005 .....821	MV-ZN50DX1082-LG0100 .....824
MV-CO50DX0000- LG0010.....819	MV-KX40DX5011-LG0001 .....822	MV-NH40DX4381- LG0001.....817	MV-PT50DX5612-LG0001 .....823	MV-ZR40DX1174-LG0010 .....824
MV-CO50DX0000- LG0050.....819	MV-KX40DX5011-LG0005 .....822	MV-NH40DX4381- LG0005.....817	MV-PT50DX5612-LG0005 .....823	MV-ZR40DX1174-LG0050 .....824
MV-CR40DS3073- LG0010.....819	MV-KX50DX1171-LG0025 .....821	MV-NH40DX4431- LG0001.....817	MV-PT50DY5592-LG0001 .....823	NAMI(1)/A-3.....132
MV-CR40DS3073- LG0050.....819	MV-KX50DX1171-LG0100 .....821	MV-NH40DX4431- LG0005.....818	MV-PT50DY5592-LG0005 .....823	NAMI(1)/B-3.....133
MV-CR50DS3073- LG0005.....819	MV-KX50DX1351-LG0010 .....821	MV-NH40DX4511- LG0025.....818	MV-RB28DX1171- LG0010.....822	NAMI(5)/A-3.....132
MV-CR50DS3073- LG0025.....819	MV-KX50DX1351-LG0050 .....821	MV-NH40DX4511- LG0100.....818	MV-RB28DX1171- LG0050.....822	NAMI(5)/B-3.....133
MV-CS20DX3161- LG0005.....819	MV-KX50DX1531-LG0025 .....822	MV-NH40DX5011- LG0001.....818	MV-RB30DF1171-LG0010 .....822	NCS AS93109.....830
MV-CS20DX3161- LG0025.....819	MV-KX50DX1531-LG0100 .....822	MV-NH40DX5011- LG0005.....818	MV-RB30DF1171-LG0050 .....822	NCS AS93110.....830
MV-CS50DX1171- LG0010.....819	MV-KX50DX3071-LG0025 .....822	MV-NH45DX4421- LG0001.....817	MV-RB40DX1171- LG0010.....822	NCS AS93111.....830
MV-CS50DX1171- LG0050.....819	MV-KX50DX3071-LG0100 .....822	MV-NH45DX4421- LG0005.....817	MV-RB40DX1171- LG0050.....822	NCS AS93112.....830
MV-CS50DX1531- LG0010.....819	MV-LA50DX1083-LG0025 .....820	MV-NH45DX5101- LG0001.....818	MV-RE45DX0000- LG0001.....822	NCS AS93113.....830
MV-CS50DX1531- LG0050.....819	MV-LA50DX1083-LG0100 .....820	MV-NH45DX5101- LG0005.....818	MV-RE45DX0000- LG0005.....822	NCS AS93114.....830
MV-CS50DX3061- LG0010.....818	MV-LI40DX1091-LG0005 .....820	MV-NH48DX4761- LG0010.....818	MV-RH40DY1173- LG0001.....822	NCS AS93115.....830
MV-CS50DX3061- LG0050.....819	MV-LI40DX1091-LG0025 .....820	MV-NH48DX4761- LG0050.....818	MV-RH40DY1173- LG0005.....822	NCS AS93116.....830
MV-CU50DX1531- LG0010.....819	MV-LI50DX3061-LG0025 .....820	MV-NH50DX1171- LG0025.....817	MV-RU20DX1173- LG0001.....822	NCS AS93117.....830
MV-CU50DX1531- LG0050.....819	MV-LI50DX3061-LG0100 .....820	MV-NH50DX1171- LG0100.....817	MV-RU20DX1173- LG0005.....822	NCS AS93118.....830
MV-CU58BX0000- LG0025.....819	MV-LI50DX3071-LG0010 .....820	MV-NH50DX3071- LG0025.....818	MV-RU38DY1173- LG0001.....822	NCS AS93119.....830
MV-CU58BX0000- LG0100.....819	MV-LI50DX3071-LG0050 .....820	MV-NH50DX3071- LG0100.....818	MV-RU38DY1173- LG0005.....822	NCS AS93120.....830
MV-FE40DX1083-LG0025 .....820	MV-LU50DX1083-LG0001 .....820	MV-NH50DX3161- LG0010.....818	MV-SC40DX1083- LG0001.....822	NCS AS93121.....830
MV-FE40DX1083-LG0100 .....820	MV-LU50DX1083-LG0005 .....820	MV-NH50DX3161- LG0050.....818	MV-SC40DX1083- LG0005.....822	NCS AS93122.....830
MV-FE45GX0000-LG0025 .....820	MV-MG48DX1082- LG0010.....820	MV-NH50DX3421- LG0025.....818	MV-SC50DX1083- LG0001.....822	NCS AS93123.....830
MV-FE45GX0000-LG0100 .....820	MV-MG48DX1082- LG0050.....821	MV-NH50DX3421- LG0100.....818	MV-SC50DX1083- LG0005.....822	NCS AS93124.....830
MV-FE50DX1083-LG0010 .....820	MV-MG50DF3072- LG0010.....820	MV-NH50DX4251- LG0025.....817	MV-SE50DX5244-LG0025 .....822	NCS AS93125.....830
MV-FE50DX1083-LG0050 .....820	MV-MG50DF3072- LG0050.....820	MV-NH50DX4251- LG0100.....817	MV-SE50DX5244-LG0100 .....822	NCS AS93126.....830
MV-FE55DS3073-LG0010 .....820	MV-MG55DF3072- LG0010.....820	MV-NH50DX4481- LG0025.....818	MV-SI50DX1084-LG0025 .....822	NCS AS93127.....830
MV-FE55DS3073-LG0050 .....820	MV-MG55DF3072- LG0050.....820	MV-NH50DX4481- LG0100.....818	MV-SI50DX1084-LG0100 .....822	NCS AS93128.....830
MV-GA50DX1083- LG0010.....819	MV-MN40DX1082- LG0010.....821	MV-NH50DX4591- LG0025.....818	MV-TE40DX1084-LG0010 .....823	NCS AS93129.....830
MV-GA50DX1083- LG0050.....819	MV-MN40DX1082- LG0050.....821	MV-NH50DX4591- LG0100.....818	MV-TE40DX1084-LG0050 .....823	NCS AS93130.....830
MV-HF40DX1084-LG0001 .....819	MV-MN40DX1084- LG0005.....821	MV-NI40DX0000-LG0025 .....821	MV-TE50DX0000-LG0010 .....823	NCS AS93131.....830
				NCS AS93132.....830
				NCS AS93133.....830
				NCS AS93134.....830
				NCS AS93135.....830
				NCS AS93136.....830
				NCS AS93137.....830
				NCS AS93138.....830
				NCS AS93139.....830
				NCS AS93140.....830
				NCS AS93141.....830
				NCS AS93142.....830
				NCS AS93143.....830
				NCS AS93144.....830
				NCS AS93145.....830
				NCS AS93146.....830
				NCS AS93147.....830
				NCS AS93148.....830
				NCS AS93149.....830
				NCS AS93150.....830
				NCS AS93151.....830
				NCS AS93152.....830
				NCS AS93153.....830
				NCS AS93154.....830
				NCS AS93155.....830
				NCS AS93156.....830
				NCS AS93157.....830
				NCS AS93158.....830
				NCS AS93159.....830
				NCS AS93160.....830
				NCS AS93161.....830
				NCS AS93162.....830
				NCS AS93163.....830
				NCS AS93164.....830
				NCS AS93165.....830
				NCS AS93166.....830
				NCS AS93167.....830
				NCS AS93168.....830
				NCS AS93169.....830
				NCS AS93170.....830
				NCS AS93171.....830
				NCS AS93172.....830
				NCS AS93173.....830
				NCS AS93174.....830
				NCS AS93175.....830
				NCS AS93176.....830
				NCS AS93177.....830
				NCS AS93178.....830
				NCS AS93179.....830
				NCS AS93180.....830
				NCS AS93181.....830
				NCS AS93182.....830
				NCS AS93183.....830
				NCS AS93184.....830
				NCS AS93185.....830
				NCS AS93186.....830
				NCS AS93187.....830
				NCS AS93188.....830
				NCS AS93189.....830
				NCS AS93190.....830
				NCS AS93191.....830
				NCS AS93192.....830
				NCS AS93193.....830
				NCS AS93194.....830
				NCS AS93195.....830
				NCS AS93196.....830
				NCS AS93197.....830
				NCS AS93198.....830
				NCS AS93199.....830
				NCS AS93200.....830
				NCS AS93201.....830
				NCS AS93202.....830
				NCS AS93203.....830
				NCS AS93204.....830
				NCS AS93205.....830
				NCS AS93206.....830
				NCS AS93207.....830
				NCS AS93208.....830
				NCS AS93209.....830
				NCS AS93210.....830
				NCS AS93211.....830
				NCS AS93212.....830
				NCS AS93213.....830
				NCS AS93214.....830
				NCS AS93215.....830
				NCS AS93216.....830
				NCS AS93217.....830
				NCS AS93218.....830
				NCS AS93219.....830
				NCS AS93220.....830
				NCS AS93221.....830
				NCS AS93222.....830
				NCS AS93223.....830
				NCS AS93224.....830
				NCS AS93225.....830
				NCS AS93226.....830
				NCS AS93227.....830
				NCS AS93228.....830
				NCS AS93229.....830
				NCS AS93230.....830
				NCS AS93231.....830
				NCS AS93232.....830
				NCS AS93233.....830
				NCS AS93234.....830
				NCS AS93235.....830
				NCS AS93236.....830
				NCS AS93237.....830
				NCS AS93238.....830
				NCS AS93239.....830
				NCS AS93240.....830
				NCS AS93241.....830
				NCS AS93242.....830
				NCS AS93243.....830
				NCS AS93244.....830
				NCS AS93245.....830
				NCS AS93246.....830
				NCS AS93247.....830
				NCS AS93248.....830
				NCS AS93249.....830
				NCS AS93250.....830
				NCS AS93251.....830
				NCS AS93252.....830
				NCS AS93253.....830
				NCS AS93254.....830
				NCS AS93255.....830
				NCS AS93256.....830
				NCS AS93257.....830
				NCS AS93258.....830
				NCS AS93259.....830
				NCS AS93260.....830
				NCS AS93261.....830
				NCS AS93262.....830
				NCS AS93263.....830
				NCS AS93264.....830
				NCS AS93265.....830
				NCS AS93266.....830
				NCS AS93267.....830
				NCS AS93268.....830

## Code number index

NCS DC71304.....	215	NE3673.....	435	NIM-GBW06109A.....	810	NIST-1006d.....	880	NIST-1620C.....	230
NCS DC71305.....	215	NE4620.....	419	NIM-GBW06110C.....	810	NIST-1010a.....	862	NIST-1621E.....	230
NCS DC71306.....	215	NE4621.....	419	NIM-GBW06501.....	202	NIST-1017b.....	836	NIST-1622E.....	230
NCS DC72302.....	209	NE4622.....	419	NIM-GBW06502.....	202	NIST-1018b.....	836	NIST-1624d.....	230
NCS DC73304.....	213	NE4630.....	419	NIM-GBW06503.....	202	NIST-1019b.....	836	NIST-1634C.....	229
NCS DC73306.....	214	NE5021.....	423	NIM-GBW07103.....	212	NIST-1021.....	836	NIST-1639.....	455
NCS DC73310.....	48	NE5025.....	423	NIM-GBW07104.....	213	NIST-1051b.....	812	NIST-1640A.....	29
NCS DC73312.....	47	NE5029.....	423	NIM-GBW07105.....	213	NIST-1052b.....	812	NIST-1641d.....	29
NCS DC73316.....	47	NE5051.....	427	NIM-GBW07107.....	214	NIST-1053a.....	812	NIST-1643e.....	29
NCS DC73371.....	49	NE5063.....	428	NIM-GBW07127.....	209	NIST-1057b.....	812	NIST-1646a.....	57
NCS DC73373.....	49	NE5100.....	429	NIM-GBW07309.....	47	NIST-1065b.....	812	NIST-1647e.....	430
NCS DC73374.....	49	NE5105.....	433	NIM-GBW07310.....	48	NIST-1066A.....	812	NIST-1648A.....	128
NCS DC74301.....	57	NE5107.....	432	NIM-GBW07311.....	48	NIST-1069b.....	812	NIST-1649B.....	129
NCS DC75301.....	57	NE5570.....	400	NIM-GBW07315.....	58	NIST-1073b.....	812	NIST-1650b.....	127
NCS DC75305.....	58	NE5573.....	401	NIM-GBW07319.....	44	NIST-1075a.....	812	NIST-1655.....	832
NCS DC79001.....	209	NE5575.....	401	NIM-GBW07320.....	44	NIST-1077a.....	812	NIST-1656.....	832
NCS DC79002.....	209	NE5612.....	481	NIM-GBW07321.....	44	NIST-1078b.....	812	NIST-1657.....	832
NCS DC85113.....	76	NE5730.....	408	NIM-GBW07323.....	45	NIST-1079b.....	812	NIST-165a.....	255
NCS DC87101.....	69	NE6513.....	462	NIM-GBW07327.....	46	NIST-1080a.....	812	NIST-1690.....	836
NCS DC87102.....	69	NE6801.....	454	NIM-GBW07402.....	69	NIST-1082.....	880	NIST-1691.....	836
NCS DC87103.....	69	NE6801H-10.....	454	NIM-GBW07403.....	67	NIST-1083.....	231	NIST-1745.....	831
NCS DC87104.....	70	NE6803.....	454	NIM-GBW07404.....	67	NIST-1084A.....	231	NIST-1746.....	831
NCS DC87105.....	70	NE6804.....	454	NIM-GBW07405.....	67	NIST-1085B.....	231	NIST-1747.....	831
NCS FC28001N.....	250	NE6805.....	454	NIM-GBW07406.....	68	NIST-114q.....	253	NIST-1748.....	831
NCS FC28003G.....	247	NE6806.....	454	NIM-GBW07407.....	68	NIST-1196.....	880	NIST-1749.....	834
NCS FC28005E.....	248	NE6851.....	419	NIM-GBW07408.....	68	NIST-120c.....	201, 208	NIST-1750.....	834
NCS FC28007H.....	247	NE6856.....	419	NIM-GBW07412A.....	72	NIST-1216.....	809	NIST-1751.....	831
NCS FC28012C.....	247	NE6857.....	419	NIM-GBW07413A.....	73	NIST-1358b.....	848	NIST-17F.....	862
NCS FC28101.....	248	NE6857H.....	419	NIM-GBW07414A.....	73	NIST-1359b.....	848	NIST-180.....	207
NCS FC28102.....	248	NE6905.....	420, 455	NIM-GBW07415A.....	74	NIST-1361b.....	848	NIST-1810a.....	880
NCS FC28103.....	248	NE6905H.....	420	NIM-GBW07416A.....	74	NIST-1362b.....	848	NIST-1815a.....	231
NCS FC28104.....	248	NE6951.....	418	NIM-GBW07417A.....	75	NIST-1363b.....	848	NIST-1816A.....	231
NCS FC28105.....	248	NE7215M.....	343	NIM-GBW07424.....	64	NIST-1364b.....	848	NIST-1818A.....	228
NCS FC28106.....	248	NE7500.....	368	NIM-GBW07425.....	65	NIST-136f.....	810	NIST-1819A.....	229
NCS FC28107.....	248	NE7550.....	368, 402, 408	NIM-GBW07426.....	65	NIST-1411.....	255	NIST-1822a.....	860
NCS FC28108.....	248	NE7551.....	368	NIM-GBW07428.....	66	NIST-1413.....	255	NIST-1829.....	232
NCS FC28109.....	249	NE7554.....	368	NIM-GBW07430.....	66	NIST-1416.....	834	NIST-1830.....	256
NCS FC28110.....	249	NE7755.....	477	NIM-GBW07602.....	115	NIST-141d.....	809	NIST-1831.....	256
NCS FC28111.....	249	NE9201.....	303	NIM-GBW07603.....	116	NIST-142.....	809	NIST-1834.....	256
NCS FC28112.....	249	NE9211.....	303	NIM-GBW08302.....	70	NIST-143d.....	809	NIST-1837.....	232
NCS FC28113.....	249	NE9228.....	439	NIM-GBW08401.....	127	NIST-1449.....	834	NIST-1838.....	232
NCS FC28114.....	249	NE9240.....	440	NIM-GBW08552.....	147	NIST-1452.....	834	NIST-1839.....	232
NCS FC28115.....	249	NE9302.....	445	NIM-GBW08601.....	35	NIST-1457.....	867	NIST-1848.....	229
NCS FC28116.....	249	NE9324.....	445	NIM-GBW08602.....	35	NIST-1459.....	834	NIST-1849.....	183
NCS FC59001.....	249	NE9330.....	446	NIM-GBW08603.....	35	NIST-1473b.....	873	NIST-1857.....	848
NCS FC62001.....	250	NE9337.....	447	NIM-GBW08604.....	34	NIST-1474A.....	873	NIST-185h.....	863
NCS FC62002.....	250	NE-N0813.....	401	NIM-GBW08605.....	34	NIST-1475a.....	873	NIST-186g.....	863
NCS FC82002.....	250	NE-N0813-10.....	401	NIM-GBW08606.....	35	NIST-1476a.....	873	NIST-1872.....	257
NCS FC82003.....	250	NE-N0813-3.....	401	NIM-GBW08606-80.....	35	NIST-1478.....	873	NIST-1877.....	134
NCS FC82004.....	249	NE-NC 378.....	367	NIM-GBW08607.....	34	NIST-1479.....	873	NIST-1878a.....	130, 134
NCS FC82005.....	249	NE-USL 020.....	368	NIM-GBW08608.....	35	NIST-148.....	809	NIST-1879a.....	130, 135
NCS FC82006.....	250	NE-USL 100-5.....	402	NIM-GBW08610.....	35	NIST-1482a.....	871	NIST-187e.....	863
NCS FC82007.....	247	NE-USL 101.....	368	NIM-GBW08611.....	34	NIST-1484a.....	873	NIST-188.....	863
NCS FC82008.....	247	NE-USL 102.....	368	NIM-GBW08612.....	35	NIST-1487.....	873	NIST-1880B.....	251
NCS FC82009.....	247	NE-USL 103.....	368	NIM-GBW08613.....	35	NIST-1488.....	873	NIST-1881a.....	251
NCS FC82012.....	126	NE-USL 304.....	455	NIM-GBW08614.....	35	NIST-1489.....	873	NIST-1882a.....	251
NCS FC82014.....	126	NE-USL 556.....	455	NIM-GBW08615.....	35	NIST-1491a.....	431	NIST-1883a.....	252
NCS FC82015.....	126	NE-USLT90126.....	455	NIM-GBW08616.....	35	NIST-1492.....	364	NIST-1884B.....	252
NCS FC82017.....	126	NE-USLT90126-3.....	455	NIM-GBW08617.....	35	NIST-1493.....	403	NIST-1885a.....	252
NCS GC76210.....	810	NE-W 1250.....	454	NIM-GBW08618.....	35	NIST-1494.....	420	NIST-1886A.....	252
NCS RC76001.....	259	NE-W 1260A.....	455	NIM-GBW08619.....	35	NIST-1496.....	873	NIST-1887a.....	252
NCS RS76001.....	259	NIES03.....	118	NIM-GBW08620.....	35	NIST-1514.....	828	NIST-1888B.....	252
NCS ZC71001.....	145	NIES08.....	128	NIM-GBW10010.....	164	NIST-1515.....	115	NIST-1889a.....	252
NCS ZC73004.....	65	NIES15.....	148	NIM-GBW10011.....	161	NIST-1543.....	507	NIST-1894a.....	845
NCS ZC73006.....	66	NIES22.....	160	NIM-GBW10012.....	163	NIST-1544.....	183	NIST-1895.....	845
NCS ZC76001A.....	49	NIES23.....	119	NIM-GBW10013.....	173	NIST-1546.....	146	NIST-1896a.....	845
NCS ZC76308.....	34	NIES24.....	125	NIM-GBW10014.....	172	NIST-1547.....	115	NIST-189C.....	863
NCS ZC80301D.....	36	NIES26.....	118	NIM-GBW10015.....	172	NIST-1548a.....	183	NIST-1900.....	843
NCS ZC80302D.....	36	NIES27.....	184	NIM-GBW10016.....	174	NIST-1549.....	135	NIST-1905.....	845
NCS ZC80303D.....	36	NIES28.....	128	NIM-GBW10017.....	136	NIST-154c.....	264	NIST-1906.....	845
NE0875.....	434	NIM-GBW(E)100001A.....	300	NIM-GBW10018.....	146	NIST-1566b.....	151	NIST-1907.....	845
NE0933.....	491	NIM-GBW(E)100002A.....	300	NIM-GBW10019.....	171	NIST-1567a.....	161	NIST-1908.....	845
NE0941.....	380	NIM-GBW(E)100003A.....	300	NIM-GBW11104F.....	247	NIST-1568a.....	164	NIST-1909.....	845
NE0942.....	380	NIM-GBW(E)100004A.....	300	NIM-GBW11108G.....	247	NIST-1570a.....	172	NIST-1917.....	844
NE0943.....	380	NIM-GBW(E)100005A.....	300	NIM-GBW11112D.....	247	NIST-1573a.....	118, 173	NIST-1918.....	844
NE0944.....	380	NIM-GBW(E)100006.....	301	NIM-GBW11131.....	126	NIST-1575a.....	115	NIST-191D.....	864
NE1311.....	434	NIM-GBW(E)100007.....	301	NIM-GBW13231C.....	830	NIST-1577C.....	145	NIST-1921b.....	851
NE1312.....	417, 435	NIM-GBW(E)100008.....	303	NIM-GBW13232C.....	829	NIST-1580.....	229	NIST-1922.....	861
NE1315.....	434	NIM-GBW(E)100191.....	300	NIM-GBW13233B.....	830	NIST-1582.....	229	NIST-193.....	202
NE1503.....	435	NIM-GBW(E)100192.....	300	NIM-GBW13234C.....	830	NIST-1584.....	457	NIST-1935A.....	851
NE3613.....	417, 435	NIM-GBW03113.....	207	NIM-GBW13235B.....	830	NIST-1586.....	458	NIST-1939a.....	41
NE3614.....	435	NIM-GBW06103B.....	810	NIM-GBW13236B.....	830	NIST-1596.....	431	NIST-1941b.....	56
NE3615.....	435	NIM-GBW06105D.....	810	NIM-GBW13237B.....	830	NIST-1597a.....	431	NIST-1944.....	42
NE3628.....	434	NIM-GBW06106C.....	810	NIM-GBW13238C.....	831	NIST-1614.....	410	NIST-1946.....	155
NE3628H.....	434	NIM-GBW06107C.....	810	NIST-1003c.....	836	NIST-1616b.....	229	NIST-1947.....	154
NE3635.....	434	NIM-GBW06108A.....	810	NIST-1004b.....	836	NIST-1619B.....	230	NIST-1961.....	836



## Code number index

NIST-1963a	836	NIST-2321	848	NIST-2906	464	NIST-3126a	514	NIST-46h	253
NIST-1964	836	NIST-2377	299	NIST-2910A	881	NIST-3127a	514	NIST-49e	831
NIST-1965	836	NIST-2384	181	NIST-2940	851	NIST-3128	514	NIST-5001	862
NIST-1967	834	NIST-2387	182	NIST-2941	852	NIST-3129a	514	NIST-600	216
NIST-1968	831	NIST-2389	300	NIST-2942	852	NIST-3130a	515	NIST-607	257
NIST-1969	831	NIST-2460	266	NIST-2943	852	NIST-3131a	515	NIST-610	257
NIST-1970	831	NIST-2490	880	NIST-2950	133	NIST-3132	515	NIST-611	257
NIST-1971	831	NIST-2491	874	NIST-2951	133	NIST-3133	515	NIST-612	257
NIST-1972	832	NIST-2517a	852	NIST-2952	133	NIST-3134	515	NIST-613	257
NIST-1974B	149	NIST-2520	862	NIST-2953	133	NIST-3135a	516	NIST-614	257
NIST-1975	127	NIST-2522	862	NIST-2954	133	NIST-3136	516	NIST-615	257
NIST-1976a	875	NIST-2523	862	NIST-2955	133	NIST-3137	516	NIST-616	257
NIST-1978	837	NIST-2541	867	NIST-2956	133	NIST-3139a	516	NIST-617	257
NIST-1982	837	NIST-2546	867	NIST-2957	133	NIST-3140	516	NIST-620	255
NIST-1984	837	NIST-2556	265	NIST-2958	133	NIST-3141a	517	NIST-621	255
NIST-1985	837	NIST-2557	265	NIST-2960	133	NIST-3142a	517	NIST-622	877
NIST-1990	875	NIST-2570	262	NIST-2961	133	NIST-3143	517	NIST-623	877
NIST-1994	264, 875	NIST-2571	262	NIST-2962	133	NIST-3144	517	NIST-624	867
NIST-1995	264, 875	NIST-2572	262	NIST-2963	133	NIST-3145a	517	NIST-634a	251
NIST-1d	202	NIST-2573	262	NIST-2964	133	NIST-3147a	517	NIST-640D	874
NIST-2000	875	NIST-2574	262	NIST-2965	133	NIST-3148a	518	NIST-656	874
NIST-200B	202	NIST-2575	262	NIST-2966	133	NIST-3149	518	NIST-659	836
NIST-2036	852	NIST-2576	262	NIST-2967	134	NIST-3150	518	NIST-660B	875
NIST-2037	228	NIST-2579a	262	NIST-2974A	150	NIST-3151	518	NIST-674b	875
NIST-2065	852	NIST-2580	262	NIST-2975	127	NIST-3152a	518	NIST-675	875
NIST-2066	258	NIST-2581	262	NIST-2976	148	NIST-3153a	519	NIST-679	216
NIST-2069b	874	NIST-2582	262	NIST-3000	472	NIST-3154	519	NIST-688	208
NIST-2073a	846	NIST-2583	132	NIST-3001	496	NIST-3155	519	NIST-694	202, 208
NIST-2074	846	NIST-2584	132	NIST-3002	486	NIST-3156	519	NIST-695	201
NIST-2075	846	NIST-2585	131	NIST-3003	499	NIST-3157a	519	NIST-696	216
NIST-2092	879	NIST-2586	263	NIST-3004	499	NIST-3158a	519	NIST-697	216
NIST-2096	879	NIST-2587	263	NIST-3005	499	NIST-3159	520	NIST-698	216
NIST-2100	879	NIST-2589	262	NIST-3006	475	NIST-3160a	520	NIST-69b	215
NIST-211d	875	NIST-2678	134	NIST-3008	489	NIST-3161a	520	NIST-705A	828, 872
NIST-2134	847	NIST-2681	134	NIST-3009	482	NIST-3162a	520	NIST-706A	873
NIST-2135C	847	NIST-2682b	247, 832	NIST-3010	495	NIST-3163	520	NIST-709	868
NIST-2137	847	NIST-2686A	252	NIST-3011	497	NIST-3164	520	NIST-70a	205
NIST-2141	809	NIST-2687	253	NIST-3012	481	NIST-3165	521	NIST-714	868
NIST-2143	809	NIST-2688	253	NIST-3014	498	NIST-3166a	521	NIST-717a	868
NIST-2144	809	NIST-2689	126	NIST-3015	488	NIST-3167a	521	NIST-720	828
NIST-2151	832	NIST-2690	126	NIST-3016	475	NIST-3168a	521	NIST-723d	810
NIST-2152	832	NIST-2691	126	NIST-3063	410	NIST-3169	521	NIST-731L1	834
NIST-2181	864	NIST-2692C	247	NIST-3064	336	NIST-3177	515	NIST-731L2	834
NIST-2182	864	NIST-2693	247	NIST-3067	362	NIST-3181	541	NIST-731L3	834
NIST-2183	864	NIST-2695	117	NIST-3068	322	NIST-3182	540	NIST-738	834
NIST-2184	864	NIST-2696	267	NIST-3071	342	NIST-3183	540	NIST-740a	831
NIST-2185	864	NIST-2701	63	NIST-3072	335	NIST-3184	539	NIST-741a	831
NIST-2186II	864	NIST-2702	57	NIST-3074	458	NIST-3185	540	NIST-742	831
NIST-2191A	865	NIST-2703	57	NIST-3075	383	NIST-3186	540	NIST-743	831
NIST-2192A	865	NIST-2709A	63	NIST-3076	383	NIST-3190	865	NIST-762	879
NIST-2193a	863	NIST-2710A	64	NIST-3077	383	NIST-3191	865	NIST-764a	879
NIST-2201	865	NIST-2711A	64	NIST-3078	383	NIST-3193	865	NIST-772a	880
NIST-2202	865	NIST-2717A	230	NIST-3079	383	NIST-3198	865	NIST-773	834
NIST-2203	865	NIST-2718	250	NIST-3080	383	NIST-3246	186	NIST-774	867
NIST-2214	875	NIST-2719	250	NIST-3081	381	NIST-3247	187	NIST-781D2	828
NIST-2225	828	NIST-2720	229	NIST-3082	381	NIST-3248	187	NIST-79a	207
NIST-2232	828	NIST-2721	229	NIST-3083	382	NIST-3249	187	NIST-81a	255
NIST-2235	828	NIST-2722	229	NIST-3084	382	NIST-3250	175	NIST-84L	810
NIST-2241	852	NIST-2724b	231	NIST-3085	382	NIST-3251	176	NIST-869B	507
NIST-2242	853	NIST-2770	230	NIST-3086	382	NIST-3254	176	NIST-870	507
NIST-2243	853	NIST-2771	230	NIST-3090	383	NIST-3255	176	NIST-877	507
NIST-2244	853	NIST-2772	234	NIST-3091	383	NIST-3256	177	NIST-88b	202
NIST-2259	404	NIST-2773	235	NIST-3101a	510	NIST-3258	187	NIST-89	254
NIST-2260a	430	NIST-2775	250	NIST-3102a	510	NIST-3259	187	NIST-92	255
NIST-2261	365	NIST-2776	250	NIST-3103a	510	NIST-3260	187	NIST-931f	851
NIST-2262	403	NIST-278	208	NIST-3104a	510	NIST-3261	187	NIST-935a	851
NIST-2269	433	NIST-2780	208	NIST-3105a	510	NIST-3274	178	NIST-93a	255
NIST-2270	433	NIST-2781	114	NIST-3106	511	NIST-3275	178	NIST-951a	815
NIST-2273	365	NIST-2782	114	NIST-3107	511	NIST-3278	177	NIST-952	815
NIST-2274	402	NIST-2783	134	NIST-3108	511	NIST-3280	186	NIST-953	880
NIST-2275	365	NIST-2798A	845	NIST-3109a	511	NIST-3281	188	NIST-963a	880
NIST-2276	403	NIST-2800	863	NIST-3110	512	NIST-3282	188	NIST-973	810
NIST-2285	417	NIST-2811	880	NIST-3111a	511	NIST-3283	188	NIST-975a	815
NIST-2286	232	NIST-2812	880	NIST-3112a	512	NIST-3284	188	NIST-977	815
NIST-2287	232	NIST-2830	845	NIST-3113	512	NIST-3285	188	NIST-978a	816
NIST-2288	232	NIST-2831	846	NIST-3114	512	NIST-3287	188	NIST-979	815
NIST-2289	232	NIST-2841	264	NIST-3115a	512	NIST-3291	188	NIST-97b	216
NIST-2290	232	NIST-2842	264	NIST-3116a	513	NIST-350b	810	NIST-980	815
NIST-2291	232	NIST-2853	879	NIST-3117a	513	NIST-351a	810	NIST-981	815
NIST-2293	232	NIST-2855	258	NIST-3118a	513	NIST-39J	832	NIST-984	815
NIST-2294	232	NIST-2881	871	NIST-3119a	513	NIST-4350b	43	NIST-986	815
NIST-2295	232	NIST-2885	871	NIST-3120a	513	NIST-4354	50	NIST-987	810, 816
NIST-2296	232	NIST-2886	871	NIST-3121	513	NIST-4355	64	NIST-98b	216
NIST-2297	233	NIST-2887	871	NIST-3122	513	NIST-4357	56	NIST-994	815
NIST-2298	230	NIST-2890	231	NIST-3123a	513	NIST-4359	118	NIST-997	816
NIST-2299	230	NIST-2905	266	NIST-3124a	514	NIST-45d	831	NIST-999b	810



NIST-RM 8010.....	837	NMIAP1373 .....	330	NWCRANBERRY-05 .....	31	REAEP266 .....	867	RTC-CRM111-100 .....	91
NIST-RM 8011.....	837	NMIAP1375 .....	363	NWHR-1 .....	51	RPC18061 .....	861	RTC-CRM112-100 .....	95
NIST-RM 8012.....	838	NMIAP1394 .....	343	NWION-915 .....	31	RPC18062 .....	861	RTC-CRM113-100 .....	91
NIST-RM 8013.....	838	NMIAP1395 .....	343	NWLETHBRIDG-03.....	27	RPC18065 .....	861	RTC-CRM114-100 .....	90
NIST-RM 8040.....	810, 864	NMIAP1408 .....	363	NWMIRAMICHI-02 .....	30	RPC1806X .....	861	RTC-CRM115-100 .....	91
NIST-RM 8091.....	874	NMIAP1489 .....	323	NWMISSIPPI-03 .....	30	RPC1806Y .....	861	RTC-CRM116-100 .....	91
NIST-RM 8130.....	881	NMIAP1490 .....	340	NWONTARIO-99 .....	31	RPC18091 .....	861	RTC-CRM118-100 .....	92
NIST-RM 8395.....	266	NMIAP1622 .....	322	NWRRAIN-97.....	28	RPC18092 .....	861	RTC-CRM119-100 .....	92
NIST-RM 8396.....	266	NMIAP1623 .....	351	NWSUD-1.....	50	RPC18095 .....	861	RTC-CRM121-100 .....	93
NIST-RM 8397.....	266	NMIAP1624 .....	322	NWTH-1 .....	59	RPC1809X .....	861	RTC-CRM123-100 .....	93
NIST-RM 8420.....	833, 867	NMIAP1625 .....	322	NWTH-2 .....	59	RPC1809Y .....	861	RTC-CRM125-100 .....	94
NIST-RM 8441a.....	161	NMIAP1642 .....	333	NWTM-15.2 .....	32	RPC18121 .....	862	RTC-CRM126-100 .....	94
NIST-RM 8445 .....	188	NMIAP1666 .....	324	NWTM-23.4 .....	33	RPC18122 .....	862	RTC-CRM131-100 .....	92
NIST-RM 8457 .....	846	NMIAP1668 .....	340	NWTM-24.3 .....	33	RPC18125 .....	862	RTC-CRM135-100 .....	94
NIST-RM 8458 .....	881	NMIAP1684 .....	363	NWTM-27.3 .....	33	RPC1812X .....	862	RTC-CRM136-100 .....	95
NIST-RM 8466 .....	342	NMIAP1685 .....	363	NWTMDA-51.4 .....	33	RPC1812Y .....	862	RTC-CRM141-050 .....	99
NIST-RM 8467 .....	328	NMIAP1712 .....	348	NWTMDA-52.3 .....	34	RS 1 .....	811	RTC-CRM142-100 .....	95
NIST-RM 8469 .....	328	NMIAP1725 .....	345	NWTMDA-53.3 .....	34	RS 2 .....	811	RTC-CRM143-040 .....	93
NIST-RM 8480.....	267	NMIAP1726 .....	321	NWTMDA-61.2 .....	33	RS 3 .....	811	RTC-CRM2003-050... 105	
NIST-RM 8491.....	119	NMIAP1727 .....	321	NWTMDA-64.2 .....	33	RS 4 .....	811	RTC-CRM2004-050... 105	
NIST-RM 8492.....	119	NMIAP1728 .....	364	NWTMDA-70 .....	34	RS 5 .....	811	RTC-CRM202-225 .....	105
NIST-RM 8493.....	119	NMIAP1729 .....	364	NWTM-DWS.2 .....	34	RS 6A .....	811	RTC-CRM204-225 .....	105
NIST-RM 8494.....	119	NMIAP1730 .....	364	NWTMRRAIN-04.....	28	RS 6B .....	812	RTC-CRM206-225 .....	105
NIST-RM 8495.....	265	NMIAP1731 .....	340	NWWQB-1 .....	50	RTC-CLN SOIL-1-100 .....	63	RTC-CRM207-225 .....	105
NIST-RM 8496.....	265	NMIAP1747 .....	332	NWWQB-3 .....	50	RTC-CLN SOIL-1-250 .....	63	RTC-CRM208-225 .....	105
NIST-RM 8505.....	231	NMIAP1787 .....	438, 447	PRG 7.1 .....	861	RTC-CLN SOIL-2-100 .....	63	RTC-CRM209-225 .....	106
NIST-RM 8506A .....	231	NMIAP1788 .....	363, 447	PRG 7.11 .....	861	RTC-CLN SOIL-2-250 .....	63	RTC-CRM210-225 .....	106
NIST-RM 8509 .....	231	NMIAP1791 .....	441	PRG 7.12 .....	861	RTC-CLN SOIL-3-100 .....	63	RTC-CRM211-225 .....	106
NIST-RM 8510 .....	231	NMIAP1792 .....	438	PRG 7.2 .....	861	RTC-CLN SOIL-3-250 .....	63	RTC-CRM212-225 .....	106
NIST-RM 8573 .....	816	NMIAP1793 .....	438	PRG 7.20 .....	861	RTC-CLN SOIL-5-100 .....	63	RTC-CRM213-225 .....	106
NIST-RM 8574 .....	816	NMIAP1795 306, 438, 447		PRG 7.21 .....	861	RTC-CLN SOIL-5-250 .....	63	RTC-CRM215-225 .....	106
NIST-RM 8631a.....	838	NMIAP1796 306, 438, 447		PRG 7.5 .....	861	RTC-CNS311-050 .....	112	RTC-CRM217-225 .....	106
NIST-RM 8632.....	838	NMIAP1801 .....	438, 447	PRG 7.6 .....	861	RTC-CNS312-050 .....	112	RTC-CRM218-225 .....	107
NIST-RM 8642.....	311	NMIAP1802 .....	438, 447	PRG 7.8 .....	861	RTC-CNS329-050 .....	43	RTC-CRM304-030 .....	85
NIST-RM 8680.....	263	NMIAP1803 .....	336	PSL2700V01 .....	243, 868	RTC-CNS391-050 .....	43	RTC-CRM305-030 .....	85
NIST-RM 8704.....	43	NMIJ CRM 7503-A.....	164	PSL2700V02 .....	244, 868	RTC-CNS392-050 .....	54	RTC-CRM306-030 .....	85
NIST-RM 8785 .....	134	NMIJ CRM 8102-A.....	259	PSL2700V03 .....	244, 868	RTC-CRM001-100 .....	127	RTC-CRM307-030 .....	85
NIST-RM 8786 .....	134	NMIJ CRM 8103-A.....	259	PSL2700-V03A.....	244	RTC-CRM002-100 .....	134	RTC-CRM308-030 .....	85
NIST-RM 8820.....	874	NMIJ CRM 8108-B.....	261	PSL2700V04 .....	244, 868	RTC-CRM004-100 .....	134	RTC-CRM309-030 .....	86
NIST-RM 8988.....	837	NMIJ CRM 8112-A.....	259	PSL2700V05 .....	244, 869	RTC-CRM005-050 .....	107	RTC-CRM350-100 .....	86
NJV 94-1.....	250	NMIJ CRM 8113-A.....	260	PSL2700V06 .....	244, 869	RTC-CRM006-050 .....	263	RTC-CRM352-100 .....	86
NJV 94-2.....	250	NMIJ CRM 8115-A.....	260	PSL2700V07 .....	244, 869	RTC-CRM008-050 .....	100	RTC-CRM353-100 .....	86
NJV 94-3.....	251	NMIJ CRM 8116-A.....	260	PSL2700V08 .....	244, 869	RTC-CRM009-100 .....	263	RTC-CRM355-100 .....	86
NJV 94-4.....	251	NRCCACB-1.....	215	PSL2700V09 .....	244, 869	RTC-CRM010-100 .....	263	RTC-CRM356-100 .....	86
NJV 94-5.....	251	NRCCARP-2.....	160	PSL2700V10 .....	244, 869	RTC-CRM011-100 .....	263	RTC-CRM357-100 .....	87
NM-101 .....	849	NRCCRM-AZA1 .....	310	PSL2700V11 .....	245, 869	RTC-CRM012-100 .....	127	RTC-CRM358-100 .....	86
NM-102 .....	849	NRCCRM-AZA2 .....	310	PSL2700V11A .....	245	RTC-CRM013-050 .....	263	RTC-CRM359-100 .....	87
NM-103 .....	849	NRCCRM-AZA3 .....	310	PSL2700V12 .....	245, 869	RTC-CRM014-050 .....	130	RTC-CRM360-100 .....	87
NM-104 .....	849	NRCCRM-C12 .....	311	PSL2700V12A .....	245, 870	RTC-CRM015-050 .....	55	RTC-CRM361-100 .....	59
NM-105 .....	849	NRCCRM-CYN .....	506	PSL2700V13 .....	245, 870	RTC-CRM016-050 .....	55	RTC-CRM371-100 .....	87
NM-110 .....	850	NRCCRM-DA-F .....	311	PSL2700-V13A.....	245	RTC-CRM017-020 .....	263	RTC-CRM372-100 .....	87
NM-111 .....	850	NRCCRM-DCGTX23B311		PSL2700V14 .....	245, 870	RTC-CRM018-050 .....	113	RTC-CRM373-100 .....	87
NM-200 .....	850	NRCCRM-DCNEO-B.....	311	PSL2700V15 .....	246, 870	RTC-CRM020-050 .....	100	RTC-CRM401-225 .....	83
NM-201 .....	850	NRCCRM-DCSTX .....	311	PSL2700V16 .....	246, 870	RTC-CRM021-100 .....	100	RTC-CRM402-225 .....	83
NM-202 .....	850	NRCCRM-DSP-MUS. 151,		PSL2700V17 .....	246, 870	RTC-CRM022-020 .....	100	RTC-CRM498-100 .....	108
NM-203 .....	850	310		PSL2700V18 .....	246, 870	RTC-CRM023-050 .....	100	RTC-CRM499-100 .....	108
NM-204 .....	850	NRCCRM-GTX14C .....	311	PSL2700V19 .....	246, 870	RTC-CRM024-050 .....	101	RTC-CRM500-030 .....	87
NM-211 .....	850	NRCCRM-GTX23C .....	311	PSLN1300 .....	245, 870	RTC-CRM025-050 .....	101	RTC-CRM501-030 .....	87
NM-212 .....	850	NRCCRM-GTX5B.....	311	PSLN140 .....	245, 869	RTC-CRM026-050 .....	101	RTC-CRM502-030 .....	88
NM-300K .....	850	NRCCRM-GYM .....	310	REACSKC10 .....	866	RTC-CRM027-050 .....	101	RTC-CRM504-030 .....	88
NM-300KDIS .....	850	NRCCRM-MUS-C.....	151	REACSKC100 .....	866	RTC-CRM028-050 .....	102	RTC-CRM513-030 .....	88
NM-302 .....	850	NRCCRM-NEO-C.....	311	REACSKC1000 .....	866	RTC-CRM029-050 .....	113	RTC-CRM550-100 .....	88
NM-400 .....	850	NRCCRM-OA-C .....	310	REACSKC100M .....	866	RTC-CRM030-050 .....	102	RTC-CRM555-100 .....	88
NM-401 .....	850	NRCCRM-PTX2 .....	310	REACSKC10M .....	866	RTC-CRM031-040 .....	113	RTC-CRM558-100 .....	88
NM-402 .....	851	NRCCRM-SPX1 .....	310	REACSKC12880 .....	866	RTC-CRM033-050 .....	102	RTC-CRM608-025 .....	88
NMIAD582 .....	437, 439	NRCCRM-STX-E.....	311	REACSKC13 .....	866	RTC-CRM034-050 .....	102	RTC-CRM627-030 .....	89
NMIAD632 .....	438, 443	NRCCRM-YTX .....	310	REACSKC136 .....	866	RTC-CRM036-050 .....	102	RTC-CRM633-030 .....	89
NMIAD651 .....	438, 443	NRCDOLT-4.....	159	REACSKC150M .....	866	RTC-CRM041-030 .....	63	RTC-CRM636-025 .....	89
NMIAD652 .....	437, 442	NRCDORM-3.....	159	REACSKC20 .....	866	RTC-CRM043-050 .....	103	RTC-CRM638-025 .....	90
NMIAD655 .....	438, 443	NRCFEB5-1.....	159	REACSKC200 .....	866	RTC-CRM044-050 .....	103	RTC-CRM640-025 .....	43
NMIAD708 .....	438, 447	NRCHIPA-1.....	59	REACSKC200M .....	866	RTC-CRM045-050 .....	103	RTC-CRM803-050 .....	96
NMIAD714 .....	437, 440	NRCHISS-1.....	58	REACSKC20M .....	866	RTC-CRM046-050 .....	103	RTC-CRM804-050 .....	96
NMIAD861 .....	438, 443	NRCLUTS-1.....	152	REACSKC300M .....	866	RTC-CRM048-050 .....	103	RTC-CRM805-050 .....	96
NMIAD862 .....	437, 439	NRCMESS-3 .....	58	REACSKC350M .....	866	RTC-CRM049-050 .....	104	RTC-CRM806-100 .....	98
NMIAM890 .....	438	NRCMOOS-2.....	32	REACSKC450M .....	866	RTC-CRM050-020 .....	263	RTC-CRM808-050 .....	96
NMIAM954 .....	437, 440	NRCNASS-6.....	32	REACSKC5 .....	866	RTC-CRM051-050 .....	104	RTC-CRM810-050 .....	96
NMIAP1296 .....	442	NRCORMS-4.....	31	REACSKC50 .....	866	RTC-CRM052-050 .....	104	RTC-CRM812-050 .....	98
NMIAP1305 .....	348	NRCPACS-2.....	58	REACSKC500 .....	866	RTC-CRM055-050 .....	114	RTC-CRM813-050 .....	99
NMIAP1309 .....	329	NRCSELM-1.....	186	REACSKC500M .....	866	RTC-CRM059-050 .....	104	RTC-CRM814-050 .....	97
NMIAP1311 .....	328	NRC5LEW-3 .....	32	REACSKC50M .....	866	RTC-CRM090-100 .....	83	RTC-CRM817-050 .....	96
NMIAP1332 .....	342	NRC5LRS-5 .....	30	REACSKC5M .....	866	RTC-CRM101-100 .....	263	RTC-CRM821-050 .....	97
NMIAP1368 .....	335	NRC5OPH-1.....	59	REACSKC84 .....	866	RTC-CRM104-050 .....	54	RTC-CRM824-050 .....	97
NMIAP1369 .....	335	NRCTORT-2.....	152	REACSKCL .....	866	RTC-CRM106-100 .....	90	RTC-CRM825-050 .....	98
NMIAP1370 .....	336	NWAES-05.....	27	REACSKCS .....	866	RTC-CRM107-100 .....	95	RTC-CRM826-050 .....	98
NMIAP1371 .....	336	NWBATTLE-02.....	30	REAEP133 .....	867	RTC-CRM109-100 .....	90	RTC-CRM827-050 .....	97
NMIAP1372 .....	336	NWBIGMOOSE-02.....	31	REAEP1330 .....	867	RTC-CRM110-100 .....	90	RTC-CRM828-050 .....	98

## Code number index

RTC-CRM829-050.....98	SC-9950-B025.....892	SO-1151-B010.....898	SO-4667-B025.....921	SS99850-0.....233, 877
RTC-CRM831-050.....96	SC-9982-B010.....892	SO-1151-B025.....898	SO-4673-B025.....922	SS99851-0.....233, 878
RTC-CRM837-050.....97	SGE 2250-7.....273	SO-1151-B040.....898	SO-4680-B025.....897	SS99852-0.....233, 878
RTC-CRM846-050.....98	SGE 3250-7.....273	SO-1163-B010.....899	SO-4686-B025.....897	SS99853-0.....234, 878
RTC-CRM847-050.....99	SGE 4250-7.....273	SO-1163-B025.....899	SO-4692-B025.....898	SS99854-0.....234, 878
RTC-CRM851-050.....97	SGE 5250-7.....273	SO-1174-B010.....900	SO-4879-B010.....901	SS99856-0.....234, 878
RTC-CRM852-050.....98	SGE 7250-7.....273	SO-1174-B025.....900	SO-4879-B025.....901	SS99857-0.....229
RTC-CRM853-050.....99	SGE 8100-7.....273	SO-1174-B040.....900	SO-4879-B040.....902	SS99858-0.....230
RTC-CRM860-050.....99	SGE 8500-7.....273	SO-1179-B010.....900	SO-5139-B010.....907	SS99859-0.....228
RTC-CRM910-050.....83	SGE 8700-7.....273	SO-1179-B025.....900	SO-5139-B025.....907	SS99860-0.....229
RTC-CRM911-050.....83	SGE 8900-7.....273	SO-1179-B040.....901	SO-5139-B040.....907	SS99862-0.....229
RTC-CRM913-050.....83	SGE-036910.....886	SO-1182-B010.....901	SO-5167-B010.....908	SS99863-0.....229
RTC-CRM915-050.....83	SGE-036912.....886	SO-1185-B010.....902	SO-5167-B025.....908	SS99865-0.....233
RTC-CRM916-050.....83	SGE-036914.....886	SO-1185-B025.....902	SO-5167-B040.....908	SS99866-0.....229
RTC-CRM917-050.....83	SGE-036916.....886	SO-1185-B040.....902	SO-5351-B025.....916	SS99867-0.....228
RTC-CRM918-050.....84	SGE-036918.....886	SO-1187-B010.....903	SO-5356-B025.....904	SS99868-0.....230
RTC-CRM920-010.....228	SGE-036920.....886	SO-1187-B025.....903	SO-5398-B025.....912	SS99869-0.....233
RTC-CRM921-050.....84	SGE-036922.....886	SO-1189-B010.....904	SO-5407-B025.....903	SS99898-0.....229
RTC-CRM922-050.....84	SGE-038030.....886	SO-1189-B025.....904	SO-5407-B040.....904	SS99902-0.....236
RTC-CRM923-050.....84	SGE-038038.....887	SO-1191-B010.....907	SO-6043-B010.....919	SS99903-0.....235
RTC-CRM924-050.....84	SGE-038060.....887	SO-1191-B025.....907	SO-6043-B025.....919	SS99904-0.....235
RTC-CRM927-050.....84	SGE-038110.....886	SO-1191-B040.....907	SO-6043-B040.....920	SS99905-0.....233
RTC-CRM961-050.....84	SGE-038130.....886	SO-1210-B025.....908	SO-6157-B010.....901	SS99906-0.....233
RTC-CRM962-050.....85	SGE-038131.....886	SO-1244-B010.....908	SO-6795-B025.....920	SS99908-0.....235
RTC-CRM981-010.....99	SGE-038138.....887	SO-1244-B025.....908	SO-6795-B040.....920	STA-003k.....180
RTC-PB-2000.....107	SGE-038161.....886	SO-1244-B040.....908	SO-9002-B010.....905	STDNACON260280...860
RTC-PB-3000.....107	SGE-038270.....886	SO-1251-B025.....909	SO-9002-B025.....905	STRM-02.....854
RTC-QCI-028-1.....37	SGE-038430.....886	SO-1263-B010.....912	SO-9012-B010.....902	STRM-0204.....854
RTC-QCI-028-2.....37	SGE-038530.....886	SO-1263-B025.....912	SO-9012-B025.....903	STRM-020406.....853
RTC-QCI-028-3.....37	SGE-039038.....887	SO-1263-B040.....912	SO-9043-B025.....909	STRM-02040608.....853
RTC-QCI-028K.....37	SGE-039060.....887	SO-1265-B010.....912	SO-9052-B010.....900	STRM-0204060810...853
RTC-QCI-031.....38	SGE-039110.....887	SO-1265-B025.....913	SO-9052-B025.....900	STRM-0204060810-R 853
RTC-QCI-032.....38	SGE-039130.....887	SO-1271-B010.....913	SO-9056-B005.....899	STRM-02040608-R...853
RTC-QCI-033.....38	SGE-039138.....887	SO-1271-B025.....914	SO-9063-B010.....906	STRM-020406-R.....854
RTC-QCI-034K.....39	SGE-039160.....887	SO-1279-B010.....914	SO-9063-B025.....906	STRM-0204-R.....854
RTC-QCI-039.....37	SGE-2910000.....885	SO-1282-B010.....914	SO-9081-B010.....914	STRM-020610HLKCTX.....859
RTC-QCI-040.....37	SGE-2910005.....885	SO-1282-B025.....914	SO-9128-B010.....895	STRM-020610HLKCTX-R.....860
RTC-QCI-041.....37	SGE-2910010.....885	SO-1282-B040.....915	SO-9128-B025.....895	STRM-02-R.....854
RTC-QCI-042.....37	SGE-2910012.....885	SO-1320-B010.....915	SO-9128-B040.....895	STRM-04.....854
RTC-QCI-043.....38	SGE-2910020.....885	SO-1320-B025.....915	SO-9145-B025.....919	STRM-04-R.....854
RTC-QCI-044.....38	SGE-2910021.....885	SO-1320-B040.....916	SO-9154-B010.....895	STRM-06.....854
RTC-QCI-046.....38	SGE-2910022.....885	SO-1334-B010.....917	SO-9154-B025.....895	STRM-0660HLKCSITX.....859
RTC-QCI-047.....38	SGE-2910023.....885	SO-1334-B025.....917	SO-9180-B025.....898	STRM-0660HLKCSITX-R.....859
RTC-QCI-048.....38	SGE-2910024.....885	SO-1334-B040.....917	SO-9184-B010.....896	STRM-0660HLKCTX.....859
RTC-QCI-049.....39	SGE-2910030.....885	SO-1350-B010.....919	SO-9184-B025.....896	STRM-0660HLKCSITX-R.....859
RTC-QCI-050.....39	SGE-2910040.....885	SO-1350-B025.....919	SO-9186-B025.....898	STRM-0660HLKCTX.....859
RTC-QCI-051.....39	SGE-2910100.....885	SO-1350-B040.....919	SO-9260-B010.....910	STRM-0660HLKCSITX-R.....859
RTC-QCI-052.....39	SGE-2910380.....885	SO-1364-B010.....920	SO-9260-B025.....910	STRM-0660HLKCTX.....859
RTC-QCI-088.....39	SGE-2910382.....885	SO-1364-B025.....920	SO-9340-B010.....896	STRM-0660HLKCSITX.....859
RTC-QCI-244.....39	SGE-2910384.....885	SO-1364-B040.....920	SO-9340-B025.....896	STRM-0660HLKCSITX-R.....859
RTC-QCI-267.....38	SGTDOLOMITE1.....203	SO-2435-B010.....894	SO-9345-B010.....906	STRM-0660HLKCSITX-R.....859
RTC-QCI-301.....37	SGTFELDSPAR1.....205	SO-2435-B025.....894	SO-9345-B025.....907	STRM-06DLKI.....857
RTC-QCI-303-1.....38	SGTGLASS10-D.....256	SO-2435-B040.....894	SO-9352-B010.....917	STRM-06DLKI-R.....857
RTC-QCI-303-2.....38	SGTGLASS10-P.....256	SO-2854-B010.....903	SO-9352-B025.....917	STRM-06HL.....857
SC-1024-B005.....892	SGTGLASS11-D.....256	SO-2854-B025.....903	SO-9356-B010.....911	STRM-06HLKCBZ.....858
SC-1024-B025.....892	SGTGLASS11-P.....257	SO-2856-B010.....895	SO-9356-B025.....911	STRM-06HLKCBZ-R...858
SC-4181-B005.....892	SGTGLASS4-D.....256	SO-2856-B025.....896	SO-9364-B010.....918	STRM-06HLKCSITX...858
SC-4181-S010.....892	SGTGLASS4-P.....256	SO-2856-B040.....896	SO-9364-B025.....918	STRM-06HLKCSITX-R.....858
SC-4182-B005.....892	SGTGLASS6-P.....256	SO-2858-B010.....918	SO-9368-B010.....922	STRM-06HLKCSITX-R.....858
SC-4182-S010.....892	SGTGLASS7-D.....256	SO-2858-B025.....918	SO-9368-B025.....922	STRM-06HLKCSITX-R.....859
SC-4182-S020.....892	SGTGLASS7-P.....256	SO-2858-B040.....918	SO-9500-B010.....908	STRM-06HLKCSITX-R.....859
SC-4183-B005.....892	SGTGLASS8-P.....256	SO-2925-B025.....906	SO-9500-B025.....909	STRM-06HLKCTX-R...859
SC-4183-S010.....892	SGTLIMESTONE1.....203	SO-3041-B010.....910	SO-9501-B010.....915	STRM-06HLKI.....857
SC-4183-S020.....892	SGTSAND6.....255	SO-3041-B025.....910	SO-9502-B010.....916	STRM-06HLKIBZ.....857
SC-4568-A005.....892	SGTSAND8.....255	SO-3041-B040.....911	SO-9502-B025.....916	STRM-06HLKIBZ-R...857
SC-4569-A005.....892	SL30000.....433	SO-3043-B010.....916	SO-9505-B005.....899	STRM-06HLKIBZ-R...857
SC-4592-A005.....892	SL30005.....433	SO-3043-B025.....916	SO-9509-B010.....912	STRM-06HLKIBZ-R...857
SC-5150-F025.....893	SL30010.....433	SO-3043-B040.....917	SO-9510-B010.....910	STRM-06HLKIBZ-R...857
SC-5150-F100.....893	SL30015.....433	SO-3044-B010.....917	SO-9534-B040.....922	STRM-06HLKIBZ-R...857
SC-5230-F025.....893	SL31000.....503	SO-3046-B040.....917	SO-9610-B005.....915	STRM-06HLKIBZ-R...857
SC-5230-F100.....893	SL31005.....503	SO-3047-B040.....918	SO-9640-B010.....896	STRM-06HLKIBZ-R...857
SC-5330-F025.....893	SL31010.....503	SO-3210-B010.....905	SO-9658-B010.....911	STRM-06HLKIBZ-R...857
SC-5330-F100.....893	SL31015.....503	SO-3230-B010.....905	SO-9658-B025.....911	STRM-06HLKIBZ-R...857
SC-5430-F025.....893	SL32100.....401	SO-3240-B010.....904	SO-9662-B010.....920	STRM-06HLKIBZ-R...857
SC-5430-F100.....893	SL32110.....401	SO-3260-B005.....905	SO-9662-B025.....921	STRM-06HLKIBZ-R...857
SC-5550-F025.....893	SL35000.....369	SO-3442-B010.....906	SO-9668-B001.....894	STRM-06HLKIBZ-R...857
SC-5550-F100.....893	SL35100.....319	SO-3442-B025.....906	SO-9679-B001.....893	STRM-06HLKIBZ-R...857
SC-5650-F025.....893	SL36000.....507	SO-3442-B040.....906	SO-9685-B001.....893	STRM-06HLKIBZ-R...857
SC-5650-F100.....893	SL36010.....507	SO-4436-B010.....913	SO-9800-B025.....902	STRM-06-R.....854
SC-5730-F025.....893	SL36050.....477, 508	SO-4443-B010.....900	SO-9800-B040.....902	STRM-06SLLCBZ.....858
SC-5730-F100.....893	SL36060.....477, 508	SO-4443-B025.....900	SPS-NU-WW1.....36	STRM-06SLLCBZ-R...858
SC-8024-B005.....892	SL36080.....508	SO-4443-B040.....900	SPS-NU-WW2.....36	STRM-08.....854
SC-8024-B025.....892	SL36090.....508	SO-4483-B010.....918	SPS-SW1.....31	STRM-08-R.....854
SC-8024-S025.....892	SO-1142-B010.....894	SO-4483-B025.....918	SPS-SW2.....32	STRM-10.....854
SC-9700-B005.....435, 892	SO-1142-B025.....894	SO-4483-B040.....919	SPS-WW1.....36	STRM-10-R.....854
SC-9950-B005.....892	SO-1142-B040.....895	SO-4661-B025.....921	SPS-WW2.....36	STRM-1A2A3A4A.....854

STRM-1A2A3A4A-R... 854	U-ALD-8315D..... 796	U-ATS-180-1..... 497	U-CLP-200N..... 775, 794	U-DWM-550-1... 449, 719, 730
STRM-1A2A3A4ARE-R 859	U-ALD-8315D-1..... 796	U-ATS-181..... 747, 771	U-CLP-200N-1... 775, 794	U-DWM-560449, 719, 730
STRM-1A2A3A4ARE-R ..... 859	U-AM-100..... 472	U-ATS-181-1..... 747, 771	U-CLP-300N..... 792	U-DWM-560-1... 449, 719, 730
STRM-1N2N3N..... 854	U-AM-100-1..... 472	U-B-100..... 472	U-CLP-300N-1..... 792	U-DWM-563..... 720
STRM-1N2N3N-R..... 854	U-AM-150..... 486	U-B-100-1..... 472	U-CLP-301..... 792	U-DWM-563-1..... 719
STRM-5N..... 854	U-AM-150-1..... 486	U-B-110..... 480	U-CLP-301-1..... 792	U-DWM-570449, 719, 730
STRM-5N-R..... 854	U-AM-160..... 496	U-B-110-1..... 480	U-CLP-310..... 460, 793	U-DWM-570-1... 449, 719, 730
STRM-60..... 854	U-AM-160-1..... 496	U-B-120..... 484	U-CLP-310-1..... 460, 793	U-DWM-580..... 450, 716, 727, 767, 784
STRM-60-R..... 854	U-AM-170..... 471	U-B-120-1..... 484	U-CLP-311..... 793	U-DWM-580-1... 450, 716, 727, 767, 783
STRM-AC..... 856	U-AM-170-1..... 471	U-BEC-110..... 473	U-CLP-311-1..... 793	U-DWM-583..... 450, 717, 728, 769, 785
STRM-AC-R..... 856	U-AM-180..... 471	U-BEC-110-1..... 473	U-CLP-320..... 793	U-DWM-583-1... 450, 717, 728, 769, 785
STRM-AQ..... 856	U-AM-180-1..... 471	U-BEC-120..... 473	U-CLP-320-1..... 793	U-DWM-584..... 448, 717, 728, 743, 755, 769, 782, 787
STRM-BZ..... 856	U-AM-200..... 475	U-BEC-120-1..... 473	U-CLP-351X..... 793	U-DWM-584-1... 448, 717, 728, 743, 755, 769, 782, 787
STRM-BZ-R..... 856	U-AM-200-1..... 474	U-BEC-130..... 473	U-CLP-400N..... 793	U-DWM-588..... 716, 727, 768, 784
STRM-D1D39N..... 854	U-AM-210..... 475	U-BEC-130-1..... 473	U-CLP-400N-1..... 793	U-DWM-588-1... 716, 727, 768, 784
STRM-D1D39N-R..... 854	U-AM-210-1..... 475	U-BEC-140..... 474	U-CLP-401..... 793	U-DWM-589..... 717, 728, 769, 786
STRM-DG..... 855	U-AM-220..... 475	U-BEC-140-1..... 474	U-CLP-401-1..... 793	U-DWM-589N-1 717, 728, 769, 786
STRM-DG-R..... 855	U-AM-220-1..... 475	U-BEC-150..... 477	U-CLP-410..... 460, 793	U-DWM-592..... 449, 727
STRM-DL..... 855	U-AM-230..... 488	U-BEC-150-1..... 477	U-CLP-410-1..... 460, 793	U-DWM-592-1... 449, 727
STRM-DL-R..... 855	U-AM-230-1..... 488	U-BECM-843..... 797	U-CLP-411..... 793	U-DWM-596718, 729, 768
STRM-DL-R..... 855	U-AM-240-1..... 488	U-BECM-843-1..... 797	U-CLP-411-1..... 793	U-DWM-596-1... 718, 729, 768
STRM-HG..... 855	U-AM-260..... 494	U-BTX-100..... 418	U-D471-A..... 501	U-DWM-826..... 787
STRM-HG-R..... 855	U-AM-260-1..... 494	U-BTX-100-1..... 418	U-D471-A-1..... 501	U-DWM-826-1..... 787
STRM-HL..... 855	U-AM-270..... 494	U-BTX-110..... 418	U-D471-B..... 501	U-DWM-826A..... 787
STRM-HL-R..... 855	U-AM-270-1..... 494	U-BTX-110-1..... 418	U-D471-B-1..... 501	U-DWM-826A-1..... 787
STRM-KC..... 856	U-AM-280..... 498	U-BTX-2000N..... 418	U-D471-C..... 501	U-ECDM..... 506
STRM-KC-R..... 856	U-AM-280-1..... 498	U-BTX-2000N-4..... 418	U-D471-C-1..... 501	U-ECK-003..... 522
STRM-KI..... 856	U-AM-290..... 499	U-CFC-110..... 476	U-D471-D..... 501	U-ECK-004..... 522
STRM-KI-R..... 856	U-AM-290-1..... 498	U-CFC-110-1..... 476	U-D471-D-1..... 501	U-ECK-005..... 522
STRM-LC..... 856	U-AM-300..... 499	U-CFC-120..... 477	U-D471-E..... 501	U-ECK-011..... 523
STRM-LC-R..... 856	U-AM-300-1..... 499	U-CFC-120-1..... 477	U-D471-E-1..... 501	U-ECK-012..... 522
STRM-N1N35N..... 854	U-AM-310..... 499	U-CFC-130..... 482	U-D471-F..... 501	U-ECK-013..... 522
STRM-N1N35N-R..... 854	U-AM-310-1..... 499	U-CFC-130-1..... 481	U-D471-F-1..... 501	U-ECK-014..... 523
STRM-RE..... 855	U-AM-320..... 499	U-CFC-140..... 498	U-D471-G..... 501	U-ECK-015..... 523
STRM-RE-R..... 855	U-AM-320-1..... 499	U-CFC-140-1..... 498	U-D471-G-1..... 501	U-ECK-019..... 523
STRM-RM-NIR..... 860	U-AMK-602..... 745	U-CFC-210..... 476	U-D471-H..... 501	U-ECK-020..... 522
STRM-RM-NIR/T..... 860	U-AMK-8021..... 769	U-CFC-210-1..... 476	U-D471-H-1..... 501	U-ECK-022..... 523
STRM-SC..... 856	U-AMM-602N..... 452, 744	U-CFC-250..... 481	U-D471-I..... 502	U-ECK-023..... 523
STRM-SC-R..... 856	U-AMM-602N-1... 452, 744	U-CFC-250-1..... 481	U-D471-I-1..... 502	U-ECK-024..... 522
STRM-SI..... 856	U-AMM-622..... 452, 745	U-CFC-260..... 483	U-D471-L..... 502	U-ECK-025..... 522
STRM-SI-R..... 856	U-AMM-622-1..... 452, 745	U-CFC-260-1..... 482	U-D471-L-1..... 501	U-ECK-026..... 522
STRM-SL..... 855	U-AMM-802..... 452, 766	U-CFC-300..... 496	U-D471-L-1..... 501	U-ECK-027..... 522
STRM-SL-R..... 855	U-AMM-802-1..... 452, 766	U-CFC-300-1..... 496	U-DMP-011..... 483	U-ECK-028..... 523
STRM-SN..... 856	U-AMM-812..... 453, 766	U-CFC-310..... 496	U-DMP-012..... 483	U-ECK-029..... 522
STRM-SN-R..... 856	U-AMM-812-1..... 453, 766	U-CFC-310-1..... 496	U-DMP-013..... 485	U-ECK-030..... 523
STRM-TX..... 856	U-AMN-603.745, 770, 785	U-CH-110..... 476	U-DMP-014..... 483	U-ECK-033..... 522
STRM-TX-R..... 856	U-AMN-603-1... 745, 770, 785	U-CH-110-1..... 476	U-DMP-015..... 479	U-ECK-034..... 523
U-1016TK..... 383	U-AMN-613..... 745, 770	U-CH-150..... 408, 487	U-DMP-016..... 479	U-ECK-038..... 523
U-1221TK..... 384	U-AMN-613-1... 745, 770	U-CH-150-1 343, 408, 487	U-DMP-017..... 483	U-ECK-042..... 522
U-1232TK..... 384	U-AMN-623.745, 770, 785	U-CH-151..... 408, 487	U-DMP-018..... 485	U-ECK-042..... 522
U-1242TK..... 384	U-AMN-623-1... 745, 770, 785	U-CH-151-1 343, 408, 487	U-DMP-019..... 473	U-ECK-047..... 523
U-1242TK-A..... 384	U-AMN-803..... 745, 770	U-CH-160..... 487	U-DMP-020..... 485	U-ECK-048..... 522
U-1242TK-B..... 384	U-AMN-803-1... 745, 770	U-CH-160-1..... 487	U-DMP-027..... 483	U-ECK-050..... 523
U-1242TK-B1..... 384	U-AMN-813..... 770	U-CH-170..... 487	U-DMP-028..... 473	U-ECK-051..... 522
U-1242TK-B2..... 384	U-AMN-813-1..... 770	U-CH-170-1..... 487	U-DMP-037..... 475	U-ECK-052..... 522
U-1248TK..... 384	U-AMN-823..... 471, 770	U-CH-180..... 487	U-DMP-037..... 475	U-ECK-056..... 522
U-1248TK-B1..... 384	U-AMN-823-1... 471, 770	U-CH-180-1..... 487	U-DWK-5252..... 733	U-ECK-080..... 522
U-1248TK-B2..... 384	U-ASTM-100..... 239	U-CH-180-1..... 487	U-DWK-8260..... 785	U-ECK-081..... 523
U-1254TK..... 384	U-ASTM-100-1..... 239	U-CH-190..... 407, 497	U-DWM-503..... 719	U-ECK-082..... 522
U-1254TK-A..... 384	U-ASTM-110..... 239, 418	U-CH-190-1..... 407, 497	U-DWM-503-1..... 719	U-EPA-100..... 744
U-1254TK-B..... 384	U-ASTM-110-1... 238, 418	U-CH-200..... 487	U-DWM-504N... 448, 720, 765	U-EPA-100-1..... 744
U-1254TK-B1..... 384	U-ASTM-120..... 238	U-CH-200-1..... 487	U-DWM-504N-1 448, 720, 765	U-EPA-1002..... 471
U-1254TK-B2..... 384	U-ASTM-120-1..... 238	U-CH-210..... 408, 492	U-DWM-510448, 718, 730	U-EPA-100-1..... 744
U-1260TK..... 384	U-ASTM-130..... 239	U-CH-210-1..... 408, 492	U-DWM-510-1.. 448, 718, 730	U-EPA-1002..... 471
U-1260TK-A..... 384	U-ASTM-130-1..... 239	U-CH-220..... 408, 495	U-DWM-514..... 720	U-EPA-1003..... 472
U-1260TK-B..... 384	U-ATS-110..... 421	U-CH-220-1..... 408, 495	U-DWM-514-1..... 720	U-EPA-1004..... 473
U-1260TK-B1..... 384	U-ATS-110-1..... 421	U-CH-230..... 492	U-DWM-520448, 718, 730	U-EPA-1005..... 474
U-1260TK-B2..... 384	U-ATS-111..... 738	U-CH-230-1..... 492	U-DWM-520-1.. 448, 718, 730	U-EPA-1006..... 474
U-1262TK..... 384	U-ATS-111-1..... 738	U-CHK-612..... 752	U-DWM-525K-C..... 732	U-EPA-1007..... 474
U-1268TK..... 384	U-ATS-120..... 424	U-CHM-612..... 752	U-DWM-530449, 719, 730	U-EPA-1008..... 474
U-47995N.. 478, 732, 734, 761, 794	U-ATS-120-1..... 424	U-CHM-612-1..... 752	U-DWM-530-1.. 449, 719, 730	U-EPA-1012..... 475, 761
U-47995N-1..... 478, 732, 734, 761, 794	U-ATS-130..... 480	U-CHM-622..... 752	U-DWM-540449, 718, 730	U-EPA-1013..... 475
U-625-MA..... 458, 756	U-ATS-130-1..... 480	U-CHM-622-1..... 752	U-DWM-540-1.. 449, 718, 730	U-EPA-1014..... 407, 475
U-625-MA-1..... 458, 756	U-ATS-140..... 486, 778	U-CHM-842A..... 778	U-DWM-544..... 448, 717, 729, 743, 755, 764, 769, 782, 787	
U-ALD-100..... 795	U-ATS-140-1..... 486, 778	U-CHM-842A-1..... 778	U-DWM-544-1.. 448, 717, 728, 743, 755, 764, 769, 782, 787	
U-ALD-100-1..... 795	U-ATS-150..... 427	U-CLP-100N..... 453, 783, 786	U-DWM-550449, 719, 730	
U-ALD-554..... 741	U-ATS-150-1..... 427	U-CLP-100N-1... 453, 783, 786		
U-ALD-554-1..... 741	U-ATS-160..... 495	U-CLP-102..... 783, 786		
U-ALD-554D..... 742	U-ATS-160-1..... 495	U-CLP-110..... 453, 782, 786		
U-ALD-554D-1..... 741	U-ATS-161..... 495, 732	U-CLP-110-1..... 453, 782, 786		
U-ALD-556X..... 742	U-ATS-161-1..... 495, 732	U-CLP-120..... 453, 783, 787		
U-ALD-8315..... 796	U-ATS-170..... 496	U-CLP-120-1..... 453, 783, 786		
U-ALD-8315-1..... 796	U-ATS-170-1..... 496			
	U-ATS-180..... 497			



## Code number index

U-EPA-1016 .....476, 743, 754, 764, 768	U-EPA-1104..... 407, 480	U-EPA-1204..... 323, 475	U-EPA-2142N.... 744, 755	U-FLSA-019..... 296
U-EPA-1017 .....476	U-EPA-1105..... 480	U-EPA-1205..... 475	U-EPA-2142N-1. 744, 755	U-FLSA-020..... 294
U-EPA-1018 .....477	U-EPA-1106..... 482	U-EPA-1206..... 475	U-FIDM ..... 506	U-FLSA-021..... 294
U-EPA-1019 .....477	U-EPA-1107..... 332	U-EPA-1207..... 476	U-FLBA-001..... 296	U-FLSA-022..... 297
U-EPA-1020 .....479	U-EPA-1108..... 483	U-EPA-1208..... 476	U-FLBA-002..... 295	U-FLSA-023..... 295
U-EPA-1021 .....479	U-EPA-1109..... 484	U-EPA-1209..... 476	U-FLBA-003..... 296	U-FLSA-024..... 296
U-EPA-1022 .....479	U-EPA-1110..... 422	U-EPA-1210..... 477	U-FLBA-004..... 295	U-FLSA-025..... 294
U-EPA-1023 .....479	U-EPA-1111..... 484	U-EPA-1211..... 479	U-FLBA-006..... 296	U-FLSA-026..... 294
U-EPA-1024 .....481	U-EPA-1112..... 484	U-EPA-1212..... 479	U-FLBA-007..... 295	U-FLSA-027..... 297
U-EPA-1025 .....481	U-EPA-1113..... 462, 797	U-EPA-1213..... 482	U-FLBA-008..... 296	U-FLSA-028..... 295
U-EPA-1026 .....481	U-EPA-1114..... 484	U-EPA-1214..... 480	U-FLBA-011..... 296	U-FLSA-029..... 296
U-EPA-1027 .....481	U-EPA-1115..... 485	U-EPA-1215..... 480	U-FLBA-012..... 295	U-FLSA-030..... 297
U-EPA-1028 .....481	U-EPA-1116..... 485	U-EPA-1217..... 331	U-FLBA-013..... 296	U-FLSA-031..... 295
U-EPA-1029 .....481	U-EPA-1117..... 485	U-EPA-1218..... 482	U-FLBA-014..... 295	U-FLSA-032..... 297, 302
U-EPA-1030 .....482	U-EPA-1118..... 485	U-EPA-1219..... 483	U-FLBA-015..... 296	U-FLSA-033..... 297
U-EPA-1034 .....331, 482	U-EPA-1119..... 336	U-EPA-1220..... 485	U-FLBA-016..... 296	U-FLSA-034..... 295
U-EPA-1035 .....486	U-EPA-1120..... 336	U-EPA-1221..... 463, 797	U-FLBA-017..... 295	U-FLSA-035..... 296
U-EPA-1036 .....486	U-EPA-1121..... 426	U-EPA-1222..... 488	U-FLBA-018..... 296	U-FLSA-036..... 295
U-EPA-1037 .....488	U-EPA-1122..... 426	U-EPA-1223..... 489	U-FLBA-021..... 295	U-FLSA-037..... 297
U-EPA-1038 .....488	U-EPA-1123..... 343	U-EPA-1224..... 489	U-FLBA-022..... 296	U-FLSA-038..... 297
U-EPA-1039 .....488	U-EPA-1124..... 343	U-EPA-1225..... 489	U-FLBA-026..... 296	U-FLSA-039..... 295
U-EPA-1040 .....489	U-EPA-1125..... 343, 408, 487, 777	U-EPA-1226..... 491	U-FLBA-027..... 295	U-FLSA-040..... 296
U-EPA-1041 .....489	U-EPA-1126..... 487	U-EPA-1227..... 463, 797	U-FLBA-028..... 296	U-FLSA-041..... 295
U-EPA-1042 .....489	U-EPA-1127..... 487	U-EPA-1228..... 463, 797	U-FLBA-030..... 295	U-FLSA-046..... 295
U-EPA-1043 .....490	U-EPA-1128..... 487	U-EPA-1229..... 463, 797	U-FLBA-031..... 296	U-FLSA-047..... 297
U-EPA-1044 .....494	U-EPA-1129..... 487	U-EPA-1230..... 494	U-FLBA-032..... 296	U-FLSA-048..... 297
U-EPA-1045 .....494	U-EPA-1130..... 487	U-EPA-1232..... 494	U-FLBA-034..... 295	U-FLSA-049..... 295
U-EPA-1046 .....494	U-EPA-1131..... 345	U-EPA-1233..... 462, 797	U-FLBA-035..... 296	U-FLSA-050..... 296
U-EPA-1047 .....495	U-EPA-1132..... 488	U-EPA-1234..... 408, 495	U-FLBA-036..... 295	U-FLSA-051..... 295
U-EPA-1048 .....495	U-EPA-1133..... 488	U-EPA-1235..... 408, 495	U-FLBA-037..... 296	U-FLSA-052..... 297
U-EPA-1049 .....495	U-EPA-1134..... 427	U-EPA-1236..... 496	U-FLBA-038..... 295	U-FLSA-053..... 297
U-EPA-1050 .....496	U-EPA-1135..... 490	U-EPA-1237..... 463, 797	U-FLBA-042..... 297	U-FLSA-054..... 295
U-EPA-1051 .....407, 497	U-EPA-1136..... 490	U-EPA-1238..... 497	U-FLBA-043..... 297	U-FLSA-055..... 296
U-EPA-1052 .....407, 497	U-EPA-1137..... 490	U-EPA-1239A..... 497	U-FLHC-002..... 489	U-FLSA-056..... 295
U-EPA-1053 .....497	U-EPA-1138..... 490	U-EPA-1240..... 408, 463	U-FLHC-003..... 490	U-FLSA-057..... 297
U-EPA-1054 .....497	U-EPA-1139..... 462	U-EPA-1241..... 498	U-FLHC-004..... 489	U-FLSA-058..... 296
U-EPA-1055 .....497	U-EPA-1140..... 491	U-EPA-1243..... 463, 797	U-FLHC-005..... 490	U-FLSA-059..... 295
U-EPA-1056 .....498	U-EPA-1141..... 491	U-EPA-1244..... 739, 785	U-FLHC-006..... 489	U-FLSA-062..... 296
U-EPA-1057 .....498	U-EPA-1143..... 491	U-EPA-1249..... 361	U-FLHC-009..... 489	U-FLSA-063..... 296
U-EPA-1058 .....498	U-EPA-1144..... 491	U-EPA-1250..... 499	U-FLHC-010..... 490	U-FLSA-064..... 296
U-EPA-1059 .....499	U-EPA-1145..... 491	U-EPA-1292..... 381	U-FLHC-011..... 490	U-FLSA-065..... 296
U-EPA-1060 .....499	U-EPA-1149..... 492	U-EPA-1302..... 382	U-FLHC-012..... 489	U-FLSA-066..... 294
U-EPA-1061 .....499	U-EPA-1150..... 492	U-EPA-1312..... 382	U-FLHC-014..... 489	U-FLSA-067..... 296
U-EPA-1062 .....499	U-EPA-1151..... 353, 493	U-EPA-1342..... 382	U-FLHC-015..... 490	U-FLSA-068..... 296
U-EPA-1063 .....499	U-EPA-1152..... 493	U-EPA-1352..... 382	U-FLHC-016..... 496	U-FLSA-069..... 297
U-EPA-1064 .....421	U-EPA-1153..... 493	U-EPA-1362..... 382	U-FLHC-017..... 496	U-FLSA-070..... 297
U-EPA-1065 .....421	U-EPA-1154..... 428	U-EPA-1372..... 383	U-FLMS-010..... 297	U-FLSA-071..... 297
U-EPA-1066 .....471	U-EPA-1155..... 493	U-EPA-1382..... 383	U-FLMS-012..... 295	U-FLSA-072..... 294
U-EPA-1067 .....316	U-EPA-1156..... 493	U-EPA-2004N..... 749	U-FLMS-013..... 295	U-FLSA-073..... 294
U-EPA-1068 .....315	U-EPA-1157..... 428	U-EPA-2004N-1..... 749	U-FLMS-014..... 296	U-FLSA-074..... 296
U-EPA-1069 .....316	U-EPA-1159..... 339	U-EPA-2008N... 457, 746, 757	U-FLMS-015..... 296	U-FLSA-076..... 296
U-EPA-1070 .....421	U-EPA-1160..... 408, 495	U-EPA-2008N-1 457, 746, 757	U-FLMS-016..... 294	U-FLSA-077..... 296
U-EPA-1071 .....472	U-EPA-1161..... 362	U-EPA-2010N..... 757	U-FLMS-017..... 295	U-FLSA-078..... 296
U-EPA-1072 .....422	U-EPA-1162..... 498	U-EPA-2010N-1..... 757	U-FLMS-018..... 294	U-FLSA-079..... 296
U-EPA-1073 .....422	U-EPA-1163..... 498	U-EPA-2011N..... 757	U-FLMS-019..... 297	U-FLSA-080..... 294
U-EPA-1074 .....423	U-EPA-1164..... 343	U-EPA-2011N-1..... 757	U-FLMS-020..... 297	U-FLSA-081..... 296
U-EPA-1075 .....423	U-EPA-1165325, 723, 761	U-EPA-2014N.... 751, 778	U-FLMS-021..... 296	U-FLSA-082..... 296
U-EPA-1076 .....342	U-EPA-1168..... 357, 762	U-EPA-2014N-1. 751, 778	U-FLMS-022..... 295	U-FLSA-083..... 297
U-EPA-1077 .....342	U-EPA-1169..... 318, 762	U-EPA-2015N..... 780	U-FLMS-023..... 295	U-FLSA-084..... 297
U-EPA-1078 .....343	U-EPA-1170..... 351, 762	U-EPA-2015N-1..... 780	U-FLMS-024..... 296	U-FLSA-085..... 297
U-EPA-1079 .....342	U-EPA-1171..... 318, 762	U-EPA-2037N.... 747, 772	U-FLMS-026..... 297	U-FLSA-086..... 294
U-EPA-1080 .....473	U-EPA-1172..... 347, 762	U-EPA-2037N-1. 747, 772	U-FLMS-029..... 297	U-FLSA-087..... 294
U-EPA-1081 .....473	U-EPA-1173..... 360, 762	U-EPA-2038N..... 751	U-FLPK-001..... 297	U-FLSA-088..... 296
U-EPA-1082 .....473	U-EPA-1174..... 318, 762	U-EPA-2038N-1..... 751	U-FLPK-002..... 302	U-FLSA-089..... 295
U-EPA-1083 .....473	U-EPA-1175..... 354, 762	U-EPA-2039N..... 751	U-FLPK-003..... 298	U-FLSA-090..... 295
U-EPA-1084 .....474	U-EPA-1176A..... 317	U-EPA-2041N.... 743, 755	U-FLPK-004..... 298	U-FLSA-091..... 294
U-EPA-1085 .....475	U-EPA-1178A..... 317	U-EPA-2041N-1. 743, 755	U-FLPK-005..... 298	U-FLSA-092..... 295
U-EPA-1086 .....322	U-EPA-1179..... 335	U-EPA-2042N.... 744, 755	U-FLPK-007..... 302	U-FLSA-093..... 295
U-EPA-1087 .....475	U-EPA-1180..... 343	U-EPA-2042N-1. 744, 755	U-FLSA-001..... 295	U-FLSA-094..... 294
U-EPA-1088 .....476	U-EPA-1182..... 346	U-EPA-2043N..... 729	U-FLSA-002..... 294	U-FLSA-095..... 295
U-EPA-1089 .....476	U-EPA-1183..... 348	U-EPA-2043N-1..... 729	U-FLSA-003..... 295	U-FLSA-096..... 295
U-EPA-1090 .....476	U-EPA-1186..... 349	U-EPA-2044N..... 729	U-FLSA-004..... 296	U-FLSA-097..... 294
U-EPA-1091 .....477	U-EPA-1188..... 350	U-EPA-2044N-1..... 729	U-FLSA-005..... 294	U-FLSA-098..... 294
U-EPA-1092 .....424	U-EPA-1189..... 357	U-EPA-2045N..... 729	U-FLSA-006..... 294	U-FLSA-100..... 294
U-EPA-1093 .....477	U-EPA-1190..... 360	U-EPA-2045N-1..... 729	U-FLSA-007..... 297	U-FLSA-101..... 294
U-EPA-1094 .....477	U-EPA-1191..... 316, 471	U-EPA-2101N..... 749	U-FLSA-008..... 295	U-FLSA-104..... 295
U-EPA-1095 .....478	U-EPA-1192..... 461, 797	U-EPA-2101N-1..... 749	U-FLSA-009..... 296	U-FLSA-105..... 295
U-EPA-1096 .....327	U-EPA-1193..... 461, 797	U-EPA-2138N..... 751	U-FLSA-010..... 294	U-FLSA-106..... 294
U-EPA-1097 .....328	U-EPA-1194..... 472	U-EPA-2138N-1..... 751	U-FLSA-011..... 294	U-FLSA-107..... 294
U-EPA-1098 .....328	U-EPA-1195..... 473	U-EPA-2139N..... 751	U-FLSA-012..... 297	U-FLSA-109..... 294
U-EPA-1099 .....329	U-EPA-1196..... 473	U-EPA-2139N-1..... 751	U-FLSA-013..... 295	U-FLSA-110..... 294
U-EPA-1100 .....479	U-EPA-1198..... 473	U-EPA-2141N.... 744, 755	U-FLSA-014..... 296	U-FLSA-113..... 294
U-EPA-1101 .....479	U-EPA-1199..... 473	U-EPA-2141N-1. 743, 755	U-FLSA-015..... 297	U-FLSA-114..... 297
U-EPA-1102 .....407, 480	U-EPA-1201..... 473	U-EPA-2142N.... 744, 755	U-FLSA-016..... 295	U-FLSA-115..... 294
U-EPA-1103 .....407, 480	U-EPA-1202..... 473	U-EPA-2142N-1. 744, 755	U-FLSA-017..... 294	U-FLSA-117..... 295
	U-EPA-1203..... 475	U-EPA-2142N-1. 743, 755	U-FLSA-018..... 295	U-FLSA-118..... 295

U-FLSA-119.....	296	U-HBM-8150A ....	753, 780	U-HC-350-1 .....	330, 479	U-IAA-049 .....	528	U-IAA-277 .....	524
U-FLSA-120.....	296	U-HBM-8150A-1 ..	753, 780	U-HC-360.....	479	U-IAA-050 .....	529	U-IAA-278 .....	525
U-FLSA-121.....	294	U-HBM-8150M.....	753, 780	U-HC-360-1 .....	479	U-IAA-051 .....	527	U-IAA-279 .....	524
U-FLSA-125.....	297	U-HBM-8150M-1 ..	753, 780	U-HC-370.....	481	U-IAA-052 .....	529	U-IAA-280 .....	525
U-FLSA-127.....	296	U-HBM-8151A ....	367, 780	U-HC-370-1 .....	481	U-IAA-055 .....	527	U-IAA-281 .....	526
U-FLSA-130.....	295	U-HBM-8151A-1 ..	367, 780	U-HC-380.....	331, 482	U-IAA-056 .....	527	U-IAA-282 .....	525
U-FLSA-131.....	297	U-HBM-8151M.....	780	U-HC-380-1 .....	331, 482	U-IAA-057 .....	528	U-IAA-283 .....	524
U-FLSA-132.....	294	U-HBM-8151M-1 ..	780	U-HC-390.....	482	U-IAA-058 .....	527	U-IAA-290 .....	526
U-FLSA-134.....	295	U-HBM-8152M.....	781	U-HC-390-1 .....	482	U-IAA-059 .....	528	U-IAA-292 .....	526
U-FLSA-135.....	295	U-HBM-8152M-1 ..	781	U-HC-400.....	482	U-IAA-060 .....	528	U-ICC-001 .....	539
U-FLSA-136.....	296	U-HBM-8153A ....	780	U-HC-400-1 .....	482	U-IAA-062 .....	528	U-ICC-001-5 .....	539
U-FLSA-137.....	296	U-HBM-8153A-1 ..	780	U-HC-410.....	495	U-IAA-063 .....	528	U-ICC-002 .....	540
U-FLSA-138.....	294	U-HBM-815A ....	367, 781	U-HC-410-1 .....	495	U-IAA-064 .....	528	U-ICC-002-5 .....	540
U-FLSA-142.....	297	U-HBM-815A-1 ...	367, 781	U-HC-420.....	407, 497	U-IAA-065 .....	529	U-ICC-003 .....	540
U-FLSA-144.....	296	U-HBM-815M.....	781	U-HC-420-1 .....	407, 497	U-IAA-066 .....	527	U-ICC-003-5 .....	540
U-FLSA-147.....	295	U-HBM-815M-1 ..	781	U-HC-440.....	498	U-IAA-067 .....	528	U-ICC-004 .....	540
U-FLSA-148.....	295	U-HC-010 .....	474	U-HC-440-1 .....	498	U-IAA-068 .....	527	U-ICC-004-5 .....	540
U-FRCK-005.....	465	U-HC-010-1 .....	474	U-HC-450.....	471	U-IAA-070 .....	529	U-ICC-004A .....	540
U-FRCK-009.....	465	U-HC-020 .....	474	U-HC-450-1 .....	471	U-IAA-073 .....	529	U-ICC-004A-5 .....	540
U-FRCK-010.....	465	U-HC-020-1 .....	474	U-HC-460.....	481	U-IAA-074 .....	529	U-ICC-005 .....	540
U-FRCK-013.....	465	U-HC-030-1 .....	474	U-HC-460-1 .....	481	U-IAA-080 .....	528	U-ICC-005-5 .....	540
U-FRCK-014.....	408	U-HC-040 .....	475	U-HC-470.....	489	U-IAA-081 .....	529	U-ICC-005A .....	540
U-FRCK-015.....	465	U-HC-040-1 .....	475	U-HC-470-1 .....	489	U-IAA-082 .....	528	U-ICC-005A-5 .....	540
U-FRCS-156.....	465	U-HC-050 .....	407, 475	U-HC-480.....	498	U-IAA-083 .....	527	U-ICC-006 .....	541
U-FRNH-068.....	429	U-HC-050-1 .....	407, 475	U-HC-480-1 .....	498	U-IAA-090 .....	529	U-ICC-006-5 .....	541
U-FRNH-179.....	465	U-HC-060 .....	476	U-HC-491...764, 768, 782,	785	U-IAA-092 .....	529	U-ICC-007 .....	540
U-GCM-100K.....	761	U-HC-060-1 .....	476	U-HC-491-1764, 768, 782,	785	U-IAA-203 .....	525	U-ICC-007-5 .....	540
U-GCM-130 .....	761	U-HC-070 ..476, 743, 754,	764, 768, 782, 785	U-HC-500.....	481	U-IAA-204 .....	524	U-ICC-007A .....	540
U-GCM-130-1 .....	761	U-HC-070-1476, 743, 754,	764, 768, 782, 785	U-HC-500-1 .....	481	U-IAA-205 .....	524	U-ICC-007A-5 .....	540
U-GCM-140 .....	761	U-HC-080 .....	476	U-HCK-601 .....	744	U-IAA-211 .....	526	U-ICC-008 .....	542
U-GCM-140-1 .....	761	U-HC-080-1 .....	476	U-HCM-551B .....	739	U-IAA-212 .....	525	U-ICC-008-5 .....	542
U-GCM-150 .....	794	U-HC-090 .....	476	U-HCM-551B-1 .....	739	U-IAA-213 .....	523	U-ICC-009 .....	542
U-GCM-150-1 .....	794	U-HC-090-1 .....	476	U-HCM-551D .....	739	U-IAA-214 .....	526	U-ICC-009-5 .....	542
U-GCM-160A .....	733	U-HC-100 .....	479	U-HCM-551D-1 .....	739	U-IAA-215 .....	525	U-ICC-010 .....	539
U-GCM-160A-1 .....	733	U-HC-100-1 .....	479	U-HCM-551E .....	739	U-IAA-216 .....	526	U-ICC-010-5 .....	539
U-GCS-110 .....	472, 761	U-HC-110 ...331, 407, 480		U-HCM-551E-1 .....	739	U-IAA-219 .....	525	U-ICC-011 .....	539
U-GCS-110-1 .....	472, 761	U-HC-110-1 331, 407, 480		U-HCM-601.....	448, 743	U-IAA-220 .....	524	U-ICC-011-5 .....	540
U-GCS-120 .....	493, 761	U-HC-120 ...331, 407, 480		U-HCM-601-1 .....	448, 743	U-IAA-221 .....	526	U-ICC-012 .....	540
U-GCS-120-1 .....	493, 761	U-HC-120-1 331, 407, 480		U-HCM-601G .....	450, 743	U-IAA-222 .....	526	U-ICC-012-5 .....	540
U-GCS-200.....	506	U-HC-130 ...331, 407, 480		U-HCM-601G-1 .....	450, 743	U-IAA-223 .....	526	U-ICC-013 .....	540
U-HB-100-1 .....	327	U-HC-130-1 331, 407, 480		U-HCM-621.....	451, 743	U-IAA-224 .....	524	U-ICC-013-5 .....	540
U-HB-101-1 .....	327	U-HC-140 .....	481	U-HCM-621-1 .....	451, 743	U-IAA-225 .....	525	U-ICC-014 .....	539
U-HB-110-1 .....	339	U-HC-140-1 .....	481	U-HCM-801.....	451, 764	U-IAA-226 .....	525	U-ICC-014-5 .....	539
U-HB-111-1 .....	339	U-HC-150 .....	481	U-HCM-801-1 .....	451, 764	U-IAA-227 .....	524	U-ICC-015 .....	539
U-HB-120-1 .....	359	U-HC-150-1 .....	481	U-HCM-812.....	720, 765	U-IAA-228 .....	525	U-ICC-015-5 .....	539
U-HB-121-1 .....	359	U-HC-160 .....	481	U-HCM-812-1 .....	720, 765	U-IAA-229 .....	524	U-ICC-016 .....	540
U-HB-130-1 .....	334	U-HC-160-1 .....	481	U-HCM-822A .....	768	U-IAA-230 .....	527	U-ICC-016-5 .....	540
U-HB-131-1 .....	334	U-HC-170 .....	481	U-HCM-822A-1 .....	768	U-IAA-231 .....	524	U-ICC-017 .....	540
U-HB-140-1 .....	327	U-HC-170-1 .....	481	U-HPCK-2C .....	406, 775	U-IAA-232 .....	524	U-ICC-017-5 .....	540
U-HB-141-1 .....	327	U-HC-180 .....	481	U-HPCK-2D .....	406, 775	U-IAA-233 .....	523	U-ICC-018 .....	540
U-HB-150-1 .....	327	U-HC-180-1 .....	481	U-HPCK-2E .....	406, 775	U-IAA-234 .....	526	U-ICC-018-5 .....	540
U-HB-151-1 .....	327	U-HC-190 .....	482	U-HPCK-2F .....	406, 775	U-IAA-237 .....	525	U-ICC-019 .....	540
U-HB-160-1 .....	330	U-HC-190-1 .....	482	U-HPCK-2G .....	406, 775	U-IAA-238 .....	526	U-ICC-019-5 .....	540
U-HB-161-1 .....	330	U-HC-200 .....	482	U-IAA-003 .....	528	U-IAA-239 .....	526	U-ICC-020 .....	540
U-HB-170-1 .....	331	U-HC-200-1 .....	482	U-IAA-004 .....	527	U-IAA-240 .....	527	U-ICC-020-5 .....	540
U-HB-171-1 .....	332	U-HC-210 .....	482	U-IAA-005 .....	527	U-IAA-241 .....	525	U-ICC-021 .....	540
U-HB-180-1 .....	346	U-HC-210-1 .....	482	U-IAA-011 .....	529	U-IAA-242 .....	525	U-ICC-021-5 .....	540
U-HB-181-1 .....	346	U-HC-220 .....	489	U-IAA-012 .....	528	U-IAA-244 .....	525	U-ICC-022 .....	540
U-HB-190-1 .....	347	U-HC-220-1 .....	489	U-IAA-013 .....	527	U-IAA-245 .....	525	U-ICC-022-5 .....	540
U-HB-191-1 .....	347	U-HC-230 .....	495	U-IAA-014 .....	529	U-IAA-246 .....	525	U-ICC-023 .....	540
U-HBM-5152A .....	724	U-HC-230-1 .....	495	U-IAA-015 .....	528	U-IAA-247 .....	526	U-ICC-023-5 .....	540
U-HBM-5152A-1 .....	724	U-HC-240 .....	495	U-IAA-016 .....	529	U-IAA-248 .....	524	U-ICC-024 .....	540
U-HBM-5152M .....	725	U-HC-240-1 .....	495	U-IAA-019 .....	528	U-IAA-249 .....	524	U-ICC-024-5 .....	540
U-HBM-5152M-1 .....	725	U-HC-250 .....	497	U-IAA-020 .....	527	U-IAA-250 .....	526	U-ICC-025 .....	540
U-HBM-5153A .....	725	U-HC-250-1 .....	497	U-IAA-022 .....	529	U-IAA-251 .....	523	U-ICC-025-5 .....	540
U-HBM-5153A-1 .....	725	U-HC-260 .....	497	U-IAA-023 .....	529	U-IAA-252 .....	526	U-ICC-026 .....	540
U-HBM-5153M .....	725	U-HC-260-1 .....	497	U-IAA-024 .....	527	U-IAA-255 .....	524	U-ICC-026-5 .....	540
U-HBM-5153M-1 .....	725	U-HC-270 .....	497	U-IAA-025 .....	528	U-IAA-256 .....	523	U-ICC-027 .....	540
U-HBM-5154A .....	724	U-HC-270-1 .....	497	U-IAA-026 .....	528	U-IAA-257 .....	525	U-ICC-027-5 .....	540
U-HBM-5154A-1 .....	724	U-HC-280 .....	497	U-IAA-027 .....	527	U-IAA-258 .....	524	U-ICC-028 .....	540
U-HBM-5154M .....	724	U-HC-280-1 .....	497	U-IAA-028 .....	528	U-IAA-259 .....	525	U-ICC-028-5 .....	540
U-HBM-5154M-1 .....	724	U-HC-290 .....	499	U-IAA-029 .....	527	U-IAA-260 .....	525	U-ICC-029 .....	541
U-HBM-5155A .....	724	U-HC-290-1 .....	499	U-IAA-030 .....	529	U-IAA-262 .....	526	U-ICC-029-5 .....	541
U-HBM-5155A-1 .....	724	U-HC-300 .....	473	U-IAA-031 .....	528	U-IAA-263 .....	524	U-ICC-030 .....	541
U-HBM-5155M .....	724	U-HC-300-1 .....	473	U-IAA-032 .....	528	U-IAA-264 .....	524	U-ICC-030-5 .....	541
U-HBM-5155M-1 .....	724	U-HC-310 .....	473	U-IAA-033 .....	527	U-IAA-265 .....	526	U-ICC-031 .....	541
U-HBM-5156A .....	725	U-HC-310-1 .....	473	U-IAA-034 .....	529	U-IAA-266 .....	524	U-ICC-031-5 .....	541
U-HBM-5156A-1 .....	725	U-HC-320 .....	324, 477	U-IAA-038 .....	529	U-IAA-267 .....	524	U-ICC-032 .....	541
U-HBM-5156M .....	725	U-HC-320-1 .....	324, 477	U-IAA-039 .....	529	U-IAA-268 .....	524	U-ICC-032-5 .....	541
U-HBM-5156M-1 .....	725	U-HC-330 .....	324, 477	U-IAA-040 .....	529	U-IAA-269 .....	526	U-ICC-033 .....	508
U-HBM-5157A .....	726	U-HC-330-1 .....	324, 477	U-IAA-041 .....	528	U-IAA-270 .....	526	U-ICC-033-5 .....	508
U-HBM-5157A-1 .....	726	U-HC-340 .....	330, 479	U-IAA-042 .....	528	U-IAA-271 .....	525	U-ICC-033-L .....	508
U-HBM-555A .....	742	U-HC-340-1 .....	330, 479	U-IAA-047 .....	529	U-IAA-272 .....	524	U-ICC-101 .....	541
U-HBM-555A-1 .....	742	U-HC-350 .....	330, 479	U-IAA-048 .....	527	U-IAA-273 .....	526	U-ICC-101-5 .....	541
U-HBM-555B .....	742					U-IAA-274 .....	526	U-ICC-102 .....	541
U-HBM-555B-1 .....	742					U-IAA-275 .....	525	U-ICC-102-5 .....	541

## Code number index

U-ICC-103.....	541	U-ICP-004-L.....	511	U-ICP-040-5.....	521	U-ICP-073-L.....	519	U-ICP-127-L.....	512
U-ICC-103-5.....	541	U-ICP-005.....	511	U-ICP-040-L.....	521	U-ICP-074.....	520	U-ICP-128.....	516
U-ICC-104.....	541	U-ICP-005-5.....	511	U-ICP-041.....	516	U-ICP-074-5.....	520	U-ICP-128-5.....	516
U-ICC-104-5.....	541	U-ICP-005-L.....	511	U-ICP-041-5.....	516	U-ICP-074-L.....	520	U-ICP-128-L.....	516
U-ICC-105.....	541	U-ICP-011.....	519	U-ICP-041-L.....	516	U-ICP-075.....	517	U-ICP-129.....	512
U-ICC-105-5.....	541	U-ICP-011-5.....	519	U-ICP-042.....	516	U-ICP-075-5.....	517	U-ICP-129-5.....	512
U-ICC-106.....	541	U-ICP-011-L.....	519	U-ICP-042-5.....	516	U-ICP-075-L.....	517	U-ICP-129-L.....	512
U-ICC-106-5.....	541	U-ICP-012.....	515	U-ICP-042-L.....	516	U-ICP-077.....	514	U-ICP-130.....	521
U-ICC-107.....	541	U-ICP-012-5.....	515	U-ICP-044.....	517	U-ICP-077-5.....	514	U-ICP-130-5.....	521
U-ICC-107-5.....	541	U-ICP-012-L.....	515	U-ICP-044-5.....	517	U-ICP-077-L.....	514	U-ICP-130-L.....	521
U-ICC-108.....	541	U-ICP-013.....	510	U-ICP-044-L.....	517	U-ICP-078.....	516	U-ICP-131.....	513
U-ICC-108-5.....	541	U-ICP-013-5.....	510	U-ICP-045.....	517	U-ICP-078-5.....	516	U-ICP-132.....	513
U-ICC-200.....	541	U-ICP-013-L.....	510	U-ICP-046.....	516	U-ICP-078-L.....	516	U-ICP-133.....	510
U-ICC-210.....	541	U-ICP-014.....	518	U-ICP-046-5.....	516	U-ICP-079.....	513, 535	U-ICP-133-5.....	510
U-ICC-300.....	541	U-ICP-014-5.....	518	U-ICP-046-L.....	516	U-ICP-079-5.....	513, 536	U-ICP-133-L.....	510
U-ICC-310.....	541	U-ICP-014A.....	518	U-ICP-047.....	518	U-ICP-079-L.....	513	U-ICP-134.....	518
U-ICC-320.....	542	U-ICP-014A-5.....	518	U-ICP-047-5.....	518	U-ICP-080.....	515	U-ICP-134-5.....	518
U-ICC-330.....	531	U-ICP-014A-L.....	518	U-ICP-047-L.....	518	U-ICP-080-5.....	515	U-ICP-134-L.....	518
U-ICC-759.....	541	U-ICP-014-L.....	518	U-ICP-048.....	511	U-ICP-080-L.....	515	U-ICP-137.....	517
U-ICK-230A.....	534	U-ICP-015.....	516, 537	U-ICP-048-5.....	511	U-ICP-081.....	519	U-ICP-138.....	519
U-ICK-600A.....	537	U-ICP-015-5.....	516, 537	U-ICP-048-L.....	511	U-ICP-081-5.....	520	U-ICP-138-5.....	519
U-ICK-610A.....	537	U-ICP-015-L.....	516	U-ICP-049.....	514	U-ICP-081-L.....	520	U-ICP-138-L.....	519
U-ICM-100.....	530	U-ICP-016.....	519	U-ICP-049-5.....	514	U-ICP-082.....	514	U-ICP-139.....	521
U-ICM-101.....	530	U-ICP-016-5.....	519	U-ICP-049-L.....	514	U-ICP-082-5.....	514	U-ICP-140.....	521
U-ICM-102.....	530	U-ICP-016-L.....	519	U-ICP-050.....	520	U-ICP-082-L.....	514	U-ICP-141.....	516
U-ICM-103.....	530	U-ICP-019.....	517	U-ICP-050-5.....	520	U-ICP-083.....	511	U-ICP-142.....	516
U-ICM-104.....	530	U-ICP-019-5.....	517	U-ICP-050-L.....	520	U-ICP-083-5.....	511	U-ICP-142-5.....	516
U-ICM-105.....	530	U-ICP-019-L.....	517	U-ICP-051.....	510, 535, 537	U-ICP-083-L.....	511	U-ICP-142-L.....	516
U-ICM-106.....	530	U-ICP-020.....	511	U-ICP-051-5.....	510	U-ICP-090.....	520	U-ICP-146.....	516
U-ICM-107.....	531	U-ICP-020-5.....	511	U-ICP-051-L.....	510	U-ICP-090-5.....	520	U-ICP-147.....	518
U-ICM-108.....	530	U-ICP-020-L.....	511	U-ICP-052.....	519	U-ICP-090-L.....	520	U-ICP-147-5.....	518
U-ICM-109.....	531	U-ICP-021.....	518	U-ICP-052-5.....	519	U-ICP-092.....	520	U-ICP-147-L.....	518
U-ICM-110-5.....	531	U-ICP-021-5.....	518	U-ICP-052-L.....	519	U-ICP-092-5.....	520	U-ICP-148.....	511
U-ICM-111-5.....	531	U-ICP-021-L.....	518	U-ICP-055.....	511	U-ICP-092-L.....	520	U-ICP-148-5.....	511
U-ICM-120-5.....	531	U-ICP-022.....	520	U-ICP-055-5.....	511	U-ICP-103.....	515	U-ICP-148-L.....	511
U-ICM-150.....	531	U-ICP-022-5.....	520	U-ICP-055-L.....	511	U-ICP-103-5.....	515	U-ICP-149.....	514
U-ICM-202.....	534	U-ICP-022-L.....	520	U-ICP-056.....	510	U-ICP-103-L.....	515	U-ICP-150.....	520
U-ICM-203.....	534	U-ICP-023.....	521	U-ICP-056-5.....	510	U-ICP-104.....	511	U-ICP-150-5.....	520
U-ICM-204.....	535	U-ICP-023-5.....	521	U-ICP-056-L.....	510	U-ICP-104-5.....	511	U-ICP-150-L.....	520
U-ICM-205.....	535	U-ICP-023-L.....	521	U-ICP-057.....	514	U-ICP-104-L.....	511	U-ICP-151.....	510
U-ICM-211.....	535	U-ICP-024.....	512	U-ICP-057-5.....	514	U-ICP-105.....	511	U-ICP-151-5.....	510
U-ICM-212.....	535	U-ICP-024-5.....	512	U-ICP-057-L.....	514	U-ICP-105-5.....	511	U-ICP-151-L.....	510
U-ICM-213.....	535	U-ICP-024A.....	512	U-ICP-058.....	512	U-ICP-105-L.....	511	U-ICP-152.....	519
U-ICM-215.....	535	U-ICP-024A-5.....	512	U-ICP-058-5.....	512	U-ICP-111.....	519	U-ICP-155.....	511
U-ICM-221.....	535	U-ICP-024A-L.....	512	U-ICP-058-L.....	512	U-ICP-111-5.....	519	U-ICP-156.....	510
U-ICM-223.....	535, 537	U-ICP-024-L.....	512	U-ICP-059.....	517	U-ICP-111-L.....	519	U-ICP-156-5.....	510
U-ICM-224.....	535, 537	U-ICP-025.....	515	U-ICP-059-5.....	517	U-ICP-112.....	515	U-ICP-156-L.....	510
U-ICM-231.....	533	U-ICP-025-5.....	515	U-ICP-059-L.....	517	U-ICP-112-5.....	515	U-ICP-157.....	514
U-ICM-232.....	533	U-ICP-025-L.....	515	U-ICP-060.....	516	U-ICP-112-L.....	515	U-ICP-158.....	512
U-ICM-233.....	534	U-ICP-026.....	514	U-ICP-060-5.....	516	U-ICP-113.....	510	U-ICP-159.....	517
U-ICM-234.....	534	U-ICP-026-5.....	514	U-ICP-060-L.....	516	U-ICP-113-5.....	510	U-ICP-160.....	516
U-ICM-235.....	534	U-ICP-026-L.....	514	U-ICP-062.....	517	U-ICP-113-L.....	510	U-ICP-162.....	517
U-ICM-237.....	534	U-ICP-027.....	512	U-ICP-062-5.....	517	U-ICP-114.....	518	U-ICP-163.....	513
U-ICM-238.....	534	U-ICP-027-5.....	512	U-ICP-062-L.....	517	U-ICP-114-5.....	518	U-ICP-164.....	513
U-ICM-240.....	534	U-ICP-027-L.....	512	U-ICP-063.....	513	U-ICP-114-L.....	518	U-ICP-165.....	519
U-ICM-241.....	534	U-ICP-028.....	516	U-ICP-063-5.....	513	U-ICP-115.....	516	U-ICP-166.....	512
U-ICM-242.....	534	U-ICP-028-5.....	516	U-ICP-063-L.....	513	U-ICP-115-5.....	516	U-ICP-167.....	514
U-ICM-243.....	534	U-ICP-028-L.....	516	U-ICP-064.....	513	U-ICP-115-L.....	516	U-ICP-168.....	513
U-ICM-245.....	534	U-ICP-029.....	512	U-ICP-064-5.....	513	U-ICP-116.....	519	U-ICP-169.....	520
U-ICM-601.....	536	U-ICP-029-5.....	512	U-ICP-064-L.....	513	U-ICP-116-L.....	519	U-ICP-170.....	521
U-ICM-601-5.....	536	U-ICP-029-L.....	512	U-ICP-065.....	519	U-ICP-119.....	517	U-ICP-171.....	515
U-ICM-602.....	536	U-ICP-030.....	521	U-ICP-065-5.....	519	U-ICP-119-5.....	517	U-ICP-172.....	513
U-ICM-602-5.....	536	U-ICP-030-5.....	521	U-ICP-065-L.....	519	U-ICP-119-L.....	517	U-ICP-173.....	519
U-ICM-603.....	536	U-ICP-030-L.....	521	U-ICP-066.....	512	U-ICP-120.....	511	U-ICP-174.....	520
U-ICM-603-5.....	536	U-ICP-031.....	513	U-ICP-066-5.....	512	U-ICP-120-5.....	511	U-ICP-175.....	517
U-ICM-604.....	536	U-ICP-031-5.....	513	U-ICP-066-L.....	512	U-ICP-120-L.....	511	U-ICP-177.....	514
U-ICM-604-5.....	536	U-ICP-031-L.....	513	U-ICP-067.....	514	U-ICP-121.....	518	U-ICP-178.....	517
U-ICM-605.....	537	U-ICP-032.....	513	U-ICP-067-5.....	514	U-ICP-121-5.....	518	U-ICP-178-5.....	517
U-ICM-605-5.....	537	U-ICP-032-5.....	513	U-ICP-067-L.....	514	U-ICP-121-L.....	518	U-ICP-178-L.....	517
U-ICM-607.....	537	U-ICP-032-L.....	513	U-ICP-068.....	513	U-ICP-122.....	520	U-ICP-179.....	513
U-ICM-611.....	537	U-ICP-033.....	510	U-ICP-068-5.....	513	U-ICP-122-5.....	520	U-ICP-179-5.....	513
U-ICM-611-5.....	537	U-ICP-033-5.....	510	U-ICP-068-L.....	513	U-ICP-122-L.....	520	U-ICP-179-L.....	513
U-ICM-642.....	534	U-ICP-033-L.....	510	U-ICP-069.....	520	U-ICP-123.....	521	U-ICP-180.....	515
U-ICM-801.....	535	U-ICP-034.....	518	U-ICP-069-5.....	520	U-ICP-123-5.....	521	U-ICP-180-5.....	515
U-ICM-801-5.....	535	U-ICP-034-5.....	518	U-ICP-069-L.....	520	U-ICP-123-L.....	521	U-ICP-180-L.....	515
U-ICM-802.....	535	U-ICP-034-L.....	518	U-ICP-070.....	521	U-ICP-124.....	512	U-ICP-181.....	520
U-ICM-802-5.....	535	U-ICP-037.....	517	U-ICP-070-5.....	521	U-ICP-124-5.....	512	U-ICP-181-5.....	520
U-ICM-810.....	536	U-ICP-037-5.....	517	U-ICP-070-L.....	521	U-ICP-124-L.....	512	U-ICP-181-L.....	520
U-ICM-810-5.....	536	U-ICP-037-L.....	517	U-ICP-071.....	515	U-ICP-125.....	515	U-ICP-182.....	514
U-ICM-820.....	536	U-ICP-038.....	519	U-ICP-071-5.....	515	U-ICP-125-5.....	515	U-ICP-182-5.....	514
U-ICM-820-5.....	536	U-ICP-038-5.....	519	U-ICP-071-L.....	515	U-ICP-125-L.....	515	U-ICP-182-L.....	514
U-ICP-003.....	514	U-ICP-038-L.....	519	U-ICP-072.....	513	U-ICP-126.....	514	U-ICP-183.....	511
U-ICP-003-5.....	515	U-ICP-039.....	521	U-ICP-072-5.....	513	U-ICP-126-5.....	514	U-ICP-190.....	520
U-ICP-003-L.....	515	U-ICP-039-5.....	521	U-ICP-072-L.....	513	U-ICP-126-L.....	514	U-ICP-192.....	521
U-ICP-004.....	510	U-ICP-039-L.....	521	U-ICP-073.....	519	U-ICP-127.....	512	U-ICP-303.....	514
U-ICP-004-5.....	510	U-ICP-040.....	521	U-ICP-073-5.....	519	U-ICP-127-5.....	512	U-ICP-304.....	510



U-ICP-305.....	511	U-IMS-113-5 .....	536	U-ISM-710-1 .....	735	U-IST-701 .....	777	U-NPM-106.....	722
U-ICP-311.....	518	U-IMS-114 .....	532, 536	U-ISM-750-1 .....	433	U-IST-701-1 .....	777	U-NPM-106-1.....	722
U-ICP-312.....	515	U-IMS-114-5 .....	536	U-IST-100 .....	760	U-IST-702 .....	777	U-NPM-107A .....	722
U-ICP-313.....	510	U-IMS-115 .....	532, 536	U-IST-100-1 .....	760	U-IST-702-1 .....	777	U-NPM-107A-1 .....	722
U-ICP-314.....	518	U-IMS-115-5 .....	536	U-IST-110 .....	760	U-IST-704 .....	736	U-NPM-108.....	722
U-ICP-315.....	516	U-IMS-120 .....	532	U-IST-110-1 .....	760	U-IST-704-1 .....	736	U-NPM-108-1.....	722
U-ICP-316.....	519	U-IMS-121 .....	531	U-IST-120 .....	760	U-IST-705 .....	736	U-NPM-108B .....	734
U-ICP-319.....	517	U-IMS-130-5 .....	532	U-IST-120-1 .....	760	U-IST-705-1 .....	736	U-NPM-108B-1 .....	734
U-ICP-320.....	511	U-IMS-131 .....	532	U-IST-130 .....	760	U-IST-706 .....	736	U-NPM-109.....	722
U-ICP-322.....	520	U-IMS-132 .....	532	U-IST-130-1 .....	760	U-IST-706-1 .....	736	U-NPM-109-1.....	722
U-ICP-323.....	521	U-IMS-133-L .....	532	U-IST-131 .....	778	U-IST-760 .....	726	U-NPM-507.....	722
U-ICP-324.....	512	U-IQC-007 .....	533	U-IST-131-1 .....	778	U-IST-760-1 .....	726	U-NPM-507-1 .....	722
U-ICP-324A .....	512	U-IQC-019 .....	533	U-IST-140 .....	479, 760	U-IST-770 .....	726	U-NPM-525B .....	733
U-ICP-325.....	515	U-IQC-026 .....	533	U-IST-140-1 .....	479, 760	U-IST-770-1 .....	726	U-NPM-525B-1 .....	733
U-ICP-326.....	514	U-IQC-101 .....	508	U-IST-150 .....	478, 760	U-JTB-0005 .....	432	U-NPM-525C .....	367, 733
U-ICP-327.....	512	U-IQC-101-5 .....	508	U-IST-150-1 .....	478, 760	U-JTB-0005-4 .....	432	U-NPM-525C-1 .....	367, 733
U-ICP-328.....	516	U-IQC-102 .....	508	U-IST-151 .....	478	U-KGCC-101 .....	506	U-NPM-619 .....	753
U-ICP-329.....	512	U-IQC-102-5 .....	508	U-IST-151-1 .....	478	U-LCS-4045 .....	507	U-NPM-619-1.....	753
U-ICP-330.....	521	U-IQC-103 .....	508	U-IST-152 .....	739	U-LCS-6762 .....	507	U-NPM-633.....	762
U-ICP-333.....	510	U-IQC-103-5 .....	508	U-IST-152-1 .....	739	U-LCS-6917 .....	507	U-NPM-633-1.....	762
U-ICP-334.....	518	U-IQC-104 .....	508	U-IST-160 .....	483, 761	U-NAI-100 .....	485	U-NS-100.....	491
U-ICP-338.....	519	U-IQC-104-5 .....	508	U-IST-160-1 .....	483, 761	U-NAI-100-1.....	485, 797	U-NS-100-1.....	491
U-ICP-342.....	515	U-IQC-105 .....	508	U-IST-170 .....	486, 761	U-NAI-110 .....	485	U-NS-110.....	491
U-ICP-347.....	518	U-IQC-105-5 .....	508	U-IST-170-1 .....	486, 761	U-NAI-110-1.....	485, 797	U-NS-110-1.....	491
U-ICP-348.....	511	U-IQC-106 .....	508	U-IST-180 .....	486, 761, 778	U-NAI-120 .....	488	U-NS-120.....	491
U-ICP-350.....	520	U-IQC-106-5 .....	508	U-IST-180-1 .....	486, 761, 778	U-NAI-120-1.....	488	U-NS-120-1.....	491
U-ICP-351.....	510	U-IQC-107 .....	508	U-IST-190 .....	487, 761	U-NAI-130 .....	490	U-NS-130.....	491
U-ICP-356.....	510	U-IQC-107-5 .....	508	U-IST-190-1 .....	486, 761	U-NAI-130-1.....	490, 797	U-NS-130-1.....	491
U-ICP-379.....	513	U-IQC-108 .....	508	U-IST-200 .....	490, 761	U-NAI-140 .....	484	U-NS-140.....	491
U-ICP-380.....	515	U-IQC-108-5 .....	508	U-IST-200-1 .....	490, 761	U-NAI-140-1.....	484, 797	U-NS-140-1.....	491
U-ICP-381.....	519	U-IQC-111 .....	508	U-IST-210 .....	490, 736, 761	U-NAI-150A .....	490	U-NS-150.....	491
U-ICP-382.....	514	U-IQC-111-5 .....	508	U-IST-210-1 .....	490, 736, 761	U-NAI-150A-1 .....	490	U-NS-150-1.....	491
U-ICP-403.....	514	U-ISM-280N.....	760, 792	U-IST-220 .....	493, 761	U-NAI-160 .....	493	U-NS-160.....	492
U-ICP-404.....	510	U-ISM-280N-1.....	760, 792	U-IST-220-1 .....	493, 761	U-NAI-160-1.....	353, 493	U-NS-160-1.....	492
U-ICP-405.....	511	U-ISM-290N 746, 760, 792		U-IST-230 .....	761	U-NAI-170 .....	499	U-NS-170.....	492
U-ICP-411.....	518	U-ISM-290N-1... 746, 760, 792		U-IST-230-1 .....	761	U-NAI-170-1.....	499, 797	U-NS-170-1.....	492
U-ICP-412.....	515			U-IST-240 .....	494, 761	U-NAI-270 .....	797	U-NS-180.....	492
U-ICP-413.....	510	U-ISM-300 .....	794	U-IST-240-1 .....	494, 761	U-NAI-270-1.....	797	U-NS-180-1.....	492
U-ICP-414.....	518	U-ISM-300-1 .....	794	U-IST-250 .....	487, 761	U-NAIM-529A .....	735	U-NSM-807 460, 747, 772	
U-ICP-415.....	516	U-ISM-301 .....	748	U-IST-250-1 .....	487, 761	U-NAIM-529A-1 .....	735	U-NSM-807-1... 460, 747, 772	
U-ICP-416.....	519	U-ISM-301-1 .....	748	U-IST-251 .....	746, 771	U-NAIM-529B .....	736		
U-ICP-419.....	517	U-ISM-310 .....	732	U-IST-251-1 .....	746, 771	U-NAIM-529B-1 .....	736	U-NV-100.....	471
U-ICP-420.....	511	U-ISM-310-1 .....	732	U-IST-260 .....	493, 761	U-NAIM-609 .....	750	U-NV-100-1.....	471
U-ICP-422.....	520	U-ISM-320 .....	748, 774, 794	U-IST-260-1 .....	493, 761	U-NAIM-609-1 .....	750	U-NV-110 .....	471, 770
U-ICP-423.....	521	U-ISM-320-1 .....	748, 774, 794	U-IST-261 .....	747, 771	U-NAIM-8095A .....	777	U-NV-110-1.....	471, 770
U-ICP-424.....	512			U-IST-261-1 .....	746, 771	U-NAIM-8095A-1 .....	777	U-NV-120 .....	474
U-ICP-424A .....	512	U-ISM-321X.....	775, 794	U-IST-270 .....	493, 761	U-NAIM-8095B .....	777	U-NV-120-1.....	474
U-ICP-425.....	515	U-ISM-331 .....	794	U-IST-270-1 .....	493, 761	U-NAIM-8095B-1 .....	777	U-NV-130 .....	475
U-ICP-426.....	514	U-ISM-331-1 .....	794	U-IST-271 .....	746, 771	U-NAIM-809B .....	776	U-NV-130-1.....	475
U-ICP-427.....	512	U-ISM-332 .....	794	U-IST-271-1 .....	747, 771	U-NAIM-809B-1 .....	776	U-NV-140 .....	483
U-ICP-428.....	516	U-ISM-332-1 .....	794	U-IST-340 .....	478	U-NAIM-833A .....	463, 796	U-NV-140-1.....	483
U-ICP-429.....	512	U-ISM-333X.....	793	U-IST-340-1 .....	478	U-NAIM-833A-1 .....	463, 796	U-NV-150 .....	485
U-ICP-430.....	521	U-ISM-333X-25 .....	793	U-IST-341 .....	478, 732, 734, 761, 794	U-NAIM-833B .....	463, 796	U-NV-150-1.....	485
U-ICP-433.....	510	U-ISM-333XC .....	793	U-IST-341-1 .....	478, 732, 734, 761, 794	U-NAIM-833B-1 .....	463, 796	U-NV-160.....	486
U-ICP-434.....	518	U-ISM-333XC-25 .....	793			U-NAIM-833E .....	464, 797	U-NV-160-1.....	486
U-ICP-438.....	519	U-ISM-380 .....	771			U-NAIM-833E-1 .....	464, 797	U-NV-170.....	486
U-ICP-442.....	515	U-ISM-380-1 .....	771	U-IST-370 .....	732	U-NH-130 .....	472	U-NV-170-1.....	486
U-ICP-447.....	518	U-ISM-390 .....	772	U-IST-370-1 .....	732	U-NH-130-1 .....	471	U-NV-180.....	488
U-ICP-448.....	511	U-ISM-390-1 .....	772	U-IST-400 .....	473, 772	U-NH-150 .....	484	U-NV-180-1.....	488
U-ICP-450.....	520	U-ISM-411 .....	778	U-IST-400-1 .....	473, 772	U-NH-150-1 .....	484	U-NV-190 .....	488
U-ICP-451.....	510	U-ISM-411-1 .....	778	U-IST-420 .....	497, 778	U-NH-200 .....	490	U-NV-190-1.....	488
U-ICP-456.....	510	U-ISM-430 .....	792, 797	U-IST-420-1 .....	497, 778	U-NH-200-1 .....	490	U-NV-200 .....	489
U-ICP-479.....	513	U-ISM-430-1 .....	792, 797	U-IST-440 .....	496, 776, 794	U-NH-240A .....	493	U-NV-200-1.....	489
U-ICP-480.....	515	U-ISM-450 .....	774, 775, 794	U-IST-440-1 .....	496, 776, 794	U-NH-240A-1 .....	493	U-NV-210 .....	489
U-ICP-481.....	519	U-ISM-450-1 .....	774, 775, 794	U-IST-470 .....	476	U-NH-250 .....	496	U-NV-210-1.....	489
U-ICP-482.....	514			U-IST-470-1 .....	476	U-NH-250-1 .....	496	U-NV-220 .....	490
U-IMM-001 .....	537	U-ISM-451 .....	723	U-IST-480 .....	495	U-NH-260 .....	489	U-NV-220-1.....	490
U-IMM-002 .....	537	U-ISM-451-1 .....	723	U-IST-480-1 .....	494	U-NH-260-1 .....	489	U-NV-230 .....	494
U-IMM-003 .....	537	U-ISM-510 .....	734	U-IST-490 .....	495	U-NH-270 .....	491	U-NV-230-1.....	494
U-IMM-004 .....	537	U-ISM-510-1 .....	734	U-IST-490-1 .....	495	U-NH-270-1 .....	491	U-NV-240B 499, 782, 785	
U-IMM-005 .....	537	U-ISM-511X .....	734	U-IST-500 .....	472	U-NH-290 .....	494	U-NV-240B-1 .....	499, 782, 785
U-IMM-007 .....	537	U-ISM-520 .....	734, 735	U-IST-500-1 .....	472	U-NH-290-1 .....	494		
U-IMS-100 .....	533	U-ISM-520-1 .....	734, 735	U-IST-540 .....	474	U-NH-300 .....	471	U-NV-250 .....	475
U-IMS-101 .....	532	U-ISM-530 .....	734	U-IST-540-1 .....	474	U-NH-300-1 .....	471	U-NV-250-1.....	475
U-IMS-102 .....	531	U-ISM-530-1 .....	734	U-IST-550 .....	474	U-NH-310 .....	475	U-NVM-8015 .....	453, 766
U-IMS-103 .....	532	U-ISM-560 .....	433, 461, 756, 792	U-IST-550-1 .....	474	U-NH-310-1 .....	475	U-NVM-8015-1 .....	453, 766
U-IMS-104 .....	532			U-IST-590 .....	462, 797	U-NPM-101 .....	721	U-NVM-8015A .....	765
U-IMS-105 .....	532, 535	U-ISM-560-1 .....	433, 460, 756, 792	U-IST-590-1 .....	462, 797	U-NPM-101-1.....	721	U-NVM-8015A-1 .....	765
U-IMS-105-5 .....	535			U-IST-600 .....	462, 797	U-NPM-102 .....	721	U-NVM-8015B .....	765
U-IMS-110 .....	532, 536	U-ISM-570 .....	780	U-IST-600-1 .....	461, 797	U-NPM-102-1.....	721	U-NVM-8015B-1 .....	765
U-IMS-110-5 .....	536	U-ISM-570-1 .....	780	U-IST-620 .....	771	U-NPM-103 .....	722	U-NVM-8115 .....	453, 765
U-IMS-111 .....	532, 536	U-ISM-610 .....	771	U-IST-620-1 .....	771	U-NPM-103-1.....	721	U-NVM-8115-1 .....	453, 765
U-IMS-111-5 .....	536	U-ISM-610-1 .....	771	U-IST-630 .....	777	U-NPM-104A .....	722	U-NVM-8241 .....	453, 782
U-IMS-112 .....	532, 536	U-ISM-690 .....	734	U-IST-630-1 .....	777	U-NPM-104A-1 .....	722	U-NVM-8241-1 .....	453, 782
U-IMS-112-5 .....	536	U-ISM-690-1 .....	734	U-IST-641 .....	778	U-NPM-105 .....	722	U-NVM-826 .....	453, 785
U-IMS-113 .....	532, 536	U-ISM-710 .....	735	U-IST-641-1 .....	778	U-NPM-105-1.....	722	U-NVM-826-1 .....	453, 785



## Code number index

U-P-610.....421	U-PANAL0211-4 240, 798	U-PANAL0227-2..... 800	U-PHM-834A-1 ..... 771	U-PP-300-1 382, 721, 748
U-P-610-1.....421	U-PANAL0211-5 240, 798	U-PANAL0227-3..... 800	U-PHM-844 ..... 458, 771	U-PP-301..... 382, 773
U-P-620.....421	U-PANAL0211-6 240, 798	U-PANAL0227-4..... 800	U-PHM-844-1 ..... 458, 771	U-PP-301-1..... 382, 773
U-P-620-1.....421	U-PANAL0212 ... 240, 798	U-PANAL0227-5..... 800	U-PK-610.....750	U-PP-302..... 382, 776
U-P-630.....421	U-PANAL0212-1 240, 798	U-PANAL0227-6..... 800	U-PM-006.....431	U-PP-302-1..... 382, 776
U-P-630-1.....421	U-PANAL0212-2 240, 798	U-PANAL0228..... 802	U-PM-006-1.....431	U-PP-310 ... 382, 721, 748
U-P-640.....422	U-PANAL0212-3 240, 798	U-PANAL0228-1..... 802	U-PM-007.....432	U-PP-310-1 382, 721, 748
U-P-640-1.....422	U-PANAL0212-4 240, 798	U-PANAL0228-2..... 802	U-PM-007-1.....432	U-PP-311..... 382, 773
U-P-650.....423	U-PANAL0212-5 240, 798	U-PANAL0228-3..... 802	U-PM-022.....431	U-PP-311-1..... 382, 773
U-P-650-1.....423	U-PANAL0212-6 240, 798	U-PANAL0228-4..... 802	U-PM-022-1.....431	U-PP-312..... 382, 776
U-P-660.....422	U-PANAL0213 ... 240, 798	U-PANAL0228-5..... 802	U-PM-525A.....731	U-PP-312-1..... 382, 776
U-P-660-1.....422	U-PANAL0213-1 240, 798	U-PANAL0228-6..... 802	U-PM-525A-1.....731	U-PP-340 ... 382, 721, 748
U-P-670.....423	U-PANAL0213-2 240, 798	U-PANAL0229..... 803	U-PM-525B.....731	U-PP-340-1 382, 721, 748
U-P-670-1.....423	U-PANAL0213-3 240, 798	U-PANAL0230..... 803	U-PM-525B-1.....731	U-PP-341..... 382, 773
U-P-680.....423	U-PANAL0213-4 240, 799	U-PANAL0237..... 802	U-PM-551.....738	U-PP-341-1..... 382, 773
U-P-680-1.....423	U-PANAL0213-5 240, 799	U-PANAL0238..... 802	U-PM-551-1.....738	U-PP-342..... 382, 776
U-P-690.....424	U-PANAL0213-6 240, 799	U-PANAL0239..... 804	U-PM-610.....750	U-PP-342-1..... 382, 776
U-P-690-1.....424	U-PANAL0214 ... 240, 799	U-PANAL0241..... 803	U-PM-610-1.....750	U-PP-350 ... 382, 721, 748
U-P-700.....425	U-PANAL0214-1 240, 799	U-PANAL0242..... 805	U-PM-611.....750	U-PP-350-1 382, 721, 748
U-P-700-1.....425	U-PANAL0214-2 240, 799	U-PANAL0243..... 805	U-PM-611-1.....750	U-PP-351..... 382, 773
U-P-710.....426	U-PANAL0214-3 240, 799	U-PH-100.....476	U-PM-612.....751	U-PP-351-1..... 382, 773
U-P-710-1.....426	U-PANAL0214-4 240, 799	U-PH-100-1.....476	U-PM-612-1.....751	U-PP-352..... 382, 776
U-P-720.....426	U-PANAL0214-5 240, 799	U-PH-110.....476	U-PM-613A 432, 751, 777, 795	U-PP-352-1..... 382, 776
U-P-720-1.....426	U-PANAL0214-6 240, 799	U-PH-110-1.....476	U-PM-613A-1 .... 432, 751, 777, 795	U-PP-360 ... 382, 721, 748
U-P-730.....427	U-PANAL0215 ... 241, 799	U-PH-120..... 331, 482	U-PM-810.....777	U-PP-360-1 382, 721, 748
U-P-730-1.....426	U-PANAL0215-1 241, 799	U-PH-120-1..... 331, 482	U-PM-810-1.....777	U-PP-361..... 382, 773
U-P-740.....427	U-PANAL0215-2 241, 799	U-PH-130.....484	U-PM-811.....778	U-PP-361-1..... 382, 773
U-P-740-1.....427	U-PANAL0215-3 241, 799	U-PH-130-1.....484	U-PM-811-1.....778	U-PP-362..... 382, 776
U-P-750.....428	U-PANAL0215-4 241, 799	U-PH-140.....484	U-PM-831.....432, 795	U-PP-362-1..... 382, 776
U-P-750-1.....428	U-PANAL0215-5 241, 799	U-PH-140-1.....484	U-PM-831-1.....432, 795	U-PP-370..... 383
U-P-760.....428	U-PANAL0215-6 241, 799	U-PH-150.....489	U-PM-831A.....432, 795	U-PP-370-1..... 383
U-P-760-1.....428	U-PANAL0216 ... 241, 799	U-PH-150-1.....489	U-PM-831A-1 .... 432, 795	U-PP-371..... 383
U-P-780.....424	U-PANAL0216-1 241, 799	U-PH-160.....491	U-PM-831A-1 .... 432, 795	U-PP-371-1..... 383
U-P-780-1.....424	U-PANAL0216-2 241, 799	U-PH-160-1.....491	U-PMK-624.....755	U-PP-372..... 383, 776
U-P-791.....426, 502	U-PANAL0216-3 241, 799	U-PH-170.....491	U-PMX-100.....451, 754	U-PP-372-1..... 383, 776
U-P-791-1.....426, 502	U-PANAL0216-4 241, 799	U-PH-170-1.....491	U-PMX-100-1 .... 451, 754	U-PP-380..... 383
U-P-801.....425, 502	U-PANAL0216-5 241, 799	U-PH-180..... 353, 493	U-PMX-110.....451, 754	U-PP-380-1..... 383
U-P-801-1.....425, 502	U-PANAL0216-6 241, 799	U-PH-180-1..... 353, 493	U-PMX-110-1 .... 451, 754	U-PP-381..... 383
U-P-811.....426	U-PANAL0217 ... 241, 800	U-PH-190.....493	U-PMX-130.....451, 781	U-PP-381-1..... 383
U-P-811-1.....426	U-PANAL0217-1 241, 800	U-PH-190-1.....493	U-PMX-130-1 .... 451, 781	U-PP-382..... 383, 776
U-P-821.....426	U-PANAL0217-2 241, 800	U-PH-200.....498	U-PMX-141A.....452, 782	U-PP-382-1..... 383, 776
U-P-821-1.....426, 502	U-PANAL0217-3 241, 800	U-PH-200-1.....498	U-PMX-141A-1.. 452, 782	U-PP-390-1..... 348
U-PAH-471.....502	U-PANAL0217-4 241, 800	U-PH-210.....477	U-PMX-144.....784	U-PP-400..... 317
U-PAH-471-1.....502	U-PANAL0217-5 241, 800	U-PH-210-1.....477	U-PMX-144-1.....784	U-PP-400-1..... 317
U-PANAL0013.....805	U-PANAL0217-6 241, 800	U-PH-220.....477	U-PMX-145.....784	U-PP-410A-1..... 323
U-PANAL0027.....804	U-PANAL0218 ... 242, 800	U-PH-220-1.....477	U-PMX-145-1.....784	U-PP-420-1..... 329
U-PANAL0084.....805	U-PANAL0218-1 242, 800	U-PH-230.....478	U-PMX-160.....452, 755	U-PP-430-1..... 345
U-PANAL0087.....805	U-PANAL0218-2 242, 800	U-PH-230-1.....478	U-PMX-160-1 .... 452, 754	U-PP-440A..... 322
U-PANAL0094.....803	U-PANAL0218-3 242, 800	U-PH-240..... 331, 482	U-PMX-160-1 .... 452, 754	U-PP-440A-1..... 322
U-PANAL0095.....803	U-PANAL0218-4 242, 800	U-PH-240-1..... 331, 482	U-PP-110-1.....342	U-PP-460-1..... 355
U-PANAL0096.....803	U-PANAL0218-5 242, 800	U-PH-250.....495	U-PP-120-1.....342	U-PP-470-1..... 322
U-PANAL0097.....803	U-PANAL0218-6 242, 800	U-PH-250-1.....495	U-PP-140-1.....342	U-PP-480-1..... 322
U-PANAL0099.....805	U-PANAL0219 ... 242, 801	U-PH-260.....498	U-PP-150.....720, 748	U-PP-490-1..... 351
U-PANAL0100.....805	U-PANAL0219-1 242, 801	U-PH-260-1.....498	U-PP-150-1 322, 720, 748	U-PP-500-1..... 351
U-PANAL0101.....804	U-PANAL0219-2 242, 801	U-PH-270.....487	U-PP-151.....773, 775	U-PP-510..... 321
U-PANAL0102.....803	U-PANAL0219-3 242, 801	U-PH-270-1.....487	U-PP-160-1.....328	U-PP-510-1..... 321
U-PANAL0103.....805	U-PANAL0219-4 242, 801	U-PHK-604A.....746	U-PP-170-1.....328	U-PP-521-1..... 336
U-PANAL0104.....805	U-PANAL0219-5 242, 801	U-PHM-5521A.....740	U-PP-180-1.....329	U-PP-530A..... 358
U-PANAL0131.....803	U-PANAL0219-6 242, 801	U-PHM-5521A-1.....740	U-PP-190-1.....332	U-PP-530A-1..... 358
U-PANAL0152.....805	U-PANAL0220 ... 242, 801	U-PHM-5521M.....740	U-PP-200-1.....335	U-PP-540-1..... 322
U-PANAL0153.....805	U-PANAL0220-1 242, 801	U-PHM-5521M-1.....740	U-PP-210-1.....335	U-PP-541-1..... 322
U-PANAL0155.....803	U-PANAL0220-2 242, 801	U-PHM-5522A.....740	U-PP-220-1.....336	U-PPK-608B.....749
U-PANAL0156.....803	U-PANAL0220-3 242, 801	U-PHM-5522A-1.....740	U-PP-230-1.....336	U-PPK-8081.....774
U-PANAL0157.....803	U-PANAL0220-4 242, 801	U-PHM-5522M.....740	U-PP-240-1.....336	U-PPM-017.....367
U-PANAL0158.....803	U-PANAL0220-5 242, 801	U-PHM-5522M-1.....740	U-PP-260-1.....343	U-PPM-017-1.....367
U-PANAL0159.....803	U-PANAL0220-6 242, 801	U-PHM-5523A.....741	U-PP-261-1.....343	U-PPM-471.....502
U-PANAL0167.....805	U-PANAL0221 ... 243, 801	U-PHM-5523A-1.....741	U-PP-270 ... 362, 720, 748	U-PPM-471-1.....502
U-PANAL0169.....801	U-PANAL0221-1 243, 801	U-PHM-5524A.....741	U-PP-270-1 362, 720, 748	U-PPM-505D.....720
U-PANAL0170.....801	U-PANAL0221-2 243, 801	U-PHM-5524A-1.....741	U-PP-271.....773, 775	U-PPM-505D-1.....720
U-PANAL0171.....803	U-PANAL0221-3 243, 801	U-PHM-5524M.....741	U-PP-271-1 361, 773, 775	U-PPM-508.....723
U-PANAL0172.....803	U-PANAL0221-4 243, 801	U-PHM-5524M-1.....741	U-PP-280 ... 381, 720, 748	U-PPM-508B.....723
U-PANAL0175.....801	U-PANAL0221-5 243, 801	U-PHM-552A.....740	U-PP-280-1 381, 720, 748	U-PPM-508B-1.....722
U-PANAL0179.....801	U-PANAL0221-6 243, 801	U-PHM-552A-4.....740	U-PP-281.....381, 773	U-PPM-508D.....723
U-PANAL0180.....801	U-PANAL0222.....804	U-PHM-552M.....740	U-PP-281-1.....381, 773	U-PPM-508D-1.....723
U-PANAL0181.....801	U-PANAL0222-1.....804	U-PHM-552M-4.....740	U-PP-282.....381, 776	U-PPM-508F.....723
U-PANAL0183.....801	U-PANAL0222-2.....804	U-PHM-604 457, 746, 756	U-PP-282-1.....381, 776	U-PPM-508G.....723
U-PANAL0186.....801	U-PANAL0222-3.....804	U-PHM-604-1.... 457, 746, 756	U-PP-290 ... 381, 721, 748	U-PPM-508G-1.....723
U-PANAL0187.....802	U-PANAL0222-4.....804	U-PHM-624.....746	U-PP-291.....381, 773	U-PPM-515A.....725
U-PANAL0188.....805	U-PANAL0222-5.....804	U-PHM-804.....458, 771	U-PP-291-1.....381, 773	U-PPM-515A-1.....725
U-PANAL0194.....800	U-PANAL0222-6.....804	U-PHM-804-1.... 458, 771	U-PP-292.....381, 776	U-PPM-515M.....725
U-PANAL0195.....800	U-PANAL0223 ... 243, 803	U-PHM-814.....457, 770	U-PP-292-1.....381, 776	U-PPM-515M-1.....725
U-PANAL0196.....800	U-PANAL0224 ... 243, 803	U-PHM-814-1.... 457, 770	U-PP-300 ... 382, 721, 748	U-PPM-525C.....731
U-PANAL0211.....239, 798	U-PANAL0225.....802	U-PHM-824.....457, 770		
U-PANAL0211-1.239, 798	U-PANAL0226.....802	U-PHM-824-1.... 457, 770		
U-PANAL0211-2.239, 798	U-PANAL0227.....800	U-PHM-834A.....771		
U-PANAL0211-3.240, 798	U-PANAL0227-1.....800			

U-PPM-525C-1 .....	731	U-PPS-150 .....	478, 724, 776	U-PPS-410-1 .....	742	U-PST-090 .....	321	U-PST-1340M100A01	324
U-PPM-525D .....	731	U-PPS-150-1 .....	478, 723, 776	U-PPS-420 .....	723	U-PST-090M100A01	321	U-PST-1345 .....	324
U-PPM-525D-1 .....	731			U-PPS-420-1 .....	723	U-PST-100 .....	321	U-PST-1345A100A01	324
U-PPM-525E .....	366, 733	U-PPS-160 .....	327, 478, 724	U-PPS-430 .....	741	U-PST-1000 .....	364	U-PST-1345M100A01	324
U-PPM-525E-1 .....	366, 733	U-PPS-160-1 .....	327, 478, 724	U-PPS-430-1 .....	741	U-PST-100A100A01 ..	321	U-PST-1350 .....	324
U-PPM-525F .....	731			U-PPS-440 .....	737	U-PST-100M100A01	321	U-PST-1350M100A01	324
U-PPM-525F-1 .....	731	U-PPS-161 .....	327, 724	U-PPS-440-1 .....	737	U-PST-1010 .....	349	U-PST-1355 .....	325
U-PPM-527A .....	735	U-PPS-161-1 .....	327, 724	U-PPS-450 .....	737	U-PST-1030 .....	361	U-PST-1355M100A01	325
U-PPM-527A-1 .....	735	U-PPS-162 .....	327, 478, 725	U-PPS-450-1 .....	737	U-PST-1030M100A01	361	U-PST-1360 .....	325
U-PPM-527B .....	735	U-PPS-162-1 .....	327, 478, 725	U-PPS-460X .....	500	U-PST-1050 .....	320	U-PST-1360M100A01	325
U-PPM-527B-1 .....	735			U-PPS-470X .....	500	U-PST-1050M100A01	320	U-PST-1365 .....	326
U-PPM-527C .....	735	U-PPS-163 .....	725	U-PPS-480X .....	500	U-PST-1070 .....	330	U-PST-1370 .....	326
U-PPM-527C-1 .....	735	U-PPS-163-1 .....	725	U-PPS-490X .....	500	U-PST-1080 .....	338	U-PST-1380 .....	326
U-PPM-530 .....	366, 736	U-PPS-164X .....	781	U-PPS-500X .....	500	U-PST-1080M100A01	338	U-PST-1385 .....	329
U-PPM-530-1 .....	366, 736	U-PPS-165 .....	753, 781	U-PPS-501 .....	500	U-PST-1090 .....	341	U-PST-1385A100A01	329
U-PPM-530B .....	736	U-PPS-165-1 .....	753, 781	U-PPS-501-1 .....	500	U-PST-1090M100A01	341	U-PST-1385K100A01	329
U-PPM-530B-1 .....	736	U-PPS-166 .....	753, 781	U-PPS-510X .....	500	U-PST-110 .....	322	U-PST-1390 .....	330
U-PPM-530C .....	736	U-PPS-166-1 .....	753, 781	U-PPS-520X .....	500	U-PST-1100 .....	351	U-PST-1390M100A01	330
U-PPM-530C-1 .....	736	U-PPS-167 .....	725, 726	U-PPS-530X .....	500	U-PST-111 .....	322	U-PST-1395 .....	330
U-PPM-531 .....	736	U-PPS-167-1 .....	725, 726	U-PPS-540X .....	500	U-PST-1110 .....	352	U-PST-140 .....	327
U-PPM-531-1 .....	736	U-PPS-168 .....	726	U-PPS-550X .....	500	U-PST-1110M100A01	352	U-PST-1400 .....	333
U-PPM-532 .....	737	U-PPS-168-1 .....	726	U-PPS-560X .....	500	U-PST-1111M100A01 ..	322	U-PST-1400A100A01	333
U-PPM-532-1 .....	737	U-PPS-170 .....	479, 724	U-PPS-570X .....	500	U-PST-112 .....	322	U-PST-1400M100A01	333
U-PPM-532A .....	737	U-PPS-170-1 .....	479, 724	U-PPS-580X .....	500	U-PST-1121M100A01 ..	322	U-PST-1405 .....	334
U-PPM-532A-1 .....	737	U-PPS-171 .....	479, 753, 781	U-PPS-590X .....	500	U-PST-1130 .....	358	U-PST-1405M100A01	334
U-PPM-535 .....	737	U-PPS-171-1 .....	479, 753, 781	U-PPS-600X .....	500	U-PST-1130A100A01	358	U-PST-140A100A01 ..	327
U-PPM-535-1 .....	737			U-PPS-601X .....	500	U-PST-1140 .....	358	U-PST-1410 .....	334
U-PPM-549 .....	738	U-PPS-172 .....	480, 725	U-PPS-602 .....	500	U-PST-1160 .....	330	U-PST-1410AS .....	335
U-PPM-549-1 .....	738	U-PPS-172-1 .....	479, 725	U-PPS-602-1 .....	500	U-PST-1160M100A01	330	U-PST-1415 .....	335
U-PPM-551B .....	739	U-PPS-173 .....	781	U-PPS-603X .....	500	U-PST-1170 .....	327	U-PST-1415M100A01	335
U-PPM-551B-1 .....	739	U-PPS-173-1 .....	781	U-PPS-604 .....	500	U-PST-1171 .....	327	U-PST-1420 .....	336
U-PPM-608B .....	366, 748, 760	U-PPS-174 .....	726	U-PPS-604-1 .....	500	U-PST-1180 .....	346	U-PST-1420M100A01	336
U-PPM-608B-1 .....	366, 748, 760	U-PPS-174-1 .....	726	U-PPS-610 .....	500	U-PST-1180A100A01	346	U-PST-1425 .....	337
U-PPM-608C .....	366, 749, 773, 775	U-PPS-180 .....	472, 736	U-PPS-610-1 .....	500	U-PST-1181 .....	346	U-PST-1425M100A01	337
U-PPM-608C-1 .....	366, 749, 773, 775	U-PPS-180-1 .....	472, 736	U-PPS-620 .....	500	U-PST-1190 .....	347	U-PST-1430 .....	338
U-PPM-608D .....	748	U-PPS-190 .....	342, 737	U-PPS-620-1 .....	500	U-PST-1191 .....	347	U-PST-1435 .....	338
U-PPM-608D-1 .....	748	U-PPS-190-1 .....	342, 737	U-PPS-630X .....	500	U-PST-120 .....	323	U-PST-1435M100A01	338
U-PPM-608E .....	749	U-PPS-210 .....	738	U-PS-100 .....	473	U-PST-1200 .....	351	U-PST-1440 .....	339
U-PPM-608E-1 .....	749	U-PPS-210-1 .....	737	U-PS-100-1 .....	473	U-PST-1201 .....	351	U-PST-1440M100A01	339
U-PPM-608F .....	750	U-PPS-211 .....	738	U-PS-110 .....	475	U-PST-1201C100A01	351	U-PST-1445 .....	339
U-PPM-608F-1 .....	750	U-PPS-211-1 .....	738	U-PS-110-1 .....	475	U-PST-1210 .....	315	U-PST-1445I100A01 ..	339
U-PPM-608G .....	749, 759	U-PPS-220 .....	738	U-PS-120 .....	479	U-PST-1210M100A01	315	U-PST-1445M100A01	340
U-PPM-608G-1 .....	749, 759	U-PPS-220-1 .....	738	U-PS-120-1 .....	479	U-PST-1215 .....	316	U-PST-1450 .....	340
U-PPM-625B .....	757	U-PPS-240 .....	497, 723, 732, 733	U-PS-130 .....	483	U-PST-1215A100A01	316	U-PST-1460 .....	343
U-PPM-625B-1 .....	757	U-PPS-240-1 .....	497, 723, 732, 733	U-PS-130-1 .....	483	U-PST-1215M100A01	316	U-PST-1460M100A01	343
U-PPM-632A .....	762	U-PPS-250 .....	498, 741	U-PS-140 .....	334, 484, 770	U-PST-1220 .....	317	U-PST-1470 .....	345
U-PPM-632A-1 .....	762	U-PPS-250-1 .....	498, 741	U-PS-140-1 .....	334, 484, 770	U-PST-1225M100A01	317	U-PST-1470M100A01	345
U-PPM-632B .....	762	U-PPS-251 .....	498, 741	U-PS-150 .....	485	U-PST-1230 .....	318	U-PST-1475 .....	345
U-PPM-632B-1 .....	762	U-PPS-251-1 .....	498, 741	U-PS-150-1 .....	485	U-PST-1235 .....	318	U-PST-1480 .....	346
U-PPM-8082 .....	776	U-PPS-261 .....	480, 741	U-PSK-606 .....	747	U-PST-1235A100A01	318	U-PST-1480M100A01	346
U-PPM-8082-1 .....	776	U-PPS-261-1 .....	480, 741	U-PSK-8061 .....	772	U-PST-1240 .....	318	U-PST-1485 .....	346
U-PPM-808B .....	773	U-PPS-262 .....	741	U-PSM-506 .....	721	U-PST-1245 .....	318	U-PST-1490 .....	346
U-PPM-808B-1 .....	773	U-PPS-262-1 .....	741	U-PSM-506-1 .....	721	U-PST-1245A100A01	318	U-PST-1490A100A01	346
U-PPM-808C .....	366, 774	U-PPS-270 .....	483, 738	U-PSM-516 .....	721	U-PST-1245M100A01	318	U-PST-1490M100A01	346
U-PPM-808C-1 .....	366, 774	U-PPS-270-1 .....	483, 738	U-PSM-516-1 .....	721	U-PST-1250 .....	318	U-PST-150 .....	327
U-PPM-808F .....	366, 774	U-PPS-271 .....	483, 738	U-PSM-525 .....	731	U-PST-1255 .....	318	U-PST-1500 .....	347
U-PPM-808F-1 .....	366, 774	U-PPS-271-1 .....	483, 738	U-PSM-525-1 .....	731	U-PST-1255A100A01	318	U-PST-1500H100A01	347
U-PPM-808G .....	775	U-PPS-280 .....	333, 738	U-PSM-525A .....	731	U-PST-1255M100A01	318	U-PST-1505 .....	347
U-PPM-808G-1 .....	775	U-PPS-280-1 .....	333, 738	U-PSM-525A-1 .....	731	U-PST-1260 .....	319	U-PST-1510 .....	348
U-PPM-828 .....	774, 775	U-PPS-290 .....	482, 741	U-PSM-506 .....	747, 771	U-PST-1265 .....	319	U-PST-1510M100A01	348
U-PPM-828-1 .....	774, 775	U-PPS-290-1 .....	482, 741	U-PSM-606-1 .....	747, 771	U-PST-1265M100A01	319	U-PST-1520 .....	348
U-PPM-831 .....	736, 796	U-PPS-300 .....	474, 741	U-PSM-606-1 .....	459, 747, 772	U-PST-1270 .....	319	U-PST-1520A100A01	348
U-PPM-831-1 .....	736, 796	U-PPS-300-1 .....	474, 741	U-PSM-806-1 .....	459, 747, 772	U-PST-1275 .....	320	U-PST-1520I100A01 ..	348
U-PPM-831A .....	796	U-PPS-301 .....	741	U-PSM-826 .....	772	U-PST-1275K100A01	320	U-PST-1525 .....	348
U-PPM-831A-1 .....	796	U-PPS-301-1 .....	741	U-PSM-826-1 .....	772	U-PST-1275M100A01	320	U-PST-1525A100A01	348
U-PPM-838 .....	774, 775	U-PPS-310 .....	472	U-PST-005 .....	317	U-PST-1280 .....	320	U-PST-1525M100A01	348
U-PPM-838-1 .....	774, 775	U-PPS-310-1 .....	472	U-PST-010 .....	316	U-PST-1280K100A01	320	U-PST-1530 .....	349
U-PPS-100 .....	484, 722	U-PPS-310 .....	472	U-PST-010I100A01 ..	316	U-PST-1285 .....	321	U-PST-1530M100A01	349
U-PPS-100-1 .....	484, 722	U-PPS-330 .....	480	U-PST-020 .....	316	U-PST-1285A100A01	321	U-PST-1535 .....	349
U-PPS-110 .....	499, 722	U-PPS-330-1 .....	480	U-PST-024 .....	316	U-PST-1285M100A01	321	U-PST-1535M100A01	349
U-PPS-110-1 .....	499, 722	U-PPS-340 .....	478	U-PST-024M100A01 ..	316	U-PST-1295 .....	321	U-PST-1540 .....	350
U-PPS-120 .....	481, 723	U-PPS-340-1 .....	478	U-PST-025 .....	321	U-PST-1295A100A01	321	U-PST-1540M100A01	350
U-PPS-120-1 .....	481, 723	U-PPS-341 .....	478	U-PST-030 .....	316	U-PST-1295M100A01	321	U-PST-1545 .....	350
U-PPS-130 .....	493, 723	U-PPS-341-1 .....	478	U-PST-035 .....	329	U-PST-130 .....	325	U-PST-1550 .....	350
U-PPS-130-1 .....	353, 493, 723	U-PPS-350 .....	780	U-PST-040 .....	350	U-PST-1300 .....	321	U-PST-1555 .....	350
U-PPS-132 .....	723	U-PPS-350-1 .....	780	U-PST-040M100A01 ..	350	U-PST-1305 .....	321	U-PST-1555A100A01	350
U-PPS-132-1 .....	353, 723	U-PPS-351 .....	774	U-PST-050 .....	330	U-PST-1305M100A01	321	U-PST-1555M100A01	350
U-PPS-133 .....	774	U-PPS-351-1 .....	774	U-PST-051 .....	330	U-PST-130M100A01 ..	325	U-PST-1560 .....	350
U-PPS-133-1 .....	353, 774	U-PPS-360 .....	775, 780	U-PST-060 .....	356	U-PST-1310 .....	322	U-PST-1560M100A01	350
U-PPS-141 .....	723	U-PPS-360-1 .....	775, 780	U-PST-060A100A01 ..	356	U-PST-1310I100A01 ..	322	U-PST-1565 .....	351
U-PPS-141-1 .....	723	U-PPS-390 .....	741	U-PST-060M100A01 ..	356	U-PST-1310M100A01	322	U-PST-1565M100A01	351
		U-PPS-390-1 .....	741	U-PST-070 .....	342	U-PST-1325 .....	323	U-PST-1570 .....	351
		U-PPS-400 .....	742	U-PST-071 .....	342	U-PST-1325M100A01	323	U-PST-1575 .....	351
		U-PPS-400-1 .....	742	U-PST-072 .....	342	U-PST-1330M100A01	323	U-PST-1575M100A01	351
		U-PPS-410 .....	742	U-PST-073 .....	343	U-PST-1340 .....	324	U-PST-1580 .....	352
								U-PST-1580A100A01	352

## Code number index

U-PST-1580M100A01 352	U-PST-1830M100A01 362	U-PST-2290M100A01 338	U-PST-2925A100A01 326	U-PST-641 ..... 346
U-PST-1590.....352	U-PST-1835.....363	U-PST-2295A100A01 338	U-PST-2960M100A01 332	U-PST-641M100A01.. 346
U-PST-1590M100A01 352	U-PST-1835M100A01 363	U-PST-2295M100A01 338	U-PST-2970A100A01 333	U-PST-660.....316
U-PST-1595.....352	U-PST-1840.....363	U-PST-2300A100A01 339	U-PST-298.....329	U-PST-680.....348
U-PST-160.....327	U-PST-1845.....336	U-PST-2310M100A01 339	U-PST-298M100A01 . 329	U-PST-680A100A01.. 348
U-PST-1600.....353	U-PST-1850.....342	U-PST-2315A100A01 339	U-PST-300.....329	U-PST-691.....348
U-PST-1600A100A01 353	U-PST-1855.....345	U-PST-2320A100A01 339	U-PST-3040A100A01 339	U-PST-700.....352
U-PST-1600M100A01 353	U-PST-1860.....347	U-PST-2340A100A01 340	U-PST-310.....338	U-PST-710.....349
U-PST-1605.....353	U-PST-1865.....363	U-PST-2340M100A01 340	U-PST-3100A100A01 341	U-PST-710M100A01.. 349
U-PST-1605M100A01 353	U-PST-1870M100A01 315	U-PST-2345A100A01 340	U-PST-3110A100A01 344	U-PST-720.....349
U-PST-160M100A01 ..327	U-PST-1875M100A01 359	U-PST-2355A100A01 341	U-PST-3135A100A01 344	U-PST-720M100A01.. 349
U-PST-1610.....354	U-PST-1880M100A01 315	U-PST-2360A100A01 341	U-PST-3165A100A01 349	U-PST-730.....330
U-PST-1610M100A01 354	U-PST-1890A100A01 326	U-PST-2365M100A01 340	U-PST-320.....329	U-PST-740.....352
U-PST-1620.....354	U-PST-1895A100A01 316	U-PST-2380M100A01 343	U-PST-320A100A01.. 329	U-PST-740AS.....352
U-PST-1620A100A01 354	U-PST-1900M100A01 337	U-PST-2385A100A01 343	U-PST-320AS.....329	U-PST-761.....352
U-PST-1620M100A01 354	U-PST-1905A100A01 318	U-PST-2395M100A01 345	U-PST-320I100A01 ... 329	U-PST-761A100A01.. 352
U-PST-1625.....355	U-PST-1905M100A01 318	U-PST-241.....328	U-PST-320M100A01 . 330	U-PST-761M100A01.. 352
U-PST-1625M100A01 355	U-PST-190M100A01 330,	U-PST-2410M100A01 346	U-PST-3215M100A01 355	U-PST-780.....353
U-PST-1635.....355	775	U-PST-2415M100A01 347	U-PST-3225M100A01 356	U-PST-790.....353
U-PST-1635M100A01 355	U-PST-1910M100A01 318	U-PST-241I100A01 ... 328	U-PST-3245A100A01 359	U-PST-790I100A01.... 353
U-PST-1640.....355	U-PST-1915M100A01 319	U-PST-241M100A01 . 328	U-PST-3260M100A01 359	U-PST-790M100A01.. 353
U-PST-1645.....355	U-PST-1925A100A01 325	U-PST-2420A100A01 347	U-PST-3270K100A01 359	U-PST-800.....354
U-PST-1645M100A01 355	U-PST-1935M100A01 326	U-PST-2430A100A01 347	U-PST-3275M100A01 360	U-PST-810.....354
U-PST-1650.....355	U-PST-1940M100A01 329	U-PST-2435A100A01 347	U-PST-3285A100A01 361	U-PST-820.....354
U-PST-1655.....355	U-PST-1945M100A01 333	U-PST-2435M100A01 347	U-PST-3290A100A01 361	U-PST-820A100A01.. 354
U-PST-1655A100A01 355	U-PST-1950M100A01 340	U-PST-2445A100A01 348	U-PST-3305M100A01 361	U-PST-820I100A01.... 354
U-PST-1655M100A01 355	U-PST-1955A100A01 359	U-PST-2465A100A01 350	U-PST-3310M100A01 361	U-PST-830.....355
U-PST-1660.....356	U-PST-1955M100A01 359	U-PST-2470A100A01 350	U-PST-3340A100A01 363	U-PST-830M100A01.. 355
U-PST-1660A100A01 356	U-PST-1960M100A01 342	U-PST-2480A100A01 351	U-PST-370.....331	U-PST-840.....355
U-PST-1665.....356	U-PST-1965M100A01 342	U-PST-2485M100A01 351	U-PST-371.....332	U-PST-840K100A01.. 355
U-PST-1665M100A01 356	U-PST-1970M100A01 344	U-PST-2490M100A01 352	U-PST-380.....332	U-PST-840M100A01.. 355
U-PST-1675.....357	U-PST-1980A100A01 344	U-PST-2495M100A01 352	U-PST-380H100A01.. 332	U-PST-850.....356
U-PST-1675A100A01 357	U-PST-1980M100A01 344	U-PST-250.....328	U-PST-380M100A01 . 332	U-PST-850M100A01.. 356
U-PST-1680.....358	U-PST-1985A100A01 345	U-PST-2500M100A01 354	U-PST-391.....332	U-PST-865.....355
U-PST-1685.....358	U-PST-1990I100A01 . 326	U-PST-2505A100A01 354	U-PST-391M100A01 . 332	U-PST-865M100A01.. 355
U-PST-1685M100A01 358	U-PST-1995M100A01 325	U-PST-2505M100A01 354	U-PST-400.....332	U-PST-867.....316
U-PST-1690.....359	U-PST-200.....327	U-PST-250I100A01 ... 328	U-PST-400K100A01.. 332	U-PST-870.....357
U-PST-1690M100A01 359	U-PST-2000M100A01 347	U-PST-2510M100A01 354	U-PST-410.....320	U-PST-870M100A01.. 357
U-PST-1695.....359	U-PST-2005M10A01 . 329	U-PST-2515M100A01 355	U-PST-421.....333	U-PST-880.....338
U-PST-170.....327	U-PST-2015A100A01 351	U-PST-2520M100A01 355	U-PST-421M100A01 . 333	U-PST-880A100A01.. 338
U-PST-1700.....359	U-PST-2015M100A01 351	U-PST-2530M100A01 357	U-PST-430.....333	U-PST-880M100A01.. 338
U-PST-1705.....360	U-PST-2020M100A01 353	U-PST-2535M100A01 357	U-PST-450.....334	U-PST-890.....357
U-PST-1705M100A01 360	U-PST-2040A100A01 356	U-PST-2540M100A01 357	U-PST-451.....334	U-PST-900.....325
U-PST-171.....327	U-PST-2040M100A01 356	U-PST-2550M100A01 357	U-PST-455.....334	U-PST-911.....339
U-PST-1710.....360	U-PST-2045A100A01 362	U-PST-2555A100A01 357	U-PST-460.....334	U-PST-912.....339
U-PST-1710M100A01 360	U-PST-2050M100A01 364	U-PST-2560A100A01 357	U-PST-460M100A01 . 334	U-PST-930.....359
U-PST-1715.....360	U-PST-2060.....315	U-PST-2560M100A01 357	U-PST-470.....335	U-PST-931.....359
U-PST-1715M100A01 360	U-PST-2060C100A01 315	U-PST-2575A100A01 358	U-PST-480.....324	U-PST-940.....315
U-PST-1720.....360	U-PST-2070A100A01 319	U-PST-2580A100A01 341	U-PST-480M100A01 . 324	U-PST-940A100A01.. 315
U-PST-1720A100A01 360	U-PST-2075M100A01 318	U-PST-2580M100A01 341	U-PST-490.....362	U-PST-950.....360, 495
U-PST-1725.....361	U-PST-2085M100A01 320	U-PST-2585A100A01 359	U-PST-500.....335	U-PST-960.....360
U-PST-1725M100A01 361	U-PST-2090A100A01 320	U-PST-2590M100A01 359	U-PST-501.....335	U-PST-960M100A01.. 360
U-PST-1730.....361	U-PST-210.....327	U-PST-2595M100A01 360	U-PST-502.....335	U-PST-970.....361
U-PST-1730M100A01 361	U-PST-2100A100A01 320	U-PST-260.....328	U-PST-502I100A01 ... 335	U-PST-980.....363
U-PST-1735.....363	U-PST-2105A100A01 320	U-PST-2600M100A01 361	U-PST-503.....336	U-PST-990.....321
U-PST-1735A100A01 363	U-PST-210M100A01 . 327	U-PST-2605M100A01 361	U-PST-503I100A01 ... 336	U-PST-990M100A01 321,
U-PST-1735M100A01 363	U-PST-2110A100A01 322	U-PST-2610A100A01 361	U-PST-510.....336	775
U-PST-1740.....363	U-PST-2115M100A01 322	U-PST-2615M100A01 362	U-PST-512.....336	U-QCI-700.....711
U-PST-1740A100A01 363	U-PST-2120M100A01 323	U-PST-2620M100A01 362	U-PST-513.....336	U-QCI-701.....706
U-PST-1740M100A01 363	U-PST-2125A100A01 323	U-PST-2630A100A01 363	U-PST-520.....336	U-QCI-702.....711
U-PST-1745.....364	U-PST-2130A100A01 324	U-PST-2645M100A01 364	U-PST-520AS.....336	U-QCI-705A.....710
U-PST-1750.....364	U-PST-2130M100A01 324	U-PST-2655M100A01 321	U-PST-530.....337	U-QCI-705B.....710
U-PST-1750M100A01 364	U-PST-2145A100A01 325	U-PST-2665M100A01 329	U-PST-530H100A01.. 337	U-QCI-705C.....710
U-PST-1755.....315	U-PST-2150A100A01 326	U-PST-2670M100A01 333	U-PST-530M100A01 . 337	U-QCI-706A.....705
U-PST-1755B100A01 315	U-PST-2150M100A01 326	U-PST-2680M100A01 341	U-PST-540.....339	U-QCI-706B.....705
U-PST-1755M100A01 315	U-PST-2155A100A01 326	U-PST-2685A100A01 344	U-PST-540I100A01 ... 339	U-QCI-706C.....705
U-PST-1760A100A01 316	U-PST-2155M100A01 326	U-PST-2685K100A01 344	U-PST-540M100A01 . 339	U-QCI-710.....706, 711
U-PST-1760M100A01 316	U-PST-2160M100A01 329	U-PST-2690M100A01 345	U-PST-550.....341	U-QCI-711.. 706, 711, 883
U-PST-1765.....334	U-PST-2170A100A01 330	U-PST-2695M100A01 348	U-PST-550M100A01 . 341	U-QCI-712.....706
U-PST-1770.....337	U-PST-2170M100A01 330	U-PST-2700M100A01 353	U-PST-560.....317	U-QCI-713.....710
U-PST-1770M100A01 337	U-PST-2180M100A01 331	U-PST-271.....328	U-PST-560M100A01 . 317	U-QCI-715.....710
U-PST-1775.....338	U-PST-2185M100A01 332	U-PST-271I100A01 ... 328	U-PST-571.....343	U-QCI-716.....711, 883
U-PST-1775M100A01 338	U-PST-2190M100A01 332	U-PST-271M100A01 . 328	U-PST-571I100A01 ... 343	U-QCI-717.....705
U-PST-1780.....339	U-PST-220.....328	U-PST-2740M100A01 328	U-PST-581.....343	U-QCI-718.....705
U-PST-1785.....341	U-PST-2200M100A01 333	U-PST-2775A100A01 318	U-PST-582.....343	U-QCI-720.....706, 711
U-PST-1790.....349	U-PST-2205M100A01 333	U-PST-2780M100A01 318	U-PST-582C100A01.. 343	U-QCI-731.....706
U-PST-1795.....351	U-PST-220I100A01 ... 328	U-PST-280.....328	U-PST-590.....343	U-QCI-735.....710
U-PST-180.....327	U-PST-2210A100A01 333	U-PST-280I100A01 ... 329	U-PST-600.....354	U-QCI-740.....711
U-PST-1800.....358	U-PST-2215M100A01 334	U-PST-2815M100A01 320	U-PST-600M100A01 . 354	U-QCI-745.....710
U-PST-1800M100A01 358	U-PST-2240A100A01 337	U-PST-2825M100A01 320	U-PST-610.....334	U-QCI-750.....706, 711
U-PST-1805.....358	U-PST-2260A100A01 337	U-PST-2835M100A01 320	U-PST-610M100A01 . 334	U-QCI-751.....706
U-PST-1810.....358	U-PST-2270K100A01 337	U-PST-2845I100A01 . 321	U-PST-620.....322	U-QCI-755.....710
U-PST-1815.....358	U-PST-2275A100A01 338	U-PST-2850M100A01 322	U-PST-625.....315	U-QCI-756.....706
U-PST-1820.....359	U-PST-2275C100A01 338	U-PST-2870M100A01 323	U-PST-625M100A01 . 315	U-QCI-757.....705
U-PST-1825.....361	U-PST-2280A100A01 338	U-PST-2895M100A01 353	U-PST-630.....342	U-QCI-760.....711
U-PST-1830.....362	U-PST-2285A100A01 338	U-PST-2915M100A01 326	U-PST-630A100A01.. 342	U-QCI-761.....707, 712



## Code number index

U-QCI-765	710	U-RAB-030	484	U-RAH-082	421	U-RCA-003	475	U-RCC-149	475
U-QCI-770	710, 883	U-RAB-032	484	U-RAH-083	425	U-RCA-004	480	U-RCC-154	476
U-QCI-780	706, 711	U-RAB-033	484	U-RAH-084	426	U-RCA-005	480	U-RCC-155	477
U-QCI-785	710	U-RAB-034	484	U-RAH-085	428	U-RCA-006	480	U-RCC-156	477
U-QCI-786	705	U-RAB-035	486	U-RAH-086	422	U-RCA-007	480	U-RCC-157	478
U-QCI-787	705	U-RAB-036	486	U-RAH-087	428	U-RCA-008	480	U-RCC-158	484
U-QCI-790	706	U-RAB-037	486	U-RAH-088	425	U-RCA-009	480	U-RCC-161	485
U-QCI-795	706	U-RAB-038	483	U-RAH-089	422	U-RCA-010	497	U-RCC-162	485
U-QCK-900	713	U-RAB-039	483	U-RAH-091	426	U-RCA-011	362, 497	U-RCC-166	487
U-QCM-100	712	U-RAB-040	483	U-RAH-092	427	U-RCA-012	362, 497	U-RCC-167	488
U-QCM-105	712	U-RAB-041	472	U-RAH-097	427	U-RCA-013	495	U-RCC-169	484
U-QCM-106	712	U-RAB-042	488	U-RAH-098	422	U-RCA-014	495	U-RCC-170	491
U-QCM-110	709	U-RAB-043	494	U-RAH-099	427	U-RCA-015	492	U-RCC-171	491
U-QCM-111	708	U-RAH-001	421	U-RAH-100	428	U-RCB-001	477	U-RCC-172	493
U-QCM-112	708	U-RAH-002	421	U-RBA-001	475	U-RCB-002	477	U-RCC-174	485
U-QCM-115	707	U-RAH-003	422	U-RBA-002	475	U-RCB-003	477	U-RCC-177	476
U-QCM-116	707	U-RAH-004	422	U-RBA-003	475	U-RCB-004	473	U-RCC-178	482
U-QCM-120	709	U-RAH-005	423	U-RBA-004	480	U-RCB-005	483	U-RCC-179	331
U-QCM-125	707	U-RAH-006	423	U-RBA-005	480	U-RCB-006	483	U-RCC-180	485
U-QCM-130	709	U-RAH-007	424	U-RBA-006	480	U-RCB-007	483	U-RCC-181	486
U-QCM-140	713	U-RAH-008	428	U-RBA-007	480	U-RCB-008	483	U-RCC-182	486
U-QCM-200	713	U-RAH-009	423	U-RBA-008	480	U-RCB-009	483	U-RCC-183	488
U-QCM-205	712	U-RAH-010	423	U-RBA-009	480	U-RCB-010	483	U-RCC-185	489
U-QCM-210	709	U-RAH-012	424	U-RBA-010	497	U-RCB-011	483	U-RCC-186	490
U-QCM-211	707	U-RAH-013	424	U-RBF-001	473	U-RCB-012	498	U-RCC-187	490
U-QCM-212	707	U-RAH-015	424	U-RBF-002A	479	U-RCB-013	498	U-RCC-188	490
U-QCM-213	709	U-RAH-016	425	U-RBF-002B	479	U-RCB-014	498	U-RCC-189	491
U-QCM-220	708, 713	U-RAH-017	427	U-RBF-002C	479	U-RCB-015	498	U-RCC-190	491
U-QCM-230	707, 712	U-RAH-018	425	U-RBF-003	497	U-RCB-016	498	U-RCC-191	492
U-QCM-240	713, 714	U-RAH-019	425	U-RBF-005	487	U-RCB-017	473	U-RCC-192	492
U-QCM-241	714	U-RAH-020	426	U-RBF-006A	474	U-RCB-018	496	U-RCC-193	496
U-QCM-242	714	U-RAH-021	422	U-RBF-006B	474	U-RCB-019	496	U-RCC-194	493
U-QCM-243	714	U-RAH-022	427	U-RBF-006C	474	U-RCB-020	492	U-RCC-195	493
U-QCM-244	714	U-RAH-023	427	U-RBF-007	479	U-RCB-031	496	U-RCC-196	494
U-QCM-245	714	U-RAH-024	422	U-RBF-008	479	U-RCB-042	472	U-RCC-197	494
U-QCM-246	714	U-RAH-025	422	U-RBF-010	492	U-RCB-045	492	U-RCC-198	494
U-QCM-247	714	U-RAH-026	424	U-RBF-011	474	U-RCC-002	471	U-RCC-199	496
U-QCM-248	714	U-RAH-027	427	U-RBF-013	479	U-RCC-003	471	U-RCC-200	471
U-QCM-249	708, 714	U-RAH-028	427	U-RBF-014	479	U-RCC-004	472	U-RCC-201	471
U-QCM-250	709	U-RAH-029	427	U-RBF-015	474	U-RCC-005	472	U-RCC-202	471
U-QCM-251	707	U-RAH-030	427	U-RBF-016	474	U-RCC-007	480	U-RCC-203	471
U-QCM-260	708	U-RAH-031	426	U-RBF-017	479	U-RCC-008	484	U-RCC-205	474
U-QCM-276	712, 714	U-RAH-032	426	U-RBF-074	409	U-RCC-011	478	U-RCC-206	486
U-QCM-300	712	U-RAH-033	426	U-RBF-075	409	U-RCC-015	491	U-RCC-207	488
U-QCM-310	709	U-RAH-034	426	U-RBF-076	409	U-RCC-016	491	U-RCC-208	488
U-QCM-311	708	U-RAH-035	426	U-RBF-076S	409	U-RCC-017	491	U-RCC-209	488
U-QCM-312	708	U-RAH-036	422	U-RBF-077	409	U-RCC-025	471	U-RCC-210	489
U-QCM-400	713	U-RAH-037	422	U-RBF-077S	409	U-RCC-026	471	U-RCC-212	489
U-QCM-500	710	U-RAH-038	424	U-RBF-078	409	U-RCC-027	471	U-RCC-213	489
U-QCM-501	707	U-RAH-039	424	U-RBF-078S	409	U-RCC-028	472	U-RCC-214	490
U-QCM-550	708	U-RAH-040	424	U-RBF-079S	409	U-RCC-029	478	U-RCC-215	490
U-QCM-551	708	U-RAH-041	424	U-RBF-080	409	U-RCC-030	478	U-RCC-216	493
U-QCM-600	713	U-RAH-043	426	U-RBF-080S	409	U-RCC-031	478	U-RCC-218	499
U-QCM-610	713	U-RAH-044	427	U-RBF-081	409	U-RCC-032	478	U-RCN-002	406, 476
U-QCM-620	713	U-RAH-045	427	U-RBF-081S	409	U-RCC-033	478	U-RCN-003	406, 476
U-QCM-630	713	U-RAH-046	428	U-RBF-082	409	U-RCC-034	478	U-RCN-005	406, 482
U-QCM-631	713	U-RAH-049	427	U-RBF-082S	409	U-RCC-040	493	U-RCN-006	406, 482
U-RAB-001	496	U-RAH-050	427	U-RBF-083	409	U-RCC-041	484	U-RCN-008	482
U-RAB-002	499	U-RAH-051	427	U-RBF-083S	409	U-RCC-043	472	U-RCN-010	496
U-RAB-003	499	U-RAH-054	428	U-RBF-084	409	U-RCC-044	472	U-RCN-012	492
U-RAB-004	499	U-RAH-055	428	U-RBF-084S	409	U-RCC-070	491	U-RCN-013	476
U-RAB-005	498	U-RAH-056	428	U-RBF-085	409	U-RCC-071	491	U-RCN-014	482
U-RAB-006	498	U-RAH-057	428	U-RBF-085S	409	U-RCC-072	491	U-RCP-001	476
U-RAB-007	499	U-RAH-058	428	U-RBF-086	409	U-RCC-077	492	U-RCP-002	476
U-RAB-008	496	U-RAH-059	428	U-RBF-086S	409	U-RCC-078	492	U-RCP-003	477
U-RAB-009	496	U-RAH-060	428	U-RBF-087	409	U-RCC-088	473	U-RCP-004	482
U-RAB-010	496	U-RAH-061	428	U-RBF-087S	409	U-RCC-092	494	U-RCP-005	331, 482
U-RAB-011	493	U-RAH-062	424	U-RBF-088S	409	U-RCC-093	494	U-RCP-006	482
U-RAB-012	488	U-RAH-063	494	U-RBF-089	409	U-RCC-094	499	U-RCP-007	482
U-RAB-013	486	U-RAH-064	421	U-RBF-089S	409	U-RCC-103	484	U-RCP-008	482
U-RAB-014	494	U-RAH-065	426	U-RBF-090	409	U-RCC-106	486	U-RCP-009	482
U-RAB-015	488	U-RAH-066	427	U-RBF-090S	409	U-RCC-115	497	U-RCP-010	363, 498
U-RAB-016	475	U-RAH-067	427	U-RBF-091	409	U-RCC-117	484	U-RCP-011	498
U-RAB-017	475	U-RAH-068	427	U-RBF-091S	409	U-RCC-121	496	U-RCP-012	363, 498
U-RAB-018	475	U-RAH-069	427	U-RBF-092S	409	U-RCC-125	496	U-RCP-013	363, 498
U-RAB-019	488	U-RAH-071	424	U-RBF-093	410	U-RCC-126	493	U-RCP-014	498
U-RAB-020	493	U-RAH-072	422	U-RBF-093S	410	U-RCC-129	473	U-RCP-015	498
U-RAB-021	493	U-RAH-073	423	U-RBF-094S	409	U-RCC-137	472	U-RCP-016	495
U-RAB-022	493	U-RAH-074	427	U-RBF-097	409	U-RCC-138	483	U-RCP-018	496
U-RAB-023	488	U-RAH-075	427	U-RBF-097S	409	U-RCC-141	493	U-RCP-019	493
U-RAB-024	487	U-RAH-076	425	U-RBF-098	409	U-RCC-142	485	U-RCP-020	407, 475
U-RAB-025	492	U-RAH-077	426	U-RBF-098S	409	U-RCC-143	472	U-RCP-021	407, 480
U-RAB-026	492	U-RAH-078	427	U-RBF-102	410	U-RCC-144	473	U-RCP-022	407, 480
U-RAB-027	478	U-RAH-079	427	U-RBF-102S	410	U-RCC-145	473	U-RCP-023	407, 480
U-RAB-028	493	U-RAH-080	427	U-RCA-001	475	U-RCC-147	473	U-RCP-024	362, 407, 497
U-RAB-029	484	U-RAH-081	424	U-RCA-002	475	U-RCC-148	474	U-RCP-025	362, 407, 497

## Code number index

U-RCP-027.....408, 495	U-RGO-608..... 436, 499	U-RHH-036..... 477	U-RNH-148..... 491	U-RPC-032..... 388
U-RCP-028.....408, 495	U-RGO-608-1 .... 436, 499	U-RHH-037..... 482	U-RNH-149..... 491	U-RPC-032AS..... 388
U-RCP-029.....408, 495	U-RGO-609..... 436, 499	U-RHH-038..... 482	U-RNH-150..... 491	U-RPC-032S..... 388
U-RCP-030.....408, 492	U-RGO-609-1 .... 436, 499	U-RHH-039..... 498	U-RNH-151..... 491	U-RPC-033..... 389
U-RCP-031.....408, 487	U-RGO-610..... 435, 483	U-RHH-040..... 496	U-RNH-166..... 491	U-RPC-033AS..... 389
U-RCP-032..... 475	U-RGO-610-1 .... 435, 483	U-RHH-041..... 496	U-RNH-177..... 490	U-RPC-033S..... 389
U-RCP-033..... 475	U-RGO-611..... 436	U-RHH-042..... 496	U-RPC-001AS..... 385	U-RPC-034..... 389
U-RCP-034..... 475	U-RGO-611-1..... 436	U-RHH-045..... 482	U-RPC-001S..... 385	U-RPC-034AS..... 389
U-RCP-035..... 480	U-RGO-612..... 437	U-RHH-047..... 487	U-RPC-006..... 385	U-RPC-034S..... 389
U-RCP-036..... 480	U-RGO-612-1..... 437	U-RHH-048..... 474	U-RPC-006AS..... 385	U-RPC-035..... 388
U-RCP-037..... 480	U-RGO-613..... 437	U-RHH-049..... 474	U-RPC-006S..... 385	U-RPC-035AS..... 388
U-RCP-038..... 480	U-RGO-613-1..... 437	U-RHH-050..... 479	U-RPC-007..... 385	U-RPC-035S..... 388
U-RCP-039..... 362, 497	U-RGO-614..... 437	U-RHH-051..... 479	U-RPC-007AS..... 385	U-RPC-036..... 390
U-RCP-040..... 362, 497	U-RGO-614-1..... 437	U-RHH-052..... 474	U-RPC-007S..... 385	U-RPC-036AS..... 390
U-RCP-041..... 492	U-RGO-615..... 436, 477	U-RHH-054..... 482	U-RPC-008..... 385	U-RPC-036S..... 390
U-RCP-042..... 480	U-RGO-615-1 .... 435, 477	U-RHH-055..... 476	U-RPC-008AS..... 385	U-RPC-037..... 392
U-RCP-043..... 497	U-RGO-616 435, 436, 477	U-RHH-056..... 481	U-RPC-008S..... 385	U-RPC-037AS..... 392
U-RCP-044..... 362, 497	U-RGO-616-1 ... 435, 436, 477	U-RHH-057..... 481	U-RPC-009..... 385	U-RPC-037S..... 392
U-RCP-046..... 480	U-RGO-621..... 437	U-RHH-058..... 482	U-RPC-009AS..... 385	U-RPC-038..... 390
U-RCP-047..... 480	U-RGO-621-1..... 437	U-RHH-059..... 482	U-RPC-009S..... 385	U-RPC-038AS..... 390
U-RCP-048..... 497	U-RGO-622..... 437	U-RHH-060..... 487	U-RPC-010..... 386	U-RPC-038S..... 390
U-RCP-049..... 497	U-RGO-622-1..... 437	U-RHH-063..... 475	U-RPC-010AS..... 386	U-RPC-039..... 391
U-RCP-050..... 495	U-RGO-623..... 437	U-RHH-064..... 481	U-RPC-010S..... 386	U-RPC-039AS..... 391
U-RCP-051..... 495	U-RGO-623-1..... 437	U-RNA-001..... 478	U-RPC-011..... 386	U-RPC-039S..... 391
U-RCP-052..... 495	U-RGO-624..... 437	U-RNA-002..... 499	U-RPC-011AS..... 386	U-RPC-040..... 391
U-RGO-100..... 798	U-RGO-624-1..... 437	U-RNA-003..... 485	U-RPC-011S..... 386	U-RPC-040AS..... 391
U-RGO-100-1..... 798	U-RGO-625..... 436, 477	U-RNA-004..... 498	U-RPC-012..... 385	U-RPC-040S..... 391
U-RGO-101X..... 763, 883	U-RGO-625-1 .... 436, 477	U-RNA-005..... 496	U-RPC-012AS..... 385	U-RPC-041..... 391
U-RGO-102X..... 764, 883	U-RGO-626..... 436, 477	U-RNA-006..... 493	U-RPC-012S..... 385	U-RPC-041AS..... 391
U-RGO-200..... 238, 508	U-RGO-626-1 .... 436, 477	U-RNA-007..... 487	U-RPC-013..... 385	U-RPC-041S..... 391
U-RGO-210..... 237	U-RGO-626-1 ... 436, 477	U-RNA-008..... 487	U-RPC-013AS..... 385	U-RPC-042..... 391
U-RGO-220..... 237	U-RGO-631..... 436	U-RNA-009..... 492	U-RPC-013S..... 385	U-RPC-042AS..... 391
U-RGO-230..... 237	U-RGO-631-1..... 436	U-RNA-010..... 492	U-RPC-014..... 385	U-RPC-042S..... 391
U-RGO-240..... 237	U-RGO-632..... 436	U-RNA-011 ..... 435, 485	U-RPC-014AS..... 385	U-RPC-043..... 391
U-RGO-250..... 238	U-RGO-632-1..... 436	U-RNA-012..... 485	U-RPC-014S..... 385	U-RPC-043AS..... 391
U-RGO-260..... 238	U-RGO-641..... 436	U-RNA-013..... 496	U-RPC-015..... 386	U-RPC-043S..... 391
U-RGO-270..... 238	U-RGO-641-1..... 436	U-RNA-014..... 492	U-RPC-015AS..... 386	U-RPC-044..... 392
U-RGO-280..... 238	U-RGO-642..... 436	U-RNA-015..... 485	U-RPC-015S..... 386	U-RPC-044AS..... 392
U-RGO-300..... 238	U-RGO-642-1..... 436	U-RNA-016..... 496	U-RPC-016..... 386	U-RPC-044S..... 392
U-RGO-300-1..... 238	U-RGO-651..... 436	U-RNA-017..... 488	U-RPC-016AS..... 386	U-RPC-045..... 392
U-RGO-301..... 238	U-RGO-651-1..... 436	U-RNA-018..... 488	U-RPC-016S..... 386	U-RPC-045AS..... 393
U-RGO-301-1..... 238	U-RGO-652..... 436	U-RNA-019..... 487	U-RPC-017..... 386	U-RPC-045S..... 393
U-RGO-302..... 238	U-RGO-652-1..... 436	U-RNA-020..... 492	U-RPC-017AS..... 386	U-RPC-046..... 395
U-RGO-302-1..... 238	U-RGO-661..... 435, 472	U-RNA-021..... 492	U-RPC-017S..... 386	U-RPC-046AS..... 395
U-RGO-303..... 238	U-RGO-661-1 .... 435, 472	U-RNA-022..... 493	U-RPC-018..... 386	U-RPC-046S..... 395
U-RGO-303-1..... 238	U-RGO-662..... 472	U-RNA-023..... 487	U-RPC-018AS..... 386	U-RPC-047..... 395
U-RGO-310..... 237	U-RGO-662-1..... 472	U-RNA-024..... 487	U-RPC-018S..... 386	U-RPC-047AS..... 395
U-RGO-310-1..... 237	U-RGO-671..... 436, 488	U-RNA-025..... 498	U-RPC-019..... 387	U-RPC-047S..... 395
U-RGO-311..... 237	U-RGO-671-1 .... 436, 488	U-RNA-026..... 493	U-RPC-019AS..... 387	U-RPC-048..... 395
U-RGO-311-1..... 237	U-RGO-672..... 436, 488	U-RNA-027..... 487	U-RPC-019S..... 387	U-RPC-048AS..... 395
U-RGO-312..... 237	U-RGO-672-1 .... 436, 488	U-RNA-028..... 487	U-RPC-020..... 387	U-RPC-048S..... 395
U-RGO-312-1..... 237	U-RGO-691..... 436, 488	U-RNA-029..... 492	U-RPC-020AS..... 387	U-RPC-049..... 393
U-RGO-313..... 237	U-RGO-691-1 .... 436, 488	U-RNA-030..... 497	U-RPC-020S..... 387	U-RPC-049AS..... 393
U-RGO-313-1..... 237	U-RGO-692..... 436, 488	U-RNA-031..... 487	U-RPC-021..... 386	U-RPC-049S..... 393
U-RGO-314..... 237	U-RGO-692-1 .... 436, 488	U-RNA-032..... 493	U-RPC-021AS..... 386	U-RPC-050..... 394
U-RGO-314-1..... 237	U-RGO-701..... 437	U-RNA-033..... 492	U-RPC-021S..... 386	U-RPC-050AS..... 394
U-RGO-320..... 434	U-RGO-701-1..... 437	U-RNA-034..... 496	U-RPC-022..... 387	U-RPC-050S..... 394
U-RGO-320-1..... 434	U-RGO-702..... 437	U-RNA-035..... 496	U-RPC-022AS..... 387	U-RPC-051..... 394
U-RGO-321..... 435	U-RGO-702-1..... 437	U-RNH-003..... 485	U-RPC-022S..... 387	U-RPC-051AS..... 394
U-RGO-321-1..... 435	U-RGO-703..... 437	U-RNH-004..... 490	U-RPC-023..... 387	U-RPC-051S..... 394
U-RGO-322..... 435	U-RGO-703-1..... 437	U-RNH-005..... 492	U-RPC-023AS..... 387	U-RPC-052..... 393
U-RGO-322-1..... 435	U-RGO-704..... 437	U-RNH-006..... 492	U-RPC-023S..... 387	U-RPC-052AS..... 393
U-RGO-325-100..... 434	U-RGO-704-1..... 437	U-RNH-007..... 492	U-RPC-024..... 388	U-RPC-052S..... 393
U-RGO-330..... 434	U-RGO-711..... 239	U-RNH-009..... 491	U-RPC-024AS..... 388	U-RPC-053..... 394
U-RGO-330-1..... 434	U-RGO-711-1..... 239	U-RNH-009..... 491	U-RPC-024S..... 388	U-RPC-053AS..... 394
U-RGO-331..... 435	U-RGO-722..... 436	U-RNH-100..... 491	U-RPC-025..... 389	U-RPC-053S..... 394
U-RGO-331-1..... 435	U-RGO-722-1..... 436	U-RNH-106..... 499	U-RPC-025AS..... 389	U-RPC-054..... 394
U-RGO-333..... 434	U-RHH-001..... 489	U-RNH-111..... 472	U-RPC-025S..... 389	U-RPC-054AS..... 394
U-RGO-333-1..... 434	U-RHH-002..... 476	U-RNH-112..... 490	U-RPC-026..... 390	U-RPC-054S..... 394
U-RGO-335..... 434	U-RHH-004..... 479	U-RNH-117..... 490	U-RPC-026AS..... 390	U-RPC-055..... 395
U-RGO-422..... 239	U-RHH-005..... 474	U-RNH-118..... 490	U-RPC-026S..... 390	U-RPC-055AS..... 395
U-RGO-422-1..... 239	U-RHH-006..... 475	U-RNH-123..... 491	U-RPC-027..... 389	U-RPC-055S..... 395
U-RGO-600..... 435, 494	U-RHH-012..... 481	U-RNH-126..... 491	U-RPC-027AS..... 389	U-RPC-056..... 394
U-RGO-600-1 .... 435, 494	U-RHH-013..... 481	U-RNH-127..... 491	U-RPC-027S..... 389	U-RPC-056AS..... 394
U-RGO-601..... 436	U-RHH-015..... 497	U-RNH-131..... 491	U-RPC-028..... 389	U-RPC-056S..... 394
U-RGO-601-1..... 436	U-RHH-016..... 495	U-RNH-133..... 492	U-RPC-028AS..... 389	U-RPC-057..... 397
U-RGO-602..... 436	U-RHH-017..... 495	U-RNH-135..... 484	U-RPC-028S..... 389	U-RPC-057AS..... 397
U-RGO-602-1..... 436	U-RHH-018..... 493	U-RNH-137..... 484	U-RPC-029..... 388	U-RPC-057S..... 397
U-RGO-603..... 436	U-RHH-019..... 487	U-RNH-138..... 484	U-RPC-029AS..... 388	U-RPC-058..... 397
U-RGO-603-1..... 436	U-RHH-020..... 481	U-RNH-139..... 484	U-RPC-029S..... 388	U-RPC-058S..... 397
U-RGO-604..... 436	U-RHH-021..... 481	U-RNH-140..... 484	U-RPC-030..... 388	U-RPC-059..... 398
U-RGO-604-1..... 436	U-RHH-022..... 497	U-RNH-141..... 484	U-RPC-030AS..... 388	U-RPC-059AS..... 398
U-RGO-605..... 435, 477	U-RHH-023..... 495	U-RNH-144..... 491	U-RPC-030S..... 388	U-RPC-059S..... 398
U-RGO-605-1 .... 435, 477	U-RHH-024..... 474	U-RNH-145..... 491	U-RPC-031..... 388	U-RPC-060..... 398
U-RGO-606..... 435, 477	U-RHH-027..... 479	U-RNH-146..... 491	U-RPC-031AS..... 388	U-RPC-060AS..... 398
U-RGO-606-1 .... 435, 477	U-RHH-028..... 495	U-RNH-147..... 491	U-RPC-031S..... 388	U-RPC-060S..... 398

U-RPC-062	387	U-RPC-096	390	U-RPC-1242	382	U-RPC-151S	394	U-RPC-184S	389
U-RPC-062AS	387	U-RPC-096AS	390	U-RPC-1248	382	U-RPC-152	393	U-RPC-185AS	389
U-RPC-062S	387	U-RPC-096S	390	U-RPC-124AS	387	U-RPC-152AS	393	U-RPC-185S	389
U-RPC-065	388	U-RPC-097	390	U-RPC-124S	387	U-RPC-152S	393	U-RPC-186AS	389
U-RPC-065AS	388	U-RPC-097AS	390	U-RPC-125	387	U-RPC-153	393	U-RPC-186S	389
U-RPC-065S	388	U-RPC-097S	390	U-RPC-1254	382	U-RPC-153AS	393	U-RPC-187AS	389
U-RPC-066	388	U-RPC-098	391	U-RPC-125AS	388	U-RPC-153S	393	U-RPC-187S	389
U-RPC-066AS	388	U-RPC-098AS	392	U-RPC-125S	388	U-RPC-154	394	U-RPC-188AS	389
U-RPC-066S	388	U-RPC-098S	392	U-RPC-126	388	U-RPC-154AS	394	U-RPC-188S	389
U-RPC-067	394	U-RPC-099	390	U-RPC-1260	382	U-RPC-154S	394	U-RPC-189AS	389
U-RPC-067AS	394	U-RPC-099AS	390	U-RPC-1262	382	U-RPC-155	394	U-RPC-189S	389
U-RPC-067S	394	U-RPC-099S	390	U-RPC-1268	383	U-RPC-155AS	394	U-RPC-190AS	389
U-RPC-068	398	U-RPC-100	396	U-RPC-126AS	389	U-RPC-155S	394	U-RPC-190S	389
U-RPC-068AS	398	U-RPC-100S	396	U-RPC-126S	388	U-RPC-156	393	U-RPC-191AS	390
U-RPC-068S	398	U-RPC-101	385	U-RPC-127	390	U-RPC-156AS	393	U-RPC-191S	390
U-RPC-069	391	U-RPC-1016	381	U-RPC-127AS	390	U-RPC-156S	393	U-RPC-192AS	390
U-RPC-069AS	391	U-RPC-101AS	385	U-RPC-127S	390	U-RPC-157	395	U-RPC-192S	390
U-RPC-069S	391	U-RPC-101S	385	U-RPC-128	389	U-RPC-157AS	395	U-RPC-193AS	390
U-RPC-070	392	U-RPC-102	393	U-RPC-128AS	389	U-RPC-157S	395	U-RPC-193S	390
U-RPC-070AS	392	U-RPC-102AS	393	U-RPC-128S	389	U-RPC-158	394	U-RPC-194AS	390
U-RPC-070S	392	U-RPC-102S	393	U-RPC-129	390	U-RPC-158AS	394	U-RPC-194S	390
U-RPC-071	392	U-RPC-103	397	U-RPC-129AS	390	U-RPC-158S	394	U-RPC-195AS	391
U-RPC-071AS	392	U-RPC-103AS	397	U-RPC-129S	390	U-RPC-159	395	U-RPC-195S	391
U-RPC-071S	392	U-RPC-103S	397	U-RPC-130	391	U-RPC-159AS	395	U-RPC-196AS	391
U-RPC-072	396	U-RPC-104	386	U-RPC-130AS	391	U-RPC-159S	395	U-RPC-196S	391
U-RPC-072AS	396	U-RPC-104AS	386	U-RPC-130S	391	U-RPC-160	394	U-RPC-197AS	391
U-RPC-072S	396	U-RPC-104S	386	U-RPC-131	392	U-RPC-160AS	394	U-RPC-197S	391
U-RPC-073	397	U-RPC-105	388	U-RPC-131AS	392	U-RPC-160S	394	U-RPC-198AS	391
U-RPC-073S	397	U-RPC-105AS	388	U-RPC-131S	392	U-RPC-161	395	U-RPC-198S	391
U-RPC-074	397	U-RPC-105S	388	U-RPC-132	393	U-RPC-161AS	395	U-RPC-199AS	391
U-RPC-074AS	397	U-RPC-106	392	U-RPC-132AS	393	U-RPC-161S	395	U-RPC-199S	391
U-RPC-074S	397	U-RPC-106AS	392	U-RPC-132S	393	U-RPC-162	396	U-RPC-200AS	391
U-RPC-075	397	U-RPC-106S	392	U-RPC-133	392	U-RPC-162AS	397	U-RPC-200S	391
U-RPC-075AS	397	U-RPC-107	387	U-RPC-133S	392	U-RPC-162S	397	U-RPC-201AS	392
U-RPC-075S	397	U-RPC-107AS	387	U-RPC-134	393	U-RPC-163	395	U-RPC-201S	392
U-RPC-077	396	U-RPC-107S	387	U-RPC-134AS	393	U-RPC-163S	395	U-RPC-202AS	392
U-RPC-077AS	396	U-RPC-108	392	U-RPC-134S	393	U-RPC-164	395	U-RPC-202S	392
U-RPC-077S	396	U-RPC-108AS	392	U-RPC-135	397	U-RPC-164AS	395	U-RPC-203AS	392
U-RPC-078	398	U-RPC-108S	392	U-RPC-135AS	397	U-RPC-164S	395	U-RPC-203S	392
U-RPC-078AS	398	U-RPC-109	395	U-RPC-135S	397	U-RPC-165	397	U-RPC-204AS	392
U-RPC-078S	398	U-RPC-109AS	395	U-RPC-136	388	U-RPC-165AS	397	U-RPC-204S	392
U-RPC-080	398	U-RPC-109S	395	U-RPC-136AS	388	U-RPC-165S	397	U-RPC-205AS	393
U-RPC-080AS	398	U-RPC-110	396	U-RPC-136S	388	U-RPC-166	396	U-RPC-205S	393
U-RPC-080S	398	U-RPC-110AS	396	U-RPC-137	397	U-RPC-166AS	396	U-RPC-206AS	393
U-RPC-081	398	U-RPC-110S	396	U-RPC-137AS	397	U-RPC-166S	396	U-RPC-206S	393
U-RPC-081AS	398	U-RPC-111	397	U-RPC-137S	397	U-RPC-167	397	U-RPC-207AS	393
U-RPC-081S	398	U-RPC-111S	397	U-RPC-138	389	U-RPC-167AS	397	U-RPC-207S	393
U-RPC-082	398	U-RPC-112	386	U-RPC-138AS	390	U-RPC-167S	397	U-RPC-208AS	394
U-RPC-082AS	398	U-RPC-112AS	386	U-RPC-138S	390	U-RPC-168	397	U-RPC-208S	394
U-RPC-082S	398	U-RPC-112S	386	U-RPC-139	386	U-RPC-168AS	397	U-RPC-209AS	394
U-RPC-083A	386	U-RPC-113	395	U-RPC-139AS	386	U-RPC-168S	397	U-RPC-209S	394
U-RPC-083AS	387	U-RPC-113AS	395	U-RPC-139S	386	U-RPC-169	397	U-RPC-210AS	395
U-RPC-083S	386	U-RPC-113S	395	U-RPC-140	398	U-RPC-169AS	397	U-RPC-210S	395
U-RPC-084	387	U-RPC-114	393	U-RPC-140AS	398	U-RPC-169S	397	U-RPC-211AS	395
U-RPC-084AS	387	U-RPC-114AS	393	U-RPC-140S	398	U-RPC-170	397	U-RPC-211S	395
U-RPC-084S	387	U-RPC-114S	393	U-RPC-141	391	U-RPC-170S	397	U-RPC-212AS	396
U-RPC-086	389	U-RPC-115	395	U-RPC-141AS	391	U-RPC-171	391	U-RPC-212S	396
U-RPC-086AS	389	U-RPC-115AS	396	U-RPC-141S	391	U-RPC-171S	391	U-RPC-213AS	396
U-RPC-086S	389	U-RPC-115S	396	U-RPC-142	392	U-RPC-172	391	U-RPC-213S	396
U-RPC-087	391	U-RPC-116	397	U-RPC-142AS	392	U-RPC-172AS	391	U-RPC-214AS	396
U-RPC-087AS	391	U-RPC-116AS	397	U-RPC-142S	392	U-RPC-172S	391	U-RPC-214S	396
U-RPC-087S	391	U-RPC-116S	397	U-RPC-143	393	U-RPC-173	386	U-RPC-215AS	396
U-RPC-088	394	U-RPC-117	393	U-RPC-143AS	393	U-RPC-173AS	386	U-RPC-215S	396
U-RPC-088AS	394	U-RPC-117AS	393	U-RPC-143S	393	U-RPC-173S	386	U-RPC-216S	396
U-RPC-088S	394	U-RPC-117S	393	U-RPC-144	395	U-RPC-174	398	U-RPC-217AS	396
U-RPC-089	385	U-RPC-118	386	U-RPC-144AS	395	U-RPC-174AS	398	U-RPC-217S	396
U-RPC-089AS	385	U-RPC-118AS	386	U-RPC-144S	395	U-RPC-174S	398	U-RPC-218AS	396
U-RPC-089S	385	U-RPC-118S	386	U-RPC-145	396	U-RPC-175AS	386	U-RPC-218S	396
U-RPC-090	396	U-RPC-119	387	U-RPC-145AS	396	U-RPC-175S	386	U-RPC-219AS	397
U-RPC-090AS	396	U-RPC-119AS	387	U-RPC-145S	396	U-RPC-176AS	387	U-RPC-219S	397
U-RPC-090S	396	U-RPC-119S	387	U-RPC-146AS	394	U-RPC-176S	387	U-RPC-220S	398
U-RPC-091	390	U-RPC-120	387	U-RPC-146S	394	U-RPC-177AS	388	U-RPC-DMC	401
U-RPC-091AS	390	U-RPC-120AS	387	U-RPC-147	392	U-RPC-177S	388	U-RPC-DMC-1	401
U-RPC-091S	390	U-RPC-120S	387	U-RPC-147AS	392	U-RPC-178AS	388	U-RPCM-200	400
U-RPC-092	386	U-RPC-121	387	U-RPC-147S	392	U-RPC-178S	388	U-RPCM-200-1	400
U-RPC-092AS	386	U-RPC-121AS	387	U-RPC-148	389	U-RPC-179AS	388	U-RPCM-210	401
U-RPC-092S	386	U-RPC-121S	387	U-RPC-148AS	389	U-RPC-179S	388	U-RPCM-210-1	401
U-RPC-093	389	U-RPC-122	387	U-RPC-148S	389	U-RPC-180AS	388	U-RPCM-220	400
U-RPC-093AS	389	U-RPC-1221	381	U-RPC-149	394	U-RPC-180S	388	U-RPCM-220-1	400
U-RPC-093S	389	U-RPC-122AS	387	U-RPC-149AS	394	U-RPC-181AS	388	U-RPCM-230	400
U-RPC-094	396	U-RPC-122S	387	U-RPC-149S	394	U-RPC-181S	388	U-RPCM-230-1	400
U-RPC-094AS	396	U-RPC-123	387	U-RPC-150	392	U-RPC-182AS	389	U-RPCM-240	400
U-RPC-094S	396	U-RPC-1232	381	U-RPC-150AS	392	U-RPC-182S	389	U-RPCM-240-1	400
U-RPC-095	398	U-RPC-123AS	387	U-RPC-150S	392	U-RPC-183AS	389	U-RPCM-245	400, 732
U-RPC-095AS	398	U-RPC-123S	387	U-RPC-151	394	U-RPC-183S	389	U-RPCM-525-1	401, 732
U-RPC-095S	398	U-RPC-124	387	U-RPC-151AS	394	U-RPC-184AS	389	U-RPCM-525A	732



## Code number index

U-RPCM-525A-1.....732	U-RPE-042A.....411	U-SPE-01025.....882	U-STM-530.....454, 784	U-SV-200-1.....489
U-RPCM-8082.....400, 776	U-RPE-042S.....411, 795	U-SPE-01042.....882	U-STM-530-1.....454, 784	U-SVK-625A.....757
U-RPCM-8082-1.....400, 776	U-RPE-043A.....411	U-SPE-01047.....882	U-STM-540.....786	U-SVK-8270.....788
U-RPCW-100.....398	U-RPE-043S.....411, 795	U-SPE-01055.....882	U-STM-540-1.....786	U-SVK-8271.....792
U-RPCW-100-1.....398	U-RPE-044A.....411	U-SPE-4347.....883	U-STM-541.....786	U-SVM-102.....459, 757
U-RPCW-101.....399	U-RPE-044S.....411, 795	U-SPE-4390.....883	U-STM-541-1.....786	U-SVM-102-1.....459, 757
U-RPCW-101-1.....399	U-RPE-045M.....795	U-SPE-4390H.....883	U-STM-580.....765	U-SVM-110.....759
U-RPCW-102.....399	U-RPE-051.....410	U-SPE-4447.....883	U-STM-580-1.....765	U-SVM-110-1.....759
U-RPCW-102-1.....399	U-RPE-051S.....410	U-SPE-4490.....883	U-STM-590.....729	U-SVM-111.....759
U-RPCW-103.....399	U-RPE-052.....410	U-SPE-4490H.....883	U-STM-590-1.....729	U-SVM-111-1.....759
U-RPCW-103-1.....399	U-RPE-052S.....410	U-SPE-4521.....883	U-STS-100.....472	U-SVM-112.....759
U-RPCW-104.....399	U-RPE-053A.....410	U-SPE-6524.....883	U-STS-100-1.....472	U-SVM-112-1.....759
U-RPCW-104-1.....399	U-RPE-053S.....410	U-SPE-6547.....883	U-STS-110N.....474, 728, 755, 783, 786	U-SVM-113.....759
U-RPCW-105.....399	U-RPE-054A.....410	U-SPE-6590.....883	U-STS-110N-1.....474, 728, 755, 783, 786	U-SVM-113-1.....759
U-RPCW-105-1.....399	U-RPE-054S.....410	U-SPE-6590H.....883	U-STS-111.....783, 786	U-SVM-120A.....790
U-RPCW-106.....399	U-RPE-055A.....410	U-SPE-6616.....883	U-STS-111-1.....783, 786	U-SVM-120A-1.....790
U-RPCW-106-1.....399	U-RPE-055S.....410	U-SPE-6631.....883	U-STS-111-1.....782, 786	U-SVM-121.....790
U-RPCW-107.....399	U-RPE-056A.....410	U-SPEK-4000.....883	U-STS-112.....783, 786	U-SVM-121-1.....790
U-RPCW-107-1.....399	U-RPE-056S.....410, 795	U-SPEK-4090.....883	U-STS-112-1.....783, 786	U-SVM-122.....791
U-RPCW-108.....399	U-RPE-057A.....410	U-SPEK-4090H.....883	U-STS-113.....739	U-SVM-122-1.....790
U-RPCW-108-1.....399	U-RPE-057S.....410	U-SPM-614.....752	U-STS-113-1.....739	U-SVM-123.....791
U-RPCW-109.....399	U-RPE-058A.....410	U-SPM-614-1.....752	U-STS-120.....481, 756	U-SVM-123-1.....791
U-RPCW-109-1.....399	U-RPE-058S.....411, 795	U-SPM-622A.....753	U-STS-120-1.....481, 755	U-SVM-124.....791
U-RPCW-110.....399	U-RPE-059.....410	U-SPM-622A-1.....753	U-STS-130.....483, 756	U-SVM-124-1.....791
U-RPCW-110-1.....399	U-RPE-059S.....410	U-SPM-622B.....753	U-STS-130-1.....483, 756	U-SVM-125.....791
U-RPCW-111.....399	U-RPE-060A.....410	U-SPM-622B-1.....753	U-STS-150.....486, 756	U-SVM-125-1.....791
U-RPCW-111-1.....399	U-RPE-060S.....410	U-SPM-622C.....754	U-STS-150-1.....486, 756	U-SVM-126.....791
U-RPCWK.....400	U-RPE-063A.....411	U-SPM-622C-1.....754	U-STS-160.....486, 718, 729, 756	U-SVM-126-1.....791
U-RPE-001.....477	U-RPE-063S.....411, 795	U-SPM-622D.....754	U-STS-160-1.....486, 718, 729, 756	U-SVM-127.....791
U-RPE-002.....476	U-RPE-065M.....794	U-SPM-622D-1.....754	U-STS-170.....493, 756	U-SVM-127-1.....791
U-RPE-003.....481	U-RPM-001.....405	U-SPM-624.....752	U-STS-170-1.....493, 756	U-SVM-128.....791
U-RPE-004.....481	U-RPM-003.....405	U-SPM-624-1.....752	U-STS-180.....474, 744, 755	U-SVM-128-1.....791
U-RPE-005.....481	U-RPM-004.....405	U-SPM-824.....367, 779	U-STS-180-1.....474, 744, 755	U-SVM-129.....791
U-RPE-006.....497	U-RPM-009.....405	U-SPM-824-1.....367, 779	U-STS-180-1.....474, 744, 755	U-SVM-129-1.....791
U-RPE-007.....497	U-RPM-010.....405	U-SPM-834.....367, 779	U-STS-190.....474, 717, 744, 755	U-SVM-131.....792
U-RPE-008.....497	U-RPM-011.....405	U-SPM-834-1.....367, 779	U-STS-190-1.....474, 717, 744, 755	U-SVM-131-1.....792
U-RPE-009.....495	U-RPM-013.....405	U-SPM-844A.....779	U-STS-190-1.....474, 717, 744, 755	U-SVM-140.....792
U-RPE-010.....495	U-RPM-017.....405	U-SPM-844A-1.....779	U-STS-200.....481, 718, 744, 755	U-SVM-140-1.....791
U-RPE-011.....495	U-RPM-018.....405	U-SPM-854.....779	U-STS-200-1.....481, 718, 744, 755	U-SVM-500.....732, 734
U-RPE-012.....492	U-RPM-020.....405	U-SPM-854-1.....779	U-STS-210.....480, 729	U-SVM-500-1.....732, 734
U-RPE-014.....478	U-RPM-021.....405	U-SPM-864.....780	U-STS-210-1.....480, 729	U-SVM-525.....459, 733
U-RPE-015.....410	U-RPM-022.....405	U-SPM-864-1.....779	U-STS-220N.....719, 745, 767	U-SVM-525-1.....459, 733
U-RPE-015S.....410	U-RPM-023.....405	U-SPM-874.....779	U-STS-220N-1.....719, 745, 766	U-SVM-526.....734
U-RPE-016.....410	U-RPM-024.....405	U-SPM-874-1.....779	U-STS-221.....498, 719, 745, 766	U-SVM-526-1.....734
U-RPE-016S.....410	U-RPM-025.....405	U-SPM-884.....779	U-STS-221-1.....498, 719, 745, 766	U-SVM-8270.....788
U-RPE-017A.....411	U-RPM-027.....405	U-SPM-884-1.....779	U-STS-280N.....794	U-SVM-8270-1.....788
U-RPE-017S.....411, 795	U-RPM-028.....405	U-STM-240N.....453, 716, 768	U-STS-280N-1.....794	U-SVM-8271.....788
U-RPE-018.....411	U-RPM-029.....405	U-STM-240N-1.....453, 716, 768	U-STS-300.....475	U-SVM-8271-1.....788
U-RPE-018S.....411	U-RPM-030.....405	U-STM-250N.....453, 729	U-STS-300-1.....475	U-TCLP-500.....762
U-RPE-019A.....411	U-RPM-032.....405	U-STM-250N-1.....453, 729	U-STS-310.....496	U-TCLP-500-1.....762
U-RPE-019S.....411, 795	U-RPM-033.....405	U-STM-260N.....453, 782	U-STS-310-1.....496	U-TCLP-511N.....763
U-RPE-020.....485	U-RPM-034.....405	U-STM-260N-1.....453, 782	U-STS-350.....479	U-TCLP-511N-1.....763
U-RPE-021.....493	U-RTP-002.....405	U-STM-262.....782	U-STS-350-1.....479	U-TCLP-512-1.....763
U-RPE-022.....411	U-RTP-003.....405	U-STM-262-1.....782	U-STS-440.....489, 766	U-TCLP-520N.....763
U-RPE-022S.....411	U-RTP-004.....405	U-STM-270N.....782	U-STS-440-1.....489, 766	U-TCLP-530BN.....763
U-RPE-023.....410	U-RTP-005.....405	U-STM-270N-1.....782	U-STS-450.....476, 718	U-TCLP-530BN-1.....763
U-RPE-023S.....410	U-RTP-008.....405	U-STM-272.....782	U-STS-450-1.....476, 718	U-TCLP-531.....763
U-RPE-024.....498	U-RTP-010.....405	U-STM-272-1.....782	U-STS-480.....473	U-TCLP-531-1.....763
U-RPE-025.....410	U-RTP-011.....405	U-STM-290N.....743, 754	U-STS-480-1.....473	U-TCLP-532.....763
U-RPE-025S.....410	U-RTP-014.....405	U-STM-290N-1.....743, 754	U-STS-490.....476	U-TCLP-532-1.....763
U-RPE-026.....410	U-RTP-015.....405	U-STM-291.....743, 754	U-STS-490-1.....476	U-TCLP-533.....763
U-RPE-026S.....410	U-RTP-016.....405	U-STM-291-1.....743, 754	U-SV-110.....471	U-TCLP-533-1.....760, 763
U-RPE-027.....410	U-RTP-018.....405	U-STM-320N.....454, 728	U-SV-110-1.....471	U-TCLP-533-1.....760, 763
U-RPE-027S.....410	U-RTP-019.....405	U-STM-320N-1.....454, 728	U-SV-120.....472	U-TCLP-540.....763
U-RPE-029S.....410, 752, 795	U-RTP-1A.....405	U-STM-330N.....454, 787	U-SV-120-1.....472	U-TCLP-540M-1.....763
U-RPE-030.....411	U-SAK-100.....417, 765	U-STM-330N-1.....454, 787	U-SV-130.....472	U-THK-501.....715
U-RPE-030S.....411	U-SAK-100-1.....417, 765	U-STM-341N.....454, 787	U-SV-130-1.....472	U-THM-501N.....448, 715
U-RPE-032.....411	U-SCA-100.....745	U-STM-341N-1.....454, 787	U-SV-140.....473	U-THM-501N-1.....448, 715
U-RPE-032S.....411	U-SCA-100-1.....745	U-STM-390.....754	U-SV-140-1.....473	U-THM-511.....448, 715
U-RPE-033.....411	U-SFL-601.....418	U-STM-390-1.....754	U-SV-150.....479	U-THM-511-1.....448, 715
U-RPE-033S.....411	U-SFL-601-1.....417	U-STM-401.....764	U-SV-150-1.....479	U-THM-521.....715
U-RPE-034.....411	U-SMA-310.....417	U-STM-401-1.....764	U-SV-160.....486	U-THM-521-1.....715
U-RPE-034S.....411	U-SMA-310-1.....417	U-STM-410.....766	U-SV-160-1.....486	U-US-100N.....459, 758
U-RPE-035.....411	U-SNJ-200.....418	U-STM-410-1.....766	U-SV-180A.....489	U-US-101N.....459, 758
U-RPE-035S.....411	U-SP-110-1.....335	U-STM-420.....766	U-SV-180A-1.....489	U-US-101N-4.....758
U-RPE-036.....411	U-SP-120-1.....338	U-STM-420-1.....766	U-SV-200.....490	U-US-102BN.....365, 749, 758
U-RPE-036S.....411	U-SP-130-1.....352	U-STM-431.....768		U-US-102BN-4.....365, 749, 758
U-RPE-037.....411	U-SP-140-1.....352	U-STM-431-1.....768		U-US-103N.....460, 758
U-RPE-037S.....411, 795	U-SP-150-1.....354	U-STM-460.....717		U-US-103N-4.....758
U-RPE-039A.....411	U-SP-160-1.....358	U-STM-460-1.....717		U-US-104N.....460, 758, 789
U-RPE-039S.....411	U-SP-170-1.....361	U-STM-510.....766		U-US-104N-4.....758, 789
U-RPE-040A.....411	U-SP-180-1.....363	U-STM-510-1.....766		
U-RPE-040S.....411	U-SPE-01020.....882	U-STM-520.....454, 784		
U-RPE-041A.....411	U-SPE-01021.....882	U-STM-520-1.....454, 784		
U-RPE-041S.....411	U-SPE-01024.....882			



U-US-105N 461, 747, 758	U-WRK-140.....468	WEPAL-IPE-686.....121	WEPAL-ISE-938.....110	WS-BM0780.....842
U-US-105N-4.....747, 758	U-WRK-141.....468	WEPAL-IPE-722.....121	WEPAL-ISE-944.....110	WS-BM0925.....842
U-US-106N 432, 750, 758, 789	U-WRK-142.....468	WEPAL-IPE-723.....121	WEPAL-ISE-946.....110	WS-BM1090.....842
U-US-106N-4.....432, 750, 758, 789	U-WRK-143.....470	WEPAL-IPE-732.....121	WEPAL-ISE-948.....110	WS-BM1300.....842
U-US-107N 457, 746, 758, 789	U-WRK-145.....300, 470	WEPAL-IPE-753.....121	WEPAL-ISE-950.....110	WS-BM1500.....842
U-US-107N-4.....746, 758, 789	U-WRK-150.....469	WEPAL-IPE-761.....121	WEPAL-ISE-951.....110	WS-BM1700.....842
U-US-108N 461, 756, 792	U-WRK-155.....469	WEPAL-IPE-763.....121	WEPAL-ISE-953.....110	WS-BM1900.....842
U-US-108N-4.....756, 792	U-WRK-160.....469	WEPAL-IPE-767.....121	WEPAL-ISE-955.....110	WS-BM2200.....842
U-US-109K.....758	U-WRK-170.....470	WEPAL-IPE-768.....121	WEPAL-ISE-957.....110	WS-GP0042.....841
U-US-110.....459, 789	U-WRK-180.....470	WEPAL-IPE-775.....121	WEPAL-ISE-959.....110	WS-GP0049.....841
U-US-110-4.....789	U-WRK-181.....471	WEPAL-IPE-776.....121	WEPAL-ISE-963.....110	WS-GP0069.....841
U-US-111.....460, 789	U-WRK-190.....469	WEPAL-IPE-778.....121	WEPAL-ISE-967.....110	WS-GP0083.....841
U-US-111-4.....789	U-WRK-203.....469	WEPAL-IPE-780.....121	WEPAL-ISE-968.....110	WS-GP0098.....841
U-US-112B 365, 773, 790	U-WRK-204.....470	WEPAL-IPE-783.....122	WEPAL-ISE-972.....110	WS-GP0116.....841
U-US-112B-4.....365, 773, 790	U-WRK-205.....470	WEPAL-IPE-790.....122	WEPAL-ISE-973.....110	WS-GP0138.....841
U-US-113N 460, 726, 789	U-WRK-300.....467	WEPAL-IPE-791.....122	WEPAL-ISE-974.....110	WS-GP0165.....841
U-US-113N-4.....726, 789	U-WRK-310.....468	WEPAL-IPE-792.....122	WEPAL-ISE-975.....110	WS-GP0196.....841
U-US-114.....460, 789	U-XY-0115.....452, 755	WEPAL-IPE-814.....122	WEPAL-ISE-977.....110	WS-GP0231.....842
U-US-114-4.....789	U-XY-0115-1.....452, 755	WEPAL-IPE-815.....122	WEPAL-ISE-979.....110	WS-GP0275.....842
U-US-115.....460, 789	U-XY-0116.....452, 755	WEPAL-IPE-816.....122	WEPAL-ISE-980.....110	WS-GP0328.....842
U-US-115-4.....789	U-XY-0116-1.....452, 755	WEPAL-IPE-817.....122	WEPAL-ISE-982.....110	WS-GP0335.....842
U-US-116N.....790	U-XY-0120.....759	WEPAL-IPE-820.....122	WEPAL-ISE-983.....110	WS-GP0375.....842
U-US-116N-4.....790	U-XY-0120-1.....759	WEPAL-IPE-827.....122	WEPAL-ISE-984.....110	WS-GP0390.....842
U-US-117N.....457, 790	U-XY-0121.....759	WEPAL-IPE-846.....122	WEPAL-ISE-991.....110	WS-GP0463.....842
U-US-117N-4.....790	U-XY-0121-1.....759	WEPAL-IPE-853.....122	WEPAL-ISE-999.....110	WS-GP0475.....842
U-US-118.....790	U-XY-0122.....760	WEPAL-IPE-858.....122	WEPAL-MARSEP-202.....114	WS-GP0530.....842
U-US-118-4.....790	U-XY-0122-1.....760	WEPAL-IPE-873.....122	WEPAL-MARSEP-205.....114	WS-GP0550.....842
U-US-119.....790	U-XY-0126.....746, 760	WEPAL-IPE-874.....122	WEPAL-MARSEP-207.....114	WS-GP0580.....842
U-US-119-4.....790	U-XY-0126-1.....746, 760	WEPAL-IPE-879.....122	WEPAL-MARSEP-208.....114	WS-GP0615.....842
U-US-120AN.....460, 790	U-XY-0127.....760	WEPAL-IPE-883.....122	WEPAL-MARSEP-217.....114	WS-GP0650.....842
U-US-120AN-4.....790	U-XY-0127-1.....760	WEPAL-IPE-884.....122	WEPAL-MARSEP-217.....114	WS-GP0780.....842
U-US-121K.....788	U-XY-0128.....760	WEPAL-IPE-885.....122	WEPAL-MARSEP-223.....114	WS-GP0925.....842
U-US-126.....432	U-XY-0128-1.....760	WEPAL-IPE-896.....122	WEPAL-MARSEP-241.....114	WS-GP1090.....842
U-US-136.....759	VDA 001-4.....258	WEPAL-IPE-898.....122	WEPAL-MARSEP-247.....114	WS-GP1150.....842
U-US-136-4.....759	WEPAL-IPE-101.....120	WEPAL-IPE-899.....122	WEPAL-MARSEP-249.....114	WS-GP1215.....842
U-USPM-467A.....456	WEPAL-IPE-103.....120	WEPAL-IPE-900.....122	WEPAL-SETOC-701.....60	WS-GP1250.....842
U-USPM-467A-1.....456	WEPAL-IPE-105.....120	WEPAL-IPE-901.....122	WEPAL-SETOC-704.....60	WS-GP3000.....842
U-USPM-467B.....456	WEPAL-IPE-108.....120	WEPAL-IPE-903.....122	WEPAL-SETOC-705.....60	WS-GP3455.....842
U-USPM-467B-1.....456	WEPAL-IPE-110.....120	WEPAL-IPE-904.....122	WEPAL-SETOC-707.....60	WS-GP3775.....842
U-USPM-467C.....456	WEPAL-IPE-111.....120	WEPAL-IPE-906.....122	WEPAL-SETOC-708.....60	WS-M30009.....839
U-USPM-467C-1.....456	WEPAL-IPE-114.....120	WEPAL-IPE-947.....122	WEPAL-SETOC-713.....60	WS-M30012.....839
U-USPM-467D.....456	WEPAL-IPE-115.....120	WEPAL-IPE-948.....122	WEPAL-SETOC-716.....60	WS-M30023.....839
U-USPM-467D-1.....456	WEPAL-IPE-116.....120	WEPAL-IPE-950.....122	WEPAL-SETOC-717.....60	WS-M30026.....839
U-USPM-467E.....456	WEPAL-IPE-117.....120	WEPAL-IPE-951.....122	WEPAL-SETOC-724.....60	WS-M30028.....839
U-USPM-467E-1.....456	WEPAL-IPE-118.....120	WEPAL-IPE-952.....123	WEPAL-SETOC-725.....60	WS-M30031.....839
U-USPM-467F.....456	WEPAL-IPE-119.....120	WEPAL-IPE-954.....123	WEPAL-SETOC-728.....60	WS-M30036.....839
U-USPM-467F-1.....456	WEPAL-IPE-120.....120	WEPAL-IPE-955.....123	WEPAL-SETOC-731.....60	WS-M30037.....839
U-USPM-467G.....455	WEPAL-IPE-126.....120	WEPAL-IPE-956.....123	WEPAL-SETOC-733.....60	WS-M30038.....839
U-USPM-467J.....455	WEPAL-IPE-132.....120	WEPAL-IPE-962.....123	WEPAL-SETOC-734.....60	WS-M30040.....839
U-USPM-467J-1.....455	WEPAL-IPE-136.....120	WEPAL-IPE-965.....123	WEPAL-SETOC-735.....60	WS-M30042.....839
U-USPM-467K.....456	WEPAL-IPE-137.....120	WEPAL-IPE-966.....123	WEPAL-SETOC-738.....60	WS-M30049.....839
U-USPM-467K-1.....456	WEPAL-IPE-138.....120	WEPAL-IPE-968.....123	WEPAL-SETOC-741.....60	WS-M30053.....839
U-USPM-467L.....456	WEPAL-IPE-140.....120	WEPAL-IPE-971.....123	WEPAL-SETOC-742.....60	WS-M30056.....839
U-USPM-467L-1.....456	WEPAL-IPE-141.....120	WEPAL-IPE-975.....123	WEPAL-SETOC-743.....60	WS-M30060.....839
U-USPM-467M.....456	WEPAL-IPE-143.....120	WEPAL-IPE-976.....123	WEPAL-SETOC-745.....60	WS-M30064.....839
U-USPM-467M-1.....456	WEPAL-IPE-145.....120	WEPAL-IPE-977.....123	WEPAL-SETOC-747.....60	WS-M30065.....839
U-USPM-467N.....456	WEPAL-IPE-149.....120	WEPAL-IPE-978.....123	WEPAL-SETOC-748.....60	WS-M30066.....840
U-USPM-467N-1.....456	WEPAL-IPE-151.....120	WEPAL-IPE-979.....123	WEPAL-SETOC-749.....60	WS-M30071.....840
U-USPM-467O.....456	WEPAL-IPE-152.....120	WEPAL-IPE-981.....123	WEPAL-SETOC-755.....61	WS-M30074.....840
U-UST-110.....420	WEPAL-IPE-162.....120	WEPAL-IPE-982.....123	WEPAL-SETOC-756.....61	WS-M30076.....840
U-UST-110-1.....420	WEPAL-IPE-164.....120	WEPAL-IPE-984.....123	WEPAL-SETOC-757.....61	WS-M30077.....840
U-UST-110-1.....420	WEPAL-IPE-165.....120	WEPAL-IPE-986.....123	WEPAL-SETOC-760.....61	WS-M30078.....840
U-UST-120.....420	WEPAL-IPE-167.....120	WEPAL-IPE-987.....123	WEPAL-SETOC-766.....61	WS-M30083.....840
U-UST-120-1.....420	WEPAL-IPE-168.....121	WEPAL-IPE-988.....123	WEPAL-SETOC-769.....61	WS-M30090.....840
U-UST-141 418, 452, 766	WEPAL-IPE-169.....121	WEPAL-IPE-990.....123	WEPAL-SETOC-770.....61	WS-M30091.....840
U-UST-141-1.....418, 452, 766	WEPAL-IPE-174.....121	WEPAL-IPE-991.....123	WS-BM0083.....842	WS-M30114.....840
U-UST-200.....766	WEPAL-IPE-176.....121	WEPAL-IPE-992.....123	WS-BM0098.....842	WS-M30128.....840
U-UST-200-1.....766	WEPAL-IPE-178.....121	WEPAL-IPE-996.....123	WS-BM0116.....842	WS-M30156.....840
U-UST-210.....417	WEPAL-IPE-192.....121	WEPAL-IPE-997.....123	WS-BM0138.....842	WS-M30177.....840
U-UST-210-1.....417	WEPAL-IPE-200.....121	WEPAL-IPE-998.....123	WS-BM0165.....842	WS-M30180.....840
U-WRK-100.....466	WEPAL-IPE-548.....121	WEPAL-IPE-999.....123	WS-BM0196.....842	WS-M30193.....840
U-WRK-101.....466	WEPAL-IPE-551.....121	WEPAL-ISE-880.....110	WS-BM0231.....842	WS-M30197.....840
U-WRK-102.....466	WEPAL-IPE-556.....121	WEPAL-ISE-882.....110	WS-BM0275.....842	WS-M30201.....840
U-WRK-103.....466	WEPAL-IPE-561.....121	WEPAL-ISE-886.....110	WS-BM0328.....842	WS-M30210.....840
U-WRK-104.....466	WEPAL-IPE-565.....121	WEPAL-ISE-912.....110	WS-BM0390.....842	WS-M30225.....840
U-WRK-105.....466	WEPAL-IPE-568.....121	WEPAL-ISE-921.....110	WS-BM0463.....842	WS-M30236.....840
U-WRK-110.....467	WEPAL-IPE-599.....121	WEPAL-ISE-930.....110	WS-BM0550.....842	WS-M30259.....840
U-WRK-111.....467	WEPAL-IPE-605.....121	WEPAL-ISE-934.....110	WS-BM0650.....842	WS-M30269.....840
U-WRK-112.....467	WEPAL-IPE-606.....121	WEPAL-ISE-936.....110		WS-M30292.....840
U-WRK-120.....469	WEPAL-IPE-608.....121			WS-M30298.....840
U-WRK-130.....468	WEPAL-IPE-681.....121			WS-M30305.....840
U-WRK-131.....468	WEPAL-IPE-682.....121			WS-M30315.....840
U-WRK-132.....469	WEPAL-IPE-684.....121			

## Code number index

---

WS-MS0362.....840	WS-PS202..... 839	WS-PS227..... 839	WS-SS397..... 840	WS-SS411..... 841
WS-MS0406.....840	WS-PS203..... 839	WS-PS232..... 839	WS-SS398..... 840	WS-SS412..... 841
WS-MS0451.....840	WS-PS204..... 839	WS-PS233..... 839	WS-SS399..... 841	WS-SS413..... 841
WS-MS0555.....840	WS-PS205..... 839	WS-PS234..... 839	WS-SS400..... 841	WS-SS414..... 841
WS-MS0589.....840	WS-PS211..... 839	WS-PS235..... 839	WS-SS401..... 841	WS-SS415..... 841
WS-PS180..... 839	WS-PS212..... 839	WS-PS236..... 839	WS-SS402..... 841	WS-SS416..... 841
WS-PS181..... 839	WS-PS213..... 839	WS-PS237..... 839	WS-SS403..... 841	WS-SS417..... 841
WS-PS190..... 839	WS-PS214..... 839	WS-PS240..... 839	WS-SS404..... 841	WS-SS418..... 841
WS-PS191..... 839	WS-PS215..... 839	WS-SS391..... 840	WS-SS405..... 841	WS-SS419..... 841
WS-PS192..... 839	WS-PS222..... 839	WS-SS392..... 840	WS-SS406..... 841	WS-SS420..... 841
WS-PS193..... 839	WS-PS223..... 839	WS-SS393..... 840	WS-SS407..... 841	WS-XX015..... 840
WS-PS194..... 839	WS-PS224..... 839	WS-SS394..... 840	WS-SS408..... 841	WS-XX025..... 840
WS-PS200..... 839	WS-PS225..... 839	WS-SS395..... 840	WS-SS409..... 841	WS-XX030..... 840
WS-PS201..... 839	WS-PS226..... 839	WS-SS396..... 840	WS-SS410..... 841	WS-XX035..... 840

## Product index

281-24-236 x 3006-210-23 Cotton seed..	170	Acifluorfen .....	315	Amino acids mixture .....	300
305423 Soya seed .....	165	Acinonifen .....	315	1-Aminoanthracene .....	471
3272 Maize .....	168	Acridine (D9,98%) .....	421, 650	2-Aminoanthracene .....	471
356043 Soya seed .....	165	Acrinathrin .....	315	4-Aminoazobenzene .....	471
59122 Maize .....	169	Acrolein .....	471	2-Aminoazotoluene .....	471
98140 Maize seed .....	169	Acrolein-DNPH .....	504	2-Aminobenzimidazole .....	316
Abamectin .....	315	Acrylamide (1,2,3-13C3,99%) .....	312, 663	2-Aminobiphenyl .....	471
L-Abrine .....	287, 288	Acrylamide (2,3,3-D3,98%) .....	663	4-Aminobiphenyl .....	471, 472
ABS resin - Cd, Cr, Hg, Pb .....	259, 260	Acrylamide .....	312, 471, 663, 770	Aminocarb .....	316
Acenaphthene (13C6,99%) .....	421, 649, 668, 673	Acrylonitrile (13C3,99%) .....	673	6-Aminochrysene .....	472
Acenaphthene (D10,98%) .....	421, 650, 668	Acrylonitrile (D3,98%) .....	673	2-Amino-4,6-dinitrotoluene .....	461, 797
Acenaphthene .....	421, 651, 668, 673	Acrylonitrile .....	471, 770	4-Amino-2,6-dinitrotoluene .....	461, 797
Acenaphthene-D10 .....	421, 738	Acrylonitrile-Butadiene-Styrene-Copolymerisate (ABS) .....	261	Aminoethoxyvinyl glycine hydrochloride ..	316
Acenaphthylene (13C6,99%) .....	421, 649, 673	S-Adenosyl-L-methionine chloride .....	288	2-Aminoflucendazole .....	438
Acenaphthylene (D8,98%) .....	421, 650	S-Adenosyl-L-methionine iodide .....	288	1-Aminohydantoin hydrochloride (5,5-D2,98%) .....	438, 663
Acenaphthylene .....	421, 651, 673	S-Adenosyl-L-methionine p-toluenesulfonate .....	288	1-Aminohydantoin hydrochloride .....	438, 663
Acephate (D6,98%) .....	315, 685, 687	S-Adenosyl-L-methionine p-toluenesulfonate .....	288	Aminomethylphosphonic acid (13C,99%, 15N,98%, methylene-D2,98%) ..	472, 685, 700
Acephate .....	315, 685, 687	Adipic acid .....	302	2-Aminonaphthalene (ring-D7,98%) .....	673
Acepromazine-d6 hydrochloride .....	438	Aflatoxin .....	189, 308	1-Amino-4-nitronaphthalene .....	472
Acequinocyl .....	438	Aflatoxin B1 (U-13C17) .....	303	4-Amino-2-nitrophenol .....	472
Acesulfame potassium .....	303	Aflatoxin B1 .....	303	3-Amino-2-oxazolidone .....	438, 663
Acetaldehyde-DNPH .....	503	Aflatoxin B2 (U-13C17) .....	304	2-Aminophenol .....	316
2-Acetamido-2-deoxy-D-galactopyranose ..	283	Aflatoxin B2 .....	303, 304	3-Aminophenol .....	316
2-Acetamidonaphthalene .....	471	Aflatoxin G1 (U-13C17) .....	304	4-Aminophenol .....	316
2-Acetamido-5-nitrothiazole .....	438	Aflatoxin G1 .....	304	4-Aminophenyl-1-thio-beta-D-galactopyranoside .....	283
Acetaminophen (acetyl-13C2,99%, 15N,98%) .....	438, 662	Aflatoxin G2 .....	304	1-Amino-2-propanol (D9,98%) .....	673
Acetaminophen .....	438, 662	Aflatoxin M1 .....	304	2-Aminopyridine .....	316
Acetaminophen-D4 (Paracetamol) .....	444	Aflatoxin Mix .....	306	4-Aminopyridine .....	316
Acetamidrid .....	315	Agroclavine .....	304	Amitraz .....	316
Acetanilide - Carbon, hydrogen, nitrogen and oxygen .....	809	Aklomid .....	438	Amitriptyline HCl (D6,98%) .....	439, 662, 663
Acetate .....	539	Alachlor (ring-13C6,99%) .....	315, 668, 687	Amitriptyline HCl .....	438, 662, 663
Acetic acid .....	538, 894	Alachlor acetylcysteine adduct (ring-13C6,99%) .....	315, 687	Amitrole .....	316
Acetochlor .....	315	Alachlor ESA sodium salt .....	315	Ammelide (ring-13C3,99%) .....	663
Acetochlor ESA sodium salt .....	315	Alachlor OA .....	315	Ammelide .....	663
Acetochlor OA .....	315	D-Alanine .....	288	Ammeline .....	663, 687, 689
Acetonchloroform .....	315	DL-Alanine .....	288	Ammonia solution .....	538, 899
Acetone (D6,99,9%) .....	673	L-Alanine .....	288	Ammonium .....	541
Acetone .....	312, 471	Alanycarb .....	315	Ammoniumacetate UHPLC-MS Optigrade® .....	893
Acetone-DNPH .....	503	Albendazole-sulfone .....	438	Ammonium chloride, 99.999% .....	817
Acetone HPLC Optigrade® .....	894	Albendazole-sulfoxide .....	438	Ammonium digydrogen phosphate, 99.999% .....	817
Acetonitrile .....	471, 770	Albizzin .....	288	Ammonium hexachloroosmate, 99.99% ..	817
Acetonitrile 0.1 % acetic acid ULC-MS Optigrade® .....	897	Alcohols Kit .....	469	Ammonium hexachlororhodate, 99.995% ..	817
Acetonitrile 0.1 % trifluoroacetic acid UHPLC-MS Optigrade® .....	898	Aldehyde/Ketone-DNPH .....	505, 506	Ammonium hexachlororuthenate(IV), 99.99% .....	817, 818
Acetonitrile DNA. max. 0.001% water .....	898	Aldehydes .....	503	Ammonium hexafluorosilicate, 99.999% ..	818
Acetonitrile DNA. max. 0.003% water .....	898	Aldicarb .....	315	Ammonium hexafluorotitanate, 99.99% ..	818
Acetonitrile for LC-MS Optigrade® .....	896	Aldicarb-sulfone .....	316	Ammonium hydrogen fluoride, 99.999% ..	818
Acetonitrile HPLC Optigrade® .....	895, 896	Aldicarb-sulfoxide .....	316	Ammonium metavanadate, 99.999% .....	818
Acetonitrile HPLC Optigrade® Gradient Grade .....	895	Aldrin (13C12,99%) .....	316, 668, 673, 682, 683, 687	Ammonium molybdate, 99.999% .....	818
Acetonitrile HPLC Optigrade® Super Gradient Grade .....	895	Aldrin (as Cl) .....	803	Ammonium nitrate, 99.999% .....	818
Acetonitrile UHPLC-MS Optigrade® .....	896	Aldrin .....	316, 673, 682, 683, 687	Ammonium sulfate (as N) .....	802
Acetophenone .....	471	n-Alkanes Mixtures .....	417	Ammonium sulfate, 99.999% .....	818
Acetophenone-DNPH .....	503	Allergen detection - whole egg .....	188	Ammonium sulfate - Nitrogen-15 .....	816
2-Acetylaminofluorene .....	471	Allethrin .....	316	Ammonium tetrachloroplatinate(II), 99.99% .....	818
N-Acetyl-L-arginine .....	288	Allidochlor .....	316	Ammonium tetrathiomolybdate, 99.995% ..	818
N-Acetyl-L-cysteine .....	288	D-(+)-Allose .....	283	Amnesic shellfish poisons (ASP) .....	311
3-Acetyl-deoxynivalenol .....	303	DL-Allothreonine .....	288	Amoxicillin 3H2O (phenyl-13C6,99%) .....	663
15-Acetyl-deoxynivalenol .....	303	Alloxanthin .....	287	Amoxillin trihydrate .....	439
3-Acetyl-deoxynivalenol (13C17) .....	303	Alloxydim-sodium .....	316	AMOZ .....	439, 443, 664
3-Acetyl-deoxynivalenol .....	303	Allura Red AC .....	300	Amphotericin B trihydrate .....	439
15-Acetyl-deoxynivalenol .....	303	Allyl alcohol .....	316, 471	Ampicillin trihydrate .....	439
N-Acetyl-DL-O-fluorophenylalanine .....	288	Allyl chloride .....	471	Amprolium hydrochloride .....	439
N-Acetyl-beta-D-galactosamine .....	283	Allyl iso-thiocyanate .....	316	n-Amyl acetate .....	472
N-Acetyl-D-glucosamine .....	283	alpha-Cypermethrin .....	326	t-Amyl methyl ether in gasoline .....	232
N-Acetyl-DL-leucine .....	288	Alpha quartz .....	130, 134	Amylopectin .....	283
N-Acetyl-L-glutamine .....	288	Altrenogest .....	438	5-alpha-Androstane .....	472
N-Acetyl-D-mannosamine .....	283	D-Altrose .....	283	5a-Androstan-17β-ol-3-one .....	439
N-Acetyl-DL-methionine .....	288	Aluminium 2-ethylhexanoate - Aluminium ..	812	Androstanolone 17-benzoate .....	439
N-Acetyl-L-glutamine .....	288	Aluminum .....	510, 522, 523, 527	Androstenedione .....	439
N-Acetyl-D-mannosamine .....	283	Aluminum chloride hexahydrate, 99.999% ..	817	cis-Androsterone .....	439
N-Acetyl-DL-methionine .....	288	Aluminum nitrate nonahydrate, 99.999% ..	817	1,4-Anhydroerythritol .....	283
N-Acetylneuraminic acid .....	283	Aluminum oxide, 99.999% .....	817	1,6-Anhydro-beta-d-glucose (Levoglucozan) (U-13C6,98%) .....	663
N-Acetyl-serotonin .....	288	Aluminum shot, 99.9995% .....	817	1,6-Anhydro-beta-d-glucose .....	663
N-Acetyl-L-tyrosine .....	288	Amaranth .....	300	Anhydrotetracycline hydrochloride .....	439
N-Acetyl-L-tyrosine-ethylester .....	288	Ametryn .....	316	Anilazine .....	316
N-Acetyl-DL-valine .....	288	Amidosulfuron .....	316	Aniline (13C6,99%) .....	673
Acibenzolar-S-methyl .....	315	Amines kit .....	470, 471	Aniline (D7,98%) .....	673
Acid casein .....	140	5-Amino-2-methyl-3-nitrobenzamide .....	438	Aniline (ring-D5,98%) .....	673
Acid Orange 7 .....	301	3-Amino-2-methyl-5-nitrobenzamide .....	438		
Acid Red 33 .....	301	Amino acids kit .....	300, 470		
Acids Kit .....	468				

## Product index

Aniline.....	316, 472	ASTM D6584 .....	237	Benalaxyl-M .....	318
Aniline-D5 .....	760	ASTM D6585 .....	237	Benazolin .....	318
Anilines kit .....	465	ASTM D6586 .....	237	Benazolin-ethyl ester .....	318
Anilofos .....	316	ASTM D6587 .....	237	Bendiocarb (13C3,99%) .....	318, 686, 688
Animal feed .....	189	ASTM D6588 .....	237	Bendiocarb.....	318, 686, 762
Anions.....	539	ASTM D6589 .....	237	Benefin.....	318
Anions Mixture .....	541	ASTM D6590 .....	237	Benflurain.....	318
Anisic acid - Melting point .....	830	ASTM D6591 .....	237	Benfuracarb .....	318
2-Anisidine .....	472	ASTM D6592 .....	237	Benfuresate .....	318
Anitmony .....	522	ASTM D6593 .....	237	Benodanil.....	318
Anthanthrene .....	421	ASTM D6751 .....	237	Benomyl .....	318
Antheraxanthin.....	287	ASTM E1387-90 .....	239	Benoxacor .....	318
Anthracene (13C6,99%) .....	422, 649, 668, 673	Asulam .....	317	Bensulfuron-methyl.....	318
Anthracene (D10,98%) .....	421, 422, 650, 668	Atraton .....	317	Bensulide (isoproxy-D14,98%) .....	318, 688
Anthracene .....	421, 651, 668, 673	Atrazine (ethylamine-D5,98%) .....	317, 686, 687	Bensulide .....	318, 762
Anthracene-D10.....	760	Atrazine (ring-13C3,99%) .....	317, 668, 686, 687	Bensultap .....	318
Anthracene, 9,10-dihydro .....	422	Atrazine.....	317, 686, 687	Bentazon.....	318, 762
Anthracene, 9,10-dimethyl.....	422	Atrazine-desethyl (ring-13C3,99%) .....	317, 686, 687	Bentazone (isopropyl-D7,98%) .....	319
Anthracene, 9,10-diphenyl.....	422	Atrazine-desethyl .....	317, 686, 687	Bentazone.....	318
Anthracene, 1-methyl.....	422	Atrazine-desethyl-desisopropyl (ring-13C3,99%) .....	317, 686	Bentazone-D7 .....	318
Anthracene, 2-methyl.....	422	Atrazine-desethyl-desisopropyl .....	317, 687	Bentazone-methyl.....	319
Anthracene, 9-methyl.....	422	Atrazine-desethyl-desisopropyl-2-hydroxy.....	317, 687	Benthiavalicarb isopropyl.....	319
Anthracene, 9-nitro .....	422	Atrazine-desethylhydroxy (ring-13C3,99%) .....	317, 687	Bentranil.....	319
Anthracene, 9-phenyl.....	422	Atrazine-desethyl-2-hydroxy .....	317	Benzal chloride .....	472
Anthranilic acid iso-propylamide.....	472	Atrazine-desisopropyl (ring-13C3,99%) .....	317, 687, 688	Benzaldehyde-DNPH.....	504
Anthraquinone .....	316, 422	Atrazine-desisopropyl .....	317	Benzathine penicilline G tetrahydrate .....	439
Antimicrobial food additives.....	302	Atrazine-desisopropylhydroxy (ring-13C,99%).....	317, 688	Benzene (13C6,99%) .....	673
Antimony .....	510, 523, 527, 535, 537	Atrazine-desisopropyl-2-hydroxy.....	317	Benzene (13C6,99%,D6,98%).....	673
Antioxidantfoodadditives.....	302	Atrazine-desisopropyl-2-hydroxy.....	317, 688	Benzene (D1,98%) .....	673
Antu .....	317	Atrazine-desisopropylhydroxy .....	688	Benzene (D5,98%) .....	673
AOZ .....	439	Atrazine-hydroxy (ring-13C3,99%) .....	317, 687, 688	Benzene (D6,98%) .....	673
Apatite.....	209	Atrazine-2-hydroxy .....	317	Benzene (D6,99.6%) .....	673
Apple.....	171	Atrazine mercapturate (ring-13C3,99%) .....	317, 686, 688	Benzene.....	472, 810
Apple leaves .....	115	Atrazine mercapturate .....	317, 686, 688	Benzene-D6 .....	472
Aquatic plant (Lemna minor) - Trace elements.....	118	Atrazinethiol (ring-13C3,99%) .....	317, 686, 688	Benzene Picograde® for residue analysis.....	899
Aquatic plants .....	117	Auto catalyst .....	265	Benidine (ring-D8,98%).....	673
Arabinic acid .....	283	Aviation Gas .....	435, 472	Benidine .....	472, 761
D(-)-Arabinose .....	283	10-Azabenz(a)pyrene .....	422	Benidine-D8 .....	472
DL-Arabinose .....	283	Azaconazol .....	439	Benzo[a]acridine .....	422
D(+)-Arabitol .....	283	Azamethiphos .....	317	Benzo[c]acridine .....	422
L(-)-Arabitol.....	283	Azaperol.....	439	Benzo[a]anthracene (13C6,99%) .....	422, 649, 668, 673
Arachidonic acid .....	294	Azaperone .....	439	Benzo[a]anthracene (D12,98%) .....	422, 650, 668
Arachidonic acid methyl ester.....	294	Azaperone-d4 .....	439	Benzo[a]anthracene.....	422, 651, 673, 668
Aramite .....	317	Azaspiracid-1 .....	310	Benzo[a]anthracene-D12 .....	760
Arcaine sulfate.....	288	Azaspiracid-2 solution.....	310	Benzo[a]anthracene, 7,12-dimethyl .....	422
Arecoline hydrobromide.....	439	Azaspiracid-3 solution.....	310	Benzo[a]anthracene, 1-methyl .....	422
D-Arginine.....	288	Azinphos-ethyl .....	317	Benzoate .....	539
DL-Arginine.....	288	Azinphos-methyl .....	317	Benzo[b]chrysene .....	422
L-Arginine .....	288	Aziprotryne.....	317	Benzo[c]chrysene .....	422
Aroclor 1016 .....	381, 720, 748, 773, 776	Azobenzene .....	317, 472	Benzo[b]fluoranthene (D12,98%) .....	423, 650
Aroclor 1221 .....	381, 720, 721, 748, 773, 776	Azobenzene - Melting point .....	830	Benzo[b]fluoranthene.....	422, 651, 668
Aroclor 1232 .....	381, 382, 721, 748, 773, 776	Azocyclotin.....	317	Benzo[b]fluoranthene.....	423
Aroclor 1242 .....	382, 721, 748, 773, 776	Azorubin.....	300	Benzo[j]fluoranthene .....	423, 651
Aroclor 1248 .....	382, 721, 748, 773, 776	Azoxybenzene .....	472	Benzo[k]fluoranthene (13C4,99%) .....	423, 649, 668, 674
Aroclor 1254 .....	382, 384, 721, 748, 773, 776	Azoxystrobin .....	317, 318	Benzo[k]fluoranthene (D12,98%).....	423, 650, 668
Aroclor 1260 .....	382, 384, 721, 723, 748, 773, 776	Azulene .....	422, 472	Benzo[k]fluoranthene .....	423, 651
Aroclor 1262 .....	382, 383, 384, 776	Bacillus cereus.....	192	Benzo[a]fluorene .....	423
Aroclor 1268 .....	383, 776	Bacitracin A.....	439	Benzo[b]fluorene.....	423
Aromatics kit .....	467	Ball clay .....	217	Benzo[a]fluorenone.....	423
Arsana .....	337	Baquiloprim.....	439	Benzoic acid (ring-D5,98%) .....	312, 673, 674
4-Arsanilic acid .....	439	Barban .....	318	Benzoic acid .....	301, 312, 472, 473
Arsenic.....	510, 522, 523, 527	Barium .....	510, 522, 523, 527, 541	Benzoic acid - Melting point.....	830
Ascorbic acid .....	302	Barium hydroxide hydrate, 99.995% .....	818	Benzoic acid - Oxygen .....	809
Ash.....	126, 127	Basalt rock .....	208	Benzo[b]naphtho(1,2-d)furan .....	423
D-Asparagine.....	290	20 Base Oil .....	223	Benzo[b]naphtho(2,1-d)furan .....	423
DL-Asparagine.....	290	75 Base Oil .....	223	Benzo[b]naphtho(1,2-d)thiophene .....	423
L-Asparagine .....	289, 290	Basic Violet 10 .....	301	Benzo[b]naphtho(2,1-d)thiophene (D10,96%) .....	654
Aspartame .....	290, 303	Bauxite .....	215	Benzo[b]naphtho(2,3-d)thiophene .....	423
D-Aspartic acid .....	290	Baythroid.....	318	Benzo[b]naphthol(2,1-d)thiophene.....	654
DL-Aspartic acid .....	290	BDE-148 .....	638	Benzonitrile (as N) .....	801, 802
L-Aspartic acid.....	290	BDE-175 .....	639	Benzo[ghi]perylene (13C12,99%) .....	423, 649, 674
Aspoxicillin.....	439	BDMC .....	472, 736	Benzo[ghi]perylene (D12,98%) .....	423, 650
Astaxanthin .....	287	Beech wood - PCP and PAHs .....	116	Benzo[ghi]perylene .....	423, 651, 674
ASTM D2887 .....	238, 239, 418	Beef, cooked - Meat species .....	144	Benzo[c]phenanthrene.....	423, 651
ASTM D2889 .....	238	Beef, raw - Meat species .....	144	Benzophenone(D10,98%) .....	661, 668, 671
ASTM D2890 .....	238	Beef liver - Trace metals.....	145		
ASTM D3120, D3246, D3961 .....	241, 800	Beer - Alcohol .....	185		
ASTM D3710 .....	239	Beflubutamid.....	318		
ASTM D4629 .....	242, 800, 801	Benalaxyl .....	318		
ASTM D4815 .....	239				
ASTM D4929 (B) .....	243, 803				
ASTM D5453 .....	239, 240, 241, 798, 799				
ASTM D5762 .....	243, 801				
ASTM D5808 .....	243, 803				



Benzophenone .....	661, 671	Bis(2-chloroethoxy) methane (chloroethoxy-D8,98%) .....	674	Bromoethane (D5,98%) .....	674
Benzo[a]pyrene (13C4,99%) ..	424, 649, 668, 674	Bis(2-chloroethoxy)methane .....	473	Bromoethane .....	474
Benzo[a]pyrene (D12,98%) ....	423, 424, 650, 668	Bis(2-chloroethyl) ether .....	473	2-Bromoethanol (1,1,2,2-D4,98%) .....	674
Benzo[a]pyrene .....	423, 651, 674	Bis(2-chloro-1-methylethyl) ether .....	473	Bromofenoxim .....	319
Benzo[e]pyrene (9,10,11,12-13C4,99%)	424, 649	Bis(2-chloroisopropyl) ether .....	473	4-Bromofluorobenzene ...	474, 728, 739, 755, 782, 783, 786
Benzo[e]pyrene (D12,98%) .....	424, 650	Bis(2-chloro-1-methylethyl) ether .....	473	Bromoform (13C,99%) .....	674
Benzo[e]pyrene .....	424, 651, 668	Bis-decyl phthalate .....	473	Bromoform (D,99,5%) .....	674
Benzo[a]pyrene, 6-nitro .....	424	Bis(2-ethylhexyl) adipate .....	473, 664	Bromoform .....	474
Benzo[c,d]pyren-6-one .....	424	Bis(2-ethylhexyl) phthalate .....	473	1-Bromo-2,3,4,6,7,8,9-heptachlorodibenzo-p-dioxin .....	558
1,4-Benzoquinone (D4,98%) .....	674	Bismethiazol .....	319	1-Bromo-2,3,6,7,8,9-hexachlorodibenzo-p-dioxin .....	558
1,4-Benzoquinone-DNPH .....	504	2-(bis(1-methylethyl)amino)-ethanethiol ..	483	Bromomethane .....	474
Benzotrichloride .....	473	Bis-methylglycol phthalate .....	473	1-Bromonaphthalene .....	474
Benzoximate .....	319	Bismuth .....	511, 524, 527	2-Bromonaphthalene .....	474
Benzoylprop-ethyl .....	319	Bis(1-octyl) phthalate .....	473	1-Bromo-2-naphthol .....	474
Benzthiazuron .....	319	Bisphenol A (D16,98%) .....	668	6-Bromo-2-naphthol .....	474
Benzyl alcohol .....	312, 473	Bisphenol A (ring-13C12,99%)	668, 671, 674	6-Bromo-2-naphthyl-beta-D-glucopyranoside .....	283
Benzyl alcohol .....	899	2,4'-Bisphenol A .....	668, 671, 674	1-Bromo-2-nitrobenzene .....	774, 780
Benzyl benzoate .....	473, 772	Bispyribac sodium .....	319	4'-Bromo-2,3,3',4,5-pentachlorobiphenyl (13C12,99%) .....	635
Benzyl butyl phthalate (ring-D4,98%)	664, 668, 674	1,2-Bis(2,4,6-tribromophenoxy) ethane	640	4'-Bromo-2,3,3',4,5,5'-pentachlorobiphenyl (13C12,99%) .....	635
Benzyl butyl phthalate .....	473	Bitertanol .....	319	4'-Bromo-3,3',4,5,5'-pentachlorobiphenyl (13C12,99%) .....	635
Benzyl chloride .....	473	Bithionol .....	439	2-Bromo-3,6,7,8,9-pentachlorodibenzo-p-dioxin .....	558
Benzylpenicilline-d7 N-ethylpiperidinium salt .....	444	Bitter Orange (Fruit) - Alkaloids .....	187	2-Bromophenol .....	474
Beryllium .....	510, 511, 522, 524, 527	Bitter Orange Extract - Alkaloids .....	187	3-Bromophenol .....	474
Beryllium acetate basic, 99.999% .....	818	Bixin .....	287	4-Bromophenol (13C6,99%) .....	667
beta-Cyfluthrin .....	326	20 Blank oil .....	223	4-Bromophenol .....	474, 667
beta-Endosulfan (13C9,99%) .	335, 669, 677, 683, 684, 689	75 Blank oil .....	223	4-Bromophenylphenyl ether (phenyl-D5,98%) .....	674
Betaine .....	288	Blueberry (Fruit) - Organic acids .....	188	4-Bromophenyl phenyl ether .....	474
Betamethason (free compound) .....	439	Boiling range distribution .....	233	Bromophos-ethyl .....	319, 320
Betamethasone 17-valerate .....	439	Boldenon .....	439	Bromophos-methyl .....	320
BHT .....	302	17-alpha-Boldenone (Epiboldenone)	437, 439	1-Bromopropane .....	474
Bifenazate .....	319	17-beta-Boldenone glucuronide potassium salt .....	437, 439	2-Bromopropane .....	474
Bifenthrin .....	319	Bolstar .....	358	1-Bromo-2-propanol .....	474
Bilberry extract - Organic acids .....	188	Boric acid, 99.999% .....	818	2-Bromopropene .....	474
Binapacryl .....	319	Boric acid .....	815	2-Bromopropionic acid .....	474, 741
1,1'-Binaphthyl .....	424	Boric acid - Acidimetric standard .....	810	Bromopropylate .....	320
2,2'-Binaphthyl .....	424	Boric acid - Isotopic composition .....	814, 815	Bromopyrazone .....	320
Bioallethrin .....	319	Boron .....	511, 522, 524, 527	4'-Bromo-2,3,3',4-tetrachlorobiphenyl (13C12,99%) .....	635
Bioball® format .....	193	Boscalid .....	319	4'-Bromo-2,3',4,5-tetrachlorobiphenyl (13C12,99%) .....	635
Biodiesel fuel calibration standards .....	238	Botanical oils .....	178	4'-Bromo-3,3',4,5-tetrachlorobiphenyl (13C12,99%) .....	635
Biological buffer systems .....	864	Bovine eye - Clenbuterol .....	145	4'-Bromo-2,3,3',4-tetrachlorobiphenyl .....	635
Biomass feedstocks .....	119	Bovine liver .....	145	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl (13C12,99%) .....	635
Bioresmethrin .....	319	Bovine liver - Clenbuterol .....	146	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl (13C12,99%) .....	635
Biphenol A .....	668, 671, 674	Bovine liver - Trace elements .....	145	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl .....	635
Biphenyl (13C6,99%) .....	385, 596	Bovineliver - Trenbolone .....	145	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl .....	635
Biphenyl (D10,98%) .....	674	Bovine muscle - Diethylbestrol .....	146	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl (13C12,99%) .....	635
Biphenyl .....	302, 319, 385, 599, 674	Brandy - Alcohol .....	184	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl (13C12,99%) .....	635
Biphenyl, 2,2'-dimethyl .....	424	Bread .....	181	4'-Bromo-2,3,3',4-tetrachlorobiphenyl .....	635
Biphenyl, 3,3'-dimethyl .....	424	Brilliant Black PN .....	301	4'-Bromo-2,3,3',4-tetrachlorobiphenyl .....	635
Biphenyl, 4,4'-dimethyl .....	424	Brilliant Blue .....	300	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl .....	635
2,2'-Biphenyldiol .....	405	Brilliant Blue FCF .....	301	4'-Bromo-2,3,3',4,5-tetrachlorobiphenyl .....	635
2,5-Biphenyldiol .....	405	Brilliant Green BS .....	301	1-Bromo-2,3,7,8-tetrachlorodibenzo-p-dioxin (13C12,99%) .....	558
3,4-Biphenyldiol .....	405	Brodifacoum .....	319	1-Bromo-2,3,7,8-tetrachlorodibenzofuran	558
4,4'-Biphenyldiol .....	405	Bromacil .....	319	1-Bromo-2,3,7,8-tetrachlorodibenzo-p-dioxin .....	558
Biphenyl, 2-methyl .....	424	Bromadiolone .....	319	2-Bromo-3,7,8-trichlorodibenzo-p-dioxin	558
Biphenyl, 4-methyl .....	424	Bromate .....	539	3-Bromo-2,7,8-trichlorodibenzofuran .....	558
Biphenyl, 3-methyl .....	424	Brombuterol hydrochloride .....	439	Bromoxynil (ring-13C6,99%) .....	320, 688
2-Biphenylol .....	405	Bromfenvinphos (methyl) .....	319	Bromoxynil .....	320, 688
3-Biphenylol .....	405	Bromfenvinphos .....	319	Bromoxynil-octanoate .....	320
4-Biphenylol .....	405	Bromfenvinphos-ethyl .....	319	Brompropylate .....	320
2,2'-Bipyridine .....	319	Bromfenvinphos-methyl .....	319	Bromuconazole .....	320
4,4'-Bipyridine anhydrous .....	319	Bromide .....	539	Bronopol .....	320
2,2'-Biquinoline .....	473	Bromkal 70-5 .....	639	Brown HT .....	301
Bis(2-chloroisopropyl) ether (D12,95%)	674	Bromoacetic acid .....	473	Brussels sprout .....	171
Bis(2-chloroisopropyl) ether .....	674	Bromobenzene (13C6,99%) .....	674	BSTFA .....	508
Bis(2-chloroethyl) ether (D8,98%) .....	674	Bromobenzene (D5,99%) .....	674	Bt-11 Maize .....	166
Bis(2-ethylhexyl) adipate (adipate-13C6,99%) .....	664, 668	Bromobenzene .....	473	Bt-176 Maize .....	165
Bis(2-ethylhexyl) phthalate .....	319, 664, 668	4-Bromobenzoic acid - Bromine .....	809	Bt-176 Maize - GMO .....	165
Bis(2-ethylhexyl) phthalate (ring-D4,98%)	664, 668, 674	2-Bromobiphenyl .....	409	BTEX Mixtures .....	418, 419
1,4-Bis(2-hydroxyethyl thio) butane (bis-2-hydroxyethyl-13C4,99%) .....	701	3-Bromobiphenyl .....	409	Buminafos .....	320
1,5-Bis(2-hydroxyethyl thio)-n-pentane (bis-2-hydroxyethyl-13C4,99%) .....	701	4-Bromobiphenyl .....	409	Bupirimate .....	320
1,2-Bis(pentabromophenyl)ethane .....	640	2-Bromobutanoic acid .....	741	Buprofenin .....	320
Bis (1-phenyl-1,3-butanediono) copper (II) - Copper .....	812	Bromochloroacetic acid .....	473	Buprofezin .....	320
Bis(1-phenyl-1,3-butanediono) oxovanadium (IV) - Vanadium .....	812	Bromochloroacetonitrile .....	473	Butachlor .....	320
		4-Bromo-3-chloroaniline .....	319	Butachlor ESA .....	737
		4-Bromochlorobenzene .....	473	Butafenacil .....	320
		Bromochloromethane (D2,98%) .....	674	1,3-Butanediol .....	312
		Bromochloromethane .....	473, 474, 744, 755	Butanedioic acid .....	294
		2-Bromo-1-chloropropane	474, 717, 744, 755	Butanedioic acid dimethyl ester .....	294
		Bromocyclen .....	319	1-Butanesulfonic acid sodium salt .....	893
		Bromodichloromethane (13C,99%) .....	674	1,2,4-Butanetriol .....	238
		Bromodichloromethane .....	474, 674		
		2-Bromodiphenyl ether .....	638		
		3-Bromodiphenyl ether .....	638		
		4-Bromodiphenyl ether .....	638		

## Product index

1,2,4-Butanetriol-1,4-dinitrate .....	461	Carfentrazon ethyl.....	321	Chlorfenethol .....	323
1,2,4-Butanetriol trinitrate .....	461	L-Carnitine .....	288	Chlorfenprop-methyl .....	323
Butanoic acid .....	294	DL-Carnitine chloride .....	288	Chlorfenvinphos .....	323
Butanoic acid methyl ester.....	294	L-Carnosine .....	288	Chlorfluazuron .....	323
n-Butanol .....	474	alpha-Carotene .....	287	Chlorflurenol .....	323
2-Butanone (1,1,1,3,3-D5,98%).....	674	alpha-Carotene 0.66 mg/mL in Chloroform .....	287	Chlorfluoreno-methyl.....	323
2-Butanone (4,4,4-D3,98%).....	674	beta-Carotene .....	287	iso-Chloridazon .....	323
2-Butanone .....	474, 504	Carp .....	160	Chloridazon .....	323
Butocarboxim .....	320	Carprofen .....	439	Chloride .....	540
Butocarboxim-sulfoxide .....	320	Carprofen-d3.....	439	Chloride - Isotopes.....	813
Butoxycarboxim .....	320	Carpropamid .....	321	Chlorimuron ethyl.....	323
Butralin .....	320	Carrot root powder.....	172	Chlorinated hydrocarbons kit.....	469
Butter fat .....	137, 138	Cartap hydrochloride.....	321	Chlorinated terphenyls kit.....	405
Butter fat - cholesterol and triglyceride .....	138	Casein.....	140	Chlorite .....	540
Buturon .....	320	(-)-Catechin .....	293	Chlormephos .....	323
n-Butyl acetate .....	474	(+)-Catechin .....	293	Chlormequat chloride.....	323
Butylate .....	320	DL-Catechin .....	293	N-(6-Chloro-3-pyridylmethyl)-N'-cyano- acetamide .....	324
Butylated hydroxyanisole (BHA) .....	302	(-)-Catechin gallate .....	293	Chloroacetaldehyde .....	475
iso-Butylbenzene .....	488	Catechol (13C6,99%) .....	674	Chloroacetic acid .....	323, 475
n-Butyl benzene (ring-13C6,99%) .....	668, 671	Catechol (D6,98%) .....	674	Chloroacetonitrile .....	475
n-Butylbenzene .....	474, 475	Cations.....	541	Chloroamphenicol palmitate .....	440
sec-Butylbenzene .....	475	Cations Mixture.....	541, 542	2-Chloroaniline.....	323, 475
tert-Butylbenzene .....	475	CDC PCB Calibration Solution .....	627, 628	3-Chloroaniline.....	323, 475
Butyl benzyl phthalate (ring-D4,98%) .....	674	Cefalexin .....	439	4-Chloroaniline.....	323, 475
Butyl benzyl phthalate .....	475	Cefalonium hydrate.....	439	2-Chloroanisole .....	475
tert-Butylmethyl ether.....	475	Ceftiofur .....	439	3-Chloroanisole .....	475
n-Butyl paraben (ring-13C6,99%) .....	661	Cefuroxime .....	440	4-Chloroanisole .....	475
n-Butyl paraben .....	661	D-(+)-Cellobiose .....	283	9-Chloroanthracene .....	651
Butyl sulfide (as S).....	240, 241, 799, 800	Cell protein - Major elements.....	119	Chlorobenzene (D5,99%) .....	675
Butyltin Mix (119SN).....	503	Cellulose .....	117	Chlorobenzene.....	323, 407, 475
n-Butyraldehyde-DNPH .....	504	Cement .....	251, 252, 253	Chlorobenzene-D5.....	475
Cabbage .....	171, 174	CEN EN 61619 .....	401	Chlorobenzilate .....	323
Cabbage - Trace elements .....	172	Cerium .....	512, 524, 527	2-Chlorobenzoic acid .....	475
Cacodylic acid sodium salt .....	320	CERTAN® .....	273	3-Chlorobenzoic acid .....	475
Cadmium .....	511, 522, 524, 527	CERTAN® wash bottle .....	273	4-Chlorobenzoic acid .....	475
Cadmium cyclohexanebutyrate - Cadmium .....	812	Cesium.....	511, 524, 527	4-Chlorobenzoic acid - Chlorine .....	809
Cadusafos.....	320	Cesium carbonate, 99.999% .....	818, 819	6-Chlorobenzoxazol-2(3H)-one.....	323
Caffeine (trimethyl-13C3, 99%) .....	439, 662	Cesium chloride, 99.999% .....	819	2-Chlorobiphenyl.....	385
Caffeine .....	294, 439, 662	Cesium iodide, 99.999% .....	819	2-Chlorobiphenyl (PCB 1).....	385
Calcite .....	204	Cesium sulfate, 99.995% .....	819	3-Chlorobiphenyl (PCB 2).....	385
Calcitriol.....	291	Charpy specimens .....	878	4-Chlorobiphenyl (PCB 3).....	385
Calcium (Ca2+).....	541	Chemical oxygen demand (COD).....	36	2-Chloro-4-biphenylol.....	405
Calcium .....	511, 522, 524, 527	Chemical resistance of glass .....	877	3-Chloro-4-biphenylol.....	405
Calcium-41 - Isotopes.....	813	Chicken, cooked - Meat species.....	144	4'-Chloro-4-biphenylol .....	405
Calcium carbonate, 99.999% .....	818	Chicken, raw - Meat species.....	144	1-Chlorobutane .....	475
Calcium carbonate - Lead and cadmium. 215		Chicken - Trace elements.....	146	4-Chlorocatechol (13C6,99%) .....	675
Calcium folinate (Folinic acid).....	291	Chinomethionate .....	321	4-Chlorocatechol.....	675
Calcium hydroxide, 99.995% .....	818	Chiral selectivity test .....	507	Chlorocyclohexane (as Cl).....	803
Camphechlor .....	362, 370	Chitin .....	283	Chlorodecone (13C10,99%) .....	322, 668, 683, 690
Canamycin A disulfate dihydrate .....	439	Chitobiose .....	283	1-Chlorodibenzo-p-dioxin.....	410
L-Canavanine sulfate.....	288	Chitosan.....	283	2-Chlorodibenzo-p-dioxin .....	410
Candida albicans - Bioball® format .....	193	Chloral hydrate.....	739, 785	2-Chlorodibenzofuran .....	411
Canthaxanthin.....	287, 475	alpha-Chloralose .....	283, 321	Chlorodibromoacetic acid .....	476
Caparol .....	355	Chloramben .....	321	Chlorodibromomethane (13C,99%).....	675
Capillary bottle (CERTAN®).....	273	Chloramphenicol (D5,98%) .....	663	1-Chloro-1,1-difluoroethane Freon 142B .....	476
Capsanthin.....	287	m-Chloramphenicol .....	440	Chlorodifluoromethane, Freon 22 .....	476
Captafol .....	320	(+/-)-Chloramphenicol.....	440, 663	5-Chloro-2,4-dimethoxyaniline .....	323
Captan .....	320, 321	Chloramphenicol glucuronide .....	437, 440	Chlorodioxin standards for elution profiling .....	555, 556
Carazolol-d7 .....	439	p-Chloranil .....	322	2-Chlorodiphenyl ether.....	476
CARB 429.....	429, 652	Chlorantraniliprole.....	322	Chloroethane (D5,98%).....	675
Carbamazepine .....	439	Chlorate .....	539, 540	Chloroethane .....	476
Carbamazepine (D10,98%) .....	439, 662	Chlorbenseide.....	322	2-Chloroethanol .....	323, 476
Carbamazepine .....	439, 662	Chlorbenseide-sulfoxide .....	322	2-Chloroethyl vinyl ether .....	476, 743, 754, 764, 768, 782, 785
Carbaryl (ring-13C6,99%) 321, 668, 686, 688		Chlorbicyclen .....	322	Chlorofenson .....	323
Carbaryl .....	321, 686, 688	Chlorbromuron .....	322	1-Chloro-2-fluorobenzene .....	476, 499, 718
Carbazole .....	439, 475	Chlorbufam .....	322	Chloroform (13C,99%).....	675
Carbazole-NH (D8,98%).....	674	alpha-Chlordane .....	322	Chloroform (D,99.8%) .....	675
Carbendazim .....	321, 761	cis-Chlordane (13C10,99%) .....	322, 675, 682, 683, 688	Chloroform .....	476
Carbetamide .....	321	cis-Chlordane... 322, 668, 675, 682, 683, 688		Chloroform HPLC Optigrade® .....	900
Carbofuran (ring-13C6,99%) .....	321, 686, 688	gamma-Chlordane .....	322	Chloroform Picograde® for residue analysis .....	900
Carbofuran .....	321, 686, 688	oxy-Chlordane .....	322	Chlorofuran standards for elution profiling .....	554, 555
Carbofuran-3-hydroxy .....	321	Chlordane (13C10,99%) .....	322, 668, 675, 682, 683, 688	4-Chloroguaiacol.....	675
Carbofuran-3-keto.....	321	trans-Chlordane .....	322, 675, 683, 688	1-Chlorohexane .....	476
Carbofuran phenol.....	321, 686, 688	Chlordane .....	322, 720, 748, 773, 775	4-Chloro-2-hydroxymethylphenoxyacetic acid (HMCPA) (ring-13C6,99%).....	323, 688
Carbon disulfide.....	475, 761	Chlordane technical .....	322	Chloriodomethane (D2,98%) .....	675
Carbon disulfide free from aromatic hydrocarbons .....	899	Chlordecone .....	322	Chloromethane .....	476
Carbon tetrabromide.....	475	Chlordecone .....	322	3-Chloro-4-methylaniline.....	323
Carbon tetrachloride (13C,99%).....	674	Chlordene (13C10,99%) .....	323, 668, 683, 688	4-Chloro-2-methylaniline.....	323, 476
Carbon tetrachloride .....	475	Chlordene .....	322, 668, 683, 688	Chloromethyl methyl ether .....	476
Carbophenothion .....	321, 775	Chlordimeform .....	323		
Carbophenothion sulfone.....	321	Chlordimeform hydrochloride.....	323		
Carbophenothion sulfoxide .....	321	Chlorella (green algae) .....	118		
Carbosulfan .....	321	Chlorfenac .....	323		
Carboxin .....	321	Chlorfenapyr .....	323		

4-Chloro-2-methylphenol .....	323	Chromate .....	540	Conductivity - Electrolytic.....	865
4-Chloro-3-methylphenol (2,6-D2,98%)...	675	Chromium (VI) in Soil .....	63	Conostan® Oil Analysis Standards .....	218
4-Chloro-3-methylphenol .....	476	Chromium .....	512, 522, 524, 527	Copper.....	512, 522, 524, 527
4-Chloro-2-methylphenoxyacetic acid		Chromium nitrate nonahydrate, 99.99%..	819	Copper-63 - Isotopes .....	813
(MCPA) (ring-13C6,99%) .....	323, 688	Chromium nitrate nonahydrate, 99.99% 819		Copper(I) iodide, 99.999% .....	819
1-Chloronaphthalene .....	406, 476	Chromium VI.....	512	Copper - Isotopes .....	813
2-Chloronaphthalene (D7, 98%).....	650, 675	Chrysene (13C6,99%) .....	424, 649, 669	Copper shot, 99.9995% .....	819
2-Chloronaphthalene (D7,98%).....	650, 675	Chrysene (D12,98%) .....	424, 650, 669	Corn .....	162, 308
2-Chloronaphthalene .....	406, 476, 653	Chrysene .....	424, 651, 669	Corn flour - Trace elements.....	162
4-Chloro-1-naphthol.....	476	Chrysene-D12.....	424	Coronene (D12,97%).....	425, 650
Chloroneb .....	323	Chrysene, 1-methyl.....	424	Coronene .....	424, 652
1-Chloro-3-nitrobenzene.....	777	Chrysene, 2-methyl.....	424	Corrosivity.....	39
2-Chloronitrobenzene .....	461, 476	Chrysene, 3-methyl.....	424	Corticosterone .....	440
3-Chloronitrobenzene .....	461, 476	Chrysene, 4-methyl.....	424	Corticosterone 21-acetate .....	440
4-Chloronitrobenzene (13C6,99%).....	675	Chrysene, 5-methyl.....	424	Cortisol (9,11,12,12-D4,98%) .....	440, 661
4-Chloronitrobenzene .....	461, 476	Chrysene, 6-methyl.....	424	Cortisol.....	661
4-Chloro-2-nitrobenzotrifluoride .....	775, 780	Chrysene, 6-nitro .....	424	Cotton seed .....	170
2-Chloro-4-nitrotoluene .....	461, 476	Chub .....	153	Coumachlor .....	325
4-Chloro-2-nitrotoluene.....	461, 476	Cigarette ignition strength standard.....	880	Coumafuryl .....	325
1-Chlorooctadecane .....	476	Cimaterol .....	440	Coumaphos .....	325
1-Chlorooctane .....	476	Cimaterol-d7 .....	440	Coumatetralyl.....	325
9-Chlorophenanthrene.....	651	Cimbuterol .....	440	Cranberry (Fruit) - Organic acids .....	188
2-Chlorophenol (ring-D4,99%).....	675	Cindon-ethyl.....	325	Cranberry extract - Organic acids .....	188
2-Chlorophenol .....	324, 476	Cinmethylin.....	325	Cream.....	143
3-Chlorophenol .....	324, 476	Cinosulfuron .....	325	Creatine .....	289
4-Chlorophenol (13C6,99%).....	324, 667, 688	Ciprofloxacin x HCl (2,3,carboxyl-13C3, 99%, quinoline-15N, 98%).....	440, 663	Creatine hydrate .....	289
4-Chlorophenol 324, 477, 507, 508, 667, 688		Ciprofloxacin .....	440, 663	Creatine phosphate disodium salt .....	289
Chlorophenols Kit .....	408, 465	Ciprofloxacin-d8 hydrochloride monohydrate .....	440	Creatinine .....	289
4-Chlorophenoxy acetic acid .....	324	Citicoline sodium .....	440	Creatinine HCl .....	289
p-Chlorophenyl methyl sulfone .....	477	Citrate .....	540	Creep testing .....	879
p-Chlorophenyl methyl sulfoxide.....	477	Citric acid.....	302	p-Cresidine .....	477
4-Chlorophenyl phenyl ether (phenyl- D5,98%) .....	675	Citric acid.....	302	o-Cresol (D8,98%).....	675
4-Chlorophenyl phenyl ether.....	477, 675	Citrinin .....	304	o-Cresol .....	477
Chloropicrin .....	324	DL-Citrulline .....	289	m-Cresol .....	477
Chloroprene.....	764, 768, 782, 785	L-Citrulline .....	289	p-Cresol (D8,98%).....	675
2-Chloropropane.....	477	Clay soil .....	90	p-Cresol .....	478
3-Chloro-1,2-propanediol (propane-D5,98%) .....	477, 663	Clay.....	216, 217	p-Cresol (ring-13C6, 99%).....	675
3-Chloro-1,2-propanediol.....	477	Clean clay.....	63	Cresyl diphenyl phosphate mixture of isomers .....	325
2-Chloropropene (D5,98%) .....	675	Clean clay loam .....	63	Crimidine .....	325
3-Chloropropionitrile .....	477	Clean sandy loam .....	63	Crispbread - Acrylamide .....	181
1-Chloropyrene (13C6,99%).....	649	Clean sandy soil .....	63	Cristabolite.....	130, 135
1-Chloropyrene .....	651	Clenbuterol-d9 .....	437, 440	trans-Crocetin .....	287
Chloropyrifos.....	685, 688	Clenhexerol.....	440	Crocini .....	287
4-Chloro-o-terphenyl.....	405	Clenproperole hydrochloride.....	440	Crocoxanthin.....	287
4-Chloro-p-terphenyl.....	405	Clenproperole-d7.....	440	Crotonaldehyde-DNPH.....	504
Chlorotetracycline hydrochloride .....	440	Clethodim .....	325	Crotoxyphos.....	325
Chlorothalonil .....	324	Climbazol .....	325	Crude oil .....	229
2-Chlorotoluene .....	324, 477	Clioquinol .....	440	Crufomate.....	325
3-Chlorotoluene .....	324, 477	Clofentazine .....	325	beta-Cryptoxanthin.....	287
4-Chlorotoluene .....	324, 477	Clofibric acid .....	440	Crystal violet chloride.....	440
N,N-Chlorotoluron (dimethyl-D6,98%).....	324, 688	Clomazone .....	325	Crystal violet-d6 trihydrate .....	440
Chlorotoluron .....	324	Clonidine (D4,98%) .....	662	Cumene .....	325
Chlorotrifluoromethane .....	477	Clonidine.....	662	Cut-off filter .....	856
3-Chloro-L-tyrosine .....	289	Clopidol.....	440	Cyanazine.....	325, 723, 761
Chloroxuron .....	324	Clopyralid .....	325	Cyanophos.....	325, 326
Chloroxynil .....	324	Cloquintocet .....	325	Cyanuric acid (U-13C3,99%, U-15N3,98%+) .....	663
Chlorphacinon .....	324	Cloquintocet-mexyl .....	325	Cyanuric acid .....	663
Chlorpromazin-d6 hydrochloride.....	440	Clorsulon .....	440	Cyazofamid .....	326
Chlorpropham.....	324	Closantel.....	325	Cyclanilide .....	326
Chlorpropylat .....	324	Clostebol acetate .....	440	Cycloate .....	326
Chlorpyrifos (diethyl-D10,99%)324, 668, 685, 688		Clothianidin.....	325	Cyclohexane .....	478
Chlorpyrifos methyl (dimethyl-D6,98%) ..	324, 685, 688	Clotrimazol.....	440	Cyclohexane HPLC Optigrade®.....	900
Chlorpyrifos.....	324	Clover .....	117	Cyclohexanol .....	478
Chlorpyrifos-methyl.....	324	Clover - Trace elements .....	117	Cyclohexanone .....	478
Chlorsulfuron .....	324	Cloxacillin sodium salt hydrate .....	440	Cyclohexanone-DNPH.....	504
Chlorthal-dimethyl.....	325	Coal .....	246, 247, 248, 249, 250	Cyclohexane Picograde® for residue analysis .....	900, 901
Chlorthiamid .....	324	Coatings .....	848	Cyclohexene .....	478
Chlorthion .....	325	Cobalt .....	512, 522, 524, 527	Cycloheximide .....	326
Chlorthiophos .....	325	Cobalt powder, 99.999% .....	819	Cyclohexyl hydrogen methylphosphonate (cyclohexyl-13C6,99%).....	478, 700
CHMPA.....	478	Cocoa butter - Triglyceride .....	172	Cyclohexyl methylphosphonic acid (diethyl- 13C4,99%).....	478, 700
Chocolate .....	141, 142, 181	Coconutoil - PAHs .....	177	Cyclohexyl methylphosphonic acid .....	478
Cholanthrene, 3-methyl .....	424	COD (Chemical oxygen demand).....	36	Cyclopentane .....	478
Cholesterol (2,2,3,4,4,6-D6,97-98%).....	661	Codlemone .....	325	Cyclopentane HPLC Optigrade®.....	901
Chondroitin hydrogensulfate .....	283	Cod liver oil .....	152, 153	4H-Cyclopenta(def)phenanthrene .....	425
Chondroitin .....	284	Colour measurement .....	173, 862	4H-Cyclopenta(def)phenanthren-4-one ...	425
Chondroitin sulfate.....	283	Column performance .....	507	Cyclopenta(c,d)pyrene .....	425, 652
Chondroitin sulfate A sodium salt.....	283	Column selectivity.....	507	Cycloxydim.....	326
Chondroitin sulfate B sodium salt.....	283	Combustion calorimetry.....	247, 832	Cycluron .....	326
Chondroitin sulfate C sodium salt.....	284	Combustion element analyser standards 239, 798		Cyflufenamid.....	326
Chondroitin sulfate sodium salt .....	283	Complex cyanide .....	542	Cyfluthrin (Baythroid®) .....	326
Chondroitin sulfate sodium salt bovine....	284	Complex nutrients - WP (Whole-volume) ..	38	Cyfluthrin.....	326, 686, 688
		Composite foam with TBT .....	267		
		Compound feedingstuff - Aflatoxins.....	189		



## Product index

lambda-Cyhalothrin.....	326	Decachlorobiphenyl 398, 478, 599, 608, 723, 724, 776		Dialifos.....	329
Cyhexatin.....	326	Decachlorobornane.....	373	Diallate.....	329
Cylindrospermopsin.....	506	Decachlorodiphenyl ether.....	478	Diallyl phthalate.....	478
Cymoxanil.....	326	Decacyclene.....	425	3,3'-Diaminobenzidine.....	478
Cypermethrin (phenoxy-13C6,99%) 326, 686, 688		Decafluorobiphenyl.....	478, 739, 760	4,4'-Diamino-3,3'-dichlorodiphenylmethane.....	478
alpha-Cypermethrin.....	326	Decafluorotriphenylphosphine 478, 732, 734, 761, 794		4,4'-Diamino-3,3'-dimethyldiphenylmethane.....	478
Cypermethrin.....	326, 686, 688	Decafluorotriphenylphosphine oxide.....	478	4,4'-Diaminodiphenylmethane.....	478
Cyphenothrin.....	326	Decalin (D18,99%) (cis/trans mixture).....	675	2,7-Diaminofluorene.....	478
Cyproconazole.....	326	trans-Decalin (D18,98%).....	675	1,2-Diaminonaphthalene.....	478
Cyprodinil.....	326	n-Decane (D22,99%).....	672	2,4-Diamino-6-nitrotoluene.....	461
Cyprofuram.....	326	n-Decane.....	435, 478	2,6-Diaminopimelic acid.....	289
Cyromazine.....	326	Decanedioic acid.....	294	2,4-Diaminotoluene.....	461, 478
L-Cystathionine.....	291	Decanedioic acid dimethyl ester.....	294	2,6-Diaminotoluene.....	461, 479
L-Cysteine.....	291	1-Decanesulfonic acid sodium salt.....	893	2,5-Diaminotoluene sulfate.....	478
S-Allyl-L-cysteine.....	289	Decanoic acid.....	294	Diamyl phthalate.....	479
L-Cysteine HCl.....	291	Decanoic acid methyl ester.....	294	Diatoxanthin.....	287
L-Cystine.....	291	1-Decanol.....	478	Diaveridine.....	440
Cystine - Carbon, hydrogen, nitrogen, oxygen and sulfur.....	809	Decarbamoylneosaxitoxin.....	311	Diazinon (diethyl-D10,98%).....	329, 330, 669, 685, 689
Cythioate.....	326	Decarbamoylsaxitoxin.....	311	Diazinon.....	329, 330, 685, 689
2,4-D (ring-13C6,99%).....	327, 669, 689	Decarbamylogonyautoxin.....	311	Dibenz[a,j]acridine(D13,98%).....	425, 650
2,4-D (ring-D3,98%).....	327, 689	Dechlorane Plus®.....	640	Dibenz[a,j]acridine.....	652
2,4-D.....	316, 327, 689	Dechlorane Plus® anti-.....	639, 640	Dibenzo(c,h)acridine.....	425
Dacthal.....	327	Dechlorane Plus® anti-Isomer (13C10,99%).....	639	Dibenzo[a,c]acridine.....	425
Daidzein (3',5',8-D3,97%).....	669	Dechlorane Plus® syn- (13C10,99%).....	639	Dibenzo[a,h]acridine.....	425
Daidzein.....	669	Decoquinat-d5.....	440	Dibenzo[a,i]acridine.....	425
Dairy feed.....	189	n-Decylbenzene.....	478	Dibenzo[a,j]acridine.....	425
Dalapon.....	327	Deepoxy-deoxynivalenol.....	304	Dibenzo[a,c]anthracene.....	425
Dalapon-methyl.....	327	DEET.....	329, 661, 689	Dibenzo[a,h]anthracene (13C6,99%).....	425, 649, 676
Dalapon methyl ester.....	327	DEF.....	329, 722, 734	Dibenzo[a,h]anthracene (D14,97%).....	425, 650, 676
Daminozide.....	327	DEHP Metabolite (ring-1,2-13C2, dicarboxyl-13C2,99%).....	665	Dibenzo[a,h]anthracene.....	425, 652, 676
Danofloxacin.....	440	DEHP Metabolite IX.....	665	Dibenzo[a,j]anthracene.....	425
Dapson.....	440	DEHP Metabolite VI.....	665	7H-Dibenzo[c,g]carbazole (D12,98%).....	425, 650
DAS.....	304	Dehydroepiandrosterone (DHEA) (2,2,3,4,4,6-D6).....	661	7H-Dibenzo[c,g]carbazole.....	425, 652
Dazomet.....	327	Deltamethrin.....	329	Dibenzo-p-dioxin.....	410, 551, 676
2,4-DB.....	327	Demand - WP.....	37	Dibenzo[a,e]fluoranthene.....	425, 652
DBCP/EDB Mixture.....	448, 720, 765	Demeclocyclin hydrochloride.....	440	Dibenzofuran (13C12,99%).....	552, 676
DBCP.....	327, 330, 479	Demeton-S-methyl.....	329	Dibenzofuran (D8,98%).....	676
2,4-DB methyl ester.....	327	Demeton-S-methyl sulfone.....	329	Dibenzo[b,d]furan.....	425
4,4'-DBP.....	327	Demeton-O.....	329	Dibenzofuran.....	411, 479, 553, 676
2,4-D-1-butyl ester.....	327	Demeton S.....	329	Dibenzo[a,l]pentacene.....	425
2,4-D-butylglycol ester.....	327	Density.....	875, 876, 877	Dibenzo[a,e]pyrene (13C6,99%).....	425, 649
DCAA (2,4-Dichlorophenylacetic acid).....	725, 726	2-Deoxy-D-galactose.....	284	Dibenzo[a,e]pyrene.....	425, 502, 652
DCAA.....	327, 478, 724, 725, 781	Deoxynivalenol (13C5, 98%).....	304	Dibenzo[a,h]pyrene.....	425, 426, 502, 652
DCAA methyl ester.....	327, 724, 725, 726, 753, 781	4-Deoxynivalenol.....	304	Dibenzo[a,i]pyrene (13C12,99%).....	426, 649
DCCA.....	327, 686, 689	Deoxynivalenol.....	304	Dibenzo[a,i]pyrene (D14,98%).....	426, 650
DCMA Mixture.....	401	Deoxynivalenol-3-glucoside.....	304	Dibenzo[a,j]pyrene.....	426, 652
DCPA.....	327	4-Deoxypyridoxine HCl.....	291	Dibenzo[a,l]pyrene.....	426, 502, 652
DCU.....	327	2-Deoxy-D-ribose.....	284	Dibenzothiophene (D8,98%).....	676
4,4'-DDA.....	327	Depth profiling.....	847	Dibenzothiophene.....	479
DDA.....	327	Derivatisation reagents.....	503, 509	Dibenzothiophene - Sulfur.....	809
2,4'-DDD (ring-13C12,99%).....	327, 675, 683, 688	Desethylatrazine (ring-13C3,99%).....	317, 686, 687	Dibrom.....	330
2,4'-DDD.....	327, 675, 683, 688	Desethylatrazine.....	317, 686, 687	Dibromoacetic acid.....	479
4,4'-DDD (ring-13C12,99%).....	328, 675, 683, 688	Desethylhydroxyatrazine (ring-13C3,99%).....	317, 687	Dibromoacetone.....	479
4,4'-DDD (ring-D8,98%).....	328, 669, 675, 683, 688	Desethylhydroxyatrazine.....	687, 688	1,2-Dibromobenzene.....	479
4,4'-DDD.....	327, 328, 675, 683, 688	Desethylisopropylhydroxyatrazine (Ammeline) (ring-13C6,99%).....	329, 663, 687, 689	1,3-Dibromobenzene.....	479
2,2'-DDE.....	328	Desisopropylatrazine.....	687, 688	1,4-Dibromobenzene (13C6,99%).....	676
2,4'-DDE (ring-13C12,99%).....	328, 669, 675, 684, 688	Desisopropylhydroxyatrazine (ring-13C,99%).....	317, 687, 688	1,4-Dibromobenzene (D4,98%).....	676
2,4'-DDE.....	328, 669, 675, 684, 688	Desisopropylhydroxyatrazine.....	687, 688	1,4-Dibromobenzene.....	479
4,4'-DDE.....	328, 675, 684, 688	Desisopropylatrazine (ring-13C3,99%).....	317, 687, 688	4,4'-Dibromobenzophenone.....	330
4,4'-DDM.....	328	Desmethyldiphenyl.....	329	2,2'-Dibromobiphenyl.....	409
4,4'-DDMU.....	328	Desmethyl-formamido-pirimicarb.....	329	2,4-Dibromobiphenyl.....	409
4,4'-DDOH.....	328	Desmethyl-pirimicarb.....	329	2,5-Dibromobiphenyl.....	409
2,4'-DDT (ring-13C12,99 %).....	328, 669, 675, 684, 688	13-Desmethyl Spirolide C.....	310	2,6-Dibromobiphenyl.....	409
2,4'-DDT.....	328, 669, 675, 684, 688	Desmethylene.....	329	4,4'-Dibromobiphenyl.....	409, 723, 760, 778
4,4'-DDT (ring-13C12,99%).....	329, 669, 675, 684, 689	Desogestrel.....	440	1,2-Dibromo-1-chloroethane.....	479
4,4'-DDT.....	328, 329, 669, 675, 684, 689	Dexamethason.....	440	Dibromochloromethane.....	479
DDT Mix.....	328	Dexamethason 21-acetate.....	440	1,2-Dibromo-3-chloropropane (13C3,99%).....	671
DecaBDE Technical Mix.....	639	Dextrose.....	284	1,2-Dibromo-3-chloropropane.....	330, 479, 671
Decabromobiphenyl(13C12,99%).....	639	DFTFP.....	478	Dibromo-DDE.....	330
Decabromobiphenyl (PBB-209).....	410, 639	DFTPPO.....	478	2,8-Dibromodibenzofuran (13C12,99%).....	557
Decabromodiphenyl ether (13C12,99%).....	638	2,7-Diacetamidofluorene.....	478	2,8-Dibromodibenzofuran.....	558
Decabromodiphenyl ether.....	639	Diacetoxyscirpenol.....	304	3,4-Dibromo-3',4'-dichlorobiphenyl (13C12,99%).....	635
2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl (13C12,99%).....	398, 598	Diadinoxanthin.....	287	3,4-Dibromo-3',4'-dichlorobiphenyl.....	635
		Diafenthuron.....	329	2,3-Dibromo-7,8-dichlorodibenzo-p-dioxin.....	558
				2,4-Dibromodiphenyl ether.....	638
				2,4'-Dibromodiphenyl ether.....	638
				2,6-Dibromodiphenyl ether.....	638
				3,3'-Dibromodiphenyl ether.....	638

3,4-Dibromodiphenyl ether	638	2,3'-Dichlorobiphenyl	385, 600	3,5-Dichlorophenol	482
3,4'-Dibromodiphenyl ether	638	2,4'-Dichlorobiphenyl (13C12,99%)	385, 596	4-(2,4-Dichlorophenoxy)benzenamine	331
4,4'-Dibromodiphenyl ether (13C12,99%)	637	2,4-Dichlorobiphenyl	385, 600	2,4-Dichlorophenylacetic acid	753, 781
4,4'-Dibromodiphenyl ether	638	2,4'-Dichlorobiphenyl	385, 598, 600	3,4-Dichlorophenyldipropion amide	331
1,2-Dibromoethane	330, 479	2,5-Dichlorobiphenyl (13C12,99%)	385, 386, 596	Dichloroprop	331
1,2-Dibromoethene	479	2,5-Dichlorobiphenyl	385, 598, 600	1,2-Dichloropropane (D6,98%)	676
Dibromofluoromethane	479	2,6-Dichlorobiphenyl	386, 600	1,2-Dichloropropane	482
Dibromomethane	479	2,6'-Dichlorobiphenyl	598	1,3-Dichloropropane	331, 482
1,4-Dibromonaphthalene	479	3,3'-Dichlorobiphenyl	386, 598, 600	2,2-Dichloropropane	482
2,3-Dibromonaphthalene	479	3,4-Dichlorobiphenyl	386, 600	2,3-Dichloropropanoic acid	482, 741
1,6-Dibromo-2-naphthol	479	3,4'-Dichlorobiphenyl	386, 600	1,3-Dichloro-2-propanol (D5,98%)	676
4,4'-Dibromooctafluorobiphenyl	479, 480, 724, 725, 726, 753, 760, 781	3,4-Dichlorobiphenyl	598	1,3-Dichloro-2-propanol	482, 676
2,4-Dibromophenol (13C6,99%)	667	3,5-Dichlorobiphenyl	386, 600	1,1-Dichloro-2-propanone	482
2,4-Dibromophenol	479, 667, 771	4,4'-Dichlorobiphenyl (13C12,99%)	386, 596	1,1-Dichloropropene	482
2,6-Dibromophenol (13C6,99%)	667	4,4'-Dichlorobiphenyl	386, 481, 598, 600, 723	1,3-Dichloropropene (D4,98%)	676
2,6-Dibromophenol	479, 667	2',5'-Dichloro-3-biphenylol	405	1,3-Dichloropropene	331, 482
1,2-Dibromopropane	479, 742	2',5'-Dichloro-4-biphenylol	405	1,3-Dichloro-1-propene	482
1,3-Dibromopropane	479	3,5-Dichloro-2-biphenylol	405	2,3-Dichloro-1-propene	482
2,3-Dibromopropionic acid	741	4,4'-Dichloro-3-biphenylol	405	cis-1,3-Dichloropropene	482
3,4-Dibromo-3',4',5'-trichlorobiphenyl (13C12,99%)	635	1,4-Dichlorobutane	481, 718, 744, 755	trans-1,3-Dichloropropene	482
3,4-Dibromo-3',4',5'-trichlorobiphenyl	635	cis-1,4-Dichloro-2-butene	481	2,3-Dichloropropionanilide	332
Dibutyl chlorendate	330, 794	trans-1,4-Dichloro-2-butene	481	2,4-Dichloro-p-terphenyl	405
2,6-Di-tert-butyl-4-methylphenol (BHT)	302	4,5-Dichlorocatechol	676	2,5-Dichloro-m-terphenyl	405
Di-n-butyl phthalate (ring-D4,98%)	664, 669, 676	trans-Dichlorodiammineplatinum(II), 99.99%	819	2,5-Dichloro-o-terphenyl	405
Di-n-butyl phthalate (ring-D4,98%)	676	1,6-Dichlorodibenzo-p-dioxin	552	1,2-Dichloro-1,1,2,2-tetrafluoroethane	482, 483
Di-n-butyl phthalate	479	2,3-Dichlorodibenzo-p-dioxin (13C12,99%)	551	alpha,2-Dichlorotoluene	483
Dibutyl phthalate	330, 479	2,3-Dichlorodibenzo-p-dioxin	410, 552	alpha,3-Dichlorotoluene	483
Dibutyltin bis (2-ethylhexanoate) - Tin	812	2,7/2,8-Dichlorodibenzo-p-dioxin isomer pair	551	alpha,4-Dichlorotoluene	483
Dibutyltin dichloride	502	2,7-Dichlorodibenzo-p-dioxin (13C12,99%)	551	2,3-Dichlorotoluene	483
Dibutylsuccinate	330	2,7-Dichlorodibenzo-p-dioxin	551	2,4-Dichlorotoluene	483
Dicamba	330	2,7-Dichlorodibenzo-p-dioxin	410	2,5-Dichlorotoluene	483
Dicamba methyl ester	330	2,8-Dichlorodibenzo-p-dioxin	410	2,6-Dichlorotoluene	483
Dicapthon	330	2,4-Dichlorodibenzofuran (13C12,99%)	552	3,4-Dichlorotoluene	483
Dichlobenil	330	2,4-Dichlorodibenzofuran	411, 553	alpha,alpha-Dichlorotoluene	331
Dichlofenthion	330	2,6-Dichlorodibenzofuran	411, 553	3,4-Dichloro-3',4',5'-tribromobiphenyl (13C12,99%)	635
Dichlofluamid	330	2,8-Dichlorodibenzofuran (13C12,99%)	552	3,4-Dichloro-3',4',5'-tribromobiphenyl	635
Dichlone	330	2,8-Dichlorodibenzofuran	411, 553	5,6-Dichlorovanillin	676
Dichloran	330, 775	Dichlorodifluoromethane	481	Dichlorprop (ring-13C6,99%)	332, 689
Dichlorane (ring-13C6,99%)	330, 684, 689	2,4-Dichlorodiphenyl ether	481, 778	Dichlorprop	331, 689
Dichloromethane HPLC Optigrade® 901, 902		2,4'-Dichlorodiphenyl ether	481	Dichlorprop-methyl ester	332
Dichloromid	330	4,4'-Dichlorodiphenyl ether	481	Dichlorprop-P	332
Dichloroacetic acid	330, 480	1,1-Dichloroethane (2,2,2-D3,98%)	676	Dichlorvos (dimethyl-D6,98%)	332, 685, 689
Dichloroacetonitrile	480	1,1-Dichloroethane	481	Dichlorvos	332, 685, 689
2,3-Dichloroaniline	330, 480	1,2-Dichloroethane	481	DiClazuril	440
2,4-Dichloroaniline	330, 480	1,2-Dichloroethane-d4	481, 755, 756	DiClobutrazol	330
2,5-Dichloroaniline	330, 480	1,2-Dichloroethane (D4,99%)	676	Diclofop-methyl	332
2,6-Dichloroaniline	331, 480	1,1-Dichloroethene	481	Diclosulam	332
3,4-Dichloroaniline (13C6,99%)	676	cis-1,2-Dichloroethene	481	Dicloxacillin sodium salt hydrate	440
3,4-Dichloroaniline	331, 480	trans-1,2-Dichloroethene	481	Dicofol	332
3,5-Dichloroaniline	331, 480	1,1-Dichloroethylene (2,2-D2,98%)	676	Dicrotophos	332
alpha,4-Dichloroanisole	480	1,1-Dichloroethylene (random-13C,99%)	671	Dicyclanil	332
2,3-Dichloroanisole	480	1,1-Dichloroethylene	671	Dicyclohexyl phthalate (ring-1,2-13C2,99%,dicarboxyl-13C2,99%)	664
2,4-Dichloroanisole	480	1,2-Dichloroethylene (1,2-D2,98%)	676	Dicyclohexyl phthalate	483, 664
2,5-Dichloroanisole	480	1,2-Dichloroethylene (13C1,99%)	671	Didymium glass - UV wavelength	855
2,6-Dichloroanisole	480	1,2-Dichloroethylene cis/trans mix	671	Dieldrin (13C12,99%)	332, 669, 676, 683, 684, 689
3,4-Dichloroanisole	480	1,1-Dichloro-1-fluoroethane	481	Dieldrin	332, 669, 676, 683, 684, 689
3,5-Dichloroanisole	480	Dichlorofluoromethane	481	Dielectric constant	867
Dichlorobenzamid	331	Dichloromethane nitrosamine-free	902	Dienestrol	440
2,6-Dichlorobenzamide	331	Dichloromethane Picograde® for residue analysis (stabilised with amylene)	902	Dienochlor	332
1,2-Dichlorobenzene (13C6,99%)	667	1,2-Dichloronaphthalene	406, 653	Diesel fuel #2 (25% weathered)	437
1,2-Dichlorobenzene (D4,98%)	676	1,4-Dichloronaphthalene	406, 482, 653	Diesel fuel #2 (50% weathered)	437
1,2-Dichlorobenzene	331, 407, 480, 667	1,5-Dichloronaphthalene	406, 482, 653	Diesel fuel #2 (75% weathered)	437
1,2-Dichlorobenzene-d4	480, 729	1,8-Dichloronaphthalene	406, 653	Diesel fuel #2 (unweathered)	436
1,3-Dichlorobenzene (13C6,99%)	667, 676	2,3-Dichloronaphthalene	406, 482, 653	Diesel fuel	435, 436, 477
1,3-Dichlorobenzene	331, 407, 480, 667	2,4-Dichloro-1-naphthol	482	Diesel fuel - Sulfur	224, 230
1,4-Dichlorobenzene (13C6,99%)	676	2,3-Dichloronitrobenzene	331	Dieselfuel-Sulfur	224
1,4-Dichlorobenzene (D4,98%)	676	2,4-Dichloronitrobenzene	462	Diesel oil #2	435, 483
1,4-Dichlorobenzene	331, 407, 480	2,5-Dichloronitrobenzene	331	Diesel oil	434
1,4-Dichlorobenzene-d4	480	3,4-Dichloronitrobenzene	331	Diesel particulate	127
3,3'-Dichlorobenzidine (ring-D6,98%)	676	3,5-Dichloronitrobenzene	331	Diesel particulate matter	127
3,3'-Dichlorobenzidine	480	Dichlorophen	331	Diesel Range Organics	418
3,3'-Dichlorobenzidine-d6	480	2,3-Dichlorophenol	482	Diesel - Sulfur	227
3,3'-Dichlorobenzidine dihydrochloride	480	2,4-Dichlorophenol (13C6,99%)	671	Dietary supplement	143
2,3-Dichlorobenzoic acid	480	2,4-Dichlorophenol (D4,98%)	669, 676	Diet composite	183
2,4-Dichlorobenzoic acid	331, 480	2,4-Dichlorophenol (ring-D3,98%)	667, 676	Diethofencar	332
2,5-Dichlorobenzoic acid	331, 480	2,4-Dichlorophenol	331, 482, 667	Diethofencarb	332
2,6-Dichlorobenzoic acid	331, 480	Dichlorofluoromethane	482	2-Diethylaminoethanethiol	483
3,4-Dichlorobenzoic acid	480	2,5-Dichlorophenol (13C6,99%)	667	2,6-Diethylaniline	332
3,5-Dichlorobenzoic acid	480, 741	2,5-Dichlorophenol	331, 482	1,2-Diethylbenzene	483
4,4'-Dichlorobenzophenone	331	2,6-Dichlorophenol	331, 482	1,3-Diethylbenzene	483
2,2'-Dichlorobiphenyl (13C12,99%)	385, 596	3,4-Dichlorophenol	482	1,4-Diethylbenzene	483
2,2'-Dichlorobiphenyl	385, 598, 600				
2,3-Dichlorobiphenyl	385, 600				

## Product index

Diethylcarbamazine citrate .....	440	O,O-Dimethyl dithiophosphate sodium salt .....	333, 689, 700	2,6-Dinitrotoluene (methyl-D3,98%) .....	672, 677
Diethylene glycol (D8,98%) .....	663	Dimethyl endothall .....	333, 738	2,6-Dinitrotoluene .....	462, 485, 672, 797
Diethylene glycol .....	663	2,4-D-methyl ester .....	327	3,4-Dinitrotoluene .....	462, 736, 777, 797
Diethyl ether (D10,99%) .....	676	1,2-Dimethyl-3-ethylbenzene .....	484	3,5-Dinitrotoluene .....	462
Diethyl ether .....	483	1,2-Dimethyl-4-ethylbenzene .....	484	Dinobuton .....	334
Diethyl ether HPLC Optigrade® .....	902, 903	1,3-Dimethyl-4-ethylbenzene .....	484	Dinocap (ring-13C6,99%) .....	334, 689
Diethyl ether Picograde® for residue analysis .....	903	1,3-Dimethyl-5-ethylbenzene .....	484	Dinocap .....	334
O,O-Diethyl hydrogen dithiophosphate... ..	332, 483, 700	1,4-Dimethyl-2-ethylbenzene .....	484	Dinoseb .....	334
Diethyl hydrogen phosphate ....	332, 483, 700	4-(1,4-Dimethyl-1-ethylpentyl) phenol .....	665	Dinoseb acetate .....	334
O,O-Diethyl hydrogen thiophosphate.....	332, 483, 700	4-(1,3-Dimethyl-1-ethylpentyl) phenol .....	665	Dinoseb methyl ether .....	334
O,O-Diethyl hydrogen thiophosphate potassium salt (diethyl-D10,98%).....	332, 483, 685, 689, 700	4-(1,3-Dimethyl-1-ethylpentyl)phenol (ring-13C6,99%).....	665	Dinoterb .....	334
Diethyl methylphosphonate .....	484	4-(Dimethyl-1-ethylpentyl) phenol .....	665	Dinoterb acetate .....	334
Diethyl phthalate (ring-D4,98%).....	664, 669, 676	N,N-Dimethylformamide (carbonyl-13C,99%) .....	677	Diocetyl maleate .....	485
Diethyl phthalate .....	332, 483, 664	2,4-Dimethylformanilide.....	333	Di-n-octyl phthalate (ring-D4,98%)... ..	664, 677
Diethylstilbestrol (cis/trans mix) (ring-3,3',5,5'-diethyl-1,1,1',1'-D8,98%).....	441, 661	Dimethyl hydrogen phosphate .....	333, 484, 701	Di-n-octyl phthalate .....	485, 664, 677
Diethylstilbestrol (cis/trans mix) .....	441, 661	1,3-Dimethyl-2-imidazolidinone (DMI) Headspace Grade .....	905	Diocetyl phthalate .....	485
Diethylstilbestrol .....	440, 441, 661	1,6-Dimethylnaphthalene (D12,98%).....	650	Diocytlin dichloride .....	502
N,N-Diethyl-m-toluamide (DEET) (dimethyl-D6,98%).....	329, 661, 689	1,6-Dimethylnaphthalene .....	652	Diofenolan .....	334
N,N-Diethyl-m-toluamide (DEET) ...	329, 661, 689	1,8-Dimethylnaphthalene (D12,98%).....	650	Dioxacarb .....	334
Difenacoum .....	332	1,8-Dimethylnaphthalene .....	652	1,4-Dioxane HPLC Optigrade® .....	905
Difenoconazole .....	332	2,6-Dimethylnaphthalene (D12,98%).....	650	1,4-Dioxane (p-Dioxane) (D8,98%).....	677
Difenoxuron .....	332	2,6-Dimethylnaphthalene .....	652	1,4-Dioxane (D8,99%) .....	677
Difenoquat-methyl sulfate .....	332	1,3-Dimethyl-2-nitrobenzene.....	484, 722	1,4-Dioxane .....	485, 677
Diflovidazin .....	332	Dimethyl-p-nitrophenylphosphate .....	333	Dioxathion .....	334
Difloxacin-d3 hydrochloride .....	441	Dimethyl 5-nitro-iso-phthalate.....	333	Di-n-pentyl phthalate (ring-1,2-13C2,99%, dicarboxyl-13C2,99%) .....	664, 669
Difloxacin hydrochloride.....	441	alpha,alpha-Dimethylphenethylamine.....	484	Di-n-pentyl phthalate .....	664, 669
Diflubenzuron.....	332, 333	2,3-Dimethylphenol .....	333	Diphenamid.....	334
Diflufenican .....	333	2,4-Dimethylphenol (ring-D3,98%) .....	677	Diphenylamine (diphenyl-D10,98%) .....	677
Diflufenzopyr-sodium .....	333	2,4-Dimethylphenol .....	333, 484	Diphenylamine .....	334, 462, 485
1,4-Difluorobenzene .....	483, 756	2,5-Dimethylphenol .....	333	9,10-Diphenylanthracene.....	485
2,2'-Difluorobiphenyl .....	483, 761	2,6-Dimethylphenol .....	333	1,2-Diphenylethane .....	426
4,4'-Difluorobiphenyl .....	483, 738	3,4-Dimethylphenol.....	333	Diphenyl ether (13C12,99%).....	637, 677
D-(+)-Digitoxose .....	284	3,5-Dimethylphenol .....	333	Diphenyl ether (D10,98%).....	677
Diheptylin dichloride.....	502	Dimethyl phthalate (ring-D4,98%)... ..	664, 677	Diphenyl ether .....	485
Di-n-hexyl phthalate (ring-1,2-13C2,99%, dicarboxyl-13C2,99%) .....	664, 669	Dimethyl phthalate ...	333, 334, 484, 664, 770	Diphenylether .....	638
Di-n-hexyl phthalate .....	664, 669	Dimethylsulfoxide Headspace Grade .....	905	5,5-Diphenylhydantoin (2-13C, 99%, 1,3-15N2, 98%).....	441, 662
6,13-Dihydrodibenzo(b,i)phenazine .....	483	Dimethyl terephthalate .....	484	5,5-Diphenylhydantoin .....	441, 662
1,2-Dihydronaphthalene .....	483	Dimethyl tetrabromobisphenol A.....	639	1,2-Diphenylhydrazine (diphenyl-D10,98%) .....	677
beta-DL-3-(3,4-Dihydroxyphenyl)-alanine .....	289	Dimethyltin dichloride.....	334, 502	1,2-Diphenylhydrazine .....	485
Diiodomethane (13C,99%) .....	676	N,N'-Dimethylurea .....	334	Diphenylmercury .....	334
Di-Iodo-L-tyrosine dihydrate.....	289	Dimetilan .....	334	4,7-Diphenyl-1,10-phenanthroline.....	485
Diisobutyl phthalate .....	483	Dimetridazol-d3 .....	441	Diphenyl phthalate .....	334, 485
Diisooctyl adipate .....	483	Dimoxystrobin .....	334	Diphenyl sulfide .....	334
2-(Diisopropylamino)ethanethiol .....	483	DIN 38407-F13 .....	503	Diphenyl-sulfone .....	334
2-Diisopropylaminoethanol .....	483	DIN 38409-H14 .....	507	Dipropetryn .....	334
2-(2-Diisopropylaminoethyl)ethanethiol ...	483	DIN 38414-S 17 .....	477, 508	Di-n-propyl phthalate (ring-1,2-13C2,99%, dicarboxyl-13C2,99%) .....	664, 669
Diisopropyl methyl phosphonate (D14,98%) .....	483, 701	Diniconazole .....	334	Di-n-propyl phthalate.....	485
Diisopropyl methyl phosphonate.....	483, 701	Dinitramine.....	334	Dipropyl phthalate .....	334, 485
Diisopropyl phthalate .....	483, 484	2,4-Dinitroaniline .....	484	Dipyron hydrate .....	441
Dimefox.....	333	2,6-Dinitroaniline .....	461	Diquat dibromide .....	334, 335
Dimefuron .....	333	3,5-Dinitroaniline .....	461	Diquat dibromide monohydrate.....	335
Dimepiperate .....	333	1,2-Dinitrobenzene .....	461, 462, 484, 797	Diquat monohydrate .....	334
Dimethachlor .....	333	1,3-Dinitrobenzene (13C6,99%) .....	672	Disinfection by-products.....	739
Dimethachlor ESA .....	737	1,3-Dinitrobenzene (D4,98%) .....	677	Disperse Blue 35 .....	265, 485
Dimethachlor Metabolite CGA 373464 .....	333	1,3-Dinitrobenzene .....	462, 484, 672, 797	Disperse Blue 7, C.I. No. 62500 .....	265, 485
Dimethachlor Metabolite SYN 528702 sodium salt .....	333	1,4-Dinitrobenzene .....	462, 484	Disperse Orange 1 .....	265, 485
Dimethachlor Metabolite SYN 530561 .....	333	2,4-Dinitrobenzoic acid .....	462	Disperse Orange 11 .....	265, 485
Dimethametryn .....	333	3,4-Dinitrobenzoic acid .....	462, 484	Disperse Orange 61 .....	265
Dimethenamid .....	333	3,5-Dinitrobenzoic acid .....	462	Disperse Red 11, C.I. No. 62015 .....	265, 485
Dimethenamid-P .....	333	2,2'-Dinitrobiphenyl .....	484	Disperse Red 17, C.I. No. 11210 .....	265, 485
Dimethipin.....	333	2,2'-Dinitrodiphenylamine .....	462	Disperse Red 1-D3 .....	265
Dimethoate (O,O-dimethyl-D6,98%).....	333, 685, 689	4,4'-Dinitrodiphenylamine .....	462, 484	Disperse Yellow 1, C.I. No. 10345 .....	265
Dimethoate .....	333, 685, 689	Dinitroethylene glycol .....	462	Disperse Yellow 3-D3 .....	265
Dimethomorph .....	333	2,7-Dinitrofluorene .....	484	Disperse Yellow 49 .....	265, 485
3,3'-Dimethoxybenzidine.....	484	2,7-Dinitro-9-fluorenone.....	484	Disperse Yellow 9, C.I. No. 10375 .....	265, 485
p-(Dimethylamino)azobenzene .....	484	1,2-Dinitroglycerin .....	462	Disulfoton (O,O-diethyl-D10,98%) ..	335, 685, 689
2,6-Dimethylaniline .....	333	1,3-Dinitroglycerin.....	462	Disulfoton .....	335
N,N-Dimethylaniline (D11,98%).....	676	3,5-Dinitro-2-methylaniline .....	461	Disulfoton-sulfone .....	335
9,10-Dimethylantracene (D14,98%) .....	650	3,5-Dinitro-4-methylaniline .....	461	Disulfoton-sulfoxide .....	335
9,10-Dimethylantracene .....	652	4,6-Dinitro-2-methylphenol (3,5-D2,98%) ..	677	2,6-Di-tert-butyl-4-methylphenol .....	302, 669, 677
2,5-Dimethylbenzaldehyde-DNPH.....	504	4,6-Dinitro-2-methylphenol .....	484	1,4-Dithiane (D4,98%) .....	485, 701
3,3'-Dimethylbenzidine.....	484	1,3-Dinitronaphthalene .....	484	1,4-Dithiane .....	485, 701
Dimethylcarbamoyl chloride.....	484	1,5-Dinitronaphthalene .....	484	Dithianon .....	335
		1,8-Dinitronaphthalene .....	484	Diuron .....	335
		2,4-Dinitrophenol (ring-D3,98%).....	672, 677	2,4-D-methyl ester .....	327
		2,4-Dinitrophenol .....	334, 462, 484	DNC-D8 .....	441
		2,4'-Dinitrophenylamine .....	462	DNOC .....	335
		2,4-Dinitrophenylhydrazones .....	505	Docosahexenoic acid.....	294
		2,3-Dinitrotoluene .....	462, 484	Docosahexenoic acid methyl ester .....	294
		2,4-Dinitrotoluene (ring-D3,98%) .....	672, 677	n-Docosane .....	485
		2,4-Dinitrotoluene .....	462, 485, 672, 797		
		2,5-Dinitrotoluene .....	462		



Docosanoic acid.....	294	Endrin ketone (13C12,99%) ...	336, 669, 683, 684, 689	EPA Method 8111.....	751, 778
Docosanoic acid methyl ester.....	294	Endrin ketone .....	336	EPA Method 8121.....	778
1-Docosanol.....	294	Energy forest (salix).....	251	EPA Method 8141A.....	367, 779
n-Dodecane (D26,98%).....	672	Energy grass (phalaris arudinaceae L.)...	251	EPA Method 8150B, 8151 .....	780
n-Dodecane.....	485	Energy peat (carex) .....	250	EPA Method 8240B .....	451, 781
1-Dodecanesulfonic acid sodium salt.....	893	Energy peat (sphagnum) .....	250	EPA Method 8260B . 716, 727, 767, 784, 785	
Dodecanoic acid.....	294	EN ISO 6468 .....	368, 402, 408	EPA Method 8270C .....	788
Dodecanoic acid methyl ester .....	294	Enrofloxacin-d5 hydrochloride .....	441	EPA Method 8270D .....	788, 792
Dodecanol .....	485	Enrofloxacin .....	441	EPA Method 8280 .....	564, 565
Dodecyl gallate .....	302	Enterobacter cloacae.....	192	EPA Method 8290.....	563, 564
Dodemorph.....	335	Enterococcus faecium.....	192	EPA Method 8310.....	478
Dodine.....	335	Enthalpy and heat capacity.....	827, 828	EPA Method 8315.....	795
Dogfish liver - Trace elements.....	159	EPA 600 Methods.....	448, 743	EPA Method 8318.....	736, 796
Dolomite .....	203, 204	EPA Method 1311 .....	763	EPA Method 8330.....	463, 464, 796
Doramectin .....	441	EPA Method 1613 .....	560, 561, 562	EPA Method 8410.....	792, 797
n-Dotriacontane (D66,98%).....	673	EPA Method 1614 .....	640, 641	EPA Method 8440 .....	798
n-Dotriacontane.....	485	EPA Method 1653 .....	656	EPA Methods 552, 552.1 and 552.2.....	740
Doxycycline hyclate .....	441	EPA Method 1653A.....	640, 656	4-Epianhydrotetracycline hydrochloride...	441
DR. CALUX®.....	160, 190, 191, 194, 195	EPA Method 1664 .....	763, 764, 883	(-)-Epicatechin .....	293
Drazoxolon.....	335	EPA Method 1664A.....	883	(+)-Epicatechin .....	293
Drinking water - Major ions and nutrients..	27	EPA Method 1668A.....	608, 609, 610	(-)-Epicatechin gallate.....	293
DSC calibration standard.....	827, 828	EPA Method 200.7 .....	533, 534, 535	Epichlorhydrin .....	485, 671, 677
DSC enthalpy .....	828	EPA Method 200.8 .....	535, 536	Epichlorhydrin (13C3,99%)....	336, 671, 677
DSC purity set .....	828	EPA Method 23 .....	562, 563	Epichlorhydrin (D5,98%).....	336, 671, 677
DTPD.....	485	EPA Method 2540C.....	882	(-)-Epigallocatechin .....	293
Dulcoside A .....	293	EPA Method 2540D.....	882	(-)-Epigallocatechin gallate.....	293
Durene (D14,98%).....	677	EPA Method 501 .....	448, 715	4-Epitetracycline hydrochloride.....	441
Dust and Fumes .....	128, 130	EPA Method 503.1 .....	719	EPN .....	336
Dysprosium.....	512, 524, 527	EPA Method 505 .....	720	Epoxiconazole .....	336
ECD Test Mixture .....	506	EPA Method 506 .....	721	1,2-Epoxybutane.....	485
Echinenone.....	287	EPA Method 507 .....	484, 722	Eprinomectin.....	336, 441
EDDHA .....	335	EPA Method 508, 508.1 .....	722	EPTC .....	336
EDDHMA.....	335	EPA Method 508.1 .....	723	Equilin .....	441
Edible oils - Tocopherols.....	177	EPA Method 508A.....	723	Erbium .....	513, 524, 527
Edifenphos.....	335	EPA Method 515.1 and 515.2 .....	724	Ergocornine .....	309
EHMPA.....	486	EPA Method 525.1 .....	731, 732	Ergocorninine .....	309
11,14-Eicosadienoic acid.....	294	EPA Method 525.2 .....	459, 733	Ergocristine .....	309
11,14-Eicosadienoic acid methyl ester....	294	EPA Method 526 .....	734	Ergocristinine .....	309
n-Eicosane (D42,98%) .....	673	EPA Method 527 .....	735	Ergocryptine.....	309
n-Eicosane.....	435, 485	EPA Method 529 .....	736	Ergocryptinine.....	309
Eicosanoic acid.....	294	EPA Method 531.1 .....	366, 736	Ergometrine .....	309
Eicosanoic acid methyl ester.....	294	EPA Method 547 .....	342, 737	Ergometrinine .....	309
1-Eicosanol.....	294	EPA Method 548.1 .....	738	Ergosine.....	309
11,14,17-Eicosatrienoic acid .....	294	EPA Method 548 .....	737	Ergosinine.....	309
11,14,17-Eicosatrienoic acid methyl ester	294	EPA Method 549.1 .....	738	Ergotamine.....	309
11-Eicosenoic acid .....	294	EPA Method 550,550.1 .....	738	Ergotaminine .....	309
11-Eicosenoic acid methyl ester.....	294	EPA Method 551.1 .....	739	Erucic acid.....	294
Elaidic acid .....	294	EPA Method 554 .....	741	Erucic acid methyl ester.....	294
Elaidic acid methyl ester.....	294	EPA Method 555 .....	742	Erythromycin (N,N-dimethyl-13C2,90%)..	441, 663
Electrical properties .....	867	EPA Method 601 .....	448, 743	Erythromycin.....	663
Electrical resistivity .....	833, 867	EPA Method 6010A.....	536, 537	Erythromycin A dihydrate.....	441
Electrolytic conductivity.....	865, 866, 867	EPA Method 6010C.....	537	Erythrosine.....	300
Empenthrin .....	335	EPA Method 602 .....	452, 744	Esbiol.....	337
EN 12766.....	401	EPA Method 609 .....	750	Esbiothrin .....	337
EN 14039.....	434, 435	EPA Method 610 .....	750	Escherichia coli 0157.....	193
EN 14105.....	238	EPA Method 612 .....	752	Escherichia coli in milk powder.....	192
EN 14214.....	237	EPA Method 613 .....	410, 752, 795	Esfenvalerate.....	337
EN 1948... 412, 413, 414, 415, 416, 568, 569		EPA Method 614, 614.1 .....	752	Esprocarb .....	337
EN-1948-4 .....	610, 611, 612	EPA Method 615 .....	753, 780	Esters Kit .....	468
Endosulfan (alpha+beta=2+1).....	335	EPA Method 619 .....	753	Estradiol (3,4-13C2,99%) .....	441, 661
alpha-Endosulfan (13C9,99%) 335, 669, 677, 683, 684, 689		EPA Method 622 .....	753	17β-Estradiol .....	441
alpha-Endosulfan (D4,97%) ... 335, 669, 677, 683, 684, 689		EPA Method 624 .....	451, 754, 755	DL-Estradiol (13,14,15,16,17,18-13C6,99%) .....	441, 661
alpha-Endosulfan.....	335	EPA Method 625 .... 451, 458, 754, 756, 757, 759		Estradiol .....	441, 661
beta-Endosulfan .....	335	EPA Method 632.1 .....	762	17β-Estradiol 17-acetate .....	441
Endosulfan .....	335	EPA Method 632 .....	762	17β-Estradiol 3-benzoate .....	441
Endosulfan alcohol .....	335	EPA Method 633 .....	762	17alpha-Estradiol hemihydrate .....	441
Endosulfan diol .....	336	EPA Method 8011 .....	448, 720, 765	Estriol (2,4,16,17-D4,98%) .....	661
Endosulfan ether .....	336	EPA Method 8015A.....	453, 765	Estriol (2,4-D2,98%) .....	441
Endosulfan I..... 669, 677, 683, 684, 689, 738		EPA Method 8020A.....	452, 766	Estriol.....	441, 661
Endosulfan II..... 335, 669, 677, 684, 689		EPA Method 8021B.....	769	Estrone (3,4-13C2,90%) .....	441, 661
Endosulfan-lactone .....	336	EPA Method 8030A.....	745, 770, 785	DL-Estrone (13,14,15,16,17,18-13C6,99%) .....	441, 661
Endosulfan sulfate (13C9,99%)..... 336, 677, 683, 684, 689		EPA Method 8031 .....	770	Estrone .....	441
Endosulfan sulfate... 336, 677, 683, 684, 689		EPA Method 8032A.....	471, 770	Estuarine water .....	32
Endosulfan sulfate-d4.....	336	EPA Method 8033 .....	471, 770	Etaconazole .....	337
Endothall.....	336, 738	EPA Method 8041 .....	457, 770	Ethalfuralin .....	337
Endothall acid.....	336	EPA Method 8061A.....	747, 771, 772	Ethanedioic acid .....	294
Endothal monohydrate .....	336	EPA Method 8070A.....	460, 747, 772	Ethanedioic acid dimethyl ester.....	295
Endrin (13C12,99%) 336, 669, 677, 683, 684, 689		EPA Method 8080A.....	776	Ethanoic acid .....	295
Endrin .....	336, 669, 677, 683, 684, 689	EPA Method 8081A.....	366, 774	Ethanoic acid methyl ester.....	295
Endrin aldehyde (13C6,99%) . 336, 669, 677, 683, 684, 689		EPA Method 8081B.....	774	Ethanol/water - 40% Ethanol .....	185
		EPA Method 8082 .....	400, 776	Ethanol/water - 5% Ethanol .....	185
		EPA Method 8091 .....	776	Ethanol/water - 70% Ethanol .....	185
		EPA Method 8095 .....	777	Ethanol.....	486
		EPA Method 8100 .....	778		

## Product index

Ethanol HPLC Optigrade®	906	Fenaminosulf	338	Flubendiamide	340
Ethanol in water	185	Fenamiphos	338	Flubenzimine	340
Ethephon	337	Fenamiphos-sulfone	338	Fluchloralin	340
Ethidimuron	337	Fenamiphos-sulfoxide	338	Flucycloxuron	340
17 $\alpha$ -Ethinylestradiol	441	Fenarimol	338	Flucythrinate	340
Ethiofencarb	337	Fenazaflor	338	Fludioxonil	340
Ethiofencarb-sulfone	337	Fenazacquin	338	Flufenacet	340
Ethiofencarb-sulfoxide	337	Fenazox	338	Flufenacet ESA sodium salt	340
Ethiolate	337	Fenbendazole	441	Flufenacet OA	340
Ethion	337	Fenbendazole-d3	441	Flufenoxuron	340
Ethiprole	337	Fenbendazole-sulfone	441	Flumequine	340
Ethirimol	337	Fenbuconazole	338	Flumethrin	340
Ethisterone	441	Fenbutatin oxide	338	Flumetralin	340
Ethofumesate	337	Fenchlorazol-ethyl	338	Flumioxazin	340
Ethopabat	441	Fenchlorphos	338	Flunixin	441
Ethoprop	337	Fenclorim	338	Flunixin-D3	441
Ethoprophos	337	Fenfuram	338	Fluometuron	340
2-Ethoxyethanol HPLC Optigrade®	906	Fenhexamid	338	Fluopicolide	340
2-Ethoxyethyl acetate	486	Fenitrothion (O,O-dimethyl-D6,98%)	338, 685, 689	Fluoranthene (13C6,99%)	426, 649, 677
Ethoxyquin	337	Fenitrothion	338	Fluoranthene (D10,98%)	426, 650, 677
Ethoxysulfuron	337	Fenobucarb	338	Fluoranthene	426, 652, 677
Ethychnozate	337	Fenoprop	339	Fluoranthene, 3-nitro	426
4-(1-Ethyl-1-methylhexyl)phenol	486	Fenoprop methyl ester	339	Fluoranthene, 1,2,3,4-tetrahydro	426
4-(2-Ethyl-1-methylhexyl)phenol	486	Fenoxanil	339	Fluorene (13C6,99%)	426, 649, 677
Ethylacetate	312, 486	Fenoxaprop	339	Fluorene (D10,98%)	426, 650, 651, 677
Ethylacetate for LC-MS Optigrade®	906, 907	Fenoxaprop-ethyl	339	Fluorene	426, 652, 677
Ethylacetate HPLC Optigrade®	906	Fenoxaprop-P	339	Fluorene, 1-methyl	426
Ethylacetate Picograde® for residue analysis	907	Fenoxaprop-P-ethyl	339	9-Fluorenone	426
Ethyl alcohol	486	Fenoxycarb	339	Fluorescence spectroscopy	851, 852
Ethylbenzene (D10,98%)	677	Fenpiclonil	339	Fluoride	540
Ethylbenzene (D10,99%)	650, 677	Fenpropathrin	339	Fluoroacetic acid sodium salt	340
Ethylbenzene (ethyl-D5,98%)	677	Fenpropidin	339	4-Fluoroaniline	486, 761
Ethylbenzene	486	Fenpropimorph	339	Fluorobenzene	486, 718, 729, 756
Ethylbenzene-D10	486, 756	Fenpyroximate	339	2-Fluorobiphenyl	486, 778
Ethyl t-butyl ether in gasoline	232	Fenson	339	Fluorodifen	340
Ethyl centralite	462	Fensulfothion	339	Fluoroglycofen-ethyl	340
Ethylene glycol	486	Fenthion	339	1-Fluoronaphthalene	486, 761, 778
Ethylene thiourea	337, 486	Fenthion-sulfone	339	2-Fluoronaphthalene	486, 487, 761
2-Ethylhexyl diphenyl phosphate	337	Fenthion-sulfoxide	339	2-Fluorophenol	487, 746, 761, 771
2-Ethylhexyl hydrogen methylphosphonate	486	Fentin-acetate	339	4-Fluoro-3-phenoxybenzoic acid (13C6,99%)	341, 686, 689
Ethyl hydrogen dimethylamidophosphate sodium salt (13C4,99%)	685, 701	Fentin-chloride	339	4-Fluoro-3-phenoxybenzoic acid	341, 686, 689
Ethyl hydrogen dimethylamidophosphate sodium salt	337, 486, 685, 701	Fentin-hydroxide	339	Fluorspar	207
Ethyl hydrogen methylphosphonate (ethyl-D5,98%)	486, 685, 701	Fentrazamid	339	Fluotrimazole	341
Ethyl-4-hydroxybenzoate	301, 486	Fenuron	339	Fluoxastrobin	341
4,6-O-Ethylidene-alpha-D-glucopyranoside	284	Fenvalerate	339, 340	Fluoxetine hydrochloride	442
Ethyl methacrylate	486	Ferbam	340	Fluquinconazole	341
Ethyl methanesulfonate	486	Fertilizers	201, 202, 208	Flurenol-methyl ester	341
4-(1-Ethyl-1-methylhexyl) phenol	665	Fibronil	340	Fluridone	341
4-(1-Ethyl-1-methylhexyl) phenol (ring-13C6,99%)	665	FID Test Mixture	506	Flurorene	426
Ethyl methylphosphonic acid	337, 486, 701	Filter	882	Fluroxypr	341
2-Ethylphenol	337	Filter media	132, 133, 134	Fluroxypr-1-methylheptylester	341
3-Ethylphenol	337	Finasteride	441	Flurprimidol	341
4-Ethylphenol	337	Fipronil	340	Flurtamone	341
2-Ethyltoluene	486	Fipronil sulfone	340	Flusilazole	341
3-Ethyltoluene	486	Firebrick	206	Flutolanil	340
4-Ethyltoluene	486	Fish	152	Flutriafol	341
Ethinylestradiol (20,21-13C2,99%)	441, 661	Fish flesh	159	tau-Fluvalinate	341
Ethinylestradiol	661	Fish oil	153	Fluxofenim	341
Etofenprox	337	Fish oil - DR CALUX® TEQ	160, 195	Fly ash	124, 126
Etoxazole	337	Fish - Organic contaminants	154, 155, 157, 158, 159, 572, 573, 574	Fly ash - Dioxins and furans	124
Etridiazole	337	Fish otolith	160	Fly ash - Trace elements	124
Etrifos	337	Fish protein - Trace elements	159	Folic acid (Vitamin M)	291
Eugenol	338	Fish - Radioactive isotopes	159	Folpet	341
Europium	513, 524, 528	Flame retardants	409	Fomesafen	341
Evaporated milk	140	Flamprop-isopropyl	340	Fonofos (ring-13C6)	341, 685, 689
Event 3272 maize	168	Flamprop-M-isopropyl	340	Fonofos	341, 685, 689
eVol® - Electronic syringe	885	Flamprop-M-isopropylester	340	Food authenticity	179, 180
Ewes'Goats' curd	138	Flash point	832	Foramsulfuron	341
Explosives	464	Flazasulfuron	340	Forchlorfenuron	341
Famoxadone	338	Fleroxacin	441	Formaldehyde-DNPH	129, 504
Famphur	338	Flint clay	216	Formate	540
Fatty acid methyl esters in 2,2,4-trimethylpentane	299	Flocoumafen (mixture of isomers)	340	Formetanate hydrochloride	341
Febantel	441	Flonicamid	340	Formic acid UHPLC-MS Optigrade®	893
Febantel-d6	441	Florasulam	340	Formothion	341
Feedingstuff - DR CALUX® TEQ	191, 194	Florisil®	892	Fosfomycin sodium	442
Feldspar	205	Florisil® for ISO 9377-2/H53	435, 892	Fosthiazate	341
Fenamidone	338	Fluazifop	340	Foundry coke	250
Fenamidone metabolite	338	Fluazifop-butyl	340	Foundry coke - Sulfur	250
		Fluazifop-methyl	340	Free cyanide	542
		Fluazifop-P-butyl	340	Freezing point	831
		Fluazinam	340	Freon 134	496
		Fluazuron	340	Freon 134A	496
		Flubendazole	441	Fresh cheese	140
		Flubendazole-d3	441	Fresh water sediment	40, 54

Fresh water sediments - PCBs and PBDEs	43	1-Thio-beta-D-glucose sodium salt	285	2,2',3,3',4,5',6-Heptabromodiphenyl ether (BDE-175)	639
Fresh water	28, 29	Glufosinate-ammonium	341, 342	2,2',3,4,4',5',6-Heptabromodiphenyl ether (13C12,99%)	637
D-(-)-Fructose	284	L-Glutamic acid	289	2,2',3,4,4',5',6-Heptabromodiphenyl ether 639	
D-Fructose-1,6-diphosphate barium salt	284	L-Glutamine	289	2,2',3,4,4',5',6-Heptabromodiphenyl ether 639	
Fruit and vegetables	118, 171	Glutaraldehyde-DNPH	504	2,3,3',4,4',5,6-Heptabromodiphenyl ether (13C12,99%)	637
Fuberidazole	341	Glycine	289	2,3,3',4,4',5,6-Heptabromodiphenyl ether 639	
D-(+)-Fucose	284	Glycolate	540	Heptachlor (13C10,99%)	343, 669, 678, 683, 684, 690
L-Fucose	284	Glyphosate (2-13C,99%, 15N,98%)	342, 685, 690	Heptachlor epoxide (13C1,99%)	343
Fucoxanthin	287	Glyphosate	342, 685, 690, 737	cis-Heptachlor epoxide (13C10,99%)	343, 669, 678, 683, 684, 690
Fuel Oil #4	436	Glyphosate-isopropyl ammonium	342	Heptachlor epoxide. 343, 669, 678, 683, 684, 690	
Fuel Oil #5	436	GMOs	165, 166, 167, 168, 169, 170, 171, 189	2,2',3,3',4,4',5-Heptachlorobiphenyl (13C12,99%)	396, 597
Fuel Oil #6	436	Gold	513, 524, 535	2,2',3,3',4,4',5-Heptachlorobiphenyl 396, 599, 606	
Fumagillin	304	Gold chloride, 99.99%	819	2,2',3,3',4,4',5-Heptachlorobiphenyl 396, 606	
Fumaric acid	302	Gold shot, 99.999%	819	2,2',3,3',4,5,5'-Heptachlorobiphenyl 396, 599, 606	
Fumonisin B1 (13C34)	305	Gonyautoxin-5	311	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Fumonisin B1	305	Gonyautoxins-3 (GTX3)	311	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Fumonisin B2 (U-13C34)	305	Gonyautoxins-4 (GTX4)	311	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Fumonisin B2	305	Graphite Furnace AA Calibration Standard	531	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Fumonisin B3 (U-13C34)	305	Grasses and crops	117	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Fumonisin B3	305	Grass - Radionuclides	117	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Fumonisin Mix	306, 307	Green Tea BRM	293	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 599, 606	
Furalaxyl	341	Green Tea XRM	293	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 599, 606	
Furaltadon-D5	442	Griseofulvin	442	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Furaltadone	442	Ground water	29, 30	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Furathiocarb	341	Ground water - Trace elements	29	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Furazolidone	442	Guaiacol (ring-13C6,99%)	678	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Furazolidone-d4	442	Guazatin acetate	342	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Furilazole	341	Guthion	317	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Furmecycloz	341	Gymnodimine (GYM)	310	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Fusarenon X	305	Gypsum	206, 207	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 599, 606	
GA21 Maize	166	H 53	434	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Gadolinium	513, 524, 528	Hafnium	513, 524	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Galactan	284	Hafnium oxide, 99.99%	819	2,2',3,3',4,5,6-Heptachlorobiphenyl (13C12,99%)	396, 597
D-Galactono-1,4-lactone	284	Halobutenes Kit	465	2,2',3,3',4,5,6-Heptachlorobiphenyl (13C12,99%)	396, 597
D-Galactosamine HCl	284	Halopropanes Kit	465	2,2',3,3',4,5,6-Heptachlorobiphenyl (PCB 180)	396
D-(+)-Galactose	284	Halosulfuron-methyl	342	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 599, 606	
D-Galacturonic acid	284	Halowax 1000	406, 654, 775	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Gallium	513, 524, 528	Halowax 1001	406, 775	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Gallium oxide, 99.999%	819	Halowax 1013	406, 654, 775	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
1,3,6-Tri-O-galloyl-beta-D-glucose	284	Halowax 1051	406, 654, 775	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 606	
Gas oil	227, 228	Halowax 1099	406, 775	2,2',3,3',4,5,6-Heptachlorobiphenyl 397	
Gas oil - Solvent Yellow 124	228	Haloxyfop	342	2,2',3,3',4,5,6-Heptachlorobiphenyl 396, 397, 607	
Gas oil - Solvent Yellow 125	228	Haloxyfop-2-ethoxyethyl ester	342	2,2',3,3',4,5,6-Heptachlorobiphenyl 397, 607	
Gas oil - Sulfur	227	Haloxyfop-p-methyl	342	2,2',3,3',4,5,6-Heptachlorobiphenyl 397, 607	
Gasoline (High-Octane) - Sulfur	230	Haloxyfop-methyl	342	2,2',3,3',4,5,6-Heptachlorobiphenyl 397, 599, 607	
Gasoline	435, 436, 477, 494, 499	Hard cheese	140	2,2',3,3',4,5,6-Heptachlorobiphenyl (13C12,99%)	397, 597
Gemfibrozil (2,2-dimethyl-D6,98%)	442, 662	Hard drinking water - Anions	27	2,2',3,3',4,5,6-Heptachlorobiphenyl (13C12,99%)	397, 597
Gemfibrozil	442, 662	Hardness	880	2,2',3,3',4,5,6-Heptachlorobiphenyl 397, 607	
Genetically modified crops	164, 165, 166, 167, 168	Haricots beans	173	2,2',3,3',4,5,6-Heptachlorobiphenyl 397, 599, 607	
Genistein (3',5',6,8-D4,94%)	669	Haricots verts	173	2,2',3,3',4,5,6-Heptachlorobiphenyl 397, 599, 607	
Genistein	669	HCB	343	2,2',3,3',4,5,6-Heptachlorobiphenyl 397, 599, 607	
Genite	341	alpha-HCH (13C6,99%)	342, 669, 678, 684, 690	2,3,3',4,4',5,5-Heptachlorobiphenyl (13C12,99%)	397, 597
Genomic DNA	191	alpha-HCH	342, 678, 684, 690	2,3,3',4,4',5,5'-Heptachlorobiphenyl (PCB 189)	397
Genomic DNA of Bacillus licheniformis DSM 5749	186, 190, 191	beta-HCH (13C6,99%)	342, 669, 678, 684, 690	2,3,3',4,4',5,5'-Heptachlorobiphenyl 397, 599, 607	
Genomic DNA of Bacillus subtilis DSM 5750	186, 190, 192	beta-HCH	342, 678, 684, 690	2,3,3',4,4',5,6-Heptachlorobiphenyl 397, 607	
Genomic DNA of Escherichia coli	191	delta-HCH (13C6,99%)	343, 678, 684, 690	2,3,3',4,4',5,6-Heptachlorobiphenyl 397, 607	
Gentamycin 2,5-sulfate hexahydrate	442	delta-HCH	343, 678, 684, 690	2,3,3',4,5,5',6-Heptachlorobiphenyl	397
Gentianose	284	epsilon-HCH	343	2,3,3',4',5,5',6-Heptachlorobiphenyl 397, 607	
beta-Gentiobiose octaacetate	284	gamma-HCH (13C6,99%)	343, 669, 678, 684, 690	2,3,3',4,5,5',6-Heptachlorobiphenyl	607
Germanium	513, 524, 528	gamma-HCH (13C6,99%,D6,99%)	343, 678, 684, 690	2,3,3',4,4',5,6-Heptachlorobiphenyl	397
GHB119 Cotton seed	170	gamma-HCH	342, 678, 684, 690	Heptachlorobornane	370, 371
Gibberellic acid, GA3	341	HCH	342	Heptachlorobornene	374
Ginkgo biloba	186, 187	HCH mix	342	Heptachlorocamphene	375
Ginkgo-containing tablets	187	Helenien	287	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (13C12,99%)	551
Glass and ceramics	254, 255, 256, 257	Hendecanoic acid	295	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	411, 552, 795
Glass-ceramic - Thermal diffusivity, thermal conductivity	833	Hendecanoic acid methyl ester	295	1,2,3,4,6,7,9-Heptachlorodibenzo-p-dioxin	552
Glass - Hexavalent chromium	254	n-Heneicosane	487	1,2,3,4,6,7,8-Heptachlorodibenzofuran	411, 553, 795
Glass liquidus temperature	834	Heneicosanoic acid	295	1,2,3,4,6,8,9-Heptachlorodibenzofuran (13C12,99%)	553
Glass sand	255	Heneicosanoic acid methyl ester	295	1,2,3,4,7,8,9-Heptachlorodibenzofuran (13C12,99%)	553
Glitoxin	305	1-Heneicosanol	295	1,2,3,4,7,8,9-Heptachlorodibenzofuran	553
alpha-D-Glucoheptose	284	N-Hentriacontane	487	1,2,3,4,6,7,8-Heptachlorodibenzofuran (13C12,99%)	552
D-(+)-Gluconic acid D-lactone	284	HEPES	864	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin (13C12,99%)	557
L-Gluconolactone	284	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin (13C12,99%)	557	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin	557
D-(+)-Glucosamine HCl	284	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin (13C12,99%)	557	1,2,3,4,6,7,8-Heptabromodibenzofuran (13C12,99%)	557
Glucosamine sulfate	284	1,2,3,4,6,7,8-Heptabromodibenzofuran	557	1,2,3,4,6,7,8-Heptabromodibenzofuran	552
D-Glucosamine sulfate potassium salt	284	1,2,3,4,6,7,8-Heptabromodibenzofuran (13C12,99%)	557	Heptachlorodihydrocamphene	374, 375
D-Glucosaminic acid	284	1,2,3,4,6,7,8-Heptabromodibenzofuran	557		
beta-D-(+)-Glucose	284				
D-(+)-Glucose	284				
L-Glucose	284				
alpha-D-Glucose pentaacetate	284				



## Product index

2,2',3,4',5,5',6-Heptachloro-4-methoxybiphenyl.....	636	Hexachlorobenzene (13C6,99%)....	343, 669, 678, 684, 690	Hexachloro-1,3-butadiene.....	343, 487
1,2,3,4,5,6,7-Heptachloronaphthalene (13C10,98%).....	406, 653	Hexachlorobenzene 343, 408, 487, 678, 684, 690, 777		Hexachlorobutadiene.....	487
1,2,3,4,5,6,7-Heptachloronaphthalene ...	406, 654	2,2',3,4,4',5'-Hexachlorobiphenyl.....	394	Hexachlorocyclopentadiene.....	487
1,2,3,4,5,6,8-Heptachloronaphthalene ...	407, 654	2,2',3,3',4,4'-Hexachlorobiphenyl (13C12,99%).....	393, 597	1,2,3,4,6,7-Hexachlorodibenzo-p-dioxin (13C12,99%).....	551
n-Heptacosane.....	487	2,2',3,3',4,4'-Hexachlorobiphenyl (PCB 128).....	393, 599, 604	1,2,3,4,6,7-Hexachlorodibenzo-p-dioxin ..	552
Heptacosanoic acid methyl ester.....	295	2,2',3,3',4,5'-Hexachlorobiphenyl.....	393, 604	1,2,3,4,6,9-Hexachlorodibenzo-p-dioxin ..	552
1-Heptacosanol.....	295	2,2',3,3',4,6'-Hexachlorobiphenyl.....	393, 605	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (13C12,99%).....	551
Heptadecafluorooctanesulfonic acid.....	487	2,2',3,3',4,6'-Hexachlorobiphenyl.....	393, 605	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin .410, 411, 552, 795	
Heptadecafluorooctanesulfonic acid potassium salt.....	487	2,2',3,3',5,5'-Hexachlorobiphenyl.....	393, 605	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (13C12,99%).....	551
n-Heptadecane (D36,98%).....	673	2,2',3,3',5,6'-Hexachlorobiphenyl.....	393, 605	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ..	552
n-Heptadecane.....	487	2,2',3,3',5,6'-Hexachlorobiphenyl.....	393, 605	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (13C12,99%).....	551
Heptadecanoic acid.....	295	2,2',3,3',6,6'-Hexachlorobiphenyl.....	394, 605	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ..	552
Heptadecanoic acid methyl ester.....	295	2,2',3,4,4',5'-Hexachlorobiphenyl (13C12,99%).....	394, 597	1,2,4,6,7,9/1,2,4,6,8,9-Hexachlorodibenzo-p-dioxin isomer pair.....	552
1-Heptadecanol.....	295	2,2',3,4,4',5'-Hexachlorobiphenyl.....	394, 599, 605	1,2,3,4,6,8-Hexachlorodibenzofuran.....	553
Heptaldehyde-DNPH.....	504	2,2',3,4,4',6'-Hexachlorobiphenyl.....	394, 605	1,2,3,4,6,9-Hexachlorodibenzofuran (13C12,99%).....	552
2,2,4,4,6,8,8-Heptamethylnonane.....	487	2,2',3,4,4',6'-Hexachlorobiphenyl.....	394, 605	1,2,3,4,7,8-Hexachlorodibenzofuran (13C12,99%).....	552
n-Heptane (D16,98%).....	672	2,2',3,4,4',6'-Hexachlorobiphenyl.....	394, 605	1,2,3,4,7,8-Hexachlorodibenzofuran 411, 553, 795	
n-Heptane.....	230, 231, 487	2,2',3,4,4',6'-Hexachlorobiphenyl.....	394, 605	1,2,3,4,8,9-Hexachlorodibenzofuran.....	553
Heptanedioic acid.....	295	2,2',3,4,4',6'-Hexachlorobiphenyl.....	394, 605	1,2,3,6,7,8-Hexachlorodibenzofuran (13C12,99%).....	552
Heptanedioic acid dimethyl ester.....	295	2,2',3,4,4',6'-Hexachlorobiphenyl.....	394, 605	1,2,3,6,7,8-Hexachlorodibenzofuran.....	553
1-Heptanesulfonic acid sodium salt.....	893	2,2',3,4,5',5'-Hexachlorobiphenyl (13C12,99%).....	394, 597	1,2,3,7,8,9-Hexachlorodibenzofuran (13C12,99%).....	552
1-Heptanesulfonic acid sodium salt.....	893	2,2',3,4,5',5'-Hexachlorobiphenyl.....	394, 599, 605	1,2,3,7,8,9-Hexachlorodibenzofuran.....	553
Heptanoic acid.....	295	2,2',3,4,5',5'-Hexachlorobiphenyl.....	394, 599, 605	2,3,4,6,7,8-Hexachlorodibenzofuran (13C12,99%).....	552
Heptanoic acid methyl ester.....	295	2,2',3,4,5',5'-Hexachlorobiphenyl.....	394, 599, 605	2,3,4,6,7,8-Hexachlorodibenzofuran.....	553
n-Heptanol.....	487	2,2',3,4,5',6'-Hexachlorobiphenyl.....	394, 605	Hexachlorodihydrocamphene.....	374, 375
3-Heptanone.....	487	2,2',3,4,5',6'-Hexachlorobiphenyl.....	394, 605	2,2',3,3',4,4'-Hexachlorodiphenylether (HexaCDE) (13C12, 99%).....	671
4-Heptanone.....	487	2,2',3,4,5',6'-Hexachlorobiphenyl.....	394, 605	2,2',3,4,5,5'-Hexachlorodiphenylether (13C12,99%).....	671
Heptenophos.....	343	2,2',3,4,5',6'-Hexachlorobiphenyl.....	394, 599, 605	2,2',3,4,5,5'-Hexachlorodiphenylether.....	671
n-Heptylbenzene.....	487	2,2',3,4,5',6'-Hexachlorobiphenyl.....	394, 599, 605	2,3,3',4,4',5'-Hexachlorodiphenyl ether (13C12,99%).....	671
Herbs.....	175	2,2',3,4,5,6'-Hexachlorobiphenyl.....	394, 605	Hexachloroethane (1-13C,99%).....	678
Herring.....	153	2,2',3,4,5,6'-Hexachlorobiphenyl.....	394, 605	Hexachloroethane.....	442, 487
Hexabromobenzene (13C6,99%).....	667	2,2',3,4,5,6'-Hexachlorobiphenyl.....	394, 605	2,2',3,4',5,5'-Hexachloro-4-methoxybiphenyl.....	636
Hexabromobenzene.....	343, 487, 667	2,2',3,4,6,6'-Hexachlorobiphenyl.....	394, 605	1,2,3,4,5,7-Hexachloronaphthalene (13C10,99%).....	406, 653
2,2',4,4',5,5'-Hexabromobiphenyl.....	409, 639	2,2',3,4,6,6'-Hexachlorobiphenyl.....	394, 605	1,2,3,4,6,7-Hexachloronaphthalene. 406, 654	
2,2',4,4',6,6'-Hexabromobiphenyl.....	410	2,2',3,5,5',6'-Hexachlorobiphenyl.....	394, 599, 605	1,2,3,5,6,7-Hexachloronaphthalene. 406, 654	
2,3,3',4,4',5'-Hexabromobiphenyl (13C12,99%).....	639	2,2',3,5,6,6'-Hexachlorobiphenyl.....	395, 605	1,2,3,5,7,8-Hexachloronaphthalene. 406, 654	
2,3,3',4,4',5'-Hexabromobiphenyl.....	639	2,2',4,4',5,5'-Hexachlorobiphenyl (13C12,99%).....	395, 597	1,2,4,5,6,8-Hexachloronaphthalene. 406, 654	
Hexabromobiphenyl (tech.).....	409	2,2',4,4',5,5'-Hexachlorobiphenyl (PCB 153).....	395, 599	Hexachlorophene (13C13,99%).....	661, 671
2,2',4,4',5,5'-Hexabromobiphenyl (PBB-153) (13C12,99%).....	639	2,2',4,4',5,5'-Hexachlorobiphenyl.....	395, 599	Hexachlorophene.....	343, 487, 661, 671
alpha-Hexabromocyclododecane (13C12,99%).....	639	2,2',4,4',5,5'-Hexachlorobiphenyl (13C12,99%).....	395, 597	Hexachloropropene.....	487
alpha-Hexabromocyclododecane.....	639	2,2',4,4',6,6'-Hexachlorobiphenyl (13C12,99%).....	395, 597	1,2,4,5,7,8-Hexachloroxanthene.....	678
beta-Hexabromocyclododecane (13C12,99%).....	639	2,2',4,4',6,6'-Hexachlorobiphenyl.....	395, 599, 605	Hexaconazole.....	343
beta-Hexabromocyclododecane.....	639	2,3,3',4,4',5'-Hexachlorobiphenyl (13C12,99%).....	395, 597	n-Hexacosane.....	487
gamma-Hexabromocyclododecane (13C12,99%).....	639	2,3,3',4,4',5'-Hexachlorobiphenyl (13C12,99%).....	395, 597	Hexacosanoic acid.....	295
gamma-Hexabromocyclododecane.....	639	2,3,3',4,4',5'-Hexachlorobiphenyl (PCB 156).....	395, 599, 606	Hexacosanoic acid methyl ester.....	295
Hexabromocyclododecane.....	639	2,3,3',4,4',5'-Hexachlorobiphenyl.....	395, 599, 606	1-Hexacosanol.....	295
1,2,3,4,7,8-Hexabromodibenzo-p-dioxin (13C12,99%).....	557	2,3,3',4,4',6'-Hexachlorobiphenyl.....	395, 599, 606	n-Hexadecane (D34,98%).....	673
1,2,3,4,7,8-Hexabromodibenzo-p-dioxin..	557	2,3,3',4,4',6'-Hexachlorobiphenyl.....	395, 599, 606	n-Hexadecane.....	487
1,2,3,6,7,8-Hexabromodibenzo-p-dioxin (13C12,99%).....	557	2,3,3',4,5,5'-Hexachlorobiphenyl (13C12,99%).....	395, 597	Hexadecanoic acid.....	295
1,2,3,6,7,8-Hexabromodibenzo-p-dioxin..	557	2,3,3',4,5,5'-Hexachlorobiphenyl.....	395, 599, 606	Hexadecanoic acid methyl ester.....	295
1,2,3,7,8,9-Hexabromodibenzo-p-dioxin (13C12,99%).....	557	2,3,3',4,5,5'-Hexachlorobiphenyl.....	395, 599, 606	1-Hexadecanol.....	295
1,2,3,7,8,9-Hexabromodibenzo-p-dioxin..	557	2,3,3',4,5,5'-Hexachlorobiphenyl.....	395, 599, 606	Hexadecyltrimethylammonium bromide... 487	
1,2,3,4,7,8-Hexabromodibenzofuran (13C12,99%).....	557	2,3,3',4,5,6'-Hexachlorobiphenyl.....	395, 396, 606	Hexaflumuron.....	343
1,2,3,4,7,8-Hexabromodibenzofuran.....	558	2,3,3',4,5,6'-Hexachlorobiphenyl.....	395, 606	Hexamethylbenzene.....	488
2,2',3,3',4,4'-Hexabromodiphenyl ether ...	638	2,3,3',4,5,6'-Hexachlorobiphenyl.....	395, 606	Hexamethylenetetraamine.....	302
2,2',3,4,4',5'-Hexabromodiphenyl ether (13C12,99%).....	637	2,3,3',4,5,6'-Hexachlorobiphenyl.....	395, 606	n-Hexane (D14,99%).....	672
2,2',3,4,4',5'-Hexabromodiphenyl ether ...	638	2,3,3',5,5,6'-Hexachlorobiphenyl.....	395, 606	n-Hexane.....	312, 488
2,2',3,4,4',6'-Hexabromodiphenyl ether (13C12,99%).....	637	2,3',4,4',5,5'-Hexachlorobiphenyl (13C12,99%).....	396, 597	Hexanedioic acid.....	295
2,2',3,4,4',6'-Hexabromodiphenyl ether ...	638	2,3',4,4',5,5'-Hexachlorobiphenyl.....	396, 599, 606	Hexanedioic acid dimethyl ester.....	295
2,2',3,4,5,6'-Hexabromodiphenyl ether (BDE-148).....	638	2,3,4,4',5,6'-Hexachlorobiphenyl.....	395, 396, 606	1-Hexanesulfonic acid sodium salt.....	893
2,2',4,4',5,5'-Hexabromodiphenyl ether (13C12,99%).....	637	2,3',4,4',5,6'-Hexachlorobiphenyl.....	396, 606	Hexanoic acid (D11,98%).....	678
2,2',4,4',5,5'-Hexabromodiphenyl ether ...	639	2,3',4,4',5,6'-Hexachlorobiphenyl (13C12,99%).....	396, 597, 670	Hexanoic acid.....	295
2,2',4,4',5,6'-Hexabromodiphenyl ether (13C12,99%).....	637	3,3',4,4',5,5'-Hexachlorobiphenyl.....	396, 599, 606	Hexanoic acid methyl ester.....	295
2,2',4,4',5,6'-Hexabromodiphenyl ether ...	639	3,3',4,4',5,5'-Hexachlorobiphenyl.....	606		
2,2',4,4',6,6'-Hexabromodiphenyl ether (13C12,99%).....	637	Hexachlorobornane.....	370		
2,2',4,4',6,6'-Hexabromodiphenyl ether ...	639	Hexachlorobornene.....	373		
2,2',4,4',6,6'-Hexabromodiphenyl ether ...	639	Hexachloro-1,3-butadiene (13C4,99%) ...	678		
2,3,4,4',5,6-Hexabromodiphenyl ether.....	639				



n-Hexanol .....	488	6-Hydroxy-2,2',4,4',5'-pentabromodiphenylether .....	640	Iprodione .....	344, 345
2-Hexanone .....	488	4-Hydroxy-2,3,3',4',5'-pentachlorobiphenyl (13C12,99%) 50 µg/mL in Nonane.....	636	Ipronidazole-D3 .....	442
n-Hexatriacontane (D74,98%) .....	673	2-Hydroxyphenanthrene .....	652	Ipronidazole-OH .....	442
n-Hexatriacontane .....	488	3-Hydroxyphenanthrene (ring-13C6,99%).....	649	Iprovalicarb .....	345
Hexavalent Chromium .....	512	3-Hydroxyphenanthrene .....	652	Irgarol .....	345
Hexazinone .....	343	9-Hydroxyphenanthrene .....	652	Iridium .....	514, 524
Hexestrol .....	442	17alpha-Hydroxyprogesterone .....	442	Iron .....	514, 522, 525, 528
Hexogen .....	462	L-Hydroxyproline .....	289	Iron granules, 99.995%.....	820
n-Hexyl acetate .....	488	trans-4-Hydroxy-L-proline .....	289	Iron nitrate nonohydrate, 99.9995%.....	820
n-Hexylbenzene .....	488	2-Hydroxypropionitrile .....	488	Iron oxide, 99.99%.....	820
Hexythiazox .....	344	8-Hydroxyquinoline .....	344	Iron oxide, 99.999%.....	820
HHDN (Aldrin).....	316	8-Hydroxyquinoline-sulfate .....	344	IR-standard .....	851
D-Histidine .....	289	4'-Hydroxy-2,2',4,5'-tetrabromodiphenylether .....	640	Isazophos .....	345
DL-Histidine .....	289	6-Hydroxy-2,2',4,4'-tetrabromodiphenyl ether (13C12,99%) .....	640	ISO 11046 .....	434
L-Histidine.....	289	6-Hydroxy-2,2',4,4'-tetrabromodiphenylether .....	640	ISO 16703.....	434, 435
L-Histidinol dihydrochloride .....	289	6'-Hydroxy-2,2',4,5'-tetrabromodiphenylether .....	640	ISO 9377 .....	434, 435
HMMNI.....	442	4'-Hydroxy-3,3',4,5'-tetrachlorobiphenyl (13C12,99%) .....	636	ISO 9377-2 .....	434
HMMNI-d3 .....	442	5-Hydroxythiabendazole .....	442	n-Isoamyl acetate .....	488
HMX (13C4,99%, ring-15N4,98%) .....	672	5-Hydroxytryptophan .....	289	D-(-)-Isoascorbic acid .....	302
HMX.....	463, 672, 797	lbuprofen.....	442	Isobutyl alcohol .....	488
Holmium .....	514, 524, 528	lbuprofen (propionic-13C3,99%).....	442, 662	Isobutyl alcohol Solution .....	488
Holmium glass filter - UV and visible wavelength .....	855	lbuprofen.....	442, 662	Isobutylbenzene .....	488
Holmium oxide - UV and visible wavelength .....	855	lbuprofen-d3 .....	442	Isobutyl hydrogen methylphosphonate ....	488
DL-Homocysteic acid.....	289	ICN Alumina B .....	892	Isobutyraldehyde-DNPH .....	504
DL-Homocysteine .....	289	ICN Alumina A .....	892	Isocarbamide .....	345
DL-Homocysteine thiolactone hydrochloride .....	289	ICP/MS Standards ...	531, 532, 533, 535, 536	Isocarbophos .....	345
DL-Homocystine .....	289	ICP calibration standards 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 536, 537 .....	224	Isodrin (13C12,99%) 345, 669, 683, 684, 690	345, 669, 683, 684, 690
L-Homophenylalanine.....	289	ICP solvent .....	224	Isodrin .....	345, 669, 683, 684, 690
Honey .....	142	Image analysis standard .....	840	Isofenphos .....	345
House dust .....	131	Imazail.....	344	Isofenphos-methyl .....	345
HT-2 Toxin (13C22).....	305	Imazail sulfate .....	442	Iso-Hexane HPLC Optigrade® .....	909
HT-2 Toxin .....	305	Imazamethabenz-methyl .....	344	Iso-Hexane Picograde® for residue analysis .....	909
Humidity.....	874	Imazamox .....	344	L-Isoleucine .....	289
Hyaluronic acid potassium salt .....	284	Imazapic .....	344	Isomaltose .....	285
Hydrochinone (ring-D4,98%) .....	678	Imazapyr .....	344	Isomethiozin .....	345
Hydrochloric acid .....	538, 909	Imazaquin .....	344	Isonoruron .....	345
Hydrocortisone.....	442	Imazosulfuron .....	344	Isooctane .....	230, 231
Hydrocortisone 21-acetate.....	442	Imidacloprid (4,4,5,5-D4,98%).....	344, 690	Isootane .....	678
Hydrofluoric acid .....	538, 910	Imidacloprid-d4 .....	344	Isophorone (3-methyl-D3, 2,4,4,6,6-D5,98%) .....	678
Hydrogen hexachloroplatinate(IV) hydrate, 99.999% .....	819	2-Imidazolidinethione .....	344	Isophorone .....	488
Hydrogen tetrachloroaurate hydrate, 99.999% .....	819, 820	2-Imidazolidone .....	344	Isophorone-DNPH .....	504
S-Hydroprene .....	344	Imidocarb dipropionate .....	442	Isophrone .....	488
Hydroquinone .....	488	Imipramine HCl (D4,98%).....	662	Isoprocarb .....	345
Hydroxyatrazine (ring-13C3,99%)... 317, 687, 688		IMPA .....	488	Isopropalin .....	345
Hydroxyatrazine .....	687, 688	Indane .....	426, 488	Isopropyl acetate.....	488
4-Hydroxybenzoic acid (ring-13C6,99%) 661, 671		1,3-Indanedione.....	426	Isopropylbenzene .....	488
4-Hydroxybenzoic acid.....	661, 671	Indene .....	426, 488	1,2-O-Isopropylidene-D-glucofuranose....	285
4-Hydroxybenzoxonitrile .....	344	Indeno(1,2,3-cd)fluoranthene .....	426	1,2-Isopropylidene-D-xylofuranose .....	285
2-Hydroxybiphenyl .....	344	Indeno(1,2,3-cd)pyrene (13C6,99%) .....	427, 649, 669	Isopropyl methylphosphonic acid (D7,98%) .....	488, 701
2-Hydroxybiphenyl .....	344	Indeno(1,2,3-cd)pyrene (D12,98%) 427, 651, 669		Isopropyl methyl phosphonic acid.....	488
3-Hydroxycarbofuran .....	321	Indeno(1,2,3-cd)pyrene.....	426, 427, 652	Isopropyl methylphosphonic acid.... 345, 488, 701	
6-Hydroxychrysene (13C6,99%).....	649	Indigotine .....	301	Isopropyl-beta-D-thiogalactopyranoside ..	285
6-Hydroxychrysene .....	652	Indium .....	514, 524, 528	2-Isopropyl-d7-thioxanthene-9-one .....	488
3-Hydroxydibenz[a,h]anthracene (ring-13C6,99%) .....	649	Indium acetate anhydrous, 99.99% .....	820	2-Isopropylthioxanthone.....	345
2-Hydroxyestradiol (13,14,15,16,17,18-13C6,99%) .....	661	Indium oxide, 99.999% .....	820	4-Isopropyltoluene .....	488
2-Hydroxyestradiol.....	662	Indium shot, 99.999% .....	820	ortho-Isoproturon .....	345
2-Hydroxyestrone (13,14,15,16,17,18-13C6,99%) .....	662	3-Indolyl-acetic acid .....	344	Isoproturon .....	345
2-Hydroxyestrone.....	662	4-(3-Indolyl)-butyric acid .....	344	Isopyrazam .....	345
4-Hydroxyestrone.....	662	Indoor dust - Trace elements.....	132	Isopteviol .....	293
DL-4-Hydroxyestrone (13,14,15,16,17,18-13C6,99%) .....	662	Indoxacarb .....	344	Isotianil.....	345
2-Hydroxyestrone-3-methyl ester.....	662	Industrial chemicals kit .....	467	Isotopes .....	179, 815, 816
DL-2-Hydroxyestrone-3-methyl ether (13,14,15,16,17,18-13C6,99) .....	662	Infant food .....	142	Isotopic ratio (D/H).....	180
4'-Hydroxy-2,2',3,3',4,5,5'-heptachlorobiphenyl (13C12,99%) .....	636	myo-Inositol .....	284, 285	Isovaleraldehyde-DNPH .....	504
3'-Hydroxy-2,2',3,4,4',5'-hexachlorobiphenyl (13C12,99%) .....	636	Iodide .....	540	Isoxaben .....	345
4-Hydroxy-2,2',3,4',5,5'-hexachlorobiphenyl (13C12,99%) .....	636	2-Iodobenzoic acid - Iodine.....	809	Isoxadifen-ethyl.....	345
4-Hydroxyisoleucine .....	289	Iodofenphos .....	344, 345	Isoxaflutol.....	345
3-Hydroxy-DL-kynurenine.....	289	Iodosulfuron-methyl sodium salt.....	344	Japanese diet .....	184
5-Hydroxymebendazole-d3.....	442	Ion activity.....	863	Jet Fuel A .....	436, 488
Hydroxymethylclenbuterole.....	442	Ion chromatography standards .....	539, 541	JIS Dioxin/Furan Method 566, 567, 579, 581, 588, 589	
2-Hydroxy-2',4,4',5',6'-pentabromodiphenyl ether (13C12,99%).....	640	loxynil.....	344	JIS PCB Method .....	612, 613, 614, 615
		loxynil-methyl .....	344	Kadethrin .....	345
		loxynil-octanoate .....	344	Kaolin .....	208
		lprobenphos .....	344	Karbutylate.....	345

## Product index

Kerosine - Sulfur .....	229, 230	Magnesium nitrate hexahydrate, 99.9995% .....	820	Metaldehyde .....	347
Ketones Kit .....	469	Magnesium oxide, 99.995% .....	820, 821	Metamitron .....	347
Ketoprofen .....	442	Magnetic moment .....	879, 880	Metam sodium dihydrate.....	347
Ketoprofen-d3 .....	442	Magnetometer.....	879	Metazachlor .....	347, 348
Ketotriclabendazole .....	345	Maize .....	168	Metconazol .....	348
Kojibiose .....	285	Maize flour - Trace elements .....	163	Methabenzthiazuron .....	348
Kresoxim-methyl.....	345	Maize - ZON.....	162, 308	Methacrifos .....	348
Lactate .....	540	Malachite green oxalate.....	152, 346, 443	Methacrolein-DNPH.....	504
Lactofen .....	345	Malaoxon .....	346	Methacrylonitrile .....	489
alpha-Lactose .....	285	Malate .....	540	Methacyline HCl.....	443
Lager - Alcohol.....	185	Malathion (D10,99%) .....	346, 669, 685, 690	Methamidophos (dimethyl-D6,98%)	348, 685, 690
Lager shandy - Alcohol .....	185	iso-Malathion .....	346	Methamidophos .....	348
Lake sediment .....	43	Malathion .....	346, 685, 690	Methamidophos-d6 .....	348
Lake water .....	31	Maleate .....	540	Metham sodium .....	347
Lamb, cooked - Meat species.....	144	Maleic hydrazide .....	346	Methanesulfonate .....	540
Lamb, raw - Meat species.....	144	Malononitrile .....	489	Methanoic acid .....	295
Laminarin .....	285	D-Maltose .....	285	Methanoic acid methyl ester .....	295
Landfill leachate.....	35, 36	D-(+)-Maltotriose .....	285	Methanol (D4,99.8%).....	678
Lanocnazole .....	442	Mancozeb .....	346	Methanol .....	489
Lanthanum .....	514, 525, 528	Mandipropamid .....	346	Methanol for LC-MS Optigrade® .....	911
Lanthanum oxide, 99.999% .....	820	Maneb .....	346	Methanol HPLC Optigrade® .....	910, 911
Latex spheres, nominal 2 µ .....	835	Manganese.....	515, 522, 525, 528	Methanol HPLC Optigrade® Gradient Grade .....	910
Latex spheres, nominal 4.8 µ .....	835	Manganese acetate tetrahydrate, 99.999% .....	821	Methanol Picograde® for residue analysis .....	912
Latex spheres, nominal 9.6 µ .....	835	Manganese(II) oxide, 99.99% .....	821	Methanol Purge & Trap.....	910
Lead.....	514, 522, 525, 528	Manganese(IV) oxide, 99.99%.....	821	Methanol UHPLC-MS Optigrade® .....	911
Lenacil .....	345, 346	Mannan .....	285	Methapyrilene .....	489
Leptophos .....	346	D-Mannitol .....	285	Methoxyam .....	348
Lethane 384.....	346	D-Mannosamine HCl .....	285	Methidioxan .....	348
L-Leucine .....	290	D-(+)-Mannose .....	285	Methimazol.....	443
Leucocystal violet-d6 .....	442	Mapenterol hydrochloride .....	443	Methiocarb .....	348
Leucomalachite green (phenyl-13C6,99%) .....	678	Marboflaxacin.....	443	Methiocarb-sulfone .....	348
Leucomalachite green .....	678	Margarine .....	138	Methiocarb-sulfoxide.....	348
Leucomalachite green-d5 .....	489	Matrix modifier .....	537	DL-Methionine.....	290
Leucomycin hydrate.....	442	MCPA .....	346	L-Methionine .....	290
Levamisol hydrochloride .....	442	MCPA-butoxyethyl ester .....	346	DL-Methionine sulfoxide .....	290
Levoglucofan.....	285	MCPA-2-ethylhexyl ester .....	346	Method 1668A .....	609
Lichen .....	119	MCPA-methyl ester.....	346	Method 529 .....	735
Limestone .....	202, 203, 845	MCPA-sodium salt .....	346	Method DM 471 .....	501, 502
Lindane .....	342	MCPB .....	347	Methomyl (acetohydroxamate-13C2,99%,15N,98%).....	348, 686, 690
Linerboard - Tape adhesion testing .....	880	MCPB-methyl ester.....	347	Methomyl .....	348, 686, 690
Linoleic acid .....	295	MCPB .....	347	Methoprene .....	348
Linoleic acid methyl ester .....	295	4,4'-MDI .....	489	Methoprotryne .....	348
Linolelaidic acid .....	295	Mebendazole .....	443	Methotrexate .....	290
Linolelaidic acid methyl ester.....	295	Mebendazole-d3 .....	443	Methoxychlor (ring-13C12,99%) .....	348, 669, 684, 690
gamma-Linolenic acid.....	295	Mecarban .....	347	2,4'-Methoxychlor .....	348
homo gamma-Linolenic acid.....	295	Mechanical properties.....	878, 879	4,4'-Methoxychlor .....	348
Linolenic acid .....	295	Mecillinam.....	443	Methoxychlor .....	348, 670, 684, 690
gamma-Linolenic acid methyl ester .....	295	Mecoprop .....	347	2-Methoxyestradiol.....	662
homo gamma-Linolenic acid methyl ester.....	295	Mecoprop-methyl ester .....	347	DL-2-Methoxyestradiol (13,14,15,16,17,18-13C6,99%).....	662
Linolenic acid methyl ester .....	295	Mecoprop-2-octyl ester .....	347	2-Methoxyestrone .....	662
Linuron .....	346	Mecoprop-P .....	347	4-Methoxyestrone .....	662
Lipid standards .....	294	Medroxyprogesterone .....	443	DL-2-Methoxyestrone (13,14,15,16,17,18-13C6,99%).....	662
Listeria monocytogenes in milk powder...	193	Medroxyprogesterone 17-acetate .....	443	DL-4-Methoxyestrone (13,14,15,16,17,18-13C6,99%).....	662
Lithium .....	514, 515, 522, 525, 528, 541	Mefenacet .....	347	2-Methoxyethanol.....	912
Lithium carbonate, 99.999% .....	820	Mefenpyr-diethyl.....	347	2-Methoxyethyl acetate .....	489
Lithium fluoride, 99.99% .....	820	Megesterol .....	438, 443	2'-Methoxy-2,3',4,5'-tetrabromodiphenyl ether .....	640
Lithium nitrate, 99.999% .....	820	Megestrol 17-acetate .....	443	6-Methoxy-2,2',4,4'-tetrabromodiphenyl ether .....	640
Loamy sand .....	89	MEK .....	474	5-Methoxytryptamine.....	290
Lobster .....	152	Melamine (13C3,99%, amino-15N3,98%) .....	663, 664	4-(1-Methyl-1-propylpentyl)phenol .....	490
Lobster - Trace elements.....	152	Melamine .....	489, 664	Methyl acetate .....	489
Loperamide hydrochloride .....	442	Melatonin .....	290	Methyl acrylate .....	489
Lubricating base oil - Sulfur .....	229	Melengestrol .....	438, 443	Methyl-beta-D-arabinopyranoside.....	285
Lubricating base oil - chlorine .....	228	Melengestrol acetate .....	438, 443	Methyl-4,6-O-benzylidene-alpha-D-glucopyranoside.....	285
Lufenuron.....	346	D-Melezitose dihydrate .....	285	Methyl-2-bromopropanoate.....	741
Lutein .....	287	Melt flow rate.....	873	2-Methylbutanoic acid .....	295
Lutetium .....	515, 525	Melting point .....	828, 829, 830	2-Methylbutanoic acid methyl ester .....	295
Lutetium oxide, 99.999% .....	820	(-)-Menthol (1,2,6,6-D4,98%).....	664, 667	Methyl tert-butyl ether .....	489, 766
Lycopene .....	287	Mepanipyrim .....	347	Methyl t-butyl ether in gasoline .....	232
L-(+)-Lysine.....	290	Mephosfolan .....	347	Methyl chloroacetate.....	348
DL-Lysine dihydrochloride .....	290	Mepiquat chloride .....	347	3-Methylcholanthrene .....	424
L-Lysine HCl .....	290	Mepronil .....	347	5-Methylchrysene (methyl-D3,98%).....	651
Lysozym hydrochloride .....	442	2-Mercaptobenzothiazole.....	347, 762	5-Methylchrysene .....	652
Mabuterol hydrochloride .....	442	Mercury .....	515, 522, 525, 528	Methylcobalamin .....	291
Madeira cake - Proximates .....	180	Mercury - Isotopes .....	813, 814	Methylcyclohexane.....	489
Maduramicin .....	442	Merphos .....	347	Methyl dichloroacetate .....	348
Magnesia .....	204	3-MeSO <sub>2</sub> -DDE .....	636		
Magnesite .....	206	3-MeSO <sub>2</sub> -4-Me-2',3',4',5,5'-Penta-CB .....	636		
Magnesite-Chrome .....	205	meso-Erythritol .....	285		
Magnesium .....	515, 522, 525, 528, 541	Mesosulfuron-methyl.....	347		
Magnesium-26 - Isotopes .....	813	Mesotrion .....	347		
Magnesium - Isotopes .....	813	Metaflumizone .....	347		
Magnesium - Isotopic composition .....	815	Metalaxyl .....	347		
Magnesium nitrate hexahydrate, 99.999% .....	820	Metalaxyl-M.....	347		

Methyl-3,5-dichlorobenzoate .....	741	Methyl-tert-butylether Picograde® for residue analysis.....	912, 913	Mono-n-benzyl phthalate (ring-1,2-13C2,99%, dicarboxyl-13C2,99%) .....	664
2-Methyl-4,6-dinitrophenol .....	489	17alpha-Methyltestosterone .....	443	Mono-benzyl phthalate.....	664
2-Methyldodecane .....	489	2-Methyltetradecane .....	490	2-Monobromodibenzofuran (13C12,99%)	557
10-Methyldodecanoic acid methyl ester ..	295	12-Methyltetradecanoic acid .....	296	2-Monobromodibenzofuran.....	558
2-Methyleicosane.....	489	12-Methyltetradecanoic acid methyl ester	296	4-Monobromodiphenyl ether (13C12,99%)	
18-Methyleicosanoic acid methyl ester....	295	6-Methyl-2-thiouracil .....	443	.....	637, 674
Methylene chloride (13C,99%) .....	678	Methyl trichloroacetate.....	349	Mono-n-butyl phthalate (ring-1,2-13C2, dicarboxyl-13C2,99%) .....	665
Methylene chloride (D2,99.9%) .....	678	Methyl triclosan (ring-13C12, 99%) .	443, 661	Mono-n-butyl phthalate.....	665
Methylene chloride.....	489	Methyl triclosan.....	443, 661	Monobutyltin trichloride.....	502
S-Methylfenitrothion.....	348	3-Methyltricosane .....	490	Mono-(5-carboxy-2-ethylpentyl) phthalate (13C4,99%) .....	665
Methyl folate .....	291	3-Methyltridecane .....	490	Mono(3-carboxypropyl)phthalate .....	665
Methyl-alpha-D-galactopyranoside .....	285	12-Methyltridecanoic acid methyl ester ..	296	Mono(3-carboxypropyl)phthalate (ring-1,2-13C2, dicarboxyl-13C2, 99%).....	665
3-O-Methyl-alpha-D-glucopyranose .....	285	4-Methylumbelliferone (2,3,4-methyl-13C4,99%) .....	312, 666	2-Monochlorobiphenyl (13C12,99%)	385, 596
Methyl-beta-D-glucopyranoside .....	285	4-Methylumbelliferone .....	312, 667	2-Monochlorobiphenyl.....	598, 599
3-Methylhendecane .....	489	4-Methylumbelliferol-beta-D-xylopyranoside .....	285	3-Monochlorobiphenyl.....	599
10-Methylhendecanoic acid .....	295	4-Methylumbelliferol-beta-D-galactopyranoside .....	285	4-Monochlorobiphenyl (13C12,99%)	385, 596
10-Methylhendecanoic acid methyl ester	295	4-Methylumbelliferol-beta-D-glucopyranoside .....	285	4-Monochlorobiphenyl.....	598, 600
3-Methylheneicosane.....	489	Metiram.....	349	1-Monochlorodibenzo-p-dioxin.....	552
3-Methylheptadecane .....	489	Metobromuron .....	349	2-Monochlorodibenzo-p-dioxin.....	551
16-Methylheptadecanoic acid .....	295	Metolachlor (ring-13C6,99%)... ..	349, 670, 690	2-Monochlorodibenzofuran (13C12,99%)	552
16-Methylheptadecanoic acid methyl ester .....	295	S-Metolachlor.....	349	2-Monochlorodibenzofuran .....	553
6-Methylheptanoic acid .....	295	Metolachlor .....	349, 670, 690	4-Monochlorodiphenyl ether .....	671
6-Methylheptanoic acid methyl ester .....	295	Metolachlor ESA sodium salt.....	349	1-Monochloronaphthalene .....	406, 653
2-Methylhexadecane .....	489	Metolcarb .....	349	Monocrotophos .....	350
14-Methylhexadecanoic acid .....	295	(E)-Metaminostrobin .....	349	Monocyclohexyl phthalate (ring-1,2-13C2, dicarboxyl-13C2,99%) .....	665
14-Methylhexadecanoic acid methyl ester	295	(Z)-Metaminostrobin .....	349	Monocyclohexyl phthalate.....	665
4-Methylhexanoic acid .....	296	Metosulam .....	349	Mono-2-ethylhexyl phthalate (ring-1,2-13C2,99%, dicarboxyl-13C2,99%) .....	665
4-Methylhexanoic acid methyl ester .....	296	Metoxuron .....	349	Mono-2-ethylhexylphthalate .....	665
Methyl-4-hydroxybenzoate.....	302, 489	Metrafenone.....	349	Mono-(2-ethyl-5-oxohexyl) phthalate .....	665
Methyl iodide.....	489	Metribuzin .....	349	Monoethyl phthalate (ring-1,2-13C2, dicarboxyl-13C2,99%) .....	665
2-Methylisoborneol (2-methyl-D3,98%) ..	443, 664	Metronidazol .....	443	Monoethyl phthalate.....	665
Methyl isobutyl ketone .....	489	Metronidazole-13C2,15N2.....	443	Monoheptyltin trichloride.....	502
Methyl isobutyl ketone-DNPH.....	504	Metronidazole-OH.....	443	Monoisobutyl phthalate .....	665
Methyl isopropyl ketone-DNPH.....	504	Metsulfuron-methyl .....	349	Monoisobutyl phthalate .....	665
Methyl isothiocyanate.....	348	Mevinphos .....	349	Monoisononyl phthalate (ring-1,2-13C2,99%, dicarboxyl-13C2,99%) .....	665
Methyl-alpha-D-mannopyranoside.....	285	Mexacarbate .....	349	Monoisononyl phthalate .....	665
Methylmercury chloride.....	348	MGK 264.....	349	Monoisopropyl phthalate.....	665
Methyl methacrylate.....	489	MGK 326 .....	349	Monoliformin .....	305
Methyl methanesulfonate.....	489	Microcystin-LR.....	506	Monolinuron .....	350
1-Methylnaphthalene (D10,98%).....	651	Microcystin Mix .....	506	Monomethyl 5-nitro-iso-phthalate .....	350
1-Methylnaphthalene .....	489	Microcystin-RR .....	506	Monomethyl phthalate (ring-1,2-13C2, dicarboxyl-13C2,99%) .....	665
2-Methylnaphthalene (13C6,99%).....	649	Microcystin-YR.....	506	Monomethyl phthalate .....	490, 665
2-Methylnaphthalene (D10,98%).....	651	Microhardness .....	845	Monomethyl phthalate .....	462
2-Methylnaphthalene .....	489, 490, 652	Micropore volume .....	843	1-Mononitroglycerin .....	462
2-Methyl-4-nitroaniline .....	462, 777	Microscopy.....	863	2-Mononitroglycerin .....	462
2-Methyl-5-nitroaniline .....	462, 490	Migration in olive oil .....	179	Mono-n-octyl phthalate (ring-1,2-13C2, dicarboxyl-13C2,99%) .....	665
2-Methyl-3-nitroanisole .....	348	Mild acid butter .....	142	Mono-n-octyl phthalate .....	665
3-Methyl-4-nitroanisole .....	348	Military Fuel JP-5.....	436, 488	Monooctyltin trichloride .....	502
2-Methyl-1-nitronaphthalene .....	490	Milk powder.....	139	Mono-n-pentyl phthalate .....	665
18-Methylnonadecanoic acid .....	296	Milk .....	135, 136, 138, 139, 141	Monosultap .....	350
18-Methylnonadecanoic acid methyl ester .....	296	Milk - Aflatoxin M1 .....	136, 308	Monuron.....	350
8-Methylnonanoic acid.....	296	Milk - PCBs .....	136	Monuron TCA .....	350
8-Methylnonanoic acid methyl ester .....	296	Milk - PCDDs and PCDFs .....	136	MOPSO .....	864
2-Methyloctadecane .....	490	Milk powder - Proximates .....	139	Morantel tartrate .....	443
16-Methyloctadecanoic acid .....	296	Milk powder - Trace elements .....	136	5-(4-Morpholinylmethyl)-3-amino-2-oxazolidinone.....	443, 664
16-Methyloctadecanoic acid methyl ester	296	Milk - Radioactive isotopes.....	137	Motor Oil .....	436
6-Methyloctanoic acid methyl ester .....	296	Milk - Trace elements .....	135	Moxidectin.....	443
Methyl paraben (ring-13C6,99%).....	661	Miloxacin-d3.....	443	MSTFA.....	238, 508
Methyl paraben .....	661	Mineral oil - PCBs (high level).....	228	MTBSTFA.....	509
Methyl pentachlorophenylsulfide .....	348	Mineral Spirits (25% weathered).....	437	Muic acid.....	285
3-Methylpentadecane .....	490	Mineral Spirits (50% weathered).....	437	Multi-test verification materials 233, 234, 877, 878	
14-Methylpentadecanoic acid .....	296	Mineral Spirits (75% weathered).....	437	Muscalur .....	350
14-Methylpentadecanoic acid methyl ester .....	296	Mineral Spirits (unweathered).....	437	Mushrooms - Trace elements.....	175
2-Methylpentane .....	490	MIR604 Maize .....	168	Mussel tissue .....	148
3-Methylpentane .....	490	Mirex (13C10,99%).. ..	349, 670, 683, 684, 690	Mussel tissue - Butyltin .....	148
4-Methylpentanoic acid .....	296	Mirex (13C8,99%).....	349, 685, 690	Mussel tissue - Domoic acid.....	151
4-Methyl-2-pentanone .....	490	Mirex .....	349, 670, 683, 685, 690	Mussel tissue - Okadaic acid.....	151, 310
4-Methyl-2-pentanone (MIBK).....	490	Modified JIS PCB Syringe Spike (13C12, 99%) .....	614	Mussel tissue - Organics .....	150
2-(4-Methylphenyl) propane (D14,98%)... ..	678	Molecular weight polymer standards .....	828, 871, 872, 873, 874	Mussel tissue (frozen) - PAHs, PCBs, Pesticides .....	149
3-Methylphosphinicopropionic acid.....	349	Molinat .....	350	Mussel tissue - PCBs .....	148
Methylphosphonic acid (13C,99%, methyl-D3,98%) .....	490, 685, 701	Molybdenum .....	516, 522, 525, 528	Mussel tissue - Saxitoxin .....	151
Methylphosphonic acid (methyl-D3,98%)	349, 490, 685, 690, 701	Molybdenum oxide, 99.99% .....	821	Mussel tissue - Trace elements.....	148
Methylphosphonic acid .....	349, 490, 701	MON 863 x MON 810 Maize .....	168	Myclobutanil .....	350
6alpha-Methylprednisolone.....	443	Monalide .....	350	Mycophenolic acid (13C17) .....	305
Methyl iso-propyl ketone.....	489	Monensin sodium salt hydrate.....	443		
Methyl propyl ketone.....	490	Mono-(5-carboxy-2-ethylpentyl) phthalate	665		
Methyl sulfone PCBs .....	636	Mono[(3-carboxymethyl)hexyl]phthalate ..	665, 670		
Methyl-tert-butylether HPLC Optigrade®.	912				



## Product index

Mycophenolic acid .....	305	Nepheline syenite .....	264	4-Nitrophenyl-alpha-L-fucopyranoside .....	285
Myristoleic acid .....	296	Nequinat .....	444	4-Nitrophenyl-beta-L-fucopyranoside .....	285
Myristoleic acid methyl ester .....	296	Nervonic acid .....	296	2-Nitrophenyl-beta-D-galactopyranoside .....	286
N,N-Dimethylacetamide Headspace Grade .....	904	Nervonic acid methyl ester .....	296	3-Nitrophenyl-beta-D-galactopyranoside .....	286
N,N-Dimethylacetamide HPLC Optigrade® .....	903, 904	n-Heptane HPLC Optigrade® .....	907	4-Nitrophenyl-alpha-D-galactopyranoside .....	285, 286
N,N-Dimethylformamide Headspace Grade .....	905	n-Heptane Picograde® for residue analysis .....	908	4-Nitrophenyl-beta-D-galactopyranoside .....	286
N,N-Dimethylformamide HPLC Optigrade® .....	904	n-Hexane HPLC Optigrade® .....	908	2-Nitrophenyl-beta-D-glucopyranoside .....	286
N,N-Dimethylformamide Picograde® .....	904	n-Hexan Picograde® for residue analysis .....	908	3-Nitrophenyl-beta-D-glucopyranoside .....	286
NAB (Nitrosoanabasine) .....	312, 666, 667	Niacin .....	291	4-Nitrophenyl-beta-D-glucopyranoside .....	286
Nabam .....	350	Nickel .....	516, 523, 525, 528	4-Nitrophenyl-alpha-D-mannopyranoside .....	286
Nabam-d4 hexahydrate .....	350	Nickel cyclohexanebutyrate - Nickel .....	812	4-Nitrophenyl phenyl ether .....	491
N-Acetyl-L-glutamine .....	288	Nickel powder, 99.99% .....	821	4-Nitrophenyl phenyl sulfide .....	491
NaDMDTC-d6 dihydrate .....	443	Nickel powder, 99.999% .....	821	2-Nitrophenyl-beta-D-xylopyranoside .....	286
Naftalofos .....	350	Niclosamid .....	350	2-Nitropropane .....	491
Naled .....	330, 754	Nicosulfuron .....	350	1-Nitropyrene (D9,98%) .....	651
Nandrolone .....	443	S(-)-Nicotine .....	444	1-Nitropyrene .....	652
17-beta-Nandrolone glucuronide potassium salt .....	438, 443	Nicotine .....	312, 490	5-Nitroquinoline .....	491
Nandrolon 17-propionate .....	443	Nicotinehydrogen-L-tartrate .....	312	6-Nitroquinoline .....	491
Nanomaterials .....	849, 850, 851	Nicotine salicylate .....	312	8-Nitroquinoline .....	491
Nanoparticles .....	838	Nicotinic acid .....	312, 490	4-Nitroquinoline-1-oxide .....	491
Naphthacene .....	427	Nicotinic acid - UV absorbance and linearity .....	854	Nitrosamines Kit .....	465
Naphthalene (13C6,99%) .....	427, 649, 678	Nifuroxazide .....	444	Nitrosoanatabine (NAT) .....	312, 666, 667
Naphthalene (D8,99%) .....	427, 651, 678, 679	Nimonic 75 .....	879	N-Nitrosodi-n-butylamine .....	491
Naphthalene (D8,99.5%) .....	651, 679	Niobium .....	516, 525, 528	N-Nitrosodicyclohexylamine .....	491
Naphthalene, cis-decahydro .....	427	NIR-standard .....	852	N-Nitrosodiethylamine (D10,98%) .....	666, 679
Naphthalene, trans-decahydro .....	427	Nitarson .....	444	N-Nitrosodiethylamine .....	491, 666, 679
Naphthalene .....	427, 652, 679	Nitenpyram .....	350	N-Nitrosodiisopropylamine .....	491
Naphthalene-D8 .....	490, 761	Nitrain .....	350	N-Nitrosodimethylamine (13C2,99%,D6,98%) .....	312, 664, 666, 679
Naphthalene, decahydro .....	427	Nitrapyrin .....	350	N-Nitrosodimethylamine (15N2,98%) .....	666, 679
Naphthalene, 1,2-dihydro .....	427	Nitrate .....	540	N-Nitrosodimethylamine (2,2',4,4',6,6'-D6,98%) .....	666, 679
Naphthalene, 1,4-dihydro .....	427	Nitrate as N .....	540	N-Nitrosodimethylamine .....	491
Naphthalene, 1,2-dimethyl .....	427	Nitric acid .....	539, 913	N-Nitrosodimethylamine-d6 .....	726
Naphthalene, 1,3-dimethyl .....	427	Nitrioltriacetate .....	540	N-Nitrosodi-n-propylamine (D14,98%) .....	666, 679
Naphthalene, 1,4-dimethyl .....	427	Nitrite .....	540	N-Nitrosodi-n-propylamine-d14 .....	726
Naphthalene, 1,5-dimethyl .....	427	Nitrite as N .....	540	N-Nitrosodiphenylamine .....	463, 491, 666
Naphthalene, 1,6-dimethyl .....	427	5-Nitroacenaphthene (D9,98 %) .....	651	N-Nitrosodiphenylamine (2,2',4,4',6,6'-D6,98%) .....	666, 679
Naphthalene, 2,3-dimethyl .....	427	2-Nitroaniline .....	490	N-Nitrosodi-n-propylamine .....	666, 491, 679
Naphthalene, 2,6-dimethyl .....	427	3-Nitroaniline .....	490	N-Nitrosomethylamine .....	491, 492
Naphthalene, 2,7-dimethyl .....	427	4-Nitroaniline .....	490	N-Nitrosomorpholine .....	492, 666, 679
Naphthalene, 1-methyl .....	427	3-Nitroanisole .....	490	N-Nitrosopendimethalin .....	351
Naphthalene, 2-methyl .....	427	4-Nitroanisole .....	490	N-Nitrosopiperidine .....	492
Naphthalene, 1-nitro .....	427	9-Nitroanthracene (D9,98%) .....	651	N-Nitrosopyrrolidine .....	492
Naphthalene, 2-nitro .....	427	2-Nitroanthracene .....	652	N-Nitrosopyrrolidone (D8,98%) .....	666, 679
Naphthalene, 1-phenyl .....	427	2-Nitrobenzaldehyde semicarbazone .....	444	N-Nitrosopyrrolidone .....	666, 679
Naphthalene, 1,2,3,4-tetrahydro .....	427	Nitrobenzene (13C6,99%) .....	672, 679	4-Nitro-p-terphenyl .....	492
Naphthalene, 1,2,3,4-tetraphenyl .....	427	Nitrobenzene (D5,99%) .....	679	Nitrothal-isopropyl .....	351
Naphthalene, 2,3,5-trimethyl .....	427	Nitrobenzene .....	462, 490, 672, 679, 797	2-Nitrotoluene (ring-13C6,99%) .....	672
Naphtho(2,1-b)furan, 2-nitro-7-methoxy .....	427	Nitrobenzene-D5 .....	490, 736, 761	2-Nitrotoluene .....	463, 492, 672, 797
1-Naphthol .....	350	p-Nitrobenzoic acid - Melting point .....	830	3-Nitrotoluene .....	463, 492, 797
Naphthol-As-Bi-n-acetyl-beta-D-glucosaminide .....	285	2-Nitrophenyl .....	490	4-Nitrotoluene (ring-13C6,99%) .....	670, 672
1,4-Naphthoquinone .....	490	3-Nitrobiphenyl .....	490	4-Nitrotoluene .....	463, 492, 670, 672, 797
2-Naphthoxy acetic acid .....	350	4-Nitrobiphenyl .....	490	4-Nitrotoluene - Melting point .....	828
2-Naphthoxy acetic acid methyl ester .....	350	6-Nitrochrysene (D11,98%) .....	651	5-Nitro-o-toluidine .....	492
1-Naphthyl acetamide .....	350	6-Nitrochrysene .....	652	Nitroxinil .....	444
1-Naphthyl acetic acid .....	350	N-Nitrodiphenylamine (dimethyl-D6,98%) .....	666, 679	Nivalenol .....	305
1-Naphthylacetic acid methyl ester .....	350	N-Nitrodiphenylamine .....	666, 679	NK603 Maize .....	167
1-Naphthylamine .....	490	2-Nitrodiphenylamine .....	491	N-Nitrosomorpholine (D8,98%) .....	666, 679
2-Naphthylamine .....	490	Nitrofen .....	350, 351	NNK .....	312, 666, 667
Napropamide .....	350	3-Nitrofluoranthene (D9,98%) .....	651	NNN .....	312, 666, 667
Naproxen .....	444	2-Nitrofluorene (D9,98%) .....	651	n-Nonane HPLC Optigrade® .....	913
Naproxen (methyl-13C,99%, methyl-D3,98%) .....	444, 662	2-Nitrofluorene .....	491, 652	n-Nonane Picograde® for residue analysis .....	913, 914
Naproxen .....	444, 663	3-Nitrofluoroanthene .....	652	n-Octane Picograde® for residue analysis .....	914
Naptalam .....	350	Nitrofurantoin-13C3 .....	444	N-Octyl-beta-D-glucopyranoside .....	286
n-Butylbenzene .....	475	Nitrofurantoin .....	444	Nodularin .....	506
n-Decane Picograde® for residue analysis .....	901	Nitrofurazone-13C,15N2 .....	444	2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether (13C12,99%) .....	638
N-Desethyl-pirimiphos-methyl .....	329	Nitroglycerin (Trinitroglycerol) .....	672	2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether .....	639
Neburon .....	350	5-Nitroindane .....	491	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether (13C12,99%) .....	638
Needles .....	886, 887	2-Nitro-4-methylaniline .....	463	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether .....	639
NEN 5734 .....	400	Nitromid .....	444	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether (13C12,99%) .....	638
NEO .....	305	1-Nitronaphthalene .....	491	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether .....	639
Neodymium .....	516, 525, 528	Nitropenta .....	463	2,2',3,3',4,4',5,5',6,6'-Nonabromodiphenyl ether (13C12,99%) .....	638
Neohesperidin .....	303	5-Nitro-1,10-phenanthroline .....	491	2,2',3,3',4,4',5,5',6,6'-Nonabromodiphenyl ether .....	639
Neohesperidose .....	285	2-Nitrophenol (ring-D4,98%) .....	679	2,2',3,3',4,4',5,5',6,6'-Nonabromodiphenyl ether (13C12,99%) .....	638
Neohesperidose heptaacetate .....	285	2-Nitrophenol .....	351, 491	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether .....	639
Neomycin trisulfate .....	444	4-Nitrophenol (ring-D4,98%) .....	679	2,2',3,3',4,4',5,5',6,6'-Nonabromodiphenyl ether .....	639
Neosaxitoxin .....	311	4-Nitrophenol .....	351, 491	2,2',3,3',4,4',5,5',6,6'-Nonabromodiphenyl ether (13C12,99%) .....	638
Neosolanol .....	305	4-Nitrophenol sodium salt dihydrate .....	351	2,2',3,3',4,4',5,5',6,6'-Nonabromodiphenyl ether .....	639
Neoxanthin .....	287	2-Nitrophenyl disulfide .....	491	2,2',3,3',4,4',5,5',6,6'-Nonabromodiphenyl ether .....	639
		3-Nitrophenyl disulfide .....	491	cis-Nonachlor (13C10,99%) .....	351, 670, 683, 685, 690
		4-Nitrophenyl disulfide .....	491		
		2-Nitro-p-phenylenediamine .....	491		
		3-Nitro-o-phenylenediamine .....	491		
		4-Nitro-o-phenylenediamine .....	491		

cis-Nonachlor.....	351, 683, 685, 690	Obsidian rock.....	208	trans-11-Octadecenoic acid methyl ester	296
trans-Nonachlor (13C10,99%)	351, 670, 683, 685, 690	Ochratoxin A (13C20).....	305	iso-Octane.....	492
trans-Nonachlor.....	351, 670, 683, 685, 690	Ochratoxin A.....	305	n-Octane (D18,99%).....	672
Nonachlor.....	351	Ochratoxin-alpha.....	305	n-Octane.....	492
2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (13C12,99%).....	398, 597, 598	Ochratoxin B.....	305	Octanedioic acid.....	296
2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl..	398, 599, 607	OctaBDE Technical Mix.....	639	Octanedioic acid dimethyl ester.....	296
2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl..	398, 608	Octabromobiphenyl.....	409	1-Octanesulphonic acid sodium salt.....	893
2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl (13C12,99%).....	398, 598	Octabromodibenzo-p-dioxin (13C12,99%).....	557	1-Octanesulphonic acid sodium salt.....	893
2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl..	398, 599, 608	Octabromodibenzo-p-dioxin.....	557	Octanoic acid.....	296
2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl (13C12,99%).....	398, 598	Octabromodibenzo-p-dioxin.....	557	Octanoic acid methyl ester.....	296
2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl..	398, 599, 608	Octabromodibenzofuran (13C12,99%).....	558	3-Octanone.....	492
2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-Nonachlorobornane Parlar 50 (U-13C10, 99%).....	670, 679, 687	Octabromodibenzofuran.....	558	Octaphenylcyclotetrasiloxane - Silicon....	812
Nonachlorobornane.....	370, 372, 373	2,2',3,3',4,4',5,6,6'-Octabromodiphenyl ether (13C12,99%).....	638	n-Octatriacontane.....	492
2-endo,2-exo,5-endo,5-exo,8,9,9,10,10-Nonachlorobornane Parlar 62 (U-13C10,99%).....	670, 679, 687	2,2',3,3',4,4',6,6'-Octabromodiphenyl ether.....	639	Octhilinone.....	351
Nonachlorodihydrocamphene.....	374, 375	2,2',3,4,4',5,5',6-Octabromodiphenyl ether.....	639	Octogen (HMX).....	463
n-Nonacosane.....	492	2,2',3,4,4',5,6,6'-Octabromodiphenyl ether (13C12,99%).....	638	n-Octylbenzene.....	492
n-Nonadecane (D40,98%).....	673	2,2',3,4,4',5,6,6'-Octabromodiphenyl ether.....	639	Octyl gallate.....	302
n-Nonadecane.....	492	2,2',3,3',4,4',5,5',6-Octachlorobiphenyl.....	599	Ofloxacin.....	444
Nonadecanoic acid.....	296	2,2',3,3',4,4',5,5'-Octachlorobiphenyl (13C12,99%).....	397, 597	Ofloxacin-d3 hydrochloride.....	444
Nonadecanoic acid methyl ester.....	296	2,2',3,3',4,4',5,5'-Octachlorobiphenyl.....	397, 599, 607	Ofurace.....	351
1-Nonadecanol.....	296	2,2',3,3',4,4',5,6-Octachlorobiphenyl.....	397, 599, 607	Oil - Chlorine.....	223
n-Nonane (D20,98%).....	672	2,2',3,3',4,4',5,6-Octachlorobiphenyl.....	599, 607	Oil standard (ISO 9377-2, ISO 16703)....	434
n-Nonane.....	492	2,2',3,3',4,4',5',6-Octachlorobiphenyl.....	599, 607	Oil standards... 218, 219, 220, 221, 225, 226, 227	
Nonanedioic acid.....	296	2,2',3,3',4,4',5,6-Octachlorobiphenyl.....	599, 607	Oil - Sulfur.....	222, 230
Nonanedioic acid dimethyl ester.....	296	2,2',3,3',4,4',5,6'-Octachlorobiphenyl.....	397	Oil - Wear metals.....	231
Nonanoic acid.....	296	2,2',3,3',4,4',6,6'-Octachlorobiphenyl.....	397, 607	Okadaic acid.....	310
Nonanoic acid methyl ester.....	296	2,2',3,3',4,4',5,5',6-Octachlorobiphenyl.....	397, 607	Okadaic acid.....	310
Nonionic surfactants in water.....	39	2,2',3,3',4,4',5,5',6-Octachlorobiphenyl.....	398, 599, 607	Olaquinox.....	444
n-Nonylbenzene.....	492	2,2',3,3',4,4',5,5',6-Octachlorobiphenyl.....	398, 599, 607	Oleic acid.....	296
4-n-Nonylphenol.....	351	2,2',3,3',4,4',5,6,6'-Octachlorobiphenyl.....	398, 599, 607	Oleic acid methyl ester.....	296
p-n-Nonylphenol (ring-13C6,99%)... 665, 670		2,2',3,3',4,4',5,6,6'-Octachlorobiphenyl.....	398, 599, 607	Olive oil - PAHs, Pesticides.....	177
p-n-Nonylphenol.....	665, 670	2,2',3,3',4,4',5,6,6'-Octachlorobiphenyl.....	398, 597	Omethoate.....	351
Nonylphenol.....	351	2,2',3,3',5,5',6,6'-Octachlorobiphenyl (13C12,99%).....	398, 597	Opal glass.....	862
p-n-Nonylphenol diethoxylate (ring-13C6,99%).....	665	2,2',3,3',5,5',6,6'-Octachlorobiphenyl.....	398, 599, 607	Optical fibres.....	862
p-n-Nonylphenol diethoxylate.....	665	2,2',3,3',5,5',6,6'-Octachlorobiphenyl.....	398, 599, 607	Optical rotation.....	862
Nonylphenol diethoxylate.....	666	2,2',3,4,4',5,5',6-Octachlorobiphenyl.....	398, 599, 607	Orange juice.....	184, 860
p-n-Nonylphenol monoethoxylate (ring-13C6,99%).....	665, 670	2,2',3,4,4',5,5',6-Octachlorobiphenyl.....	398, 599, 607	Orbencarb.....	351
p-n-Nonylphenol monoethoxylate... 665, 666, 670		2,2',3,4,4',5,5',6-Octachlorobiphenyl.....	398, 599, 607	Orbifloxacin.....	444
Nonylphenol monoethoxylate.....	666	2,2',3,4,4',5,5',6-Octachlorobiphenyl.....	398, 599, 607	Ores.....	207, 215, 216
p-Nonylphenol-technical grade.....	666	2,2',3,4,4',5,5',6-Octachlorobiphenyl.....	398, 599, 607	L-Ornithine HCl.....	290
p-n-Nonylphenol triethoxylate (ring-13C6,99%).....	666	2,2',3,3',4,4',5,5'-Octachlorobiphenyl ether (13C12,99%).....	671	Oryzalin.....	351, 762
Nonylphenoxyacetic acid.....	666	Octachlorobornane.....	371, 372	Otolith.....	159
p-Nonylphenoxyethoxyacetic acid.....	666	Octachlorobornene.....	374	Ovex.....	351
Norbixin.....	287	Octachlorocamphene.....	375	Oxabetrinil.....	351
19-Norethindrone acetate.....	444	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (13C12,99%).....	551	Oxacillin sodium salt hydrate.....	444
19-Norethisterone.....	444	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin.....	552	Oxadiazolyl.....	351
Norfloracin.....	444	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin.....	552	Oxadiazon.....	351
Norfloracin-D5.....	444	Octachlorodibenzo-p-dioxin.....	411, 552, 795	Oxadixyl.....	351
Norflurazon.....	351	Octachlorodibenzofuran.....	553	Oxalate.....	540
D-Norleucine.....	290	1,2,3,4,6,7,8,9-Octachlorodibenzofuran (13C12,99%).....	553	Oxamyl.....	352
L-Norleucine (Aminocaproic acid).....	290	1,2,3,4,6,7,8,9-Octachlorodibenzofuran.....	553	Oxasulfuron.....	352
19-Nortestosterone (16,16,17-D3,98%)..	662	Octachlorodibenzofuran.....	411, 553, 795	Oxfendazole.....	444
DL-Norvaline.....	290	Octachlorodihydrocamphene.....	374, 375	Oxfendazole-d3.....	444
L-Norvaline.....	290	2,2',3,3',4,4',5,5'-Octachlorodiphenylether (OctaCDE).....	671	Oxibendazole.....	444
Novalon.....	351	Octachloronaphthalene (13C10,99%)....	407, 653	Oxibendazole-d7.....	444
Novalon.....	351	Octachloronaphthalene.....	407, 492, 654	Oxpyrimidine (methyl-4,5,6-13C4,99%)..	352, 691
Novobiocin sodium salt.....	444	Octachlorostyrene (13C8,99%).....	679	Oxybenzone (phenyl-13C6, 99%)....	444, 661
2-NP-AHD.....	444	Octachlorostyrene.....	492, 679	Oxybenzone.....	444, 661
2-NP-AMAZ.....	444	n-Octacosane.....	492	Oxycarboxin.....	352
2-NP-AOZ.....	444	Octacosanoic acid.....	296	Oxychlordane (13C10,99%)... 322, 670, 683, 685, 690	
n-Pentane for the analysis of highly volatile halogenated hydrocarbons, aromatic hydrocarbons and EOX.....	915	Octacosanoic acid methyl ester.....	296	Oxychlordane.....	322, 670, 683, 685, 691
n-Pentane HPLC Optigrade®.....	914	1-Octacosanol.....	296	Oxyclozanide.....	444
n-Pentane Picograde® for residue analysis.....	914, 915	n-Octadecane.....	492	Oxydemeton methyl (di-O-methyl-D6,98%).....	352, 685, 691
N-Sulfocarbamoyl-gonyautoxin-2 and -3 solution.....	311	Octadecanedioic acid.....	296	Oxydemeton methyl.....	685, 691
Nuarimol.....	351	Octadecanedioic acid dimethyl ester.....	296	4,4'-Oxydianiline.....	492
Nutrients - WP (Whole-volume).....	38	Octadecanoic acid.....	296	Oxyflourfen.....	352
O,O,O-Triethylphosphorothioate.....	363	Octadecanoic acid methyl ester.....	296	Oxypyrimidine.....	691
O,O-Dimethyl thiophosphate sodium salt.....	685, 701	1-Octadecanol.....	296	Oxytetracycline hydrochloride.....	444
O,S-Dimethyl hydrogen thiophosphate sodium sal.....	685, 689, 701	cis-11-Octadecenoic acid.....	296	Oyster - Trace metals.....	151
		trans-11-Octadecenoic acid.....	296	Paclitaxel.....	352
		cis-11-Octadecenoic acid methyl ester....	296	PAHs.....	421
				Paint and industrial sludges.....	262, 263
				Palatinose.....	286
				Palladium.....	516, 525
				Palladium chloride, 99.999%.....	821
				Palladium granules, 99.99%.....	821
				Palladium(II) oxide, 99.999%.....	821
				Palladium powder, 99.999%.....	821
				Palmitelaidic acid.....	296
				Palmitelaidic acid methyl ester.....	296
				Palmitoleic acid.....	296
				Palmitoleic acid methyl ester.....	296
				Paraoxon.....	352

## Product index

Paraoxon-ethyl.....	352	Pentachlorobenzene (13C6,99%)... 667, 670, 679	1,2,3,7,8-Pentachlorodibenzo-p-dioxin (13C12,99%) .....	551
Paraoxon-methyl.....	352	Pentachlorobenzene 353, 408, 492, 667, 670	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ... 410, 795	
Paraquat dichloride.....	352	2,2,3,3',4'-Pentachlorobiphenyl .....	603	
Para Red BS.....	301	2,2',3,3',4'-Pentachlorobiphenyl.....	390, 603	
Parathion (diethyl-D10,98%)... 352, 670, 685, 691		2,2',3,3',5'-Pentachlorobiphenyl.....	390, 603	
Parathion.....	352, 670, 685, 691	2,2',3,3',6'-Pentachlorobiphenyl.....	390, 603	
Parathion-ethyl (diethyl-D10,98%)... 352, 670		2,2',3,4,4'-Pentachlorobiphenyl (13C12,99%) .....	390, 596	
Parathion-ethyl.....	352	2,2',3,4,4'-Pentachlorobiphenyl 390, 598, 603		
Parathion-methyl .....	352	2,2',3',4,5'-Pentachlorobiphenyl (13C12,99%) .....	391, 596	
Parlar 26 .....	670, 679, 687	2,2,3,4,5-Pentachlorobiphenyl .....	603	
Parlar 32 .....	670, 679, 687	2,2',3,4,5-Pentachlorobiphenyl 390, 598, 603		
Parlar 39 .....	679, 687	2,2',3',4,5'-Pentachlorobiphenyl.....	391, 603	
Parlar 50 .....	670, 679, 687	2,2',3,4',5'-Pentachlorobiphenyl.....	391, 603	
Parlar 62 .....	670, 679, 687	2,2',3,4,5'-Pentachlorobiphenyl 390, 598, 603		
Parlar 69 .....	670, 679, 687	2,2',3,4,6'-Pentachlorobiphenyl .....	391, 603	
Parlar 70 .....	670, 679, 687	2,2',3,4',6'-Pentachlorobiphenyl.....	391, 603	
Particle size .....	225,835, 836, 837, 838, 839, 840	2,2',3,4,6'-Pentachlorobiphenyl.....	391, 603	
Patent Blue V.....	300	2,2',3,4,6'-Pentachlorobiphenyl.....	391, 603	
Patulin.....	305, 306	2,2',3,5,5'-Pentachlorobiphenyl.....	391, 603	
Paxilline.....	306	2,2',3,5,6'-Pentachlorobiphenyl.....	391, 603	
Pazufloxacin .....	444	2,2',3,4,5'-Pentachlorobiphenyl 391, 598, 603		
Pazufloxacin mesilate .....	444	2,2',3,5,6'-Pentachlorobiphenyl.....	391, 603	
PCB Elution Window Kit.....	400	2,2',3,6,6'-Pentachlorobiphenyl.....	391, 603	
PCB Elution Window Mix.....	398, 399	2,2',4,4',5'-Pentachlorobiphenyl 391, 598, 603		
PCB Window Defining Mixture .....	635	2,2',4,4',6'-Pentachlorobiphenyl.....	391, 603	
pD calibration .....	864, 865	2,2',4,5,5'-Pentachlorobiphenyl (13C12,99%) .....	391, 596	
Peach leaves .....	115	2,2',4,5,5'-Pentachlorobiphenyl 391, 598, 603		
Peanut butter .....	182	2,2',4,5,6'-Pentachlorobiphenyl.....	391	
Peanut butter - Aflatoxins (low level) .....	174	2,2',4,5',6'-Pentachlorobiphenyl.....	391, 603	
Peanut meal (blank) - Aflatoxin B1 .. 174, 308		2,2',4,5,6'-Pentachlorobiphenyl.....	391, 603	
Peanut meal (high level) - Aflatoxin B1 ... 174		2,2',4,6,6'-Pentachlorobiphenyl (13C12,99%) .....	391, 596	
Peanut meal - Aflatoxin B1, B2 and G1.. 174, 308		2,2,4,6,6'-Pentachlorobiphenyl .....	603	
Pebrulate.....	352	2,2',4,6,6'-Pentachlorobiphenyl 391, 598, 603		
Pectenotoxin-2 (PTX2) .....	310	2,3,3',4,4'-Pentachlorobiphenyl (13C12,99%) .....	392, 597	
Pefloxacin-d5 .....	444	2,3,3',4,4'-Pentachlorobiphenyl 391, 392, 598, 604		
Penbutolol hydrochloride .....	444	2,3,3',4,5'-Pentachlorobiphenyl.....	392, 604	
Penconazole .....	352	2,3,3',4,6'-Pentachlorobiphenyl.....	392, 604	
Pencycuron .....	352	2,3,3',4',6'-Pentachlorobiphenyl 392, 599, 604		
Pendimethalin .....	352, 353	2,3,3',5,5'-Pentachlorobiphenyl (13C12,99%) .....	392, 597	
Penicillic acid .....	306	2,3,3',5,5'-Pentachlorobiphenyl 392, 599, 604		
Penicilline V potassium salt .....	444	2,3,3',5,6'-Pentachlorobiphenyl 392, 599, 604		
Penicillin G potassium salt.....	444	2,3,3',5',6'-Pentachlorobiphenyl.....	392, 604	
PentaBDE Technical Mix (DE-71) .....	639	2,3,4,4',5'-Pentachlorobiphenyl (13C12,99%) .....	392, 597	
PentaBDE 2,2',4,4',5'-Pentabromobiphenyl .....	409	2,3,4,4',5'-Pentachlorobiphenyl (13C12,99%) .....	393, 597	
3,3',4,4',5'-Pentabromobiphenyl (13C12,99%) .....	639	2,3',4,4',5'-Pentachlorobiphenyl (13C12,99%) .....	392, 597	
3,3',4,4',5'-Pentabromobiphenyl .....	639	2,3,4,4',5'-Pentachlorobiphenyl (PCB 114) .....	392	
1,2,3,7,8-Pentabromodibenzo-p-dioxin (13C12,99%) .....	557	2,3',4,4',5'-Pentachlorobiphenyl (PCB 118) .....	392	
1,2,3,7,8-Pentabromodibenzo-p-dioxin..... 557		2,3,4,4',5'-Pentachlorobiphenyl 392, 599, 604		
1,2,3,7,8-Pentabromodibenzofuran (13C12,99%) .....	557	2',3,4,4',5'-Pentachlorobiphenyl 393, 599, 604		
1,2,3,7,8-Pentabromodibenzofuran .....	558	2,3',4,4',5'-Pentachlorobiphenyl 392, 599, 604		
2,3,4,7,8-Pentabromodibenzofuran (13C12,99%) .....	557	2,3,4,4',6'-Pentachlorobiphenyl .....	392, 604	
2,3,4,7,8-Pentabromodibenzofuran .....	558	2,3',4,4',6'-Pentachlorobiphenyl.....	392, 604	
2,2',3,4,4'-Pentabromodiphenyl ether .....	638	2',3,4,5,5'-Pentachlorobiphenyl.....	393, 604	
2,2',4,4',5'-Pentabromodiphenyl ether (13C12,99%) .....	637	2,3',4,5,5'-Pentachlorobiphenyl.....	392, 604	
2,2',4,4',5'-Pentabromodiphenyl ether .....	638	2,3,4,5,6'-Pentachlorobiphenyl.....	392, 604	
2,2',4,4',6'-Pentabromodiphenylether (13C12,99%) .....	637	2',3,4,5,6'-Pentachlorobiphenyl.....	393, 604	
2,2',4,4',6'-Pentabromodiphenyl ether .....	638	2,3',4,5,6'-Pentachlorobiphenyl 392, 393, 604		
2,3,3',4,4'-Pentabromodiphenyl ether .....	638	2,3,4',5,6'-Pentachlorobiphenyl .....	392, 604	
2,3',4,4',5'-Pentabromodiphenyl ether (13C12,99%) .....	637	3,3',4,4',5'-Pentachlorobiphenyl (13C12,99%) .....	393, 597, 670	
2,3',4,4',5'-Pentabromodiphenyl ether .....	638	3,3',4,4',5'-Pentachlorobiphenyl 393, 599, 604		
2,3',4,4',6'-Pentabromodiphenyl ether .....	638	3,3',4,5,5'-Pentachlorobiphenyl (13C12,99%) .....	393, 597	
2,3,4,5,6-Pentabromodiphenyl ether .....	638	3,3',4,5,5'-Pentachlorobiphenyl 393, 599, 604		
3,3',4,4',5'-Pentabromodiphenylether (13C12,99%) .....	637	2',3',4',5',5'-Pentachloro-2-biphenylol .....	405	
3,3',4,4',5'-Pentabromodiphenyl ether .....	638	Pentachlorobornane .....	370	
Pentabromodiphenyl oxide .....	409	1,2,3,4,7-Pentachlorodibenzo-p-dioxin (13C12,99%) .....	551	
2,3,4,5,6-Pentabromoethylbenzene .....	492	1,2,3,4,7-Pentachlorodibenzo-p-dioxin ... 410, 552		
Pentabromophenol (13C6,98%) .....	667	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ... 551		
Pentabromophenol .....	492, 667			
Pentacene.....	427, 492			
Pentachloroaniline .....	353, 492			
Pentachloroanisole (13C6,99%).....	667			
Pentachloroanisole .....	492, 667			



cis-Permethrin .....	353, 670, 686, 691	Phosphorus .....	516, 523, 525, 528, 537	Potassium bromide, 99.999% .....	821
trans-Permethrin (phenoxy-13C6,99%)..	353, 670, 686, 691	Photography .....	862	Potassium chloride, 99.999% .....	821
trans-Permethrin .....	353	Phoxim .....	354	Potassium chloride .....	810
Permethrin .....	353	Phthalate Esters ULTRAKit .....	470	Potassium clavulanate .....	445
Permethrin mixed isomers .....	353	Phthalate .....	540	Potassium dichromate - Oxidimetric value .....	810
Perthane .....	353	Phthalates Esters Kit .....	465	Potassium dichromate - UV absorbance and linearity .....	853, 854
Perylene (D12,98%) .....	427, 651	Phthalic acid (carboxyl-13C,99%) .....	680	Potassium fluoride, 99.99% .....	821
Perylene .....	427, 652	Phthalic acid (ring-D4,98%) .....	680	Potassium hydroxide, 99.99% .....	821, 822
Perylene-D12 .....	427	Phthalic acid .....	665	Potassium iodide, 99.999% .....	822
PET bottle material - Chemical inertness	259	Phthalimide .....	354	Potassium nitrate, 99.999% .....	822
Pethoxamid .....	353	N4-Phthalylsulfathiazole .....	445	Potassium sorbate .....	301
Petroleum coke .....	250	Physalium .....	287	Potassium tetrachloroplatinate, 99.99% ..	822
Petroleum ether for the analysis of highly volatile halogenated hydrocarbons and EOX (40 - 60°C) .....	916	Phytanic acid .....	297	Potato .....	169, 171
Petroleum ether Picograde® for residue analysis (30 - 60°C) .....	915, 916	Phytanic acid methyl ester .....	297	Potato powder - Iodine .....	171
Petrol - Sulfur .....	227	Phytol .....	297	Poultry feed .....	189
Petroselinic acid .....	297	Picene .....	428	Prallethrin .....	355
Petroselinic acid methyl ester .....	297	Picloram .....	354, 762	Praseodymium .....	517, 525, 528
Pharmaceutical glas - Leaching .....	253	Picolinafen .....	354	Praziquantel .....	445
pH calibration .....	863	2-Picoline (D7,98%) .....	680	Prednisolone .....	445
Phenacetin .....	445, 493	2-Picoline .....	493	Prednisolone 21-acetate .....	445
Phenanthrene (13C6,99%) .....	428, 649, 670, 680	3-Picoline (D7,98%) .....	680	Pretilachlor .....	355
Phenanthrene (D10,98%) .....	428, 651, 670, 680	4-Picoline (D7,98%) .....	680	Procaine hydrochloride .....	445
Phenanthrene .....	427, 428, 652, 671, 680	Picoxystrobin .....	354	Processed food .....	180
Phenanthrene-D10 .....	761	Pig feed .....	189	Processed meat .....	143
Phenanthrene, 3,6-dimethyl .....	428	Pig kidney - Chlortetracycline .....	146	Prochloraz .....	355
Phenanthrene, 1-methyl .....	428	Pig liver - Chlortetracycline .....	146	Procymidone .....	355
1,10-Phenanthroline monohydrate .....	493	Pig liver - Vitamins .....	146	Profenophos .....	355
Phenazopyridine hydrochloride .....	445	Pig muscle - Chlortetracycline .....	146	Profluralin .....	355
Phenmedipham .....	353	Pinacolyl methylphosphonic acid .....	494, 701	Profoxydim Li-salt .....	355
Phenol (13C6,99%) .....	680	Pindone .....	354	Progesterone (2,2,6,6,17,21,21,21-D8,96%) .....	445, 662
Phenol (D6,98%) .....	680	Pine needles .....	115	Progesterone .....	445, 662
Phenol (ring-D5,98%) .....	680	D-Pinitol .....	286	Prohexiadiene-calcium .....	355
Phenol .....	353, 493	Pinoxaden .....	354	L-Proline .....	290
Phenol-D5 .....	493, 747, 761, 771	Piperazine citrate pentahydrate .....	445	Promazine hydrochloride .....	445
Phenol Mixtures .....	457	Piperonyl butoxide .....	354	Promecarb .....	355
Phenols ULTRAKit .....	470	Piperophos .....	354	Promethazine hydrochloride .....	445
Phenothiazine .....	445	Piracetam .....	445	Prometon .....	355
Phenothrin (tech) .....	353	Pirimicarb .....	354	Prometryn .....	355
Phenothrin .....	353	Pirimicarb-d6 .....	354	Pronamide .....	355
Phenoxyacetic acid .....	353	Pirimiphos-ethyl .....	354	Propachlor .....	355
3-Phenoxybenzoic acid (phenoxy-13C6,99%) .....	353, 686, 691	Pirimiphos-methyl .....	354, 355	Propachlor ESA sodium salt .....	355
3-Phenoxybenzoic acid (phenoxy-13C6,99%) .....	353, 686, 691	Plankton .....	117	Propachlor OA .....	355
3-Phenoxybenzoic acid .....	686, 691	Plaster (Gypsum) .....	264	Propamocarb .....	355
Phenoxybenzoic acid .....	353	Plastic .....	260, 261	Propan-1-ol HPLC Optigrade® .....	916
4-Phenoxybiphenyl .....	493	Plastic clay .....	216	Propan-2-ol for LC-MS Optigrade® .....	917
Phenthoate .....	353	Plastic film E .....	179	Propan-2-ol for the tobacco industry .....	917, 918
iso-Phentoate .....	353	Plastics .....	260, 261	Propan-2-ol HPLC Optigrade® .....	916, 917
Phentoate-oxon .....	353	Platinum .....	516, 517, 525	Propan-2-ol Picograde® for residue analysis .....	917
DL-Phenylalanine .....	290	Platinum powder, 99.999% .....	821	1,2-Propanediol .....	312
L-Phenylalanine .....	290	Plifenate .....	355	Propanedioic acid .....	297
Phenylbutazone (diphenyl-D10,98%) .....	663, 680	Plunger .....	885	Propanedioic acid dimethyl ester .....	297
Phenylbutazone .....	663, 680	PMMA .....	494	1,2,3-Propanetriol .....	312
1-Phenyl-2-butene .....	493	Poly(methylmethacrylate) .....	873	Propanil .....	355
N-Phenylcarbazole .....	493	Polybrominated biphenyls .....	409	Propanoic acid .....	297, 302
p-Phenylenediamine .....	493	Polychloro-n-decane .....	380	Propanoic acid methyl ester .....	297
Phenyl-beta-D-galactopyranoside .....	286	Polychloro-n-dodecane .....	380	iso-Propanol .....	494
Phenyl-alpha-D-glucopyranoside .....	286	Polychloro-n-tridecane .....	380	n-Propanol .....	494
Phenyl-beta-D-glucopyranoside .....	286	Polychloro-n-undecane .....	380	Propaquizafop .....	356
Phenylmercury chloride .....	353	Polycyclic Aromatic Compounds .....	421	Propargite .....	356
N-Phenyl-beta-naphthylamine .....	493	Polyethylene .....	258, 259	Propargyl alcohol .....	494
2-Phenylphenol (phenyl-13C6,99%) .....	354, 664, 680, 691	Polyethylene - Additive elements .....	258	Propazine BC(ring-13C3,99%) .....	356, 687, 691
2-Phenylphenol .....	354	Polyethylene - Trace elements .....	258	Propazine .....	356
4-Phenylphenol (phenyl-13C6,99%) .....	354, 664, 680, 691	Polygalacturonic acid .....	286	Propetamphos .....	356
o-Phenylphenol .....	664, 680, 691	Polymeric properties .....	871	Propham .....	356
N-Phenylthiourea .....	354	Polyols Kit .....	469	Propiconazole .....	356
Phorate (diethoxy-13C4,99%) .....	354, 685, 691	Polypropylene - Pb, Hg, Cr, Cd .....	259	Propineb .....	356
Phorate .....	354, 686, 691	Polystyrene .....	872	Propionaldehyde-DNPH .....	504
Phorate-sulfone .....	354	Polystyrene - Molecular mass distribution .....	871	Propionate .....	540
Phorate-sulfoxide .....	354	Ponceau 4R .....	300	Propionic acid .....	302
Phosalone .....	354	Porcine muscle - Chloramphenicol .....	147	Propionitrile .....	494
Phosdrin .....	349	Pork, cooked - Meat species .....	144	Propionylpromazine-d6 hydrochloride .....	445
Phosmet (dimethyl-D6,98%) .....	354, 686, 691	Pork, raw - Meat species .....	144	Propionylpromazine hydrochloride .....	445
Phosmet .....	354, 686, 691	Pork fat .....	147	Propisochlor .....	356
Phosphamidon .....	354	Pork fat - PCBs .....	147	Propoxur (isopropyl-D7,98%) .....	356, 686, 691
Ortho-Phosphate as P .....	540	Pork muscle - Chloramphenicol .....	147	Propoxur .....	356
Phosphate .....	540	Pork muscle - Nitroimidazoles .....	146	Propoxycarbazone sodium salt .....	356
		Pork muscle - Proximates and essential elements .....	143	Propyl acetate .....	494
		Portland cement .....	251, 253	n-Propylamine .....	494
		Portland cement clinker - Major phases ..	252	iso-Propylamine anhydrous .....	494
		Portland cement - Turbidity and Fineness ..	253	4-iso-Propylaniline .....	356
		Potash feldspar .....	205	N-iso-Propylaniline .....	356
		Potassium .....	517, 523, 525, 528, 541	n-Propylbenzene .....	494
		Potassium bromate (18O3,98%) .....	664		
		Potassium bromate .....	664		

## Product index

1,2-Propylene oxide (D6,98%).....	680	RDX (13C3, 99%, 15N3, 98%).....	672	Sebutylazine .....	357
Propylene oxide .....	494	RDX .....	462, 672, 797	Sebutylazine-desethyl.....	358
Propylene thiourea.....	356	Rebaudioside A .....	293	Sebumeton.....	358
Propyl gallate .....	302, 494	Rebaudioside B .....	293	Sediment... 40, 41, 42, 43, 44, 45, 46, 47, 48,	49, 50, 51, 52, 54, 55, 56, 57, 58, 59, 98,
Propyl-4-hydroxybenzoate .....	301, 494	Rebaudioside C .....	293	216	
6-Propyl-2-thiouracile.....	445	Rebaudioside D .....	293	Sediment- Butyltin and phenyltin .....	40
Propylthio urea .....	356	Red 2 G .....	300	Sediment - PAHs .....	50, 54
Propyzamid .....	356	Reference fuel - Alcohols.....	232	Sediment - PCBs .....	51
Prosulfocarb.....	356	Refractive index .....	861, 862	Sedoheptulose anhydride .....	286
Prothioconazole.....	356	Relative humidity .....	874	Selenious acid, 99.999% .....	822
Prothioconazole-desthio .....	356	Residual oil - Sulfur.....	222, 223	Selenium.....	518, 523, 526, 529
Prothiophos.....	356	Resmethrin .....	357	Selenomethionine enriched with 76Se ...	815
Pseudocumene .....	494	Resorcinol (13C6,99%).....	663	SEM .....	445, 664
PVC - Trace elements .....	258	Resveratrol .....	445	Semicarbazide hydrochloride.....	445, 664
Pymetrozine .....	356	13-cis-Retinoic acid .....	292	Semiconductor thin film .....	264
Pyracarbolid .....	356	9-cis-Retinoic acid .....	292	Serenoa repens (Fruit) - Phytosterols and	fatty acids.....
Pyraclostrobin .....	356	L-(+)-Rhamnose .....	286	175	
Pyranocumarin.....	356	Rhenium .....	517, 525	L-Serine .....	290
Pyrantel pamoate.....	445	Rhenium powder, 99.995% .....	822	Serotonin creatine sulfate .....	290
Pyrasulfotole .....	356	Rhodium .....	517, 525	Serotonin hydrochloride .....	290
Pyrazophos .....	356, 357	Rhodium chloride hydrate, 99.99%.....	822	Sethoxydim .....	358
Pyrazosulfuron-ethyl .....	357	Riboflavin-5'-phosphate .....	292	Sewage sludge - PAHs, PCBs and	pesticides.....
Pyrene (13C3,99%) .....	428, 650, 680	D-(-)-Ribose .....	286	112	
Pyrene (D10,98%) .....	428, 651, 680	Rice.....	163, 164	Sewage sludge - Trace elements .....	112
Pyrene .....	428, 652, 680	Rice flour.....	164	Sewage sludge .....	111, 113, 114
Pyrene-D10.....	732	Rice pudding - Proximates and elements	180	Sewage sludge - Extractable and total	metals .....
Pyrene, 1-nitro .....	428	Rice - Trace elements .....	164	111	
Pyrethrins.....	357	Ricinelaic acid .....	297	Sewage sludge - Extractable metals .....	111
Pyridaben.....	357	Ricinelaic acid methyl ester .....	297	Sewage sludge - PAHs.....	111
Pyridaphenthion .....	357	Ricinine (ring-13C5,99%, cyano-13C,99%)	701	Sewage sludge - PCBs.....	111
Pyridate.....	357	Ricinoleic acid.....	297	Sewage sludge - PCDD/PCDFs.....	112
Pyridine (as N).....	802	Ricinoleic acid methyl ester .....	297	Sewage sludge - PCDDs and PCDFs.....	112
Pyridine.....	494	Rifamycin AMP .....	445	Shale.....	215
Pyridine-D5 .....	494, 761	Rifaximin .....	445	Shale oil - PAHs.....	229
Pyrifenoxy .....	357	River water.....	28	Shock frozen raw milk.....	141
Pyrifitalid .....	357	River water - Trace elements.....	30	Siduron .....	358
Pyrimethamin.....	445	Road dust .....	128	Sieve fraction .....	841, 842
Pyrimethanil .....	357	Robenidine-d8 hydrochloride.....	445	Sieve standard .....	840, 841
Pyriproxifen .....	445	Robenidine hydrochloride.....	445	Silafluofen .....	358
Pyriproxyfen .....	357	Rock.....	209, 210, 211, 212, 213, 214, 215	Silica .....	518
Pyroquilon .....	357	RoHS.....	261, 642, 643, 644	Silica brick.....	206
Quartz powder - specific surface area ....	843	Ronnel .....	338	Silica gel 60 .....	892
p-Quaterphenyl .....	428	Rotenone .....	357, 762	Silicon .....	518, 523, 526, 529
QuEChERS .....	500	Roxarsone .....	445	Silicon carbide .....	206, 264
QuEChERS Anthracene-D10 QC Standard	500	Rubidium.....	517, 525	Silicon dioxide, 99.999%.....	822
QuEChERS Anthracene QC Standard....	500	Rubidium chloride, 99.8%.....	822	Silicon nitride .....	264
QuEChERS Bis-nitrophenyl urea Standard	500	Rubidium chloride, 99.9%.....	822	Sillimanite .....	204
QuEChERS Parathion-D10 QC Standard	500	Rubidium chloride - Assay/isotopic	composition .....	Silthiofam .....	358
QuEChERS PCB 138 QC Standard.....	500	815		Silver.....	518, 523, 526, 529
QuEChERS PCB 153 QC Standard.....	500	Rubrene .....	428	Silver bromide, 99.999%.....	822, 823
QuEChERS PCB 18 Standard .....	500	Rusk - Acrylamide.....	181	Silver chloride, 100 mesh, 99.9999% .....	823
QuEChERS PCB 28 Standard .....	500	Ruthenium .....	525	Silver 2-ethylhexanoate - Silver .....	812
QuEChERS PCB 52 Standard .....	500	Ruthenium chloride, anhydrous, 99%.....	822	Silvex .....	339
QuEChERS PCB 8 Standard .....	500	Ruthenium chloride hydrate, 99.98%.....	822	Simazine (ring-13C3,99%).....	358, 671, 687,
QuEChERS Triphenylmethane Standard	500	Rye.....	163	691	
QuEChERS Triphenyl phosphate Standard	500	Rye flour - Proximates and essential	elements.....	Simazine .....	358, 687, 691, 722
QuEChERS Tris-(1,3-dichloroisopropyl)	phosphate Standard .....	163		Simetryn .....	358
500		Rye grass - Trace elements.....	117	Single cell protein .....	119
Quinalphos.....	357	S 421 .....	357	Skimmed UHT milk.....	141
Quinchlorac.....	357	Saccharin .....	303	Skim milk powder - Major nutrients .....	135
Quinmerac .....	357	SAE 10W30.....	436	S-Metolachlor Metabolite .....	349
Quinoclamine .....	357	Salbutamol.....	445	S-Metolachlor Metabolite .....	349
Quinoline (D7,98%) .....	680	Salbutamol hemisulfate .....	445	Soda feldspar.....	205
Quinoline Yellow .....	300	Salinomycin SV sodium salt penta	hemihydrate .....	Sodium.....	519, 523, 526, 529, 541
Quinonamid .....	357	193		Sodium benzoate .....	301
Quinoxiphen.....	357	Salmomella enteritidis .....	193	Sodium bicarbonate - Carbon-13.....	816
m-Quinquephenyl .....	494	Salmon oil .....	153	Sodium carbonate, 99.999% .....	823
p-Quinquephenyl .....	428	Salmon tissue .....	153	Sodium carbonate - Acidimetric standard	810
Quintozene .....	357, 408	Samarium .....	517, 526, 528	Sodium chloride, 99.999% .....	823
Quizalofop-p-ethyl.....	357	Samarium - UV and visible wavelength...	855	Sodium chloride .....	508
Quizalofop-p .....	357	Sandstone .....	207, 208	Sodium cyclohexanebutyrate - Sodium ...	812
Rabenzazol .....	357	Sandy loam, VOAs .....	88	Sodium nitrate, 99.999% .....	823
Racks for CERTAN® .....	273	Sarafloxacin hydrochloride.....	445	Sodium sulfate, 99.999%.....	823
Ractopamine hydrochloride.....	445	Sarafloxacin-d8 hydrochloride trihydrate	445	Sodium sulfate .....	892
D-(+)-Raffinose .....	286	Sausage .....	142	Sodium tetraethylborate.....	503, 509
Rafoxanide.....	445	Saxitoxin .....	151, 311	Sodium tetra-n-propylborate .....	503, 509
Rainwater.....	28	Saxitoxin dihydrochloride .....	311	Sodium thiosulfate pentahydrate, 99.999%	823
Raman spectroscopy .....	852, 853	Scandium.....	518, 526	Soft drink - Colours.....	184
Ranitidine HCl.....	445	Scandium oxide, 99.99% .....	822	Soft drinking water - Anions.....	27
Rapeseed .....	164	Scandium oxide, 99.999%.....	822	Soft drinking water - Metals .....	27
PCB Screening Calibration Solutions	(unlabelled/13C12, 99%).....	623		Soil - Hexavalent Chromium VI.....	63
Rare earth - UV and visible wavelength ..	855	Scanning electron microscope .....	874	Soil 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 77,	78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88,
		Scratch test.....	879	89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99,	
		Sea water.....	32		
		Seaweed - Radioactivity .....	118		

100, 101, 102, 103, 104, 105, 106, 107, 108, 570, 571		
Soil - AOX (DIN 38414 Part 18).....	81	
Soil - Herbicides.....	96	
Soil - Metals.....	100	
Soil (Sandy loam) - PAH/Pesticides.....	95	
Soil - PAHs.....	81	
Soil - PCBs.....	83	
Soil - PCDDs and PCDFs.....	80	
Soil - Pesticides.....	96	
Soil - Total petrol hydrocarbons (TPH).....	86	
Solvent Red 24.....	228	
Solvent Yellow 2.....	301	
Solvent Yellow 56.....	301	
alpha-D-Sophorose.....	286	
4-Isopropylthioxanthone.....	345	
Sorbic acid.....	301, 312	
Sotalol.....	445	
Soya.....	173	
Soya bean flour - Trace elements.....	173	
Soya bean - Trace elements.....	173	
Soya-maize oil blend - Fatty acids.....	173	
Soya seed powder - GMO.....	165	
Sparfloxacin.....	445	
Spectinomycin dihydrochloride pentahydrate .....	445	
SPE disc system.....	883	
Spinach leaves - Trace elements.....	172	
Spinach - Radionuclides.....	172	
Spinach - Trace elements.....	172	
Spinosad.....	358	
Spiramycin.....	445	
Spiroclufen.....	358	
Spiromesifen.....	358	
Spiromesifen Metabolite M01.....	358	
Spirotetramat.....	358	
Spiroxamine.....	358	
Standard bullet.....	266	
Standards for Spectroscopy.....	510	
Stanolone.....	439	
Stearyl stearate.....	435, 494	
Sterigmatocystin.....	306	
Stevia BRM.....	294	
Stevia XRM.....	294	
Steviol.....	294	
Steviolbioside.....	294	
Stevioside.....	294	
trans-Stilbene (D12,98%).....	680	
Stirofos.....	360	
Streptomycin sesquisulfate.....	445	
Strobane.....	358	
Strontium.....	519, 523, 526, 529, 541	
Strontium carbonate.....	810, 816	
L-Strychnine.....	358	
Styrene (D8,98%).....	680, 691	
Styrene (ring-D5,98%).....	680	
Styrene (vinyl-D3,98%).....	680	
Styrene.....	494	
Styrene oxide.....	494	
Succinate.....	541	
Succinic acid.....	302	
Sucralose.....	286	
Sucrose.....	286	
Sudan I.....	301	
Sudan I-d5.....	494	
Sudan II (Solvent orange 7).....	301	
Sudan III (Solvent Red 23).....	301	
Sudan IV (Solvent Red 24).....	301	
Sudan IV-d6.....	494	
Sudan Orange G (Solvent Orange 1).....	301	
Sudan Red 1.....	301	
Sudan Red 7B (Solvent Red 19).....	301	
Suface roughness.....	846	
Sugar cane bagasse.....	119	
Sugar confectionery.....	180	
Sulcolfuron, sodium monohydrate.....	358	
Sulcotriene.....	358	
Sulfabenzamide.....	445	
Sulfacetamide.....	445	
Sulfachloropyridazine.....	445	
Sulfachloropyridazine-phenyl-13C6.....	446	
Sulfadiazine.....	446	
Sulfadiazine-phenyl-13C6.....	446	
Sulfadimethoxin.....	446	
Sulfadimethoxine-D6.....	446	
Sulfadimidine.....	446	
Sulfadoxine.....	446	
Sulfadoxine-D3.....	446	
Sulfaguandine monohydrate.....	446	
Sulfamerazin.....	446	
Sulfamerazine-phenyl-13C6.....	446	
Sulfameter.....	446	
Sulfamethazine (phenyl-13C6,90%).....	446, 663	
Sulfamethazine.....	663	
Sulfamethazole (ring-13C6,99%).....	446, 663	
Sulfamethizole.....	446	
Sulfamethoxazole.....	446, 663	
Sulfamethoxy-pyridazine.....	446	
Sulfamethoxy-pyridazine-d3.....	446	
Sulfanilamide.....	446	
Sulfanitrin.....	446	
Sulfapyridine.....	446	
Sulfapyridine-phenyl-13C6.....	446	
Sulfaquinoxaline.....	358	
Sulfate.....	541	
Sulfathiazole.....	446	
Sulfathiazole-phenyl-13C6.....	446	
Sulfatroxazole.....	438	
Sulfisomidin.....	446	
Sulfisoxazole.....	446	
Sulfometuron methyl.....	358	
Sulfosulfuron.....	358	
Sulfotep.....	358	
Sulfur element standard ..	358, 519, 526, 529	
Sulfuric acid.....	539, 918	
(S)-(-)-Sulpiride.....	446	
Sulprofos.....	358	
Sulprofos (Bolstar).....	358	
Sunset Yellow.....	300	
Sunset Yellow FCF.....	300	
Surface area.....	843	
Surface tension.....	846	
Surface water.....	31, 32	
Surfactant.....	39	
Sweet cream butter.....	142	
SWEP.....	358	
Syringes.....	273, 885	
2,4,5-T (ring-13C6,99%).....	359, 671, 691	
2,4,5-T.....	358, 359	
T-2 Tetraol.....	306	
T-2 Toxin (T-2) (U-13C24).....	306	
T-2 Toxin.....	306	
T-2 Triol.....	306	
T304-40 Cotton seed.....	170	
D-Tagatose.....	286	
Talc.....	265	
D-Talose.....	286	
Tantalum.....	519, 526, 529	
L-(+)-Tartaric acid.....	302	
Tartrate.....	541	
Tartrazine.....	300	
Taurine.....	291	
TBTO.....	359	
TCA.....	359	
2,4-TDI.....	494	
2,6-TDI.....	494	
Tea leaves.....	174	
Tea - Trace elements.....	174	
Tebuconazol.....	359	
Tebuconazole.....	359	
Tebufenozide.....	359	
Tebufenpyrad.....	359	
Tebupirimfos.....	359	
Tebutam.....	359	
Tebuthiuron.....	359	
Tecnazene.....	359	
Teflubenzuron.....	359	
Tefluthrin.....	359	
Tellurium.....	519, 526, 529	
Tellurium dioxide, 99.999%.....	823	
Tellurium powder, 99.999%.....	823	
Tembotrione.....	359	
Temephos.....	359	
Temozolomide.....	446	
Tenax.....	130	
Tensile properties.....	879	
TEPP.....	359	
Tepraloxymid.....	359	
Terbacil.....	359	
Terbium.....	519, 526, 529	
Terbufos (diethoxy-13C4,99%).....	359, 686, 691	
Terbufos.....	359	
Terbufos-sulfone.....	359, 360	
Terbufos-sulfoxide.....	360	
Terbumeton.....	360	
Terbumeton-desethyl.....	360	
Terbuthylazine.....	360	
Terbuthylazine-desethyl.....	360	
Terbuthylazine-2-hydroxy.....	360	
Terbutryn.....	360	
Terephthalic acid (ring-D4,98%).....	680	
Terpenes Kit.....	466	
o-Terphenyl (D14,98%).....	680	
o-Terphenyl.....	428, 494, 495	
m-Terphenyl.....	428, 494	
p-Terphenyl (D14,98%).....	680	
p-Terphenyl.....	428, 495, 652, 680	
p-Terphenyl-D14.....	495, 732	
alpha-Terpineol (propyl methyl-D3,98%).....	680	
Testosterone (1,2-D2,98%).....	446, 662	
Testosterone.....	446	
Testosterone (D5,98%).....	446, 662	
Testosterone.....	446, 662	
Testosterone acetate.....	446	
Testosterone 17-benzoate.....	446	
2,4,5-T-ethylhexyl ester.....	359	
Tetraamineplatinum chloride hydrate, 99.999%.....	823	
Tetraamineplatinum nitrate, 99.999%.....	823	
2,2',4,5'-Tetrabromobiphenyl.....	409	
2,2',5,5'-Tetrabromobiphenyl.....	409	
2,2',5,6'-Tetrabromobiphenyl.....	409	
3,3',4,4'-Tetrabromobiphenyl (13C12,99%) .....	639	
3,3',4,4'-Tetrabromobiphenyl.....	639	
3,3',5,5'-Tetrabromobiphenyl.....	409	
Tetrabromobisphenol A (ring-13C12,99%) .....	639, 671	
Tetrabromobisphenol A.....	639, 671	
2,3,7,8-Tetrabromodibenzo-p-dioxin (13C12,99%).....	557	
2,3,7,8-Tetrabromodibenzo-p-dioxin.....	557	
2,3,7,8-Tetrabromodibenzofuran (13C12,99%).....	557	
2,3,7,8-Tetrabromodibenzofuran.....	558	
2,4,6,8-Tetrabromodibenzofuran (13C12,99%).....	557	
2,4,6,8-Tetrabromodibenzofuran.....	558	
2,2',4,4'-Tetrabromodiphenylether (13C12,99%).....	637	
2,2',4,4'-Tetrabromodiphenyl ether.....	638	
2,2',4,5'-Tetrabromodiphenyl ether.....	638	
2,2',4,6'-Tetrabromodiphenyl ether.....	638	
2,3',4,4'-Tetrabromodiphenyl ether.....	638	
2,3',4',6'-Tetrabromodiphenyl ether.....	638	
2,4,4',6'-Tetrabromodiphenyl ether.....	638	
3,3',4,4'-Tetrabromodiphenylether (13C12,99%).....	637	
3,3',4,4'-Tetrabromodiphenyl ether.....	638	
3,3',4,5'-Tetrabromodiphenyl ether.....	638	
1,1,2,2-Tetrabromoethane.....	495	
2,3,4,5-Tetrabromophenol (13C6,99%).....	667	
2,3,4,5-Tetrabromophenol.....	667	
1,2,3,4-Tetrachloro-5-nitrobenzene.....	360	
2,3,4,5-Tetrachloroaniline.....	495	
2,3,5,6-Tetrachloroaniline.....	495	
2,3,4,5-Tetrachloroanisole.....	495	
2,3,4,6-Tetrachloroanisole.....	495	
2,3,5,6-Tetrachloroanisole.....	495	
1,3,5,7-Tetrachloroaphthalene.....	406, 653	
1,2,3,4-Tetrachlorobenzene (13C6,99%).....	667	
1,2,3,4-Tetrachlorobenzene.....	360, 408, 495, 667	
1,2,3,5-Tetrachlorobenzene.....	360, 408, 495, 667	
1,2,4,5-Tetrachlorobenzene (13C6,99%).....	680, 681	
1,2,4,5-Tetrachlorobenzene (D2,98%).....	681	
1,2,4,5-Tetrachlorobenzene.....	360, 408, 495, 667	
2,2',3,3'-Tetrachlorobiphenyl.....	388, 601	
2,2',3,4-Tetrachlorobiphenyl.....	388, 601	
2,2',3,4'-Tetrachlorobiphenyl.....	388, 601	
2,2',3,5-Tetrachlorobiphenyl.....	388, 601	
2,2',3,5'-Tetrachlorobiphenyl.....	388, 598, 601	
2,2',3,6-Tetrachlorobiphenyl.....	388, 601	
2,2',3,6'-Tetrachlorobiphenyl.....	388, 601	



## Product index

2,2',4,4'-Tetrachlorobiphenyl (13C12,99%)	1,2,3,7,1,2,3,8-Tetrachlorodibenzo-p-dioxin isomer pair	1,2,3,5-Tetramethylbenzene
2,2',4,4'-Tetrachlorobiphenyl.... 388, 596	1,2,3,4-Tetrachlorodibenzofuran (13C12,99%)	1,2,4,5-Tetramethylbenzene
2,2',4,5-Tetrachlorobiphenyl ..... 388, 601	1,2,3,4-Tetrachlorodibenzofuran ..... 552	2,6,10,14-Tetramethylhexadecane
2,2',4,5'-Tetrachlorobiphenyl..... 388, 601	1,2,3,4-Tetrachlorodibenzofuran ..... 411	2,6,10,14-Tetramethylpentadecane
2,2',4,6-Tetrachlorobiphenyl ..... 388, 601	1,2,3,9-Tetrachlorodibenzofuran ..... 553	Tetramisole-d5 hydrochloride
2,2',4,6'-Tetrachlorobiphenyl..... 388, 601	1,2,7,8-Tetrachlorodibenzofuran (13C12,99%)	Tetramisol hydrochloride
2,2',4,5'-Tetrachlorobiphenyl..... 598	1,2,7,8-Tetrachlorodibenzofuran ..... 552	1,2,3,4-Tetra-O-acetyl-beta-D-glucopyranose
2,2',5,5'-Tetrachlorobiphenyl (13C12,99%)	1,2,7,8-Tetrachlorodibenzofuran ..... 553	Tetraoctyltin
2,2',5,5'-Tetrachlorobiphenyl..... 388, 596	1,3,6,8-Tetrachlorodibenzofuran (13C12,99%)	Tetrapentyltin
2,2',5,5'-Tetrachlorobiphenyl..... 388, 598, 601	1,3,6,8-Tetrachlorodibenzofuran ..... 552	Tetrapropyltin
2,2',5,6'-Tetrachlorobiphenyl..... 388, 601	1,3,6,8-Tetrachlorodibenzofuran ..... 553	Tetrasul
2,2',6,6'-Tetrachlorobiphenyl (13C12,99%)	1,3,7,8-Tetrachlorodibenzofuran ..... 411	n-Tetradetracontane
2,2',6,6'-Tetrachlorobiphenyl..... 388, 596	2,3,7,8-Tetrachlorodibenzofuran (13C12,99%)	n-Tetratricontane
2,2',6,6'-Tetrachlorobiphenyl.... 388, 598, 602	2,3,7,8-Tetrachlorodibenzofuran..... 552	Tetryl..... 463, 797
2,3,3',4-Tetrachlorobiphenyl ..... 388, 602	2,3,7,8-Tetrachlorodibenzofuran.... 411, 553, 795	Thallium - Isotopes ..... 519, 520, 523, 526, 529
2,3,3',4'-Tetrachlorobiphenyl ..... 389, 602	1,2,8,9-Tetrachlorodibenzofurane..... 553	Thallium nitrate, 99.999%..... 823
2,3,3',5-Tetrachlorobiphenyl ..... 389, 602	2,3,7,8-Tetrachlorodibenzothiophene ..... 654	Thallium(I)-sulfate ..... 360
2,3,3',6-Tetrachlorobiphenyl ..... 389, 602	3,3',4,4'-Tetrachlorodiphenylether (TetraCDE) (13C12, 99%)..... 671	Theaflavine ..... 293
2,3,4,4'-Tetrachlorobiphenyl (13C12,99%)	2,3',4,4'-Tetrachlorodiphenyl ether..... 495	Theaflavine-3,3'-digallate..... 293
2,3,4,4'-Tetrachlorobiphenyl .... 389, 598, 602	2,3',4,5'-Tetrachlorodiphenylether (13C12,99%)	Theaflavine-3-gallate ..... 293
2,3',4,4'-Tetrachlorobiphenyl.... 389, 598, 602	2,4,4',5-Tetrachlorodiphenyl ether ..... 495	L-Theanine..... 291
2,3',4',5-Tetrachlorobiphenyl (13C12,99%)	3,3',4,4'-Tetrachlorodiphenyl ether..... 495	Theobromine..... 294, 446
2,3,4,5-Tetrachlorobiphenyl ..... 389, 602	1,1,1,2-Tetrachloroethane ..... 495	Theophylline..... 294
2',3,4,5-Tetrachlorobiphenyl ..... 390, 602	1,1,1,2-Tetrachloroethane (D2,99.6%) ... 681	Thermal conductivity ..... 832
2,3',4,5-Tetrachlorobiphenyl ..... 389, 602	1,1,2,2-Tetrachloroethane ..... 495	Thermal expansion ..... 834
2,3,4',5-Tetrachlorobiphenyl ..... 389, 602	1,1,2,2-Tetrachloroethane ..... 495	Thermal properties..... 827
2,3',4',5-Tetrachlorobiphenyl.... 389, 598, 602	Tetrachloroethene..... 495	Thermal resistance ..... 834
2,3',4,5'-Tetrachlorobiphenyl..... 389, 602	Tetrachloroethylene (1,2-13C2,99%)..... 681	Thiabendazole (ring-13C6,99%).... 361, 446, 663
2,3,4,6-Tetrachlorobiphenyl ..... 389, 602	3,4,5,6-Tetrachloroguaiacol ..... 681	Thiabendazole ..... 302, 360, 446, 663, 762
2,3',4,6-Tetrachlorobiphenyl ..... 389, 602	Tetrachloroguaiacol ..... 495	Thiacloprid ..... 361
2,3,4,6-Tetrachlorobiphenyl ..... 389, 602	2,4,5,6-Tetrachloro-m-xylene... 496, 776, 794	Thiacloprid-amide ..... 361
2,3',4',6-Tetrachlorobiphenyl..... 389, 602	1,2,3,4-Tetrachloronaphthalene (13C10,99%)	Thiamethoxam ..... 361
2,3',5,5'-Tetrachlorobiphenyl..... 389, 602	1,2,3,4-Tetrachloronaphthalene..... 406, 653	Thiamine hydrochloride ..... 446
2,3,5,6-Tetrachlorobiphenyl ..... 389, 602	1,2,5,6-Tetrachloronaphthalene..... 406, 653	Thidiazuron ..... 361
2,3',5',6-Tetrachlorobiphenyl..... 389, 602	1,3,5,7-Tetrachloronaphthalene (13C10,99%)	Thien carbazole-methyl ..... 361
2,4,4',5-Tetrachlorobiphenyl ... 389, 390, 598, 602	1,3,5,7-Tetrachloronaphthalene..... 406, 653	Thifensulfuron-methyl ..... 361
2,4,4',6-Tetrachlorobiphenyl ..... 390, 602	2,3,6,7-Tetrachloronaphthalene..... 406, 654	Thiobencarb ..... 361
3,3',4,4'-Tetrachlorobiphenyl (13C12,99%)	2,3,4,5-Tetrachloronitrobenzene..... 360	Thiocyanate ..... 541
3,3',4,4'-Tetrachlorobiphenyl (D6,98%) .. 390, 596	2,3,4,5-Tetrachlorophenol..... 495, 681	Thiocyclam hydrogeneoxalate ..... 361
3,3',4,4'-Tetrachlorobiphenyl (D6,98%) .. 390, 596	2,3,4,6-Tetrachlorophenol..... 360, 495, 681	Thiodicarb ..... 361
3,3',4,4'-Tetrachlorobiphenyl.... 390, 598, 602	2,3,5,6-Tetrachlorophenol..... 360, 496, 681	Thiodiglycol (13C4,99%)..... 496, 701
3,3',4,5'-Tetrachlorobiphenyl (13C12,99%)	1,1,1,2-Tetrachloropropane ..... 496	Thiodiglycol (D8,98%)..... 496, 701
3,3',4,5'-Tetrachlorobiphenyl..... 390, 596	1,1,1,3-Tetrachloropropane ..... 496	Thiodiglycol ..... 496, 701
3,3',4,5-Tetrachlorobiphenyl .... 390, 598, 602	1,1,2,3-Tetrachloropropane ..... 496	Thiodiglycol sulfoxide..... 496, 701
3,3',4,5'-Tetrachlorobiphenyl... 390, 598, 602, 603	2,2'',5,5'''-Tetrachloro-p,p-quaterphenyl . 405	Thiofanox ..... 361
3,3',5,5'-Tetrachlorobiphenyl (13C12,99%)	2,3,5,6-Tetrachloro-p-terphenyl ..... 405	Thiofanox-sulfoxide..... 361
3,3',5,5'-Tetrachlorobiphenyl.... 390, 598, 603	2,4,4',6-Tetrachloro-p-terphenyl ..... 405	Thiometon ..... 361
3,4,4',5-Tetrachlorobiphenyl (13C12,99%)	1,2,3,4-Tetrachlorotetrahydronaphthalene	Thionazin ..... 361
3,4,4',5-Tetrachlorobiphenyl .... 390, 598, 603	alpha, alpha, alpha, 4-Tetrachlorotoluene .. 496	Thionazin-d10 ..... 361
3,3',5,5'-Tetrachloro-4,4'-biphenyldiol ..... 405	alpha, alpha, 2,6-Tetrachlorotoluene ..... 496	Thiophanate-methyl ..... 361
2,3',4,4'-Tetrachlorobiphenylether ..... 671	2,4,5,6-Tetrachloro-m-xylene..... 496	Thiophene (as S) ..... 804
2',3',4',5'-Tetrachloro-3-biphenylol ..... 405	Tetrachlorovinphos ..... 360	Thiophene ..... 496
2',3',4',5'-Tetrachloro-4-biphenylol ..... 405	Tetraconazole ..... 360	Thiosulfate ..... 541
Tetrachlorobisphenol A (ring-13C12,99%)	n-Tetracontane ..... 435, 496	Thiosultap disodium ..... 361
640, 667, 671	n-Tetracosane (D50,98%) ..... 673	2-Thiouracil ..... 446
Tetrachlorobisphenol A..... 640, 667, 671	n-Tetracosane ..... 496	Thiram ..... 361
3,4,5,6-Tetrachlorocatechol ..... 681	Tetracosanoic acid ..... 297	Thorium..... 520, 526, 529
1,2,3,4-Tetrachlorodibenzo-p-dioxin (13C12,99%)	1-Tetracosanol ..... 297	DL-Threonine (Allo-Free)..... 291
1,2,3,4-Tetrachlorodibenzo-p-dioxin (13C6,99%)	Tetracycline hydrochloride ..... 446	L-Threonine ..... 291
1,2,3,4-Tetrachlorodibenzo-p-dioxin ..... 551	Tetradecachloro-m-terphenyl..... 405	Thulium ..... 520, 526
1,2,3,4-Tetrachlorodibenzo-p-dioxin 410, 551	n-Tetradecane ..... 496	L-Thyroxine (Thyrosine-ring-13C6,99%).. 662
1,2,3,9-Tetrachlorodibenzo-p-dioxin ..... 551	Tetradecanedioic acid..... 297	Tiamulin fumarate..... 447
1,2,6,7-Tetrachlorodibenzo-p-dioxin ..... 551	Tetradecanoic acid ..... 297	TIC (Total Inorganic Carbon)..... 508
1,2,7,8-Tetrachlorodibenzo-p-dioxin ..... 551	Tetradecanoic acid methyl ester..... 297	Tilmicosin ..... 447
1,2,8,9-Tetrachlorodibenzo-p-dioxin ..... 551	1-Tetradecanol..... 297	Tin520, 523, 526, 529
1,3,6,8-Tetrachlorodibenzo-p-dioxin (13C12,99%)	Tetradifon..... 360	Tinidazole ..... 447
1,3,6,8-Tetrachlorodibenzo-p-dioxin 410, 551	1,1,1,2-Tetrafluoroethane ..... 496	Tiopronin ..... 447
1,3,7,8-Tetrachlorodibenzo-p-dioxin 410, 551	1,1,2,2-Tetrafluoroethane ..... 496	Titanium ..... 520, 523, 526, 529
1,3,7,9-Tetrachlorodibenzo-p-dioxin ..... 551	1,2,3,4-Tetrahydrocarbazole..... 496	Titanium carbide (TiC) single layer ..... 847
1,4,7,8-Tetrachlorodibenzo-p-dioxin ..... 551	Tetrahydrofuran ..... 496	Titanium dioxide (anatase) ..... 849
2,3,7,8-Tetrachlorodibenzo-p-dioxin (13C12,99%)	Tetrahydrofuran for LC-MS Optigrade® .. 918	Titanium dioxide (hydrophilic, rutile) ..... 849
551, 671, 681	cis-1,2,3,6-Tetrahydrophthalic anhydride (3,3,4,5,6,6-D6,98%)	Titanium dioxide (hydrophobic, rutile)..... 849
2,3,7,8-Tetrachlorodibenzo-p-dioxin (37Cl4,99%)	cis-1,2,3,6-Tetrahydrophthalimide (3,3,4,5,6,6-D6,98%)	Titanium dioxide (rutile-anatase) ..... 849
551	Tetramethrin ..... 360	Titanium dioxide - Purity ..... 264
2,3,7,8-Tetrachlorodibenzo-p-dioxin 410, 551, 671, 681	1,2,3,4-Tetramethylbenzene ..... 496	Titanium nitride (TiN) single layer ..... 847
		Titanium oxide, 99.999% ..... 823
		2,4,5-T-methyl ester..... 359
		2,4,5-T-2-methyl-1-propyl ester ..... 359
		Toasted bread - Acrylamide..... 181
		Tobacco leaves - Trace elements ..... 116
		TOC (Total Organic Carbon) ..... 508
		D-delta-tocopherol ..... 292

D-gamma-tocopherol.....	292	2,4,6-Tribromophenol (3,5-D2,98%).....	668	1,1,2-Trichloroethane (13C2,99%).....	681
DL-alpha-tocopherol.....	292	2,4,6-Tribromophenol.....	497, 668, 747, 771	1,1,2-Trichloroethane.....	497
2,4,5-T-1-octyl ester.....	359	3,4,5-Tribromophenol (13C6,98%).....	668	Trichloroethene.....	497
Tokuthion.....	361	Tributyltin chloride (D27,98%).....	502, 671, 681	Trichloroethylene (D,98%).....	681
Tolbutamide.....	447	Tributyltin chloride.....	359, 502, 672, 681	Trichloroethylene (13C2,99%).....	681
Tolclofos-methyl.....	361	Tricaprin.....	238	Trichlorofluoromethane.....	497, 498
Tolfenamic acid.....	447	Trichloron.....	362	2,4,4'-Trichloro-2'-hydroxydiphenyl ether.....	498
Toltrazuril.....	447	Trichloroacetic acid.....	362, 497	Triclosan.....	447, 661, 664
Toltrazuril sulfone.....	447	Trichloroacetonitrile.....	497	2,3,5-Trichloro-6-hydroxypyridine.....	363
Toltrazuril sulfoxide.....	447	2,3,4-Trichloroaniline.....	497	1,2,3-Trichloronaphthalene.....	406, 653
o-Tolualdehyde-DNPH.....	504	2,4,5-Trichloroaniline.....	362, 497	Trichloronate.....	363
m-Tolualdehyde-DNPH.....	504	2,4,6-Trichloroaniline.....	362, 497	2,3,4-Trichlorophenol.....	363, 498
p-Tolualdehyde-DNPH.....	504	2,3,4-Trichloroanisole.....	362, 497	2,3,5-Trichlorophenol.....	498
Toluene (D8,99,6%).....	681	2,3,5-Trichloroanisole.....	497	2,3,6-Trichlorophenol.....	363, 498
Toluene (methyl-13C,99%).....	681	2,3,6-Trichloroanisole.....	362, 497	2,4,5-Trichlorophenol (13C6,99%) ..	668, 681
Toluene (methyl-D3,98%).....	681	2,4,5-Trichloroanisole.....	497	2,4,5-Trichlorophenol (ring-D2,98%) .....	681
Toluene (ring-13C6,99%).....	681	2,4,6-Trichloroanisole (D5,98%).....	664, 681	2,4,5-Trichlorophenol.....	363, 498, 668
Toluene (ring-D5,98%).....	681	2,4,6-Trichloroanisole.....	362, 497, 664, 681	2,4,6-Trichlorophenol (13C6,99%) ..	668, 681
Toluene.....	496	3,4,5-Trichloroanisole.....	497	2,4,6-Trichlorophenol (ring-D2,98%) .....	681
Toluene-D8.....	496	1,2,3-Trichlorobenzene.....	362, 407, 497	2,4,6-Trichlorophenol.....	363, 498, 668
Toluene HPLC Optigrade®.....	918, 919	1,2,3-Trichlorobenzene (D3,98%) .....	681	3,4,5-Trichlorophenol.....	498
Toluene Picograde® for residue analysis.....	919	1,2,4-Trichlorobenzene (D3,98%) .....	681	2,4,5-Trichlorophenoxyacetic acid (2,4,5-T)	
o-Toluidine.....	496, 497	1,2,4-Trichlorobenzene.....	362, 407, 497	.....	671, 691
m-Toluidine.....	496	1,3,5-Trichlorobenzene (D3,98%) .....	681	2,4,6-Trichlorophenoxyacetic acid.....	363
Tolyfluamid.....	361	1,3,5-Trichlorobenzene.....	362, 363, 408, 463	1,2,3-Trichloropropane (D5,98%) .....	664, 672, 681
3-(4-Tolyl)-1,1-dimethylurea.....	361	2,3,6-Trichlorobenzoic acid.....	497	1,2,3-Trichloropropane.....	498, 664, 672, 741
Tolyfluamid.....	361	2,2',3-Trichlorobiphenyl.....	386, 600	1,1,1-Trichloro-2-propanone.....	498
Tomato leaves.....	118, 173	2,2',4-Trichlorobiphenyl.....	386, 600	2,4,6-Trichloro-p-terphenyl.....	405
Tomato paste.....	171	2,2',5-Trichlorobiphenyl.....	386, 598, 600	alpha,2,4-Trichlorotoluene.....	498
Topramezone.....	361	2,2',6-Trichlorobiphenyl (13C12,99%) .....	386, 596	alpha,2,6-Trichlorotoluene.....	498
Total Inorganic Carbon (TIC).....	508	2,2',6-Trichlorobiphenyl.....	386, 598, 600	alpha,3,4-Trichlorotoluene.....	498
Total Organic Carbon (TOC).....	508	2,3,3'-Trichlorobiphenyl.....	386, 600	2,3,6-Trichlorotoluene.....	498
Toxaphene.....	361, 362, 370, 497, 720, 723, 732, 733, 748, 749, 773, 775	2,3,4-Trichlorobiphenyl.....	386, 600	2,4,5-Trichlorotoluene.....	498
Toxaphene Mix.....	375, 376, 377	2',3,4-Trichlorobiphenyl.....	387, 598, 601	1,1,2-Trichlorotrifluoroethane.....	498
2,4,5-TP-methyl ester.....	339	2,3',4-Trichlorobiphenyl.....	387, 600	1,1,2-Trichloro-1,2,2-trifluoroethane for IR-Spectroscopy.....	919
Trace metals.....	39	2,3,4'-Trichlorobiphenyl.....	386, 600	Trichothecene Mix.....	307
Tralkoxidyme.....	362	2,3,5-Trichlorobiphenyl.....	386, 600	Trichothecenes and Zearalenone Mix.....	307
Transfluthrin.....	362	2',3,5-Trichlorobiphenyl.....	387, 601	Triclabendazole.....	363, 447
Transformer oil - Aroclor.....	383, 384	2,3',5-Trichlorobiphenyl.....	387, 600	Triclabendazole sulfone.....	363
Transformer oil - PCBs.....	228	2,3,6-Trichlorobiphenyl.....	386, 600	Triclabendazole sulfoxide.....	363
trans-Permethrin.....	686, 691	2,3',6-Trichlorobiphenyl.....	387, 600	Triclocarban.....	447, 661
Trees and bushes.....	115	2,4,4'-Trichlorobiphenyl (13C12,99%) .....	387, 596	Triclopypyr.....	363
D-(+)-Trehalose.....	286	2,4,4'-Trichlorobiphenyl ...	387, 598, 600, 601	Triclopypyr-2-butoxyethyl ester.....	363
17-alpha-Trenbolone.....	438, 447	2,4,5-Trichlorobiphenyl.....	387, 601	Triclosan (13C12,99%).....	447, 661, 664
n-Triacontane (D62,98%).....	673	2,4',5-Trichlorobiphenyl.....	387, 598, 601	Triclosan.....	447
n-Triacontane.....	497	2,4',6-Trichlorobiphenyl (13C12,99%) .....	387, 596	n-Tricosane (D48,98%).....	673
Triacontanoic acid.....	297	2,4,6-Trichlorobiphenyl (PCB 30) ...	387, 598, 601	n-Tricosane.....	498
Triacontanoic acid methyl ester.....	297	2,4',6-Trichlorobiphenyl.....	387, 598, 601	Tricosanoic acid methyl ester.....	297
1-Triacontanol.....	297	3,3',4'-Trichlorobiphenyl.....	387, 598, 601	1-Tricosanol.....	297
Triadimefon.....	362	3,3',5-Trichlorobiphenyl.....	387, 601	Tricyclazole.....	363
Triadimenol isomer A.....	362	3,4,4'-Trichlorobiphenyl (13C12,99%) .....	387, 596	Tricyclohexyltin chloride.....	502
Triallate.....	362	3,4,4'-Trichlorobiphenyl.....	387, 598, 601	n-Tridecane (D28,98%).....	672
Triallyl phosphate.....	497	3,4,5-Trichlorobiphenyl.....	387, 598, 601	n-Tridecane.....	498
Triasulfuron.....	362	2,2',5'-Trichloro-4-biphenylol.....	405	Tridecane.....	498
Triazophos.....	362	2',3,5'-Trichloro-2-biphenylol.....	405	Tridecanoic acid.....	297
Triazoxide.....	362	2',5,5'-Trichloro-2-biphenylol.....	405	Tridecanoic acid methyl ester.....	297
Tribenuron-methyl.....	362	3,4',5-Trichloro-4-biphenylol.....	405	Tridemorph.....	363
2,4,6-Tribromoanisole.....	362	3,4,4'-Trichlorocarbanilide.....	447, 661	Triethanolamine (D15,98%).....	681
1,3,5-Tribromobenzene.....	497, 778	3,4,5-Trichlorocatechol.....	681	O,O,O-Triethyl phosphorothioate.....	363
2,2',5-Tribromobiphenyl.....	409	1,2,3-Trichlorodibenzo-p-dioxin.....	410, 552	Trifloxystrobin.....	363
2,3',5-Tribromobiphenyl.....	409	1,2,4-Trichlorodibenzo-p-dioxin.....	410	Trifloxysulfuron Na-salt.....	363
2,4,5-Tribromobiphenyl.....	409	1,3,6-Trichlorodibenzo-p-dioxin.....	551	Triflumizole.....	363
2,4',5-Tribromobiphenyl.....	409	1,3,7-Trichlorodibenzo-p-dioxin.....	551	Triflumuron.....	363
2,4,6-Tribromobiphenyl.....	409	1,7,8-Trichlorodibenzo-p-dioxin.....	552	Trifluoroacetic acid UHPLC-MS Optigrade®	
3,4,5-Tribromobiphenyl.....	409	2,3,7-Trichlorodibenzo-p-dioxin (13C12,99%) .....	551	.....	894
2,3,7-Tribromodibenzo-p-dioxin (13C12,99%) .....	557	2,3,7-Trichlorodibenzo-p-dioxin.....	410, 551	2',4',5'-Trifluoroacetophenone.....	742
2,3,7-Tribromodibenzo-p-dioxin.....	557	1,2,3-Trichlorodibenzofuran.....	553	Trifluoromethane.....	498
2,4,8-Tribromodibenzofuran (13C12,99%) .....	557	2,3,8-Trichlorodibenzofuran.....	411	alpha, alpha, alpha-Trifluorotoluene.....	498, 719, 745, 766, 767
2,4,8-Tribromodibenzofuran.....	558	2,4,6-Trichlorodibenzofuran.....	411, 553	Triflupromazine hydrochloride.....	447
2,2',4'-Tribromodiphenyl ether.....	638	2,4,8-Trichlorodibenzofuran (13C12,99%) .....	552	Trifluralin (di-n-propyl-D14,98%).....	363, 671, 691
2',3,4'-Tribromodiphenyl ether.....	638	2,4,8-Trichlorodibenzofuran.....	552	Trifluralin.....	363, 691
2,3',4'-Tribromodiphenyl ether.....	638	2,4,8-Trichlorodibenzofuran.....	411, 553	Triflurosulfuron-methyl.....	363
2,4,4'-Tribromodiphenyl ether (13C12,99%) .....	637	2,4,8-Trichlorodibenzofuran.....	552	Triforine.....	363
2,4,4'-Tribromodiphenyl ether.....	638	2,4,8-Trichlorodibenzofuran.....	411, 553	Triforine-d8.....	363
2,4,6-Tribromodiphenyl ether.....	638	2,2',4-Trichlorodiphenyl ether.....	497	Trihalomethane.....	448, 715
2,4',6-Tribromodiphenyl ether.....	638	2',3,4-Trichlorodiphenyl ether.....	497	2,3,5-Trimethacarb.....	363
3,3',4'-Tribromodiphenyl ether.....	638	2,4,4'-Trichlorodiphenyl ether.....	497	Trimethoprim (13C3,99%).....	447, 663
3,4,4'-Tribromodiphenyl ether.....	638	1,1,1-Trichloroethane (2,2,2-D3,98%) .....	681	Trimethoprim.....	447, 663
2,3,4-Tribromophenol (13C6,99%).....	667	1,1,1-Trichloroethane (2,2,2-D3,98%) .....	681	1,3,5-Trimethyl-2-nitrobenzene.....	736
2,4,5-Tribromophenol (13C6,99%).....	667	1,1,1-Trichloroethane (2-13C,99%) .....	672	1,2,3-Trimethylbenzene.....	498
2,4,5-Tribromophenol.....	667	1,1,1-Trichloroethane.....	497, 672	1,2,4-Trimethylbenzene.....	498
2,4,6-Tribromophenol (13C6,99%).....	667	1,1,2-Trichloroethane (1,2,2-D3,98%) .....	681	1,3,5-Trimethylbenzene.....	498, 499

## Product index

4-(1,1,5-Trimethylhexyl) phenol .....	666	Unleaded Gasoline (unweathered) .....	436	Water 0.1 % trifluoroacetic acid UHPLC-MS	
4-(1,1,5-Trimethylhexyl)phenol (ring-		Uranium .....	520, 521, 526, 529	Optigrade® .....	922
13C6,99%) .....	666	Urban dust .....	129	Water for LC-MS Optigrade® .....	922
1,2,4-Trimethyl-5-nitrobenzene .....	736	USP 467 .....	455, 456	Water HPLC Optigrade® .....	920
2,2,4-Trimethylpentane (Isooctane)		UV standard .....	851	Water - Total residual chlorine .....	38
Picograde® for residue analysis .....	920	Valeraldehyde-DNPH .....	504	Water UHPLC-MS Optigrade® .....	920, 921
2,2,4-Trimethylpentane HPLC Optigrade®		L-Valine .....	291	Wheat .....	161, 308
(Isooctane) .....	919, 920	Valnemulin .....	447	Wheat flour - Ochratoxin A .....	308
2,3,5-Trimethylphenol .....	363	Vamidothion .....	364	Wheat flour - Proximates and essential	
2,4,6-Trimethylphenol .....	364	Vamidothion sulfone .....	364	elements .....	161
1,2,2-Trimethylpropyl hydrogen		Vamidothion sulfoxide .....	364	Wheat flour - Trace elements .....	161
methylphosphonate (trimethylpropyl-		Vanadium .....	521, 523, 526, 529	Whey powder .....	136, 139, 140
13C6,99%) .....	364, 494, 686, 691, 701	Vanadium carbide (VC) single layer .....	847	Whey powder - Proximates .....	139
Trimethyltin chloride .....	364	Vanadium nitride (VN) single layer .....	847	Whey powder - Radioactiveisotopes .....	137
Trinexapac-ethyl .....	364	Vedaprofen .....	447	Whisky - Congeners .....	184
1,3,5-Trinitrobenzene (13C6,99%) .....	672	Vedaprofen-d3 .....	447	White Portland Cement .....	253
1,3,5-Trinitrobenzene .....	463, 499, 672, 797	Vegetables .....	172, 173	Whole milk powder - Major nutrients .....	135
2,4,7-Trinitro-9-fluorenone .....	499	Vegetation - Fluoride .....	117	WHO - PCB Mixture 400, 616, 617, 618, 620,	
Trinitroglycerin .....	463	Vehicle exhaust particulates .....	128	621 .....	185
2,4,6-Trinitrotoluene (15N3,98%, 13C7,99%)		Vernolate .....	364	Wine - Alcohol .....	185
.....	672	Verrucologen .....	306	Wood fuel - Trace elements .....	251
2,4,6-Trinitrotoluene .....	463, 672, 797	Vickers Hardness .....	846	Wood - Trace elements and	
Triolein .....	237	Vinclozolin .....	364	pentachlorophenol (PCP) .....	116
Triphenylene (D12,98%) .....	428, 651	Vinyl acetate .....	499, 782, 785	Wortmannin .....	306
Triphenylene .....	428, 499	Vinyl chloride (D3,98%) .....	681	X-Ray Diffraction .....	875
Triphenylenedodecahydro .....	428	Vinyl chloride .....	499	X-Ray Powder Diffraction .....	875
Triphenyl phosphate .....	499, 722	4-Vinylcyclohexene dioxide .....	499	Xylazine-d6 .....	447
Triphenyltin chloride .....	502	Violaxanthin .....	287	Xylazine hydrochloride .....	447
Triple point .....	831	Viscosity fixpoints .....	868	o-Xylene (D10,98%) .....	682
Tripropyltin chloride .....	502	Viscosity oil standards ... 243, 244, 245, 246,		o-Xylene .....	499
Triptycene .....	428	868, 869, 870		m-Xylene (D10,98%) .....	682
Tris (1-phenyl-1,3-butanediono) chromium		Vitamin A (Retinol) .....	292	m-Xylene .....	499
(III) - Chromium .....	812	Vitamin A acetate (Retinol acetate) .....	292	p-Xylene (D10,98%) .....	682
Tris (1-phenyl-1,3-butanediono) iron (III) -		Vitamin A palmitate (Retinol palmitate) ..	292	p-Xylene .....	499
Iron .....	812	Vitamin B1 (Thiamine) .....	292	m-Xylene .....	499
Triticonazole .....	364	Vitamin B12 (Cyanocobalamin) .....	292	p-Xylene .....	499
Tritosulfuron .....	364	Vitamin B2 (Riboflavin) .....	292	2,4-Xylidine .....	364
Truxene .....	428	Vitamin B3 (Niacinamide) .....	292	D-(+)-Xylose .....	286
Tryptamine hydrochloride .....	291	Vitamin B5 (Calcium pantothenate) .....	292	DL-Xylose .....	286
D-Tryptophan .....	291	Vitamin B6 (Pyridoxine) .....	292	L-Xylose .....	286
DL-Tryptophan .....	291	Vitamin D2 (Ergocalciferol) .....	292	Yeast .....	186
L-(-)-Tryptophan .....	291	Vitamin D3 (Cholecalciferol) .....	292	Yessotoxin .....	310
Tulobuterol hydrochloride .....	447	Vitamin E (D Form) .....	292	Ytterbium .....	521, 526, 529
Tuna fish .....	152	Vitamin E (DL-alpha-Tocopherol acetate) 292		Ytterbium chloride hexahydrate, 99.999% 823	
Tuna fish tissue - Arsenic species .....	153	Vitamin E (Tocopherol) .....	292	Ytterbium oxide, 99.99% .....	823, 824
Tungsten .....	520, 526, 529	Vitamin E acetate (DL-alpha-Tocopherol		Yttrium .....	521, 526, 529
Tungsten carbide .....	206	acetate) .....	292	Yttrium oxide, 99.999% .....	824
Turbidity .....	38	Vitamin E succinate (Tocopherol succinate)		alpha-Zearalanol .....	306, 438, 447
Turkey, cooked - Meat species .....	145	.....	292	beta-Zearalanol .....	306, 438, 447
Turkey, raw - Meat species .....	145	Vitamin H (Biotin) .....	292	Zearalanone .....	306
Tylosin phosphate .....	447	Vitamin H1 (4-Aminobenzoic acid) (PABA)		alpha-Zearalanol .....	306, 438, 447
Tylosin tartrate .....	447	.....	292	beta-Zearalanol .....	306, 438, 447
Tyramine .....	291	Vitamin K1 (Phytonadione) .....	292, 293	Zearalenon .....	306
Tyramine HCl .....	291	Vitamin K2 (4-Menaquinone) .....	293	Zearalenone-U-13C18 .....	306
D-Tyrosine .....	291	Vitamin K2 (Menaquinone) .....	293	Zearalenone .....	306, 438, 447
DL-Tyrosine .....	291	Vitamin K3 (Menadiione) .....	293	Zeaxanthin .....	287
L-Tyrosine .....	291	Vitamin K5 .....	293	Zinc .....	521, 523, 527, 529
UHT milk .....	141	Wafer .....	264, 875	Zinc cyclohexanebutyrate - Zinc .....	812
ULTRAcHECK® 705, 706, 707, 708, 709, 710,		Warfarin (phenyl-D5,98%) .....	364, 663, 691	Zinc oxide, 99.999% .....	824
711, 712, 713, 714, 883		Warfarin .....	364, 663, 691	Zinc oxide .....	850
ULTRAgold® .. 510, 511, 512, 513, 514, 515,		Wasteoil - PCBs .....	228	Zineb .....	364
516, 517, 518, 519, 520, 521		Waste - Total petrol hydrocarbons (TPH) ..	86	Ziram .....	364
ULTRAKits .....	466	Waste water .....	36	Zircon .....	205, 265
ULTRASep™ .....	883	Water .....	28, 29, 31, 32, 33, 34	Zirconia .....	204
ULTRASep™ TSS Filters .....	882	Water 0.1 % acetic acid UHPLC-MS		Zirconium .....	521, 527, 529
n-Undecane .....	499	Optigrade® .....	921	Zirconium chloride octahydrate, 99.99% ..	824
Unleaded Gasoline (25% weathered) .....	436	Water 0.1 % formic acid UHPLC-MS		Zoxamide .....	364
Unleaded Gasoline (50% weathered) .....	436	Optigrade® .....	921		
Unleaded Gasoline (75% weathered) .....	436				



# LGC Standards proficiency testing




LGC Standards is a major international provider of proficiency testing services. Operating from a dedicated site in the UK at Bury, Lancashire, the proficiency testing business encompasses over 6,000 participating laboratories in more than 130 countries across the world.

We offer an unprecedented breadth of schemes across a wide range of industries including: meat, dairy and other food sectors, water, soil and other environmental sectors, brewing, distilling, malting, sugar, forensic, consumer safety and pharmaceutical, most of which are run on an international basis.

Benefits of proficiency testing participation include:

- Monitor and improve quality of measurements
- Inter-laboratory measurement comparisons
- Greater process control
- Demonstrate competency to customers and accreditation bodies
- Staff development and training
- Evaluate methods and instrumentation



For further information or to receive any one of our catalogues, please contact your local office or visit our website.

[www.lgcstandards.com](http://www.lgcstandards.com)



*Excellence through measurement*

# Catalogues from LGC Standards

LGC Standards provides products and services to improve measurement and quality control within your laboratory.

## **Our extensive range of catalogues:**

- Analytical reference materials and standards for food, industrial and environmental applications
- ATCC cell biology catalogue
- ATCC microbiology catalogue
- ChromaDex phytochemical reference standards
- Clinical, forensic and sports drugs reference materials
- High purity solvents and acids
- Higher order reference materials
- Lipids catalogue
- Metals and related products - reference materials
- Pharmaceutical reference substances and impurities
- Proficiency testing schemes catalogue
- Reference materials for physical properties
- Tools for ADME/Tox: reagents, standards and model systems.



To download a PDF copy of any of our catalogues, please visit [www.lgcstandards.com](http://www.lgcstandards.com)

To receive a printed copy of any of our catalogues for your laboratory or office, please contact your local office [www.lgcstandards.com/contact.aspx](http://www.lgcstandards.com/contact.aspx)



[www.lgcstandards.com](http://www.lgcstandards.com)

Bulgaria • China • Czech Republic • Finland • France • Germany • Hungary • Ireland • India • Italy • Netherlands  
Poland • Romania • Russia • Spain • Sweden • Turkey • United Kingdom • USA